



THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE

RALEIGH

Vol. 35, No. 1.

JANUARY, 1914.

Whole No. 192.

ANNUAL REPORT

OF

FARMERS' INSTITUTES

PUBLISHED MONTHLY AND SENT FREE TO CITIZENS ON APPLICATION.

Entered at the Postoffice at Raleigh, N. C., as second class matter, February 7, 1901, under Act of June 6, 1900,

STATE BOARD OF AGRICULTURE

| W. A. Graham, Commissioner, ex officio Chairman | W. A. GRAHAM | . Commissioner. | ex officio | Chairman. | Raleigh. |
|---|--------------|-----------------|------------|-----------|----------|
|---|--------------|-----------------|------------|-----------|----------|

| | Belhaven | |
|---------------|----------------|-----------------|
| | Lucama | |
| | Pamlico | |
| | Raleigh | |
| | Haw River | |
| | Red Springs | |
| | Ilunting Creek | |
| | Gale | |
| W. J. Shuford | Hickory | Ninth District. |
| | | |
| | | |

| OI | FFICERS AND STAFF |
|-----------------------|---|
| W. A. GRAHAM | Commissioner. |
| ELIAS CARR | Secretary and Purchasing Agent. |
| MISS SARAH D. JONES | Bookkeeper. |
| D. G. CONN | Bulletin Superintendent. |
| B. W. KILGORE | State Chemist, Director Test Farms. |
| J. M. PICKEL | Feed Chemist. |
| W. G. HAYWOOD | Fertilizer Chemist, |
| L. L. Brinkley | Assistant Chemist. |
| | Soil Survey. |
| J. Q. Jackson | |
| J. K. Plummer | Soil Chemist. |
| | Assistant Chemist. |
| E. S. Dewar. | Assistant Chemist. |
| W. H. Strowd | Assistant Chemist. |
| E. B. Hart | Assistant Chemist. |
| R. W. Collett | Assistant Director Test Farms. |
| H. II. BRIMLEY | Curator of Museum. |
| T. W. Adicks | Assistant Curator. |
| FRANKLIN SHERMAN, Jr | Entomologist, |
| C. L. Metcalf | Assistant Entomologist. |
| S. C. Clapp | Assistant Entomologist in Field Work. |
| B. B. Flowe | Veterinarian. |
| H. P. Flowe | Assistant Veterinarian. |
| DAN T. GRAY | Chief in Animal Industry. |
| W. II. Eaton | Dairy Experimenter. |
| †Alvin J. Reed | Dairy Farming. |
| Stanley Combs | Assistant in Dairy Farming. |
| W. N. HUTT | |
| S. B. Shaw | Assistant Horticulturist. |
| R. G. Hill | Assistant Horticulturist. |
| T. B. PARKER | Director of Farmers' Institutes. |
| *Miss Carrie Hudgins | Assistant to Director of Farmers' Institutes. |
| R. L. Sloan | Assistant to Director of Farmers' Institutes. |
| W. M. ALLEN | Pure Food Chemist. |
| E. W. THORNTON | Assistant Pure Food Chemist. |
| C, E. Bell | Assistant Pure Food Chemist. |
| J. L. BURGESS | Agronomist and Botanist. |
| G. M. Garren | Assistant Agronomist. |
| Miss S. D. Allen | Assistant to Botanist. |
| C. H. Waldron | Assistant Agronomist and Botanist. |
| ‡E. H. Mathewson | Tobacco Investigations. |
| ‡C. R. Hudson | Farm Demonstration Work. |
| A. K. Robertson | Assistant in Boys' Corn Club Work. |
| Mrs. Charles McKimmon | Girls' Demonstration Work. |

R. W. Scott, Jr., Assistant Director Edgecombe Test Farm, Rocky Mount, N. C.

JOHN H. JEFFRIES, Assistant Director Pender Test Farm, Willard, N. C.

F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C.

F. S. PUCKETT, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C.

E. G. Moss, Assistant Director Granville Test Farm, Oxford N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture.

[†]Assigned by the Bureau of Animal Industry, United States Department of Agriculture.

[‡]Assigned by the Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL

Raleigh, N. C., December 13, 1913.

HON. W. A. GRAHAM,

Commissioner of Agriculture,

Raleigh, N. C.

Sir:—Herewith find my annual report of Farmers' and Women's Institutes for the current year, which I recommend for the January, 1914, Bulletin.


Respectfully,

T. B. PARKER,

Director of Farmers' Institutes.

Approved for printing: W. A. GRAHAM,

Commissioner.



REPORT OF FARMERS' INSTITUTES, 1913

By T. B. Parker, Director of Farmers' Institutes.

During the year, December 1, 1912, to December 1, 1913, we held 260 institutes, each for men and women, with total attendance as follows:

| Αt | Regular | Farmers' | Institutes34,978 | |
|----|---------|----------|------------------|--|
| | | | Institutes23,007 | |

In addition to the above we held a two-days Normal Institute for institute lectures, a three-day round-up institute and four institutes for

negroes.

In many sections we had the hearty coöperation of ministers, school teachers, physicians, and business men, as well as the farmers. We are especially indebted to the newspapers for the many notices they have given of the institutes, and in some instances they have printed the programs in full. We very much appreciate their kindness in this respect.

No premiums were offered at the institutes for men, but premiums of a year's subscription to a woman's magazine were offered to the woman living on the farm, who made and exhibited the highest scoring loaf of bread, and to the woman living on the farm who prepared and exhibited the Lest school lunch under the conditions set forth in the following circular sent to applicants for information in regard to the exhibits:

Explanations of Premiums Offered at Women's Institutes.

The following explanations in regard to the premiums that we are offering to the girls and women living on the farm for the best exhibits of bread and school lunches at our women's institutes may be of value to would-be exhibitors.

The school lunch exhibit is open to women over 18 years of age only; and the bread exhibit to girls and women. This ruling will be strictly adhered to. In either exhibit the exhibitor must sign a written statement, giving name, post-office address and age, that is, whether she is over or under 18, stating that she made the bread or prepared the lunch, place this information in an envelope, seal it and place with the exhibit. By this means the judge can be sure of getting the name and the address of the exhibitor.

The school lunch is deserving of more consideration than many parents give it. Childhood is an impressionable age and great care should be exercised as to influences that are brought to bear on the child during this critical period in its life. Influences that to us grown people seem small may leave an impression with children throughout their lives. For this reason we should be exceedingly careful as to the kind of influences that surround our children. Cleanliness, and neatness should be among the early impressions made upon the mind of the child. The school lunch is a good means of impressing the child with these habits, or perhaps I might say virtues, for they are virtues.

The school lunch should have three characteristics, appetizing, nourishing, and easily digested. A normal child of school age requires considerable food to meet the demands of up-keep and growth, so a school lunch should be sufficiently appetizing to induce him to eat freely. It should be composed of the things that will satisfy the hunger of a robust child, and at the same time be so easily digested as to permit the child to study in the afternoon rather than to be put to sleep from the effects of the lunch.

In preparing the school lunch avoid all soggy foods, all fried meats, unless a small quantity of well fried breakfast bacon may be permissible. Good bread and biscuits, boiled eggs, chicken and fresh meats, butter, sandwiches, ripe fruit, salted peanuts or other nuts, plain cakes and a bottle of fresh milk are sufficient to draw from and will supply the requirements of almost any school child. Sandwiches may be made from home grown vegetables with or without mayonnaise dressing as the child may prefer. The lunch should be put up in a neat basket or bucket and never in a pasteboard box. The latter is not as sanitary as the basket or bucket.

The basis of award will be as follows:

| Neatness in | packing30 | % |
|----------------|-------------------|---|
| | food to purpose40 | |
| Suitability of | food to season30 | % |

In judging bread the following score card will be used: Flavor, 35 points; crust—color, depth, texture, 20 points; lightness, 15 points; grain and texture, 10 points; crumb—color and moisture, 10 points; shape and size, 10 points. Size recommended, $7\frac{1}{2}x3\frac{1}{2}x2\frac{3}{4}$ inches.

No award will be given for bread scoring less than 75 points, nor for school lunches scoring less than 70 points.

| County | Date | Place | Lecturers |
|---|----------|-----------------|----------------------------------|
| Alamance | July 24 | Oakdale | Burgess, Eaton, Shaw. |
| | Aug. 21 | Elon College | Parker, Cunningham, Shaw. |
| | Aug. 22 | Maywood Academy | Parker, Cunningham, Shaw. |
| | Aug. 23 | Friendship | Parker, Cunningham, Shaw. |
| | Aug. 25 | Hawfields | Shaw, Cunningham. |
| Alexander | Aug. 23 | Taylorsville | Hendricks, Gray, D. T., Nelson. |
| Alleghany | | Sparta | Gray, J. M., Shaw, Rives. |
| | Sept. 26 | Glade Valley | Gray, J. M., Shaw, Parker, Rives |
| Anson | July 24 | Wadesboro | Sherman, Gray, D. T., McLean. |
| | July 25 | Peachland | Sherman, Gray, D. T., McLean. |
| Ashe | Sept. 22 | Jefferson | Gray, J. M., Shaw, Rives. |
| 101101111111111111111111111111111111111 | Sept. 23 | Grassy Creek | Gray, J. M., Shaw, Rives. |
| | Sept. 24 | Scottville | Gray, J. M., Shaw, Rives. |
| Avery | | | |
| Beaufort | Dec. 10 | Pantego | Parker, Sherman, Browne. |
| | Feb. 11 | Bath | Garren, Hutt, Hill. |
| | Feb. 12 | Aurora | Garren, Hutt, Hill. |
| | Feb. 13 | Washington | |
| Bertic | Jan. 27 | Aulander | Parker, Latham. |
| | Jan. 28 | Mars Hill | Parker, Latham. |
| | Jan. 29 | Windsor | |
| Bladen | Jan. 27 | Dublin | |
| | Feb. 3 | Council | Shaw, Scott. |
| | Feb. 4 | Abbottsburg | Shaw, Scott, McLean. |
| Brunswick | Jan. 28 | Ash | Shaw. |
| | Jan. 29 | Cool Run S. H | Shaw. |
| | Jan. 30 | Supply | Shaw. |
| | Jan. 31 | Bolivia | |
| | Feb. 1 | Winnabow | Shaw. |

| County | Date | Place | Lecturers |
|------------|--|--|---|
| Buncombe | Aug. 12 | Democrat | Hendricks, Robinson, Holmes. |
| | Aug. I8 | Swannanoa | Parker, Gray, D. T., Meacham. |
| Burke | Aug. 6 | Hildebrand | Sherman, Browne, French. |
| 34.1.0 | Aug. I6 | Hickory Grove | Hendricks, Robinson. |
| Cabarrus | July 30 | Harrisburg | Garren, Eaton, Green. |
| | July 31 | Mt. Pleasant | Garren, Eaton, Green. |
| | Aug. I | Concord | Garren, Eaton, Green. |
| Caldwell | Sept. 16 | Granite Falls | Shaw, Gray, Rives. |
| | Sept. 17 | Oak Hill | Shaw, Gray, Rives. |
| | Sept. 18 | Patterson S. II. | Shaw, Gray, Rives. |
| Camden | Jan. 17 | Camden | Gray, Burgess. |
| Carteret | | Newport | Garren, Hill. |
| Caswell | | Leasburg | Johnson, Cunningham, Fletcher. |
| Jasweii | July 22 | Yanceyville | Johnson, Cunningham, Fletcher. |
| Catawba | | Terrell | Sherman, Browne, French. |
| Jacaw Da | Aug. 4 | St. James S. H. | Sherman, Browne, French. |
| | Aug. 5 | Conover | Sherman, Browne, French. |
| | Aug. 19 | Wesley's Chapel Camp | , merman, provide, renem |
| | Aug. 15 | Ground | Hendricks, Gray, Nelson. |
| | Aug. 20 | Cloninger's Farm | Hendricks, Gray, Nelson. |
| | Sept. 15 | Claremont | Gray. |
| 7L - 4 L | July 18 | Bynum | Sherman, Flowe, H. P., Green. |
| Chatham | | Farrington | Sherman, Flowe, H. P., Green. |
| | July 19 | 1 | Rives, Eaton, Green. |
| | July 21 | Goldston | Rives, Eaton, Green. |
| NI 1 | July 22 | Siler City | |
| Cherokee | July 21 | Murphy | Williams, Curtis, Holmes. |
| N1 | July 25 | Andrews | Williams, Curtis, Holmes. |
| Chowan | | Edenton | Sherman, Browne. |
| Clay | July 22 | Ogden | Williams, Curtis, Holmes. |
| | July 23 | Elf | Williams, Curtis, Holmes. |
| | July 24 | Hayesville | Williams, Curtis, Holmes. |
| Cleveland | Mar. | | P. I. P. |
| | 24, 25 | Mooresboro | Parker, Eaton. |
| | Aug. I4 | Ellenboro | Sherman, French, Reed. |
| | Aug. 23 | Casar | Sherman, Eaton, Robinson. |
| Columbus | Jan. 22 | Hallsboro | Shaw, Scott. |
| | Jan. 24 | Chadbourn | Shaw, Scott. |
| | Jan. 25 | Tabor | Shaw, Scott. |
| | Jan. 27 | Old Dock | |
| Craven | Jan. 29 | Beech Grove | Garren, Hill. |
| | Feb. 1 | Vanceboro | • |
| | Feb. 4 | Dover | |
| Cumberland | Feb. 8 | Fayetteville | Shaw, Scott, McLean. |
| | Feb. 10 | Stedman | Shaw, Scott, McLean. |
| | Feb. I1 | Wade | Shaw, Scott, McLean. |
| Curritnek | Jan. 14 | Currituck C. H | Gray, Burgess. |
| | Jan. 15 | Jarvisburg | Gray, Burgess. |
| Dare | | | |
| Oavidson | | | |
| | July 24 | Enterprise | Newman, Cunningham, Rives. |
| | July 24 July 25 | | Newman, Cunningham, Rives. Newman, Cunningham, Rives. |
| | | Enterprise | |
| | July 25 | EnterpriseWallburg | Newman, Cunningham, Rives. |
| | July 25 July 26 Aug. 18 | Enterprise | Newman, Cunningham, Rives. Newman, Cunningham, Rives. Garren, Roberts, Green. |
| Davie | July 25 July 26 | Enterprise | Newman, Cunningham, Rives. Newman, Cunningham, Rives. Garren, Roberts, Green. Garren, Roberts, Green. |
| Davie | July 25 July 26 Aug. 18 Aug. 19 Aug. 3 | Enterprise | Newman, Cunningham, Rives. Newman, Cunningham, Rives. Garren, Roberts, Green. Garren, Roberts, Green. Robinson. |
| Davie | July 25 July 26 Aug. 18 Aug. 19 Aug. 3 Aug. 8 | Enterprise | Newman, Cunningham, Rives. Newman, Cunningham, Rives. Garren, Roberts, Green. Garren, Roberts, Green. Robinson. Gray, Robinson, Cunningham. |
| | July 25 July 26 Aug. 18 Aug. 19 Aug. 3 Aug. 8 Aug. 9 | Enterprise Wallburg Tyro Clarskburg Cedar Springs Moeksville Center Church Fork Church | Newman, Cunningham, Rives. Newman, Cunningham, Rives. Garren, Roberts, Green. Garren, Roberts, Green. Robinson. Gray, Robinson, Cunningham. Gray, Robinson, Cunningham. |
| Davie | July 25 July 26 Aug. 18 Aug. 19 Aug. 3 Aug. 8 Aug. 9 | Enterprise | Newman, Cunningham, Rives. Newman, Cunningham, Rives. Garren, Roberts, Green. Garren, Roberts, Green. Robinson. Gray, Robinson, Cunningham. Gray, Robinson, Cunningham. |

| County | Date | Place | Lecturers |
|-------------------|--------------------|-----------------------------|---------------------------------------|
| Durham | July 18 | Redwood | Johnson, Cunningham, Parker. |
| Edgecombe | | Speed | Gray, Latham. |
| | Feb. 5 | Whitakers | Gray, Latham. |
| | Feb. 15 | Macelesfield | Garren, Hutt. |
| | Feb. 22 | Briek | Gray, Garren. |
| | Sept. 12 | Test Farm | Graham, Gray, D. T., Garren. |
| Forsyth | Aug. 7 | Rural Hall | Gray, Robinson, Cunningham. |
| I orsy united the | Aug. 11 | Burke's Grove | Grav. |
| | Aug. 12 | Clemmons | Gray. |
| | Aug. 16 | Kernersville | Gray, Shaw, Cunningham. |
| Franklin | Feb. 15 | Franklinton | Gray, Parker. |
| riankiii | Feb. 17 | Louisburg | Gray. |
| | Mar. 1 | Louisburg | |
| 0 | | | |
| Gaston | Aug. 16 | Sunnyside S. H. | |
| | Aug. 18 | Chapel Church | |
| | Aug. 20 | Stanley | |
| Gates | | Gatesville | Gray, Eaton. |
| Graham | | | |
| Granville | | Oxtord | |
| | Feb. 14 | Hester | |
| | | Test Farm | |
| Greenc | _ Jan. 25 | Snow Hill | Garren, Hill. |
| Guilford | July 25 | Pleasant Garden | |
| | Aug. 18 | Deep River | Hendricks, Nelson, Cunningham. |
| | Aug. 19 | Battleground | Hendricks, Nelson, Cunningham. |
| | Aug. 20 | McLeansville | Hendricks, Shaw, Cunningham. |
| | Sept. 1 | Colfax | Parker, Gray. |
| Halifax | Jan. 25 | Scotland Neck | Parker, Gray. |
| | Feb. 7 | Weldon | Gray, Latham. |
| | Feb. 8 | Littleton | |
| Harnett | | Dunn | |
| Haywood | | Bethel | Hendricks, Millsaps, Holmes. |
| 1149 11 004 | Aug. 11 | Rock Hill | |
| Henderson | | Green River | Hendricks, Millsaps, Holmes. |
| Tie fiderson | Aug. 7 | Mills River | |
| | Aug. 8 | Liberty | Hendricks, Millsaps, Holmes. |
| Hertford | | Winton | |
| Her Grad | Jan. 22 | Murfreesboro | |
| | Jan. 22 Jan. 30 | Ahoskie | Gray, Parker, Eaton. Gray, Parker. |
| TT - 1 | | | |
| Hoke | | Raeford | |
| Hyde | | Swan Quarter | |
| | Dec. 13 | Lake Landing | Parker, Sherman, Browne. |
| | Dec. 14 | Fairfield | |
| | Dec. 16 | Sladesville | Parker, Sherman, Browne. |
| | Mar. | | |
| | 13, 14 | Sladesville | |
| Iredell | _ July 28 | Mooresville | |
| | Aug. 16 | Test Farm | |
| | Aug. 21 | Cool Springs | Hendricks, Gray, D. T., Nelson. |
| | Aug. 22 | Eupeptic Springs | Hendricks, Gray, D. T., Nelson. |
| Jackson | . July 28 | Quallatown | Williams, Millsaps, Holmes. |
| | July 29 | Cullowhee | Williams, Millsaps, Holmes. |
| Johnston | - | Woodward S. II, | |
| | Jan. 14 | Selma | |
| | | Benson | |
| | Jan. 15 | | |
| | Jan. 15 Mar. 28 | | |
| Jones | | Smithfield Pollocksville | Parker, Winston. |

| County | Date | Place | Lecturers |
|-------------|----------|--------------------|--------------------------------|
| | | | |
| | | - · | |
| Lee | Aug. 2 | Broadway | Gray. |
| | Aug. 6 | Sanford | Garren, McLean, Rives. |
| Lenoir | Jan. 24 | La Grange | Garren, Hill. |
| | Feb. 3 | Kinston | Garren, Hill. |
| Lincoln | Aug. 2I | Iron Station | Sherman, Robinson, Eaton. |
| | Aug. 22 | Reepsville | |
| | Aug. 25 | Triangle., | Sherman, Robinson, Eaton. |
| Macon | July 30 | Higdonville | Williams, Millsaps, Holmes. |
| | July 31 | Maxwell's S. H | Williams, Millsaps, Holmes, |
| | Aug. I | Franklin | Williams, Millsaps, Holmes. |
| | Aug. 2 | Otto | Williams, Millsaps, Holmes. |
| Madison | Aug. 13 | Mars Hill | Hendricks, Millsaps, Holmes. |
| | Aug. I4 | Marshall | Hendricks, Millsaps, Holmes. |
| Martin | Jan. 31 | Robersonville. | Gray, Latham. |
| | Feb. I | Oak City | Gray, Latham. |
| McDowell | Aug. 12 | Marion | Sherman, French, Browne. |
| | Aug. I5 | Old Fort | Hendricks, Millsaps, Holmes. |
| Mecklenburg | Mar. 26 | Charlotte | Parker, Eaton. |
| | July 31 | Arlington | Sherman, Browne, French. |
| | Aug. 1 | Rhyne | Sherman, Browne, French. |
| | Ang. 19 | Dixie | Sherman, Robinson, Eaton. |
| | July 29 | Huntersville | Garren, Eaton, Green. |
| | Sept. 5 | Charlotte | Gray. |
| Mitchell | Aug. 7 | Spruce Pine | Sherman, Browne, French. |
| | Aug. 11 | Bakersville | Sherman, Browne, French. |
| Montgomery | Aug. 9 | Star | Garren, McLean, Rives. |
| | Aug. 1I | Mt. Gilead | Garren, Roberts, Rives. |
| Moore | July 18 | Cameron | Rives, Gray, D. T., McLean. |
| | July 19 | Aberdeen | Rives, Gray, D. T., McLean. |
| | Aug. 4 | West End | Garren, McLean, Rives. |
| | Aug. 5 | Carthage | Garren, McLean, Rives. |
| | Aug. 7 | Glendon | Garren, McLean, Rives. |
| | Aug. 8 | Elise | Garren, McLean, Rives. |
| Nash | Feb. 4 | Nashville | Gray, Latham. |
| | Feb. 15 | Stanhope | Garren, Hutt. |
| | Sept. 10 | Stanhope | Graham, Garren, Gray, D. T. |
| New Hanover | Jan. 20 | Wrigthsboro | Shaw, Scott. |
| Northampton | Jan. 23 | Lasker | Parker, Gray, Eaton. |
| | Jan. 24 | Rich Square | Parker, Gray, Eaton. |
| | Feb. 5 | Seaboard | Gray, Latham. |
| Onslow | Jan. 28 | Harris S. H | Garren, Hill. |
| | Feb. 5 | Riehlands | Garren, Hill. |
| Orange | July 18 | Efland | Parker, Hill, Winters. |
| Pamlico | Jan. 30 | Bayboro | Garren, Hill. |
| Pasquotank | Jan. 16 | Elizabeth City | Gray, Burgess. |
| | Jan. 18 | Salem. | Gray, Eaton. |
| Pender | Jan. 21 | Burgaw | Shaw, Scott. |
| | Feb. 5 | Atkinson | Shaw, Scott, McLean. |
| Perquimans | Jan. 13 | Hertford | Gray. |
| Person | July 19 | Roxboro | Johnson, Cunningham, Fletcher. |
| Pitt | Dec. 9 | Farmville | Parker, Sherman. |
| | Feb. 7 | Grifton | Garren, Hutt, Hill. |
| | Feb. 8 | Greenville | Garren, Hutt, Hill. |
| | Feb. 10 | Grimesland | Garren, Hutt, Hill. |
| Polk | Aug. 4 | Columbus | Hendricks, Millsaps, Holmes. |
| Randolph | July 23 | Liberty | Burgess, Eaton, Green. |
| | Aug. 20 | Farmer | Garren, Roberts, Rives. |
| | Aug. 21 | Mt. Olivet Academy | Garren, Roberts, Rives. |

| County | Date | Place | Lecturers |
|---|---------------------|--------------------|-------------------------------|
| Randolph | Aug. 22 | Park's X Roads | Garren, Roberts, Rives. |
| таниогри | Aug. 23 | Sophia | Garren, Roberts, Rives. |
| Richmond | July 22 | Hoffman | Sherman, Gray, D. T., McLean. |
| Richmond | July 23 | Rockingham | Sherman, Gray, D. T., McLean. |
| Robeson | Jan. 13 | Lumber Bridge | Scott. |
| Robeson | Jan. 14 | Red Springs | Scott. |
| * | Jan. 16 | Lumberton | Scott, Shaw, Millsaps. |
| | Jan. 18 | St. Paul. | Scott, Shaw, Millsaps. |
| | Jan. 23 | Fairmont | |
| Deal in the sec | July 23 | Ruffin | Newman, Cunningham, Rives. |
| Rockingham | Aug. 15 | Gold Hill | Gray, Shaw, Cunnignham. |
| D. | July 26 | Mt. Ulla | |
| Rowan | Aug. 2 | China Grove | Garren, Eaton, Green. |
| | | Liberty S. H | |
| | Aug. 15 Aug. 16 | Rockwell | |
| • | | Woodleaf | |
| | Aug. 25 | Rutherfordton | |
| Rutherford | Aug. 13 | | |
| | Aug. 14 | Ellenboro | |
| Sampson | Jan. 20 | Clinton | |
| | Feb. 6 | Garland | |
| | Feb. 7 | Salemburg | |
| | Feb. 13 | Newton Grove | |
| | Feb. 14 | Spring Branch | |
| Scotland | Jan. 15 | John's Station | |
| Stanly | Aug. 12 | Big Lick | |
| | Aug. 13 | Endy, S. H. | |
| | Aug. 14 | Richfield | |
| Stokes | Aug. 13 | Walnut Cove | |
| | Aug. 14 | Danbury | Gray, Shaw, Cunningham. |
| Surry | Aug. 1 | Copeland | |
| | Aug. 4 | Pilot Mountain | |
| | Aug. 5 | Westfield | Newman, Robinson, Cunningham. |
| | Aug. 6 | Antioch Church | |
| | Sept. 29 | Piney Grove Church | |
| Swain | July 26 | Bryson City | |
| Transylvania | Aug. 6 | Selica | Williams, Millsaps, Holmes. |
| Tyrrell | Dec. 18 | Columbia | |
| Union | July 26 | Wingate | |
| 0.11.011.11 | July 28 | Waxhaw | Sherman, Browne, McLean. |
| | July 29 | Prospect | Sherman, Browne, McLean. |
| | July 30 | Indian Trail | Sherman, Browne, McLean. |
| Vance | Feb. 11 | Middleburg | |
| V and Control of the | Feb. 12 | Bear Pond | Parker, Gray. |
| | Sept. 9 | Henderson | Gray. |
| Wake | Feb. 19 | | Garren, Hutt, Graham. |
| TT CARCELLE STATE OF THE STATE | Aug. 26, | | |
| | 27, 28 | Raleigh | Round-up Institute. |
| Warren | 77.1 0 | | |
| W 211 CH | Feb. 10 | | |
| Washington | 71 10 | | |
| Washington | Dec. 17 | | |
| | Dec. 19 | | _ |
| *** | | | |
| Watauga | Sept. 19 | | |
| 177 | Sept. 19 Jan. 15 | | |
| Wayne | | | |
| | Jan. 16 | | |
| | Jan. 17 | | |
| | Jan. 18 | - Dinita's Chapet | _ Calley IIII. |

| County | Date | Place | Lecturers |
|--------|----------|---------------|-----------------------------|
| Wayne | Jan. 23 | Seven Springs | Corres Hill |
| vayne | Sept. 13 | | Parker, Garren, Gray, D. T. |
| V lkes | July 28 | | Newman, Curtis, Cunningham. |
| | July 29 | Wilkesboro | Newman, Curtis, Cunningham. |
| | July 30 | Ronda | Newman, Curtis, Cunningham. |
| | Sept. 27 | Trap Hill | Gray, Parker, Shaw, Rives. |
| Vilson | Feb. 15 | Stantonsburg | Garren, Hutt. |
| | Feb. 17 | Lucama | Garren, Hutt. |
| Zadkin | July 31 | Yadkinville | Newman, Curtis, Cunningham. |
| | Aug. 1 | Booneville | Newman, Curtis, Cunningham. |
| Yancey | Aug. 8 | Burnsville | Sherman, Browne, French. |
| | Aug. 9 | Bald Creek | Sherman, Browne, French. |

| LECTURERS | AN | D SUBJECTS. |
|--|----------------------------|-----------------------------------|
| | 70 | |
| Name | No. Institutes Attended | Subjects |
| | ZZ | |
| | | |
| Browne, T. E | 24 | Peanut Culture. |
| District Demonstration Agent. | | Corn Culture. |
| Burgess, J. L | 9 | Farm Crops. |
| Agronomist, Department of Agriculture. | | Soil Building. |
| Cunningham, J. S. | 32 | Tobacco Culture. |
| Curtis, R. S | 12 | Beef Production. |
| Assistant Animal Husbandry. | (| |
| EATON, W. H | 25 | Silo and Silage. |
| Dairy Expert. | | Care and Feeding of Dairy Cows. |
| | | Butter Making. |
| FLOWE, H. P | 4 | Diseases of Live Stock. |
| Assistant Veterinarian. | | |
| French, A. L | 12 | Soil Improvement With Live Stock. |
| Farmer. | | |
| FLETCHER, J. D | 4 | Corn Culture. |
| Farmer. | | |
| FULTON, DR. R. H | 1 | Plant Diseases. |
| Plant Pathologist, Agricultural and Me- | | |
| chanical College. | | |
| GARREN, G. M. | 55 | Soil Improvement. |
| Assistant Agronomist, Department of Agri- | | Corn Culture. |
| culture. | | |
| GRAY, JAS. M | 57 | Legumes as Soil Improvers. |
| Assistant Director of Farmers' Institutes, | | Soil Management. |
| Department of Agriculture. | | Corn Culture. |
| | | Seed Selection. |
| Gray, Dan T | 18 | Hog Growing. |
| Chief of Animal Husbandry, Department | | |
| of Agriculture. | | |
| Green, E. L. | 15 | Chicken Growing. |
| HENDRICKS, M. J | 15 | Wheat Culture. |
| Farmer. | | Corn Culture. |
| Hill, R. G | 27 | Apple Culture. |
| Assistant Horticulturist. | | Vegetable Gardens. |
| Holmes, J | 21 | Forest Protection. |
| State Forester. | | |
| | | |

LECTURERS AND SUBJECTS.

Vame Subjects Pecan Growing. HUTT, W. N. State Horticulturist, Department of Agri-Orchard Management. Johnson, J. M. Farm Management. Expert in Farm Management, U.S. Department of Agriculture. Latham, J. 12 Crop Rotation. Cotton Growing. District Demonstration Agent. Soil Improvement. Meacham, F. T. Superintendent Test Farm. Corn Culture. District Demonstration Agent. Cotton Culture. Cooperation. Nelson, O. A.... Farmer Soil Improvement. Cotton Culture. Professor of Agriculture, Agricultural and Commercial Fertilizers. Mechanical College. Commercial Fertilizers. PARKER, T. B..... Corn and Cotton Culture. Director of Farmers' Institutes, Depart-Soil Building. ment of Agriculture. Apple Culture. Shaw, S. B..... Assistant Horticulturist, Department of Spraying and Spray Materials. Agriculture. 40 Insect Pests and their Control. Sherman, Franklin, Jr..... State Entomologist, Department of Agriculture. 22 Live Stock on the Farm. SCOTT. R. W..... Farm Management. Farmer. Shuford, W. J. 4 Cooperation. Rives, J. R.... 31 Cooperation. Farmer. Dairying. Reed, A. J. Dairy Specialist, U. S. Department of Agriculture. Diseases of Live Stock. 15 Roberts, Dr. G. A.... College Veterinarian, Agricultural and Mechanical College. Robinson, John..... 15 Dairying. Farmer Cooperation. Williams, C. B. 15 Farm Crops. Lime and its Use. Assistant Director Experiment Station, Department Agriculture. Plant Diseases. Winston, R.... Assistant Pathologist, Agricultural and Mechanical College. 2 Cotton Growing. Winters

County and Local Farmers' Institute Organizations.

Farmers' Institute Committees are appointed in all the counties where institutes are held. The duties of the members of the committees are to suggest places where the institutes are to be held, topics for discussion, advertise the meetings, look after the comfort of those attending the meetings, see that the house or hall in which the institute is to be held is put in good order before the hour for the institute to meet.

Farmers' clubs, local Farmers' Alliances, and local Farmers' Unions can greatly help the institutes by coöperating with the local institute committees and the conductor of the institute party. Such coöperation is welcomed.

CHAIRMEN OF COUNTY AND LOCAL FARMERS' INSTITUTE COMMITTEES.

| County | Chairman of Committee | Postoffice |
|------------------|-----------------------------|-----------------|
| Alamance | Chas. R. Cates | Mebane. |
| Elon College | W. P. Lawrence | Elon College. |
| Oakdale | W. A. Lineberry | Liberty. |
| Alexander | J. H. Smith | Taylorsville. |
| Alleghany | S. F. Thompson | Walls. |
| Anson | Dr. W. J. McLendon | Wadesboro. |
| Peachland | H. M. Baucom | Peachland |
| Ashe | John Dent | Jefferson. |
| Scottsville | Ed. Shepherd | Scottsville. |
| Beaufort | W. D. Grimes | Washington. |
| Bath | J. B. Archbell | Bath. |
| Bertie | C. W. Spruill | Quitsna. |
| Mars Hill | Josiah Brown | |
| Bladen | R. B. Cromartie | Elizabethtown. |
| Council | T. A. Jones | Zara. |
| Tarbeel | S. P. Metcalf | |
| Clarkton | E. J. Cox | |
| | F. S. Averitt | |
| Abbottsburg | Jack Johnson | |
| | R. M. Long. | |
| Ash | E. M. Parker | |
| Shallotte | W. Sellers | |
| Supply | J. M. Hewett | |
| Cool Run S. H. | | |
| Buncombe | R. P. Hayes S. H. Carter | |
| Democrat | | Swannanoa. |
| Swannanoa | R. W. Collett | |
| Burke | J. M. Coulter | |
| Glen Alpine | John Houck | |
| Hickory Grove | J. A. Lackey | |
| Cabarrus | | |
| Harrisburg | C. L. Sims | |
| Mt. Pleasant | W. H. Fisher | |
| Caldwell | G. M. Goforth | |
| Oak Hill | D. C. Flowers | |
| Camden | W. G. Ferebee | |
| Carteret | D. N. McCain | |
| Caswell | J. F. Walters | |
| Leasburg | E. W. Lea | |
| Catawba | John Robinson | |
| Claremont | J. A. Arndt | Claremont. |
| | R. O. Ramseur | Hickory, No. 1. |
| Cloninger's Farm | C. F. Bowman | Hickory, No. 2. |
| Newton | C. E. Smyre | Newton. |
| C | Adrian Shuford | Conover. |

| Chatham J. E. Womble Bynum R. L. Ward Goldston I. P. Coggins Siler City Geo. Womble Cherokee G. B. Walker Murphy B. M. Ledford Andrews D. W. Whisenhunt Chowan Z. W. Evans Clay W. T. Bumgarner Brasstown Carl Scroggs Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Doek C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley | Riggsbee. Bear Creek. Siler City. Andrews. Ranger. Andrews. Tyner. Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
|--|--|
| Bynum R. L. Ward Goldston I. P. Coggins Siler City Geo. Womble Cherokee G. B. Walker Murphy B. M. Ledford Andrews D. W. Whisenhunt Chowan Z. W. Evans Clay W. T. Bumgarner Brasstown Carl Seroggs Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse | Riggsbee. Bear Creek. Siler City. Andrews. Ranger. Andrews. Tyner. Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Goldston I. P. Coggins Siler City Geo. Womble Cherokee G. B. Walker Murphy B. M. Ledford Andrews D. W. Whisenhunt Chowan Z. W. Evans Clay W. T. Bumgarner Brasstown Carl Scroggs Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyehe Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley < | Bear Creek. Siler City. Andrews. Ranger. Andrews. Tyner. Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Siler City Geo. Womble Cherokee G. B. Walker Murphy B. M. Ledford Andrews D. W. Whisenhunt Chowan Z. W. Evans Clay W. T. Bumgarner Brasstown Carl Scroggs Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Siler City. Andrews. Ranger. Andrews. Tyner. Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Cherokee G. B. Walker Murphy B. M. Ledford Andrews D. W. Whisenhunt Chowan Z. W. Evans Clay W. T. Bumgarner Brasstown Carl Scroggs Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Andrews. Ranger. Andrews. Tyner. Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Murphy. B. M. Ledford. Andrews. D. W. Whisenhunt. Chowan. Z. W. Evans. Clay. W. T. Bumgarner. Brasstown. Carl Scroggs. Ogden. G. S. McClure. Elf. W. A. Cassada. Cleveland. J. T. Gardner. Casar. A. A. Warlick. Columbus. D. Boughner. Tabor. Minos Meares. Whiteville. Dr. W. Ross Davis. Old Dock. C. W. Suggs. Hallsboro. J. A. Wyche. Craven. W. H. Bray. Vanceboro. O. McLawhorne. Beech Grove. G. T. Richardson. Cumberland. W. H. Downing. Stedman. R. S. Autry. Currituck. J. J. Ferebee. Davidson. P. J. Leonard. Clarksburg. T. R. Hundley. Cedar Springs. J. R. Crouse. Wallburg. A. W. Yokley. Tyro. C. F. Koonts. | Ranger. Andrews. Tyner. Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Andrews D. W. Whisenhunt Chowan Z. W. Evans Clay W. T. Bumgarner Brasstown Carl Scroggs Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Andrews. Tyner. Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Chowan Z. W. Evans Clay W. T. Bumgarner Brasstown Carl Scroggs Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Tyner. Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Clay W. T. Bumgarner. Brasstown Carl Scroggs. Ogden G. S. McClure. Elf W. A. Cassada. Cleveland J. T. Gardner. Casar A. A. Warlick. Columbus D. Boughner. Tabor Minos Meares. Whiteville Dr. W. Ross Davis. Old Dock C. W. Suggs. Hallsboro J. A. Wyche. Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson. Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Hayesville. Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Brasstown Carl Scroggs Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Brasstown. Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Ogden G. S. McClure Elf W. A. Cassada Cleveland J. T. Gardner Casar A. A. Warlick Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Ogden. Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Elf. W. A. Cassada Cleveland. J. T. Gardner. Casar. A. A. Warlick. Columbus. D. Boughner. Tabor. Minos Meares. Whiteville. Dr. W. Ross Davis. Old Dock. C. W. Suggs. Hallsboro. J. A. Wyche. Craven. W. H. Bray. Vanceboro. O. McLawhorne. Beech Grove. G. T. Richardson. Cumberland. W. H. Downing. Stedman. R. S. Autry. Currituck. J. J. Ferebee. Davidson. P. J. Leonard. Clarksburg. T. R. Hundley. Cedar Springs. J. R. Crouse. Wallburg. A. W. Yokley. Tyro. C. F. Koonts. | Hayesville, No. 1. Shelby. Casar. Chadbourn. Tabor. |
| Cleveland. J. T. Gardner. Casar. A. A. Warlick. Columbus. D. Boughner. Tabor. Minos Meares. Whiteville. Dr. W. Ross Davis. Old Dock. C. W. Suggs. Hallsboro. J. A. Wyche. Craven. W. H. Bray. Vanceboro. O. McLawhorne. Beech Grove. G. T. Richardson. Cumberland. W. H. Downing. Stedman. R. S. Autry. Currituck. J. J. Ferebee. Davidson. P. J. Leonard. Clarksburg. T. R. Hundley. Cedar Springs. J. R. Crouse. Wallburg. A. W. Yokley. Tyro. C. F. Koonts. | Shelby. Casar. Chadbourn. Tabor. |
| Casar A. A. Warlick. Columbus D. Boughner. Tabor Minos Meares. Whiteville Dr. W. Ross Davis. Old Dock C. W. Suggs Hallsboro J. A. Wyche. Craven W. H. Bray Vanceboro O. McLawhorne. Beech Grove G. T. Richardson. Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Casar. Chadbourn. Tabor. |
| Columbus D. Boughner Tabor Minos Meares Whiteville Dr. W. Ross Davis Old Dock C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Chadbourn. Tabor. |
| Tabor. Minos Meares. Whiteville. Dr. W. Ross Davis. Old Dock. C. W. Suggs. Hallsboro. J. A. Wyche. Craven. W. H. Bray. Vanceboro. O. McLawhorne. Beech Grove. G. T. Richardson. Cumberland. W. H. Downing. Stedman. R. S. Autry. Currituck. J. J. Ferebee. Davidson. P. J. Leonard. Clarksburg. T. R. Hundley. Cedar Springs. J. R. Crouse. Wallburg. A. W. Yokley. Tyro. C. F. Koonts. | Tabor. |
| Whiteville. Dr. W. Ross Davis. Old Dock C. W. Suggs. Hallsboro. J. A. Wyche. Craven. W. H. Bray. Vanceboro. O. McLawhorne. Beech Grove. G. T. Richardson. Cumberland. W. H. Downing. Stedman. R. S. Autry. Currituck. J. J. Ferebee. Davidson. P. J. Leonard. Clarksburg. T. R. Hundley. Cedar Springs. J. R. Crouse. Wallburg. A. W. Yokley. Tyro. C. F. Koonts. | |
| Old Doek C. W. Suggs Hallsboro J. A. Wyche Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Whiteville |
| Hallsboro. J. A. Wyche. Craven. W. H. Bray. Vanceboro. O. McLawhorne. Beech Grove. G. T. Richardson. Cumberland. W. H. Downing. Stedman. R. S. Autry. Currituck. J. J. Ferebee. Davidson. P. J. Leonard. Clarksburg. T. R. Hundley. Cedar Springs. J. R. Crouse. Wallburg. A. W. Yokley. Tyro. C. F. Koonts. | |
| Craven W. H. Bray Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | |
| Vanceboro O. McLawhorne Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | |
| Beech Grove G. T. Richardson Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | |
| Cumberland W. H. Downing Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | |
| Stedman R. S. Autry Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | New Bern. |
| Currituck J. J. Ferebee Davidson P. J. Leonard Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | Fayettevine. |
| Davidson. P. J. Leonard. Clarksburg. T. R. Hundley. Cedar Springs. J. R. Crouse. Wallburg. A. W. Yokley. Tyro. C. F. Koonts. | Steaman. |
| Clarksburg T. R. Hundley Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | |
| Cedar Springs J. R. Crouse Wallburg A. W. Yokley Tyro C. F. Koonts | |
| Wallburg | |
| Tyro C. F. Koonts | Cid. |
| | Winston-Salem, No. 5. |
| Welcome J. C. Ripple | |
| o. o. mpp. | Lexington, No. 4. |
| Thomasville J. W. Lambeth | Thomasville. |
| Davie S. A. Woodruff | |
| Center Church E. B. Barneycastle | |
| Fork Church W. F. Merrill | Mocksville, No. 3. |
| Duplin J. A. Shine | Faison. |
| Calypso J. T. Albritton | Mt. Olive. |
| Rose Hill | Rose Hill. |
| Faison H. J. Faison | Faison. |
| Durham E. J. Parrish | Durham. |
| Edgecombe G. T. DeBerry | |
| Conetoe | Conetoe. |
| Whitakers M. J. Battle | Whitakers. |
| Forsyth A. B. Atwood | Winston-Salem. |
| Rural Hall | Rural Hall. |
| Burke GroveP. E. Burke | |
| Clemmons T. W. Griffith | |
| Kernersville | Kernersville. |
| Franklin T. B. Wilder | |
| Franklinton J. C. Winston | |
| Gaston E. D. Thompson | |
| Sunnyside School H. S. Sellers | |
| Chapel Church E. A. Hurley | Gastonia. |
| Gates | Drum Hill. |
| Granville E. G. Moss | Creedmoor. |
| Stovall C. L. Lewis | |
| Creedmoor | Diovail. |
| Greene W. R. Dixon | |
| Grimsley's Church | Creedmoor. |

| County | Chairman of Committee | Postoffiee |
|---------------------|--|--|
| Guilford | J. G. Frazier | Guilford College. |
| Deep River | W. L. Kivett | High Point. |
| McLeansville | Junius Boon | McLeansville. |
| Pleasant Garden | C. E. Hockart | |
| Colfax | W. L. Gibbons | Colfax. |
| Halifax | J. H. Sherrod | Enfield. |
| Scotland Neck | G. W. Bryan | Scotland Neck. |
| Littleton | Claud Sessoms | |
| Harnett | C. McArtan | |
| Coats | T. D. Stewart | |
| Duke | A. F. Fowler | |
| Haywood | Dr. G. D. Green | Waynesville. |
| Bethel | M. D. Kinsland | |
| Rock Hill | Jurvis II. Allison | Dellwood. |
| Canton | E. G. P. Murry | |
| Henderson | J. P. Fletcher | |
| Green River S. H | J. W. Ward | |
| Mills River S. H | | |
| Dana | | Hendersonville, No. 1. |
| Liberty | | |
| Hertford | | |
| Ahoskie | A. E. Garrett | Ahoskie. |
| | J. H. Campbell | Raeford. |
| Hyde | Chas. Brim | |
| Middletown | J. S. Mann | Middletown. |
| Iredell | | Statesville, No. 6. |
| Cool Springs | | Statesville, No. 7. Statesville, No. 2. |
| Eupeptic Springs | | |
| Mooresville | | |
| Jackson | | |
| Quallatown | | |
| Johnston | | Konly |
| Kenly | | |
| | J. F. Lee | Trenton. |
| Jones | T. C. Whitaker | Pollocksville. |
| Pollocksville | A. H. White | |
| Lee | J. R. Rives | Kinston. |
| Lenoir | G. F. Loftin | Seven Springs. |
| Seven Springs | G. G. Quinn | |
| LaGrange | | |
| Lincoln Triangle | | |
| McDowell | | |
| Old Fort | | |
| Macon | | Franklin. |
| Maxwell S. H | | Franklin, No. 1. |
| Otto | | Otto. |
| Higdonville | | |
| Madison | | |
| Mars Hill | i a constant and a co | Mars Hill. |
| Martin | | |
| Oak City | | Oak City. |
| Mecklenburg | | |
| Huntersville | | |
| Derita | | Derita. |
| Mitchell | Jos. Bowditch | Toecane. |
| Spruce Pine | N. S. Lawrence | Spruce Pine. |
| | | |

| County | Chairman of Committee | Postoffice |
|--------------------|-----------------------|-----------------|
| Montgomery | O. B. Deaton | Troy. |
| Star | | Star. |
| Mt. Gilead | | |
| Moore | T. D. McLean | Carthage. |
| West End | | West End. |
| Glendon | A. J. Jones | |
| | J. C. Monroe | Eagle Springs. |
| Cameron | H. P. McPherson | Cameron. |
| Nash | S. F. Austin | |
| Stanhope High S | | Spring Hope. |
| New Hanover | Wm. Gregerson | Castle Hayne. |
| Northampton | J. W. Jessup | Rich Square. |
| Rich Square | W. E. Spivey | Rich Square. |
| - | C. S. Lasker | - |
| Lasker | | |
| Onslow | Dr. J. L. Nicholson | |
| Richlands | J. M. Franck | Richlands. |
| Orange | A. H. Rimmer | Hillsboro. |
| Pamlico | G. T. Farnell | Bayboro. |
| Pasquotank | R. N. Morgan | Elizabeth City. |
| Weeksville | H. M. Pritchard | Weeksville. |
| Pender | W. M. Hand | Burgaw. |
| Atkinson | Geo. J. Moore | |
| Perquimans | M. H. White | Hertford. |
| Person | C. B. Brooks | Roxboro. |
| Pitt | J. F. Evans | Greenville. |
| Grimesland | Alston Grimes | Grimesland. |
| Grifton | J. C. Gaskins | Grifton. |
| Polk | T. T. Ballinger | Tryon. |
| Randolph | John Beeson | Asheboro. |
| Liberty | J. M. Williams | Liberty. |
| Mt. Olivet Academy | W. M. Moffitt | Moffitt. |
| Parks Cross Roads | J. O. Forester | Ramseur. |
| Randleman | Will Lassiter | |
| Richmond | W. C. Leak. | |
| Ellerbe | | |
| Robeson | | |
| Parkton | W. S. Cobb. | |
| St. Paul. | | |
| Lumber Bridge | Neil Shaw | |
| Fairmont | N. T. Andrews | - |
| | | |
| Red Springs | | |
| Rockingham | J. P. Wilson | |
| Gold Hill | B. L. Blackwell | |
| Ruffin | J. J. Thomas | |
| Leaksville | | |
| Appler | R. L. Pearson | |
| Rowan | T. D. Brown | |
| China Grove | M. A. Stirewalt | |
| Liberty S. H | A. N. Trexler | |
| Rockwell | C. M. Fisher | |
| Mt. Ulla | J. K. Goodman | |
| Rutherford | J. M. Jones | Rutherfordton. |
| Ellenboro | G. S. Harrill | Ellenboro. |
| Sampson | S. H. Hobbs | |
| Newton Grove | J. W. Bryan | Newton Grove. |
| Roseboro | D. W. Culbreth | |
| Garland | J. D. Johnson | Garland. |
| Spring Branch | W. A. Jackson | Coorer |

| County | Chairman of Committee | Postoffice |
|--------------------|--|----------------|
| Scotland | W. N. McKenzie | Gibson. |
| Stanly | | |
| Richfield | | |
| Endy S H | W. A. Harward | |
| Stokes | | |
| Walnut Cove | | |
| Surry | | |
| Piney Grove Church | | |
| Copeland | | |
| Mt, Airv | | |
| | D. J. Denney | |
| Swain | | |
| | W. H. Grogan | |
| Selica | the state of the s | |
| | | |
| Tyrrell | W. Mawyell | |
| Union: | J. W. Rollins | Indian Trail. |
| Indian Trail | S. A. Latham | |
| | | |
| Waxhaw | | |
| Wingate | | |
| Vance | | |
| Middleburg | | |
| Wake | | |
| Zebulon | 74 | |
| Warren | 11 | |
| Wise | m are mile | |
| Washington | T. W. Blount | • |
| Creswell | | |
| Watauga | | |
| Wayne | | |
| Smith Chapel | | |
| Pikeville | | |
| Hood Swamp | | |
| Falling Creek | | |
| Wilkes | | |
| Trap Hill | M. A. Bryan | |
| Wilson | | |
| Yadkin | | |
| Yancey | E. F. Watson | Burnsville. |
| | STATE FARMERS' CONVENTION. | |
| | | Clinton N C |
| S. H. Hobbs | President | Clinton, N. C. |

| S. H. Hobbs | President | Clinton, N. C. West Raleigh, N. C. |
|-------------|-----------|---------------------------------------|
|-------------|-----------|---------------------------------------|

WOMEN'S INSTITUTES, 1913

This is the first year we have ever held as many institutes in the State for women as we have for men. With each year interest and number in attendance increase. This is well. Someone has very truthfully said that "The home is the center of all life and that woman is the center of the home." This being true we can most effectively reach the people of the community through the women, therefore, it is well that we shall support with all diligence this feature of our institute work.

The first Women's Institutes held in the State were in 1906, when 21 institutes were held in 19 counties. Since then they have grown in numbers and attendance each year until this year we held 260 Women's

Institutes in 97 counties and with a total attendance of 23,007.

The following is a partial list of the subjects discussed at the Women's Institutes:

Health Hints. Care of the Sick. Care of Infants. What to do Until the Doctor Comes. Home Nursing. Home Sanitation. Bread Making. School Lunches. Best Methods of Cooking. The Fireless Cooker. Household Conveniences. Child Training. Invalid Cookery. Time-saving Appliances. Preventable Diseases. Insect Pests. The Home Garden.

The Country Woman and Her Relations to the Home and Community.

The Country Home.

Country Women's Organizations, etc.

| County | Date | Location | Lecturers |
|-----------------|--|----------------------|---|
| Alamance | July 24 | Oakdale | Miss Hudgins, Miss Carpenter. |
| | Aug. 21 | Elon College | Mrs. Hollowell, Miss Ward. |
| | Aug. 22 | Maywood Academy | Mrs. Hollowell, Miss Ward. |
| | Aug. 23 | Friendship H. S | Mrs. Hollowell, Miss Ward. |
| | Aug. 25 | Hawfields S. H | Mrs. Hollowell, Miss Ward. |
| Alexander | | Taylorsville | Mrs. Whitted, Miss Mahler. |
| Alleghany | | Sparta | Miss Webb, Mrs. Slagle. |
| | Sept. 26 | Glade Valley S. H | Miss Webb, Mrs. Slagle. |
| Anson | July 24 | Wadesboro | Mrs. Hutt, Miss White |
| | July 25 | Peachland | Mrs. Hutt, Miss White. |
| Ashe | Sept 22 | Jefferson | Miss Webb, Mrs. Slagie. |
| | Sept. 23 | Grassy Creek | Miss Webb, Mrs. Slagle. |
| | Sept. 24 | Scottsville | Miss Webb, Mrs. Slagle. |
| Avery | T) (0 | D4 | |
| Beaufort | | Pantego | Mrs. McKimmon, Mrs. Cunningham, |
| | Feb. 11 Feb. 12 | Bath | Mrs. Hutt, Miss Ward. |
| | | | Mrs. Hutt, Miss Ward. |
| Dti- | Feb. 13 Jan. 27 | WashingtonAulander | Mrs. Hutt, Miss Ward. |
| Bertie | | Mars Hill | Mrs. Hollowell, Miss Mahler. |
| | Jan. 28 | Windsor | Mrs. Hollowell, Miss Mahler, |
| DI- de- | Jan. 29 | Dublin | Mrs. Hollowell, Miss Mahler. |
| Bladen | Jan. 17 Feb. 3 | Council | Mrs. McKimmon, Mrs. Cunningham. Mrs. Cunningham. |
| | Feb. 3 Feb. 4 | Abbottsburg | Mrs. McKimmon, Mrs. Cunningham. |
| Duran amiala | Jan. 28 | Ash | |
| Brunswick | Jan. 28 Jan. 29 | Cool Run S. H. | Miss Ward, Mrs. Cunningham. Miss Ward, Mrs. Cunningham. |
| | | Supply | _ |
| | Jan. 30 Jan. 31 | Bolivia | Miss Ward, Mrs. Cuuningham. Miss Ward, Mrs. Cunningham. |
| | | Winnabow | Miss Ward, Mrs. Cunningham, |
| Donasanha | Feb. 1 | Democrat | Mrs. Whitted, Miss Mahler. |
| Buncombe | Aug. 12 | Swannanoa | Mrs. Whitted, Miss Mahler. |
| Burke | Aug. 18 | Hildebrand | Mrs. Hutt, Miss Clement. |
| Dui ke | Aug. 6 Aug. 16 | Hickory Grove S. H. | Mrs. Whitted, Miss Mahler. |
| Cabarrus | .= | Harrisburg | Miss Hudgins, Miss Carpenter. |
| Cabanus | July 31 | Mt. Pleasant | Miss Hudgins, Miss Carpenter. |
| | Aug. 1 | Concord | Miss Hudgins, Miss Carpenter. |
| Caldwell | Sept. 15 | Granite Falls | Miss Webb, Mrs. Slagle. |
| Caldwell | Sept. 16 | Oak Hill | Miss Webb, Mrs. Slagle. |
| | Sept. 17 | Patterson School | Miss Webb, Mrs. Slagle. |
| Camden | Jan. 17 | Camden C. H | Mrs. Whitted, Miss Mahler. |
| Carteret | Jan. 31 | Newport | Mrs. Hutt. |
| Caswell | | Leasburg | Mrs. Hollowell, Miss Phelps. |
| Custi cir | July 22 | Yanceyville | Mrs. Hollowell, Miss Phelps. |
| Catawoa | | Terrell | Mrs. Hutt, Miss White. |
| 04441144 | Aug. 4 | St. James S. H | Mrs. Hutt, Miss White. |
| | Aug. 5 | Conover | Mrs. Hutt, Miss White. |
| | Aug. 19 | Wesley's Chapel Camp | |
| | | Ground | Mrs. Whitted, Miss Mahler. |
| | Aug. 20 | Cloninger's Farm | Mrs. Whitted, Miss Mabler |
| | | | Miss Webb, Mrs. Slagle. |
| Chatham | 7 | | |
| | | | Miss Hudgins, Miss Carpenter. |
| | | _ | Miss Hudgins, Miss Carpenter. |
| | | | Miss Hudgins, Miss Carpenter. |
| Cherokee | | | |
| Carol Olico | | | |
| Chowan | | Edenton | Mrs. McKimmon, Mrs. Cunningham. |
| ChathamCherokee | Sept. 15 July 18 July 19 July 21 July 22 July 21 July 25 Dec. 20 | Claremont | Miss Webb, Mrs. Slagle. Miss Hudgins, Miss Carpenter. Miss Hudgins, Miss Carpenter. Miss Hudgins, Miss Carpenter. Miss Hudgins, Miss Carpenter. Miss Parker, Miss Mahler. |

| County | Date | L cation | Lecturers |
|--------------|----------|--------------------|---|
| Class | July 22 | Ogden | Miss Parker, Miss Mahler. |
| Clay | July 23 | Elf | Miss Parker, Miss Mahler. |
| | July 24 | Hayesville | |
| Cleveland | Aug. 15 | Shelby | Mrs. Hutt, Miss Clement. |
| Cieveland | Aug. 23 | Casar | Mrs. Hutt, Miss Clement. |
| Columbus | Jan. 22 | Hallsboro | Mrs. McKimmon, Mrs. Cunningham. |
| Oolambassess | Jan. 24 | Chadbourn | |
| | Jan. 25 | Tabor | Mrs. McKimmon, Mrs. Cunningham. |
| | Jan. 27 | Old Dock | |
| Craven | Jan. 29 | Beech Grove S. H | |
| | Feb. 1 | Vanceboro | Mrs. Hutt. |
| | Feb. 4 | Dover | Mrs. Hutt, Miss Ward. |
| Cumberland | Feb. 3 | Fayetteville | Mrs. McKimmon, Mrs. Cunningham. |
| | Feb. 10 | Stedman | Mrs. McKimmon, Mrs. Cunningham. |
| | Feb. 11 | Wade | Mrs. McKimmon, Mrs. Cunningham. |
| Currituck | Jan. 14 | Currituck C. H | Mrs. Whitted, Miss Mahler |
| | Jan. 15 | Jarvisburg | Mrs. Whitted, Miss Mahler. |
| Dare | | | |
| Davidson | July 19 | Kennedy S. H | Miss Parker, Miss Mahler. |
| | July 24 | Enterprise | Mrs. Hollowelll, Miss Phelps. |
| | July 25 | Wallburg | Mrs. Hollowell, Miss Phelps. |
| | July 26 | Tyro | Mrs. Hollowell, Miss Phelps. |
| | Aug. 18 | Clarksburg | Miss Hudgins, Miss Capps. |
| | Aug. 19 | Cedar Springs S. H | Miss Hudgins, Miss Capps. |
| Davie | Aug. 8 | Center Church | Mrs. Hollowell, Miss Ward. |
| | Aug. 9 | Fork Church | Mrs. Hollowell, Miss Ward. |
| Duplin | Jan. 21 | Concord S. H | Mrs. Hutt, Mrs. Ward. |
| | Jan. 22 | Faison | |
| Durham | July 18 | Redwood S. H | Mrs. Hollowell, Miss Phelps. |
| Edgecombe | Feb. 3 | Speed | Mrs. Hollowell, Miss Mahler. |
| | Feb. 5 | Whitakers | |
| | Feb. 15 | Macclesfield | Mrs. Hutt, Miss Ward. |
| | Feb. 22 | Brick School | |
| | Sept. II | Test Farm | |
| | Sept. 12 | Tarboro | Mrs. McKimmon. |
| Forsyth | Aug. 7 | Rural Hall | Mrs. Hollowell, Miss Ward. |
| | Aug. II | Burke's Grove | |
| | Aug. 12 | | Mrs. Hollowell, Miss Ward. |
| | Aug. 16 | | Mrs. Hoflowell, Miss Ward. |
| Franklin | Feb. 15 | | Mrs. Hollowell, Miss Mahler. |
| | Feb. 17 | | Mrs. Hollowell, Miss Mahler. |
| | | | |
| ~ . | 4 70 | Inglehart | |
| Gaston | Aug. 16 | Sunnyside S. H. | Mrs. Hutt, Miss Clement. |
| | Aug. 18 | Chapel Church | Mrs. Hutt, Miss Clement. Mrs. Hutt, Miss Clement. |
| Q : | Aug. 20 | Stanley | |
| Gates | Jan. 20 | Gatesville | Mrs. Whitted, Miss Mahler. |
| Graham | | | Mrs. Hollowell, Miss Mahler. |
| Granville | Feb. 14 | Oxford Hester | Mrs. Hollowell, Miss Mahler. |
| | reb. 14 | Test Farm | |
| Carro | Ion 95 | Snow Hill | |
| Greene | July 25 | Pleasant Garden | |
| Guilford | Aug. 18 | Deep River | |
| | Aug. 19 | Battleground | |
| | Aug. 19 | | Mrs. Hollowell, Miss Ward. |
| | Sept. 1 | Colfax | |
| | Sept. 1 | , O.104 | Trans Marin Dangare |

THE BULLETIN.

| | D | T * * * | Lucturers |
|---|----------------------|-------------------|--|
| County | Date | Location | Lecturers |
| Halifax | Jan. 25 | Seotland Neck | Mrs Whitted, Miss Mahler. |
| Hamax | Feb. 7 | Weldon | Mrs. Hollowell, Miss Mahler. |
| | Feb. 8 | Littleton | Mrs. Hollowell, Miss Mahler. |
| Harnett | Feb. 12 | Dunn | Mrs. McKimmon, Mrs. Cunningham. |
| Haywood | Aug. 9 | Bethel | Miss Mahler, Mrs. Whitted. |
| | Aug. 11 | Roek Hill | Miss Mahler, Mrs. Whitted. |
| Henderson | Aug. 5 | Green River | Miss Mahler, Mrs. Whitted. |
| | Aug. 7 | Mills River | Miss Mahler, Mrs. Whitted. |
| | Aug. 8 | Liberty S. 11 | Miss Mahler, Mrs. Whitted. |
| Hertford | Jan. 21 | Winton | Miss Mahler, Mrs. Whitted. |
| | Jan. 22 | Murfreesboro | Miss Mahler, Mrs. Whitted. |
| | Jan. 30 | Ahoskie | Mrs. Hollowell, Miss Mahler. |
| Hoke | July 21 | Raeford | Mrs. Hutt, Miss White. |
| Hyde | Dec. 12 | Swan Quarter | Mrs. McKimmon, Mrs. Cunningham. |
| | Dec. 13 | Lake Landing | Mrs. McKimmon, Mrs. Cunningham. |
| | Dec. 14 | Fairfield | Mrs. McKimmon, Mrs. Cunningham. Mrs. McKimmon, Mrs. Cunningham. |
| | Dec. 16 | Sladesville | Mrs. McKimmon, Mrs. Cunninguam. |
| | Mar. | Sladesville | Mrs. McKimmon, Miss Mahler. |
| T 1 11 | 13-14 | Mooresville | Miss Hudgins, Miss Crapenter. |
| Iredell | July 28 Aug. 16 | Iredell Test Farm | Mrs. McKimmon, Mrs. Orr. |
| | Aug. 21 | Cool Springs | Miss Mahler, Mrs. Whitted. |
| | Aug. 22 | Eupeptic Springs | Miss Mahler, Mrs. Whitted. |
| Jackson | July 28 | Quallatown | Miss Parker, Miss Mahler. |
| Jackson | July 29 | Cullowhee | Miss Parker, Miss Mahler. |
| Johnston | Jan. 13 | Woodward S. II. | Mrs. Hutt, Miss Ward. |
| Oddiston | Jan. 14 | Selma | Mrs. Hutt, Miss Ward. |
| | Jan. 15 | Benson | Mrs. Hutt, Miss Ward. |
| | Mar. 28 | Smithfield | Mrs. McKimmon, Miss Mahler. |
| Jones | | Pollocksville | Mrs. Hutt. |
| • | Feb. 6 | Trenton | Mrs. Hutt, Miss Ward. |
| Lee | Aug. 6 | Sanford | Miss Hudgins, Miss Capps. |
| Lenoir | Jan. 24 | La Grange | Mrs. Hutt, Miss Ward. |
| | Feb. 3 | Kinston | Mrs. Hutt, Miss Ward. |
| Lincoln | Aug. 21 | Iron Station | |
| | Aug. 22 | Reepsville | |
| | Aug. 25 | Triangle | Mrs. Hutt, Miss Clement. |
| Macon | | Higdonville | |
| | July 31 | Maxwell's S. H | Miss Parker, Miss Mahler. |
| | Aug. 1 | Franklin | |
| | Aug. 2 | Otto | |
| Madison | | Mars Hill | |
| 35. 7 | Aug. 14 | Marshall | Mrs. Hollowell, Miss Mahler. |
| Martin | | Robersonville | |
| MaDamall | Feb. 1 | Marion | |
| McDowell | Aug. 12 Aug. 15 | Old Fort | |
| Maaklanhung | | Huntersville | |
| Mecklenburg | July 29 | Arlington | and the same of th |
| | Aug. 1 | Rhyne | The second secon |
| | Aug. 19 | Dixie | |
| | Sept. 5 | Charlotte | |
| Mitchell | | Spruce Pine | |
| | Aug. 11 | Bakersville | |
| Montgomery | | Star | |
| , | Aug. 11 | | Miss Hudgins, Miss Capps. |
| Moore | | Cameron | |
| | July 19 | Aberdeen | Mrs. Whitted, Miss White. |
| | | | |

| County | Dat | е | Location | Lecturers |
|---|--------------|------|--------------------|--|
| Moore | Aug. | 4 | West End | Miss Hudgins, Miss Carpenter. |
| 414 0 0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Aug. | 5 | Carthage | Miss Hudgins, Miss Carpenter. |
| | Aug. | 7 | Glendon | Miss Hudgins, Miss Capps. |
| | Aug. | 8 | Elise | Miss Hudgins, Miss Capps. |
| Nash | Feb. | 4 | Nashville | Mrs. Hollowell, Miss Mahler. |
| 2100000 | Feb. | 18 | Stanhope S. H | Mrs. Hutt, Miss Ward. |
| | Sept. | 11 | Stanhope S. H | Mrs. McKimmon, Mrs. Henley. |
| New Hanover | Jan. | 20 | Wrightsboro | Mrs. McKimmon, Mrs. Cunningham. |
| Northampton | Jan. | 23 | Lasker | Mrs. Hollowell, Miss Mahler. |
| • | Jan. | 24 | Rich Square | Mrs. Whitted, Miss Mahler. |
| | Feb. | 6 | Seaboard | Mrs. Hollowell, Miss Mahler. |
| Onslow | Jan. | 28 | Harris S. H | Mrs. Hutt. |
| | Feb. | 5 | Richlands | Mrs. Hutt, Miss Ward. |
| Orange | July | 18 | Efland | Miss Parker, Miss Mahler. |
| Pamlico | Jan. | 30 | Bayboro | Mrs. Hutt. |
| Pasquotank | Jan. | | Elizabeth City | Mrs. Whitted, Miss Mahler. |
| | Jan. | 18 | Salem | Mrs. Whitted, Miss Mahler. |
| Pender | Jan. | 21 | Burgaw | Mrs. McKimmon, Mrs. Cunningham. |
| | Feb. | 5 | Atkinson | Mrs. McKimmon, Mrs. Cunningham. |
| Perquimans | Jan. | 13 | Hertford | Mrs. Whitted, Miss Mahler. |
| Person | July | 19 | Roxboro | Mrs. Hollowell, Miss Phelps. |
| Pitt | Dec. | 9 | Farmville | Mrs. McKimmon, Mrs. Cunningham. |
| | Feb. | 7 | Grifton | Mrs. Hutt, Miss Ward. |
| | Feb. | 8 | Greenville | Mrs. Hutt, Miss Ward. |
| | Feb. | 10 | Grimesland | Mrs. Hutt, Miss Ward. |
| Polk | Aug. | 4 | Columbus | Miss Mahler, Mrs. Whitted. |
| Randolph | July | 23 | Liberty | Miss Hudgins, Miss Carpenter. |
| | Aug. | 20 | Farmer | Miss Hudgins, Miss Capps. |
| | Aug. | 21 | Mt. Olivet Academy | Miss Hudgins, Miss Capps. |
| | Aug. | 22 | Park's X Roads | Miss Hudgins, Miss Capps. |
| | Aug. | | Sophia | Miss Hudgins, Miss Capps. |
| Richmond | July | | Hoffman | Mrs. Hutt, Miss White. |
| | July | | Rockingham | Mrs. Hutt, Miss White. |
| Robeson | Jan. | | Lumber Bridge | Mrs. McKimmon, Mrs. Cunningham. |
| | Jan. | | Red Springs | Mrs. McKimmon, Mrs. Cunningham. Mrs. McKimmon, Mrs. Cunningham. |
| | Jan. | | Lumberton | |
| | Jan. | | St. Paul | Mrs. McKimmon, Mrs. Cunningham. Mrs. McKimmon, Mrs. Cunningham. |
| | Jan. | | Fairmont | |
| Rockingham | $_{ m July}$ | | Ruffin | Mrs. Hollowell, Miss Phelps. Mrs. Hollowell, Miss Ward. |
| | Aug. | | Gold Hill | Miss Hudgins, Miss Carpenter. |
| Rowan | July | | Mt. Ulla | Miss Hudgins, Miss Carpenter. Miss Hudgins, Miss Carpenter. |
| | Aug. | | China Grove | Miss Hudgins, Miss Capps. |
| | Aug. | | Liberty S. H | Miss Hudgins, Miss Capps. Miss Hudgins, Miss Capps. |
| | Aug. | | Rockwell | Miss Mahler, Mrs. Whitted. |
| | Aug. | | Woodleaf | Mrs. Hutt, Miss Clement. |
| Rutherford | Aug. | | Rutherfordton | Mrs. Hutt, Miss Clement. |
| | Aug. | | Ellenboro | Mrs. Hutt, Miss Ward. |
| Sampson | | | | Mrs. McKimmon, Mrs. Cunningham. |
| | Feb. | | Garland | Mrs. McKimmon, Mrs. Cunningham. |
| | Feb. | | Salemburg | Mrs. McKimmon, Mrs. Cunningham. |
| | Feb. | | Newton Grove | Mrs. McKimmon, Mrs. Cunningham. |
| Q .1 .1 | Feb. | | Spring Branch | Mrs. McKimmon, Mrs. Cunningham. |
| Scotland | | | John's Station | Miss Hudgins, Miss Capps. |
| Stanly | | | Big Lick | Miss Hudgins, Miss Capps. Miss Hudgins, Miss Capps. |
| | Aug. | | Endy S. II | Miss Hudgins, Miss Capps. Miss Hudgins, Miss Capps. |
| | Aug. | | Richfield | |
| Stokes | | | Walnut Cove | |
| | Aug | . 14 | Danbury | mis. Honowen, miss ward. |

| County | Date | Location | Lecturers |
|--------------|-----------|----------------|---------------------------------|
| Surry | Aug. 2 | Copeland | Mrs. Hollowell, Miss Phelps. |
| | Aug. 4 | Pilot Mountain | Mrs. Hollowell, Miss Phelps. |
| | Aug. 5 | Westfield | Mrs. Hollowell, Miss Phelps. |
| | Aug. 6 | Antioch Church | Mrs. Hollowell, Miss Ward. |
| | Sept. 29 | Piney Grove | Miss Webb, Mrs. Slagle. |
| Swain | July 26 | Bryson City | Miss Parker, Miss Mahler. |
| Fransylvania | Aug. 6 | Selica | Miss Mahler, Mrs. Whitted. |
| Γyrrell | Dec. 18 | Columbia | Mrs. McKimmon, Mrs. Cunningham. |
| Union | July 26 | Wingate | Mrs. Hutt, Miss White. |
| | July 28 | Waxhaw | Mrs. Hutt, Miss White. |
| | July 29 | Prospect | Mrs. Hutt, Miss White. |
| | July 30 | Indian Trail | Mrs. Hutt, Miss White. |
| Vance | _ Feb. 11 | Middleburg | Mrs. Hollowell, Miss Mahler. |
| | Feb. 12 | Bear Pond | Mrs. Hollowell, Miss Mahler. |
| | Sept. 9 | Henderson | Miss Ward. |
| Wake | _ Feb. 19 | Zebulon | Mrs. Hutt, Miss Ward. |
| Warren | Feb. 10 | Warrenton | Mrs. Hollowell, Miss Mahler. |
| Washington | | Plymouth | Mrs. McKimmon, Mrs. Cunningham |
| | Dec. 17 | Mackey's Ferry | Mrs. McKimmon, Mrs. Cunningham |
| | Dec. 19 | Creswell | Mrs. McKimmon, Mrs. Cunningham |
| Watauga | Sept. 19 | Valle Crucis | Miss Webb, Mrs. Slagle. |
| | Sept. 20 | Boone | Miss Webb, Mrs. Slagle. |
| Wayne | Jan. 15 | Hood Swamp | Mrs. Hutt, Miss Ward. |
| v | Jan. 16 | Salem Church | Mrs. Hutt, Miss Ward. |
| | Jan. 17 | Falling Creek | Mrs. Hutt, Miss Ward. |
| | Jan. 18 | Smith's Chapel | Mrs. Hutt, Miss Ward. |
| | Jan. 23 | Seven Springs | Mrs. Hutt, Miss Ward. |
| Wilkes | July 28 | Beaver Creek | Mrs. Hollowell, Miss Phelps. |
| | July 29 | Wilkesboro | Mrs. Hollowell, Miss Phelps. |
| | July 30 | Ronda | Mrs. Hollowell, Miss Phelps. |
| | Sept. 27 | Trap Hill | Miss Webb, Mrs. Slagle. |
| Wilson | Feb. 15 | Stantonsburg | Mrs. Hutt, Miss Ward. |
| | Feb. 17 | Lucama | Mrs. Hutt, Miss Ward. |
| Yadkin | July 31 | Yadkinville | Mrs. Hollowell, Miss Phelps. |
| | Aug. 1 | Booneville | Mrs. Hollowell, Miss Phelps. |
| Yancey | _ Aug. 8 | Burnsville | Mrs. Hutt, Miss Clement. |
| | Aug. 9 | Bald Creek | Mrs. Hutt, Miss Clement. |

LECTURERS AND SUBJECTS.

| Name | No. Institutes Attended | Subjects |
|-----------------------|----------------------------|--|
| Capps, Miss Elizabeth | 16 | Bread Making. Lunches. Household Conveniences. |
| CARPENTER, MISS NORA | 15 | Bread Making. Pin Money on the Farm. |
| CLEMENT, MISS LINDA | 17 | School Lunches. Bread Making. |
| CUNNINGHAM, Mrs. J. S | 40 | Bread Making. Household Conveniences. |

| LECTURERS | LECTURERS AND SUBJECTS. | | |
|-------------------------|----------------------------|--|--|
| Name | No. Institutes Attended | Subjects | |
| HENLEY, Mrs. J. M. | 3 | Bread Making. Household Conveniences. | |
| Hollowell, Mrs. W. R. | 55 | The Home Garden. Care of Infants. Value of Foods. Bread Making. | |
| Hudgins, Miss Carrie | 32 | The Country Woman and Her Relation to Home and Community. The Country Home. Child Training. Canning. | |
| Hutt, Mrs. W. N | 64 | Home Nursing. Influence of Foods. Care of Infants. | |
| Mahler, Miss Louise | 66 | What to Do till the Doctor Comes. Kitchen Conveniences. Biscuit Demonstration. Bread Making. | |
| McKimmon, Mrs. Jane | 42 | Breads and Bread Making. Health Talks. | |
| PARKER, MISS KATHARINE | 15 | Breads and Bread Making. Health Hints. | |
| PHELPS, MISS CAROLINE B | . 16 | Household Conveniences. Care of the Sick. | |
| SLAGLE, Mrs. HENRY | | Home Conveniences. Country Women's Organizations. | |
| WARD, MISS JANE E | 43 | Home Carc of the Sick. Bread Making. | |
| Webb, Miss Lucie | | Fireless Cooker. Bread Making. | |
| White, Miss Jessie | . 17 | Care of the Sick. Fireless Cooker. Bread Making. | |
| WHITTED, MRS. J. M | . 26 | Poultry Raising. Care of Infants. Bread Making. | |

County and Local Women's Organizations.

The plan of organization of the Women's Institutes is the same as for men. An active, interested woman is selected for chairman and she is given the best committee that can be selected to assist her. The chairman and other members of the committee are expected to work up interest in Women's institutes and endeavor to get the coöperation of all the progressive farm women of the community in securing attendance at the institutes. They are also expected to have committee meetings during the year to discuss among themselves questions pertaining to their work. They should invite the women of the community to join them at these committee meetings and take part in the discussions.

LIST OF CHAIRMEN OF WOMEN'S INSTITUTE COMMITTEES.

| County | Chairman of Committee | Postoffice |
|----------------------|------------------------|------------------|
| Alamanee: | | |
| Oakdale | Mrs. J. A. Hornaday | Liberty. |
| Maywood | Miss Mary McCulloch | Burlington. |
| Hawfields | Mrs. R. W. Scott | Haw River. |
| Alexander | Mrs. W. J. Reece | Liledoun. |
| Alleghany | Mrs. T. J. Carson | Sparta. |
| Scottsville | Mrs. E. K. Plummer | Scottsville. |
| Anson | Mrs. J. G. Boylin | Wadesboro. |
| Peachland | Mrs. M. L. Horne | Peachland. |
| Ashe | Mrs. C. H. Smithdeal | Jefferson. |
| Grassy Creek | Mrs. Ed. Greer | Grassy Creek. |
| Bertie | Miss Clara Pigg | Coleraine. |
| Windsor | Mrs. W. E. Copeland | Windsor. |
| Bladen | Mrs. W. F. McNeill | Dublin. |
| Brunswick | Mrs. Q. K. Mintz | Mill Branch. |
| Cool Run | Mrs. T. Mintz | Shallotte. |
| Supply | Mrs. C. W. Kirby | Supply. |
| Winnabow | Mrs. Jack Johnson | Winnabow. |
| Buncombe: | | |
| Democrat | Miss Bert Roberts | Democrat. |
| Swannanoa Test Farm | Mrs. R. W. Collett | Swannanoa. |
| Cabarrus | Mrs. D. B. Parrish | Concord. |
| Harrisburg | Mrs. W. D. Harris | Harrisburg. |
| Caldwell: | | |
| Granite Falls | Mrs. J. M. Yount | Granite Falls. |
| Oak Hill | Miss Littie Deal | Lenoir. |
| Camden | Mrs. H. C. Ferebee | Camden. |
| Caswell | Miss Margaret Page | Yanceyville. |
| Leasburg | Miss Mattie Pullian | Leasburg. |
| Carteret | Mrs. H. I. Pridgen | Newport. |
| Catawba: | | |
| Terrell | Mrs. T. F. Connor | Terrell. |
| Conover | Mrs. J. A. Yount | Conover. |
| Claremont | Mrs. H. S. Arndt | Claremont. |
| Wesley's Chapel | Mrs. Gordon Wilfong | Newton. |
| Fairview S. II | Mrs. John Smith | Hickory. |
| Chatham | Miss Bonnie Cole | Riggsbee. |
| Farrington | Mrs. J. R. Matthews | New Hill. |
| Goldston | Miss Mollie Goldston | Goldston. |
| Siler City | Mrs. D. L. Webster | Siler City. |
| Cherokee | Mrs. Geo. Walker | Andrews. |
| Murphy | Mrs. J. T. Hayes | Tomotla. |
| Clay | Mrs. Claud Sanderson | Hayesville. |
| Ogden | | |
| Elf | | |
| Cleveland | | Cleveland Mills. |
| Columbus | Mrs. J. A. Formyduval | Old Dock. |
| Craven | | |
| Cumberland | | |
| Stedman | | |
| Currituck | | |
| Jarvisburg | | |
| Davidson: | Man II. D. Honoch | |
| | Mrs. Carrie Clodfelter | Lexington. |
| Clarksbury | | |
| Cedar Springs | | |
| Enterprise | | |
| Wallburg | | _ |
| Tyro | | |
| Kennedy School House | . Alls. D. E. I ame | |

LIST OF CHAIRMEN OF WOMEN'S INSTITUTES.

| County | Chairman of Committee | Postoffice |
|------------------|-----------------------|---|
| Davie: | | |
| Center Church | Mrs. W. H. Griffin | Mocksville. |
| Fork Church | Mrs. Jos. Brimgar | Mocksville. |
| Duplin | Mrs. I. L. Faison | Faison. |
| Durham | Mrs. Ike Suits | Durham. |
| Edgecombe | Mrs. B. F. Shelton | Speed. |
| Whitakers | Mrs. L. L. Draughon | Whitakers. |
| Forsyth: | | |
| Clemmons | Mrs. T. W. Griffith | Clemmons. |
| Burke's Grove | | |
| Franklin. | Mrs. J. B. Fulghum | |
| Gaston: | | |
| | Mrs. J. T. Oates | Bessemer City. |
| | Mrs. Peter Rhyne | |
| Gates | Mrs. R. W. Simpson | |
| Guilford: | | |
| Colfax | Mrs. Henry Cude | Colfax. |
| Pleasant Garden | | |
| Halifax | Mrs. G. W. Bryan | |
| Littleton | Mrs. J. W. Rhodes | |
| Haywood: | MIS. J. W. Ithogos | michicula. |
| Bethel | Mrs. J. E. Wilson | Canton. |
| Rock Hill | Mrs. Jas. Boyd | |
| Henderson: | mis. gas. Boyd | ii ay nebi mei |
| Green River S. H | Mrs. P. J. Hart | Zirconia. |
| | Mrs. Tom Osborne | |
| | Miss Willie Brown | |
| | Mrs. S. B. Taylor | |
| | Mrs. J. D. Bruner | |
| | Mrs. T. B. Upchurch | |
| | Mrs. S. D. Mann. | |
| Fairfield | Mrs. J. C. Watson | |
| Iredell | | |
| Cool Springs | Miss Mabel Swann | |
| Eupeptic Springs | Mrs. R. L. Alexander | |
| Jackson | Mrs. A. C. Reynolds | |
| Quallatown | Mrs. P. II. Ferguson | |
| Johnston | Mrs. J. L. Boyette | |
| Jones | | |
| Trenton | Miss Bessie Whitaker | |
| | Miss Mamie Carter | |
| Lee Lenoir | Mrs. Mary D. Pitte | |
| Lincoln: | Mrs. Mary D. Fitte | LaGrange. |
| | Man C N Decom | Iron Station |
| Iron Station | Mrs. S. N. Brown | |
| Reepsville | | - |
| McDowell | Mrs. J. E. Jimeson | |
| Old Fort | Mrs. Chas, Burgin | Old Fort. |
| Macon: | Man C E Cana | Higdonyillo |
| Higdonville | | |
| | Mrs. Henry Slagle | |
| Otto | Mrs. D. P. Cabe | O 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 |
| Madison: | W DID : | Moss IIII |
| Mars Hill | | |
| Marshall | | |
| | Mrs. W. T. Taylor | |
| Oak City | Mrs. Justus Everett | Paimyra. |

THE BULLETIN.

LIST OF CHAIRMEN OF WOMEN'S INSTITUTES.

| County | Chairman of Committee | Postoffice |
|-------------------|-------------------------------------|-----------------|
| Mecklenburg: | · | |
| Huntersville | Mrs. Hattie Bradford | Huntersville. |
| Paw Creek. | Mrs. Felix Beatty. | Paw Creek. |
| Dixie | Mrs. Ferrie Pegram | Charlotte. |
| Mitchell | Mrs. M. J. Bowditch | Toecane. |
| Montgomery: | | |
| Star | Mrs. Jonah Leech | Star. |
| Mt. Gilead | Mrs. J. P. Haywood. | Mt. Gilead. |
| Moore: | | |
| West End | Miss Mary Von Canon | West End. |
| Carthage | Mrs. Spence Kelley | Carthage. |
| Hemp | Mrs. N. J. Carter | Hemp. |
| Cameron | Mrs. M. McL. McKeithan | Cameron. |
| Aberdeen | Mrs. Henry Page | Aberdeen. |
| Nash | Mrs. J. T. Strickland | Nashville. |
| Stanhope H. S | Mrs. W. A. Harper | Spring Hope. |
| New Hanover | Mrs. E. I. Herring | Wilmington. |
| Northampton | Mrs. J. W. Jessup | Rich Square. |
| Lasker | Mrs. T. G. Whims | Lasker. |
| Seaboard | Mrs. M. R. Stevenson | Scaboard. |
| Onslow | Mrs. C. B. Basden | Richlands. |
| Harris S. H | Mrs. H. B. Williams | Jacksonville. |
| Orange | Mrs. Carl Forest | Efland. |
| Pasquotank | Mrs. R. N. Morgan | Elizabeth City. |
| Salem | Mrs. S. J. Parsons | Weeksville. |
| Pender | Mrs. E. McW. Moore | Burgaw. |
| Person | Mrs. C. M. Winstead. | Roxboro. |
| Pitt | Mrs. J. R. Quinerly | Gri.ton. |
| Polk | Mrs. L. H. Cloud | Columbus. |
| Randolph: | | |
| Liberty | Miss Ida Williams | Liberty. |
| Farmer | Mrs. Frances Hubbard | Farmer. |
| Mt. Olivet | Mrs. J. E. Sugg | |
| Parks Cross Roads | Mrs. J. A. Ellis | Ramseur. |
| Sophia | | |
| Richmond | Mrs. Hattie Ellerbe | |
| Hoffman | Mrs. N. C. Scarboro | Hoffman. |
| Robeson | Mrs. D. Y. McGoogan | Lumber Bridge. |
| Hallsboro | Mrs. Lucy Brown | Hallsboro. |
| Fairmont | Mrs. D. W. Galloway | |
| Rockingham | Mrs. C. J. Wariner | Ruffin. |
| Rowan: | | 24 211 |
| Mt. Ulla | Miss Nannie Hart | Mooresville. |
| China Grove | Mrs. H. E. Endy | |
| Liberty S. H | Miss Daisy Morgan | |
| Rockwell | Mrs. W. J. Cline | |
| Woodleaf | Mrs. C. H. Gillian | |
| | Mrs. L. E. Rollins | |
| Ellenboro | Miss Ida Green | |
| Sampson | | |
| Garland | Mrs. W. B. Lamb | -0 |
| | Mrs. W. J. Jones | _ |
| Newton Grove | Miss Bessie Cox | |
| Scotland | Mrs. J. T. John | |
| | Miss Eva Whitley | |
| | Miss Eva Whitley Miss Letha Treece | |
| Endy S. H. | MISS Letha Treece | DIG LICK. |

THE BULLETIN.

LIST OF CHAIRMEN OF WOMEN'S INSTITUTES.

| County | Chairman of Committee | Postoffice |
|----------------|-----------------------|-----------------|
| Surry: | | |
| Copeland | Mrs. J. W. Hancock | |
| Pilot Mountain | Mrs. R. E. Flippen | Pilot Mountian. |
| Westfield | Miss Effic A. Hill | Mt. Airy. |
| | Mrs. J. W. Johnson | |
| | Mrs. J. L. Jackson | |
| Swain | Mrs. F. H. Smiley | Bryson City. |
| Transylvania | Mrs. C. C. Duckworth | Brevard. |
| Union: | | |
| Wingate | Mrs. J. R. Brown | Wingate. |
| Waxhaw | Miss Tillman | Waxhaw. |
| Prospect | Mrs. M. S. Yarborough | Monroe. |
| Indian Trail | Mrs. H. W. Abernathy | Matthews. |
| Vance | Miss Mary Burwell | Kittrell. |
| Wake | Mrs. John Broughton | Zebulon. |
| Warren | Mrs. F. P. Bowden | Manson. |
| Washington | Mrs. T. A. Brooks | Bath. |
| Aurora | Mrs. B. T. Bonner | Aurora. |
| Watauga | Mrs. W. E. Shipley | Valle Crucis. |
| Boone | Mrs. R. M. Green | Boone. |
| Wayne | Mrs. M. A. Howell | Goldsboro. |
| Falling Creek | Mrs. E. A. Stevens | Goldsboro. |
| Smith's Chapel | | |
| Wilkes | Mrs. Thos. Andrews | Wilkesboro. |
| Beaver Creek | Mrs. Chas. Hartley | Kendall. |
| Ronda | Mrs. J. I. Dimmette | Dimmette. |
| Traphill | Mrs. Nancy Spicer | Traphill. |
| Wilson | | Stantonsburg. |
| Yadkin | Mrs. W. H. Hall. | Yadkinville. |
| Booneville | | |
| Yancey | Mrs. W. J. Waycaster | Bald Creek. |

PROGRAM FOR NORMAL INSTITUTE

July 15, 16 and 17, 1913

TUESDAY MORNING.

9:30. Called to order by Director T. B. Parker.

MEN'S MEETING.

- A Short Description of the Soil Types of the State-J. L. Burgess, 9:30. M. E. Sherwin.
- How Deep Should Land be Broken for Corn and Cotton-C. R. Hud-10:15. son, C. L. Newman. Discussion.
- How Early Should Corn and Cotton be Planted?-C. B. Williams, T. 11:00. B. Parker. Discussion.
- What is the Best Distance to Sow Rows of Corn and What is the 11:45. Best Spacing in Rows?-G. M. Garren. Discussion.
- 12:30. What is the Best Distance to Have Rows of Cotton and What is the Best Spacing in Rows?-T. D. McLean. Discussion. Adjourn until 2:00 p. m.

TUESDAY AFTERNOON.

- How Deep Should Corn and Cotton be Cultivated?—T. E. Browne. 2:00. Discussion.
- How Often and How Long Should Corn and Cotton be Cultivated?— 2:45. J. L. Burgess. Discussion.
- What Should be the Method of Cultivation of Corn and Cotton after 3:30. a Wet Spell? Round Table. Discussion.
- Does it Pay to Make the Second and Third Application of Fertilizer 4:00. to Corn and Cotton? If so, When?—B. W. Kilgore. Discussion. What is the Most Economical Method of Harvesting Corn?—C. L.
- 4:45. Newman. Discussion.
- When and How Should Stable Manure be Applied?—Round Table. 5:15.

WEDNESDAY MORNING, JULY 16.

- When Should Land be Broken for Wheat and Other Small Grains?-9:00. M. J. Hendricks. Discussion.
- What are the Best Varieties of Small Grain for this State and Where 9:30. should we Obtain Them?—J. L. Burgess. Discussion. When and How to Sow Crimson Clover, Vetch and Rye in Growing
- 10:00. Crops for Winter Cover Crops-T. D. McLean. Discussion.
- At What Stage in Growth Should These Crops be Plowed Under for 10:45. Best Results? And Does Plowing Under Green Crops in Hot Weather Sour Land?—J. L. Burgess, C. B. Williams. Discussion.
- How Cheaply can Pork be Grown and What Crops Should be Planted 11:30. for Economical Pork Production?-D. T. Gray. Discussion.
- When Should Grasses be Cut for Dairy Cattle and When for Work 12:15. Stock to Obtain Best Feeding Value?—R. S. Curtis. Discussion.

WEDNESDAY AFTERNOON, JULY 16.

- What is the Best Method of Saving Peavine and Soy Bean Hay? 2:00.Round Table. Discussion.
- Is Silage a Safe and Economical Feed for Horses and How Many 2:30. Horses will Justify a Silo?-J. C. McNutt. Discussion.

- 3:00.The Sweet Potato: How to Grow and Harvest. Round Table,
- 3:30. Poultry on the Farm. What Breeds?—E. L. Green. Discussion.
- Construction of a Mangum Terrace and When Advisable-C. L. New-4:00.
- Fruit on the Farm. A Good Selection—J. C. Pillsbury. 4:30.
- 5:00. The Kitchen Vegetable Garden—Detjen.

THURSDAY MORNING, JULY 17.

- Farm Management-J. M. Johnson. 9:00.
- Coöperation: Different Forms and When Advisable-C. H. Poe, J. L. 10:00. Rives. Discussion.
- Dairying and Dairy Cattle-A. J. Reed, John Robinson. 10:45.
- The Silo and Its Use-W. H. Eaton. 11:30.
- 12:00. General Instruction to Lecturers—T. B. Parker.

WOMEN'S NORMAL INSTITUTE.

JULY 15, 16, 17, 1913.

Program—9:30 A. M.

The Qualifications of a Successful Institute Worker-Mrs. Henrietta W. Calvin.

The Country Woman and Her Relation to the Home and the Community-Mrs. W. R. Hollowell.

The Needs of the Country Woman-Round Table Discussion.

Lessons in Bread Making-Mrs. Chas. McKimmon.

Household Conveniences-Miss Caroline Phelps.

Demonstration, the Fireless Cooker—Mrs. H. W. Calvin.

Time-Saving Appliances—Miss Jessie White.

Demonstration, Biscuit Making-Miss Louise Mahler.

Economies in Cooking—Mrs. J. M. Whitted. Demonstrtaion, Coffee Making—Miss Phelps.

Training Farmers' Daughters to be Farmers' Wives-Mrs. R. W. Orr.

The Relation of Parents to the Public Schools-Miss Linda Clement.

The Care and Training of Children-Miss Carrie Hudgins.

The Care of Infants—Mrs. W. R. Hollowell.

The Moral Training of Our Children-Mrs. R. W. Orr.

Physical and Moral Training of Children-Miss Linda Clements.

Rural Life as We Should Make it-Miss Jessie White.

Training the Child of Today for the Man or Woman of Tomorrow-Mrs. R. W. Orr.

Home Sanitation-Miss Katharine Parker.

Health on the Farm—Miss Linda Clement.

Subject to be Supplied-Miss Carpenter.

Subject to be Supplied-Miss Capps.

Judging Bread—Mrs. Calvin. Judging School Lunches—Mrs. Calvin.

Women's Farm Life Convention—Mrs. Charles McKimmon, Chairman, Raleigh.

PROGRAM

OF THE

ELEVENTH ANNUAL STATE FARMERS' CONVENTION

AND

ROUND-UP INSTITUTE

PULLEN HALL

A. & M. College, West Raleigh, N. C.

August 26, 27 and 28

1913

OFFICERS.

President—S. H. HOBBS, Clinton.
Secretary—T. E. BROWNE, West Raleigh.

PROGRAM.

TUESDAY, AUGUST 26.—Soil Day.

- 10:30 A. M.—Greetings—President D. H. Hill and Commissioner W. A. Graham.
 - Soil Work in the State—By Director B. W. Kilgore, Raleigh, N. C.
 - Do Soils Wear Out?—Prof. C. L. Newman, A. & M. College. How I am Saving Labor by Tillage Implements—W. D. Boseman, Rocky Mount, N. C.
 - Results of Late Applications of Commercial Fertilizers—By C. B. Williams, North Carolina Experiment Station. Dinner.
 - 2 P. M.-Address-C. W. Spruill, President of the Convention.
 - 2:30 P. M.—Demonstration of Constructing the Mangum Terrace—By P. H. Mangum, Wake Forest, N. C.
 - 3 P. M.—Demonstration in Laying Out, Digging and Placing of Farm Tile—H. M. Lynde, U. S. Department of Agriculture, and Prof. M. E. Sherwin, A. & M. College.
 - 7:30 P. M.—Essential Principles of Cooperation—Dean H. C. Price, State University, Columbus, Ohio.
 - Marketing Cotton—By C. J. Brand, U. S. Department of Agriculture.
 - Coöperation in Marketing Fruit Crops—By J. F. Fooshe, *Progressive Farmer*, Raleigh, N. C.
 - Coöperation in Live Stock and in Dairy Products—By A. O. Nelson, Svea, Minn.

Wednesday, August 27.—Live Stock Day.

- 5 A. M.—Trip over College and Station Farms.
- 7:45 A. M.—Judging Farm Mules—By Prof. J. C. McNutt, A. & M. College.
- 8:15 A. M.—Judging Draft Horses—By Schuyler Salisbury, A. & M. College.
- 8:45 A. M.-Judging Hogs-By Dan T. Gray, N. C. Experiment Station.
- 9:30 A. M.—Silage for Beef Cattle—By W. F. Ward, U. S. Department of Agriculture.
- 10:15 A. M.—Development of a Profitable Dairy Herd—By Alvin J. Reed, U. S. Department of Agriculture.
 - 11 A. M.—Southern Markets for Beef Cattle and Sheep—By R. S. Curtis, N. C. Experiment Station.
- 11:45 A. M.—Demonstration of Methods of Injecting Hog Cholera Serum— By Dr. B. B. Flowe, State Department of Agriculture.
- 12:30 P. M.—Demonstration in the Recognition of Tuberculosis in Cattle— By Dr. G. A. Roberts, A. & M. College. Dinner.
 - 2 P. M.—Public Sale of Berkshires, Poland Chinas and Duroc-Jerseys, held under the management of the North Carolina Swine Breeders' Association.
- 7:30 P. M.—A Message from the Sand Hills—By Hon. Henry A. Page, Aberdeen, N. C.
- 8:39 P. M.—Address—By Hon. A. F. Lever, Chairman Committee on Agriculture, House of Representatives, Washington, D. C.

THURSDAY, AUGUST 28.

- 7:30 A. M.—Practical Demonstration of the Principal Stages in the Production of Peaches and Apples:
 - Methods of "Laying Off" the Orchard......Mr. Detjen
 Planting the Tree, and Its First Pruning...Mr. Stoddard

 - 4. Methods of Cultivation and Implements......Prof. Hutt

 - 6. Preparation of Bordeaux Mixture......Prof. Fulton
 - 7. Preparation of Lime-Sulphur Solutions.... Prof. Sherman
 - 8. Spraying the Trees......MESSRS. HILL AND KLEIN
- Johnson, U. S. Department of Agriculture. 10:15 A. M.—How to Prevent Cottonseed Meal from Poisoning Hogs—By
 - Prof. W. A. Withers, A. & M. College.
 - 11 A. M.—Business Meeting.

Election of Officers.

Reports of Committees.

PROGRAM HOUSEWIVES' CONVENTION.

At Raleigh High School Building.

MRS. CHARLES McKimmon, Chairman. Miss Jane Ward, Secretary.

The Housewives' Convention is designed to bring housekeepers together for discussion of better methods of living; how best to make the household expenditures, how to market, to cook, to sew, to care for children, and to improve home conditions generally.

Every woman in North Carolina is invited to come, and Dr. Hill, President of the A. and M. College, offers the College Dormitories free to any one wishing to come.

If this offer is to be taken advantage of, sheets, towels and pillow cases should be brought. Meals may be secured at the College at twenty-five cents each.

Tuesday, August 26.—10 A. M. to 2 P. M.

Talk on Appetizing Ways of Cooking Meats, with a Demonstration-

Miss Emily G. Bossong (of New York)

Talk on Kitchen and Household Conveniences.

Demonstration Fireless Cooker. Discussion.

sion.

Wednesday, August 27.—10 A. M. to 2 P. M.

Lesson in Bread Making. Anyone invited to join. Please bring

 Muffins
 Miss Bossong

 The Forgotten Market Basket
 Mrs. Julian Heath

 How I Made My Crop
 Tomato Club Girl

 Demonstration of Canning in Tin for the Market—

ALAMANCE COUNTY TEAM OF TOMATO CLUB GIRLS

THURSDAY, AUGUST 28.—10 A. M. TO 2 P. M.

| Lessons in Bread MakingMRS. McKimmo | N |
|--|---|
| TalkD. H. Hii | L |
| (President A. & M. College.) | |
| Talk on Salads, with DemonstrationMiss Bosson | G |
| Coöperation of Women from Town and CountryMrs. Heat. | Н |
| The Care of the Child | N |
| Fireless Cooker Demonstration. | |
| Discussion. | |

Some Things I Have Found Helpful in My Own Home.

MRS. HENRY SLAGLE.

As the demands of life are much the same with all of us, necessarily our needs are much the same. I have been a home-keeper for more than twenty-five years and have made it a close study, trying to find the best and easiest way of doing things, and I have much to learn yet. I am always glad to get any new ideas or suggestions from my coworkers, so I will tell first of the arrangement of my kitchen. As I got some of my best ideas from some of our institute workers, I would like to pass them on; someone else might be as glad to get them as I was.

My kitchen is small, 12 by 15 feet. I like to get things as near together as On the west side I have a door with water running right to it. Just outside I have a sink to carry off the waste water. There are two large windows right together which give plenty of light for my range that sits right under them. It is a Queen Kalamazoo range and it cost only \$36.67 delivered at Franklin. A cousin bought a range very much like mine from an agent, and she gave \$75 for hers. We farmer folks do give lots of our money to traveling agents. In this case she gave a little more than twice as much for her stove, and it was not any better than mine. Above the two windows I have an air-shaft as near the overhead ceiling as possible, 25 inches long and 6 inches wide, for an escape for hot air and smoke and fumes. I like it very much, for so often something boils over or something drops on the stove when it is hot and the whole house is filled with smoke; but this opening carries it all off. In the heat of summer the air never gets stuffy. I made a shutter to close in very cold weather, with hinges put on so the door will drop down; then I can close it with a broom handle or a stick of stove wood. I put a piece of wire screen on the outside to keep flies out. Behind my range I have a space three feet between it and the dining room, and on this wall I have a drop shelf fastened to the wall with strap hinges and a strong brace in the middle fastened to the shelf with another strap hinge. The shelf just drops down against the wall and is entirely out of the way until I want to use it, when I lift it up and set the brace on a little block of wood which has been nailed on the wall to support it. This I find very convenient for raising lightbread and for many other purposes. The dining-room door has swinging hinges, so in going to and from the dining-room with both hands full all I have to do is to walk against the door and it will swing open either

I also have a large deep cupboard built in the corner right behind where this door opens and just opposite my range. In making one of these get a good workman and then it will always be satisfactory. It is not always the things we get for the least money that prove to be most economical. I got a good carpenter and he made the frame or face of this cupboard of oak that would take a nice finish. He put in a set of slides 3 feet and 3 inches above the floor for two nice deep drawers. One of these I use for all my kitchen trinkets, such as spoons, egg-beaters, broilers, etc., and the other for a meat drawer. I can put a whole ham in it and my meat for seasoning. Nice brass rings for the drawers cost 20 cents. Below the drawers are two doors opening into the lower part where I keep all my pots, pans, muffin rings, etc., and

above are two much longer doors, opening into a number of shelves, where I keep various things, dishes for taking up meals, tea, coffee, spices, starch, soap, and a great many other things, so that I don't have anything hanging on the walls except dish pans; everything is away from dust and flies. Just to the left of this and right up against it is a rather large table on castors that I can move into the middle of the room or before the door to work when it is hot. This table also contains a large drawer for kitchen towels. There is also the meal chest, containing three apartments, each having a separate lid. It stands just 31 inches high. I had it made to suit my height for kneading bread. The chest itself is 15 inches above the floor, the end pieces being cut out of broad plank and shaped to serve as legs.

Then the fireless cooker, last but by no means the least, is a *luxury*. After using one we don't want to do without it; it is so helpful, convenient, and such a comfort. When you want to go to church or anywhere in the morning, just put your dinner in the cooker and there is no danger of its burning, no fires to keep up, and when you get home you have a hot dinner ready to serve. I don't think there is any other way of cooking meats to make them so good. Your roast beef, mutton chops, broiled chicken or anything else is

better cooked in the fireless cooker than in any other way.

A sink in the kitchen saves so many steps even if there is no running water in the house; it will save time and opening doors when it is cold. There are many other little conveniences and ways of making work easier that every woman might have if she would study her situation and make the most of her opportunities. She should be an equal partner with her husband in sharing things, good or bad, and if they are able to have improvements on the farm they ought to have them in the house too.

Another important thing my long experience as a mother and housekeeper has taught me is the need of being ready for any emergency. Keep all kinds of medicines and remedies on hand and learn how to use them. train ourselves to be dependent or independent as we will. I have raised eight children and Providence has been kind, but if I should tell you how few calls we have had for a doctor you would not believe that I am as great a friend to them as I am. We have called a physician to visit our children in only three cases. We have never lost one, and they are all strong and well Of course they have had many little accidents. The worst was with our second son. He was working in the blacksmith shop and had a piece of red-hot iron in the tongs, and when he struck it with the hammer it flew out of the tongs and struck him on the eye, cutting through the lid, and made a slight cut on the ball one-half inch long, not quite reaching the sight. He came to the house with his dirty hand over it and said, "Mother, I have ruined my eye." I looked at it and it did look like it might be ruined sure enough, with the blood running down on his cheek through the smut and dirt off of his hand. But I ran to one of my emergency bottles and got a tablet of bichloride of mercury and put one quart of warm water on it in a basin. Then I got a large clean cloth and swabbed his eye and face off, and for fear I had not gotten it entirely clean I made another solution exactly like the first and went over it again. Next I got a bottle of borax water that I kept for burns and sore throats and wet a good big piece of absorbent cotton and put it on his eye and bound it up. Then I went to the telephone and called the doctor, and as he had just had a call above our home he said he would be along in a little while and bring me a dressing. When I told him what I had done for it, he said I did not need anything else, but I used the borated vaseline that he brought and in one week the eye was ready for the bandage to be taken off, and it never did inflame one particle. The time to save trouble is in the beginning. Always disinfect a hurt, even a small one, right at first. I like to keep a little bag of sterile cloths for binding up wounds, and this is the way I sterilize them. Put one bichloride tablet in one quart of water in a porcelain vessel and then put the cloths in it and boil Then dry in the sun and wrap them up carefully in another cloth and they are ready for use. When your little boy sticks a rusty nail in his foot, put some kind of a disinfectant as quickly as possible into a basin of water just as hot as the child can stand and have him keep it there fifteen minutes anyway. If you don't have bichloride of mercury or carbolic acid or some other good one, put one teaspoonful of copperas into the water; then take out of the water and dry off and drop turpentine into the place as long as it will absorb any and bind it up. It will never give you any trouble. Have your bottle of iodine to paint behind the baby's ear when he takes earache. A few drops of warm water and glycerine in the ear is good. One-half teaspoonful of borax to one glass of water used as a gargle in sore throat always relieves. Add to a five-cent bottle of vaseline one teaspoonful of powdered borax for a dressing for burns. One teaspoonful of boracic acid (this is the refined borax) added to one-half pint of water and brought to a boil (then cooled and bottled) is one of the best eye washes at all. It will relieve any burning or soreness of the eyes. This should always be used in an infant's eyes at birth and every morning until the child is a few weeks old. Many make a weak solution of this and swab out the mouth every morning to prevent thrush.

NOTE BY T. B. PARKER.—Bichloride of mercury is a valuable family medicine; it is also a deadly poison and should be treated as such by keeping it and all other poisons under lock and key where children can not get to them.

Every poison should be labeled as such and have its name in big letters so you may know just what it is, and kept entirely away from the ordinary household remedies, so as to prevent mistakes that may cause death.

Within the last year we have heard of several instances of bichloride of mercury being taken for headache tablets, through mistake, with fatal results. We can not be too careful about poisons. Great sorrow and affliction have come to many families on account of carelessness in this respect. Either lock them up or throw them away where they can do no harm. It will be well to have posted in a conspicuous place where poisons are kept a notice like this (written by Dr. Harvey W. Wiley) (which I have copied from the December number of *Good Housekeeping*):

FIRST AID IN POISONING.

Paste this in your medicine chest. Number your poison bottles to correspond to the numbers given here; then you can tell at a glance what anti-dote to give or take.

1. Arsenic (Fowler's solution, Arsenic Trioxid, Cuprous Arsenite).

- 2. ACETANILID AND PHENACETIN (nearly all headache remedies).
- 3. Ammonia or Caustic Potash or Soda.
- 1. Give a tablespoonful of mustard and salt in a glass of warm water, or thirty grains of zinc sulphate, or evacuate the stomach with a pump. Afterward give one tablespoonful of ferric hydrate every fifteen minutes, or same quantity of dialyzed iron. Apply external heat and stimulants.
- Symptoms, cyanosis (blue lips), weak pulse, sweating. Lower head; apply heat to body; if stimulants are required, give whiskey, strychnin, or belladonna, and oxygen inhalations.
- Give dilute acid (lemon juice in water or vinegar). Afterward plenty of milk and eggs or olive oil.

- 4. BICHLORIDE OF MERCURY.
- 5. Belladonna or Atropin.
- 6. CARBOLIC ACID (Phenol).
- 7. CHLORAL AND CHLOROFORM,
- 8. COCAINE.
- 9 IODIN.
- 10. Morphine, Sulphate, Opium, and Paregoric.
- 11. Mineral Acids.
- 12. Phosphorous.
- 13. STRYCHNINE.
- 14. ILLUMINATING GAS.

- 4. Give a tablespoonful of mustard and salt in a glass of warm water, or thirty grains of zinc sulphate. Afterwards milk and eggs. If in collapse, use heat and stimulants.
- Give a tablespoonful of mustard and salt in warm water. After vomiting, one-quarter grain of morphin sulphate. Stimulants if required.
- 6. Flour and water; use stomach pump or give one ounce of Epsom salts, or two to four ounces of whiskey or slightly diluted alcohol. If in collapse, add heat to body.
- External heat, keep head low, use stomach pump or give emetic of half an ounce of mustard and salt in warm water. Friction to body. Hot black coffee.
- 8. Stimulants: Nitrate of Amyl, brandy or aromatic spirits of ammonia. Black coffee, external friction.
- 9. Starch made into drafts with cold water. Stomach pump or tablespoonful of mustard in a glass of water.
- 10 Stomach pump or tablespoonful of mustard and salt or grease in warm water. Potassium permanganate, ten grains in glass of water. Black coffee. Keep patient awake. Supply heat. If stimulation is required, use atropin or strychnin.
 - 11 Stomach pump, alkalies, as magnesium carbonate or baking soda, also milk, sweet oil or eggs. Heat or stimulants, if rerequired.
 - 1. Stomach pump, or three grains of copper sulphate in water every fifteen minutes until vomiting is induced, or thirty drops of oil of turpentine every quarter hour for four doses. Give purge. Avoid fats and oils.
 - 13. Stomach pump or a tablespoonful of mustard and salt in warm water. Keep patient quiet. Seven to ten grains of tannic acid. For convulsions use chloral or chloroform. Inhale amyl nitrate.
 - 14. Remove patient to fresh air. Give oxygen to inhale. Use pulmotor or some form of artificial respiration. Supply warmth to extremities.

Good Housekeeping ought to do as much as possible to put an end to these unfortunate fatalities. First of all, segregate all poisonous drugs in the household, as advised before. Second, study some simple remedies which may be applied in case of poisoning by the common poisons until medical attendance can be secured. To this end a page has been prepared of some common poisons, with a few of their simple antidotes. The readers of Good Housekeeping magazine are requested to cut this page out and paste it plainly in every closet or cupboard in which deadly drugs are kept. Not only should each reader do this, but the remedies and antidotes should be clearly kept in memory.

STOMACH PUMPS AND ANTIDOTES.

As a rule the first thing to do when a poisonous dose has been swallowed is to empty the stomach. A stomach pump does not cost very much, and its operation is extremely simple. Every family should be provided with one, or else make sure that one is easily accessible in the immediate neighborhood. A stomach pump is to be preferred to the ordinary emetics. It may not, however, always be possible to secure one. For this reason it is advised that a few household emetics be kept on hand.

A spoonful of powdered mustard to which a considerable quantity of common salt has been added, suspended in warm water, makes a very effectual and reasonably prompt emetic. In fact, emesis as a rule can be easily and promptly secured by drinking copious drafts of lukewarm water, almost saturated with salt. The mustard, however, renders the emesis still more prompt. This simple method of producing emesis is to be preferred to the use of sulphate of zinc or other mineral emetics. The mineral emetics are, however, very prompt and are easily kept on hand, zinc sulphate being the one usually recommended. Epecac can be easily kept and is also efficient. Thus it is seen that the first step in case of poisoning is to evacuate the stomach, preferably by mechanical means, otherwise by emetics which are easily kept in every household.

After this, the proper antidotes are to be administered. It would be a wise plan for the housekeeper to keep on hand some of these common antidotes. For instance, arsenic poisoning is very common, and the best antidote for arsenic poisoning is hydrate of iron, that is, an iron salt precipitated with ammonia. The efficiency of this remedy, however, largely depends upon its freshness. It therefore can not be kept ready, and in lieu thereof the housekeeper should have the simple ingredients for making it. Two bottles, one holding a solution of ferric sulphate and the other magnesium oxid, suspended in water, are easily kept, and can be prepared by the druggist of such strength that, when mixed, the ferric hydrate is completely precipitated. When these two solutions are mixed together and thoroughly shaken, they are ready at once for administration in arsenic poisoning, and if promptly used would save many lives. This mixture of iron hydrate should be given in large doses and frequently repeated.

Vinegar, which is a splendid antidote for caustic potash and ammonia, is always available. The best stimulants, as a rule, are whiskey, and, in some cases, caffein or hot coffee. It is not advisable to keep on hand such stimulants as strychnin or chloral or chloroform, which are themselves poisons. They can, however, be promptly secured at any neighboring drug store, though perhaps no more quickly than a physician could be called.

THE NEED FOR CARE.

Families are, of course, not expected to keep in stock apparatus for the inhaling of oxygen, or to be possessors of a pulmotor. It is the part of wisdom, however, for every one to know where such an apparatus can be obtained for these purposes, so that in case of asphyxiation or other paralysis of the nerves and muscles which control respiration artificial breathing can be set up. This is particularly true in those numerous cases of poisonings due to the inhalation of illuminating gas.

Let every household into which *Good Housekeeping* goes have all of these poisons segregated and properly marked. Have the list of poisons and their simple antidotes pasted in plain view, and know where an oxygen inhaler and pulmotor can be secured promptly in case of emergency. By these wise precautions many lives may be saved.

The Country Home.

MISS CARRIE HUDGINS.

The word home carries with it music and melody if it is a home in the finer sense. Houses on every hand are waiting to be made into homes, and it is the woman in the home who makes it what it is; so let us be up and doing.

A casual glance at the home and refinement and cleanliness should be our first and lasting impression. No work requires more system and order than the home, to accomplish the desired end; many steps are wasted because no specific plans are made. Eliminate from the home the useless bric-a-brac of years ago. They are no good and mean lots of work if they are kept clean, for they are great dust-catchers.

Floors are one of the greatest problems of housekeeping and rightly so, if there is a large family to look after and scouring to be done once or twice a week. Stained floors with a top dressing of floor oil seems to be the cheapest and most satisfactory floor dressing. A floor oiled once or twice a year will

protect the stain and keep down the dust.

How the whole family dread spring cleaning. Let's try to do this work in a more systematic way; not have the whole house torn up for a week, and everything out of its place. A better plan is to clean one room at the time, and put it in order before attempting another. Carpets should be taken up, well cleaned and aired before replacing.

In buying furniture care should be taken, for the appearance of the room and the amount of labor required to keep it in order depend much on the selection. Plain furniture is much prettier and more easily kept than the many scrolled designs. The parlor in many homes is the most uncomfortable room in it; especially so if it is one of the closed up kind, where fresh air and sunshine are rarely permitted. Don't be afraid of sunshine and air even if they do fade the carpet and wall paper. It is one of God's greatest blessings to us; so let it in.

Look out for an air of comfort for the living room; here is where the family come together for rest and recreation, and if it is not found here it will be sought at other places. The children obtain their lasting impressions of the home and begin to lay plans for another home perhaps in the far future.

The yard requires taste and skill as much so as the inner furnishings of the house. Every yard can't have a beautiful lawn laid off symmetrically with the shrubbery clumped bere and there; however, every one can be clean with no rubbish around; flowers may adorn it with little or no expense.

In the country home is found the opportunity for children to be trained in every line of home-making. After all, the most attractive part of the home

is the family who live in it.

The children, as Cornelius once said, are the most precious jewels, and in them lie the possibilities of mankind. Not for one moment can we afford to neglect this training for anything else. Just how old the child should be when this training should begin depends on the child. Few of us begin early enough. When the little one climbs up in the chair and wants to help wash dishes, or insists on sweeping the floor, often we are tempted to say, "Run along, you will break the dishes, or make more trash than you clean up." Right there the mistake is made, for if we continue to push them off they will cease to come and offer a helping hand, but will be content to go along and let mother do the work.

How proud mothers are of their domestic girls, and fathers of their sons

who love the home and are willing to stay on the farm! And justly so. Our boys and girls should feel that they are a part of the home early in life, with some specific duty to perform each day.

To me one of the greatest responsibilities of child-training is their intense desire to do as wc do and not as we say do. An instructor on one occasion was making a bed for a little one, charging her to imitate her the next morning and be very careful and not leave one thing undone. By accident, one of the pillows was knocked out of the window, where it had been placed while the bed was being made. On the following morning the little one showed she had grasped many of the instructor's suggestions, and with a few aids here and there the bed was ready for the pillows. She went to the window and deliberately knocked one out saying, "You thought you'd catch me, but you see I remembered you knocked yours out and I've done it too." This is often the case: we are imitated in the wrong place; so it behooves us to always be on the alert.

Some one has said housekeepers are born, not made. While we know this is not always true, we realize every day that to make our daughters proficient requires time and patience. Often a careless boy or girl will awake by watching nature; interest the children in growing flowers. They will relieve you and it will be such a pleasure to them to know they are doing something toward beautifying the home.

The country home where love and contentment reign is one to be envied, the home that belongs to the whole family, each one trying to make it a perfect one, each one looking after the comfort and pleasure of the other.

The country school teacher can plant many seed in the young mind that will be carried home. Interest the children in beautifying the schoolhouse and grounds, and soon you will see the fruit of your labors developing in the homes.

Pin Money Possibilities on the Farm.

MISS LINDA CLEMENT.

The chiefest source of a woman's farm revenue has always been her eggs, chickens and butter. One is almost justifiable in believing that a man who will carry to market, dispose of and pocket the price, provided his wife's labor was expended in the production of these articles, is nothing short of a — —. At any rate, the average farmer isn't guilty—there are few grafters in the profession, and almost to a man they consider it a privilege to make possible an earning capacity for wife and daughter. If they are progressive farmers, nothing short of the best material finds a lodging place on their farms, and if the women are going in for fowl culture nothing save a thoroughbred flock shall mark the beginning.

A venture in poultry designates chickens as the original flock. The disposition one intends to make of them would influence the selecting of a breed. If you wish to grow broilers or friers, you want a heavy, fat chicken which grows off rapidly; if you wish to gain your profit from eggs, you would choose one of the slender-bodied laying strains. A reputable poultry journal is a very necessary part of the outfit, and an eye alert to market demands must supplement all other information gained. Keep an accurate account of expenditures for first year and do not invest in expensive equipment nor add too large a flock of turkeys, guineas or ducks until your experience with your small flock of chickens shows your selling price tallying or indicating a margin above cost of production. Too many poultry plungers fail because their original investments in tremendous flocks and costly furnishings haven't the stability and insurance of past experience to make them profitably go. After your small return has produced a result, you are in need of a consumer. Never sell through a commission firm; you are entitled to the entire profits. Develop your business capacity by hunting your own markets, and once found, make them regular customers by furnishing only extra select stock. Let them learn they can depend on you for promptness and straight

dealing. Hotels and colleges hold yearly contracts with farm individuals for poultry, butter and eggs. If they demand two-pound chickens, assort yours and send them only two-pounders: if white eggs are their choice, send them only white ones and reserve your tans and creams for another market. In the commercial world, we are told, the distinguishing mark of an American is that "he wants what he wants when he wants it," and he is willing to pay the price of his whims and impatience. So never argue with a customer that he wants something else, but cater to his eccentricities and restlessness since he doesn't count the cost.

In marketing your eggs, pack in cartons bearing your name and trademark and build your reputation on that trademark. Never sell an egg that has been gathered longer than three days; do not market your dirty eggs,

rots, spots or dwarfs.

Increase yearly with your profits your flock of birds. Keep those that are especially strong and have bred true to color, size and other favorable requirements. Adaptability of breed for purpose desired would also influence the person's selection of a cow, when considering the possibility of profitable returns from the milk or butter industry. Just any old cow is not a dairy cow. Select a Jersey, Holstein or any standard strain of butter or milk producer. Begin at the beginning—to use a hackneyed expression—and learn the business from the inside out and from the outside in. Send for a government bulletin or attend a four or five days government dairying demonstration taking place in your town or the neighboring. Learn the nutritive value of the foods you feed your cows and learn to keep a record of and make tests of your milk. Follow minutely government formula for perfect butter. and produce a creamery variety which the year round nets you thirty-five cents a pound instead of the poorer product which retails at ten or fifteen cents. Remember there is no profitable return in money value in producing an inferior grade of anything.

The tomato clubs that have recently been organized in nearly all parts of the State, with a desire and hope of increasing the "Pin Money Possibilities" on the farm, may prove delusive unless the strictest regard is given to the instructions sent out by those who are in charge of this work. The best of tomatoes, the best methods of putting them up and absolute cleanliness should be strictly adhered to. If these essentials are disregarded the country may be threatened to become glutted with canned goods that the trade nor the consumer will want. If on account of this off-grade stuff the prices should drop to 60 or 75 cents per dozen, which is not improbable, the business could not be considered at all remunerative. It would pay far better to not can tomatoes at all, or only enough for home consumption, than to put them up at a loss. The farm woman finds sufficient for her hands to do without unprofitable or superfluous labor. But the woman on the farm who puts up only good stock and receives one dollar and twenty cents per dozen for her entire canned output is declaring a dividend, and she'll declare a still larger if she's a human market barometer. She'll grow two crops of tomatoes, and like some of our big peach, apricot and cherry producers, her canning outfit will be insurance for that part of the crop which fails a raw market. A store tomato, the standard canning variety, is a midsummer ripener and can not be successfully forced for an extremely early market. From my own personal experience I prefer a Langdon Earliana, a variety which has been on the market six or seven years. My Langdons, under conditions both favorable and unfavorable, have ripened from one week to ten days earlier than the standard earlies, and were ready for market when Florida tomatoes were still bringing fifty cents a basket.

To one interested in a canned goods market, a variety of fruits and vegetables rather than a dependence on just one, as the tomatoes, means more in profitable returns and finds readier sales. Of the vegetables maturing within the season in which planted, the English green pea, when properly canned, brings the most substantial price, ranging from \$1.60 to \$2 per dozen. Canned asparagus holds a market, at a price above other vegetables, and on a par

with most of the California fruits. It requires three summers for an asparagus bed to reach maturity if grown from seeds. Still, when one considers that when once established it lasts indefinitely, the cultivation and patient waiting is worth the while. All asparagus for canning should be bleached and all stalks should be of a uniform size and length. If your canned product meets all market requirements, you should receive from \$2.50 to \$3 per dozen for your asparagus. Select varieties of peach, apricot, pears and berries commanding a good market at high prices, home-canned goods do not have to compete with canning factories, for they are always preferable and command, therefore, a better price. But, remember, just any old stuff you sling together doesn't find a waiting market. Grade everything you sell; use only perfect fruits and vegetables either for the raw market or cans. Build your reputation on perfection of flavor, cleanliness and honest weight. Specialize, if you care to, on some one fruit or vegetable, but be sure it's one the market isn't easily satiated with-fig preserves, sweet pickled fligs, sweet pickled cantaloupes or peaches-something of this kind.

A Virginia woman built a factory from a tiny kitchen, and a fortune from a paltry investment, not only because by intuition she discerned that "Pin Money Pickles" would tickle the palate of a nation, but because every pickle she afterwards produced partook in size, flavor and perfection of that first delectable. Reputations are sometimes acquired by accident, but it's another thing to live up to them, and the rule holds good in a commercial sense.

In the profitable realm of the vegetable world there are waiting opportunities with the expenditure of a few cents for seeds, good earnest labor for cultivation, hard common sense for markets, and the farm woman need be no beggar. Earning one's spending money gives woman a confidence and added respect in and for her own capabilities. There are each day avenues multitudinous opening for the feminine farmer who would and will earn her way. There are bee farms, flower beds, early transplanted plants, lettuce farms, and home-made dainties galore. The "bide at home" woman has proven her capacity, and her profession will continue to grow.

It Pays to Think.

LUCIE T. WEBB.

The thinking farmer is the one who is making good today. It is he who considers the effect of every lick; who studies his soil and by the use of modern methods, with an equal amount of labor, increases the yield from two to fourfold. It is the thinking woman who accomplishes in one day by thought and system what her neighbor does in two. Yet how few of our women think. They go into the day's work with an indistinct idea of the myriads of things to be done, jumbled together, with no plan, no outline in the mind's eye; no grouping of tasks so that two and three things may be done at the same time; no regard for short cuts and easy ways; and, most of all, with no consideration whatever for their own strength and physical endurance. They stand through countless opportunities to sit and rest the tired feet. They trot from one place to another in an aimless way, making many trips where one should answer. All because they do not think.

A woman's life on the farm at its best is hard; how hard no one but the one who has lived it without hired help knows. Much of the drudgery can not be eliminated, even by a world of system. There are meals to cook, dishes to wash, beds to make, floors to sweep, milk to churn, vegetables to gather, fruit to save, water to bring, and sometimes, I am sorry to say, wood to cut, pigs to feed, and cows to milk. This is hardly a beginning of the daily tasks that confront her; and when there are babies to care for I often wonder that she is alive to tell the story. Surely then, if there is any help to be had in thinking, the farm woman needs to think. Else she can not greet her tired husband when night comes with a well-kept home, good food, and, best of all, a cheery smile.

Conditions are different in every home, therefore the woman herself must study these conditions and solve her own problems the best she can. Let her have ever before her the one thought—save steps. Children are great step-savers for mother; the exercise and training is good for them. Not hard work for the little ones, but they enjoy seeing "who can pick up mamma's thread first," or "who can bring a spoon from the dining-room the quickest." A large waiter is also a great help, almost an entire meal can be carried to the table at one trip, or all of the dishes brought in from the dining-room when ordinarily one goes back and forth a number of times. Take the waiter to the pantry and while resting a minute on the meat box make a calculation of all the things needed in preparing the meal and, piling them on the waiter, carry them all to the kitchen at one time. Now rest again, this time in the kitchen rocking chair, and calculate how many steps you have saved. A small table can be placed close to the kitchen stove on the left-hand side and on it kept a jar of lard, some sugar, salt, pepper, a knife, fork, spoon, stove-lifter, etc.; this keeps one from going back and forth across the room to the kitchen table. Again, a wheelbarrow may be used to advantage in hauling stove-wood, one trip bringing enough to last a whole day. Or taken to the garden for vegetables, often this saves a half-dozen journeys. By all means, have the garden near the back of the house. I know I have, in days gone by, walked hundreds of miles to a garden off from the house out of reach of the chickens.

There are other ways, at a small expense, the housewife may save herself an untold amount of labor. A kitchen sink at a cost of from three to five dollars will be worth its weight in gold. A fireless cooker, an oil stove, linoleum on the kitchen floor, and where it can be done, a convenient water supply could be had in most of our homes if the housewife started in with the determination to have them.

As a parting word let me say, save your feet. Every woman will say her feet are more tired than anywhere else when night comes. Then she should sit down and work whenever it is possible; and in the winter, if the kitchen stove is the only chance to warm them, put a warm brick under each foot as she peals the potatoes, wipes the dishes, or picks the chicken.

Factors That Will Enter Largely Into the Betterment of North Carolina Agriculture.

A. L. FRENCII.

Every thinking citizen of North Carolina realizes the importance of our premier industry—agriculture. From the west line of Cherokee County to where the waters of Old Ocean beat upon the thin strip of land at the lower end of Currituck, that divide them from those of Albemarle Sound, men and women are found busily engaged in winning a living, and something for a rainy day, from the soil.

These men and women are our leading citizens; for they are engaged in the most important industry of ours, or any other State. And the young men and women that are, in the next generation, to take up and carry on the work of their fathers and mothers on the land are the most important factors that will enter into the betterment of the State's agriculture.

How important then that the training of these young lives be along lines that will enable them to dignify the work of their fathers and improve upon

it to the degree that the increase of the world's population demands.

This training the writer believes should be the work first of the fathers and mothers on the farm. They should be trained from their infancy in the need for a better care of the soil and its more economical handling. Then as they arrive at school age the State should, while training them to develop their minds, strive to keep ever before them the principles that their parents have planted and tended before they were given into the State's keeping.

This means an agricultural education for every boy and girl that is raised upon the farms of the State; an education, by the way, that unfits them in no way for any other business that they may choose to take up later; for a brain training founded upon the great principles that pertain to the soil will be one of the best foundations upon which to rear an educational structure that will fit for any other business or profession. And the hope of the country as I see it is to make of farm boys and girls farmers first, then let the surplus go to other callings; for the greatest need of our State today is better farmers. The greatest work that lies at the door of these better farmers of the future is the improvement of the soils of our State; for it is a fact that while our gross income from the lands of the State amounts to vast sums yearly, yet not half of the acres upon which our products are produced-because of a depleted condition-pay a living wage to the men handling them. This can mean nothing else than poverty to the farming people. And a people continuing in poverty generation after generation lose courage and ambition, and a consequent lowering of their standard of living and citizenship is inevitable.

This condition among those responsible for the care of our greatest industry can never be tolerated. Our new farmers must study and experiment until they learn how—by better drainage, better tillage, better fertilization, more economical working, and a better handling of necessary capital—to put these border acres into the profit-giving column; make them produce a greater yield each year at no greater expense, and cause them to increase from year to year in natural stored-up fertility. And then will the present generation be more economically fed and clothed and the heritage of future generations be conserved.

These young men and women of the future must be brought to realize clearly that upon them rests very largely the conservation of our great natural resource called water-power; for while the State and nation in the coming years may spend vast sums of the people's money in reforesting the mountains and building great reservoirs for the control of surplus water, yet upon them—the men and women having the control of the farming lands of the State—must fall the great bulk of the work of regulating the flow of surplus water.

The farming lands of the State must be so thoroughly underdrained, so well broken, so completely filled with vegetable matter, and the rougher portions of the farms so constantly covered with grass that surplus water will—the greater part of it—be made to seep through the land and thus leave gradually, rather than to rush off the surface of the soil to swell the creeks and rivers to the bursting point.

Upon the farmers and their wives of the future will fall in a large degree the work of beautifying our State, cultivating her natural resources, for beauty that is second to no State in the Union. Our unsightly patches of cultivated lands must be broadened and lengthened until they meet, forming proad areas of well-tilled fields. Our unprofitable, brush-grown gullies and galled hills must be made to lend beauty to the landscape by presenting an unbroken expanse of rich green, profit-giving grass. And upon these pastures the unlovely scrub animal must give place to the man-moulded, beautiful, well-bred cow, horse, sheep, and hog.

The farm homes of these future farmers will reflect their culture and prosperity, and the open country from Currituck to Cherokee will give abundant evidence that our State has recognized the importance of her greatest natural resource—the soil—and has given thought to the training of the people in the land; has given to agriculture the dignity that its importance warrants.

Variations in High Yielding Varieties of Cotton.

JAMES M. GRAY.

In this report the records for the year of 1903 and 1909, inclusive, of the North Carolina Test Farms have been used. Most of the information is from the Iredell and Edgecombe farms, but the records from the Red Springs farm were used for the three years this farm was in operation (1903-1905).

In the experiments, from which the data for this report were gathered, the fertilizers used were the same on each farm. A 7-21/2-21/2 formula was used practically all the way through the series. The preparation of the land and the subsequent cultivation was the same in each instance. The land was broken with a two-horse plow eight to ten inches deep early in the spring and harrowed just before planting. The cultivation was frequent and shallow.

On the Edgecombe farm the land is a Norfolk Sandy Loam, varying in depth from 6 to 24 inches, with an average depth of about 12 inches. This soil holds manure fairly well and gives a yield of about a bale and a quarter of cotton without heavy fertilization. The seasons are of good length for the maturing of cotton.

The lands of the Red Springs farm are similar to those of the Edgecombe farm, Norfolk Sandy Loam, but less fertile naturally. The season is somewhat longer and warmer than at the Edgecombe farm. These two farms have approximately ideal conditions for cotton growing.

The soil of the Iredell farm is almost entirely Cecil Clay with some Clay The seasons are rather short for cotton, the farm being on the extreme northern border of the cotton belt. Commercially, cotton is not grown in this section to any great extent.

In this report the following varieties will be used for comparison: sell's Big Boll, Culpepper's Improved, King's Improved, Excelsior Prolific, Edgeworth, Cook's Improved, and Simpkins's Improved. As will be seen, the Edgeworth variety was the only variety run through a series of six years on more than one farm. This irregularity in the tests made prevents the conclusions from being as definite as they might otherwise have been.

DESCRIPTION OF VARIETIES TESTED.

Russell's Big Boll is a hardy, large bolled and vigorous cotton that yields well on a loam or sandy soil in Eastern North Carolina. It is very popular with the pickers because of the ease and rapidity with which it can be picked. Under average conditions this variety is not only prolific, but fairly reliable. During a seven years test with the above mentioned varieties it stood third on the Edgecombe farm, giving an average yield of 462.72 pounds of lint per acre.

Culpepper's Improved, a large bolled variety, is about ten days earlier than Russell's Big Bolled. It has a large weed with spreading limbs, well bolled and holds cotton well. It is more variable than is Russell's Big Boll, but, notwithstanding this, in the seven years test it stood second on the Edgecombe farm with an average production of 471.97 pounds of lint per

King's Improved has a smaller boll than either of the aforementioned varieties but runs a little higher in per cent of lint, averaging on the three farms 38.16 per cent for the seven years test. It has a rather small stalk with

spreading limbs fairly well fruited.

Excelsior Prolific has large, deep lobed leaves and short, well matured limbs that bear a rather small boll of high percentage of lint. It often runs above 40 per cent lint, but because of its variability the average would be somewhat under this. On the Edgecombe farm it gave an average yield of 528.86 pounds, leading all others.

Edgeworth has a rather heavy stalk, is short limbed with large leaves and

is rather late in maturing. It runs about 34 per cent lint.

Cook's Improved has large plants, heavily limbed, the lower limbs very long and open; bolls medium size but long, slender and tapering; rather late in maturing. The percentage of lint for a period of six years averaged 39.02. This cotton seems to give a slightly higher per cent of lint on heavy soils than on light soils.

Simpkins's Improved is a small stalked, short limbed variety; a rather heavy fruiter, mediumly early maturing; but maturing at one time rather than continuously, and for this reason is not very well liked where there is a scarcity of pickers. The bolls are small and do not hold the lint very well.

The following table gives the yearly yields of these different varieties of cotton on the different test farms of the State covering a period of seven years.

| | | | - | | | | |
|--|--------|--------|--------|--------|--------|--------|--------|
| | 1903 | 1904 | 1905 | 1906 | 1907 | 1908 | 1909 |
| | | | | | | | |
| Russell's Big Boll: | | | | | | | |
| Edgecombe Farm | 554.53 | 409.44 | 616.36 | 682.61 | 328.07 | 362.50 | 287.52 |
| Red Springs Farm | 367.87 | 291.32 | 199.05 | | | | |
| Iredell Farm | | 224.32 | 279.39 | | | | 289.85 |
| Culpepper's Improved: | | | | | | | |
| Edgecombe Farm | 425.83 | 368.51 | 671.72 | 699.30 | 373.40 | 313.30 | 451.71 |
| Red Springs Farm | | 343.45 | 237.51 | | | ! ! | |
| Iredell Farm | | 217.04 | 276.36 | 335.25 | 198.10 | | 351.19 |
| King's Improved: | | | | | | | |
| Edgecombe Farm | 323.91 | 541.51 | 667.59 | | 344.30 | 324.80 | 448.95 |
| Red Springs Farm | | 330.28 | 198.23 | | | | |
| Iredell Farm | | 247.85 | 400.69 | 317.18 | 350.60 | 509.70 | 373.12 |
| Excelsior Prolific: | | 1 | | | | | |
| Edgecombe Farm | | 592.86 | 623.87 | 719.10 | | 265.50 | 443.00 |
| Red Springs Farm | 335.70 | 383.41 | 216.57 | | ; | | |
| Iredell Farm | | | | 316.56 | | 359.00 | 342.00 |
| Edgeworth: | ł t | | | | | | |
| Edgecombe Farm | | 598.86 | 577.59 | 525.60 | 401.80 | 288.10 | 357.02 |
| Red Springs Farm | | | 182.41 | | | | |
| Iredell Farm | | | 268.58 | 307.28 | 233.70 | 359.00 | 320.32 |
| Cook's Improved: | | | | | | | |
| Edgecombe Farm | | | 674.36 | 681.87 | 519.60 | 374.40 | 469.85 |
| Red Springs Farm | | | | | | | : |
| Iredell Farm | | | | | | | 291.75 |
| Simpkins' Prolifie: | | | | | | | |
| Edgecombe Farm | | | | | 342.80 | 341.50 | 426.75 |
| Red Springs Farm | * | | | | | | |
| Iredell Farm | | | | | | | 360.03 |
| ************************************** | - | | | | | _ | |
| | | | | | | | |

^{*}Farm discontinued 1905.

From a study of these figures it will be seen that there is a rather wide range of variations in yields of each variety on the same soils and on different soils. It is natural that there should be some variation on soils of different types, but it seems rather striking that there should be such a wide variation on the same soil when the culture and the fertilizers were the same. The climatic changes would, of course, affect the crops of different years somewhat, but hardly enough to justify such a wide variation. The fault would seem to lie with the seed more than anything else. Presumably not enough care was taken in the selection of seed and the quality of seed used.

The following table will help to bring out the variation more forcefully:

| | Edgecombe Farm | Year | Red Springs Farm | Year | Iredell Farm | Year |
|-------------------------------|-------------------|------|---------------------|------|-----------------|----------|
| Russell's Big Boll: | | | | | | |
| Highest yield | 682.61 | 1906 | 367.87 | 1903 | 289.85 | 1909 |
| Lowest yield | 287.52 | 1909 | 199.05 | 1905 | 224.32 | 1904 |
| Difference | 395.09 | | 168.82 | | 65.53 | <u> </u> |
| Highest yield | 699.30 | 1906 | 456.98 | 1903 | 351.19 | 1909 |
| Lowest yield | 313.30 | 1908 | 237.51 | 1905 | 198.10 | 1907 |
| Difference | 386.00 | | 219.47 | | 153.09 | |
| Highest yield | 667.59 | 1905 | 355.48 | 1903 | 509.70 | 1908 |
| Lowest yield | 323.91 | 1903 | 198.23 | 1905 | 247.85 | 1904 |
| DifferenceExcelsior Prolific: | 343.58 | | 157.25 | | 261.85 | |
| Highest yield | 719.10 | 1906 | 383.41 | 1904 | 359.00 | 1908 |
| Lowest yield | 265.50 | 1908 | 216.57 | 1905 | 168.39 | 1904 |
| DifferenceEdgeworth: | 453.60 | | 168.84 | | 190.61 | |
| Highest yield | 625.60 | 1906 | 332.52 | 1904 | 359.00 | 1908 |
| Lowest yield | 288.10 | 1908 | 182.41 | 1905 | 221.31 | 1904 |
| Difference | 337.50 | | 150.11 | | 137.69 | |
| Highest yield | 681.87 | 1906 | 278.21 | 1905 | 455.00 | 1908 |
| Lowest yield | 374.40 | 1908 | * | | 284.05 | 1904 |
| DifferenceSimpkins' Improved: | 307.47 | | | | 170.95 | |
| Highest yield | 426.75 | 1909 | t | | 402.40 | 1908 |
| Lowest yield | 341.50 | 1908 | | | 360.03 | 1909 |
| Difference | 85.25 | | | | 42.37 | |

^{*}One year only. †Farm discontinued.

A study of this table shows that on the Edgecombe farm there was a much wider range of variation than on either of the others, the Red Springs farm coming second and the Iredell farm giving the least variation. Although the test on the Edgecombe farm gave the widest variations, they also gave the greatest aggregate yield for the period over which the tests were run. This would teach that, if one could obviate this wide variation and still retain the high yielding quality of some of the best varieties of cotton, the section of country adjacent to the Edgecombe farm would be the greatest cotton section of the State. It is entirely possible that this can be done by a system of careful seed selection.

Another striking contrast brought out by these figures is the comparison of yields for the same year on the Edgecombe and Iredell farms. With the exception of Culpepper's Improved, all the varieties gave their largest yields on the Iredell farm the same year that they gave their smallest yields on the Edgecombe farm. Just why this should be is not known. The season of 1908 was very late and this may have affected the growth of cotton more

on the Edgecombe farm than on the Iredell farm, since the cotton was planted on the Edgecombe farm several weeks earlier than on the Iredell farm. And, again, the quality of the seed might have contributed to this difference as seed were not from the same source.

Just here it might be interesting to note the averages of the different varieties on the same soil and on different soils. The following table will aid in this comparison.

| | Average for all Farms | Average for Edgecombe | Average for Red Springs | Average for Iredell |
|---|--------------------------|--------------------------|----------------------------|------------------------|
| | | 400 50 | 000.00 | 264.52 |
| Russell's Big Boll | 337.77 | 462.72 | 286.08 | |
| | | 7 yrs. | 3 yrs. | 3 yrs. |
| Culpepper's Improved | 361.16 | 471.97 | 345.95 | 265.58 |
| | | 7 yrs. | 3 yrs. | 5 yrs. |
| King's Improved | 367.67 | 441.84 | 294.65 | 366.52 |
| ring 5 mp. o. co | | 6 yrs. | 3 yrs. | 6 yrs. |
| Excelsior Prolific | 379.10 | 528.86 | 311.89 | 296.56 |
| | | 5 yrs. | 3 yrs. | 5 yrs. |
| Edgeworth | 339.11 | 474.83 | 257.46 | 285.04 |
| Zugo II or III or II or | | 6 yrs. | 2 yrs. | 6 yrs. |
| Cook's Improved | 362.70 | 468.01 | 278.21 | 345.87 |
| | | 5 yrs. | 1 yr. | 4 yrs. |
| Simpkins' Improved | 375.78 | 370.35 | | 381.21 |
| Cimpinio Improvedini | | 3 yrs. | ' | 2 yrs. |

brought out by this table glance the difference as in the average for all would not amount to so very much: pounds between only a difference of 41.33there is highest and the lowest; on the Edgecombe farm there is a difference of just 157.71 pounds; on the Red Springs farm the difference is 88.48 pounds, and on the Iredell farm the difference is 116.69 pounds between the highest and the lowest yielding varieties. On studying these figures more closely this difference is of decided importance when they are applied to the actual production of cotton in the State or on the individual farm. Just to illustrate: in North Carolina there are about 1,624,000 acres in cotton. If the whole acreage had been in Russell's Big Boll, which gave the lowest average, instead of Excelsior Prolific, which gave the highest average, the loss to the State would have been \$7,955,040. (Allowing the price of cotton to Again, suppose the average farm contains fifty acres of cotton. be 12 cents.) and that the lowest yielding variety is being planted in each locality, the difference between Simpkins's Improved (the lowest) and Excelsior Prolific (the highest) was 158.51 pounds per acre; this would have resulted in a loss of \$951 for each farm adjacent to the Edgecombe farm. The difference between Edgeworth, the lowest, and Culpepper's Improved, the highest, was 88.48 pounds per acre on the Red Springs farm, which difference would result in a loss of \$531 on the adjacent farms. The difference between Russell's Big Boll, the lowest, and Simpkins's Improved, the highest, was 119.69 pounds per acre on the Iredell farm. This difference would amount to a loss of \$695 to the man who planted Russell's Big Boll on farms adjacent to the Iredell farm. Of course these examples are extreme because no variety is planted exclusively. Yet if a farmer, by knowing the adaptations of a variety, can save from \$500 to \$1,000 on a fifty-acre farm, a study of varieties and their adaptation to different sections and different soils and fertilization is of very great importance.

VARIATIONS IN PER CENT OF LINT.

Continuing a study of the same varieties as were used in the study of variations in yields it will be seen that there is also a variation in per cent of lint, both on the same soil and on different soils. This can be shown best by following the same methods as were used in showing differences in yields, namely, tables.

| | 1903 | 1904 | 1905 | 1906 | 1907 | 1908 | 1909 | Aver. |
|-----------------------|--------------|-------|-------|-------|-------|-------|-------|--------|
| | | | | | | | | |
| Russell's Big Boll: | | | | | | i | | |
| Edgecombe Farm | | 34.39 | 31.75 | 32.56 | 31.23 | 31.95 | 24.90 | 31.31 |
| Red Springs Farm | 34.38 | 32.81 | 35.70 | | | | | 34.27 |
| Iredell Farm | | 35.05 | 34.98 | | | | 34.10 | 34.71 |
| Culpepper's Improved: | | | | | | | | |
| Edgecombe Farm | | 35.83 | 33.07 | 35.26 | 31.08 | 33.80 | 36.60 | 33.89 |
| Red Springs Farm | 37.50 | 37.50 | 37.39 | | | | | 37.19 |
| Iredell Farm | | 34.45 | 34.98 | 34.42 | 35.37 | | 34.60 | 34.75 |
| King's Improved: | | | | | | | | |
| Edgecombe Farm | 36.60 | 39.20 | | | 35.08 | 37.40 | 35.70 | 37 .03 |
| Red Springs Farm | 39.05 | 40.62 | | · | | | | 39.76 |
| Iredell Farm | - | 37.84 | 37.10 | 39.19 | 36.52 | 37.92 | 37.50 | 37.68 |
| Excelsior Prolific: | | | | | | | | |
| Edgecombe Farm | | 36.56 | 35.42 | 40.93 | | 36.21 | 41.20 | 38.06 |
| Red Springs Farm | 37.50 | 40.62 | 39.61 | | , | | | 39.21 |
| Iredell Farm | | 35.45 | 37.58 | 39.49 | | 37.09 | 38.00 | 37.52 |
| Edgeworth: | | | | | | | | |
| Edgecombe Farm | | | 33.33 | 33.99 | 32.10 | 32.81 | 34.40 | 33.66 |
| Red Springs Farm | | | 37.15 | | | | | 36.54 |
| 1redell Farm | | 36.58 | 35.34 | 35.21 | 34.88 | 37.21 | 35.20 | 35.73 |
| Cook's Improved: | | | | | | | | |
| Edgecombe Farm | | | 37.09 | 39.03 | 39.09 | 38.61 | 40.20 | |
| Red Springs Farm | | | 40.89 | | | | | 40.89 |
| Iredell Farm | | | 40.87 | 37.61 | | 39.71 | 38.90 | 39.27 |
| Simpkins' Improved: | | | | | | | | |
| Edgecombe Farm | | | | | 35.99 | 36.68 | 39.30 | 37 .32 |
| Red Springs Farm | * | | | | | | | |
| Iredell Farm | | | | | | 37.61 | 37.70 | 37.65 |

^{*}Farm discontinued.

By looking over the column of averages it will be seen that without exception the average per cent of lint for all the varieties was higher on the Iredell farm than on the Edgecombe farm. It will also be noticed that with only one exception the percentage was higher on the Red Springs farm than on either of the others. True, the Red Springs tests were only continued three years. The Edgecombe farm, by reason of its rich soil, its long season and other natural advantages is the nearest ideal for cotton production of the three farms, Iredell farm, because of its short season, heavy soil, cool springs, is the poorest farm for cotton production of the three. Then why this decided difference in per cent of lint in favor of the Iredell farm? It is known that lint consists largely of carbon and that carbon comes through the leaves of the plant. Cotton on the Edgecombe farm suffers greatly from leaf rust, sometimes almost stripped of leaves; on the Iredell farm leaf rust is almost unknown. The natural supposition would be that the cutting off of the leaf area and consequently the amount of carbon in the plant limits the percentage of lint. There has been no investigation along this line, so this is a mere supposition. Yet it would appear that the farmer can well consider the rust resistant properties of his cotton.

A comparison of the lint production and the yield does not seem to show that there is any relation between the per cent of lint and the yield of any one variety on the same soil or on different soils. To illustrate: In 1905 Russell's Big Boll gave a yield of 616.36 pounds of lint per acre on the Edge-combe farm with a percentage of lint of 31.75, while in 1908 it gave a yield of 362.5 pounds per acre with a percentage of 31.95. In 1905 Russell's Big Boll gave a yield of 279.39 pounds per acre on the Iredell farm with a percentage of lint of 34.98. In 1909 it gave a yield of 289.85 pounds of cotton per acre with a percentage of lint of 34.10. By comparing the other varieties in the same way it will be found that they bear out this same fact.

The following table will help to bring out some other contrasts in the variation in per cent of lint of the different varieties under discussion:

| | Edgecombe Farm | Year | Red Springs Farm | Year | $_{\rm Farm}^{\rm Iredell}$ | Year |
|-----------------------------------|-------------------|------|---------------------|------|-----------------------------|------|
| Russell's Big Boll: | | | | | | |
| Highest percent | 34.39 | 1904 | 35.70 | 1905 | 35.05 | 1904 |
| Lowest percent | 24.90 | 1909 | 32.81 | 1904 | 34.10 | 1909 |
| Difference | 9.49 | | 2.89 | | .95 | |
| Highest percent. | 34.60 | 1909 | 37.50 | 1904 | 35.31 | 1907 |
| Lowest percent | 31.08 | 1907 | 37.39 | 1905 | 34.42 | 1906 |
| Difference King's Improved: | 5.52 | | .11 | | .95 | |
| Highest percent | 39.20 | 1904 | 40.62 | 1904 | 39.19 | 1906 |
| Lowest percent | | 1907 | 39.05 | 1903 | 36.52 | 1907 |
| Difference Excelsior Prolific: | 4.12 | | 1.57 | | 2.67 | |
| Highest percent | 41.20 | 1909 | 40.62 | 1904 | 39.49 | 1906 |
| Lowest | 35.42 | 1905 | 37.50 | 1903 | 35.45 | 1904 |
| Difference Edgeworth: | 5.78 | | 3.12 | | 4.04 | |
| Highest percent | 35.37 | 1904 | 37.15 | 1905 | 37.21 | 1908 |
| Lowest percent | 32.10 | 1907 | 35.94 | 1904 | 35.20 | 1909 |
| Difference | 3.27 | | 1.21 | | 2,01 | |
| Highest percent | 40.20 | 1909 | 40.89 | 1905 | 40.87 | 1905 |
| Lowest percent | 37.09 | 1905 | * | | 37.61 | 1906 |
| DifferenceSimpkins' Prolific: | | | | | | |
| Highest percent | 39.30 | 1909 | Ť | | 37.70 | 1909 |
| Lowest | 35.99 | 1907 | | | 37.61 | 1908 |
| Difference | 3.31 | | | | .09 | |

^{*}One year. †Farm discontinued.

This table brings out the fact that with the same variety there is a greater variation in the per cent of lint on the Edgecombe farm than on either of the others. The most striking difference is with Russell's Big Boll and Culpepper's Improved. Just why this should be is unknown as no records were kept of the growth of these varieties on the different farms. This table again emphasizes the fact that a variety that does best on one soil or in one locality will not always do best on a soil of different character or in another locality.

GENERAL CONCLUSIONS.

1. That there is a rather wide variation in yields of varieties of cotton on the same soil and on different soils.

2. That this variation regulates the profit or loss of a cotton crop more

than most farmers realize.

- 3. That this variation can be regulated to a large extent by the farmer himself if he will study the adaptation of a variety to his own farm conditions, both as to soil and climate.
- 4. That, from the knowledge at hand, the variations of one variety on any particular soil can be regulated by a careful and systematic field selection of seed, and only by this method.
- 5. That, under present conditions, it is of far more importance to the farmer for him to study his field conditions, his variety of cotton and seed selection, etc., than it is for him to try to regulate the market price of cotton. He has been, is, and will be primarily a producer, and not a regulator of market prices. When he better understands the economic production of cotton under his conditions he can better undertake the regulation of markets.

6. That until the best variety of cotton for a particular farm or locality has been established, and the variations of this variety eliminated as far as possible, there need not be very much emphasis laid on the per cent of lint

that a variety produces.

- 7. That after the best variety has been established and the controlable variations eliminated it will be well for the increase of the lint to be considered. But I believe that this will automatically increase and establish itself as the other changes are brought about.
 - 8. That there is no variety that can be called the best variety universally.

9. That there is no variety that can be called the best variety for any par-

ticular soil or locality.

10. That the establishing of varieties for any particular type of soil, climate or locality is a great work that can be helped materially by the Experiment Stations but must be worked out finally by each individual farmer for his individual conditions.

Feeding Hogs in North Carolina.

BY DAN T. GRAY, CHIEF IN ANIMAL INDUSTRY. .

The Southern people are large meat consumers but small meat producers. In fact, the South consumes more meat per capita than any other section of our country, but a large proportion of this meat is shipped into the South from other sections of the country. This is a very strange condition of affairs when all persons who have studied the question agree that pork can be made as cheaply, and perhaps more cheaply, in the South than in any other section of America.

There are many reasons why North Carolina farmers should introduce this line of animal production into their farming system. In the first place, very little capital is required to make a reasonable start: one hundred dollars invested in hogs represents a rather large beginning, but the same amount of money invested in some of the larger animals would be almost no start at all. In the second place, the sow is a rapid producer; each sow will produce no less than twelve pigs a year if she is given proper care and attention; this means that the money invested in hogs works rapidly. In the third place, the returns begin to come back within a very short time—which is an exceedingly important point for the man with limited capital. In the fourth place, the hog can not be surpassed for its ability to build up the soils rapidly, especially when leguminous crops are grown to supply the pasture.

CORN WHEN FED ALONE IS NOT SATISFACTORY.

The majority of our farmers feed too much corn. It is generally considered that there is no other feed equal to corn for pork production. This is true, provided the corn is used judiciously. But if it be fed alone for any length of time there are few feeds which are poorer. If, however, corn is fed in combination with other feeds, its use is to be highly commended, and it can be used to great economical advantage, too, even though it sells upon the market as high as \$1 a bushel.

The hog is not adapted to living on corn alone, and when we require it of him we are forcing him to do a thing which is not consistent with his nature. Man likes a mixture of feeds or a change in diet; so do the lower animals. The hog in its wild state is omnivorous, feeding upon roots, nuts, fish, grass, snakes, etc.; in fact, but few feeds can be mentioned that he will not eat if he be given the opportunity. Our domesticated hogs have inherited the tendency to select their feed from a variety of substances, and when we enclose them in a pen and give them but one feed we can feel assured that we are not allowing them to reach their highest possibilities.

Experimental data, as well as the experience of our best farmers, show that pork can not be profitably raised and finished upon corn alone when corn sells for 70 cents a bushel. The man who tries to finish hogs on corn alone is following a losing business. There are plenty experiments to show that when corn is worth 90 cents a bushel the cost of each pound of gain will be just about 9 cents; when corn is selling at 80 cents a bushel each pound of gain put on will cost 8 cents; when corn is worth 70 cents a bushel each pound of gain will cost 7 cents; and when corn is worth only 60 cents a bushel pork can be finished for only 6 cents a pound. It appears, therefore, that when 90-cent corn is fed to 7-cent hogs the feeder is losing 20 cents a bushel on his corn. Eight-cent pork must go along with 80-cent corn if the owner is to strike even on feeding corn alone. As a general thing the farmers do not get 8 cents for their hogs. If corn were worth but 40 cents a bushel, as it often is in some of the Western States, it would be a very profitable thing to raise corn and feed it to 6 and 7-cent hogs; good money could be made out of it, as the farmer would then be selling his 40-cent corn, by means of hogs, at 60 and 70 cents a bushel. But even in the corn-belt States it is more profitable to supplement the corn with other concentrates or green crops, and this practice is followed by the best farmers.

CONCENTRATES TO SUPPLEMENT CORN.

Fortunately for the South, it is not necessary to depend upon corn alone, as almost all the crops which can be grown in any part of the country can be grown in the South, and there are many crops suitable for hog feed which can be grown in no other section of the country. This section is wonderfully blessed in its great variety of grain and concentrates, and, in addition, green and pasture crops can be made to spread over twelve months of the year. In fact, with the use of pasture crops the South is in a position to make pork cheaper than any other section of the United States.

As stated before, the hog likes a variety of feeds and thrives better upon a ration made up of two or more feeds than upon one made up of but one. It has been proved by several of the experiment stations that wheat and corn, when fed separately to fattening hogs, are practically equal in feeding value. At the Wisconsin Experiment Station several tests were made to learn the relative value of wheat and a mixture of wheat and corn in equal parts. It was found that 500 pounds of wheat were required to make 100 pounds of gain, but when wheat and corn were fed in equal parts only 485 pounds of the mixture were required to make the same gain. When fed separately, these grains are of equal feeding value, but the mixture of the two was more valuable than either grain when fed alone. While the South has not the wheat, yet the Wisconsin experiments teach the lesson that if the most is to be realized upon the hog and the corn a supplementary feed must go along with the corn.

Among the high-priced concentrated feeds that may be used along with corn and cheapen the ration are skim milk, wheat shorts, and tankage; these three are popular in the South, and are probably the cheapest and best. While the writer was at the Alabama Agricultural Experiment Station, he used all three of these feeds along with corn. The following table illustrates some of the average results:

Table 1-FEEDS TO USE WITH CORN.

| Experi- ment | Ration | Average Initial Weight Each Pig | Average Daily Gain Each Pig | Feed to Ma' e 100 Pound of Gain | Cost to Make 100 Pounds of Gain |
|-----------------|------------------------|--|--------------------------------------|--|--|
| 1 | Corn alone | 65 lbs. | .39 lbs. | 764 corn | \$9.55 |
| | Corn 2/3 | | | 339 corn | |
| | Shorts 1/3 | 60 | .83 | 169 shorts | 7.28 |
| | Corn, 1 part | | | 296 corn | |
| | Skim milk, 2 1/5 parts | 60 | 1.33 | 666 skim milk | 6.36 |
| 2 | Corn alone | 45 | .12 | 874 corn | 10.93 |
| | Corn, 8/10 | | | 293 corn | |
| | Tankage, 2/10 | | .84 | 73 tank. | 5.12 |
| | Corn, 9/10 | | | 475 corn | |
| | Tankage, 1/10 | 45 | .51 | 53 tank. | 7.00 |

In the above financial estimate, corn is valued at 70 cents a bushel, wheat shorts at \$36 a ton, skim milk at 40 cents a hundredweight, and tankage at \$40 a ton

In a general statement it may be said that it always paid to supplement the corn with wheat shorts, skim milk, and tankage, the skim milk proving to be the best and cheapest. Throughout all of the above tests the hogs which were fed on corn alone made exceedingly unsatisfactory gains, gaining in one case as low as one-tenth of a pound daily; larger hogs, however, would have done better. The hogs which were fed on one of the supplements along with the corn made satisfactory gains, those which drank skim milk giving almost remarkable results when compared with the results obtained when corn alone was employed.

It should also be noted that the gains were very expensive when corn was fed by itself, in one case going as high as \$10.93 for each hundred pounds of pork made. In the second case above the expense of fattening the hogs was more than cut in half when one-fifth of the ration was made of tankage. In the first test the wheat shorts and the skim milk both saved much corn and cheapened the ration.

PASTURE CROPS TO SUPPLEMENT CORN.

The facts so far presented show one thing clearly—when corn is used alone as a hog feed money is almost sure to be lost. It has also been shown that the feeding value of corn is increased as a result of the use of almost any supplement. But even when corn is assisted by the supplementary feeds mentioned, there are but few cases where 70 cents is realized for a bushel of corn; that is, when hogs sell for six to seven cents a pound live weight. Under present conditions the Southern farmer must see his way clear to realize at least 70 cents a bushel upon b's corn when fed to hogs before he can look upon the hog business as a profitable one. In short, concentrated feeds of all kinds are upon such a high level of prices that the farmer can

not afford to limit the feed of the hog to them alone. Help must be sought outside the concentrated feeds.

The supplementary feeds heretofore mentioned, together with several others, are all good and should be used in hog-feeding operations; but the future of profitable hog production in the South depends upon the use of green or pasture crops. It is possible for the Southern farmer to have grazing crops practically the year through, and many of the best farmers have them. The Southern farmer has, in fact, a decided advantage over the Northern farmer in this respect. We have seen that a variety of feeds almost always produced more satisfactory results than one feed. Pastures and green crops can be used to furnish variety better than any other feeds. The Southern farmer has grown so accustomed to placing his hogs in a small pen when fattening period arrives that he has almost forgotten that the hog can make valuable use of many green crops if he be given the opportunity.

PERMANENT PASTURES.

Until the farmer sees his way clear to make a permanent pasture or has one already made, he should keep out of the live-stock business. It is, in fact, almost impossible to realize a profit upon any kind of stock without good pastures. Therefore, the first thing to be done when one contemplates engaging in stock raising is to establish a pasture.

The South, which is the very section where they can be made easily, is sadly deficient in pastures. No attention has been given to them; it has all been given to cotton. But the Southern farmer, if he will devote some time and effort to the subject, can have as good a pasture as was ever seen in Kentucky or Missouri, and have that pasture available for grazing more months in the year than is possible in those States. For a permanent pasture there is no combination, either in the North or in the South, that will equal burr clover and Bermuda grass. In many sections the Bermuda can be grazed throughout the summer months and the burr clover from January until the Bermuda comes on again. The combination will afford grazing at least ten months of the year. Both plants are permanent after they are once established. To supplement the permanent pasture, temporary pastures should be grown, as cowpeas, peanuts, etc., but no farmer who has stock can afford to be without this permanent pasture combination to be ready for use when the temporary pastures can not be employed.

RAPE PASTURE.

One of the valuable green crops for hogs is rape. It can be sown in the fall after the summer crops are taken off the land, and within seventy days is ready for the hogs to be turned upon it. It is a winter growing crop, or one that can be used between the two summer crops. As a result of its use the land can be kept in use and covered with green vegetation the year round. Several experiment stations and farmers have demonstrated its value as a hog feed.

TABLE 2-RAPE AS A WINTER CROP FOR HOGS.

| Lot | Ration | Average Daily Gain | Feed to Make 100 Pounds Pork | | to Make s. of Pork Grain and Pasture | Value 1 Acre Rape in Terms of Corn and Shorts |
|-----|--|--------------------------|---------------------------------------|----------------|---|---|
| 1 | Corn, 2/3 | | 320 corn 160 shorts | \$ 6.88 | \$6.88 | |
| 2 | Corn, $\frac{2}{3}$ Shorts, $\frac{1}{3}$ $\left.\right\}$ $\frac{1}{2}$ ration Rape pasture | .74 | 172 corn 86 shorts .15 acre | 3.70 | 4.90 | \$21.20 |
| 3 | Corn, 2/3 Shorts, 1/3 } 1/4 ration Rape pasture | .54 | 110 corn 55 shorts .22 acre | 2.37 | 4.13 | 20.49 |

In the above financial estimate corn is valued at 70 cents a bushel, shorts at \$36 a ton, and rape pasture at \$8 an acre.

The work was done in Alabama, but the results are entirely applicable to North Carolina, especially the coastal region. This rape crop was sowed after soy beans, on September 21, on a sandy soil. The seed came up well and the hogs were turned on to the pasture November 9 and kept there until April 7, when they were taken off and sold. Five 100-pound pigs were grazed on each acre.

The test shows rape to be an exceedingly valuable winter crop; it saves much corn and other high-priced grains. In fact (see last column above) each acre saved sufficient grain to be worth \$21.20 in one case, \$20.49 in the other case, while the acre of rape did not cost over six dollars. In the lots where the rape pastures were employed, the cost of making gains in weight was very materially smaller than in the lot where dry feeds alone were fed. It cost \$6.88 to make 100 pounds of increase in live weight in Lot 1, where corn and shorts were fed alone. In lots 2 and 3, where rape pastures were grazed, the grain cost to make equal gains was reduced to \$3.70 and \$2.37. respectively. When the expense of planting and cultivating the pastures is also added to the cost of the pork (see column 6), the total cost of making 100 pounds of increase in live weight in Lots 2 and 3 was raised to \$4.90 and \$4.13; the hogs in Lots 2 and 3, therefore, were fattened at an entirely satisfactory profit, while the ones which were finished on corn and shorts in a dry lot, were fattened at a loss, or at least, at an unsatisfactory profit. Rape provides an excellent winter pasture, but other pastures may be used with just about as satisfactory results. Rye, oats, barley, or burr clover may be used to very great advantage.

PLANTS FOR SUMMER PASTURE.

The pigs which are born in late winter and early spring should be finished for the market, or for home killing, the following fall or early winter. It will seldom pay to keep them through the first winter. When the pig is sucking the mother, both should be given the run of a pasture crop in order that grain may be saved. If the pig is born in late winter, any of the crops heretofore mentioned can be used until the summer crops begin to come on. When green crops and pastures are thus used, the pig can be gotten up to weaning time as cheaply, perhaps more cheaply, than he can be carried from weaning time to a finish. When the pigs are from 60 to 75 pounds in weight they are ready to begin to finish, and this is the time that the summer pasture crops should be ready to use. This date will be from August to September.

Any reasonably good farmer should experience no difficulty in providing summer and fall pasture crops, as he may take his choice from among cowpeas, peanuts, soy beans, rape, etc.

Many farmers and stations have found cowpeas to be an excellent crop for hogs, although no one claims that they afford as much grazing to the acre as do peanuts and soy beans. At the Mississippi station cowpea pasture was grazed without grain. In 1903, although the crop was grown on thin land, one acre of cowpeas produced 350 pounds of pork. In 1904 the crop was grown on good valley land and produced 483 pounds of pork to the acre. The hogs were turned on the crop when the peas were ripe. Better results would no doubt have been secured if the animals had been given the run of the field about two weeks before the maturity of the peas.

In 1906 the Mississippi substation turned 8 sows with their 30 pigs into a red clover pasture of 3½ acres on March 20, the red clover having been sown the previous fall. This furnished ample grazing until August 20, when they were turned into a 4½-acre lot of corn and peas. The 30 pigs were killed out of this pasture November 1 without the addition of any other feed and dressed 117 pounds each, at an average age of 196 days. The pigs ate approximately 6 bushels of corn each. When land rent is estimated at \$5 an acre, corn at 70 cents a bushel, and the cost of seeding the red clover is also taken into account, each pig cost \$4.98.

It is getting to be a common practice in the Middle States, where cowpeas thrive well, to plant the peas in the corn at the last cultivation and graze the hogs on both crops. This method saves a great amount of labor, and the waste of corn is very small indeed if small pigs are given the run of the field after the fattening animals are taken off; in fact, the loss of corn is not as

great as is usually the case when hired help gathers it.

Probably soy beans and peanuts afford the very best obtainable summer, fall, and early winter grazing crops. This, at least, has been the writer's experience. These two crops may be planted in the early part of the summer and be ready for grazing from 80 to 100 days after planting; this, however, depends upon the variety of seed used, the character of soil, etc. Anyway, if they are planted upon the same date the soy beans should be grazed first and the peanuts immediately afterward.

The following tests show how valuable these two crops are:

TABLE 3—PEANUTS AND SOY BEANS AS PASTURES FOR HOGS.

| Experi- ment | | Average | Feed to Make 100 | Cost 100 Lbs | Value 1 Acre | |
|-----------------|-------------------------|----------------|---------------------|-----------------|---------------------|------------------------------|
| | Ration | Daily Gains | Pounds of Pork | Corn | Corn and Pasture | in Terms of Corn Saved |
| 1 | Corn alone | .38 | 609 corn | \$7.61 | \$7.61 | |
| | Corn, 1/4 | i | 68 corn | | | |
| | Soy bean pasture | | .22 acres | 0.85 | 2.59 | 44 bu. |
| | Corn, 1/2 | | 138 corn | | | |
| | Soy bean pasture | | .2 acre | 1.73 | 3.36 | 41 bu. |
| | Corn, 3/4 | | 175 corn | | | |
| | Soy bean pasture | | .12 acre | 2.19 | 3.17 | 63 bu. |
| 2!4 | Corn alone | .33 | 776 corn | 9.58 | 9.58 | |
| | Corn, 1/2 | | 134 corn | | | |
| | Peanut pasture | | .13 acre | 1.68 | 3 .08 | 65 bu. |
| | Corn. 4/5 | | 111 corn | | | |
| f | Corn, 4/5 Tank., 1/5 | | 28 tank. | 1.95 | 2.96 | 34 bu. |
| | Peanut pasture | 1.42 | .13 acre | | | 476 lb. tank. |
| | Peanut pasture | | .22 acre | | 1.76 | 62 bu. |

In the above financial estimates corn was valued at 70 cents a bushel, the pastures at \$8 an acre, and the tankage at \$40 a ton. In some places peanuts should be valued at a very much higher figure than the one used here; if so, the reader can easily make the necessary changes.

These two pastures were both used to very great advantage, and pork was made at a very low cost when compared with the expense when corn was used by itself. When corn was used alone, it cost over 7½ cents to make each pound of pork; when soy-bean pastures were employed the expense was cut down to \$2.59, \$3.36, and \$3.17 to make each 100 pounds of pork in Lots 2, 3, and 4, respectively. When peanut pasture was grazed it cost from \$1.76 to \$3.08 to make 100 pounds of pork when the pasture was valued at \$8 an acre. The hogs were profitably fattened even when the peanuts are valued at \$24 an acre.

FINISHING HOGS AFTER PASTURE CROPS ARE EXHAUSTED.

The majority of the farmers of the South who make use of green crops for fattening hogs, dispose of the animals when the crops are exhausted, without finishing them upon grain for a short period in a dry lot. There is a time when the hog should be penned up in a lot and fed grain alone, but that time is not at the beginning of the feeding operations. He should be penned up after the pasture crops are gone and fed grain alone for a few days before slaughtering or marketing. There are several reasons for following this plan. First, the hog, after coming off the pasture, is in just the proper condition to make gains economically and rapidly for a short time. He is in excellent health, active, and, as a rule, his frame is not covered with as much fat as it should carry. The pasture has tended to develop his frame at the expense of fat, especially if he is a young animal. After he is fed in a pen twenty-five to twenty-eight days, he looks better, and is better, than when he came off the pasture, and is actually worth more to the consumer or butcher, as he is fatter and will dress out a higher percentage of good marketable meat than if he had been sold directly from the pasture. Second, when hogs have been grazed upon peanuts, soy beans, and certain other green crops, the meat and lard have become soft, which makes the animal objectionable to the butcher as well as for home consumption. This soft meat can be hardened very materially if the hogs are fed upon grain for only a short period after the crops are exhausted.

What shall the animal be fed during this short dry-lot finishing period? Corn is good; corn in combination with cotton-seed meal is better and is cheaper than corn alone, as the addition of cotton-seed meal to the ration renders the meat hard more rapidly than when corn alone is used. If the animals are to be fed not more than twenty-one days in this finishing period, one-third of the total ration may be made up of cottonseed meal. If it is likely that the last period will be extended over more than twenty-one days, the proportion of cottonseed meal should be cut down to one-fifth or one-sixth of the whole ration, and the finishing period extended not beyond five weeks in all.

A Remedy for Cottonseed Meal Poisoning.

BY W. A. WITHERS.

I presume that it will not be necessary in the presence of so many good, practical farmers to devote much time to the discussion of the danger which accompanies the feeding of cottonseed meal to swine in large amounts, and for very long periods

Many of you no doubt know from sad experience that sometimes a fine porker fed upon cottonseed meal has been found dead in the morning which appeared perfectly well the previous evening. Sometimes this unfortunate ending may be anticipated from the refusal of the animal to consume the feed. On the other hand, some pigs seem to be highly immune and can eat the meal for long periods and without harmful effects, apparently.

The symptoms of cottonseed meal poisoning which generally have been observed may be briefly stated as follows: When the pig begins to refuse cottonseed meal, he usually shows very rapid, short, shallow breathing, an anæmic condition which shows in the paleness of the mouth, skin and elsewhere, imperfect vision, and even blindness, and a weakening of the muscles of the legs. If the pig is exercised very violently, death usually ensues quickly. A post-mortem examination always shows an ædematous condition of the lungs, and sometimes there is inflammation of the digestive tract.

Many investigators in America and abroad have studied the problem with a view to ascertaining the cause of toxicity and means for overcoming it. The various theories which have been advanced as to what the poisonous substance is, have all been discarded. Lest you throw aside as erroneous the explanation and remedy which we have to offer, I shall endeavor, without going too much into the technical side, to give you an outline of the steps involved in our work, so that you may know the facts which we observed and draw your own conclusions from them.

These experiments were conducted jointly by the Chemical, Veterinary, and Animal Husbandry Divisions of the Agricultural Experiment Station. As Belgian hares, or rabbits, are killed by cottonseed meal in about two weeks, our preliminary experiments were conducted with them instead of with swine, as it takes about twelve weeks to kill the latter. There is also a saving in expense by using the hares.

A feed may be deleterious or harmful to an animal from several causes: (1) from purely mechanical action such as stopping the intestines, lacerating them, etc.; (2) by not having in it the constituents which are necessary for maintaining the life of the animal; or (3) by having in it some true poison, that is some substance which may be taken into circulation in the blood of the animal and thereby interfere with the physiological processes of the body. We may quickly dismiss the idea of injury in a mechanical way, as there has not been an indication of stoppage of the intestines or of irritation by mechanical means. The remedy for an incomplete or improperly balanced feed would be to increase the missing constituent, and the remedy for a poison would be to remove it before feeding or to change it into an insoluble form so that it would be inert in the body of the animal.

Coming back to the symptoms exhibited by the animals fed on the cotton-seed meal, we find that they compared fairly well with those exhibited by animals that have had some soluble sulphide added to their feed. These produce death by acting upon the blood, and diminishing its power of carrying oxygen until death ensues. Some soluble iron salt naturally suggests itself as an antidote. In our experiments with rabbits, we fed one gram of cotton-seed meal daily for each 100 grams of live weight. This corresponds to one pound daily for each 100 pounds of live weight of swine, or 10 pounds daily for each 1,000 pounds of live weight of beef or dairy cattle. This will be recognized as rather heavy feeding. The meal was mixed with molasses to make it more palatable. Green feed was given one each day in the form of cowpea vines or cabbages. The rabbits were confined in galvanized iron cages, so as to keep them under close observation.

We began feeding five rabbits with the cottonseed meal. At the end of 14 days, two had died, one was sick, and all had lost in weight. At that time we began adding a solution of citrate of iron and ammonia to the feed. The sick rabbit recovered and all three rabbits gained in weight for the next 14 days, at which time the experiment was discontinued. We took another rabbit which had only eaten 75 grams of cottonseed meal during five weeks and added iron solution to his feed. This rabbit at once began to eat the meal, and after the first week continued to eat all the meal supplied him and gained in weight for five weeks, at which time the experiment was stopped. These four rabbits testify that an iron salt will make them well after they have been made sick by cottonseed meal.

We took 22 rabbits and fed them with cottonseed meal at the rate referred to, and all died after an average of 13 days, some of them going as early as

the sixth day and only one enduring so long as 22 days. These 22 rabbits show that cottonseed meal is poisonous.

We began feeding 8 rabbits the same amount of cottonseed meal with all the conditions the same as above, except that an iron salt was We fed 3 of them 64 days, 3 of to the feed. them 91 and 2 of them 106 days, and discontinued the experiment. Each of them remained normal during the whole period, and each ate all the cottonseed meal given. The iron salt enabled them to withstand any deleterious effects of the cottonseed meal, from three to five times as long as the hardiest rabbit could endure the meal without the iron salt. Clearly these 8 rabbits testify to the fact that iron salt kept the meal from making them sick.

We took 3 rabbits that had eaten all the meal given to them for 64 days when an iron salt was mixed with it, and had remained normal during the whole period. At that time we ceased adding the iron salt to their feed. After a few days some of them began to refuse some of their feed, and all of them died in 23 days. Here 3 rabbits testify that an iron salt will make cottonseed meal harmless, and if taken from the feed the meal begins to

show its harmfulness.

To sum up these experiments, 27 rabbits show the poisonous effects of cottonseed meal and 12 show the efficiency of an iron salt in preventing or overcoming its poisonous properties, and in each case the conclusion was clear and unmistakable.

Of course the practical herdsman is not interested in what may happen to rabbits, if the results apply to them alone. The question is, what about swine, or cattle, or sheep? We have not yet been able to undertake to test the efficiency of the iron as an antidote to cottonseed meal if fed to cattle horses, but we have made some tests with swine. Twelve pigs weighing an average of 50 pounds each were taken and placed in two separate lots, each in a pen to himself. We began feeding to each daily one-half pound of cottonseed meal and 1½ pounds of corn meal. To one-half of the animals we gave in addition a solution of an iron salt. The feed was increased as the animals grew. No green feed was given, and the animal got only such exercise as was possible in a small pen. These conditions are not the best, of course, but we wished to make a severe test. On today,* which is thirteen weeks from the beginning of the experiment, four out of the six pigs receiving the cottonseed meal without an iron salt are dead. The other two have made an average gain of only 35 pounds and do not have a very thrifty appear-On the other hand, the six pigs which received an iron salt with the cottonseed meal have gained an average of 54 pounds, or nearly half as much again as the straight cottonseed meal pigs. The pigs receiving the iron salt are in the best of condition.

Based upon these results, iron salt appears to be of value in diminishing, if not entirely preventing, the harmful effects to swine of cottonseed meal feeding, provided that feeding is not in excess of the rate of one pound of meal daily to each 100 pounds of live weight. It may be of value if the feeding is in larger amounts, but we prefer to confine our statements to the experiments already performed by us. Should an animal refuse his feed, if given cottonseed meal and an iron salt, I would suggest that the cottonseed meal be withheld from the feed for a few days, until the appetite of the animal returns, and then the meal feeding may be resumed. I should continue the feeding of the iron salt.

I have purposely withheld until the last, directions as to preparing and feeding the iron solution. The directions are so simple that one may easily remember them. Dissolve one pound of copperas (ferrous sulphate) in a barrel (about fifty gallons) of water. For each pound of cottonseed meal take one gallon of the solution, mix thoroughly daily for each 100-pound pig.

^{*}On October 29, 1913, which is twenty-two weeks after the beginning of this experiment, five of the six pigs consuming cottonseed meal without copperas are dead, but all six of the pigs receiving copperas with the cottonseed meal are alive, gaining in weight, and apparently without any ill effects from the cottonseed meal.

If the pig weighs only 50 pounds, use half the amount of cottonseed meal and one-half of the copperas solution.

Reorganizing the Farm.

J. M. JOHNSON.

A system of management which will give greater returns for labor and capital invested in farming in the Piedmont section of the South is needed. It is the western half of North Carolina in which this paper takes greatest interest. It is the agriculture in the section extending westward from the main line of the Seaboard Air Line Railway that shall be considered. In this section, according to the figures given in the 1910 census, the average farm grew crops annually to the value of \$457.00. A study of farm soils, farm equipment, including implements and work stock, and of methods and practices in tillage, convinces one that the yields and values of the crops grown should be much higher than those represented in the census report. When the facts that one-third of the land classified as improved farm land is doing absolutely nothing in the line of growing valuable crops, and that only about one-fifth of the area under tillage gives annual harvests worth \$20.00 or more per acre, while the crops on two-fifths are worth only \$12.00 per acre and on two-fifths the crops are worth less than \$8.50 per acre, is considered, the importance of a better system is recognized.

This system should give more acres of the crops of high value and fewer of those of lower. It should not eliminate crops already grown successfully; neither should it depend upon the introduction of new or untried ones. It should contain nothing of a doubtful nature. It should if possible offer opportunity of utilizing 100 per cent of the improved land in crop growing and in many cases perhaps make farming profitable enough to justify the clearing up or reclaiming good lands now in woods and thus make the farms large enough to allow of improved methods of tillage and so forth. The system should allow the average work animal kept on these farms to do more days of profit-bearing work per year than at the present.

In order that such a system of management and reorganization may be suggested it may be well to review conditions and practices as existing in 1909 and as yet practically unmodified throughout the Piedmont area.

For careful study we shall take the four counties, Chatham, Randolph, Davidson and Rowan, constituting the heart of western North Carolina, and having the soil and climatic conditions peculiar to the great stretch of Piedmont country from Virginia southward. The value of crops per farm in these counties is about 5½ per cent above the average for the Piedmont section of the State. Some farmers are making good profits, while others are losing money and a great many are practically meeting expenses, but returning no profits.

The lessons drawn from this study will be applicable in the western half of North Carolina, and, the writer believes, in the Piedmont section of the southeast.

In Chatham County in 1909 there were 3.646 farms with an average of 33.3 acres of improved land and 70.8 acres of unimproved land per farm; 23.3 acres of the improved land was planted to crops. These crops were worth \$439.00 per farm. Ten acres of improved land per farm was uncultivated. The cultivated land grew crops to the value of \$18.85 per acre. Had the 10 acres of improved land which was not planted been occupied in growing crops of only average value, the income on each farm should have been increased \$188.50, or for the county, \$687,271.00.

On the farms in the county were 5,301 work horses and mules. This is an average of 1.45 head of work stock for each farm, or one work animal for each 16 acres in crops. Had the entire 33.3 acres been planted there would have been one work animal for every 22.9 acres to be cared for.

In Randolph County there were 4.011 farms averaging 36.1 acres of improved and, 71.9 acres of unimproved land per farm. Of the improved land 22.92 acres per farm were planted to crops which produced a cash value of \$396.14 or \$17.23 for each acre planted. There was an average of 13.18 acres of improved land per farm in this county unplanted. Had this produced only average crops the income per farm should have been increased \$227.09 or for the county \$910,858.00.

Randolph County had 6,462 head of work horses and mules, which is equivalent to 1.61 per farm or one for every 14.25 acres planted or for every

22.4 acres of improved land.

Davidson County reports 3,505 farms with an average of 41.9 acres of improved and 52.6 acres of unimproved land. Of the improved land 27.2 acres is planted to crops which yield a value of \$502.17 per farm or \$18.46 per acre cropped. There remains 14.7 acres of improved land, per farm, unplanted. Had this been devoted to crops yielding harvests of only average value per acre the income per farm should have been increased \$269.36, or for the county \$944,106.00.

In Davidson County there are 5,900 work horses and mules. This is 1.68 work animals for each farm or one such animal for every 16.2 acres cropped,

or for 249 acres of improved land.

Rowan County has 3,241 farms with 44.1 acres of improved land and 45.1 acres of unimproved per farm. Of the improved land 32.9 acres per farm is planted in crops which give a harvest worth \$617.95 or \$18.78 for each acre planted. There remains 11.2 acres of improved land, per farm, unplanted. Had this made crops in value equal to the average of the cropped land, there should have been added to the income of each farm the sum of \$210.33, or for the county this increase should amount to \$681,679.53.

From figures given it seems a system of farming which would allow the utilization of every acre of improved farm land in the counties considered should add to the income of the average farm as follows: Chatham County, \$188.50; Randolph, \$227.09; Davidson, \$269.36, and Rowan, \$210.33, or a sum total of nearly three and a quarter million dollars for the four counties.

Is it possible for the farmers to reorganize their business on a basis to allow of such an increase in income without a corresponding growth in out-

lay or in operating expense?

In laying the foundation for the answer to this question a further study of present farm organiztaion embracing cropping systems now followed is

necessary.

In Chatham County the average farm of 33.3 acres of improved land has 10.38 acres in corn; 3.8 in cotton; 5.04 in wheat; 2.13 in oats; .75 in hay and 1.22 in miscellaneous crops including tobacco. The average acre in cotton is worth \$30.00, while that in corn is worth \$12.00, wheat \$7.00, oats \$6.00, hay \$22.00.

In Randolph County the average farm or 36.1 acres of improved land has 10.33 acres in corn, .44 in cotton, 7.39 in wheat, 1.70 in oats and 1.95 in hay. The average acre in cotton is worth \$25.00; that in corn is worth \$12.00; that

in wheat \$9.00; that in oats \$7.00; in hay \$20.00.

In Davidson County the average farm of 41.9 acres of improved land has 9.27 acres in corn; 1.66 in cotton; 8.80 in wheat; 2.01 in oats and 3.88 acres in hay. An acre of cotton is worth \$24.00, while corn is worth \$12.00, wheat \$9.00; oats, \$6.00, and hay, \$25.00.

In Rowan County the average farm of 44.1 acres of improved land has 11.25 acres in corn; 6.1 in cotton; 7.15 in wheat; 3.05 in oats, and 4.17 acres in hay. Cotton is worth \$24.00 per acre; corn \$12.00, wheat \$8.00, oats

\$7.00, hay \$24.00.

The four counties under review have 14,403 farms. These farms average 38.6 acres of improved land. The unimproved land in farms averages 60.9 acres per farm. There are 1.65 work animals (horses and mules) per farm. Were the entire 38.6 acres devoted to farm crops, including hay plants, the

average work animal would have 23.4 acres to care for. Under the conditions and practices prevailing in 1909 these farms had only 24.92 acres each devoted to crops. This means that the average work animal cared for 15.1 acres of land. Should the farmers expect more than this from one horse? Can they get more than this amount of productive work from each horse kept? These are points to be considered.

The crop system followed on the average of these farms called for 10.14 acres in corn and 2.87 acres in cotton; by adding .99 of an acre for miscellaneous spring planted crops to the above, there would be 14 acres of land per farm requiring breaking and preparing for spring planting. If this breaking is done with one-horse plows it should require from 16 to 20 days for one horse. All the harrowing given should not require more than four days. Laying off rows and putting down fertilizers should not take more than six days work for one horse. Six days again for bedding and planting brings the horse work on the 14 acres up to 36 days at the time the last seed goes into the ground. The time required to cultivate these crops should not exceed five days for one horse each time they are gone over. If they are worked five times in the course of the spring and summer a maximum of 25 days for a horse will be required after the crops are planted and by the time they are laid by. A liberal allowance at harvest and market time should call for not to exceed 10 days of horse work. Thus in making 14 acres of cultivated crops as grown per farm in 1909 may possibly demand 71 days of work for one horse.

This farm, though, has 7.1 acres in wheat, 2.2 in oats and 2.6 acres in hay; or a fraction less than 12 acres in all these crops. Fall preparation and planting is called for in case of the wheat and better yields may be expected from fall planted oats. These two crops occupy 9.3 acres. Allowing 20 days for one horse on wheat and oats and 9 days on the 2.6 acres in hay, we get a total of 100 days of horse work actually required in taking care of all the crop work on the average of these farms.

The farm has 1.65 work animals to do 100 days work per year. This means that the average work animal (horse or mule) does only 60 days of farm work per year. Is it reasonable to expect more than this from him? Will it pay his owner to exact more days work and more acres cultivated for each horse or mule?

Fortunately we have records on a number of farms in the Piedmont section of North Carolina which throw some light on this point. Let us look to one of these farms. On this farm we find 288 acres of crops grown; corn 100 acres; cotton 75; wheat 50, hay and miscellaneous crops making up the rest. Ten head of work stock taking care of all this, or an average of 28.8 acres for each horse or mule on the place. After every expense, including interest on the investment, is paid, this farm shows a clear profit of \$2.900, or \$290 00 profit for each head of work stock used. Other farms, some much smaller, show proportionately as good results.

It is reasonable to expect more than 60 days work from each horse or mule kept on the farm in the Piedmont section of North Carolina as well as other southern states. It should pay the farmer to exact more days of productive work from the work stock, and thereby make a greater quantity of valuable crops.

The farm should be organized to allow each head of work stock to care for a minimum of 23 acres of land in crops of commercial value. Such a system should call for not less than 100 days wor's per year from each head of work stock kept. In all probability the farm would be more profitable if 150 days of work at productive enterprises could be exacted from each horse. The South may not be ready for such a system at the present, but her farmers should begin to plan for it and gradually grow to it.

Doubtless it is more difficult to organize a small farm on the better basis than a large one. It is not easy to get more than 75 days of work annually for a horse at profitable enterprises on farms as now organized and grow

from 15 to 16 acres of cultivated crops for each work animal kept. When these farms become organized on a basis calling for two-horse teams, with from 45 to 50 acres in cultivated crops per team, it will be an easy matter to get from 100 to 120 days of profit earning work for each head of work stock. The difficulties standing in the way of such organization are more apparent than real. The average farm no whas 23.4 acres of improved land per work animal. The system proposed will require the utilization of all this land. On a great number of farms only one horse is kept at the present. It will be wise for men working such places to exchange teams with one another a few days at the periods of heavy work, especially such as breaking land and harrowing it and also at harvest time. This will give each farm the advantages of a better prepared soil and the more efficient methods of cultivating and harvesting. Where two or more horses are already kept, these should be hitched into the double teams and used with bigger plows and other machinery necessary for good farming.

The organization of a two-horse farm having 50 acres of improved land may be as follows: 12 acres in cotton, 12 in corn and 12 in small grain, using wheat on a part and oats on the remainder, but proportioning the acreage of the respective grains to the needs and demands of the farm. The small grain should be followed by a crop of peas for hay. About 4 acres for all miscellaneous crops, and 10 acres for grass for hay and if there is no other grazing land a part of the grass may be used for pasture. For the one-horse farm the acre to each crop may be reduced proportionately.

The 24 acres for corn and cotton will be to plow after fall crop work is out of the way and before time to plant in the spring. After the land is plowed it should be harrowed, then the rows are to be layed off, fertilizers

applied and perhaps in many cases bedded before planting.

A two-horse team with a turn plow will break approximately 1.75 acres in a day. Thus it may require 14 days to break the 24 acres. Another four days will be needed to do the harrowing. Six days with two horses should open all rows and put down the fertilizers. Six days again should do the bedding and planting. Cultivating these crops an average of five times should require not more than 35 days of horse work. Harvesting and housing the corn and cotton will require not more than one day of horse work per acre or 24 days for handling both crops. Allowing 12 days for all extra horse work, we have the 24 acres of corn and cotton made at an enpenditure of 131 days horse work.

The horse work required in caring for the 12 acres in small grain followed by peas for hay should not exceed 4 days per acre, or 48 days for the two crops. Allowing 25 days of horse work on the four acres of miscellaneous crops and 20 days on the permanent hay and pasture lands, we have a sum total of 223 days of horse work required on the 50-acre farm organized on the suggested basis. This is 111.5 days work for each horse instead of 60 days as by the system prevailing on the same farms in 1909 and which has not

been greatly modified in recent years.

IMPORTANCE OF PROPOSED SYSTEM.

Under the system prevailing during the past few years the farmer cultivated 24.92 acres of land with 1.65 head of work stock and grew crops to the value of \$482. Or one horse does the work on 15.1 acres, making crops worth \$277. The average farm has 13.7 acres of improved land doing nothing, while 60.9 acres remain unimproved. The proposed system calls for the utilization of all the improved land in profit producing enterprises. It will also call for bringing under cultivation of from 12 to 15 acres of the most fertile of the unimproved lands and the cultivating of this reclaimed acreage in valuable crops.

Allowing the yields and values per acre of the respective crops to remain in years to come the same as in the past, let us see how the earning of the farm is affected:

| Cotton, 12 acres, @ \$26.40\$ | 316.80 |
|---|----------|
| Corn, 12 acres, @ \$12.00 | 144.00 |
| Small grain— | |
| 10 acres in wheat, @ \$9.00 per acre | 90.00 |
| 2 acres in oats, @ \$6.00 per acre | 12.00 |
| Pea Hay, 12 acres, @ \$20 per acre | 240.00 |
| Grass Hay, 10 acres, @ \$23.38 per acre | 233.80 |
| | |
| Total, 46 acres crops value\$1 | 1,036.60 |

These figures are based on the supposition that the change in system would not tend to increase yield per acre of any of the crops now grown. This assumption is not entirely correct, as it is well known that a change from one-horse to two-horse farming, especially when accompanied by more liberal use of cow peas and other legumes in the rotation, is followed by increased yields from each and every crop grown. Increased yields with prices remaining stationary means increased income for the farm.

Under the system proposed the corn yields should average double what they are under the present. Cotton should be influenced in a like manner. Small grain yields should be increased from 50 to 100 per cent. Hay should make a very material increase.

After the proposed system has been in operation for a period of five years, the better farms of the two-horse or 50-acre class should show incomes of from \$750 to \$1,000 after all expenses are paid.

To some it may seem that there is too much land devoted to cotton for the amount of labor available at chopping and picking times. If conditions are not favorable to this portion of the land in cotton, it may be reduced without materially affecting the income, provided the right crops are substituted. The average acre of cotton under prevailing conditions is worth \$26.40, while an acre of hay is worth \$23.38. If half the cotton land be planted to hay crops of only average value, the farm income suffers a reduction of \$18.12. The saving in labor and fertilizer would in all probability overbalance the difference in the value of the cotton dropped and the hay added to the cropping system.

Unless the yields of small grain and corn increase very materially, their acreage should not be increased, and it may be advisable to quit growing wheat and oats for grain, but to handle these as cereal hay crops. In either case every acre growing the wheat, oats or other small grain as a hay or grain crop should be planted to peas or other summer growing legumes as soon as possible after grain or cereal hay crops have been harvested. The summer grown crop of peas or other legumes may be harvested for hay, or if soil conditions and the needs of the farm are such as to justify they may be plowed under and thereby increase the yields of other crops in the pasture.

The secret of success lies in keeping all the tillable land busy in growing valuable crops and to have enough tillable land to give the teams profitable employment as many days as possible during the year. The cropping system should be such as to keep the available labor employed on profitable enterprises during as many months in the year as possible.

INDEX

| PA | GF |
|---|---------|
| State Board of Agriculture | 2 |
| Officers and staff | 2 |
| Letter of transmittal | 3 |
| Report of Farmers' Institutes, 1913 | 5 |
| Explanation of premiums offered at women's institutes | 5 |
| Schedule of institutes held | 6 |
| Lecturers and subjects | 11 |
| County and local Farmers' Institute organizations | 13 |
| Chairmen of county and local committees | 13 |
| Officers State Farmers' Convention | 17 |
| Women's Institutes, 1913 | 18 |
| Schedule of institutes held | 19 |
| Lecturers and subjects | 23 |
| County and local women's organizations | 24 |
| Frogram for Normal Institutes | 29 |
| Eleventh annual State Farmers' Convention and Round-up Institute | 31 |
| Program of Farmers' Convention | 33 |
| Program of Housewives' Convention | 34 |
| Some Things I have Found Helpful in My Home | 35 |
| The Country Home | 40 |
| Pin Money Possibilities on the Farm | 41 |
| It Pays to Think | 43 |
| Factors That Will Enter Largely into the Betterment of North Carolina | |
| Agriculture | 44 |
| Variations in High Yielding Varieties of Cotton | 46 |
| Feeding Hogs in North Carolina | 52 |
| A Remedy for Cottonseed Meal Poisoning | 58 |
| Reorganizing the Farm | 61 |

LEAF TOBACCO SALES FOR NOVEMBER, 1913.

| Pounds sold for producers, first hand24, | 954,002 |
|--|---------|
| Pounds sold for dealers | 173,148 |
| Pounds resold for warehouses | |
| 97 | 451 600 |
| Total27, | 451,689 |

THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE

RALEIGH

Vol. 35, No. 2.

FEBRUARY, 1914

Whole No. 193

VARIETY TESTS OF CORN

STATE BOARD OF AGRICULTURE

W A. GRAHAM, Commissioner, ex officio Chairman, Raleigh.

| | | · - | | |
|-----------------|----------|----------------|------------|---------------------|
| F. P. LATHAM | | .Belhaven | | .First District. |
| K. W. BARNES | . | .Lucama | | .Second District. |
| R. L. WOODARD | | ,Pamlico | | .Third District. |
| CLARENCE POE | | .Raleigh | | . Fourth District. |
| R. W. SCOTT | | .Haw River | | . Fifth District. |
| A. T. McCallum | | .Red Springs | | . Sixth District. |
| C. C. Wright | | .Hunting Creek | . . | . Seventh District. |
| WILLIAM BLEDSOE | | .Gale | | . Eighth District. |
| W. J. Shuford | | .Hickory | | . Ninth District. |
| A. CANNON | | .Horse Shoe | | .Tenth District. |
| | | | | |

| | OFFICERS AND | |
|---------------------|---------------------------------------|--|
| | | |
| ELIAS CARR | | Secretary and Purchasing Agent. |
| Miss Sarah D. Jones | | Bookkeeper. |
| D. G. CONN | | Bulletin Superintendent |
| B. W. KILGORE | | . State Chemist, Director Test Farms. |
| | | Feed Chemist. |
| | | |
| | | Assistant Chemist. |
| | | Soil Survey. |
| | | Assistant Chemist. |
| | | Soil Chemist. |
| | | Assistant Chemist. |
| | | Assistant Chemist. |
| | | |
| | | |
| | | Assistant Director Test Farms. |
| | | |
| | | Assistant Curator. |
| | | Entomologist. |
| | | Assistant Entomologist. |
| | | Assistant Entomologist in Field Work. |
| | | Veterinarian. |
| | | Assistant Veterinarian. |
| | | |
| | | Assistant Horticulturist. |
| | | |
| | | tant to Director of Farmers' Institutes. |
| | | tant to Director of Farmers Institutes. |
| | | |
| | | Assistant Pure Food Chemist. |
| | | |
| | | |
| | | |
| | | |
| | | Assistant Agronomist and Botanist. |
| | | |
| W H FATON | · · · · · · · · · · · · · · · · · · · | |
| †ALVIN I RVED | | Dairy Farming. |
| STANLEY COMES | | |
| | | |
| tC R Hupson | | Farm Demonstration Work. |
| TT E BROWNE | | Assistant in Charge of Boys' Clubs. |
| | | Assistant in Boys' Clubs. |
| | | Assistant in Charge of Girls' Clubs. |
| | | Assistant in Girls' Clubs. |
| | | |

R. W. Scott, Jr., Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham. Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferies, Assistant Director Pender Test Farm, Willard, N. C.

F. S. PUCKETT, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C.

E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture. †Assigned by the Bureau of Animal Industry, United States Department of Agric culture.

[‡]In co-operation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL

MAJOR W. A. GRAHAM,

Commissioner of Agriculture.

Dear Sir:—I am sending you herewith a manuscript discussing in a brief way the results of the variety test work done with corn on the Test Farms and at different points in the State during the past season. This work has been carried out according to plans made and inaugurated by J. L. Burgess, Agronomist in Cereal Investigations. The tables and other data have been arranged and the report written by G. M. Garren, assistant Agronomist in Cereal Investigations.

I recommend the publication of the manuscript as the February Bulletin.

Respectfully submitted,

C. B. WILLIAMS, Chief, Division of Agronomy.

| | # * | |
|------|------------|--|
| | | |
| | | |
| | | |
| , | | |
| | | |
| 8 72 | | |
| | | |
| 9.4 | | |
| | | |
| | | |
| | | |
| | | |
| | | |

VARIETY TESTS OF CORN FOR 1913

BY G. M. GARREN, ASSISTANT IN CEREAL INVESTIGATIONS.

Herewith is submitted the tables of the results of the annual tests of varieties of corn on the different Test Farms. This year there were six tests made, one each on the Buncombe Farm, the Iredell Farm, the Central Station at Raleigh, the farm of the Tobacco Station at Oxford, the Edgecombe Farm, and on land adjoining the black land farm at Winona. A severe storm September 3d so injured the crop at Winona that the results were lost altogether. Owing to an accident only a few of the varieties at the Oxford Station were saved and only partial data on these were possible. The weights of the cobs from the bushels of shelled corn were lost and this almost ruined the entire results. The vields of bushels of shelled corn per acre, upon which the rating of the varieties are based, were found by dividing the pounds of ears per acre by 70, the standard commercial number of pounds of ears of dry corn required to shell one bushel, instead of the actual number of pounds, found by weighing the corn when harvested, as was used in all the other tables. This gives, therefore, only an approximation instead of actual yields.

The tables in form are the same as those published in previous issues of the Corn Bulletin. They are, therefore, by this time fairly intelligible to all interested readers.

Under given conditions the largest yield of corn depends upon three things: the number of stalks on the land, the number of ears on the stalks, and the size and shape of the ears. By size and shape of ears is meant their shelling capacity, not mere bulk. Any attempt to supply artificially either one of these elements when defective or lacking altogether, destroys field conditions, under which all such tests have to be conducted to be of practical value. The only one of these elements that any reasonable attempt can be made to supply when lacking is that of stand. Perfect stands are almost unknown. Sometimes the stand of one variety is almost perfect; another along side of it very poor. Obviously it is very difficult to make a fair comparison of yields with such unequal stands. An effort has been made in the fourth column under head of "Yields Per Acre" to overcome this difficulty. Here the yields per acre have been calculated on the basis of a perfect stand. It is a mere calculation but gives a fair working idea of the actual differences in yields among the varieties. At the Buncombe Farm the stand was made perfect by supplying the missing stalks from another part of the plat. Obviously this method takes no note of whether the supplied stalks had the average number of ears or whether the ears were the average size. Neither does it take note of the average per cent of barren

stalks. It is less reliable than the calculation methods. Like the latter, it only aids one to get an idea of the real differences in yields of the varieties when the stand is abnormal.

In Table I are recorded the results at the Buncombe Test Farm. The weights of the shelled bushels of corn are very low, far below the standard. The growing season in the mountains this year was unusually short. The frost struck the corn before it fully matured. Hence it is light and chaffy. Boone County, Whitson, Brooks' Pride, Golden Prolific, and White Majestic are the five highest yielders. Boone County and Whitson have the same rank. Whitson has fewer barren stalks and therefore really ranks first. It is a native corn and thoroughly acclimatized.

The results at the Iredell Farm are recorded in Table II. Only 26 varieties were tested and upon the whole it was the most satisfactory test of the whole year. Weekly's Improved, with 36 barren stalks out of a total of 281, ranked first in yield. It had been improved for two years in the grain-breeding work of the Division of Agronomy, and came from Selection No. 35, made in 1910. Being acclimatized and improved by seed selection explains in large part its high yield. Golden Prolific, Southern Beauty, Weekly's Improved (South Carolina grown) and Sanders' Improved make up the five highest yielders in this test.

The results at the Central Station at Raleigh are recorded in Table III. A larger number of varieties than at any of the other stations were tested here. First rank was taken by First Generation of Cross No. 182. This variety, along with several others, was furnished by the Bureau of Plant Industry at Washington. These varieties are designated by number and may be so recognized. This is the second year these varieties have been tested in the State, and the first time any one of them has taken the lead. Biggs' Seven Ear, one of the best prolific corns for Eastern Carolina, takes second place. Cocke's Prolific, another most excellent variety for Eastern Carolina, comes third. Golden Prolific and Marlboro's Prolific (Tennessee grown) make up the five highest yielders.

Table IV contains the results of the test at the Edgecombe Farm. Here the per cent of ears to stover is unusually high. The corn was blown down by the September storm and was not harvested till late in the season. Consequently all the stover was practically destroyed except the bare stalks. This is especially true of the early maturing varieties. Batts' Four Ear (Georgia grown), Weekly's Improved (North Carolina grown), Latham's Double, Weekly's Improved (South Carolina grown), and Parker's Prolific, all prolific varieties, are the five leading varieties in this test.

In Table V are found the results of the test on the farm of the Oxford Tobacco Station. Here Parker's Prolific, Cocke's Prolific, and Biggs' Seven Ear, the three leading prolific varieties of Eastern Carolina, and Hickory King and First Generation of Cross No. 182, two single-eared varieties, make the five highest yielders. But on account of a different and less accurate method of computation as noted above, this table is less reliable than any of the others.

In Tables VI and VII are the compiled results of the tests of seven varieties for five years on the Iredell and Edgecombe Farms. Whenever a variety maintains the lead for five or more years, one is safe in concluding that that variety is well adapted to the locality in which it was grown. Any farmer living in the vicinity of the Iredell and Edgecombe farms can plant a pure acclimatized strain of Weekly's Improved or Biggs' Seven Ear, the leading variety of these respective farms, with a reasonable certainty of obtaining maximum results, so far as variety influences those results.

TABLE 1. -VARIETY TEST OF CORN AT THE BUNCONEE TEST FARM IN 1913.

| | gnibrossk AngA blaif ot | - | | 1 10 | | # | | | | | | | | | | | | | | | | | | 19 | |
|------------------------|--|--------------|-----------------------|-----------------|----------------|-----------------|-------------------|---------------------------|-------------------------------|--------------------|---------------------|-----------------------|---|--------------|-----------------|------------------------------|---------------|-------------------|---------------|---------------------------------------|----------------------------------|-------------------|---|-----------------------------------|-----------|
| ured of | Weight of Measing to the Measing Shelle | | 56 | | | | | | | i | · | | | | - | | | | · | | | | | | |
| Shelling Capacity | – Рет Сепt. Соb | | 6 6 6 6 6 | 5 2 | | 20.7 | 19.4 | 21.3 | 19.4 | 17:2 | | | | 25.0 | | | | | | - | | 19.5 | | 95 | 25 |
| She | - Per Cent. Grain | | 0.08 | | | 79 | | 78.7 | | 85.8 | 9.08 | 82.5 | | | | | 82.3 | | | | | 30.5 | 0.67 | | |
| Total Weight | Per Cent. Ears | | 5.13 | | 49.6 | 46.9 | 40.7 | F. 6F - | 48.3 | 57.9 | 52.0 | 59.1 | 38.0 | 43.0 | 53.9 | 51.1 | 49.8 | 55.6 | 39.1 | 53.6 | 50.8 | 56.3 | 43.6 | 39.7 | 40.3 |
| T. | Per Cent. Stover | 다. 다 | S 10 | 13.1 | 50.4 | 53.1 | 59.3 | 50.6 | 51.7 | 42.1 | 48.0 | 40.9 | 62.0 | 57.0 | 46.1 | 6.84 | 50.2 | 44.4 | 6.09 | 46.4 | 49.2 | 43.7 | 56.4 | 60.3 | 8.88 |
| lode | Pounds of Ears to Shell One Bu | 53 | 9 9 | ÷ = | 61 | 55.8 | 69 | 99 | ũ | 7.0 | 3 | 63 | 56 | 64 | 64 | 99 | 68 | 20 | 65 | 62 | 9. | 75 | 1.5 | 65 | 21 |
| риз | Bushels of Shelled Corn With Perfect Sta | 23.1 | | 1 61 | 55.5 | 22.1 | 9.15 | 21.8 | 21.3 | 21.5 | 21.1 | 91.0 | 50.9 | 90.0 | 30.6 | 30.1 | 50.4 | 20.3 | 8.61 | 6.61 | 19.4 | 19.3 | 13.1 | 1.61 | 1.61 |
| Per | Bushels of Shelled Corn | | , | | | | | | | | | | 1 | | | | | | 1 | | | | | | |
| Yield Per Aere | Pounds of Ears | 1,363.5 | 99.1 1.83 | 1,414.5 | 1,377 | 1,282.5 | 1,35) | 1,414.5 | 1,322.5 | 1,485 | 1,309.5 | 1,328 | 1,174.5 | 1,323 | 1,323 | 1,350 | 1,390.5 | 1,417.5 | 1,228.5 | 1,215 | 1,363.5 | 1,390.5 | 1,377 | 1,242 | 1,377 |
| | io sbinoq Tavois | 606 | 1.620 | 1,053 | 1,404 | 1.485 | 1,971 | 1,485 | 1,431 | 1,080 | 1,215 | 918 | 1,917 | 1,755 | 1,134 | 1,2.16 | 1,404 | 1,134 | 1,917 | 1,053 | 1,323 | 1,080 | 1,782 | 1,890 | 2,052 |
| Per t | Pounds of Ears | 50.5 | 3 7 | 53.5 | 15 | 47.5 | 20 | 53.5 | 5.5 | 55 | 48.5 | 6# | 43.5 | 67 | 64 | 20 | 51.5 | 52.5 | 45.5 | 45 | 50.5 | 51.5 | 51 | 97 | <u></u> |
| Nield Per Plat – | Pommes of Terrors | 77 1 | 70 | 39 | 5.5 | 55 | E | 55 | 22 | 04 | 45 | 3.4 | 7.7 | 65 | G† | * | 33 | ¥ | Γ. | 33 | 6# | G# | 99 | 0.7 | 92 |
| <u>-</u> | Barren Stalks | 0, 1 | 3 = | - 1 | φ | 7 | 21 | æ. | 50 | Ç | 2 | + | 56 | 30 | x | 22 | С | io. | 1: | ĸ | 250 | 22 | 1.9 | 16 | 0 |
| Stalks Per Plat | By Actual Count | 9 ; | 2 9 | 100 | 100 | 100 | 901 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| ž. | For Perfect Stand | 9 | 3 3 | 2 | 100 | 100 | 190 | 100 | 100 | 100 | 901 | 100 | 100 | 100 | <u> </u> | 90 | 001 | 100 | 100 | 100 | 100 | 100 | 100 | 9 | 100 |
| | | | | | | | | | | , | | | | | | | 1 | - | 1 | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | wn) | | | An) | |
| | Varietie | | | | | | | Prolific | N. C. Grown) | | | e Dent | 1 | | | rn Snow Plake | | | 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | ed (N. C. Gro | | 1 | ed (S. C. Grov | |
| | | Boone County | Brook's Pride | Golden Prolifie | White Majestic | Latham's Double | Deaton's Favorite | Craig's Red Cob Prolifie. | Batts' Four Ear (N. C. Grown) | Selection No. 177. | Simpkins' Prolific. | Shenandoah White Dent | Selection No. 170 | One Ear Corn | Columbia Beauty | Improved Southern Snow Plake | Cross No. 176 | Biggs' Seven Ear. | Cross E-1XE-5 | Southern Beauty. | Weekley's Improved (N. C. Grown) | Blount's Prolific | Bureka | Weekley's Improved (S. C. Grown). | Summeronr |

TABLE II—VARIETY TEST OF CORN AT THE IREDELL TEST FARM IN 1913.

| | | | | | - | | | | | | | | | | |
|-----------------------------------|----------------------|--------------------|------------------|-------------------|-------------------|---------------------|-------------------|----------------------------|--|---------------------------------------|----------------------------------|-------------------|---------------------------|---|----------------|
| | St | Stalks Per Plat | į. | Yield Per Plat | Per t | | Yield Per Aere | er | | | Total Weight | | Shelling Capacity | | |
| Varieties | For Perfect Stand | By Actual Count | Batten Stalks | Pounds of Stover | Pounds of Ears | to sbanoq 197018 | Pounds of Ears | Bushels of Shelled Corn | Bushels of Shelled Corn With Perfect Stand | Pounds of Ears to Shell One Bushel | Per Cent. Stover Per Cent. | Ears Per Cent. | Grain Per Cent. Cob | Weight of Measured Bushel of Shelled Corn | Rank According |
| Weekley's Improved (N. C. Grown). | 230 | 281 | 3.6 | 206 | 203 | 1,738 | 4,669 | 2.99 | 52.9 | 25 | 50.3 19 | .08 + 2.61 | 0.30.0 | 0.96.0 | - |
| Golden Prolific | 230 | 266 | 23 | 177 | 196 | 4.071 | 4,508 | 8.19 | 55.6 | .2 | 47.4 52 | 52.6 82.7 | 7 17.3 | 57.5 | 21 |
| Southern Beauty | 230 | 722 | 9 | 165 | 158 | 3,795 | 3,634 | 57.6 | 58.1 | | 51.0 49 | 19.0 84.1 | 1 15.9 | | ** |
| Weekley's Improved (S. C. Grown) | 530 | 231 | 2 | 175 | 165 | 4.025 | 3,795 | 53.4 | 53.1 | | 51.4 48 | | | | _ |
| Sanders' Improved | 230 | 210 | 56 | 151 | 138 | 3,473 | 3,174 | 51.1 | 55.8 | rc. | 52.2 47 | 17.8 85.3 | | 52.5 | _ |
| Biggs' Seven Ear. | 230 | 211 | x | 145 | 170 | 3,335 | 3,910 | 48.8 | 53.1 | | | 54.0 78.7 | | | æ |
| Latham's Double | 230 | 190 | 11 | 193 | 138 | 1,439 | 3,174 | 48.0 | 57.9 | | | 11.7 80.5 | | 2.1 | 1- |
| Lippard's Selection | 230 | 198 | Ξ | 153 | 138 | 3,519 | 3,174 | 18.0 | 55.6 | 99 | 51.2 48 | 48.8 S4.8 | 8 15.2 | | 1- |
| Cocke's Prolific | 230 | 500 | 16 | 133 | 146 | 2,829 | 3,358 | 67.2 | 54.9 | | | 54,3 80.7 | | | × |
| Columbia Beauty | 230 | 210 | 2 | 156 | 135 | 3,588 | 3,105 | 17.4 | 51.7 | ٠ | 53.6 46 | 46.4 83.9 | 9 16.1 | 55.0 | 5. |
| Simpkins' Prolific | 230 | 201 | £C | 157 | 147 | 3,611 | 3,381 | 6.94 | 53.5 | 15 | 51.6 48 | 48.4 80.5 | | | Ξ |
| Gerrick's Prolific | 230 | 213 | 9† | 211 | 140 | 4,853 | 3,220 | 0.81 | 19.4 | | | 39.9 77.1 | 1 22.9 | | = |
| Martboro Prolific | 230 | 188 | 16 | 139 | 136 | 3,197 | 3,128 | 42.8 | 52.1 | | 50.5 49 | | | | 21 |
| Parker's Prolific. | 230 | 201 | G. | 121 | 133 | 2,783 | 3,059 | 12.7 | 48.7 | | 17.6 52 | 52.4 79.7 | | 57.0 | === |
| Batts' Feur Ear | 230 | 916 | 14 | 196 | 130 | 4,508 | 2,990 | 42.7 | 45.3 | 02 | 60.1 39 | 39.9 80.1 | | | 22 |
| Craig's Red Cob Prolific | 230 | 158 | 10 | 118 | === | 2.714 | 2,553 | 42.5 | 54.7 | | 51.0 49 | 8.48 0.64 | 8 15.2 | | 7 |
| Blount's Prolifie | 230 | 200 | 9 | 129 | 130 | 3,067 | 2,990 | 40.4 | 16.4 | | 45.9 54 | 54.1 82.4 | | - | 15 |
| First Gen. Cross No. 182 | 230 | 156 | 0 | 113 | 119 | 2,599 | 2,737 | 40.2 | 59.1 | 89 | 48.7 51 | 51.3 80.8 | 8 19.2 | 55.0 | 16 |
| Summerour | 230 | 191 | 21 | 8. | 118 | 1,863 | 2,714 | 37.4 | 14.8 | -0 | | | | | 11 |
| Hickory King | 230 | 185 | 01 | 143 | 103 | 3,289 | 2,369 | 36.4 | 45.0 | | 58.1 41 | 11.9 86.1 | 1 13.9 | 0.99 | Z |
| Eureka | 230 | 157 | 61 | 143 | 115 | 3,289 | 2,645 | 35.7 | 52.2 | | | | - | 58. | 5 |
| One Ear Corn | 230 | 131 | 15 | 151 | 86 | 3,473 | 2,258 | 13.7 | 59.1 | | | 39.4 77.6 | | | 25 |
| Goodman's Prolific | 230 | 143 | 7 | 108 | 35 | 2,484 | 2,185 | 32.6 | 52.2 | | | 16.8 86.7 | | 58 | 21 |
| Deaton's Favorite | 230 | 145 | 13 | 136 | 66 | 3,128 | 2,116 | 31.5 | | 67 | | 40.4 SO.5 | 5 19.5 | 54 | 3) |
| Cross E-1XE-5. | 230 | 138 | 31 | 143 | Se | 3,289 | 1,978 | 29.0 | 48.3 | _ | 52.4 37 | 37.6 79. | 4 20.6 | | 23 |
| Boone County. | 230 | 130 | = | 14 | 99 | 1,702 | 1,518 | 23.3 | 9.14 | | 52.8 47 | .2 83 | 0.71 0. | 5. | 24 |
| | | | | - | _ | | | | | | | _ | | | |

TABLE HI-VARIETY TEST OF CORN AT THE CENTRAL STATION IN 1913.

| | Š | Stalks Per Plat | i. | Yield Per Plat | Per | | Yield Per Acre | er | | I | Total Weight | ght | Shelling Capacity | | - I | |
|----------------------------------|----------------------|--------------------|------------------|---------------------|-------------------|-----------|-------------------|---------------------------|---|-----------------------------|---------------------|-------------------|----------------------|------------------|------------------------------------|------------|
| Varieties | | | | | ì | | | U | puers: | s Bashe | | | | | | gaib. |
| | For Perfect Stand | By Actual Count | Barren Stalks | to sbanoq 19vot8 | Pounds of Ears | Pounds of | Pounds of Ears | Bushels of Shelled Cor | Bushels of Shelled Cor With Perfect | Pounds of I onO llads or | Per Cent. Stover | Per Cent. Ears | Per Cent. Grain | Per Cent. Cob | Weight of B Bushel of S Corn | Rank Accor |
| First Gen. Cross No. 182 | 134 | 128 | 37 | 61 | 54 | 2,440 | 2,160 | 34.5 | 35.8 | 63 | 53.0 | 47.0 | 78.7 | 21.5 | 52 | _ |
| Biggs' Seven Ear | 134 | 144 | 37 | 82.75 | 61.25 | 3,310 | 2,450 | 31.0 | 31.6 | 51- | 57.4 | 42.6 | 81.9 | 18.1 | 59 | 5.1 |
| Coeke's Prolific | 134 | 122 | 53 | 89.5 | 59.5 | 3,580 | 2,380 | 33.0 | 36.2 | ?1 | 0.09 | 40.0 | 81.9 | 18.1 | 99 | 5.0 |
| Golden Prolifie | 134 | 135 | 67 | 88.5 | 56.5 | 3,540 | 2,260 | 32.7 | 32.4 | 99 | 61.0 | 39.0 | 81.8 | 18.13 | 54 | *** |
| Marlboro Prolific (Tenn, Grown) | 134 | 133 | 30 | 87 | 55 | 3,480 | 2,200 | 32.3 | 32.5 | 89 | 61.2 | 38 | s: 08 | 19.2 | 55 | r.C |
| Simpkins' Prolifie | 134 | 131 | 53 | 85 | 54 | 3,400 | 2,160 | 30.4 | 31.0 | 7.1 | 61.1 | 38.9 | 9. | 18.4 | 58 | ÷ |
| Selection No. 177 | 134 | 118 | 19 | 74.25 | 50.75 | 2,970 | 2,030 | 8.62 | 33.8 | 89 | 59.4 | 40.6 | 85.2 | 14.8 | 288 | - 1 |
| Improved Southern Snow Plake | 134 | 109 | 13 | 62.50 | 50.5 | 2,500 | 2,050 | 28.8 | 35.4 | 0.2 | 55.3 | 44.7 | S. 12 | 17.3 | 86 | × |
| Selection No. 120 | 134 | 115 | 35 | 80.25 | 45.75 | 3,210 | 1,830 | 28.1 | 32.7 | 65 | 97.89 | 36.4 | 83.0 | 17.0 | 54 | G. |
| Southern Beauty | 134 | 111 | 28 | 62.5 | 45.5 | 2,500 | 1,820 | 28.0 | 33.8 | 65 | 57.4 | 43.6 | 83.0 | 0.71 | 70 | 9 |
| Selection No. 164 | 134 | 130 | 33 | 87.5 | 50.5 | 3,500 | 2,020 | 97.6 | 58.4 | 13 | 63.4 | 36.6 | 82.1 | 17.9 | 09 | Ξ |
| Selection No. 138 | 134 | 117 | 25 | 72.75 | 48.25 | 2,910 | 1,930 | 27.1 | 31.0 | 71 | 60.1 | 39.9 | 78.8 | 21.2 | 56 | 13 |
| Batts' Four Ear (N. C. Grown) | 134 | 143 | 37 | 65 | × | 3,680 | 1,920 | 97.0 | 25.4 | 71 | 65.0 | 35.0 | 91.6 | 18.4 | 58 | Ξ |
| Parker's Prolific | 134 | 122 | 30 | 73.5 | 46.5 | 2,940 | 1.860 | 96.95 | 29.5 | 69 | 61.2 | 38.8 | 82.6 | 17.4 | 2.6 | 7 |
| Hickory King. | 134 | 105 | 1 | 95 | 43 | 3,680 | 1,720 | 56.6 | 39.9 | 99 | 68.1 | 31.9 | S: .s | 12.2 | 28 | 15 |
| Eureka | 134 | 117 | 36 | 93.5 | 48.5 | 3,740 | 1,940 | 26.2 | 30.0 | Ť. | 87.29 | 34.2 | 7.67 | 20.3 | 59 | 16 |
| Raleigh Prolifie | 134 | 127 | 24 | 98 | 46 | 3,440 | 1,840 | 29.9 | 27.3 | 7.1 | 65.1 | 34.9 | 81.6 | 18.4 | 28 | 17 |
| Blount's Prolific | 134 | 131 | 16 | 79.5 | 48.5 | 3,180 | 1,940 | 25.5 | 26.0 | 9.7 | 62.1 | 37.9 | 78.9 | 21.1 | 09 | 2 |
| Weekley's Improved (N. C. Grown) | 134 | 122 | 33 | 9. | 46 | 3,040 | 1,840 | 25.5 | 28.0 | 12 | 62.2 | 37.8 | 80.5 | 19.5 | 58 | 18 |
| White Majestie | 144 | 127 | 39 | 71.25 | 40.75 | 2,870 | 1,630 | 25.4 | 8.95 | † 9 | 63.6 | 36.4 | 84.3 | 12.1 | 54 | 61 |
| Crook's Favorite | 134 | 119 | - | 72.5 | 43.5 | 2,900 | 1,740 | 25.2 | 28.3 | 69 | 62.5 | 37.5 | 7.67 | 20.3 | 55 | 50 |
| Selection No. 181 | 134 | 141 | 46 | 111 | † ‡ | 1,440 | 1,760 | 25.1 | 23.8 | 02 | . 9.17 | 28.4 | 82.8 | 17.2 | 58 | <u>. 1</u> |
| Farley's Yellow Dent. | 134 | 123 | 33 | 63.75 | 46.25 | 2,550 | 1,850 | 25.0 | 27.3 | 1. | 67.2 | 43.1 | 78.3 | 21.7 | 58 | 22 |
| Sander's Improved | 134 | 109 | 36 | 22 | Ŧ | 3,000 | 1,640 | 24.1 | 9.62 | 89 | 97.49 | 35.4 | 83.8 | 16.2 | 57 | 33 |
| Latham's Double | 134 | 144 | 89 | 86.5 | 40.5 | 3,460 | 1,620 | 23.8 | 22.1 | 89 | 68.1 | 31.9 | 82.3 | 17.7 | 99 | 24 |
| | | | | | | | | | | | | | | | | |

CENTRAL DEPOSIT OF THE PROPERTY OF THE STANDARD STANDARD SECTION OF THE PROPERTY OF THE PROPER

| | | Rank According to Yield | 55 | 36 | 751 | 25 82 | ã | 98 | 99 | 98 | | 33 | 33 | 75 | 35 | 36 | 27 |
|--|----------------------|--|--------------|--------------------|---------------|--------------------------|---------------|-----------------|--------------|-------------------|-------------------|-----------------------|--------------|-----------------------------|--------------------|-------------------|-----------|
| | | Weight of Measured Bushel of Shelled Corn | 19 | 28 | 9 | 23 | 53 | 26 | 22 | 53 | 10 | 96 | 53 | 58 | 22 | 58 | 65 |
| | | Per Cent. Cob | 18.0 | 12 21 21 | 19.0 | 15.9 | 9.4 | 15.3 | 90.6 | 55 55 | 18.2 | 6.81 | 0.02 | 17.2 | 23.0 | 17.2 | 18.1 |
| | Shelling Capacity | Per Cent. Grain | 82.0 | X. X. | 81.0 | 24.1 | S5.4 | 87.58 | 79.1 | 1.8.7 | 81.8 | 81.1 | 0.08 | 82.8 | 0.77 | 85.8 | 81.9 |
| | Total Weight | Per Cent. Ears | 6. 14 | 38.2 | 20.1 | 38.1 | 37.3 | 34.1 | 27.5 | 29.0 | 33.7 | 37.7 | 36.5 | 24.7 | 26.2 | 26.7 | 30.3 |
| пие д. | To | Per Cent. Stover | 8.65 | 8.19 | 6102 | 61.9 | 62.7 | 65.9 | 72.5 | 0.17 | 66.3 | 62.3 | 63.5 | 75.3 | % ?? | 73.3 | 2.69 |
| nan – | , | Pounds of Ears to Shell One Bushel | 67 | 99 | 7 | 63 | 63 | 99 | 13 | 99 | 99 | 69 | 92 | 9. | 7.1 | 2.9 | ?? |
| 2161 Z | | Bushels of Shelled Corn With Perfect Stand | 27.5 | 29.7 | 18.3 | 32.6 | 7: 85 | 28.0 | 20.7 | 26.8 | 28.8 | 26.5 | 4. S. | 0.8 | 21.1 | 77. 55 | |
| _ _ _ | ŧ | Bushels of Shelled Corn | 53.4 | 23.3 | 23.1 | 55.5 | 91.9 | 21.8 | x. | 25 X: | 50.0 | 8.61 | 6.61 | 19.1 | 18.9 | 8.81 | E. S. |
| SINI | Yield Per Acre | to sbano earst | 1,570 | 1,540 | 1,710 | 1,400 | 1,360 | 1,410 | 1,570 | 1.410 | 1,320 | 1.370 | 1,270 | 1,340 | 00:4:1 | 1,320 | 1,320 |
| NTKA | | Power of total of tot | 3,030 | 2,500 | 4,170 | 2,280 | 2,960 | 2,440 | 4,150 | 3,540 | 2,600 | 2,270 | 2,210 | 4,100 | 3,960 | 3,640 | 3,040 |
| THE C. | Per | to sbano¶ smA | 39.35 | 38.5 | 42.75 | 35 | | 36 | 39.25 | 95 | F6 | 34.25 | 51.15 | 33.5 | ::: :::: | 23 | |
| | Yield Per Plat | Pounds of 197018 | 75.75 | 62.5 | 104.25 | 57 | - | 13 | 103.75 | 88.5 | 29 | 56.75 | 55.25 | 102.5 | 98 | 16 | 92 |
| | | Barren Stalks | 55 | 11 | 08 | | 35 | 97 | 55 | 37 | 31 | 95 | 3:0 | 7+ | 45 | 17 | |
| 0 1831 1831 | Stalks Per Plat | By Actual Count | 115 | 105 | 169 | 3 | 103 | <u>†</u> | - | 103 | 93 | 100 | 36 | 77 | 123 | 111 | 70 |
| ======================================= | Ž. | For Perfect Stand | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 134 | 13.4 | 134 | 52 | 134 | 134 |
| TACLE HI. AMRETY TEST OF CORN AT THE CENTRAL STATION IN 1948—Continued | | | | 1 | | | | | | | | | | | | | |
| ======================================= | | | | | | | | | | | | | | | | | |
| TABL | | Varieties | One Ear Corn | Goodman's Prolifie | Cross No. 176 | Craig's Red Cob Prolific | Brook's Pride | Columbia Beauty | Chappel | Selection No. 170 | Deaton's Favorite | Shenandoah White Dent | Boone County | Batts' Four Ear (Ga. Grown) | Gerriek's Prolifie | Rogers White Dent | Summerour |

| Stalks Per Plat |
|--|
| For Perfect Stand By Actual Count Barren Stalks |
| 315 354 50 |
| 315 307 47 |
| 315 304 74 |
| 315 338 43 |
| 292 |
| 315 337 87 |
| |
| 311 |
| - 598 |
| 580 580 |
| _ |
| |
| |
| |
| 298 |
| 292 |
| 287 |
| 241 |
| 315 274 11 |
| 315 - 286 - 23 |
| 315 241 37 |
| 315 235 31 |
| 186 |
| |
| 315 225 1 |

TABLE IV.—VARIETY TEST OF CORN AT THE EDGECOMBE TEST FARM IN 1913—Continued.

| | Bushet of Shelled Corn Rank According to Yield | 58 25 | 58 26 | 59 27 | 61 28 | | | 61 31 | 62 32 | | | 1 | 6 | 25 | | |
|----------------------|---|-------------------|---------------|------------------|-------------------|-------------------|--------------------------|-----------------|--------------------------|---|---|-------------------|------------------|--------------|------------------|--------------------------|
| | Per Cent. Cob Weight of Measured Bushel of Shelled | 7.12 | 21.7 | 13.3 | 15.3 | 20.8 | 13.7 | 16.5 | 2.81 | | | 11.5 | 7.98 | 1.0 | 22.5 | 18.5 |
| Shelling Capacity | Per Cent. Grain | 28.3 | 78.3 | 86.7 1 | 84.7 | 79.2 | 86.3 1 | 83.5 | 81.5 | | | 88.5 | 73.3 | 89.0 | 77.5 | 1 2.18 |
| sal | Per Cent. Ears | 0.08 | 52.4 | 56.3 | 53.8 | 2.99 | 53.2 | 49.5 | 58.0 | 3. | | 51.3 | 52.9 | 8.64 | 2.64 | 2.09 |
| Total Weight | Per Cent. Stover | 20.0 | 47.6 | 43.7 | 46.2 | 33.3 | 46.8 | 50.5 | 42.0 | 10 NI | | 48.7 | 47.1 | 50.2 | 8.06 | 39.3 |
| | Pounds of Ears to Shell One Bushel | 17 | 14 | 89 | 57 | 17 | 99 | ?? | 92 | FARM | | 1 | | | | 1 |
| | Bushels of Shelled Corn With Perfect Stand | 35.5 | 25.2 | 28.6 | 32.7 | 27.4 | 6.04 | 39.3 | 27.4 | TION I | | | 1 | | | |
| Per | Bushels of Shelled Corn | 23.8 | 23.4 | 22.5 | 22.1 | 22.0 | 21.8 | 21.5 | 12.9 | O STA | - | 29.6 | 29.1 | 98.9 | 28.1 | 27.6 |
| Yield Per Acre | Pounds of | 1,768 | 1,734 | 1,530 | 1,598 | 1,700 | 1,445 | 1,513 | 986 | BACC | | 2,074 | 2,040 | 2,023 | 1,972 | 1,938 |
| | Pounds of Stovet | 442 | 1,581 | 1,190 | 1,377 | 850 | 1,275 | 1,547 | 714 | ORD TO | | 1.972 | 1,819 | 2,040 | 2,040 | 1,258 |
| Per | Pounds of Ears | 104 | 102 | 96 | 94 | 100 | 85 | 88 | 58 | E OXF | | 61 | 09 | 59.5 | 28 | 57 |
| Yield Per Plat | Pounds of Stover | 26 | 93 | 20 | 81 | 50 | 7.5 | 91 | 1 | AT TH | | 58 | 53.5 | 09 | 09 | 37 |
| er | Barren Stalks | 20 | 46 | 41 | 37 | 50 | 21 | 9 | 10 | CORN | | 31 | 19 | 19 | 57 | 18 |
| Stalks Per Plat | By Actual | 209 | 291 | 247 | 212 | 252 | 167 | 171 | 148 | T OF | | 187 | 162 | 171 | 172 | 150 |
| ž | For Perfect Stand | 315 | 315 | 315 | 315 | 315 | 315 | 315 | 315 | Y TES | | 158 | 158 | . 158 | 158 | 158 |
| | Varieties | ('rook's Prolific | Boone County. | Southern Beauty. | Selection No. 177 | Deaton's Favorite | Craig's Red Cob Prolific | Columbia Beauty | First Gen. Cross No. 182 | TABLE V.—VARIETY TEST OF CORN AT THE ONFORD TOBACCO STATION FARM IN 1913. | | Parker's Prolific | Cocke's Prolific | Hickory King | Biggs' Seven Ear | First Gen. Cross No. 182 |

| | 158 | 187 | 31 | 58 | 61 | 1,972 | 2,074 | 29.6 | | 48.7 | 51.3 | 88.5 | |
|----------------------------------|-----|-----|----|------|----------|-------|-------|------|---|--------|-------|----------|--|
| | 821 | 162 | 19 | 53.5 | 09 | 1,819 | 2,040 | 29.1 | | 47.1 | 52.9 | 73.3 | |
| | 158 | 171 | 61 | 09 | 59.5 | 2,040 | 2,023 | 28.9 | | 50.3 | 8.64 | 89.0 | |
| | 158 | 172 | 57 | 0.9 | 58 | 2,040 | 1,972 | 28.1 | 1 | 8.03 | 49.2 | 77.5 | |
| First Gen. Cross No. 182 | 158 | 150 | 18 | 37 | 57 | 1,258 | 1,938 | 27.6 | 4 | . 39.3 | 2.09 | 81.5 | |
| | 821 | 164 | 11 | 7.5 | 56 | 2,550 | 1,904 | 27.1 | | 57.3 | 8: 24 | 74.1 | |
| | 821 | 161 | 21 | 0.9 | 55 | 2,040 | 1,870 | 26.7 | 1 | 52.1 | 47.9 | 81.8 | |
| | 891 | 155 | 21 | 22 | 54 | 1,938 | 1,836 | 26.2 | 1 | 51.3 | 48.7 | 9.62 | |
| | 158 | 182 | 39 | 09 | 53 | 2,040 | 1,802 | 25.7 | 1 | 53.0 | 46.0 | 81.1 | |
| Weekley's Improved (N. C. Grown) | 158 | 167 | 22 | 11 | 53 | 1,598 | 1,002 | 25.7 | | 0.74 | 53.0 | 71.7 | |
| | 158 | 176 | 55 | 53 | 갂 | 1,802 | 1,428 | 24.0 | | 55.7 | 44.3 | 9. 8. | |
| | 821 | 163 | 57 | 65 | <u>4</u> | 2.210 | 1,428 | 24.0 | | 60.7 | 39.3 | 79.7 | |
| | 158 | 197 | 28 | 80 | 7 | 2,720 | 1,394 | 19.9 | | 66.1 | 33.9 | 0.82 | |
| | 158 | 154 | †† | 23 | 33 | 2,482 | 1,326 | 18.9 | 1 | 65.1 | 34.9 | 74.3 | |

Selection No. 170.....

18.2 9.81 20.4 28.3 20.3

2 2

TABLE VI.—COMPHED RESULTS OF VARIETY TEST OF CORN—IREDELL TEST FARM.

| Average for Five Years | Rank According to Average Field | - 01 00 + 10 10 1c | — 31 55 4 15 10 1 t |
|---------------------------|---|---|---|
| Avera Five | Average Yield are Shelled Corn Per Aere | 40.7 40.7 37.5 36.3 32.5 32.1 31.6 | 30.4 28.3 28.3 26.6 24.9 |
| 1913 | Rank According to Yield of Shelled Corn in Test of this Year | 1 13 6 6 6 7 7 8 18 18 | 11 22 23 5 24 5 25 |
| 31 | Yield of Shelled Corn in Bushels Per Aere | 66.7 57.6 42.7 48.8 23.3 36.4 32.6 | 31.1 44.9 38.2 25.0 43.1 22.5 |
| 1913 | Rank According to Yield of Shelled Corn in Test of this Year | 15 9 4 1 11 10 FEST FA | 111 9 5 1 5 1 8 1 8 1 8 1 |
| 11 | Yield of Shelled Corn in Bushels Per Acre | 34.3 38.2 41.4 45.0 40.3 36.2 38.0 | 21.1 19.4 22.0 19.1 25.0 15.0 16.2 |
| 1911 | Rank According to Yield of Shelled Corn in Test of this Year | 1 9 16 7 8 18 EDGECC | 8 F + 8 F 8 9 |
| 1 | Yield of Shelled Corn in Bushels Per Aere | 39.9 38.3 34.0 32.4 35.1 34.6 31.8 | 26.5 20.6 26.3 24.3 27.6 27.6 |
| 1910 | Rank According to Yield of Shelled Corn in Test of this Year | 2 1 6 16 8 8 9 11 11 | 13 13 10 10 |
| | Yield of Shelled Corn in Bushels Per Aere | 38.4 39.4 35.2 29.5 32.1 31.7 | 31.9 23.3 23.6 35.5 26.0 31.3 |
| 1909 | Rank According to Yield of Shelled Corn in Test of this Year | 14 5 1 17 3 3 30 22 22 | 10 13 13 13 13 13 13 |
| - | Yield of Shelled Sorn in Bushels Pet Acre | 26.5 30.4 34.2 34.2 26.0 31.0 21.5 24.2 17.8 OH | 41.5 40.7 31.5 30.0 15.6 27.2 13.7 |
| | Varieties | Weekley's Improved. 26.5 14 38.4 2 39.9 1 34.2 15 66 Southern Beauty. 30.4 5 39.4 1 38.3 2 38.2 9 57 Parker's Prolific. 34.2 1 35.2 6 34.0 9 41.4 4 42 Boone County. 26.0 17 29.5 16 32.4 16 45.0 1 48 Hickory King. 21.5 30 32.1 9 34.6 8 35.1 7 40.3 5 23 Goodman's Prolifie. 34.2 22 31.7 11 31.8 18 38.0 10 32 TABLE VII.—COMPILED RESULTS OF VARIETY TEST OF CORN—EDGECOMBE TEST FARM. | Biggs' Seven Ear Weekley's Improved Goodman's Prolific Hickory King Parker's Prolific Southern Beauty |
| | | Weckley's Impro Southern Beauty Parker's Prolific, Bigg's Seven Bigg's Seven Brone County Hickory King | Biggs' Seven Ear Weekley's Impro Goodman's Proli Hickory King Parker's Prolific. Southern Beauty Boone County |

VARIETIES OF CORN AND SOURCES OF SEED SEASON OF 1913.

| Variety | Sources of Seed |
|----------------------------------|---|
| | Noah BiggsScotland Neck, N. C. |
| 2. Gerrick's Prolific | Bureau of Plant Industry. Washington, D. C. |
| 3. Cross No. 182 | Bureau of Plant IndustryWashington, D. C. Bureau of Plant IndustryWashington, C. D. |
| 4. Cross No. 177 | Bureau of Plant Industry Washington, D. C. |
| 5. Cross No. 176 | Bureau of Plant Industry Washington, D. C. |
| 6. Selection No. 164 | . Bureau of Plant Industry Washington, D. C. |
| 7. Selection No. 170 | Bureau of Plant Industry Washington, D. C. |
| S. Parker's Prolific | .T. B. Parker |
| 9. Southern Beauty | .L. A. Stroupe Tobaccoville, N. C. |
| | J. K. Goodman Mt. Ulla, N. C. |
| 11. Hickory King | A. O. Lee |
| 12. Columbia Beauty | T. W. Wood & Sons Richmond, Va. |
| 13. Batts' Four Ear (Ga.) | .W. T. Broome McBean, Ga |
| 14. Weekley's Improved (Native) | . Iredell Test FarmStatesville, N. C. |
| Delection No. 50 | Edgecombe Test Farm Rocky Mount, N. C. |
| 16. Wookley's Improved (\$ C) | J. F. Weekley |
| | Coker & Company |
| 18 Marlboro Prolific | R. T. Malone |
| 19 Eureka | T. W. Wood & Sons Richmond, Va. |
| 20. Summerour | D. A. Summerour |
| 21. Boone County | .T. W. Wood & Sons Richmond Va. |
| 22. Blount's Prolific | T. W. Wood & SonsRichmond, Va. |
| 23. Jarvis' Golden Prolific | J. M. Jarvis |
| 24. Latham's Double | . F. P. Latham Belhaven, N. C. |
| 25. Craig's Red Cob Prolific | . W. R. Craig Sanford, N. C. |
| 26. Simpkins' Prolific | Summerset Farm Co Creswell, N. C. |
| 27. E-1XE-5 Bybred Corn | .Coker & Company |
| 28. Deaton's Favorite | .Chas. Deaton |
| 29. Crook's Prolific Corn | Crook Bros. Huron, Tenn. |
| 30. Raleigh Proline | S. J. Betts |
| 22 Shanandaah White Dont | T. W. Wood & Sons |
| 22 White Veiestia | T. W. Wood & Sons |
| 24 Inspansarial Courthous Course | |
| Flake | .T. W. Wood & SonsRichmond, Va. |
| 35 Brook's Pride | Bureau of Plant Industry Washington, D. C. |
| 36. Rogers' White Dent | .Bureau of Plant Industry Washington, D. C. |
| 37. Chappel | Bureau of Plant Industry Washington, D. C. |
| 38. Selection No. 181 | . Bureau of Plant Industry Washington, D. C. |
| | Bureau of Plant IndustryWashington, D. C. |
| 40. Selection No. 120 | . Bureau of Plant Industry Washington, D. C. |
| 41. Farley Yellow Dent | .Bureau of Plant IndustryWashington, D. C. |
| 42. Smith's Yellow Dent (Winona | |
| Farm) | .J. C. McClung |
| 43. Whitson | .C. P. Whitson Swannanoa, N. C. |

THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE

RALEIGH

Vol. 35, No. 3.

MARCH, 1914.

Whole No. 194.

- I. ANALYSES OF FERTILIZERS—FALL SEASON, 1913.
- II. REGISTRATION OF FERTILIZERS.

STATE BOARD OF AGRICULTURE.

W. A. GRAHAM, Commissioner, ex officio Chairman, Raleigh.

| F. P. LATHAM | Belhaven | First District. |
|-----------------|---------------|-------------------|
| K. W. Barnes | Lucama | Second District. |
| R. L. Woodard | Pamlico | Third District. |
| Clarence Poe | Raleigh | Fourth District. |
| R. W. Scott | Haw River | Fifth District. |
| A. T. McCallum | Red Springs | Sixth District. |
| C. C. Wright | Hunting Creek | Seventh District. |
| WILLIAM BLEDSOE | Gale | Eighth District. |
| W. J. Shuford | Hickory | Ninth District. |
| | Horse Shoe | |

OFFICERS AND STAFF.

| W A CDAHAM | |
|------------------------|--|
| W. A. GRAHAM | Secretary and Purchasing Agent. |
| | Bookkeeper. |
| D. C. Com- | Bulletin Superintendent. |
| D. G. CONN | State Chemist, Director Test Farms. |
| | |
| | Feed Chemist. |
| | Fertilizer Chemist. |
| | Assistant Chemist. |
| | Soil Survey. |
| | Assistant Chemist. |
| | Soil Chemist. |
| | Assistant Chemist. |
| | Assistant Chemist. |
| | Assistant Chemist. |
| E. B. Hart | Assistant Chemist. |
| | Assistant Director Test Farms. |
| H. H. BRIMLEY | Curator of Museum. |
| | Assistant Curator. |
| FRANKLIN SHERMAN, JR. | Entomologist. |
| C. L. Metcalf | Assistant Entomologist. |
| S. C. Clapp. | Assistant Entomologist in Field Work. |
| B. B. Flowe | Veterinarian. |
| H. P. Flowe | |
| W. N. HUTT | Horticulturist. |
| | Assistant Horticulturist. |
| | Assistant Horticulturist. |
| T. B. PARKER | Director of Farmers' Institutes. |
| MISS CARRIE HUDGINS | Assistant to Director of Farmers' Institutes. |
| R L SIGIN | Assistant to Director of Farmers' Institutes. |
| W M ALIEN | Pure Food Chemist. |
| F. W. THORNTON | Assistant Pure Food Chemist. |
| | Assistant Pure Food Chemist. |
| | Agronomist and Botanist. |
| G. M. Gurdens | Assistant Agronomist. |
| | Assistant Agronomist. Assistant to Botanist. |
| C H W | Assistant Agronomist and Botanist. |
| DAN T. CDAY | Assistant Agronomist and Botanist. Chief in Auimal Industry. |
| | Dairy Experimenter. |
| | |
| TALVIN J. REED | Dairy Farming. |
| STANLEY COMBS | Assistant in Dairy Farming. |
| +C. D. H. | Tobacco Investigations. |
| IU. K. HUDSON | Farm Demonstration Work. |
| | Assistant in Charge of Boys' Clubs. |
| | Assistant in Boys' Corn Club Work. |
| IMRS. JANE S. MCKIMMON | Assistant in Charge of Girls' Clubs. |
| | Assistant in Girls' Clubs. |
| | |

R. W. Scott, Jr., Assistant Director Edgecombe Test Farm, Rocky Mount, N. C.

F. T. MEACHAM, Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferies, Assistant Director Pender Test Farm, Willard, N. C.

F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C.

E. G. Moss, Assistant Director Granville Test Farms, Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture. †Assigned by the Bureau of Animal Industry, United States Department of Agriculture.

In coöperation with the Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL.

RALEIGH, N. C., February 15, 1914.

Hon. W. A. Graham,

Commissioner of Agriculture.

Six:—I submit herewith analyses of fertilizers made in the laboratory of samples collected during the past full. These analyses show fertilizers to be about as heretofore, and to be, generally, what was claimed for them. I recommend that it be issued as the March Bulletin.

Very respectfully,

B. W. KILGORE,

State Chemist.

Approved for printing:

W. A. Graham,

Commissioner.



I. ANALYSES OF FERTILIZERS—FALL SEASON, 1913.

By B. W. KILGORE,

W. G. HAYWOOD, J. Q. JACKSON, E. S. DEWAR, AND E. B. HART.

The analyses presented in this Bulletin are of samples collected by the fertilizer inspectors of the Department, under the direction of the Commissioner of Agriculture, during the fall months of 1913. They should receive the careful study of every farmer in the State who uses fertilizers, as by comparing the analyses in the Bulletin with the claims made for the fertilizers actually used, the farmer can know by or before the time fertilizers are put in the ground whether or not they contain the fertilizing constituents in the amounts they were claimed to be present.

TERMS USED IN ANALYSES.

Water-soluble Phosphoric Acid.—Phosphate rock, as dug from the mines, mainly in South Carolina, Florida, and Tennessee, is the chief source of phosphoric acid in fertilizers.

In its raw, or natural state, the phosphate has three parts of lime united to the phosphoric acid (called by chemists tri-calcium phosphate). This is very insoluble in water and is not in condition to be taken up readily by plants. In order to render it soluble in water and fit for plant food, the rock is finely ground and treated with sulphuric acid, which acts upon it in such a way as to take from the three-lime phosphate two parts of its lime, thus leaving only one part of lime united to the phosphoric acid. This one-lime phosphate is what is known as water-soluble phosphoric acid.

Reverted Phosphoric Acid.—On long standing some of this water-soluble phosphoric acid has a tendency to take line from other substances in contact with it, and to become somewhat less soluble. This latter is known as reverted or gone-back phosphoric acid. This is thought to contain two parts of lime in combination with the phosphoric acid, and is thus an intermediate product between water-soluble and the original rock.

Water-soluble phosphoric acid is considered somewhat more valuable than reverted, because it becomes better distributed in the soil as a consequence of its solubility in water.

Available Phosphoric Acid is made up of the water-soluble and reverted; it is the sum of these two.

Water-soluble Ammonia.—The main materials furnishing ammonia in fertilizers are nitrate of soda, sulphate of ammonia, cotton-seed meal, dried blood, tankage, and fish scrap. The first two of these (nitrate of

soda and sulphate of ammonia) are easily soluble in water and become well distributed in the soil where plant roots can get at them. They are, especially the nitrate of soda, ready to be taken up by plants, and are therefore quick-acting forms of ammonia. It is mainly the ammonia from nitrate of soda and sulphate of ammonia that will be designated under the heading of water-soluble ammonia.

Organic Ammonia.—The ammonia in cotton-seed meal, dried blood, tankage, fish scrap, and so on, is included under this heading. These materials are insoluble in water, and before they can feed plants they must decay and have their ammonia changed, by the aid of the bacteria

of the soil, to nitrates, similar to nitrate of soda.

They are valuable then as plant food in proportion to their content of ammonia, and the rapidity with which they decay in the soil, or rather the rate of decay, will determine the quickness of their action as fertilizers. With short season, quick-growing crops, quickness of action is an important consideration, but with crops occupying the land during the greater portion, or all, of the growing season, it is better to have a fertilizer that will become available more slowly, so as to feed the plant till maturity. Cotton-seed meal and dried blood decompose fairly rapidly, but will last the greater portion, if not all, of the growing season in this State. While cotton seed and tankage will last longer than meal and blood, none of these act so quickly, or give out so soon, as nitrate of soda and sulphate of ammonia.

Total Ammonia is made up of the water-soluble and organic; it is the sum of these two.

The farmer should suit, as far as possible, the kind of ammonia to his different crops, and a study of the forms of ammonia as given in the tables of analyses will help him to do this.

VALUATIONS.

To have a basis for comparing the values of different fertilizer materials and fertilizers, it is necessary to assign prices to the three valuable constituents of fertilizers—ammonia, phosphoric acid, and potash. These figures, expressing relative value per ton, are not intended to represent crop-producing power, or agricultural value, but are estimates of the commercial value of ammonia, phosphoric acid and potash in the materials supplying them. These values are only approximate (as the costs of fertilizing materials are liable to change, as other commercial products are), but they are believed to fairly represent the cost of making and putting fertilizers on the market. They are based on a careful examination of trade conditions, wholesale and retail, and upon quotations of manufacturers.

Relative value per ton, or the figures showing this, represents the prices on board the cars at the factory, in retail lots of five tons or less, for each.

To make a complete fertilizer the factories have to mix together in proper proportions materials containing ammonia, phosphoric acid and potash. This costs something. For this reason it is thought well to have two sets of valuations—one for the raw or unmixed materials, such as acid phosphate, kainit, cotton-seed meal, etc., and one for mixed fertilizers.

The values used last season were:

VALUATIONS FOR 1913.

In Unmixed or Raw Materials.

| For phosphoric acid in acid phosphate | $\frac{3\frac{1}{2}}{4}$ $\frac{4}{19\frac{1}{2}}$ | cents per cents per cents per | pound. pound. pound. |
|---------------------------------------|--|-------------------------------------|----------------------------|
| In Mixed Fertilizers. | | | |

For potash 5 cents per pound.

In the calculation of relative value it is only necessary to remember that so many per cent means the same number of pounds per hundred, and that there are twenty hundred pounds in one ton (2,000 pounds).

HOW RELATIVE VALUE IS CALCULATED.

With an 8-2-1.65 goods, which means that the fertilizer contains available phosphoric acid 8 per cent, potash 2 per cent, and nitrogen 1.65 per cent, the calculation is made as follows:

| Percentage or Lbs. in 100 Lbs. | Value Per Value Per Ton, 100 Lbs. 2,000 Lbs. |
|--|--|
| 8 pounds available phosphoric acid at 4½ cents 2 pounds potash at 5 cents | $0.10 \times 20 = 2.00$ |
| Total value | $0.817 \times 20 = $ |

Freight and merchant's commission must be added to these prices.

ANALYSES OF COMMERCIAL PERTILIZERS—FALL SEASON, 1913.

| | Relative Value per Ton at Factory. | | \$ 13.64 | 13.13 | 14.80 | 16.27 | 15.51 | 14.64 | 15.77 | 15.51 | 14.43 | 14.32 | 15.12 | 14.48 | 14.85 | 15.64 | 15.37 | 16.64 | 17.38 |
|--|------------------------------------|--------------------|-----------------|--|---|--|------------------------------------|-------|------------------------|-------------|------------------------------------|------------------------------------|-------------------------|----------------------------|------------|----------|---------------------------------|----------------|--|
| 90 | Total Potash. | | 3.00 | 2.96 | 3.56 | 3.18 | 3.05 | 4.00 | 3.80 | 2.38 | 4.34 | 3.68 | 4.28 | 3.48 | 4.02 | 5.00 | 4.84 | 6.00 | 5.96 |
| Percentage Composition or Parts per 100. | Equivalent to Animonia. | | 1.00 | 77. | 1.03 | 1.20 | 1.43 | 1.00 | 16. | 1.50 | 99. | 1.03 | 8. | 86: | 16: | 1.00 | .74 | 1.00 | 1.03 |
| on or Pa | Total Zitrogen. | | .82 | .63 | 28. | 66. | 1.17 | .82 | 11. | 1.23 | .55 | 8. | .8 | 8. | .75 | .82 | 19. | .82 | .85 |
| ompositi | эіле <u>ч</u> тО левоты. | | 1 | .52 | .62 | .3. | 81 | | .30 | .30 | ×. | 83 | 12. | .68 | QF. | | .40 | | 55. |
| entage C | Water- soluble Nitrogen. | , | | = | 8. | .65 | .95 | | 76. | .93 | .37 | 33. | .57 | .13 | .35 | | .31 | | £. |
| Perc | eldriny. Phosphoric biek | | 8.00 | 8.36 | 8.52 | 9.92 | 8,43 | 8.00 | 9.71 | 8.83 | 8.64 | 7.86 | 8.27 | 8.07 | 8.53 | 8.00 | 8.85 | 8.00 | 8.73 |
| | Where Sampled. | RS. | | Crouse | Esther | Seagrove | North Wilkesboro | | Lundis | Davidson | Burlington | Greensboro | Durham | Burlington | Greensboro | | Ararat | | Greensboro |
| | Name of Brand. | Mined Fertilizers. | | Armour's 8-1-3 Fertilizer | Comet Guano | Harvester | McCormiek's Wheat and Grain Guano. | | Fidelity Grain Grower. | ob | Bryant's Special Formula for Grain | and Grass. Parmers' Union 8-1-4 | Buyers' Special Mixture | Piedmont Farmers' Favorite | | | Special Mixture | | Farm Bell Wheat, Oat, and Corn Special. |
| | Name and Address of Manufacturer. | | Reands claiming | Armour Fertilizer Works, Greensboro, N. C. | Caraleigh Phosphate and Fertilizer Works, | Raleigh, N. C. VaCar. Chemical Co., Richmond, Va | op | 8 | | York, N. Y. | Bryant Fertilizer CoAlexandria, Va | | | | | <u>~</u> | Union Guano Co., Winston, N. C. | Brand claiming | 3194 United States Fertilizer Co., Bultimore, Md |
| | Laboratory Number. | | | 3334 | 3364 | 3373 | 3126 | | 3415 | 3070 | 3277 | 3106 | 3454 | 3316 | 3105 | | 339× | | 3104 |

| | Brands claiming | | | 8.00 | | | 1.00 | 1.22 | 3.00 | 14.40 |
|------|---|---|---------------------|------|-------|-----------------|------|------|------|-------|
| 3245 | 3245 Baugh & Sons Co., Norfolk, Va | Baugh's Southern States Excelsior. | - Guilford College. | 99.7 | .61 | 99. | 1.21 | 1.47 | 4.16 | 16.14 |
| 3085 | 3085 Pocahontas Guano Co., Lynchburg, Va | A. A. Complete Champion Brand | Trinity | 8.41 | .71 | .20 | .91 | 1.11 | 2.52 | 13.91 |
| | Brands claiming | | | 8.00 | | | 1.00 | 1.23 | 4.00 | 15.40 |
| 3421 | Carolina-Union Fertilizer Co., Norfolk, Va | . Carolina-Union 1.21-8-4 | Mount Airy | 8.53 | - 60. | 86. | 1.07 | 1.30 | 3.60 | 15.76 |
| 3408 | 3408 Pocomoke Guano Co., Norfolk, Va. | Pocomoke Wheat, Corn, and Peanut Manure. | Wilkesboro | 8.26 | 62. | 8] | 1.01 | 1.23 | 4.03 | 15.70 |
| | Brands claiming | | | 8.00 | | | 1.65 | 2.00 | 2.00 | 16.13 |
| 3335 | 3335 Acme Manufacturing Co., Wilmington, N. C. | Acme Special Grain Fertilizer | Crouse | 8.86 | 1.65 | 1.14 | 1.79 | 2.18 | 1.90 | 17.39 |
| 3363 | op | Gem Fertilizer | Candor | 8.12 | 64. | 1.10 | 1.59 | 1.93 | 2.56 | 16.55 |
| 3443 | Adair, A. D., & McCarty Co., Chattanooga, | Adair's Ammoniated Dissolved Bone | Clyde | 8.31 | 66. | 1.14 | 2.13 | 2.59 | 3.18 | 19,60 |
| 3424 | America American Agricultural Chemical Co., New Vorte N. V. | Canton Chemical Co.'s Baker's Fish | Kings Mountain. | 8.28 | 1.21 | 04. | 1.61 | 1.96 | 2.16 | 16.37 |
| 3430 | do | Detrick's Fish Manure | Pinnacle | 8.06 | 1.05 | .50 | 1.55 | 1.88 | 5.00 | 15.76 |
| 3417 | do | . Detrick's Royal Crop Grower | Landis | 9.09 | 1.19 | .30 | 1.49 | 1.81 | 1.98 | 16.42 |
| 3091 | op | Zell's Calvert Guano | Elkin | 5.31 | 1.23 | .36 | 1.59 | 1.93 | 2.03 | 16.18 |
| 3154 | op**** | Zell's Fish Guano | Lattimore | 8.37 | 1.17 | .34 | 1.51 | 1.84 | 1.94 | 15.81 |
| 3453 | American Fertilizer Co., Norfolk, Va. | A. L. Hannah's Special Formula Guano Reidsville | o Reidsville | 8.90 | 1.05 | .64 | 1.69 | 2.02 | 2.06 | 17.18 |
| 3156 | op | Bone and Phosphate Guano | Monroe | 8.95 | .93 | .33 | 1.25 | 1.52 | 1.92 | 15.22 |
| 3058 | op**** | op | Esther | 7,44 | 22. | .32 | 1.07 | 1.30 | 1.86 | 13.95 |
| 3219 | Armour Fertilizer Works, Greensboro, N. C | Armour's Slaughter House Fertilizer | Gastonia | 8.04 | 8. | .76 | 1.57 | 1.91 | 5.06 | 15.89 |
| 3325 | Asheville Packing Co., Asheville, N. C. | Asheville Packing Co.'s Complete Fer- Asheville | Asheville | 7.12 | - 56 | 1.36 | 1.65 | 2.01 | 2.20 | 15.54 |
| 3406 | Atlantic Chemical Co., Norfolk, Va. | Atlantic Special Wheat Fertilizer | Rockford | 8.24 | 38. | 0.7 | 1.62 | 1.97 | 2.12 | 16.34 |
| 3244 | Baugh & Sons Co., Norfolk, Va | Baugh's Animal Base and Potash Com- Guilford College. | Guilford College. | 8.19 | 1.05 | - <u>89</u> | 1.73 | 5.10 | 5.45 | 17.06 |
| 3311 | dodo | Tourse. | Statesville | 8,10 | .93 | 09 | 1.53 | 1.86 | 2.26 | 15.98 |
| 3131 | | . Baugh's Wheat Fertilizer | Big Lick | 8.14 | 76. | 1 9, | 1.61 | 1.96 | 1.62 | 15.71 |
| 3397 | 3397 Caraleigh Phosphate and Fertilizer Works, Raleigh, N. C. | Crown Brand Ammoniated Guano Wahnut Cove- | Wahnt Cove | 7.92 | 11. | 1.06 | 1.83 | 5.55 | 2.20 | 17.01 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | ANALISES OF | | | | | | | | i | |
|----------------------|--|---------------------------------|------------------|----------------------------------|--------------------------------|---------------------|---|---------------------------|------------------|--|
| | | | | Pere | entage C | ompositi | Percentage Composition or Parts per 100 | rts per 16 | .0 | e |
| Laboratory Number | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Nitrogen. | Organic Nitrogen | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | ERS. | 1 | | | | | | |
| - | Reands elaimino | | | 8.00 | | | 1.65 | 2.00 | 2.00 | \$ 16.13 |
| 3439 | ion Fertilizer Co., Norfolk, Va. | Carolina-Union 2-8-2 | Mount Airy | 8.65 | .27 | 1.36 | 1.63 | 1.98 | 2.18 | 16.81 |
| 3108 | | Farmers' Union 8-2-2 Guano | Greensboro | 8.27 | 1.09 | .40 | 1.49 | 1.81 | 2.18 | 15.88 |
| 3291 | | Columbia Soluble Guano | Conover | 8.04 | 1.01 | .52 | 1.53 | 1.86 | 2.30 | 15.96 |
| 3166 | Conestee Chemical Co., Wilmington, N. C | Conestee Standard Guano | . Maiden | 8.15 | .57 | 1.22 | 1.79 | 2.18 | 2.10 | 16.95 |
| 3288 | Etiwan Fertilizer Co., Charleston, S. C | Plow Brand Ammoniated Guano | Salisbury | 9.45 | .87 | 99. | 1.53 | 1.86 | 2.04 | 16.97 |
| 3176 | Farmers' Guano Co., Raleigh, N. C | State Standard Guano | Gold Hill | 7.98 | .65 | 1.18 | 1.83 | 2.23 | 2.92 | 17.79 |
| 3298 | Georgia Chemical Works, Augusta, Ga | Georgia Formula | North Wilkeshoro | 8.25 | 1.29 | .32 | 1.61 | 1.96 | 2.16 | 16.35 |
| 3067 | | Champion Guano | Davidson | 7.99 | 1.19 | .36 | 1.55 | 1.88 | 2.30 | 16.00 |
| 3345 | Lee. A. S., & Sons Co., Richmond, Va | Lee's 8-2-2 Fertilizer | Burlington | 7.88 | 1.45 | 42 | 1.87 | 2.27 | 1.82 | 16.77 |
| 3142 | | Lister's Success Fertilizer | Rockwell | 8.75 | 1.15 | .46 | 19.1 | 1.96 | 2.04 | 16.68 |
| 3337 | | Shirley Superphosphate | Maiden | 8.15 | 1.23 | .54 | 1.77 | 2.15 | 2.10 | 16.87 |
| 3187 | Marietta Fertilizer Co., Greensboro, N. C. | Marietta Solid South | Reidsville | 7.82 | .81 | .68 | 1.49 | 1.81 | 2.08 | 15.38 |
| 3100 | Martin Fertilizer Co. Norfolk, Va. | Martin's Carolina Cotton Grower | Lawndale | 8.10 | 69. | 09. | 1.29 | 1.57 | 2.24 | 14.95 |
| 3980 | | Martin's Special Grain Grower | Salisbury | 8.04 | .50 | .53 | 1.03 | 1.25 | 2.48 | 14.04 |
| 3955 | _ | Ammoniated Dissolved Bone. | Siler City | 8.23 | 96. | 68. | 1.79 | 2.18 | 2.52 | 17.44 |
| 3256 | | Farmers' Profit | Liberty | 7.64 | 1.05 | .72 | 1.77 | 2.15 | 3.06 | 17.37 |
| | | | | | | | | | | |

| .50 |
|--------------------|
| |
| 8.77 .53 1.06 1.59 |
| 8.30 .31 1.22 1.53 |
| 8.20 .45 1.34 1.79 |
| 9.55 .46 .91 1.37 |
| 7.78 1.07 .48 1.55 |
| 1.01 .60 1.61 |
| 7.72 1.25 .34 1.59 |
| 1.61 |
| 8.05 .49 .92 1.41 |
| 7.10 1.03 .60 1.63 |
| 8.24 .56 .93 1.49 |
| 7.09 .49 1.14 1.63 |
| 8.30 .64 .89 1.53 |
| 7.98 .75 .68 1.43 |
| 8.20 1.41 .38 1.79 |
| 8.87 1.15 .30 1.45 |
| 8.09 1.43 .38 1.81 |
| 8.51 .35 1.10 1.45 |
| 9.26 .69 .44 1.13 |
| 9.32 1.41 .34 1.75 |
| 8.33 1.17 .38 1.55 |
| 8.47 1.05 .34 1.39 |
| 8.07 .99 .50 1.49 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Per | entage C | 'omposit | ion or Pa | Percentage Composition or Parts per 100. | .00 | |
|-----------------------|---|-------------------------------------|---|----------------------------------|--------------------------------|-------------------------|--------------------|--|------------------|--|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Vater- soluble Vitrogen. | эіпеданіс Уң төвөліг | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | Mined Fertilizers. | RS. | | | | | | | |
| | Brands claiming | | | 8.00 | | | 1.65 | 2.00 | 2.00 | \$ 16.13 |
| 9 | 3H6 VaCar. Chemical Co., Richmond, Va. | Tinsley & Co.'s Stonewall Guano. | Winston | 8.47 | 1.13 | .36 | 1.49 | 1.81 | 1.98 | 15.86 |
| 3089 | do | Travers & Co.'s Beef Blood and Bone | North Wilkesboro | 8.85 | 1.19 | .30 | 1.39 | 69.1 | $\frac{2}{5}$. | 16.26 |
| 3374 | op | Travers & Co.'s National Fertilizer | Seagrove | 8.14 | 8, | 94. | 1.35 | 1.64 | 2.18 | 15.18 |
| 77 | 3434 do. | VC. C. Co.'s Plant Food. | Pilot Mountain | 7.72 | 1.07 | 1.04 | 2.11 | 2.57 | 2.04 | 17.85 |
| ш | Brand claiming | | 1 | 8.00 | | | 1.65 | 2.00 | 5.00 | 19.13 |
| ಣ | 3343 Baugh & Sons Co., Norfolk, Va | Baugh's Complete Animal Base Fer- | Burlington | 7.91 | 26. | .76 | 1.73 | 2.10 | 5.00 | 19.38 |
| | Brands claiming | tilizer. | | 8.00 | | | 2.06 | 2.50 | 2.00 | 17.85 |
| 6 | Lister's Agricultural Chemical Works, Newark, | Lister's Ammoniated Dissolved Bone | Concord | 9.07 | 1.45 | . 4S | 1.93 | 2.35 | 2.30 | 18,47 |
| -9 | 3286 Patapseo Guano Co., Baltimore, Md Patapseo Guano | Fhosphate. Patapseo Guano | Mooresville | 10.34 | 7. | 1.31 | 1.75 | 2.13 | 2.18 | 18.84 |
| | Brands claiming | | | 8.00 | | | 2.06 | 2.50 | 3.00 | 18.85 |
| 22 | 3393 Coe-Mortimer Co., Charleston, S. C. | Coe-Mortimer Co.'s Cotton and Corn | Hildebran | 8.27 | Œ. | .58 Se | 2.41 | 2.93 | 3.20 | 20.76 |
| 7 | 3407 Patapsco Guano Co., Baltimore, Md | retuizer. Unicorn Guano | North Wilkesboro | 8.26 | ¥ | 55. | 1.95 | 2.37 | 2.84 | 18.46 |
| 3455 | Piedmont-Mount Airy Guano Co., Baltimore, | Piedmont Guano for Tobacco | Reidsville | 8.39 | Ŧ. | 1.52 | 1.93 | 2.35 | 3.24 | 18.81 |
| 3225 | VaCar. Chemical Co., Richmond, Va | _d_ | Mount Airy | 9.11 | 1.41 | .34 | 1.75 | 2.13 | 2.64 | 18.19 |
| _ | Brands claiming | Delt Ammo, Guano for Lobacco. | | 8.00 | | | 2.47 | 3.00 | 3.00 | 20.57 |
| 9 | 3446 Aeme Mfg. Co., Wilmington, N. C. | Acme 8-3-3 C. S. M. | Tabor | 8.38 | .73 | 1.58 | 2.31 | 2.81 | 3.00 | 20.24 |
| | | | | | | | | | | |

| 3416 | 3416 American Agricultural Chemical Co., New York M. V. | Detrick's Victory Cotton Fertilizer | Landis | 8.04 | 1.35 | .94 | 2.29 | 2.78 | 2.86 | 19.71 |
|------|--|---|----------------|------|------|------|------|----------------|------|--------|
| 3153 | TOTA, 37. I. | Zell's Reliance High Grade Manure | Lattimore | 7.84 | 1.61 | 0.7 | 2.31 | 2.81 | 2.88 | 19.64 |
| 3379 | American Fertilizer Co., Norfolk, Va | American Eagle Guano | Catawba | 8.59 | 1.63 | .38 | 2.01 | 5.4 | 2.32 | 18.49 |
| 3220 | Armour Fertilizer Works, Greensboro, N. C | Armour's 8-3-3 Fertilizer | Gastonia | 8.30 | 1.21 | S. | 2.03 | 2.47 | 2.73 | 18.69 |
| 3324 | Asheville Packing Co., Asheville, N. C. | Asheville Packing Co.'s Complete Fer- | Asheville | 5.15 | .47 | 1.88 | 2.35 | 2.86 | 4.00 | 18.50 |
| 3336 | Atlantic Chemical Co., Norfolk, Va. | Atlantic High Grade Soluble Guano | Maiden | 7.83 | .65 | 1.68 | 2.33 | 2.83 | 3.30 | 20.13 |
| 3418 | Baugh & Sons Co., Norfolk, Va | Baugh's Grand Rapid High Grade | China Grove | 8.03 | 1.81 | - 09 | 2.41 | 5.53 | 3.48 | 20.83 |
| 3344 | Caraleigh Phosphate and Fertilizer Works, Poloigh M. C. | Graheigh Eclipse | Burlington | 7.62 | 1.05 | 1.32 | 2.37 | 53 88 88 | 3.24 | 20.02 |
| 3136 | Carolina Warehouse Co., Salisbury, N. C | Farmers' Union Guano | Salisbury | 8.22 | 1.49 | 1.06 | 2.55 | 3.10 | 3.58 | 21.69 |
| 3177 | Farmers Guano Co., Raleigh, N. C. | Money Point Guano | Gold Hill | 8.00 | .75 | 1.48 | 2.23 | 17:1 | 3.46 | 20.01 |
| 3260 | Georgia Chemiral Co., Augusta, Ga | Intensive Formula | Siler City. | 9.64 | 1.47 | 14. | 1.91 | 2.32 | 2.58 | 19.28 |
| 3068 | Imperial Co., Norfolk, Va | X. L. O. Cotton Guano | Davidson | 8.03 | 1.55 | .52 | 2.07 | 2.52 | 2.74 | 19.86 |
| 3267 | Marietta Fertilizer Co., Greensboro, N. C | Marietta Pride of Piedmont | Albemarle | 8,62 | 66. | 1.00 | 1.99 | 2.43 | 2.94 | 19.06 |
| 3448 | Navassa Guano Co., Wilmington, N. C | Navassa High Grade Guano | Tabor | 9.00 | 1.51 | ×6. | 2.09 | 9.54 | 2.64 | 19.52 |
| 3188 | Old Buck Guano Co., Richmond, Va | . Old Buck Quincy Tobacco and Garden Roxboro | Roxboro | 7.28 | 69. | 1.60 | 2.29 | 2.78 | 3.60 | 19.77 |
| 3285 | Patapseo Guano Co., Baltimore, Md | . Choctaw Guano | Mooresville | 5.05 | .43 | 1.37 | 1.79 | 2.18 | 3.03 | 17.76 |
| 3365 | Planters Fertilizer Co., Charleston, S. C. | Planters' Soluble Guano | Wadesboro | 9.13 | .57 | 1.62 | 2.19 | 3.66 | 3.10 | 20.51 |
| 3165 | Royster, F. S., Guano Co., Norfolk, Va | Marlboro High Grade Cotton Grower | Newton | 8.45 | 1.31 | 78 | 2.15 | 2.61 | 3.22 | 19.85 |
| 3252 | Swift Fertilizer Works, Wilmington, N. C. | Swift's Ruralist High Grade Guano | Burgaw | 7.75 | .59 | 2.08 | 2.67 | 3.25 | 4.03 | 22, 21 |
| 3217 | Union Guano Co., Winston, N. C | Union Homestead Guano | Hickory | 9.83 | 1.35 | .34 | 1.69 | 2.02 | 2.40 | 18.34 |
| 3197 | Venable Fertilizer Co., Richmond, Va | Ballard's Choice Fertilizer | Kings Mountain | 7.91 | 1.11 | 1.30 | 2.31 | 2.81 | 3.59 | 20.41 |
| 3332 | VaCar. Chemical Co., Richmond, Va | Norfolk and Carolina Chemical Co.'s | Mount Olive | 9.64 | 1.71 | 99. | 2.37 | 2.88 | 3.16 | 21.79 |
| 3451 | op | Amazon filgh Grade Guano. . Old Dominon Guano Co.'s Farmers' | Chadbourn | 8.73 | 1.23 | .5× | 1.81 | 2.30 | 3.54 | 19.00 |
| 3185 | op | VC. Co. Cold Medal High Grade | Durham | 8.77 | 26. | 1.35 | 2.35 | 2.86 | 2.64 | 20.40 |
| 3439 | op | VC. C. Co.'s Royal High Grade Fer- tilizer. | Raleigh | 9.00 | 1.81 | .36 | 2.17 | 2.64 | 3.08 | 20.27 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Pere | entage C | biroguo | Percentage Composition or Parts per 100. | rts per 10 | .00 | |
|-----------------------|---|--|---|----------------------------------|--------------------------------|----------------------|--|---------------------------|------------------|--|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Vater- soluble Vitrogen. | Organic Nitrogen. | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | RS. | | | | | | | |
| | Brand elaiminn | | | 8.00 | | | 2.47 | 3.00 | 10.00 | \$ 27.57 |
| 3953 | Swift Bertilizer Works Wilmington, N. C. | Swift's Strawberry Grower, High Grade Wilmington | Wilmington | 6.39 | .45 | 2.14 | 2.59 | 3.15 | 10.42 | 27.05 |
| 200 | Brands claiming | | | 8.00 | | - | 3.29 | 4.00 | 4.00 | 25.02 |
| 3331 | | Acme O. K. Fertilizer | Mount Olive | 8.60 | 1.53 | 1.36 | 2.89 | 3.51 | 4.36 | 24.22 |
| 3205 | | Armour's No. 844 Fertilizer | Denton | 8.17 | 1.75 | 1.06 | 2.81 | 3.42 | 4.86 | 24.01 |
| 3302 | | Farmers' 8-4-4 Union Guano | Salisbury | 8.36 | 2.17 | .70 | 2.87 | 3.49 | 4.24 | 23.82 |
| 3447 | | | Tabor | 9.34 | 2.33 | .54 | 2.87 | 3.49 | 3.34 | 23.80 |
| 2497 | | Pearsall's Fish and Potash Compound | Wallace | 7.15 | 1.15 | 2.12 | 3.27 | 3.98 | 3.84 | 24.01 |
| 3366 | | Guano. Planters' Special Cotton Fertilizer | Wadesboro | 8.67 | 1.39 | 1.60 | 2.99 | 3.64 | 4.18 | 24.54 |
| 3109 | , , | Union Premium Guano | Greensboro | 9.41 | 2.29 | 33 | 2.61 | 3.17 | 2.64 | 22.07 |
| 3450 | | Durham Fertilizer Co.'s Durham High | | 8.12 | 2.35 | .84 | 3.19 | 3.88 | 4.12 | 24.77 |
| 3498 | | Grade. | Wallace | 8.94 | 2.03 | .42 | 2.45 | 2.98 | 3.84 | 22.18 |
| í | à | | 1 | 8.00 | | 1 | 4.11 | 5.00 | 7.00 | 31.46 |
| 2100 | Armoni Bertilizer Works Greenshoro, N. C. | Blood. Bone. and Potash Fertilizer | Greensboro | 7.80 | 2,55 | 1.96 | 2.51 | 3.05 | 6.50 | 28.26 |
| 910 | α | | 1 | 8.50 | | | 2.26 | 2.75 | 2.00 | 19.14 |
| 2186 | Vo -Car Chamical Co Richmond Va | A. & A.'s Anchor Brand Fertilizer. | Durham | 8.94 | .30 | 1.89 | 2.19 | 3.66 | 2.08 | 19.32 |
| 1010 | ~ | | | 9.00 | | 1 | .82 | 1.00 | 2.00 | 13.54 |
| 3189 | American Fertilizing Co., Norfolk, Va. | American Bone Mixture | Reidsville | 9.07 | .55 | .28 | .83 | 1.01 | 2.18 | 13.83 |

| | | | | | | | | | | \mathbf{T} | нЕ | В | ULI | ET | IN. | | | | | | | | | | 15 |
|------------------------------------|---|--|------------------|---|--|--------------------------------|--|-------------------------------|--------------------------------------|-----------------------------------|--|---|--|--------------------------------|--|---|-----------------------|----------------|--|---|--|---|--|----------------|--|
| 14.36 | 14.79 | 15.15 | 14.54 | 15.40 | 15.89 | 13.63 | 14.40 | 14.98 | 14.93 | 15.36 | 14.92 | 15.09 | 14.73 | 14.32 | 13.10 | 15.24 | 15.05 | 14.30 | 14.12 | 16.03 | 14.83 | 17.03 | 16.49 | 18.03 | 17.20 |
| 2.68 | 2.34 | 2.25 | 3.00 | 3.46 | 2.72 | 2.25 | 2.48 | 3.54 | 3.28 | 3.06 | 3.58 | 3.08 | 3.02 | 3.30 | 2.72 | 3.40 | 2.98 | 2.00 | 1.98 | 1.00 | 2.12 | 2.00 | 2.08 | 3.00 | 3.42 |
| 96. | 1.03 | 1.23 | 1.00 | 96 | 1.42 | 1.01 | 1.01 | 96. | 1.08 | 1.25 | · 6 | 1.13 | .94 | :7: | .89 | 1.25 | 1.03 | 1.22 | 1.11 | 5.00 | 96. | 2.00 | 1.93 | 2.00 | 1.69 |
| .79 | .85 | 1.01 | .83 | 72. | 1.17 | .83 | .83 | .79 | 68. | 1.03 | .75 | . 93 | 22. | .59 | .73 | 1.03 | .85 | 1.00 | .9 | 1.65 | 62. | 1.65 | 1.59 | 1.65 | 1.39 |
| .32 | .40 | .45 | | . 30 | .46 | .36 | .56 | .50 | 89. | .64 | .30 | .40 | .25 | .18 | .16 | .28 | .52 | | .38 | | .18 | | .32 | | 89. |
| .47 | .45 | 92. | - | .57 | 7. | .47 | .27 | . 29 | .21 | .39 | .45 | .53 | .52 | Ŧ. | .57 | .75 | .33 | | .53 | | .61 | | 1.27 | | .71 |
| 9.29 | 9.87 | 9.65 | 9.00 | 9.67 | 9.17 | 8.80 | 9.37 | 9.05 | 8.79 | 8.86 | 9.10 | 00.6 | 9.43 | 9.49 | 8.13 | 8.35 | 9.44 | 9.00 | 9.24 | 9.00 | 10.44 | 9.00 | 8.29 | 9.00 | 8.82 |
| Liberty | Kernersville | Hillsboro | | . Mooresville | Winston | Statesville | l. Pilot Mountain | Lawndale | . Rockwell | North Wilkesboro | Charlotte | Winston-Salem | Siler City | Lawndale | s Mocksville | Walnut Cove | Trinity | 1 | Shelby | 1 | Lenoir | 1 | Hildebran | | Burlington |
| . Baugh's Grain and Grass Grower | Royster's Special | VC. C. Co.'s Baltimore Special Mix- | ture. | Mogul Fertilizer | Armour's No. 193 Fertilizer | Baugh's Grain and Grass Grower | Martin's Dissolved Organic Compound. Pilot Mountain. | Martin's Special Grain Grower | Long's Wheat and Grass Guano | . Coon Brand Guano | Powhatan Grain Guano | Royster's Grain Guano | Tuscarora Fertilizer No. 913 | B. S. Grain Ammoniated Guano | A. & A.'s Little Giant Grain and Grass Mocksville. | Grower. Bernhardt's Grain and Crop Guano | Bigelow's Crop Grower | | . Robertson's Blood and Bone Mixture. | | A. & A.'s Star Brand Guano | | Knickerbocker Standard | | Armour's Bone and Dissolved Bone with Potash. |
| 3259 Baugh & Sons Co., Norfolk, Va | 3241 Royster, F. S., Guano Co., Norfolk, Va | 3317 VaCar. Chemical Co., Richmond, Wa | Brands claiming. | American Agricultural Chemical Co., New | York, N. Y. 3246 Armour Fertilizer Works, Greensboro, N. C | Baugh & Sons Co., Norfolk, Va | Martin Fertilizer Co., Norfolk, Va | op | Navassa Guano Co., Wilmington, N. C. | Patapsco Guano Co., Baltimore, Md | 3380 Powhatan Chemical Co., Richmond, Va | 3243 Royster, F. S., Guano Co., Norfolk, Va | Tuscarora Fertilizer Co., Greensboro, N. C | Union Guano Co., Winston, N. C | VaCar. Chemical Co., Richmond, Va | op | -do | Brand claiming | 3394 Robertson Fertilizer Co., Norfolk, Va | Brand claiming | 3383 VaCar. Chemical Co., Richmond, Va | Brand claiming | 3392 Coe-Mortimer Co., Charleston, S. C. | Brand claiming | 3314 Armour Fertilizer Works, Greensboro, N. C |
| 3259 | 3241 | 3317 | | 3425 | 3246 | 3310 | 3226 | 3198 | 3143 | 3128 | 3380 | 3243 | 3257 | 3196 | 3280 | 3435 | 3084 | | 3394 | | 3383 | | 3392 | | 3314 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Pere | - entage C | ompositi | Percentage Composition or Parts per 100 | rts per 10 | .0 | |
|------------------------|---|------------------------------------|--|----------------------------------|--------------------------------|---------------------|---|------------------------|------------------|--|
| Гарога согу Уптрег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphorie Acid. | Vater- soluble Vitrogen. | oingano negoriiN | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | ERS. | | | | | | | |
| | Brands claiming | | | 9.00 | | | 1.65 | 2.00 | 3.00 | \$ 18.03 |
| 3107 | Carolina Warehouse Co., Salisbury, N. C. | Farmers' Union 9-2-3 Guano | Greensboro | | 1.25 | .32 | 1.57 | 1.91 | 3.62 | 20.87 |
| 3419 | Powhatan Chemical Co., Richmond, Va | North Carolina Favorite | Lawndale | 9.06 | 78. | 92. | 1.63 | 86.1 | 3.62 | 18.62 |
| 3387 | Union Guano Co., Winston, N. C. | Farmers Blood and Bone Guano. | Cornelius | 9.47 | 1.03 | 41 | 1.27 | 1.54 | 2.52 | 16.38 |
| | Brand claiming | | | 9.00 | | , | 1.85 | 2.25 | 1.00 | 16.87 |
| 3155 | Bradley Fertilizer Co., Boston, Mass. | Standard Seafowl Guano | Charlotte | 10.05 | 1.09 | 7. | 1.83 | 6.5 | 1.40 | 18.13 |
| | Brand claiming | | 1 | 9.00 | | | 1.85 | 2.25 | 4.00 | 19.87 |
| 3278 | Pocomoke Guano Co., Norfolk, Va. | Monticello Animal Bone Fertilizer. | Kernersville | 9.14 | 1.19 | .50 | 1.69 | 2.05 | 3.96 | 19.28 |
| | Brand claiming | | | 9.00 | | | 2.47 | 3.00 | 2.00 | 20.47 |
| 3441 | VaCar. Chemical Co., Richmond, Va | Durham Fertilizer Co.'s L. and M. | Raleigh | 9.73 | 2.19 | £. | 2.43 | 2.95 | 1.80 | 20.76 |
| | Brands claiming | Special. | 1 1 2 3 3 3 1 1 1 1 | 10.00 | | | .82 | 1.00 | 3.00 | 15.44 |
| 3444 | Royster, F. S., Guano Co., Norfolk, Va. | Haywood County Special Guano | Waynesville | 10.12 | 6. | 7 | .63 | .77 | 4.20 | 15.95 |
| 3381 | Swift Fertilizer Works, Wilmington, N. C. | Swift's Planters' Special Standard | Newton | 9.21 | .35 | 97. | 8. | 8. | 3.52 | 15.21 |
| | Brand claiming | | 1 | 10.00 | | | 1.03 | 1.25 | 2.00 | 15.33 |
| 3461 | Farmers Guano Co., Norfolk, Va. | Farmers' Grain Grower | Mount Airy | 10.79 | .51 | 94. | .97 | 1.18 | 2.40 | 16.18 |
| | Brands claiming | | 1 | 10.00 | 1 | | 1.03 | 1.25 | 00.9 | 19.33 |
| 3247 | Carolina Warehouse Co., Salisbury, N. C | Farmers' Union 10-1.25-6 Guano | Winston-Salem | 11.19 | .7.5 | £1. | .87 | 1.06 | 5.42 | 19.15 |

| 3163 | 3163 Union Guano Co., Winston, N. C | Grain Chemical | Conover | 10.41 | .77 | 80. | .85 | 1.03 | 5.58 | 18.52 |
|------|--|--|---|-------|------|------|------|---|------|-------|
| | Brand claiming | | | 10.00 | | | 1.65 | 2.00 | 9.00 | 20.93 |
| 3440 | 3440 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Special Grain Mixture | Raleigh | 10.60 | 1.49 | .22 | 1.71 | 2.08 | 4.24 | 20.96 |
| | Brands claiming | | | 10.00 | | | 3.29 | 4.00 | 4.00 | 26.82 |
| 3414 | 3414 Armour Fertilizer Works, Greensboro, N. C | Armour's 10-4-4 Fertilizer | China Grove | 9.79 | 1.19 | 1.72 | 2.91 | 3.54 | 4.84 | 25.87 |
| 3395 | 3395 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Electric High Grade | Morganton | 10.30 | 2.73 | .16 | 2.89 | 3.51 | 3.98 | 25.39 |
| _ | Brand claiming | Special Guano. | 1 | 10.00 | | | 3.29 | 4.00 | 2.00 | 27.82 |
| 3386 | 3386 Armour Fertilizer Works, Greensboro, N. C | Armour's 10-4-5 Fertilizer | Taylorsville | 9.14 | 1.23 | 1.78 | 3.01 | 3.66 | 5.58 | 26.45 |
| | Brand, claiming | | | 9.00 | | | 1.65 | 2.00 | 2.00 | 17.33 |
| 3240 | 3240 Royster, F. S., Guano Co., Norfolk, Va. | Royster's 2-6-5 Special | Kernersville | 5.81 | .85 | .74 | 1.59 | 1.93 | 5.05 | 16.93 |
| | Brands claiming | | | 00.9 | | | 4.11 | 5.00 | 7.00 | 29.66 |
| 3330 | 3330 Armour Fertilizer Works, Greensboro, N. C | Armour's 5 Per Cent Trucker | Wilmington | 5.80 | 2.39 | 1.30 | 3.69 | 4.49 | 98.9 | 27.58 |
| 3449 | 3449 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Special Truck Guano | Chadbourn | 7.12 | 2.99 | .70 | 3.69 | 4.49 | 8.16 | 30.07 |
| _ | Brands claiming | | | 8.00 | | | | 1 | 4.00 | 11.20 |
| 3369 | 3369 Acme Mfg. Co., Wilmington, N. C | Acme Bone and Potash | Candor | 8.80 | 1 | | | | 3.08 | 11.00 |
| 3094 | 3094 American Agricultural Chemical Co., New | Palmetto Alkaline Phosphate | Elkin | 86.8 | | | | | 3.90 | 11.98 |
| 3157 | American Fertilizer Co., Norfolk, Va | American Special Potash Mixture for | Monroe | 7.77 | | | | 1 | 4.70 | 11.68 |
| 3145 | 3145 Armour Fertilizer Works, Greensboro, N. C | Armour's Phosphate and Potash | Albemarle | 8.31 | | | | 1 | 3.42 | 10.90 |
| 3360 | 3360 Asheville Packing Co., Asheville, N. C. | Asheville Packing Co.'s Special Bone | Asheville | 10.42 | | | | | 2.50 | 11.88 |
| 3410 | 3410 Atlantic Chemical Co., Norfolk, Va | Atlantic 8-4 Bone and Potash Mixture. | Raeford | 7.83 | | | | | 3.46 | 10.51 |
| 3347 | 3347 Bryant Fertilizer Co., Alexandria, Va | Bryant's Wheat Grower | Burlington | 8.27 | 1 | | | | 5.18 | 12.62 |
| 3117 | 3117 Carolina Warehouse Co., Salisbury, N. C | Farmers' Union 8-4 Bone and Potash | Winston | 9.32 | | | | 1 | 3.00 | 11.39 |
| 3179 | 3179 Farmers Guano Co., Raleigh, N. C | Special Bone and Potash Mixture | Gold Hill | 10.28 | | | | | 3.94 | 13.19 |
| 3209 | 3209 Georgia Chemical Works, Augusta, Ga | . Acid Phosphate with 4 Per Cent Potash Denton | Denton | 8.48 | | | | | 3.72 | 11.35 |
| 3060 | 3060 Imperial Co., Norfolk, Va | Yadkin Wheat Grower | Ether | 7.90 | | | | | 3.92 | 11.02 |
| 3282 | op | op | . Burlington | 8.16 | | | | 1 1 1 1 | 3.72 | 11.06 |

ANALYSES OF COMMUNICIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Perc | Percentage Composition or Parts per 100. | sition or Pa | arts per 1 | .00 | |
|-----------------------|--|---|------------------|----------------------------------|--|--------------------|---|------------------|--|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Nitrogen. Organic Nitrogen. | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | RS, | | | | | | |
| ä | Brands elaiming | | | 8.00 | | | 1 1 1 1 | 4.00 | \$ 11.20 |
| 3232 | Marietta Fertilizer Co Greensboro. N. C. | Marietta Golden Grain Grower | Mount Airy | 8.36 | | 1 | | 4.03 | 11.54 |
| | Powhatan Chemical Co., Richmond, Va | xture | Mount Airy | 9.47 | | 1 | 1 1 1 | 3.84 | 12.36 |
| 3074 | Royster, F. S., Guano Co., Norfolk, Va | Royster's 8-4 Bone and Potash Mixture. Charlotte. | Charlotte | 8.76 | | | 1 | 4.00 | 11.88 |
| 3375 | Swift Fertilizer Works, Atlanta, Ga | Swift's Plantation Standard Grade | Trinity | 7.99 | | | 1 | 4.06 | 11.25 |
| 3112 | United States Fertilizer Co., Baltimore, Md. | Phosphate and Potash. Farm Bell Wheat and Grass Grower | Greensboro | 8.51 | | | - | 5.42 | 13.08 |
| 3139 | Union Guano Co., Winston, N. C | Union Wheat Mixture | Richfield | 9.85 | | | | 4.00 | 12.86 |
| 3079 | VaCar. Chemical Co Bichmond. Va. | Durham Fertilizer Co.'s Carr's Special Trinity | Trinity | 8.85 | 1 | | | 4.16 | 12.10 |
| 3081 | Ф | Wheat Grower. Southern Chemical Co.'s Click's Special Newsom | Newsom | 9.71 | 1 | 1 | 1 | 4.40 | 13.14 |
| | op | Wheat Compound. S. W. Travers & Co.'s Special Wheat | Iron Station | 7.42 | 1 | 1 | | 4.50 | 11.18 |
| | op | Compound. Va. State Fert. Co.'s Gilt Edge Brand | North Wilkesboro | 10.93 | | | | 3.46 | 13.29 |
| ä | Brand claiming | Dissolved Bone and Potash. | | 8.00 | | | | 5.00 | 12.20 |
| 3350 | United States Fertilizer Co., Baltimore, Md Farm Bell Phosphate and Potash | Farm Bell Phosphate and Potash | Effand | 8.98 | | | 1 | 5.16 | 13.24 |
| | Brand claiming | | | 9.00 | 1 | | 1 | 3.00 | 11.10 |
| 3351 | Armour Fertilizer Works, Greensboro, N. C | Armour's Phosphate and Potash Fer- | Burlington | 9.72 | | | 1 | 2.94 | 11.69 |
| m | Brands claiming | tilizer. | | 10.00 | | 1 | | 2.00 | 11.00 |
| 3005 | American Acricultural Chemical Co. New | Zell's Rone and Potash | Elkin | 11.82 | | | | 1.84 | 12.48 |

| 3194 | American Fertilizing Co., Norfolk, Va | ne and Potash for Corn | Reidsville | 9.85 | 2.06 | 10.86 |
|------|---|--|------------------|-------|------|-------|
| 3072 | Armour Fertilizer Works, Greensboro, N. C | and Wheat. Armour's Phosphate and Potash Fer- | Concord | 9.94 | 1.60 | 10.55 |
| 3361 | Asheville Packing Co., Asheville, N. C | Asheville Packing Co.'s Special XXX | Asheville | 10.99 | 2.44 | 12.33 |
| 3359 | Atlantic Fertilizer Co., Atlanta, Ga | Wheat Grower. Atlantic Acid Potash Mixture 10-2 | Hendersouville | 89.6 | 2.98 | 11.69 |
| 3059 | Baugh & Sons Co., Norfolk, Va | Soluble Alkaline Superphos- | Randleman | 10.07 | 2.78 | 11.84 |
| 3327 | Beta Fertilizer Co., Beta, N. C | phave. Beta Special Grass and Grain Fertilizer. Sylva. | Sylva | 10.60 | 1.44 | 86.01 |
| 3281 | Bryant Fertilizer Co., Alexandria, Va | Bryant's Bone and Potash | Burlington | 10.29 | 1.84 | 11.10 |
| 3303 | Caraleigh Phosphate and Fertilizer Works, | Caraleigh Electric Bone and Potash | Troy | 9.94 | 2.30 | 11.25 |
| 3248 | Kaleigh, N. C. Carolina Warehouse Co., Salisbury, N. C | Farmers' Union 10-2 Bone and Potash | Winston-Salem | 10.61 | 3.5 | 11.97 |
| 3167 | Conestee Chemical Co., Wilmington, N. C | Conestee Bone and Potash | Maiden | 10.88 | 2.26 | 12.05 |
| 3178 | Farmers Guano Co., Raleigh, N. C | Century Bone and Potash Mixture | Gold Hill | 10.02 | 2.06 | 11.08 |
| 3208 | Georgia Chemical Works, Augusta, Ga | Bone and Potash | Denton | 9.84 | 1.96 | 10.62 |
| 3338 | Hampton Guano Co., Norfolk, Va | Dauntless Potash Mixture | Maiden | 10.90 | 2.06 | 11.87 |
| 3073 | Imperial Co., Norfolk, Va | Virginia Grain Mixture | Davidson | 10.70 | 2.18 | 11.81 |
| 3377 | do | op | Seagrove | 10.37 | 2.00 | 11.33 |
| 3159 | Lee, A. S., & Sons Co., Richmond, Va | Lee's Wheat Fertilizer | Waco | 10.07 | 1.90 | 10.96 |
| 3147 | Lister's Agricultural Chemical Works, Newark, Lister's Phosphoric Acid and Potash | 1 | Rockwell | 10.91 | 3.86 | 13.68 |
| 3272 | Marietta Fertilizer Co., Greensboro, N. C | Marietta Dissolved Bone and Potash | Albemarle | 10.08 | 1.96 | 11.03 |
| 3293 | Patapseo Guano Co., Baltimore, Md | Patapseo Soluble Phosphate and Pot- | Granite Quarry | 10.37 | 2.24 | 11.57 |
| 3118 | Pocahontas Guano Co., Lynchburg, Va | ash. Carrington's Superior Grain Compound Madison | Madison | 12.07 | 2.18 | 13.04 |
| 3389 | Pocomoke Guano Co., Norfolk, Va | 10-2 Potash Mixture | Statesville | 10.49 | 2.36 | 11.80 |
| 3227 | Powhatan Chemical Co., Richmond, Va | Bone and Potash Mixture | Mount Airy | 10.02 | 3.00 | 11.02 |
| 3200 | Navassa Guano Co., Wilmington, N. C | Dissolved Bone with Potash | Lawndale | 10.03 | 1.96 | 10.99 |
| 3399 | Robertson Fertilizer Co., Norfolk, Va | Level Run Dissolved Bone | Mocksville | 9.17 | 2.08 | 10.33 |
| 3131 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash Mixture | North Wilkesboro | 10.69 | 1.34 | 10.96 |
| 3306 | Swift Fertilizer Works, Atlanta, Ga | Swift's Wheat Grower Standard Grade Phosphate and Potash. | Troy- | 9.53 | 2.04 | 10.62 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Percentage Composition or Parts per 100. | Parts per 100. | |
|-----------------------|---|---|------------------|---|---|--|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. soluble Sylvicogen. Organic Xitrogen. Titrogen. | Equivalent to Ammonia. Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS | RS. | | | |
| | Brands claiming | | | 10.00 | 2.00 | 0 \$ 11.00 |
| 3207 | Tuscarora Fertilizer Co., Greensboro, N. C | Tuscarora Bone and Potash | Denton | 9.6 | 2.06 | 6 11.02 |
| 3137 | op | -op | . Big Lick | 10.35 | 1.66 | 6 10.97 |
| 3349 | United States Fertilizer Co., Baltimore, Md | Farm Bell Alkaline Mixture | Effand | 10.31 | 2.66 | 6 11.94 |
| 3183 | Union Guano Co., Winston, N. C. | Union 10-2 Bone and Potash | Norwood | 10.32 | 2.62 | 2 11.90 |
| 3234 | VaCar. Chemical Co., Richmond, Va | A. & A.'s McGavock's Special Potash | Mount Airy | 10.40 | 2.28 | 8 11.64 |
| 3373 | | Mixture. A. & A.'s B. P. Potash Mixture | . Lexington | 10.11 | 1.86 | 96 10 98 |
| 3129 | | Davie & Whittle's Owl Brand Acid | North Wilkesboro | 11.02 | 2.62 | 2 12.54 |
| 3061 | op | Phosphate with Potash. Durham Fertilizer Co.'s Blue Ridge | Graves Siding | 10.41 | 2.20 | 0 11.57 |
| 3356 | -do | Wheat Grower. | Asheville | 13.75 | 1.00 | 0 13.37 |
| 3100 | op | Durham Fertilizer Co.'s Standard | North Wilkesboro | 10.77 | 2.14 | 4 11.83 |
| 3321 | op | Wheat Grower. Durham Fertilizer Co.'s Bone and Pot-Hillsboro. | Hillsboro | 10.82 | 1.50 | 0 11.24 |
| 3411 | op | ash Mixture. Lynchburg Guano Co.'s Dissolved | Elkin | 10.46 | 1.96 | 11.37 |
| 3080 | ' | Bone and Potash. Old Dominion Guano Co.'s Alkaline | Trinity | 10.08 | 2.80 | 0 11.87 |
| 3222 | • | Bone and Potash. Southern Chemical Co.'s Mammoth | Maiden | 10.00 | 1.92 | 10.72 |
| 3119 | op. | Wheat Grower. J. G. Tinsley & Co.'s Bone and Potash | Winston-Salem | 11.87 | 2.04 | 12.72 |
| 3442 | -do | Mixture. S.W. Travers & Co.'s Capital Bone and Pittsboro | Pittsboro | 10.25 | 2.2 | 20 11.42 |
| | | Fotash. | | | | |

| | Brand claiming | | | 10.00 | 2.25 | 11.25 |
|------|--|--|----------------|-------|------|-------|
| 3385 | 3385 Navassa Guano Co., Wilmington, N. C | Navassa Wheat Mixture | Lenoir | 9.39 | 2.08 | 10.53 |
| | Brand claiming | | | 10.00 | 3.00 | 12.00 |
| 3376 | 3376 Imperial Co., Norfolk, Va | Carolina Wheat Mixture | Steeds | 9.94 | 3.52 | 12.47 |
| | Brands claiming | | | 10.00 | 4.00 | 13.00 |
| 3339 | 3339 Acme Mfg. Co., Wilmington, N. C | Acme Bone and Potash | | 10.46 | 3.98 | 13.39 |
| 3445 | Adair, A. D., & McCarty Co., Chattanooga, | Adair's Wheat and Corn Grower | Clyde | 11.74 | 3.42 | 13,99 |
| 3096 | 3096 American Agricultural Chemical Co., New | Zell's High Grade Bone and Potash | Elkin | 10.47 | 3.84 | 13.26 |
| 3299 | American Fertilizer Co., Norfolk, Va. | Double Dissolved Bone and Potash | Rural Hall | 10.67 | 3.78 | 13,38 |
| 3263 | Armour Fertilizer Works, Greensboro, N. C | Armour's Superphosphate and Potash. | Sanford | 10.05 | 3.96 | 13.00 |
| 3362 | Asheville Packing Co., Asheville, N. C | king Co.'s Special Bone | Asheville | 10.81 | 3.12 | 12.85 |
| 3269 | Atlantic Fertilizer Co., Atlanta, Ga | and Potash. Atlantic Acid and Potash Mixture | Albemarle | 9.84 | 3.84 | 12.70 |
| 3262 | Baugh & Sons Co., Norfolk, Va | 4 Phosphate and Potash | Liberty. | 9.94 | 4.00 | 12.95 |
| 3229 | Burton, C. J., Guano Co., Baltimore, Md | Mixture. Burton's Alkaline. | Mount Airy | 99.6 | 3.84 | 12.53 |
| 3348 | Bryant Fertilizer Co., Alexandria, Va | Bryant's Bone and Potash Mixture | Burhagton | 9.83 | 4.00 | 12.85 |
| 3210 | Carolina-Union Fertilizer Co., Norfolk, Va | Carolina Union 10-4 | Denton | 86.6 | 4.90 | 13.88 |
| 3110 | 3110 Carolina Warehouse Co., Salisbury, N. C | Farmers' Union 10-4 Bone and Potash. | Greensboro | 10.97 | 3.78 | 13.65 |
| 3358 | Columbia Guano Co., Norfolk, Va | . Columbia Bone and Potash Mixture | Marion | 10.89 | 4.03 | 13.82 |
| 3270 | Combahee Fertilizer Co., Charleston, S. C | . Combahee Acid Phosphate with Potash Albemarle. | Albemarle | 10.62 | 4.50 | 14.06 |
| 3168 | Concstee Chemical Co., Wilmington, N. C | Conestce Bone and Potash | Maiden | 10.99 | 3.26 | 13.15 |
| 3180 | | Special Bone and Potash | Gold Hill | 10.77 | 3.16 | 12.85 |
| 3261 | 3261 Georgia Chemical Works, Augusta, Ga | de XX Acid Phosphate with | Siler City | 10.76 | 3.92 | 13,60 |
| 3097 | 3097 Imperial Co., Norfolk, Va | Fotash. | Walnut Cove | 10.28 | 3.96 | 13.21 |
| 3368 | | Marietta Potash Special | Albemarle | 10.06 | 3.82 | 12.87 |
| 3192 | op | gqo | Reidsville | 10.04 | 3.72 | 12.76 |
| 3230 | Martin, D. B., Fertilizer Co., Norfolk, Va | Martin's Potash and Soluble Bone | Pilot Mountain | 10.05 | 3.94 | 12.98 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | Relative Value per Ton at Factory. | | \$ 13.00 | 12.75 | 14.49 | 13.04 | 13.26 | 12.45 | 14.57 | 12.94 | 12.25 | 12.81 | 13.48 | 13.00 | 12.78 | 12.42 | 13.22 | 13.57 | 14.58 |
|--|--|--------------------|-----------------|---|--------------------------------|-----------------------------------|---|---|-------------------------------------|----------------------------------|---|--|---|---|---|---------|---------------------------------|---|---|
| .00 | Total Potash. | | 4.00 | 3.80 | 5.00 | 3.84 | 3.84 | 3.32 | 5.18 | 3.92 | 3.56 | 3.86 | 4.26 | 4.08 | 3.80 | 3.38 | 3.92 | 3.90 | 3.70 |
| arts per 1 | Equivalent to Ammonia. | | | 1 | 1 | | 1 | | | | 1 | | 1 | 1 | | | | 1 | |
| tion or Pa | Total Vitrogen. | | | 1 | | | | | | 1 | | | | | 1 | | | | |
| omposi | Organic Vitrogen. | | 1 | 1 | | 1 | | | | | | | | 1 | | | 1 | 1 | 1 |
| Percentage Composition or Parts per 100. | Water- soluble Nitrogen. | | 1 | | 1 | | 1 | 4 | 1 | | | | | | 1 | | 1 | 1 | 1 |
| Perc | Available Phosphoric Acid. | | 10.00 | 9.94 | 10.55 | 10.22 | 10.47 | 10.15 | 10.43 | 10.05 | 9.66 | 9.92 | 10.25 | 9.91 | 9.98 | 10.04 | 10.33 | 10.74 | 12.09 |
| | Where Sampled. | RS. | | Shelby | Rockwell | Granite Quarry | Reidsville | Roxboro | Cornelius | Shelby | Glenola | Faith | Concord | Denton | Granite Quarry | Concord | Greensboro | Greensboro | Iron |
| | Name of Brand. | MIXED FERTILIZERS. | | Navassa Dissolved Bone with Potash | Navassa Wheat and Grass Grower | Patapsco 10-4 Potash Mixture | Piedmont Farmers' Bone and Potash | Wabash Wheat Mixture | Magic Bone and Potash Mixture | Rex Bone and Potash Mixture | - Skyseraper Bone and Potash Com- | pound. Royster's 10-4 Bone and Potash Mixture Faith | Swift's Farmers' Home High Grade | Tuscarora Acid and Potash | op | op | Quaker Grain Mixture | Farm Bell Special Mixture | Old Dominion Obelisk Bone and Potash. |
| | Name and Address of Manufacturer. | | Brands claiming | 3201 Navassa Guano Co., Wilmington, N. C. | op | Patapsco Guano Co., Baltimore, Md | Picdmont-Mount Airy Guano Co., Baltimore, | Md. Pocahontas Guano Co., Lynchburg, Va | Powhatan Chemical Co., Riehmond, Va | Richmond Guano Co., Richmond, Va | Robertson Fertilizer Co., Norfolk, Va. | Royster, F. S., Guano Co., Norfolk, Va | Swift Fertilizer Works, Wilmington, N. C. | Tuscarora Fertilizer Co., Greensboro, N. C. | op | op | Union Guano Co., Winston, N. C. | 3111 United States Fertilizer Co., Baltimore, Md. | 3160 VaCar. Chemical Co., Richmond, Va |
| | Гарогатогу Литрег. | 1 | | 3201 | 3146 | 3294 | 3457 | 3190 | 3388 | 3202 | 3078 | 3182 | 3075 | 3206 | 3181 | 3422 | 3114 | 3111 | 3160 |

| 3138 | op- | Southern Chemical Co.'s Winner Grain Salisbury. | Salisbury | 10.14 | 4.70 | 15.89 |
|--------|--|--|--|-------|------|-------|
| 3390 | op | Mixture. | Statesville | 9.62 | 4.86 | 13.52 |
| | op | VC. C. Co.'s Special Potash Mixture | Roxboro | 9.47 | 4.22 | 12.74 |
| 3099 | op | Fertilizer Co.'s XX Potash | North Wilkesboro | 10.32 | 4.06 | 13.35 |
| Bra | Brands claiming | Mixture. | | 10.00 | 5.00 | 14.00 |
| 3148 | Armour Fertilizer Works, Greensboro, N. C | Armour's Phosphoric Acid and Potash Albemarle | Albemarle | 10.17 | 4.80 | 13.96 |
| 3312 C | Coöperative Warehouse Co., Salisbury, N. C | Farmers' Union 10-5 Bone and Potash Troutman. | Troutman | 9.32 | 4.96 | 13.35 |
| 3271 N | Marietta Fertilizer Co., Greensboro, N. C | Marietta Potash Mixture | Albemarle | 10.29 | 4.74 | 14.00 |
| 3400 F | Pocahontas Guano Co., Lynchburg, Va | Special Potash Mixture | Mount Airy | 14.12 | 1.80 | 14.51 |
| 3459 I | Rasin-Monumental Co., Baltimore, Md | Rasin's Special Bone and Potash | Durham | 10.40 | 4.34 | 13.70 |
| 3436 I | Robertson Fertilizer Co., Norfolk, Va | J. W. S. Alkaline Bone | Walnut Cove | 10.31 | 5.44 | 14.72 |
| 3283 I | Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash | Kernersville | 66.6 | 4.28 | 13.27 |
| 3318 [| Union Guano Co., Winston, N. C. | Union Bone and Potash | Burlington | 9.72 | 4.82 | 13.57 |
| 3113 | United States Fertilizer Co., Baltimorc, Md | Farm Bell Ten-Five Mixture | Greensboro | 10.40 | 5.76 | 15.12 |
| 3346 \ | VaCar. Chemical Co., Richmond, Va | Lynchburg Guano Co.'s Alpine Mixture Burlington | Burlington | 96.6 | 4.60 | 13.56 |
| 3320 | op | Va. State Fertilizer Co.'s Mountain Top Hillsboro | Hillsboro | 29.6 | 5.33 | 14.02 |
| Bra | Brands claiming | Bone and Potash. | 6 1 1 2 0 1 1 1 1 1 2 2 3 3 5 5 6 7 7 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 | 10.00 | 00.9 | 15.00 |
| 3305 (| Coöperative Warehouse Co., Salisbury, N. C Farmers' Union 10-6 Bone and Potash Salisbury | Farmers' Union 10-6 Bone and Potash. | Salisbury | 9.97 | 5.28 | 14.25 |
| 3421 7 | Tidewater Guano Co., Norfolk, Va. | Tidewater 10-6 Bone and Potash | Concord | 10.07 | 5.98 | 15.04 |
| 3071 J | Tuscarora Fertilizer Co., Greensboro, N. C | Tuscarora Phosphate and Potash | Concord | 10.11 | 5.84 | 14.94 |
| 3319 [| Union Guano Co., Winston, N. C | Union 10-6 Bone and Potash | Burlington | 68.6 | 6.22 | 15.12 |
| 3284 | VaCar. Chemical Co., Richmond, Va | Southern Chemical Co.'s Solid South | Burlington | 89.6 | 5.24 | 13.95 |
| Bra | Brands claiming | Bone and Potash. | | 11.00 | 5.00 | 14.90 |
| 3191 I | Patapsco Guano Co., Baltimore, Md | High Grade Phosphate and | Roxboro | 12.19 | 4.16 | 15.13 |
| 3357 \ | VaCar. Chemical Co., Richmond, Va | Fotash. Southern Chemical Co.'s Quickstep Bone and Potash. | Asheville | 10.52 | 5.10 | 14.57 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Perce | entage C | mposit | ion or Pa | Percentage Composition or Parts per 100. | .00 | |
|-----------------------|--|--|------------------|----------------------------------|--------------------------------|----------------------|--------------------|--|------------------|--|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Nitrogen. | Organic Nitrogen. | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS | SRS. | | | | | | | |
| Brand | Brands claiming | | | 12.00 | | | - | | 5.00 | \$ 15.80 |
| Baı | 3249 Baugh & Sons Co., Norfolk, Va | Baugh's 12-5 Phosphate and Potash | Guilford College | 11.61 | | | | | 5.98 | 16.23 |
| 3438 Car | Carolina-Union Fertilizer Co., Norfolk, Va | . Carolina-Union 12-5 | Mount Airy | 12.19 | | | | 1 | 4.68 | 15.65 |
| 3228 Pov | Powhatan Chemical Co., Richmond, Va | High Grade Bone and Potash Mixture | Mount Airy | 11.85 | | 1 | | | 4.92 | 15.58 |
| 3287 Rie | Richmond Guano Co., Richmond, Va | High Grade Bone and Potash. | Concord | 12.45 | | | | 1 | 4.87 | 16.07 |
| Va. | 3235 VaCar. Chemical Co., Richmond, Va | Goodman's Special Potash Mixture | Concord | 12.54 | | | | | 3.30 | 14.59 |
| Brand | Brands claiming | | | 12.00 | | - | | | 0.00 | 16.80 |
| Arr | 3093 Armour Fertilizer Works, Greensboro, N. C | Ā | Walnut Cove | 12.14 | | | | | 5.96 | 16.89 |
| 3304 Co | Coöperative Warehouse Co., Salisbury, N. C | unzer. Farmers' Union 12-6 Bone and Potash. | Salisbury | 10.86 | 1 | | 1 | | 7.70 | 17.47 |
| 3458 Gec | Georgia Chemical Co., Augusta, Ga. | Georgia Bone and Potash. | . Durham | 12.89 | | | | | 4.40 | 16.00 |
| 3233 Man | Marietta Fertilizer Co., Greensboro, N. C | Marietta Potash and Acid | Mount Airy | 11.76 | | - | | | 4.84 | 15.42 |
| 3231 Man | Martin Fertilizer Co., Norfolk, Va | Martin's Potash and Soluble Bone | Pilot Mountain | 12.14 | - | | | | 5.50 | 16.43 |
| 2437 | op | op | Pilot Mountain | 11.29 | | | | | 5.92 | 16.08 |
| 3384 Swi | Swift Fertilizer Works, Wilmington, N. C | Swift's Special High Grade Phosphate | Newton | 10.75 | | | | | 7.20 | 16.87 |
| 3420 Tid | Tidewater Guano Co., Norfolk, Va | and Fotash. Tidewater 12-6 Bone and Potash | Concord | 11.66 | | | | | 6.32 | 16.81 |
| 3169 Uni | Union Guano Co., Winston, N. C | Union 12-6 Bone and Potash | Conover | 11.52 | | | | | 5.08 | 15.45 |

| 340. | 3402 VaCar. Chemical Co., Richmond, Va | - VC. C. Co.'s Special High Grade Pot- Ararat, ash Mixture. | Ararat | 11.88 | | 7.10 | 17.79 | |
|--------------|--|--|----------------------|-------|---|------|-------|-----|
| 313(| 3130 VaCar. Chemical Co., Richmond, Va Brand claiming. | VC. C. Co.'s Concentrated Bone and Potash. | North Wilkesboro | 19.75 | 1.65 | 4.14 | 21.91 | |
| 3355 | 3352 VaCar. Chemical Co., Richmond, Va. | Ground Tobacco Stems | Burlington | | i_ | 7.02 | 15.04 | |
| | | RAW OR UNMIXED FERTILIZ | FERTLIZER MATERIALS. | | | | | |
| | Brands claiming | | | 12.60 | | | 9.60 | |
| 335 | 3353 VaCar. Chemical Co., Richmond, Va | Old Dominion Guano Co.'s Royster's | Burlington | 12.22 | | | 9.78 | |
| 3121 | op | J. G. Tinsley & Co.'s Acid Phosphate | Winston | 13.77 | | - | 11,10 | |
| 3301 | op | Travers & Co.'s Capitol Dissolved Bone Winston | Winston | 13.36 | | - | 10.69 | T |
| | Brands claiming | | | 13.00 | 1 | | 10.40 | HE |
| 3062 | 3062 American Fertilizer Co., Norfolk, Va | Eagle Brand Acid Phosphate | Ether | 13.90 | | | 11.12 | 3 L |
| 3295 | Etiwan Fertilizer Co., Charleston, S. C | Diamond Soluble Bone | Salisbury | 14.37 | | 1 | 11.50 | UL |
| 3212 | Georgia Chemical Works, Augusta, Ga | Dissolved Bone Phosphate | Denton | 15.04 | | 1 | 12.03 | LE. |
| 3404 | Robertson Fertilizer Co., Norfolk, Va | Acid Phosphate | Mocksville | 13.31 | | - | 10.65 | ΓIN |
| 3122 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Dissolved Bone | Mocksville | 13.24 | | | 10.59 | |
| 3300 | Swift Fertilizer Works, Wilmington, N. C | Swift's Harrow Standard Grade Acid | North Wilkesboro | 13.14 | 1 | | 10.51 | |
| 3412 | Union Guano Co., Winston, N. C | Fnosphate. Union Dissolved Bone | North Wilkesboro | 13.24 | | 1 | 10.59 | |
| 3274 | VaCar. Chemical Co., Richmond, Va | Allison & Addison's I. X. L. Acid Phos-Lexington | Lexington | 13.02 | | 1 | 10.42 | |
| 3087 | op | tle's Owl Brand Acid | Newsom | 13.24 | 1 | | 10.59 | |
| 3323 | op | Thosphate. Durham Fertilizer Co.'s Double Bone Pheschete | Hillsboro | 13.96 | | | 11.17 | |
| | Brands claiming | i nospinave. | | 14.00 | 1 | | 11.20 | |
| 3 391 | 3391 American Agricultural Chemical Co., New York, N. Y. | Zell's 14 Per Cent Acid Phosphate | Statesville | 15.12 | | | 12.10 | |
| 3354 | Armour Fertilizer Works, Greensboro, N. C | Armour's Star Phosphate | Hillsboro | 14.59 | | | 11.67 | |
| 3171 | 3171 Conestee Chemical Co., Wilmington, N. C | . Conestee High Grade Acid Phosphate Maiden | Maiden | 14.14 | | - 1 | 11.31 | 25 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Percent | age Cor | npositi | on or Pa | Percentage Composition or Parts per 100. | .00 | |
|------------------------|--|--|---|-----------------------------------|-----------|----------------------|---|--|------------------|--|
| Гарога согу Митрег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. Water- | Nitrogen. | Organic Nitrogen. | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | RAW OR UNMINED FERTILIZER MATERIALS | ZER MATERIALS | | | | | | | |
| 8 | Brands claiming | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 14.00 | | | 1 | | | \$ 11.20 |
| 215 | 3215 Georgia Chemical Co., Augusta, Ga | Extra Dissolved Bone Phosphate | Denton | 14.60 | | | 1 | | 1 | 11.68 |
| 3313 | Patapsco Guano Co., Baltimore, Md | Patapsco Pure Dissolved Phosphate | Statesville | 15.56 | | | | | | 12.45 |
| 3328 | Pocomoke Guano Co., Norfolk, Va | Peerless Acid Phosphate | Sylva | 16.77 | | | | | 1 | 13.42 |
| 3203 | Richmond Guano Co., Richmond, Va | High Grade Acid Phosphate | Shelby | 13.73 | 1 | | | | 1 | 10.98 |
| 3064 | Royster, F. S., Guano Co., Norfolk, Va | Royster's 14 Per Cent Acid Phosphate. | Seagrove | 13.34 | - | | 1 | | | 10.67 |
| 3066 | Union Guano Co., Winston, N. C | Union High Grade Acid Phosphate | Graves Siding | 13.36 | - | | | | | 10.69 |
| 3322 | VaCar. Chemical Co., Richmond, Va | Allison & Addison's Acid Phosphate | Hillsboro | 15.07 | - | | 1 | | | 12.06 |
| 3275 | op | Allison & Addison's Fulton Acid Phos- Lexington. | Lexington | 15.24 | | | | | 1 | 12.19 |
| 3086 | op | phate. Davie & Whittle's Owl Brand High | Newsom | 14.09 | | | | | | 11.27 |
| 3378 | . op | Grade Dissolved Bone. Southern Chemical Co.'s Red Cross | Seagrove | 14.20 | | | 1 | | 1 | 11.36 |
| | Brands claiming | Acid Phosphate. | , | 16.00 | | | | | 1 | 12.80 |
| 3333 | Acme Mfg. Co., Wilmington, N. C | 16 Per Cent Acid Phosphate | Mount Olive | 17.74 | | | 1 | | | 14.19 |
| 3076 | American Agricultural Chemical Co., New | Zell's 16 Per Cent Acid Phosphate | Davidson | 16.66 | | | | | | 13.33 |
| 3195 | York, N. Y. American Fertilizing Co., Norfolk, Va | American High Grade Acid Phosphate. Reidsville | Reidsville | 16.99 | - | | | | | 13.59 |
| 3264 | Armour Fertilizer Works, Greensboro, N. C | Armour's 16 Per Cent Acid Phosphate Sanford. | Sanford | 16.00 | - | | | | | 12.80 |
| 329 | 3329 Asheville Packing Co., Asheville, N. C | Asheville Packing Co.'s High Grade | Asheville | 17.55 | İ | | | | 1 | 14.04 |

| | | | | | | | | | | 1 | HE | Ъ | UL | LET | 'IN. | | | | | | | | | | Z |
|--|-------------------------------------|---------------------------------------|---|--|---|--|---|---------------------------------------|---|------------------------|--|--------------|--|--------------------|---|-------------------------------------|-----------------------------------|--|--|---|--------------------------------------|--------------------------------------|-------------------------------------|--|---|
| 12.96 | 11.78 | 13.15 | 13.15 | 13.18 | 13.09 | 13.92 | 13.18 | 13.43 | 12.07 | 13.74 | 12.88 | 12.82 | 13.50 | 12.80 | 13.07 | 12.74 | 13.19 | 12.75 | 13.90 | 13.38 | 12.66 | 12.96 | 12.17 | 13.34 | 13.95 |
| - | | | | 1 | | | : | | | | | | | | | : | | | | 1 | | | | | - |
| - | | - | | 1 | | 1 | | | | | | | 1 | | | | | | | | | | 1 | | |
| | 1 | | | | | | | | | | | 1 | 1 | 1 | | | | | | | | | 1 | | |
| - | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | 1 2 2 3 4 4 5 1 | | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | | 1 | | | | | 1 | | |
| 16.20 | 14.72 | 16.44 | 16.44 | 16.47 | 16.36 | 17.40 | 16.48 | 16.79 | 15.09 | 17.18 | 16.10 | 16.03 | 16.87 | 16.00 | 16.34 | 15.93 | 16.49 | 15.94 | 17.37 | 16.73 | 15.82 | 16.20 | 15.21 | 16.67 | 17.44 |
| | | | | | | | | - | | | | lle | | y | | | 1 2 9 8 9 | n | | | 1 | y | | sesboro | ntain |
| Albemarle. | Big Liek. | roy | lisbury. | enton | Conover | Maiden | ewton | Gold Hill. | enton | Maiden | ther | Huntersville | Rockwell. | Mount Airy | Salisbury. | Goldston | Gold Hill. | Pearsall's 6 Per Cent Acid Phosphate Lumberton | Piedmont 16 Per Cent Acid Phosphate. Reidsville. | Trinity | Maiden | Mount Airy | Newton | North Wilkesboro | Kings Mountain |
| A | - 1 | ate. Tr | Phos-Sa | pos- D | ŭ | M | hos- Ne | Ď | bate. D | M | bate, Et | - 1 | | - 1 | - 1 | 1 | Ğ | te L | nate. R | | - { | M | Z | Ž | - E |
| 1 | hospha | Phosph | t Acid I | t Acid P | er Cent | e | t Acid I | e | e Phosp | | d Phosp | | hosphat | | | Phospha | | Phospha | Phospl | ate, Wau | | sphate. | | | ie |
| phate | nt Acid 1 | ent Acid | Per Cer | Per Cen | ade 16 F | hosphat | Per Cen | hosphat | ved Bon | sphate. | ssee Aci | | e Acid I | sphate | sphate | nt Acid | osphate | nt Aeid | ent Acid | Phosph | phate | one Pho | ate | 1e | Phospha |
| eid Phos | Per Cer | 16 Per C | Inion 16 | nion 16 | High Gr | sphate. t Aeid F | Jnion 16 | t Acid F | e Dissol | eid Pho | e Tenne | phate | gh Grad | eid Pho | eid Pho | Per Ce | luble Pl | Per Ce | 16 Per C | 1's S. C. | and id Phosi | solved B | l Phospl | ved Bor | le Acid I |
| Atlantic Acid Phosphate | Baugh's 16 Per Cent Acid Phosphate. | Caraleigh 16 Per Cent Acid Phosphate. | Farmers' Union 16 Per Cent Acid Phos-Salisbury | phate. Carolina-Union 16 Per Cent Acid Phos- Denton | phate. Columbia High Grade 16 Per Cent | Acid Phosphate. 16 Per Cent Acid Phosphate. | Farmers' Union 16 Per Cent Acid Phos-Newton | phate. 16 Per Cent Acid Phosphate. | High Grade Dissolved Bone Phosphate. Denton | Supreme Acid Phosphate | High Grade Tennessee Acid Phosphate. Ether | id Phos | ster's Hi | arietta A | Martin's Acid Phosphate | Navassa 16 Per Cent Acid Phosphate. | Florida Soluble Phosphate | arsall's (| edmont | rringtor | kesha brand Superb Aeid Phosphate | Magic Dissolved Bone Phosphate. | Rasin Acid Phosphate. | Rex Dissolved Bone. | High Grade Acid Phosphate. |
| At | Be | | | | - | 16 | | | Ή. | Su | H | e, Ac | ark, Li | M. | M. | Z | F | Pe | | | ชี | M | - B | R | H |
| J | | · Works, | N. C. | folk, Va. | | n, N. C. | ury, N. | | Ga | | | Charlott | ks, New | o, N. C. | | N. C | d | | Baltimo | g, Va | | .d, Va | , Md | Va | Va |
| anta, Gz | , Va | ertilizer | alisbury | Nor. | Norfolk, Va. | lmingto | ., Salisb | sh, N. С | ugusta, | Norfolk, Va. | | ration, (| ical Wor | eensbore | k, Va | ington, I | more, M | ı, N. C | ano Co., | nchbur | Norfolk, Va. | lichmon | altimore | hmond, | vorfolk. |
| Co., Ath | Norfolk | te and F | e Co., S | rtilizer (| o., Nor | Co., Wi | onse Co | ., Raleig | Works, A | lo., Norf | olk, Va | d Corpo | ıl Chem | Co., Gr | , Norfoll | ., Wilmi | o., Balti | mingtor | hiry Gue | Co., Ly | Co., Nor | al Co., F | 1 Co., B | Co., Rie | er Co P |
| rtilizer | ons Co., | hospha | N. C. arehous | nion Fe | Guano C | hemical | e Wareb | uano Co | emical | Guano C | o., Norfe | Chemics | ricultur | ertilizer | B., Co. | uano Co | uano C | Co., Wil | Mount A | s Guano | Guano (| Chemic | umenta | Guano | Fertiliz |
| 3276 Atlantie Fertilizer Co., Atlanta, Ga. | Baugh & Sons Co., Norfolk, Va. | raleigh I | Raleigh, N. C. Carolina Warehouse Co., Salisbury, N. C | Carolina-Union Fertilizer Co., Norfolk, Va. | Columbia Guano Co., | Conestee Chemical Co., Wilmington, N. C. | Cooperative Warehouse Co., Salisbury, N. C | Farmers Guano Co., Raleigh, N. C | Georgia Chemical Works, Augusta, Ga. | Hampton Guano Co., | Imperial Co., Norfolk, | terstate (| N. C. Lister's Agricultural Chemical Works, Newark, Lister's High Grade Acid Phosphatc. | N. J. arietta F | Martin, D. B., Co., Norfolk, Va. | Navassa Guano Co., Wilmington, N. C | Patapsco Guano Co., Baltimore, Md | Pearsall & Co., Wilmington, N. C. | Piedmont-Mount Airy Guano Co., Baltimore, | Md. Pocahontas Guano Co., Lynchburg, Va. | Pocomoke Guano Co., | Powhatan Chemical Co., Richmond, Va. | Rasin-Monumental Co., Baltimore, Md | 3132 Richmond Guano Co., Richmond, Va. | 3426 Bobertson Fertilizer Co., Norfolk, Va. |
| 276 At | 3141 Ba | 3308 Ca | | 3214 Ca | | 3172 Co | 3396 Co | 3184 Fa | 3211 Ge | 3340 Hz | 3063 Im | 3077 In | | 3237 Mc | 3296 Mz | 3265 Ns | 3297 Pa | 3371 Pe | 3460 Pi | 3088 Pc | 3341 Pc | 3236 Pc | 3170 Rz | 3132 R. | 1426 B |
| က | က | ec. | က | က | က | က | က | က | က | က | က | 80 | ന | 6.3 | ~ | 6.3 | 6.3 | 0.0 | | 0.3 | | | 4.5 | | • |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | Percentage Com | Percentage Composition or Parts per 100. | .00 |
|------------------|---|------------------|--|--|------------------------------------|
| | Name of Brand. Whe | Where Sampled. | Available Phosphoric Acid. Water- soluble Nitrogen. | Mitrogen. Total Nitrogen. Equivalent to Ammonia. | Total Potash. Relative Value |
| | RAW OR UNMIXED FERTILIZER MATERIALS. | MATERIALS. | | | |
| b 8 | | | 16.00 | | \$ 12.80 |
| 0. | Royster's High Grade 16 Per Cent Acid Newton. | wton | 16.35 | 1 | |
| Ψit. | Phosphate. Swift's Special High Grade Acid Phos- Troy | oy | 17.27 | | 1 |
| phate. op Rai | l Acid Phosphate | Concord | 15.99 | | 1 |
| usc | Tuscarora Acid Phosphate Den | Denton | 17.15 | | 1 |
| do | | Albemarle | 16.37 | | |
| arm | Farm Bell Acid PhosphateEffa | Effand | 16.02 | | ! |
| nion | Union 16 Per Cent Acid Phosphate Gree | Greensboro | 15.01 | | 1 |
| enab | Venable's Best Acid Phosphate King | Kings Mountain | 15.64 | | 1 |
| avie | | Rutherfordton | 17.21 | | |
| 15 C | Phosphate. llizer Co.'s Best Acid | Mocksville | 16.10 | 1 | |
| Pho | 16 Per | Maiden | 16.50 | | 1 |
| ್ಪಿಕ್ಷ | Cent Acid Phosphate. Travers & Co.'s Acid PhosphateNor | North Wilkesboro | 15.55 | | |
| Ď, | Co.'s 16 Per Cent Acid Phos- | Iron Station | 17.16 | | 1 |
| <u>ت</u> ا"؛ ۔ | r Co.'s Bull Run | Winston | 15.92 | | ! |
| ♥ ; | Acid Phosphate. | | 24.00 | | |
| Ω. | | Filkin | 21.26 | | |

| 313 | 3133 VaCar. Chemical Co., Richmond, Va | Co., Richmond, Va VC. C. Co.'s Concentrated Acid Phos-North Wilkesboro 23.78 | | - | 5 |
|------|---|--|---------|-------|-------|
| | Brand claiming | phate. | | | 3.6 |
| | 1 2 2 1 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 | | | 2.25 | 1.80 |
| 3151 | Lee, A. S., & Sons Co., Richmond, Va | 3151 Lee, A. S., & Sons Co., Richmond, Va Lee's Prepared Agricultural Lime Albemarle | | 9.54 | 9 03 |
| | Brand claiming | | | | 3 |
| 0066 | | | | 12.00 | 9.60 |
| 9903 | oous Union Fertilizer Co., Nortolk, Va | Noriolk, Va Genuine German Kainit Mount Gilead | | 13 99 | 11 14 |
| | Brand claiming | | | | 11:11 |
| | | | | 50.00 | 40.00 |
| 3216 | 3216 Tuscarora Fertilizer Co., Greensboro, N. C Muriate of Potash | Muriate of Potash Denton | Denton. | 50.96 | 40.76 |
| | | | | | |

BRANDS REGISTERED—SEASON 1914.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen, | Potash. |
|---|--------------------------|---------------------|---------------------|
| Aeme Manufacturing Co., Wilmington, N. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Acme High Grade Acid Phosphate | 14.00 | | |
| Acme Bone and Potash | 12.00 | | 6.00 |
| Acme Bone and Potash | 12.00 | | 5.00 |
| Acme Bone and Potash | 12.00 | | 4.00 |
| Acme Bone and Potash | 12.00 | | 3.00 |
| Acme Bone and Potash | 12.00 | • • • • | 2.00 |
| Acme Bone and Potash | 11.00 | | 6.00 |
| Acme Bone and Potash | 11.00 | | 5.00 |
| Acme Bone and Potash | 11.00 | | 4.00 |
| Acme Bone and Potash | 11.00 | | 3.00 |
| Acme Bone and Potash | 11.00 | 0.00 | 2.00 |
| Acme Melon Grower | 10.00 | 3.30 | 5.00 |
| Acme Bone and Potash | 10.00 | • • • • | 6.00 |
| Acme Bone and Potash | 10.00 | | $\frac{5.00}{4.00}$ |
| Acme Bone and Potash | 10.00 | | |
| Acme Bone and Potash | $10.00 \\ 10.00$ | | $\frac{3.00}{2.00}$ |
| Acme Bone and Potash | 9.25 | 1.65 | 2.00 |
| Acme Square Deal Fertilizer | $\frac{9.25}{9.25}$ | 1.65 | 2.00 |
| Acme Cotton Grower | 9.00 | $\frac{1.03}{2.27}$ | $\frac{2.00}{2.00}$ |
| Acme Premo Guano | 9.00 | .82 | 3.00 |
| Pumpelly's Special Tobacco Fertilizer | 8.00 | 4.12 | 8.00 |
| Acme Special Fertilizer for Cotton | 8.00 | 4.12 | 7.00 |
| Acme Special Fertilizer for Tobacco | 8.00 | 4.12 | 7.00 |
| B. & C. Co.'s Special Fertilizer | 8.00 | 3.30 | 6.00 |
| Acme Plumb Good Fertilizer | 8.00 | 3.30 | 6.00 |
| Acme Plumb Good Fertilizer for Tobacco | 8.00 | 3.30 | 6.00 |
| Acme "OK" Fertilizer | 8.00 | 3.30 | 4.00 |
| Acme "OK" Fertilizer for Tobacco | 8.00 | 3.30 | 4.00 |
| Quick Step Fertilizer | 8.00 | 3.30 | 4.00 |
| Quick Step Fertilizer for Tobacco | 8.00 | 3.30 | 4.00 |
| Acme Crop Grower | 8.00 | 2.47 | 4.00 |
| Currie's High Grade Fertilizer | 8.00 | 2.47 | 4.00 |
| Acme Crop Grower for Tobacco | 8.00 | 2.47 | 4.00 |
| Best's Fish Scrap Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Best's Fish Scrap Guano | 8.00 | 2.47 | 3.00 |
| Pee Dee Special Fertilizer | 8.00 | 2.47 | 3.00 |
| Pee Dee Special for Tobacco | 8.00 | 2.47 | 3.00 |
| Acme 8-3-3 C. S. M. Guano | 8.00 | 2.47 | 3.00 |
| Acme 8-3-3 C. S. M. Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Acme Plant Food | 8.00 | 2.47 | 2.50 |
| Acme Fertilizer for Tobacco | 8.00 | 2.47 | 2.50 |
| Acme Plant Food for Tobacco | 8.00 | 2.47 | 2.50 |
| Acme Fertilizer | 8.00 | 2.47 | 2.50 |
| Acme Merito Mixture | 8.00 | 2.06 | 4.00 |
| Tip Top Crop Grower | 8.00 | 2.06 | 3.00 |
| Tip Top Tobacco Grower | 8.00 | 2.06 | 3.00 |
| Latimer's Complete Fertilizer | 8.00 | 2.06 | 2.00 |
| Acme Standard Guano | 8.00 | 2.06 | 2.00 |
| Best's Complete Fertilizer | 8.00 | 2.06 | 2.00 |
| Corn Fortilizar | 8.00 | 1.65 | $\frac{2.00}{2.00}$ |
| Gem Fertilizer | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Cotton-seed Meal Guano for Tobacco | 8.00 | 1.69 | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|----------------------|---------------------|
| Gem Fertilizer for Tobacco Acme Special Grain Fertilizer | 8.00 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| * | 8.00 | | $\frac{2.00}{0.00}$ |
| Acme Bone and Potash | 8.00 | | $\frac{6.00}{5.00}$ |
| Acme Bone and Potash | 8.00 | • • • • | 4.00 |
| Acme Root Crop Guano | | ${4.12}$ | 7.00 |
| Acme Standard Truck Guano | 7.00 | | |
| | $\frac{7.00}{7.00}$ | $\frac{4.12}{2.47}$ | $\frac{5.00}{4.00}$ |
| Jefferson Cotton Grower Acme High Grade Guano | $\frac{7.00}{6.00}$ | 4.94 | S.00 |
| | 6.00 | 3.30 | 8.00 |
| Acme Truck Grower | | $\frac{3.50}{2.47}$ | |
| Dried Ground Fish | $\frac{6.00}{4.50}$ | 7.81 | 3.00 |
| Acme Special 4-10-4 Guano | $\frac{4.50}{4.00}$ | 8.25 | 4.00 |
| | $\frac{4.00}{1.00}$ | 6.58 | 10.00 |
| Clark's Corn Guano | | 20.56 | |
| Sulphate of Ammonia | | 14.81 | |
| | | 14.51 11.51 | |
| Dried Ground Blood | • • • • | $\frac{11.51}{7.40}$ | 2.00 |
| Acme Top Dresser | | 6.17 | 3.00 |
| Cotton-seed Meal | | | |
| Cotton-seed Meal | | 6.17 | 40.00 |
| Sulphate of Potash | | | 48.00 |
| Muriate of Potash | | | 48.00 |
| High Grade German Kainit 16 Per Cent | • • • • | | 16.00 |
| Genuine German Kainit | | | 12.00 |
| American Agricultural Chemical Co., Baltimore, Greensboro, and New York— | | | |
| A. A. C. Co.'s 16 Per Cent Superphosphate | 16.00 | | |
| Canton Chemical 16 Per Cent Acid Phosphate. | 16.00 | | |
| Detrick's 16 Per Cent Acid Phosphate | 16.00 | | |
| Lazaretto 16 Per Cent Acid Phosphate | 16.00 | | |
| Zell's 16 Per Cent Acid Phosphate | 16.90 | | |
| Lazaretto 14 Per Cent Acid Phosphate | 14.00 | | |
| Canton Chemical 14 Per Cent Acid Phosphate. | 14.00 | | |
| Detrick's XXtra Acid Phosphate | 14.00 | | |
| Zell's 14 Per Cent Acid Phosphate | 14.00 | | |
| Zell's 13 Per Cent Acid Phosphate | 13.00 | | |
| Detrick's H. G. Bone and Potash | 12.00 | | 5.00 |
| Zell's H. G. Bone and Potash | 12.00 | | 5.00 |
| Zell's Sterling High Grade | 10.00 | 3.29 | 4.00 |
| Lazaretto Sure Crop Compound | 10.00 | 3.29 | 4.00 |
| Champion Cotton Fertilizer | 10.00 | 2.47 | 3.00 |
| Excelsior Alkaline Bone | 10.00 | | 5.00 |
| Zell's H. G. Bone and Potash | 10.00 | | 4.00 |
| Canton Chemical Soluble Phosphate and Pot- | | | |
| ash | 10.00 | | 4.00 |
| Lazaretto H. G. Alkaline Bone | 10.00 | | 4.00 |
| Zell's Bone and Potash | 10.00 | | 2.00 |
| Lazaretto Alkaline Bone | 10.00 | | 2.00 |
| Detrick's Bone and Potash | 10.00 | | 2.00 |
| Canton Chemical Soluble Phosphate and Pot- | | | |
| ash | 10.00 | | 2.00 |
| A. A. C. Co.'s Top Notch Special | 9.00 | 2.47 | 7.00 |
| Zell's Royal High Grade Fertilizer | 9.00 | 2.06 | 2.00 |
| Detrick's Superior Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Canton Chemical Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Zell's Victoria Animal Bone Compound | 9.00 | 1.85 | 4.00 |
| Lazaretto Retriever Animal Bone Fertilizer. | 9.00 | 1.85 | 4.00 |
| Zell's Empire Cotton Compound | 9.00 | 1.65 | 3.00 |

| | Avail. | 2714 | D. t 1 |
|---|----------------|---------------------|---------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| Zell's Hustler Phosphate | 9.00 | .82 | 3.00 |
| Mogul Fertilizer | 9.00 | .82 | 3.00 |
| Pacific Guano for Tobacco | 8.50 | 2.47 | 2.50 |
| Reese's Potato and Truck Special | 8.00 | 3.29 | 7.00 |
| Zell's Popular Tobacco Manure | 8.00 | 3.29 | 4.00 |
| Detrick's Kangaroo Komplete Kompound Spe- | | | |
| cial High Grade | 8.00 | 3.29 | 4.00 |
| Lazaretto Carolina Cotton Food | 8.00 | 3.29 | 4.00 |
| A. A. C. Co.'s Palmetto C. S. M. Compound | 8.00 | 3.29 | 4.00 |
| Canton Chemical Bono Tobacco Fertilizer | 8.00 | 3.29 | 4.00 |
| Zell's Economizer Cotton Food | 8.00 | 3.29 | 4.00 |
| A. A. C. Co.'s Excelsior Compound for To- | | | |
| baeco | 8.00 | 2.47 | 5.00 |
| Detrick's Gold Eagle Cotton Compound | 8.00 | 2.47 | 4.00 |
| Detrick's Kangaroo Komplete Kompound for | | | |
| Tobacco | 8.00 | 2.47 | 4.00 |
| Lazaretto King of the Harvest | 8.00 | 2.47 | 4.00 |
| Zell's Tobacco Fertilizer | 8.00 | 2.47 | 4.00 |
| Canton Chemical Homestead Protector | 8.00 | 2.47 | 4.00 |
| Canton Chemical Gladiator Cotton Fertilizer. | 8.00 | 2.47 | 3.00 |
| A. A. C. Co.'s Eureka Cotton-seed Meal Com- | | | |
| pound | 8.00 | 2.47 | 3.00 |
| Detrick's Special Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Canton Chemical Baker's Tobacco Fertilizer. | 8.00 | 2.47 | 3.00 |
| Canton Chemical Superior High Grade Fer- | | | |
| tilizer | 8.00 | 2.47 | 3.00 |
| Detrick's Victory Cotton Fertilizer | 8.00 | 2.47 | 3.00 |
| Detrick's Kangaroo Komplete Kompound | 0.00 | 0.45 | 0.00 |
| Bright Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Lazaretto Carolina Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Detrick's Kangaroo Komplete Kompound for | 8.00 | 2.47 | 3.00 |
| Cotton | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Zell's Bright Tobacco Grower | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Lazaretto New Rival Cotton Fertilizer | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Lazaretto Special Tobacco and Potato Fertil- | 3.00 | 2.31 | 5.00 |
| izer | 8.00 | 2.47 | 3.00 |
| Lazaretto Challenge Fertilizer | 8.00 | $\frac{2.17}{2.47}$ | 3.00 |
| Canton Chemical CCC Special Compound | 8.00 | 2.06 | 6.00 |
| Detrick's Vegetator Ammoniated Superphos- | 0.00 | | 0.00 |
| phate | 8.00 | 2.06 | 3.00 |
| Zell's "Square Deal" for Tobacco | 8.00 | 2.06 | 3.00 |
| Slingluff's British Mixture | 8.00 | 2.06 | 2.50 |
| Excelsior Bone Compound | 8.00 | 1.65 | 5.00 |
| Square Deal Phosphate | 8.00 | 1.65 | 4.00 |
| Savage, Son & Co.'s Brand Purity Guano | 8.00 | 1.65 | 2.00 |
| Dawson's Crop Maker | 8.00 | 1.65 | 2.00 |
| Triumph Soluble Guano | 8.00 | 1.65 | 2.00 |
| Canton Chemical Baker's Fish Guano | 8.00 | 1.65 | 2.00 |
| Canton Chemical Game Guano | 8.00 | 1.65 | 2.00 |
| Detrick's Royal Crop Grower | 8.00 | 1.65 | 2.00 |
| Detrick's Fish Mixture | 8.00 | 1.65 | 2.00 |
| Lazaretto Crop Grower | 8.00 | 1.65 | 2.00 |
| Zell's Special Compound for Tobacco | 8.00 | 1.65 | 2.00 |
| Zell's Calvert Guano | 8.00 | 1.65 | 2.00 |
| Zell's Fish Guano | 8.00 | 1.65 | 2.00 |
| Reese's Pacific Guano | 8.00 | 1.65 | 2.00 |
| Detrick's Rival Tobacco Compound | 8.00 | 1.65 | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| Detrick's Complete Compound for Grain and | | | |
| Grass | 8.00 | 1.03 | 4.00 |
| The A. A. C. Co. Fidelity Grain Grower | 8.00 | .82 | 4.00 |
| Lazaretto Peanut Grower | 8.00 | .82 | 4.00 |
| A. A. C. Co.'s Regal Crop Grower | 8.00 | .82 | 3.00 |
| Palmetto Alkaline Phosphate | 8.00 | | 4.00 |
| Lazaretto Early Trucker | 7.00 | 4.11 | 5.00 |
| pound | 7.00 | 3.29 | 5.00 |
| Lazaretto Truckers' Favorite | 6.00 | 5.76 | 5.00 |
| Lazaretto Empire Trucker | 6.00 | 4.11 | 7.00 |
| A. A. C. Co.'s Nitrate of Soda | | 15.00 | |
| A. A. C. Co.'s Baltimore Top Dresser | | 7.41 | 3.00 |
| A. A. C. Co.'s Muriate of Potash | | | 49.00 |
| A. A. C. Co.'s Genuine German Kainit | | | 12.00 |
| American Agricultural Chemical Co., Dixie Guano Branch, Spartanburg, S. C.— | | | |
| Dixie Acid Phosphate | 16.00 | | |
| Dixie Acid Phosphate | 14.00 | | |
| Dixie Bone and Potash | 13.00 | | 6.00 |
| Dixie Bone and Potash | 12.00 | | 6.00 |
| Dixie Fertilizer | 10.00 | 3.30 | 4.00 |
| Dixie Fertilizer | 10.00 | 3.30 | 2.00 |
| Dixie Fertilizer | 10.00 | 2.47 | 4.00 |
| Dixie Fertilizer | 10.00 | 2.47 | 3.00 |
| Dixie Blood, Bone and Potash | 10.00 | 2.47 | 2.00 |
| Dixie Money Maker Fertilizer | 10.00 | 1.85 | 3.00 |
| Dixie Blood, Bone and Potash | 10.00 | 1.65 | 8.00 |
| Dixie Fertilizer | 10.00 | 1.65 | 4.00 |
| Dixie Cotton Grower | 10.00 | 1.65 | 3.00 |
| Dixie Fertilizer | 10.00 | 1.65 | 2.00 |
| Dixie Grain Grower | 10.00 | .82 | 5.00 |
| Dixie Bone and Potash | 10.00 | | 6.00 |
| Dixie Bone and Potash | 10.00 | | 4.00 |
| Dixie Bone and Potash | 10.00 | | 2.00 |
| Dixie Beats All Fertilizer | 9.20 | 1.65 | 2.00 |
| Dixie Fertilizer | 9.00 | 2.47 | 3.00 |
| Dixie Fertilizer | 9.00 | 2.47 | 2.00 |
| Dixie Blood and Bone | 9.00 | 1.65 | 3.00 |
| Dixie Fertilizer | 9.00 | 1.65 | 2.00 |
| Dixie Fertilizer | 8.00 | 4.12 | 7.00 |
| Dixie Fertilizer | 8.00 | 3.30 | 8.00 |
| Dixie Fertilizer | 8.00 | 3.30 | 4.00 |
| Dixie Farmers' Favorite | 8.00 | 2.47 | 3.00 |
| Dixie Corn Grower | 8.00 | 1.65 | 5.00 |
| Dixie Special Corn Mixture | 8.00 | 1.65 | 4.00 |
| Dixie Bone and Potash | 8.00 | | 4.00 |
| Dixie Potato Fertilizer | 7.00 | 3.30 | 5.00 |
| Dixie Lawn Grower | 7.00 | 2.47 | 4.00 |
| Dixie Special Garden Grower | 7.00 | 2.47 | 4.00 |
| Dixie Top Dresser | 5.00 | 5.77 | 3.00 |
| American Agricultural Chemical Co., Farmers Fer- tilizer Works, Spartanburg, S. C.— | | | |
| Red Rooster Acid Phosphate | 16. 00 | | |
| Red Rooster Acid Phosphate | 14.00 | | |
| Red Rooster Bone and Potash | 13.00 | • • • • | 6.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---|---------------------|
| Red Rooster Bone and Potash | 12.00 | | 6.00 |
| Red Rooster Fertilizer | 10.00 | 3.30 | 4.00 |
| Red Rooster Fertilizer | 10.00 | 3.30 | 2.00 |
| Red Rooster Fertilizer | 10.00 | 3.30 | |
| Red Rooster Fertilizer | 10.00 | 2.47 | 4.00 |
| Red Rooster Fertilizer | 10.00 | 2.47 | 3.00 |
| Red Rooster Blood, Bone and Potash | 10.00 | 2.47 | 2.00 |
| Red Rooster Money Maker Fertilizer | 10.00 | 1.85 | 3.00 |
| Red Rooster Blood, Bone and Potash Fertil- | | | |
| izer | 10.00 | 1.65 | 8.00 |
| Red Rooster Fertilizer | 10.00 | 1.65 | 4.00 |
| Red Rooster Cotton Grower | 10.00 | 1.65 | 3.00 |
| Red Rooster Fertilizer | 10.00 | 1.65 | 2.00 |
| Red Rooster Grain Grower | 10.00 | .82 | 5.00 |
| Red Rooster Bone and Potash | 10.00 | | 6.00 |
| Red Rooster Bone and Potash | 10.00 | | 4.00 |
| Red Rooster Bone and Potash | 10.00 | | 2.00 |
| Red Rooster Fertilizer | 9.00 | 2.47 | 3.00 |
| Red Rooster Fertilizer | 9.00 | 2.47 | 2.00 |
| Red Rooster Blood and Bone | 9.00 | 1.65 | 3.00 |
| Red Rooster Beats All Pertilizer | 9.00 | 1.65 | $\frac{2.00}{2.00}$ |
| Red Rooster Fertilizer | 8.00 | 4.12 | 7.00 |
| Red Rooster Fertilizer | 8.00 | 3.30 | 8.00 |
| Red Rooster Fertilizer | 8.00 | 3.30 | 4.00 |
| Red Rooster Farmers' Favorite Fertilizer | 8.00 | 2.47 | 3.00 |
| Red Rooster Fertilizer | 8.00 | 2.06 | 1.00 |
| Red Rooster Corn Grower | 8.00 | 1.65 | 5.00 |
| Red Rooster Special Corn Mixture | 8.00 | 1.65 | $\frac{4.00}{2.00}$ |
| Red Rooster Fertilizer | 8.00 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Top Notch C. S. M. Compound | 8.00 | | 4.00 |
| Red Rooster Bone and Potash | 7.00 | 3.30 | 5.00 |
| Red Rooster Special Garden Grower | 7.00 | $\frac{3.30}{2.47}$ | 4.00 |
| Red Rooster Lawn Grower | 7.00 | 2.47 | 4.00 |
| Red Rooster Top Dresser | 5.00 | $\frac{2.41}{5.75}$ | 3.00 |
| American Agricultural Chemical Co., Homestead Fertilizer Branch, Spartanburg, S. C.— | 3. 00 | 00 | 3,00 |
| Homestead Acid Phosphate | 16.00 | | |
| Homestead Acid Phosphate | 14.00 | | |
| Homestead Bone and Potash | 13.00 | | 6.00 |
| Homestead Bone and Potash | 12.00 | | 6.00 |
| Homestead Fertilizer | 10.00 | 3.30 | 4.00 |
| Homestead Fertilizer | 10.00 | 3.30 | 2.00 |
| Homestead Fertilizer | 10.00 | 2.47 | 4.00 |
| Homestead Fertilizer | 10.00 | 2.47 | 3.00 |
| Homestead Blood, Bone and Potash | 10.00 | 2.47 | 2.00 |
| Homestead Money Maker Fertilizer | 10.00 | 1.85 | 3.00 |
| Homestead Blood, Bone and Potash | 10.00 | 1.65 | 8.00 |
| Homestead Fertilizer | 10.00 | 1.65 | 4.00 |
| Homestead Cotton Grower | 10.00 | 1.65 | 3.00 |
| Homestead Fertilizer | 10.00 | 1.65 | 2.00 |
| Homestead Grain Grower | 10.00 | .82 | 5.00 |
| Homestead Bone and Potash | 10.00 | • • • • | 6.00 |
| Homestead Bone and Potash | 10.00 | • • • • | 4.00 |
| Homestead Bone and Potash | 10.00 | 1.05 | 2.00 |
| Homestead Beats All Fertilizers | 9.20 | $\begin{array}{c} 1.65 \\ 2.47 \end{array}$ | 2.00 |
| Homestead Fertilizer | 9.00 | 2.47 | 3.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|---------------------|
| Homestead Fertilizer | 9.00 . | 2.47 | 2.00 |
| Homestead Blood and Bone | 9.00 | 1.65 | 3,00 |
| Homestead Fertilizer | 8.00 | 4.12 | 7.00 |
| Homestead Fertilizer | 8.00 | 3.30 | 8,00 |
| Homestead Fertilizer | 8.00 | 3.30 | 4.00 |
| Homestead Farmers' Favorite | 8.00 | $\frac{3.30}{2.47}$ | 3.00 |
| Homestead Fertilizer | 8.00 | 2.06 | 1.00 |
| Homestead Corn Grower | 8.00 | $\frac{2.00}{1.65}$ | 5.00 |
| Homestead Special Corn Mixture | 8.00 | 1.65 | 4.00 |
| Homestead Fertilizer | 8.00 | $\frac{1.05}{1.65}$ | 2.00 |
| Homestead Bone and Potash | 8.00 | 1.00 | 4.00 |
| Homestead Potato Fertilizer | 7.00 | 3.30 | $\frac{4.00}{5.00}$ |
| Homestead Special Garden Grower | 7.00 | $\frac{3.30}{2.47}$ | 4.00 |
| Homestead Lawn Grower | 7.00 | $\frac{2.47}{2.47}$ | 4.00 |
| Homestead Top Dresser | 5.00 | $\frac{2.47}{5.77}$ | |
| Homestead Top Diessei | 5.00 | 9.77 | 3.00 |
| American Fertilizer Co., Norfolk, Va.— | | | |
| American Nonpareil Tobacco Grower | 8.00 | 3.29 | 4.00 |
| The Armour Fertilizer Works, Atlanta, Chicago, Wilmington, and Greensboro— | | | |
| Bone MealTotal | 24.00 | 2.47 | |
| Armour's Raw Bone MealTotal | 22,00 | 3.70 | |
| 17 Per Cent Acid Phosphate | 17.00 | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Star Phosphate 14 Per Cent | 14.00 | | |
| Acid Phosphate | 14.00 | | |
| Golden Grain Grower | 13.00 | | 4.00 |
| 13 Per Cent Acid Phosphate | 13.00 | | |
| Phosphate and Potash | 12.00 | | 6.00 |
| Phosphate and Potash | 12.00 | | 5.00 |
| 12 Per Cent Acid Phosphate | 12.00 | | |
| Fertilizer, No. 1134 | 11.00 | 2.47 | 4.00 |
| Sampson Corn Mixture | 11.00 | | 5.00 |
| Fertilizer, No. 1045. | 10.00 | 3.30 | 5.00 |
| Fertilizer, No. 1044 | 10.00 | 3.30 | 4.00 |
| Fertilizer, No. 1033 | 10.00 | $\frac{3.30}{2.47}$ | 3.00 |
| Fertilizer, No. 1025. | 10.00 | 1.65 | 5.00 |
| Fertilizer, No. 1023. | 10.00 | $\frac{1.05}{1.65}$ | 3.00 |
| Armour's Wheat Grower | 10.00 | $\frac{1.05}{1.65}$ | 2.00 |
| Ammoniated Dissolved Bone and Potash | 10.00 | $\frac{1.05}{1.65}$ | 2.00 |
| | 10.00 | 1.03 | 6,00 |
| Special Mixture | | | 6.00 |
| Phospharia Acid and Patrol | 10.00 | | |
| Phosphoric Acid and Potash | 10.00 | | 5,00 |
| Superphosphate and Potash | 10.00 | | 4.00 |
| Acid and Potash | 10.00 | | 3.00 |
| Phosphate and Potash, No. 1 | 10.00 | 0.47 | 2.00 |
| Armour's Tobacco Champion | 9.00 | 2.47 | 3.00 |
| African Cotton Grower | 9.00 | 2.47 | 3.00 |
| Johnson's High Grade | 9.00 | 2.05 | 5.00 |
| Forsyth County Tobacco Special | 9.00 | 2.05 | 3,00 |
| Armour's Bright Tobacco Grower | 9.00 | 1.65 | 3.00 |
| Bone and Dissolved Bone with Potash | 9.00 | 1.65 | 3.00 |
| Fertilizer, No. 913 | 9.00 | .82 | 3,00 |
| Armour's Phosphate and Potash | 9.00 | | 3.00 |
| Tobacco Fertilizer | 8.50 | 1.65 | 2.00 |
| Standard Cotton Grower | 8.50 | 1.65 | 2.00 |
| Bone, Blood and Potash | 8.00 | 4.11 | 7.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|----------------------|
| Young's Special | 8.00 | 4.11 | 3.00 |
| Van Lindley's Special | 8.00 | 4.11 | 2.00 |
| Fertilizer, No. 846 | 8.00 | 3.30 | 6.00 |
| Fertilizer, No. 844 | 8.00 | 3.30 | 4.00 |
| Special Trucker | 8.00 | 3.30 | 4.00 |
| Truck and Berry Special | 8.00 | 2.47 | 10.00 |
| Armour's 836 for Tobacco | 8.00 | 2.47 | 6.00 |
| Fertilizer, No. 836 | 8.00 | 2.47 | 6.00 |
| Special for Tobacco | 8.00 | 2.47 | 5.00 |
| Fertilizer, No. 835 | 8.00 | 2.47 | 5.00 |
| Fertilizer, No. 834 | 8.00 | 2.47 | 4.00 |
| Fertilizer, No. 833 | 8.00 | 2.47 | 3.00 |
| Underwood's Favorite | 8.00 | 2.47 | 3.00 |
| Cotton Special | 8.00 | 2.47 | 3.00 |
| Tobacco Special | 8.00 | 2.47 | 3.00 |
| Fertilizer, No. 832 | 8.00 | 2.47 | 2.00 |
| Berry King | 8.00 | 2.05 | 4.00 |
| Gold Medal for Tobacco | 8.00 | 2.05 | 3.00 |
| Sweet Potato Special | 8.00 | 2.05 | 3.00 |
| Champion | 8.00 | 2.05 | 2.50 |
| King Cotton | 8.00 | $\frac{2.05}{1.05}$ | 2.00 |
| Slate's Tobacco Special | 8.00 | 1.85 | 4.00 |
| High Grade Potato | 8.00 | $rac{1.65}{1.65}$ | $\frac{10.00}{5.00}$ |
| Fruit and Root Crop Special | S.00 S.00 | $1.65 \\ 1.65$ | 5.00 |
| Stokes & Co. Tobacco Special Fertilizer, No. 825 | 8.00 | $\frac{1.05}{1.65}$ | 5.00 |
| Fertilizer, No. 824 | 8.00 | $\frac{1.05}{1.65}$ | 4.00 |
| Fertilizer, No. 823 | 8.00 | 1.65 | 3.00 |
| Carolina Cotton Special | 8.00 | 1.65 | 3.00 |
| Slaughter House for Tobacco | 8.00 | 1.65 | 2.00 |
| Armour's Slaughter House Fertilizer | 8.00 | 1.65 | 2.00 |
| General | 8.00 | 1.65 | 2.00 |
| Fertilizer, No. 815 | 8.00 | .82 | 5.00 |
| Fertilizer, No. 814 | 8.00 | .82 | 4.00 |
| Fertilizer, No. 813 | 8.00 | .82 | 3.00 |
| Phosphate and Potash, No. 2 | 8.00 | | 5.00 |
| Phosphate and Potash, No. 3 | 8.00 | | 4.00 |
| Fertilizer, No. 758 | 7.00 | 4.11 | 8.00 |
| 7 Per Cent Trucker | 6.00 | 5.76 | 5.00 |
| 5 Per Cent Trucker | 6.00 | 4.11 | 7.00 |
| Manure Substitute | 6.00 | 3.30 | 4.00 |
| Armour's Velvet Leaf | 6.60 | 2.47 | 7.00 |
| 10 Per Cent Trucker | 5.00 | 8.23 | 3.00 |
| Top Dresser | $\frac{5.00}{4.00}$ | $\frac{8.23}{6.18}$ | $\frac{2.00}{2.50}$ |
| Armour's Top Dresser | $\frac{4.00}{4.00}$ | $\frac{0.18}{3.30}$ | 5.00 |
| | 4.00 | 3.30 | 4.00 |
| Harvey's Special | $\frac{4.00}{2.00}$ | 8.23 | 3.00 |
| Armour's Top Dresser | 00 | 7.83 | 4.00 |
| Armour's Top Dresser | | 7.40 | 3.00 |
| Sulphate of Ammonia | | 20.00 | |
| Nitrate of Soda | | 14.81 | |
| Blood | | 13.16 | |
| 10 Per Cent Tankage | | 8.23 | |
| Cotton-seed Meal | | 6.18 | |
| Sulphate of Potash | | | 50.00 |
| Muriate of Potash | | | 50.00 |
| Kainit | • • • • | | 12.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|---|
| Geo. L. Arps & Co., Norfolk, Va.— | | | |
| Arps' H. G. 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acid Phosphate | 14.00 | | |
| Arps' 10 and 4 Bone and Potash Mixture | 10.00 | | 4.00 |
| Arps' 10 and 2 Bone and Potash Mixture | 10.00 | | 2.00 |
| Arps' "Go-a-Head" Guano for Trucks, Cotton | 10.00 | | 2.00 |
| | 8.00 | 3.30 | 4.00 |
| and Tobacco | | $\frac{3.30}{2.47}$ | |
| Arps' Quick Growth for All Crops | 8.00 | | 3.00 |
| and All Spring Crops | 8.00 | 1.65 | 2.00 |
| Arps' Big Yield Guano | 8.00 | 1.65 | 2.00 |
| Arps' Standard Truck Guano | 7.00 | 4.12 | 5.00 |
| Arps' Potato Guano | 6.00 | 5.76 | 5.00 |
| Arps' Scuppernong Guano for Trucks | 6.00 | 4.12 | 7.00 |
| Arps' H. G. Top Dresser | | 8.22 | 3.00 |
| Genuine German Kainit | | | 12,00 |
| CC Builder Colonial Colonia Colonial Colonial Colonia Colonia Colonia Colonia Colonia Colonia Colonia Colonia C | | | |
| Ashepoo Fertilizer Co., Charleston, S. C.— | | | |
| High Grade Ashepoo Dissolved Phosphate | 16.00 | | |
| H. G. Bradley's Dissolved Phosphate | 16.00 | | |
| High Grade Ashepoo Acid Phosphate | 14.00 | | |
| H. G. Bradley's Acid Phosphate | 14.00 | | |
| Standard Bradley's Acid Phosphate | 13.00 | | |
| Standard Quinnipiac Acid Phosphate | 13.00 | | |
| Standard Ashepoo Acid Phosphate | 13.00 | | |
| H. G. Ashepoo Bone and Potash | 12.00 | | 2.00 |
| Standard Ashepoo Acid Phosphate and Potash | 12.00 | | 1.00 |
| Standard Eutaw Acid Phosphate and Potash. | 12.00 | | 1.00 |
| Standard Bradley's Acid Phosphate | 12.00 | | |
| Standard Ashepoo Acid Phosphate | 12.00 | | |
| Standard Entaw Acid Phosphate | 12.00 | | |
| Standard Ashepoo Potash and Acid Phos- | | • • • • | * |
| phate | 11.00 | | 1.00 |
| Standard Eutaw Potash Acid Phosphate | 11.00 | | 1.00 |
| High Grade Ashepoo Watermelon Guano | 10.00 | 3.29 | 5.00 |
| H. G. Ashepoo Cantaloupe Guano | 10.00 | 2.46 | 10.00 |
| H. G. Ashepoo Fruit Fertilizer | 10.00 | 1.65 | 6.00 |
| High Grade Bradley's Guano | 10.00 | 1.65 | 4.00 |
| H. G. Ashepoo Fertilizer | 10.00 | 1.65 | 2.00 |
| High Grade Ashepoo Superpotash Acid Phos- | | | |
| phate | 10.00 | | 4.00 |
| H. G. Bradley's Potash Acid Phosphate | 10.00 | | 4.00 |
| H. G. Eutaw Superpotash Acid Phosphate | 10.00 | | 4.00 |
| Standard Bradley's Wheat Grower | 10.00 | | 2.00 |
| Standard Enoree Acid Phosphate and Potash. | 10.00 | | 2,00 |
| Standard Ashepoo Fertilizer | 9.00 | 1.85 | 1.00 |
| Standard Eutaw Fertilizer | 9.00 | 1.85 | 1.00 |
| Standard B. D. Sea Food Guano | 9.00 | 1.85 | 1.00 |
| Standard Br. 12. Sea Food Guano: | 9.00 | 1.85 | 1.00 |
| Standard Quinnipiac Pine Island Ammoniated | | | |
| Superphosphate Standard Cumberland Bone Superphosphate | 9.00 | 1.85 | 1.00 |
| of Lime | 9.00 | 1.85 | 1.00 |
| , Standard Americus Ammoniated Bone Super- | 0.00 | 1.85 | 1.00 |
| phosphate | 9.00 | 1.65 | 2.00 |
| Standard Entaw Guano | 9.00 | | 2.00 |
| Standard Eutaw XX Guano | 9.00 | 1.65 | 2.00 |
| Standard Ashepoo Guano | 9.00 | 1.65 | ∪∪ |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Standard Soluble Pacific Guano | 9.00 | 1.65 | 2.00 |
| | 9.00 | $\frac{1.65}{1.65}$ | 1.00 |
| Standard Ashepoo Guano | | | |
| High Grade Bradley's Guano | 8.00 | 3.29 | 4.00 |
| High Grade Ashepoo Guano | 8.00 | 3.29 | 4.00 |
| Guano | 8.00 | 2.46 | 4.00 |
| High Grade Eutaw Fertilizer | | $\frac{2.46}{2.46}$ | |
| | 8.00 | | 4.00 |
| High Grade Bradley's Guano | 8.00 | 2.46 | 3.00 |
| High Grade Pacific Fertilizer | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Cotton Fertilizer | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Bird and Fish Guano | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Meal Mixture High Grade Ashepoo Golden Tobacco Pro- | 8.00 | 2.46 | 3.00 |
| ducer | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Fertilizer | | 2.46 | |
| | 8.00 | | 3.00 |
| Standard Ashepoo Meal Guano | 8.00 | 2.46 | 2.00 |
| Standard Ashepoo Guano | 8.00 | 2.06 | 2.00 |
| Standard Eutaw Guano | 8.00 | 2.06 | 2.00 |
| Standard Ashepoo Fertilizer | 8.00 | 1.65 | 2.00 |
| Standard Bradley's Guano | 8.00 | 1.65 | 2.00 |
| Standard Brownwood Potash Acid Phosphate. | 8.00 | | 4.00 |
| Sulphate of Ammonia | | 14.81 | |
| Muriate of Potash | | | 45.00 |
| Sulphate of Potash | | | 45.00 |
| German Kainit | | | 12.00 |
| German Kannt | • • • • | | 12.00 |
| Atlanta Milling Co., Atlanta, Ga.— | | | |
| | | | |
| Cotton-seed Meal | | 7.50 | |
| The Atlantic Chemical Corporation, Norfolk, Va.— | | | |
| • | 04 50 | 0.51 | |
| Pure Raw Bone MealTotal | 21.50 | 3.71 | |
| Acco Thomas Phosphate | 18.00 | | |
| phate | 16.00 | | |
| Atlantic 14 Per Cent Acid Phosphate | 14.00 | | |
| Atlantic Dissolved Bone | 13.00 | | |
| | | 1.02 | 2.00 |
| Atlantic Corn Special | 12.00 | | 2.00 |
| Atlantic Acid Phosphate | 12.00 | | |
| Atlantic 11 and 5 Bone and Potash Mixture | 11.00 | | 5.00 |
| Atlantic 10 and 5 Bone and Potash Mixture | 10.00 | | 5.00 |
| Atlantic 10 and 4 Bone and Potash Mixture | 10.00 | | 4.00 |
| Atlantic Bone and Potash for Grain | 10.00 | | 3.00 |
| Atlantic Bone and Potash Mixture | 10.00 | | 2.00 |
| Acco Tobacco Compound | 9.00 | 2.47 | 3.00 |
| Atlantic Meal Compound | 9.00 | 2.27 | 2.00 |
| Atlantic Cotton Grower | 9.00 | 2.06 | 1.00 |
| Corona Cotton Compound | 9.00 | 1.65 | 3.00 |
| | 9.00 | 1.65 | 1.00 |
| Atlantic Special Guano | | | 3.00 |
| Atlantic Grain Guano | 9.00 | .82 | |
| Atlantic Fish Guano | 9.00 | .82 | $\frac{3.00}{2.00}$ |
| Atlantic Special 1-9-2 Guano | 9.00 | .82 | |
| Atlantic 4-8-5 Special Tobacco Grower | 8.00 | 3.30 | 5.00 |
| Atlantic Special Truck Guano | 8.00 | 3.30 | 4.00 |
| Oriental High Grade Guano | # S.00 | 3.30 | 4.00 |
| Paloma Tobacco Guano | 8.00 | 3.30 | 4.00 |
| Pitt County Light Tobacco Special | 8.00 | 2.47 | 5.00 |
| Boone's Special | 8.00 | 2.47 | 4.00 |
| Atlantic High Grade Tobacco Guano | 8.00 | 2.47 | 3.00 |
| | | | |

THE BULLETIN.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|--------------|---------|
| Atlantic High Grade Cotton Guano | 8.00. | 2.47 | 3.00 |
| Atlantic Tobacco Grower | 8.00 | 2.06 | 3.00 |
| Atlantic Tobacco Compound | 8.00 | 2.06 | 2,00 |
| Atlantic Special Wheat Fertilizer | 8.00 | 1.65 | 2,00 |
| Atlantic Soluble Guano | 8.00 | 1.65 | 2.00 |
| Atlantic Soluble Guano for Tobacco | 8,00 | 1.65 | 2.00 |
| Apex Peanut Grower | 8.00 | 1.02 | 4.00 |
| Atlantic 8 and 5 Bone and Potash Mixture | 8.00 | | 5.00 |
| Atlantic 8 and 4 Bone and Potash Mixture | 8.00 | | 4.00 |
| Atlantic 7 Per Cent Truck Guano | 7.00 | 5.77 | 7.00 |
| Atlantic Potato Guano | 7.00 | 4.12 | 5.00 |
| Perfection Peanut Grower | 7.00 | | 5.00 |
| Atlantic Special Potato Guano | 6.00 | 4.12 | 7.00 |
| Atlantic 2-6-5 Special | 6.00 | 1.65 | 5.00 |
| Atlantic Side Dresser | 4.00 | 8.22 | 4.00 |
| Atlantic Special Top Dresser | 4.00 | 6.18 | 2.50 |
| Nitrate of Soda | | 15.22 | |
| Atlantic Top Dresser | | 7.42 | 3.00 |
| Cotton-seed Meal | | 6.17 | |
| Sulphate of Potash | | | 48.00 |
| Muriate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Atlantic Fertilizer Co., Atlanta, Ga | | | |
| Atlantic Acid and Potash Mixture H. G | 12.00 | | 6.00 |
| Atlantic Acid and Potash Mixture H. G | 10.00 | | 5.00 |
| | | | |
| Baltimore Fertilizer Co., Baltimore, Md.— | | | |
| Honest Acid Phosphate | 16.00 | | |
| Honest Acid Phosphate | 14.00 | | |
| Honest Bone and Potash | 10.00 | | 2.00 |
| Honest 4-8-5 | 8.00 | 3.20 | -5.00 |
| Honest Sweet Potato Grower | 8.00 | 2.40 | 4.00 |
| Honest Cotton Grower | 8.00 | 2.40 | 3.00 |
| Honest Ammoniated Bone | 8.00 | 1.60 | 2.00 |
| Honest Dixie Trucker | 6.00 | 4.00 | 7.00 |
| Honest Trucker | 6.00 | 4.00 | 5.00 |
| Baugh & Sons Co., Phila., Pa., and Norfolk, Va.— | | | |
| Baugh's Raw Bone Meal, Warranted Pure, | | | |
| Total | 21.50 | 3.70 | |
| Baugh's 16 Per Cent Acid Phosphate Baugh's Pure Bone and Muriate of Potash | 16.00 | | |
| MixtureTotal | 15.00 | 2.47 | 5.00 |
| Baugh's High Grade Acid Phosphate | 14.00 | | |
| Baugh's Pure Dissolved Animal Bones | 13.00 | 2.06 | |
| Baugh's 12 and 5 Phosphate and Potash | 12.00 | | 5.00 |
| Baugh's High Grade Cotton and Truck Guano | 10.00 | 1.65 | 2.00 |
| Baugh's 10 and 8 Phosphate and Potash | 10.00 | | 8.00 |
| Baugh's 10 and 4 Phosphate and Potash Mix- | 10.00 | | 4.00 |
| Paraliz Calubla Alledina Canowhanhata | | | 2.00 |
| Baugh's Soluble Alkaline Superphosphate | $\frac{10.00}{9.00}$ | .82 | 2.00 |
| Baugh's Grain and Grass Grower | 8.00 | يەت. 3.30 | 10.00 |
| Baugh's H. G. Potato Grower | 8.00 | 3,30 | 4.00 |
| Baugh's Fish, Bone and Potash | 8.00 | 3.30 | 4.00 |
| Baugh's Yucatan Special Tobacco Guano | 8.00 | 2.47 | 10.00 |
| Baugh's Fruit and Berry Guano | 8.00 | ±.4.4 | 10.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Baugh's Special Tobacco Guano | 8.00 | 2.47 | 5.00 |
| Baugh's Grand Rapids High Grade Guano Baugh's Sweet Potato Guano for Sweet Po- | 8.00 | 2.47 | 3.00 |
| tatoes | 8.00 | 2.47 | 3.00 |
| Baugh's High Grade Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Baugh's Complete Animal Base Fertilizer | 8.00 | 1.65 | 5.00 |
| Baugh's Fish Mixture | 8.00 | 1.65 | 2.00 |
| Baugh's Animal Base and Potash Compound | 0.00 | 4.00 | 2.000 |
| for All Crops | 8.00 | 1.65 | 2.00 |
| Grass | 8.00 | 1.65 | 2.00 |
| Baugh's Southern States Excelsior Guano Baugh's Southern States Guano for Bright | 8.00 | 1.00 | 3.00 |
| Tobacco | 7.00 | 2.88 | 7.00 |
| Baugh's Potato and Truck Special | 7.00 | 2.88 | 7.00 |
| Baugh's Strawberry Mixture | 7.00 | 2.47 | 5.00 |
| Baugh's Fine Ground FishTotal | 6.87 | 8.23 | |
| Baugh's 7 Per Cent Potato Guano | 6.00 | 5.76 | 5.00 |
| Baugh's P. P. P. Plentiful Potato | 6.00 | 4.94 | 6.00 |
| Baugh's Peruvian Guano Substitute for Pota- | | | |
| toes for All Vegetables | 6.00 | 4.12 | 7.00 |
| Baugh's Farmers' Friend Guano | 6.00 | 4.12 | 7.00 |
| Baugh's New Process 10 Per Cent Guano | 5.00 | 8.23 | 2.50 |
| Baugh's Special Potato Manure | 5.00 | 1.65 | 10.00 |
| H. G. TankageTotal | 4.00 | 6.58 | |
| Sulphate of Ammonia | | 20.57 | |
| Nitrate of Soda | | 15.63 | |
| Fine Ground Dried Blood | | 13.17 | |
| Baugh's Soluble Top Dresser for All Crops | | 8.23 | 3.00 |
| Muriate of Potash | | | 50.00 |
| High Grade Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.40 |
| The Berkley Chemical Co., Norfolk, Va.— | | | |
| Pure Ground BoneTotal | 20.00 | 3.70 | |
| Resolute Acid Phosphate | 16.00 | | |
| Berkley Acid Phosphate | 14.00 | | |
| Berkley 12-5 Bone and Potash | 12.00 | | 5.00 |
| Berkley Bone and Potash Mixture | 11.00 | | 2.00 |
| Berkley Plant Food | 10.00 | | 4.00 |
| Laurel Potash Mixture | 10.00 | | 2.00 |
| Monitor Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Select Crop Grower | 8.50 | 2.06 | 2.50 |
| Victory Special Crop Grower | 8.00 | 3,29 | 4.00 |
| Berkley H. G. Tobacco Grower | 8.00 | 3.29 | 4.00 |
| Berkley Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Advance Crop Grower | 8.00 | 2.47 | 3.00 |
| Brandon Superphosphate | 8.00 | 1.65 | 2.00 |
| Long Leaf Tobacco Grower | 8.00 | 1.65 | 2.00 |
| Berkley Peanut and Grain Grower | 8.00 | 1.00 | 4.00 |
| Superior Bone and Potash | 8.00 | | 4.00 |
| Mascot Truck Guano | 7.00 | 4.11 | 5.00 |
| Royal Truck Grower | 6.00 | 5.76 | 5.00 |
| The Leader of the World | 5.00 | 3.29 | 5.00 |
| Berkley Top Dresser | 4.00 | 8.23 | 2.00 |
| Nitrate of Soda | | 15.00 | |
| Dry Ground Fish | • • • • | 8.23 | |
| Special Top Dresser | • • • • | 7.41 | 3.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|------------------|
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| | | | 12.00 |
| Beta Fertilizer Co., Beta, N. C | | | |
| Beta Grass and Grain Fertilizer | 10.00 | | 2.00 |
| Beta Potato and Truck | 8.00 | 4.00 | 7.00 |
| Beta Fertilizer | 8.00 | 4.00 | 4.00 |
| Beta Special Corn Grower | 8.00 | 3.00 | 5.00 |
| Beta Special Cotton | 8.00 | 3.00 | 3.00 |
| Beta Regulator Corn Grower | 8.00 | 2.00 | 2.00 |
| Beta Special Lawn | 4.00 | 2.00 | 2.00 |
| S. T. Beveridge & Co., Richmond, Va | | | |
| Beveridge's Raw Ground Bone MealTotal | 20.00 | 3.70 | |
| Beveridge's Thomas or Basic SlagTotal | 20,00 | 5.10 | |
| Beveridge's Thomas or Basic SlagTotal | 17.00 | | |
| beverages from as of these stag for at | 11.00 | • • • • | |
| Blackstone Guano Co., Inc., Blackstone, Va | | | |
| Clover Leaf 16 Per Cent Phosphate | 16.00 | | |
| Bone and Phosphate Half and Half | 15.00 | 1.65 | |
| Bla. G. Co., Inc., Acid Phosphate | 14.00 | | |
| Clover Leaf for Grain | 13.00 | 1.03 | 1.00 |
| Dissolved Bone | 10.00 | 1.03 | 1.00 |
| B. G. Co., Inc., Bone and Potash | 10.00 | | 4.00 |
| B. G. Co., Inc., Bone and Potash | 10.00 | | 2.00 |
| Blackstone Special for Tobacco | 9.00 | 2.47 | 3.00 |
| Old Bellefonte | 8.00 | 3.30 | 2.00 |
| Clover Leaf for Tobacco | 8.00 | 2.47 | 3.00 |
| Tobacco Special | 8.00 | 2.47 | 3.00 |
| Wrapper Brand | 8.00 | 2.47 | 3.00 |
| Jim Crow for Tobacco | 8.00 | 2.47 | 3.00 |
| Bellefoute | 8.00 | 2.47 | 2.00 |
| Hard Cash for Tobacco | 8.00 | 2.06 | 2.00 |
| Carolina Special for Tobacco | 8.00 | 1.65 | 4.00 |
| Standard Guano | 8.00 | 1.65 | 2.00 |
| Red Letter for Tobacco | 8.00 | 1.65 | 2.00 |
| Alliance for Tobacco | 8.00 | 1.65 | $\frac{1}{2.00}$ |
| Leader for Tobacco | 8.00 | 1.65 | 2.00 |
| Peanut Special | 8.00 | 1.03 | 6.00 |
| Material for Special Order | | 4.95 | |
| Bowker Fertilizer Co., Baltimore, Md., and Boston, Mass.— | | | |
| 16 Per Cent Dissolved Bone Phosphate | 16.00 | | |
| Bowker's Soluble Phosphate | 14.00 | | |
| Golden Harvest Fertilizer | 12.00 | | 5.00 |
| Imperial Alkaline Phosphate | 10.00 | | 4.00 |
| Superphosphate with Potash for Grass and | | | |
| Grain | 10.00 | * | 2.00 |
| Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Blood, Bone and Fish | 8.00 | 3.29 | 4,00 |
| Sure Crop Cotton-seed Meal Compound | 8.00 | 3.29 | 4.00 |
| Bowker's Red Oak Tobacco Fertilizer | 8.00 | 2.47 | 7.00 |
| Bowker's White Star Compound | 8.00 | 2.47 | 4,00 |
| Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Eureka Cotton Compound | 8.00 | 2.47 | 3.00 |

| N AN AN AN AN | Avail. | 2711 | |
|--|-----------------------|---------------------|---------------------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| Excelsior C. S. M. Mixture | 8.00 | 1.65 | 2.00 |
| Empire Standard | 8.00 | 1.65 | 2.00 |
| Corn and Grain Grower | 8.00 | .82 | 4.00 |
| Southern Special Compound | 7.00 | $\frac{3.29}{3}$ | 5.00 |
| Bowker's 7 Per Cent Potato Guano | 6.00 | 5.76 | 5.00 |
| H. G. Top Dresser | • • • • | 7.41 | 3.00 |
| Boykin Chemical and Fertilizer Co., Baltimore, Md | _ | | |
| Boykin Top Dresser | | 7.41 | 3.00 |
| | | | |
| H. P. Brown Guano Co., Salisbury, N. C.— | 00.00 | | |
| Brown's Ground Rock PhosphateTotal | 28.00 | 2.70 | |
| Brown's 21½-4½ Bone Meal | $\frac{21.05}{20.00}$ | 3.70 | 12.00 |
| Brown's 20-8 Bone and Potash | 20.00 | | 8.00 |
| Brown's Thomas Phosphate17.00 t | | | |
| Brown's 16 Per Cent Acid Phosphate | 16.00 | | |
| Brown's 14 Per Cent Acid Phosphate | 14.00 | | |
| Brown's Dissolved Animal Bone | 13.00 | 2.06 | |
| Brown's 13 Per Cent Acid Phosphate | 13.00 | | |
| Brown's 12-6 Bone and Potash | 12.00 | | 6.00 |
| Brown's 12-5 Bone and Potash | 12.00 | | 5.00 |
| Brown's 12-4 Bone and Potash | 12.00 | | 4.00 |
| Brown's 12-3 Bone and Potash | 12.00 | | 3.00 |
| Brown's 12 Per Cent Acid Phosphate | 12.00 | | |
| Brown's 11-5 Bone and Potash | 11.00 | | 5.00 |
| Brown's 10-4-4 Guano | 10.00 | 3.29 | 4.00 |
| Brown's 10-3-3 Guano | 10.00 | 2.47 | 3.00 |
| Brown's 10-2-2 Guano | 10.00 | 1.65 | 2.00 |
| Brown's 10-1¼-6 Guano | 10.00 | 1.03 | 6.00 |
| Brown's 10-6 Bone and Potash | 10.00 | | 6.00 |
| Brown's 10-5 Bone and Potash | $10.00 \\ 10.00$ | | $\frac{5.00}{4.00}$ |
| Brown's 10-4 Bone and Potash | 10.00 | • • • • | 3.00 |
| Brown's 10-2 Bone and Potash | 10.00 | | 2.00 |
| Brown's 9-3-3 Guano | 9.00 | 2.47 | 3.00 |
| Brown's 9-2%-2 Guano | 9.00 | 2.26 | 2.00 |
| Brown's 9-214-4 Guano | 9.00 | 1.85 | 4.00 |
| Brown's 9-2-3 Guano | 9.00 | 1.65 | 3.00 |
| Brown's 9-1-3 Guano | 9.00 | .82 | 3.00 |
| Brown's 8-4½-7 Guano | 8.00 | 3.71 | 7.00 |
| Brown's S-4½-7 Tobacco Guano | 8.00 | 3.71 | 7.00 |
| Brown's 8-4-6 Guano | 8.00 | 3.29 | 6.00 |
| Brown's 8-4-6 Tobacco Guano | 8.00 | 3.29 | 6,00 |
| Brown's 8-4-4 Guano | 8.00 | 3.29 | 4.00 |
| Brown's 8-3-5 Guano | 8.00 | 2.47 | 5.00 |
| Brown's 8-3-5 Tobacco Guano | 8.00 | 2.47 | 5.00 |
| Brown's 8-3-3 Guano | 8.00 | 2.47 | 3.00 |
| Brown's 8-3-3 Tobacco Guano | 8.00 | $\frac{2.47}{2.06}$ | 3.00 |
| Brown's 8-24/2-3 Guano Brown's 8-24/2-3 Tobacco Guano | 8.00 8.00 | $\frac{2.06}{2.06}$ | $\frac{3.00}{3.00}$ |
| Brown's 8-21/2-2 Guano | 8.00 | $\frac{2.00}{2.06}$ | $\frac{3.00}{2.00}$ |
| Brown's 8-2½-2 Tobacco Guano | 8.00 | 2.06 | $\frac{2.00}{2.00}$ |
| Brown's 8-2-10 Guano | 8.00 | 1.65 | 10.00 |
| Brown's 8-2-3 Guano | 8.00 | $\frac{1.65}{1.65}$ | 3.00 |
| Brown's 8-2-2 Guano | 8.00 | 1.65 | 2.00 |
| Brown's 8-2-2 Tobacco Guano | 8.00 | 1.65 | $\frac{1}{2.00}$ |
| Brown's 8-1-4 Guano | 8.00 | .82 | 4.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------------------|---------------------|
| D. Joseph C. 1. 1. Crops | 8.00 | .82 | 3,00 |
| Brown's S-1-3 Guano | 8.00 | ٠٠٠٠ | 5,00 |
| Brown's 8-5 Bone and Potash | 8.00 | | 4.00 |
| | 7.00 | 5.76 | 7.00 |
| Brown's 7-7-7 Guano | 7.00 | $\frac{3.10}{4.12}$ | 8.00 |
| Brown's 7-5-8 Guano | 7.00 | 4.12 | 5.00 |
| Brown's 7-5-5 Guano | | 3.29 | 5.00 |
| Brown's 7-4-5 Guano | 7.00 | | 2.00 |
| Brown's 4-7½-2 Top Dresser | 4.00 | $\frac{8.17}{8.24}$ | |
| Brown's Fish Scrap | | | |
| Brown's Nitrate of Soda | | 15.00 | |
| Brown's Dried Blood | | $\frac{13.00}{12.00}$ | |
| Brown's 12 Per Cent Kainit | | | 2.00 |
| Brown's Top Dresser | | 7.40 | 3.00 |
| Brown's Cotton-seed Meal | | 6.17 | |
| Brown's 7 Per Cent Tankage | | 5.76 | 10.00 |
| Brown's Muriate of Potash | | | 48.00 |
| Brown's Sulphate of Potash | | | 48.00 |
| C. J. Burton Guano Co., Baltimore, Md.— | | | |
| Burton's 16 Per Cent Acid Phosphate | 16.00 | | |
| Burton's 14 Per Cent Acid Phosphate | 14.00 | | |
| Burton's Alkaline | 10.00 | | 4.00 |
| Burton's Potash Mixture | 10.00 | | 2.00 |
| Burton's High Grade Tobacco | 8.00 | 3,29 | 4.00 |
| Burton's Best | 8.00 | 2.47 | 3.00 |
| Tobacco Queen | 8.00 | 2.47 | 3.00 |
| Burton High Grade | 8.00 | 2.06 | 3,00 |
| Burton's Butcher Bone | 8.00 | 1.65 | 2.00 |
| Caraleigh Phosphate and Fertilizer Works, Raleigh, N. C.— | | | |
| Raw Bone MealTotal | 45.00 | 3.70 | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Climax Dissolved Bone | 14.00 | | |
| Sterling Acid Phosphate | 13.00 | | |
| Staple Acid Phosphate | 12.00 | | |
| Horne & Son's High Grade Bone and Potash. | 11.00 | | -5.00 |
| Special Bone and Potash Mixture | 10.00 | | 4.00 |
| Morris & Scarboro's Special Bone and Potash. | 10.00 | | 3.00 |
| Electric Bone and Potash Mixture | 10.00 | | 2.00 |
| Pacific Tobacco and Cotton Grower | 9.00 | 2.26 | 2.00 |
| Rhamkatte Special Tobacco Guano | 8.00 | 3.29 | 6.00 |
| Special 8-4-4 | 8.00 | 3.39 | 4.00 |
| Caraleigh Meal and Tankage Mixture | 8.00 | 3.29 | 4.00 |
| Horne's Best | 8.00 | 2.47 | 3.00 |
| Eclipse Ammoniated Guano | 8.00 | 2.47 | 3.00 |
| Caraleigh Formula for Tobacco | 8.00 | 2.47 | 3.00 |
| Planter's Pride | 8.00 | 2.06 | 3.00 |
| Caraleigh Special Tobacco Guano | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Eli Ammoniated Fertilizer | 8.00 | 1.65 | 2.00 |
| Crown Ammoniated Guano | 8.00 | 1.65 | $\frac{2.00}{2.00}$ |
| Comet Guano | 8.00 | .82 | 3.00 |
| Buncombe Corn Grower | 8.00 | ده. | 4.00 |
| Buncombe Wheat Grower | 8.00 | | 4.00 |
| | 3.00 | 8.23 | 4.00 |
| Caraleigh Top Dresser | | 8.25 15.63 | |
| Nitrate of Soda | | 13.16 | |
| Dried Blood | | 9.04 | |
| Kanona Tankage | • • • • | 9.04 | |

| Ground Fish | Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid | Nitrogen. | Potash. |
|---|---|-------------------------|-----------|---------|
| Sulphate of Potash | Ground Fish | | 8.82 | |
| Carolina Union Fertilizer Co., Norfolk, Va.— Carolina Union Raw Bone Meal | | | | |
| Carolina Union Fertilizer Co., Norfolk, Va.— Carolina Union Raw Bone Meal | Muriate of Potash | | | 50.00 |
| Carolina Union Raw Bone Meal Total 21,00 3.71 Carolina Union 16 Per Cent. 16,00 Carolina Union 14 Per Cent. 14,00 Carolina Union 12-5 12,00 Carolina Union 10-5 10,00 Carolina Union 10-1 10,00 Carolina Union 10-4 10,00 Carolina Union 10-2 10,00 Carolina Union 10-2 9,00 .82 2,00 Carolina Union 1-9-2 9,00 82 2,00 Carolina Union 1-8-4 8,00 3,30 4,00 Carolina Union 1-8-3 8,00 2,47 3,00 Carolina Union 3-8-3 8,00 2,47 3,00 Carolina Union 2½-8-3 8,00 2,00 2,00 Carolina Union 18-4 8,00 82 4,00 Carolina Union 18-4 14,85 14,85 Muriate of Potash 5,000 825 2,00 Nitrate of Soda 14,85 14,85 Muriate of Potash 5,000 8,25 2,00 Catawba High Grade Acid Phosphate 16,00 Catawba High Grade Acid Phosphate 14,00 Catawba Acid and Potash 12,00 Catawba Acid and Potash 12,00 Catawba Acid and Potash 12,00 Catawba Ference 10,00 1,65 5,00 Catawba Climax 10,00 1,65 5,00 Catawba Climax 10,00 1,65 5,00 Catawba Acid and Potash 10,00 1,65 5,00 Catawba Acid and Potash 10,00 1,65 5,00 Catawba Acid and Potash 10,00 1,65 2,00 Catawba Climax 10,00 1,65 2,00 Catawba Regulator 8,00 3,29 4,00 Catawba Regulator 8,00 3,29 4,00 | | | | 12.00 |
| Carolina Union 16 Per Cent. 14,00 Carolina Union 14 Per Cent. 14,00 Carolina Union 12-5. 12,00 Carolina Union 10-5. 10,00 Carolina Union 10-5. 10,00 Carolina Union 10-1. 10,00 Carolina Union 10-2. 10,00 Carolina Union 10-2. 10,00 Carolina Union 10-2. 10,00 Carolina Union 10-2. 9,00 .82 2,00 Carolina Union 1-9-2. 9,00 .82 2,00 Carolina Union 1-9-2. 9,00 .82 2,00 Carolina Union 1-8-4. 8,00 3,30 4,00 Carolina Union 24-5-8 8,00 2,06 3,00 4,00 Carolina Union 24-5-8 8,00 2,06 3,00 Carolina Union 24-5-8 8,00 2,06 3,00 Carolina Union 10-2-2 8,00 8,2 4,00 Carolina Union 10-2-2 2,00 8,25 2,00 Carolina Union 10-2-2 Muriate of Potash Muriate of Potash Genuine German Kainit Catawba High Grade Acid Phosphate Catawba High Grade Acid Phosphate Catawba High Grade Acid Phosphate Catawba Acid and Potash Catawba Acid and Potash Catawba Erreners' King Catawba Ferreners' King Catawba Ferreners' King Catawba Grain King Catawba Grain King Catawba Grain King Catawba Gold Medal Catawba Gold Medal 9,00 2,47 7,00 Catawba Gold Medal 9,00 2,47 7,00 Catawba Gold Medal 9,00 2,47 7,00 Catawba Regulator 8,00 3,29 4,00 Catawba Regulator 8,00 3,29 4,00 Catawba Regulator 8,00 3,29 4,00 Catawba High Grade Regulator 8,00 3,29 4,00 Catawba High King 8,00 3,29 4,00 Catawba High King 8,00 3,29 4,00 Catawba High King 8,00 3,29 4,00 Catawba Regulator . | Carolina Union Fertilizer Co., Norfolk, Va | | | |
| Carolina Union 16 Per Cent. 14,00 Carolina Union 14 Per Cent. 14,00 Carolina Union 12-5. 12,00 Carolina Union 10-5. 10,00 Carolina Union 10-5. 10,00 Carolina Union 10-1. 10,00 Carolina Union 10-2. 10,00 Carolina Union 10-2. 10,00 Carolina Union 10-2. 10,00 Carolina Union 10-2. 9,00 .82 2,00 Carolina Union 1-9-2. 9,00 .82 2,00 Carolina Union 1-9-2. 9,00 .82 2,00 Carolina Union 1-8-4. 8,00 3,30 4,00 Carolina Union 24-5-8 8,00 2,06 3,00 4,00 Carolina Union 24-5-8 8,00 2,06 3,00 Carolina Union 24-5-8 8,00 2,06 3,00 Carolina Union 10-2-2 8,00 8,2 4,00 Carolina Union 10-2-2 2,00 8,25 2,00 Carolina Union 10-2-2 Muriate of Potash Muriate of Potash Genuine German Kainit Catawba High Grade Acid Phosphate Catawba High Grade Acid Phosphate Catawba High Grade Acid Phosphate Catawba Acid and Potash Catawba Acid and Potash Catawba Erreners' King Catawba Ferreners' King Catawba Ferreners' King Catawba Grain King Catawba Grain King Catawba Grain King Catawba Gold Medal Catawba Gold Medal 9,00 2,47 7,00 Catawba Gold Medal 9,00 2,47 7,00 Catawba Gold Medal 9,00 2,47 7,00 Catawba Regulator 8,00 3,29 4,00 Catawba Regulator 8,00 3,29 4,00 Catawba Regulator 8,00 3,29 4,00 Catawba High Grade Regulator 8,00 3,29 4,00 Catawba High King 8,00 3,29 4,00 Catawba High King 8,00 3,29 4,00 Catawba High King 8,00 3,29 4,00 Catawba Regulator . | Carolina Union Raw Bone MealTotal | 21.00 | 3.71 | |
| Carolina Union 12-5. 12.00 5.00 Carolina Union 10-4. 10.00 5.00 Carolina Union 10-2. 10.00 2.00 Carolina Union 24-9-4 Guano 9.00 1.85 4.00 Carolina Union 1-9-2. 9.00 8.2 2.00 Carolina Union 1-8-4. 8.00 3.0 4.00 Carolina Union 38-3. 8.00 2.47 3.00 Carolina Union 21/2-8-3. 8.00 2.06 3.00 Carolina Union 1-8-4. 8.00 2.6 3.00 Carolina Union 10-2-2. 2.00 8.25 2.00 Nitrate of Soda 14.85 Muriate of Potash 50.00 50.00 Genuine German Kainit 12.00 Catawba High Grade Acid Phosphate 16.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Special 10.00 1.65 2.00 Catawba Climax 10.00 1.65 <td></td> <td>16.00</td> <td></td> <td></td> | | 16.00 | | |
| Carolina Union 12-5. 12.00 5.00 Carolina Union 10-4. 10.00 5.00 Carolina Union 10-2. 10.00 2.00 Carolina Union 24-9-4 Guano 9.00 1.85 4.00 Carolina Union 1-9-2. 9.00 8.2 2.00 Carolina Union 1-8-4. 8.00 3.0 4.00 Carolina Union 38-3. 8.00 2.47 3.00 Carolina Union 21/2-8-3. 8.00 2.06 3.00 Carolina Union 1-8-4. 8.00 2.6 3.00 Carolina Union 10-2-2. 2.00 8.25 2.00 Nitrate of Soda 14.85 Muriate of Potash 50.00 50.00 Genuine German Kainit 12.00 Catawba High Grade Acid Phosphate 16.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Special 10.00 1.65 2.00 Catawba Climax 10.00 1.65 <td></td> <td>14.00</td> <td></td> <td></td> | | 14.00 | | |
| Carolina Union 10-5. 10.00 5.00 Carolina Union 10-4. 10.00 | | | | |
| Carolina Union 10-4. 10.00 4.00 Carolina Union 10-2. 10.00 2.00 Carolina Union 24/-9-4 Guano 9.00 1.85 4.00 Carolina Union 1-9-2. 9.00 82 2.00 Carolina Union 3-8-3. 8.00 2.37 3.00 Carolina Union 24/8-8. 8.00 2.47 3.00 Carolina Union 1-8-4. 8.00 8.2 4.00 Carolina Union 1-8-4. 8.00 82 4.00 Carolina Union 10-2-2. 2.00 8.25 2.00 Nitrate of Soda 14.85 14.85 14.85 Muriate of Potash 50.00 50.00 Genuine German Kainit 12.00 50.00 Catawba High Grade Acid Phosphate 16.00 16.00 Catawba High Grade Acid Phosphate 14.00 16.00 Catawba Acid and Potash 12.00 4.00 Catawba Acid and Potash 12.00 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Farmers' King 10.00 | | | | 5.00 |
| Carolina Union 10-2. 10.00 | Carolina Union 10-4 | 10.00 | | 4.00 |
| Carolina Union 24-9-4 Guano 9.00 82 2.00 Carolina Union 1-9-2 9.00 82 2.00 Carolina Union 3-8-3 8.00 3.30 4.00 Carolina Union 24-8-3 8.00 2.46 3.00 Carolina Union 18-4 8.00 82 4.00 Carolina Union 10-2-2 2.00 825 2.00 Nitrate of Soda 14.85 14.85 14.85 Muriate of Potash 50.00 50.00 6enuine German Kainit 12.00 Catawba High Grade Acid Phosphate 16.00 16.00 16.00 16.00 Catawba High Grade Acid Phosphate 14.00 16.00< | | | | 2.00 |
| Carolina Union 1-9-2. 9.00 82 2.00 Carolina Union 48-4. 8.00 3.30 4.00 Carolina Union 3-8-3. 8.00 2.47 3.00 Carolina Union 125-8.3 8.00 2.06 3.00 Carolina Union 1-8-4. 8.00 82 4.00 Carolina Union 10-2-2. 2.00 8.25 2.00 Nitrate of Soda 14.85 50.00 50.00 Genuine German Kainit 12.00 50.00 Catawba High Grade Acid Phosphate 16.00 6.00 Catawba High Grade Acid Phosphate 14.00 6.00 Catawba Acid and Potash 12.00 5.00 Catawba Acid and Potash 12.00 5.00 Catawba Special 10.00 1.65 5.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 5.00 Catawba Grain King 10.00 1.65 5.00 Catawba Grain King 10.00 4.00 6.0 4.00 | Carolina Union 2 ¹ 4-9-4 Guano | 9.00 | | 4.00 |
| Carolina Union 4-8-4. 8.00 3.30 4.00 Carolina Union 3-8-3. 8.00 2.47 3.00 Carolina Union 245-8-3. 8.00 1.65 2.00 Carolina Union 1-8-4. 8.00 8.2 4.00 Carolina Union 10-2-2. 2.00 8.25 2.00 Nitrate of Soda 14.85 50.00 Genuine German Kainit 12.00 Catawba High Grade Acid Phosphate 16.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 5.00 Catawba Acid and Potash 12.00 5.00 Catawba Special 10.00 3.29 4.00 Catawba Parmers' King 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 8.2 4.00 Catawba Grain King 10.00 8.2 4.00 Catawba Acid and Potash 10.00 8.2 4.00 | | 9.00 | .82 | 2.00 |
| Carolina Union 3:8-3. 8.00 2.47 3.00 Carolina Union 2½:8-3 8.00 2.06 3.00 Carolina Union 10:4. 8.00 82 4.00 Carolina Union 10:2. 2.00 8.25 2.00 Nitrate of Soda 14.85 50.00 Muriate of Potash 50.00 Genuine German Kainit 12.00 Catawba High Grade Acid Phosphate 16.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Special 10.00 Catawba Farmers' King 10.00 Catawba Preference 10.00 Catawba Preference 10.00 Catawba Acid and Potash 10.00 Catawba Grain King 10.00 Catawba Acid and Potash 10.00 Catawba Grain King 10.00 Catawba Grain King 10.00 Catawba Grain King 10.00 Catawba Farmers' Special 9.00 Catawba Regulator 8.00 < | | 8.00 | 3.30 | 4.00 |
| Carolina Union 2½-8-3. 8.00 1.65 2.00 Carolina Union 1-8-4. 8.00 1.65 2.00 Nitrate of Soda 14.85 Muriate of Potash 50.00 Genuine German Kainit 12.00 Catawba High Grade Acid Phosphate 14.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 2.00 Catawba Acid and Potash 10.00 2.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9 | | | 2.47 | 3.00 |
| Carolina 2-8-2 8.00 1.65 2.00 Carolina Union 1-8-4 8.00 82 4.00 Carolina Union 10-2-2 2.00 8.25 2.00 Nitrate of Soda 14.85 Muriate of Potash 50.00 Genuine German Kainit 12.00 Catawba Fertilizer Co., Lancaster, S. C.— Catawba High Grade Acid Phosphate 14.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 4.00 Catawba Gold Medal 10.00 4.00 Catawba Gold Medal 9.00 2.47 7.0 | | | | 3.00 |
| Carolina Union 10-2-1 2.00 8.25 2.00 Carolina Union 10-2-2 2.00 8.25 2.00 Nitrate of Soda 14.85 Muriate of Potash 50.00 Genuine German Kainit 12.00 Catawba High Grade Acid Phosphate 16.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 .5.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Preference 10.00 3.29 4.00 Catawba Preference 10.00 1.65 5.00 Catawba Grin King 10.00 1.65 2.00 Catawba Acid and Potash 10.00 .82 4.00 Catawba Acid and Potash 10.00 .82 4.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 7.00 Catawba Rejalabe 8.00 3.29 4.00 | | 8.00 | | 2.00 |
| Carolina Union 10-2-2. 2.00 8.25 2.00 Nitrate of Soda 14.85 50.00 Muriate of Potash 50.00 Genuine German Kainit 12.00 Catawba Fertilizer Co., Lancaster, S. C.— Catawba High Grade Acid Phosphate 16.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 5.00 Catawba Acid and Potash 12.00 4.00 Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Grain King 10.00 82 4.00 Catawba Acid and Potash 10.00 82 4.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Regalator 8 | | | .82 | 4.00 |
| Nitrate of Soda 14.85 Muriate of Potash 50.00 Genuine German Kainit 12.00 Catawba Fertilizer Co., Lancaster, S. C.— Catawba High Grade Acid Phosphate 16.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Ferners' King 10.00 3.29 4.00 Catawba Ferners' King 10.00 3.29 4.00 Catawba Framers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 82 4.00 Catawba Acid and Potash 10.00 2.47 7.00 Catawba Acid and Potash 10.00 2.47 7.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Gold Mickory 8.00 3.29 4.00 Catawba Regulator | | | | |
| Muriate of Potash 50.00 Genuine German Kainit 12.00 Catawba Fertilizer Co., Lancaster, S. C.— | | | | |
| Genuine German Kainit 12.00 Catawba Fertilizer Co., Lancaster, S. C.— Catawba High Grade Acid Phosphate 16.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 4.00 Catawba Acid and Potash 12.00 4.00 Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Preference 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Acid and Potash 10.00 82 4.00 Catawba Acid and Potash 10.00 82 4.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Regulator 8.00 3.29 4.00 Catawba Regulator 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 3.29 4.00 Catawba Red Rose | | | | |
| Catawba High Grade Acid Phosphate 16.00 Catawba High Grade Acid Phosphate 14.00 Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 5.00 Catawba Acid and Potash 12.00 4.00 Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 82 4.00 Catawba Acid and Potash 10.00 82 4.00 Catawba Acid and Potash 10.00 2.47 7.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 7.00 Catawba Regulator 8.00 3.29 4.00 Catawba Regulator 8.00 3.29 4.00 Catawba Relable 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 | | | | |
| Catawba High Grade Acid Phosphate 14.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Acid and Potash 12.00 Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Climax 10.00 1.65 2.00 Catawba Grain King 10.00 82 4.00 Catawba Acid and Potash 10.00 82 4.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Regulator 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Red Rose 8.00 2.47 5.00 Catawba Red Star | | | | |
| Catawba High Grade Acid Phosphate. 14.00 | | 16.00 | | |
| Catawba Acid and Potash 12.00 5.00 Catawba Acid and Potash 12.00 4.00 Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 82 4.00 Catawba Acid and Potash 10.00 2.47 7.00 Catawba Acid and Potash 10.00 2.47 7.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Regulator 8.00 3.29 4.00 Catawba Regulator 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 <td></td> <td></td> <td></td> <td></td> | | | | |
| Catawba Acid and Potash 12.00 4.00 Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 82 4.00 Catawba Acid and Potash 10.00 4.00 4.00 Catawba Acid and Potash 10.00 2.47 7.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Regulator 8.00 3.29 6.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Red Rose 8.00 2.47 5.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.47 3.00 Catawba Standard 8.00 2.05 <t< td=""><td></td><td></td><td></td><td></td></t<> | | | | |
| Catawba Special 10.00 3.29 4.00 Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 82 4.00 Catawba Acid and Potash 10.00 4.00 Catawba Acid and Potash 10.00 2.47 7.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Regulator 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 | | | | |
| Catawba Farmers' King 10.00 1.65 5.00 Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 .82 4.00 Catawba Acid and Potash 10.00 .4.00 Catawba Acid and Potash 10.00 .2.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Gold Hickory 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 | | | | |
| Catawba Climax 10.00 1.65 2.00 Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 .82 4.00 Catawba Acid and Potash 10.00 .400 Catawba Acid and Potash 10.00 .2.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Regulator 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 5.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.47 3.00 Catawba Standard 8.00 2.05 3.00 Catawba Eclipse 8.00 2.05 3.00 Catawba Economizer 8.00 1.65 2.00 Cat | | | | |
| Catawba Preference 10.00 1.65 2.00 Catawba Grain King 10.00 .82 4.00 Catawba Acid and Potash 10.00 4.00 Catawba Acid and Potash 10.00 2.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Regulator 8.00 3.29 6.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.47 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 | | | | |
| Catawba Grain King 10.00 .82 4.00 Catawba Acid and Potash 10.00 | | | | |
| Catawba Acid and Potash 10.00 4.00 Catawba Acid and Potash 10.00 2.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Dixie 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 5.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Cotom Producer 8.00 1.65 2.00 | | | | |
| Catawba Acid and Potash 10.00 2.00 Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Old Hickory 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Eclipse 8.00 2.05 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Acid and Potash 8.00 1.65 2.00 Catawba Cotton Producer 6.00 4.93 | | | | |
| Catawba Gold Medal 9.00 2.47 7.00 Catawba Farmers' Special 9.00 2.47 2.00 Catawba Old Hickory 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard 8.00 2.05 3.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Acid and Potash 8.00 1.65 2.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba Superior 4.00 6.16 2.50< | | | | |
| Catawba Farmers' Special 9.00 2.47 2.00 Catawba Old Hickory 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard 8.00 2.05 3.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Acid and Potash 8.00 1.65 2.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba Superior 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 <td></td> <td></td> <td></td> <td></td> | | | | |
| Catawba Old Hickory 8.00 3.29 6.00 Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Acid and Potash 8.00 1.65 2.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba Superior 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 <td></td> <td></td> <td>2.47</td> <td></td> | | | 2.47 | |
| Catawba Regulator 8.00 3.29 4.00 Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.05 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 1.65 2.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba Superior 4.00 6.16 2.50 | · | | | |
| Catawba Reliable 8.00 3.29 4.00 Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba Superior 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | | | |
| Catawba Electric 8.00 3.29 4.00 Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | | | |
| Catawba Farmers' Choice 8.00 2.47 5.00 Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Acid and Potash 8.00 1.65 2.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | | | |
| Catawba Red Rose 8.00 2.47 3.00 Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.05 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | | | 5.00 |
| Catawba Peerless 8.00 2.47 3.00 Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.05 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | | | 3.00 |
| Catawba Red Star 8.00 2.47 3.00 Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | | 2.47 | 3.00 |
| Catawba Champion 8.00 2.05 3.00 Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | | 2.47 | 3.00 |
| Catawba Standard Formula 8.00 2.05 3.00 Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | 8.00 | 2.05 | 3.00 |
| Catawba Standard 8.00 2.05 2.00 Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | 8.00 | 2.05 | 3.00 |
| Catawba Eclipse 8.00 1.65 2.00 Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | | | |
| Catawba Economizer 8.00 1.65 2.00 Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | 8.00 | 1.65 | 2.00 |
| Catawba Dixie 8.00 1.65 2.00 Catawba Acid and Potash 8.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | 8.00 | 1.65 | 2.00 |
| Catawba Acid and Potash 8.00 4.00 Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | 8.00 | 1.65 | 2.00 |
| Catawba Cotton Producer 6.00 4.93 5.00 Catawba H. G. Top Dresser 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | | 8.00 | | 4.00 |
| Catawba H. G. Top Dresser. 4.00 6.16 2.50 Catawba Superior 4.00 5.75 7.00 | Catawba Cotton Producer | 6.00 | 4.93 | |
| Catawba Superior | | 4.00 | 6.16 | |
| Catawba Excelsior 4.00 5.75 4.00 | Catawba Superior | | | |
| | Catawba Excelsior | 4.00 | 5.75 | 4.00 |

| | Avail. | | |
|--|----------------|---------------------|---------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| Catawba Nitrate of Soda | | 15.00 | |
| Catawba Muriate of Potash | | | 48.00 |
| Catawba Kainit | | | 12.00 |
| | | | |
| Central Phosphate Co., Mount Pleasant, Tenn.— | | | |
| Tennessee PhosphateTotal | 32.00 | | |
| Tennessee PhosphateTotal | 28.00 | | |
| Chatham Oil and Fertilizer Co., Pittsboro, N. C.— | | | |
| C. O. & F. Co. Acid Phosphate | 16.00 | | |
| C. O. & F. Co. Acid Phosphate | 14.00 | | • • • • |
| C. O. & F. Co. Bone and Potash | 10.00 | | 5.00 |
| C. O. & F. Co. Bone and Potash | 10.00 | | 2.00 |
| Chatham Corn Grower | 9.00 | 1.23 | 3.00 |
| Pittsboro High Grade | S,00 | 3.30 | 4.00 |
| High Land Tobacco Grower | 8.00 | $\frac{3.30}{2.47}$ | 3.00 |
| | S.00 S.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Pride of Chatham | | | |
| London's Special | 8.00 | 2.47 | 3.00 |
| Chatham Cotton Grower | 8.00 | 1.65 | 2.00 |
| C. O. & F. Co. German Kainit | | | 12.00 |
| The Chesapeake Chemical Co., Baltimore, Md.— | | | |
| C. C. Co.'s Dissolved Phosphate 16 Per Cent. | 16.00 | | |
| C. C. Co.'s Dissolved Phosphate 14 Per Cent. | 14.00 | | |
| C. C. Co.'s Reliable Phosphate | 10.00 | | 4.00 |
| C. C. Co.'s Celebrated Mixture | 10.00 | | 2.00 |
| C. C. Co.'s High Grade Guano | 8.00 | 3.28 | 4.00 |
| C. C. Co.'s Excelsior Fertilizer | 8.00 | 2.46 | 4.00 |
| C. C. Co.'s Fish Guano | 8.00 | 2.46 | 3.00 |
| C. C. Co.'s Ammoniated Phosphate | 8.00 | 1.64 | 3.00 |
| C. C. Co.'s National Crop Grower | 8.00 | 1.64 | 2.00 |
| C. C. Co.'s Keystone Phosphate | 7.00 | 3.28 | 5.00 |
| C. C. Co.'s Potato Compound | 6.00 | 4.10 | 5.00 |
| C. C. Co.'s Prolific Top Dresser | | 7.51 | 3.50 |
| C. C. Co.'s German Kainit | | 1.01 | 12.40 |
| C. C. Co.s German Kannt | | • • • • | 1=.40 |
| City Abattoir of Winston-Salem, Winston-Salem, N. C.— | | | |
| | 8.50 | 5.74 | |
| Tankage | 0.90 | 0.14 | |
| Clayton Oil Mill, Clayton, N. C.— | | | |
| C. O. M. 16 Per Cent Acid Phosphate | 16.00 | | |
| C. O. M. High Grade Bone and Potash | 12.00 | | 5.00 |
| C. O. M. Wheat Compound | 10.00 | 2.05 | 4.50 |
| C. O. M. Bone and Potash | 10.00 | | 5.00 |
| R. B. W. Special | 9.00 | 3.30 | 4.00 |
| Austin's Special | 9.00 | 2.47 | 3.00 |
| Wayside Special | 9.00 | 1.65 | 4.00 |
| C. W. H. Special | 8.00 | 5.00 | 5.00 |
| C. O. M. Cotton Grower | 8.00 | 3.30 | 4.00 |
| Clayton Guano | 8.00 | 2.47 | 3.00 |
| Planters' Favorite | 8.00 | 2.47 | 3.00 |
| Clayton Sec. Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Cotton Queen | 8.00 | 1.65 | 2.00 |
| Summer Queen | 8.00 | 1.65 | 2.00 |
| C. O. M. Top Dresser | 3.00 | 7.75 | 2.00 |
| C. O. M. German Kainit | | | 12.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|-----------------------|
| The Coe-Mortimer Co., Charleston, S. C.— | | | |
| Gen. Key — Tree Brand Thomas Phosphate, | | | |
| Total | 18.00 | • • • • | • • • • |
| Total | 17.50 | | |
| Coe-Mortimer Co.'s Dissolved Bone | 16.00 | | |
| Coe-Mortimer Co.'s Dissolved Bone | 14.00 | | |
| Coe-Mortimer Co.'s Level Best | 10.00 | 3.29 | 4.00 |
| Coe-Mortimer Co.'s Progressive Farmer | 10.00 | 2.47 | 3.00 |
| Coe-Mortimer Co.'s Bone and Potash | 10.00 | • • • • | $\frac{4.00}{2.00}$ |
| Coe-Mortimer Co.'s Bone and Potash | $\frac{10.00}{9.25}$ | 2.05 | $\frac{2.00}{2.00}$ |
| Coe-Mortimer Co.'s Corn Club | 9.20 | $\frac{2.03}{2.47}$ | 3.00 |
| Coe-Mortimer Co.'s Excelsior | 9.00 | $\frac{2.31}{2.05}$ | 4.00 |
| Coe-Mortimer Co.'s M. H. G | 9.00 | 1.65 | 3.00 |
| Knickerbocker Standard | 9.00 | 1.65 | 2.00 |
| Coe-Mortimer Co.'s Tar Heel | 9.00 | .82 | 3.00 |
| Coe-Mortimer Co.'s Special Formula | 8.50 | 1.65 | 2.00 |
| High Grade Tankage | 8.00 | 7.81 | 9.50 |
| E. Frank Co.'s Extra High Grade | 8.00 | 4.11 | 7.00 |
| Marcoe Guano | 8.00 | 3.29 | 4.00 |
| C. M. C.'s Tobacco Grower | 8.00 | 3.28 | 4.00 |
| Coe-Mortimer Co.'s Tobacco Fertilizer, No. 3. | 8.00 | 2.47 | 6.00 |
| Coe-Mortimer Co.'s Tobacco Fertilizer, No. 2. | 8.00 | $\frac{2.47}{1.42}$ | 5.00 |
| Coe-Mortimer Co.'s Tobacco Fertilizer, No. 1. | 8.00 | 2.47 | 4.00 |
| Coe-Mortimer Co.'s Meal Mixture | 8.00 | $\frac{2.47}{2.47}$ | 4.00 |
| C. M. C.'s Tobacco Special | 8.00 | $\frac{2.47}{2.47}$ | $\frac{3.00}{3.00}$ |
| Darlington Guano | 8.00 8.00 | $\frac{2.47}{2.05}$ | 3.00 |
| Coe-Mortimer Co.'s Cotton and Corn Coe-Mortimer Co.'s General Crop | 8.00 | $\frac{2.05}{2.05}$ | $\frac{3.00}{2.00}$ |
| Coe-Mortimer Co.'s Standard | 8.00 | $\frac{2.05}{2.05}$ | 1.00 |
| Coe-Mortimer Co.'s Straight Goods | 8.00 | 1.65 | 3.00 |
| Universal | 8.00 | 1.65 | 2.00 |
| Coe-Mortimer Co.'s Bone and Potash | 8.00 | | 4.00 |
| Mortimer's High Grade | 7.00 | 4.11 | 5.00 |
| Imported Fish Guano | 5.80 | 8.22 | 10.00 |
| Coe-Mortimer Co.'s Top Dresser | 4.00 | 6.17 | 2.50 |
| H. G. Blood | | 13.37 | 16.25 |
| Nitrate of Soda | | 14.83 | |
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | • • • • | • • • • | 49.00 |
| Muriate Mixture | | • • • • | $\frac{20.00}{12.00}$ |
| Genuine German Kainit | • • • • | • • • • | 100 |
| Columbia Guano Co., Norfolk, Va.— | | | |
| Pure Raw Bone MealTotal | 21.50 | 3.71 | |
| Columbia Thomas Phosphate | 18.00 | | |
| phate | 16.00 | | |
| Columbia 14 Per Cent Acid Phosphate | 14.00 | | |
| Columbia Dissolved Bone | 13.00 | | |
| Columbia 12 and 6 Bone and Potash Mixture. | 12.00 | | 6.00 |
| Columbia 12 and 5 Bone and Potash | 12.00 | • • • • | 5.00 |
| Columbia 12 and 5 B. and P. Mixture | 12.00 | • • • • | 5.00 |
| Columbia Acid Phosphate | 12.00 | | 5.00 |
| Columbia 11 and 5 Bone and Potash Mixture. Columbia 10½ and 1½ Bone and Potash Mix- | 11.00 | • • • • | 5.00 |
| ture | 10.50 | • • • • | 1.50 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Columbia 10 and 5 Bone and Potash Mixture. | 10.00 | | 5.00 |
| Columbia 10 and 4 Bone and Potash Mixture. | 10.00 | | 4.00 |
| Columbia Bone and Potash for Grain | 10.00 | | 3.00 |
| Columbia Bone and Potash Mixture | 10.00 | | 2.00 |
| Columbia C. S. M. Special | 9.00 | 2.27 | 2.00 |
| Parrish's Special | 9.00 | 2.06 | 5.00 |
| Roanoke Ammoniated Guano | 9.00 | 1.65 | 3.00 |
| Carolina Soluble Guano | 9.00 | 1.65 | 1.00 |
| Columbia Grain Guano | 9.00 | .82 | 3,00 |
| Columbia Special 1-9-2 Guano | 9,00 | .82 | 2.00 |
| Columbia Special Truck | 8.00 | 4.12 | 5.00 |
| Tobacco King | 8.00 | 3.30 | 5.00 |
| Pelican Ammoniated Guano | 8.00 | 3.30 | 4.00 |
| Columbia Special Truck Guane | 8.00 | 3.30 | 4.00 |
| Trojan Tobacco Guano | 8.00 | 3.30 | -4.00 |
| Columbia Special 4-8-3 | 8.00 | 3.30 | 3.00 |
| Yelverton Bros. Plant Food for Tobacco | 8,00 | 2.47 | 5.00 |
| Columbia 8-3-4 Special Guano | 8.00 | 2.47 | 4.00 |
| Olympia Cotton Guano | 8.00 | 2.47 | 3.00 |
| Hyeo Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Our Best Meal Guano | 8,00 | 2.47 | 3.00 |
| Royal Tobacco Fertilizer | 8.00 | 2.06 | 3.00 |
| Columbia Special Tobacco Guano | 8.00 | 2.06 | 2.00 |
| Columbia 8-2-5 Tobacco Special | 8,00 | 1.65 | 5.00 |
| Columbia Fish and Blood Guane | 8.00 | 1.65 | 4.00 |
| Columbia Fish Phosphate and Potash | 8.00 | 1.65 | 4.00 |
| Columbia Fish Phosphate and Potash | 8.00 | 1.65 | 3.00 |
| Columbia Soluble Guano for Tobacco | 8.00 | 1.65 | 2,00 |
| Columbia Special Wheat Fertilizer | 8.00 | 1.65 | 2.00 |
| Columbia Soluble Guano | 8.00 | 1.65 | 2.00 |
| Spinola Peanut Grower | 8.00 | 1.02 | 4.00 |
| Columbia 8 and 4 Bone and Potash Mixture. | 8.00 | | 4.00 |
| Columbia Special 7 Per Cent Truck Guano | 7.00 | 5.77 | 7.00 |
| Columbia Potato Manure | 7.00 | 4.12 | 7.00 |
| Columbia Potato Guano | 7.00 | 4.12 | 5.00 |
| Crown Brand Peanut Guano | 7.00 | | 5.00 |
| Columbia Irish Potato Grower | 6.00 | 4.12 | 7.00 |
| Perfection Potato Producer | 5.00 | 4.94 | 7.00 |
| Columbia Side Dresser | 4.00 | 8.22 | 4.00 |
| Columbia Special Top Dresser | 4.00 | 6.18 | 2.50 |
| Columbia Top Dresser | | 7.42 | 3.00 |
| Nitrate of Soda | | 15.22 | |
| Cotton-seed Meal | | 6.17 | 10.00 |
| Sulphate of Potash | | | 48,00 |
| Muriate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Combahce Fertilizer Co., Charleston, N. C.— | | | |
| C. F. Co. Dissolved Bone | 16.00 | | |
| C. F. Co. Dissolved Bone | 14.00 | | |
| C. F. Pure Dissolved Bone | 13.00 | | |
| C. F. Co. Melon Fertilizer | 10.00 | 3.30 | 5.00 |
| C. F. Co. Cantaloupe Fertilizer | 10.00 | 2.47 | 10.00 |
| Acid with Potash | 10.00 | | 2.00 |
| Special Mixture | 9.00 | 1.65 | 2.00 |
| C. F. Co. K. M. S | 8.00 | 3.30 | 4.00 |
| C. F. Co. H. G. Cotton Mixture | 8.00 | 2.47 | 3.00 |
| C. F. Co. Cotton and Corn Compound | 8.00 | 1.65 | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Nitrate of Soda | | 14.83 | |
| Muriate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| | | | |
| Conestee Chemical Co., Wilmington, N. C | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Conestee High Grade Acid Phosphate | 14.00 | | |
| Conestee Bone and Potash | 12.00 | | 6.00 |
| Conestee Bone and Potash | 12.00 | | 5.00 |
| Conestee Bone and Potash | $\frac{12.00}{12.00}$ | | 4.00 |
| Conestee Bone and Potash | 12.00 | | 3.00 |
| Conestee Bone and Potash | 12.00 | | $\frac{3.00}{2.00}$ |
| Conestee Bone and Potash | 11.00 | | 6.00 |
| Conestee Bone and Potash | 11.00 | | 5.00 |
| Conestee Bone and Potash | 11.00 | | 4.00 |
| Conestee Bone and Potash | 11.00 | | 3.00 |
| Conestee Bone and Potash | 11.00 | | 2.00 |
| Conestee Bone and Potash | 10.00 | | 6.00 |
| Conestee Bone and Potash | 10.00 | | 5.00 |
| Conestee Bone and Potash | 10.00 | | 4.00 |
| Conestee Bone and Potash | 10.00 | | 3.00 |
| Conestee Bone and Potash | 10.00 | | 2.00 |
| Conestee Square Deal Fertilizer for Tobacco. | 9.25 | 1.65 | $\frac{2.00}{2.00}$ |
| Conestee Square Deal Fertilizer | 9.25 | 1.65 | 2.00 |
| Adams' Special Fertilizer | 9.00 | 2.47 | 3.00 |
| Conestee Cotton Grower | 9.00 | 2.27 | 2.00 |
| Conestee Premo Guano | 9.00 | .82 | 3.00 |
| Conestee Special Fertilizer for Cotton | 8.00 | 4.12 | 7.00 |
| Conestee Melon Grower | 8.00 | 4.12 | 7.00 |
| Conestee Special Fertilizer for Tobacco | 8.00 | 4.12 | 7.00 |
| Conestee O. K. Fertilizer for Tobacco | 8.00 | 3.30 | 4.00 |
| Conestee P. D. Q. Fertilizer | 8.00 | 3.30 | 4.00 |
| Conestee "O. K." Fertilizer | 8.00 | 3.30 | 4.00 |
| Conestee P. D. Q. Fertilizer for Tobacco | 8.00 | 3.30 | 4.00 |
| Conestee Plumb Good Fertilizer | 8.00 | 2.47 | 4.00 |
| Conestee Crop Grower for Tobacco | 8.00 | 2.47 | 4.00 |
| Conestee Fish Scrap Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Conestee 8-3-3 C. S. M. Guano | 8.00 | 2.47 | 3.00 |
| Conestee 8-3-3 C. S. M. Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Conestee Fish Scrap Guano | 8.00 | 2.47 | 3.00 |
| Conestee Special Fertilizer | 8.00 | 2.47 | 3.00 |
| Conestee Special Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Conestee Fertilizer for Tobacco | 8.00 | 2.47 | 2.50 |
| Conestee Fertilizer | 8.00 | 2.47 | 2.50 |
| Conestee Crop Grower | 8.00 | 2.06 | 3.00 |
| Conestee Tobacco Grower | 8.00 | 2.06 | 3.00 |
| Conestee Complete Fertilizer | 8.00 | 2.06 | 2.00 |
| Conestee Special Grain Fertilizer | 8.00 | 1.65 | 2.00 |
| Conestee Standard Guano for Tobacco | 8.00 | 1.65 | 2.00 |
| Conestee Standard Guano | 8.00 | 1.65 | 2.00 |
| Cotton-seed Meal Guano for Tobacco | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Conton-seed Meal Guano | 8.00 | 1.65 | 2.00 |
| Conestee Bone and Potash | 8.00 | | 6.00 |
| Conestee Bone and Potash | 8.00 | | $\frac{5.00}{4.00}$ |
| Conestee Bone and Potash | 8.00 | ${4.12}$ | $\frac{4.00}{7.00}$ |
| Conestee Root Crop Guano | $\frac{7.00}{7.00}$ | $\frac{4.12}{4.12}$ | 5.00 |
| Conestee High Grade Guano | 6.00 | $\frac{4.12}{4.94}$ | 8.00 |
| concessed man orang | 0.00 | 1.01 | 0.00 |

THE BULLETIN.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Conestee Truck Grower | 6.00 | 3.30 | 8.00 |
| Conestee Corn Guano | 6.00 | 2.47 | 3.00 |
| Dried Ground Fish | 4.50 | 7.81 | |
| Conestee Special Top Dresser | 4.00 | 8.25 | 4.00 |
| Sulphate of Ammonia | | 20.56 | |
| Nitrate of Soda | | 14.81 | |
| Dried Ground Blood | | 11.51 | |
| Conestee Top Dresser | | 7.40 | 3.00 |
| Cotton-seed Meal | | 6.17 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| H. G. German Kainit 16 Per Cent | | | 16.00 |
| Genuine German Kainit | | | 12.00 |
| Contentnea Guano Co., Wilson, N. C.— | | | |
| High Grade 16 Per Cent Acid | 16.00 | | |
| | 14.00 | • • • • | |
| Contentnea 14 Per Cent Acid | 10.00 | .82 | 5.00 |
| "Corn Club" Special | 10.00 | | 5.00 |
| Bone and Potash Mixture, No. 3 | 10.00 | • • • • | 4.00 |
| Bone and Potash Mixture, No. 2 | 10.00 | • • • • | $\frac{4.00}{2.00}$ |
| Bone and Potash Mixture, No. 1 | 9,00 | 2.25 | $\frac{2.00}{2.00}$ |
| Contentnea Cotton Formula | | $\frac{1.25}{1.85}$ | $\frac{2.00}{5.00}$ |
| Bartholomew's Cotton Grower | 9.00 | | 7.00 |
| 8-4½-7 for Tobacco | 8.00 | $\frac{3.70}{3.70}$ | 7.00 |
| 8-4½-7 for Cotton | 8.00 | | |
| Climax High Grade | 8.00 | 3.30 | 4.00 |
| Climax H. G. for Cotton | 8.00 | $\frac{3.30}{2.90}$ | $\frac{4.00}{6.00}$ |
| Carr Tobacco Grower | 8.00 | | |
| High Grade Tobacco Grower | 8.00 | 2.90 | 5.00 |
| Government Formula, No. 1 | 8.00 | 2.47 | 10.00 |
| Government Formula, No. 2 | 8.00 | 2.47 | 7.00 |
| Victor Tobacco Grower | 8.00 | 2.47 | 5.00 |
| Farmers' Favorite Tobacco Grower | 8.00 | 2.47 | 4.00 |
| Plant-bed Tobaeco Grower | 8.00 | 2.47 | 3.00 |
| Pick Leaf Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Top Notch Fertilizer | 8.00 | 2.47 | 3.00 |
| Matchless Cotton Grower | 8.00 | 2.47 | 3.00 |
| Contentnea Cotton Grower | 8.00 | 2.47 | 2.50 |
| Bragg Cotton Grower | 8.00 | 2.05 | 3.00 |
| Blood and Bone Cotton Grower | 8.00 | 1.65 | 2.00 |
| Bragg Corn Grower | 8.00 | .82 | 5.00 |
| Contentuca Corn Special | 5.00 | 1.65 | 5.00 |
| High Grade Top Dresser | 4.00 | 8.25 | 4.00 |
| Contentnea Top Dresser | 3.00 | 8.25 | 5.00 |
| Nitrate of Soda | | 14.82 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 50.00 |
| Manurė Salts | | | 20.00 |
| H. G. 16 Per Cent German Kainit | | | 16.00 |
| German Kainit | • • • • | • • • • | 12.00 |
| Cooper Guano Co., Wilmington, N. C | | | |
| Cooper's 4½ Per Cent Raw Bone Meal | 22.50 | 3.71 | |
| Cooper's Acid with Potash | 10.00 | | 5.00 |
| Cooper's Zenith | 8.00 | 2.00 | 3.00 |
| Cooper's High Grade | 7.00 | 6.00 | 5.00 |
| • | | | |
| Coöperative Warehouse Co., Salisbury, N. C.— | | a | |
| Farmers' Union Cotton-seed Meal | • • • • | 6.17 | • • • • |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|----------------------|---------------------|
| Coweta Fertilizer Co., Norfolk, Va.— | | | |
| Coweta 16 Per Cent Acid Phosphate | 16.00 | | |
| Coweta High Grade Acid Phosphate | 14.00 | | |
| Coweta Acid Phosphate | 13.00 | | |
| Coweta Fish Guano | 10.00 | 1.65 | 2.00 |
| Coweta Standard Bone and Potash | 10.00 | | 4.00 |
| Coweta Dissolved Bone and Potash | 10.00 | • • • • | 2.00 |
| Coweta Nonpareil Grower | 9.00 | .83 | 3.00 |
| Coweta Animal Bone | 8.00 | 3.29 | 4.00 |
| Sea Bird Standard Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Coweta Perfection Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Coweta Royal Guano | 8.00 | 2.06 | 3.00 |
| Coweta Beef Blood and Bone | 8.00 | $\frac{2.06}{1.05}$ | $\frac{1.00}{2.00}$ |
| Coweta Success Guano | 8.00 | 1.65 | 4.00 |
| Coweta Special Bone and Potash | 8.00 | 4.19 | |
| Coweta Standard Truck Guano | 6.00 | 4.12 | 7.00 |
| Nitrate of Soda | • • • • | $\frac{14.83}{6.17}$ | |
| Cotton-seed Meal | | | 49.00 |
| Muriate of Potash | • • • • | • • • • | |
| Genuine German Kainit | • • • • | • • • • | 12.00 |
| Craven Chemical Co., New Bern, N. C | | | |
| Panama 16 Per Cent Phosphate | 16.00 | | |
| Jewel Acid Phosphate | 14.00 | | |
| Turkey Trot Bone and Potash | 12.00 | | 6.00 |
| Herring's Bone and Potash | 12.00 | | 5.00 |
| Craven H. G. Bone and Potash | 12.00 | | 4.00 |
| Foy's H. G. Bone and Potash Mixture | 10.00 | | 6.00 |
| Craven Grain Compound | 10.00 | | 4.00 |
| Trent Bone and Potash | 10.00 | | 2.00 |
| Halifax Guano | 9.00 | 2.47 | 3.00 |
| Prolix 9-2-3 Special Guano | 9.00 | 1.65 | 3.00 |
| Hanover Standard Guano | 8.00 | 3.29 | 4.00 |
| Currituck Sweet Potato Guano | 8.00 | 2.47 | 6.00 |
| Duplin Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Gaston High Grade Fertilizer | 8.00 | 2.47 | 3.00 |
| C. E. Foy High Grade Guano | 8.00 | 2.47 | 3.00 |
| C. C. Co. Standard Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Hart's Special Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Marvel Great Crop Grower | 8.00 | 2.06 | 3.00 |
| Elite Cotton Guano | 8.00 | 1.65 | 2.00 |
| Pantego Potato Guano | $\cdot 7.00$ | 4.12 | 7.00 |
| Neuse Truck Grower | 6.00 | 4.94 | 6.00 |
| Craven Chemical Co.'s Truck Guano, 5-10-21/2. | 5.00 | 8.24 | 2.50 |
| Craven Chemical Co.'s Top Dresser A | 4.00 | 8.24 | 4.00 |
| Craven Chemical Co.'s Top Dresser B | 4.00 | 6.18 | 2.50 |
| Craven Chemical Co.'s Top Dresser C | | 7.41 | 3.00 |
| Genuine German Kainit | • • • • | • • • • | 12.00 |
| Dey & Brother, Beaufort, N. C.— | | | |
| Ground Fish Scrap | 7.00 | 8.23 | |
| · | 1.00 | 0.20 | •••• |
| Dixie Guano Co., Durham, N. C.— | 10.00 | | • |
| Dixie 16 Per Cent Acid Phosphate | 16.00 | • • • • | • • • • |
| Dixie 14 Per Cent Acid Phosphate | 14.00 | | 1 50 |
| Dixie Champion for Wheat and Corn | 10.50 | 0.00 | $\frac{1.50}{2.00}$ |
| Jeff Davis Special | 9.00 | 2.26 | 4.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. I'hos. Acid. | Nitrogen. | Potash. |
|---|---------------------------|---|---------------------|
| Dixie Star Ammoniated | 9.00 | 1.65 | 2.00 |
| Dixie Corn Fertilizer | 9.00 | .82 | 3.00 |
| Radium Brand Guano | 8.00 | 3.28 | 5.00 |
| Dixie Tobacco Fertilizer | 8.00 | 2.46 | 3.00 |
| Carolina Special Ammoniated | 8.00 | 2.46 | 3.00 |
| Sulky Plow Brand Guano | 8.00 | $\frac{2.10}{2.46}$ | 2.00 |
| Battle's Blood and Bone Fertilizer | 8.00 | $\frac{2.16}{2.05}$ | 3.00 |
| Niagara Soluble Bone | 8.00 | $\frac{2.05}{2.05}$ | 2.00 |
| | | | |
| Dixie Cotton Fertilizer | 8.00 | 1.65 | 2.00 |
| Old Plantation Superphosphate | 8.00 | 1.65 | 2.00 |
| Nitrate of Soda | • • • • | 14.82 | |
| Sulphate of Potash | | • • • • | 49.00 |
| Muriate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| Dixie Prepared Agricultural Lime | | | 2.50 |
| Dixie Guano Co., Inc., Suffolk, Va.— | | | |
| | 40.00 | | |
| Dixie Acid Phosphate | 16.00 | • • • • | |
| Dixie Acid Phosphate | 14.00 | | |
| Dixie Goodluck Brand | 12.00 | 1.00 | 6.00 |
| Dixie Alkaline Bone and Potash | 11.00 | | 2.00 |
| Dixie Monticello Brand | 10.00 | 1.00 | 2.00 |
| Dixie Alkaline Bone and Potash | 10.00 | | 4.00 |
| Dixie Alkaline Bone and Potash | 10.00 | | 2.00 |
| Dixie's Best | 8,00 | 4.11 | 7.00 |
| Dixie 8-4-4 Guano | 8.00 | 3.29 | 4.00 |
| Dixie Maximum Brand | 8.00 | 2.47 | 4.00 |
| Dixie High Grade | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Dixie 8-2-5 Guano | | 1.65 | 5.00 |
| Divio Standard Crans | 8.00 | | |
| Dixie Standard Guano | 8.00 | 1.65 | 2.00 |
| Dixie Bonus Brand | 8.00 | 1.65 | 2.00 |
| Dixie Jumbo Peanut Grower | 8.00 | 1.00 | 4.00 |
| Dixie 5 Per Cent Truck | 7.00 | 4.11 | 5.00 |
| Dixie Potato Guano | 6.00 | 5.75 | 5.00 |
| Dixie 10 Per Cent Top Dresser | 5.00 | 8.23 | 3.00 |
| Dixie 7 Per Cent Guano | 5.00 | 5.66 | 4.00 |
| Nitrate of Soda | | 15.21 | |
| Ground Fish | | 8.23 | |
| Cotton-seed Meal | | 6.16 | |
| Muriate of Potash | • • • • | | 48.00 |
| Kainit | • • • • | • • • • | 12.00 |
| Eastern Cotton Oil Co., Hertford, N. C.— | | | |
| Acid Phosphate | 16.00 | | |
| "Ten-One-Four for Peanuts" | 10.00 | .83 | 4.00 |
| Currituck Special for Yellow Sweets | 8.00 | 3.29 | 6.00 |
| Mat White Special | 8.00 | $\frac{3.29}{3.29}$ | 4.00 |
| It-grows Currituck Yellows | 8.00 | $\frac{3.23}{2.47}$ | 3.00 |
| Rain-proof Cotton Grower | S.00 S.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Fish and Blood Mixture | 8.00 | $\frac{2.47}{1.65}$ | 2.00 |
| Perquimans Favorite | 8.00 8.00 | $\frac{1.65}{1.65}$ | $\frac{2.00}{2.00}$ |
| | | $\begin{array}{c} 1.05 \\ 4.12 \end{array}$ | |
| Early Bird | 7.00 | | 5.00 |
| Hertford Truck Grower Tankage and Fish Substitute, Peruvian Guano | 6.00 | 5.77 | 5.00 |
| for Truck | 6 00 | 4 10 | 7.00 |
| for Truck | 6.00 | 4.12 | 7.00 |
| Nun-such Potato Grower | 6.00 | 4.12 | 7.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. | Nitrogen. | Potash. |
|---|-----------------|---------------------|---------|
| Elman Circuit Hautilian Co. Elman V. C. | Acid. | | |
| Elmore Gin and Fertilizer Co., Elmore, N. C.— | | | |
| Elmore Standard Fertilizer | 8.00 | 3.29 | 4.00 |
| Elmore Cotton Fertilizer | 8.00 | 2.47 | 3.00 |
| Elmore X Fertilizer | 6.50 | 2.47 | 2.50 |
| Elmore Cantaloupe Special | 7.00 | 4.00 | 7.50 |
| Elmore Top Dresser | | 8.65 | 3.50 |
| Elmore Money Maker Top Dresser | • • • • | 7.41 | 6.00 |
| Elmore Corn Fertilizer | • • • • | 3.70 | 7.50 |
| Etiwan Fertilizer Co., Charleston, S. C.— | | | |
| Etiwan 16 Per Cent Acid Phosphate | 16.00 | | |
| Etiwan High Grade Acid Phosphate | 14.00 | | |
| Etiwan Dissolved Bone | 13.00 | | |
| Diamond Soluble Bone | 13.00 | | |
| Etiwan Acid Phosphate with Potash | 11. 00 | | 1.00 |
| Plow Brand Acid Phosphate with Potash | 11. 00 | | 1.00 |
| Etiwan Potash Bone | 10.00 | | 4.00 |
| Etiwan Soluble Bone with Potash | 10. 00 | | 3.00 |
| Diamond Soluble Bone with Potash | 10.00 | | 2.00 |
| XX Acid Phosphate with Potash | 10.00 | | 2.00 |
| Etiwan Blood and Bone Guano | 9.00 | 2.06 | 1.00 |
| Plow Brand Raw Bone Superphosphate | 9.00 | 2.06 | 1.00 |
| Etiwan 9-2-3 Per Cent Ammoniated Fertilizer. | 9.00 | 1.65 | 3.00 |
| Plow Brand Ammoniated Dissolved Bone | 9.00 | 1.65 | 2.00 |
| Etiwan Superior Cotton Fertilizer | 8.00 | 3,30 | 6.00 |
| Etiwan Special Cotton Fertilizer | 8.00 | 3.30 | 4.00 |
| Plow Brand Special Tobacco Fertilizer | 8.00 | 3.30 | 4.00 |
| Etiwan Cotton Compound | 8.00 | 2.47 | 3.00 |
| Etiwan High Grade Cotton Fertilizer | 8.00 | $\frac{2.47}{1.07}$ | 2.00 |
| Etiwan Ammoniated Fertilizer | 8.00 | 1.65 | 2.00 |
| Plow Brand Ammoniated Fertilizer | 8.00 | 1.65 | 2.00 |
| Etiwan Special Potash Mixture | 8.00 | 14.82 | 4.00 |
| Nitrate of Soda | • • • • | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Genune German Mannt | • • • • | • • • • | 12.00 |
| Farmers Coöperative Fertilizer Co., Inc., Black- stone and Kenbridge, Va.— | | | |
| Pure Animal BoneTotal | 21.00 | 2.47 | |
| F. C. F. Co.'s Acid Phosphate | 16.00 | 2.11 | |
| F. C. F. Co.'s Acid Phosphate | 14.00 | | |
| Sampson | 10.00 | 2.47 | 5.00 |
| Pape's Peerless | 10.00 | 1.64 | 2.00 |
| Cherokee | 10.00 | 1.03 | |
| F. C. F. Co.'s Bone and Potash Compound | 10.00 | | 4.00 |
| F. C. F. Co.'s Bone and Potash Compound | 10.00 | | 2.00 |
| Walkover | 9.00 | 1.03 | 1.00 |
| Virginian | 8.00 | 3.99 | 2.00 |
| Virginian X | 8.00 | 3.29 | 4.00 |
| Meherrin | 8.00 | 2.47 | 3.00 |
| Nottoway Special | 8.00 | 2.47 | 2.00 |
| Free State Official | 8.00 | 2.06 | 3.00 |
| Paul Jones | 8.00 | 1.64 | 2.00 |
| Farmers Cotton Oil Co., Wilson, N. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | · | |
| Bonum Acid Phosphate | 14.00 | | |
| Contentnea Acid Phosphate | 13.00 | | |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| Washington's Corn Mixture Guano | 10.00 | 1.65 | 5.00 |
| Xtra Good Bone and Potash | 10.00 | | 2.00 |
| Whitley's Special Guano | 9.00 | 3.30 | 4.00 |
| Dean's Special Guano | 8.00 | 3.70 | 7.00 |
| Regal Tobacco Guano | 8.00 | 2.88 | 5.00 |
| Newsome's Tobacco Special | 8.00 | 2.47 | 4.00 |
| Graves' Cotton Grower Guano | 8.00 | 2.47 | 3.00 |
| Golden Gem Guano | 8.00 | 2.47 | 3.00 |
| Wilson High Grade Guano | 8.00 | 2.27 | 2.00 |
| Planters' Friend Guano | 8.00 | 2.06 | 3.00 |
| Carolina Choice Tobacco Guano | 8.00 | 2.06 | 3.00 |
| Crop King Guano | 8.00 | 1.65 | 2.00 |
| Farmers' Special Guano | 8.00 | 1.65 | 2.00 |
| Rogers' Truck Grower | 7.00 | 5.76 | 7.00 |
| Wilson Top Dresser | 2.00 | 9.05 | 4.00 |
| Perfect Top Dresser | 2.00 | 8.23 | 5.00 |
| Sulphate of Ammonia | 2.00 | 20.57 | |
| Nitrate of Soda | | 15.63 | |
| Nitrate Special | | 10.66 | 4.00 |
| Tomlinson's Nitrate Special | | 9.87 | 5.00 |
| Sulphate of Potash | | 0.01 | 50.00 |
| Muriate of Potash | | | 50.00 |
| German Kainit | | | 12.00 |
| German Kamt | | | 1=.00 |
| Farmers Guano Co., Raleigh, N. C., and Norfolk, Va.— | | | |
| Raw Bone MealTotal | 45.00 | 3.70 | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acid Phosphate | 14.00 | | |
| Farmers Acid Phosphate | 13.00 | | |
| Special H. G. Bone and Potash | 11.00 | | 5.60 |
| Farmers Grain Grower | 10.00 | 1.03 | 2.00 |
| Special Bone and Potash Mixture | 10.00 | | 4.00 |
| Century Bone and Potash Mixture | 10.00 | | 2.00 |
| Farmers Meal and Tankage Mixture | 8.00 | 3.29 | 4.00 |
| Farmers Blood and Bone | 8.00 | 3.29 | 4.00 |
| Big Crop Guano | 8.00 | 2.88 | 5.00 |
| Farmers Formula for Tobacco | 8.00 | 2.47 | 3.00 |
| Money Point Guano | 8.00 | 2.47 | 3.00 |
| Golden Grade Guano | 8.00 | 2.47 | 3,00 |
| Toco Tobacco Guano | 8.00 | 2.06 | 3.00 |
| Farmers 8-2-5 Guano | 8.00 | 1.65 | 5,00 |
| Farmers Ammoniated Guano | 8.00 | 1.65 | 2.00 |
| State Standard Guano | 8.00 | 1.65 | 2.00 |
| Farmers Peanut Guano | 8.00 | 1.03 | 4.00 |
| Special Bone and Potash | 8.00 | | 4.00 |
| Farmers 7-7-7 Per Cent Trucker | 7.00 | 5.76 | 7.00 |
| Farmers 7-5-8 Special | 7.00 | 4.12 | 8.00 |
| Farmers Challenge | 7.00 | 4.12 | 5.00 |
| Farmers 6-7-5 Trucker | 6.00 | 5.76 | 5.00 |
| Farmers Top Dresser | 3.00 | 8.23 | 4.00 |
| Nitrate of Soda | | 15.63 | |
| Kanona Tankage | | 9.04 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 50.00 |
| Genuine German Kainit | • • • • | • • • • | 12.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------|
| Farmers Guano Works, Dillard, Ga.— | | | |
| High Grade Dissolved Acid 16 Per Cent | 16.00 | | |
| High Grade Compost Mixture | 13.00 | | 7.00 |
| High Grade Com Grower | 12.00 | .82 | 5.00 |
| Special for Wheat | 12.00 | | 5.00 |
| Mack's Special Double Potash Formula | 11.00 | 1.65 | 6.00 |
| Special for Corn | 10.00 | $\frac{1.65}{1.65}$ | 4.00 |
| Small Grain Compound | 10.00 | 1.00 | 4.00 |
| Special Mixture for Potatoes | 8.00 | .82 | 7.00 |
| | 8.00 | | 6.00 |
| High Grade Vegetable Compound | 8.00 | | 5.00 |
| Oats Special Mixture | | 15.00 | |
| Nitrate of Soda | • • • • | | 50.00 |
| Sulphate Potash | • • • • | • • • • | 50.00 |
| Muriate Potash | • • • • | • • • • | 50.00 |
| Farmville Oil and Fertilizer Co., Farmville, N. C.— | | | |
| Chamblee & Sons H. G. for Tobacco | 8.00 | 2.47 | 5.00 |
| Federal Chemical Co., Columbia, Tenn.— | | | |
| Tennessee Brown Phosphate RockTotal | $29\frac{\%}{4}$ | | |
| | 7.1 | | |
| Fremont Oil Mills, Fremont, N. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Fremont High Grade Bone and Potash | 10.00 | | 4.00 |
| S. H. & Co.'s 8-4-4 | 8.00 | 3.29 | 4.00 |
| Fremont High Grade Guano | 8.00 | 3.29 | 4.00 |
| S-3-5 Compound | 8.00 | 2.47 | 5.00 |
| Fremont Oil Mill Co.'s Special Tobacco | 8.00 | 2.47 | 5.00 |
| Nahunta Special | 8.00 | 2.47 | 3.00 |
| S. H. & Co.'s 8-3-3 | 8.00 | 2.47 | 3.00 |
| Square Deal | 8.00 | 2.05 | 3.00 |
| Up-to-date | 8.00 | 1.65 | 2.00 |
| F. O. M. Co. Top Dresser | 3.00 | 7.40 | 5.00 |
| Nitrate of Soda | | 14.85 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| | | | |
| General Manufacturing Co., Norfolk, Va.— | | | |
| Acid Phosphate | 16.00 | • • • • | |
| Acid Phosphate | 14.00 | | |
| Potash and Soluble Bone | 12.00 | | 5.00 |
| Potash and Soluble Bone | 12.00 | | 3.00 |
| Potash and Soluble Bone | 10.00 | | 5.00 |
| Potash and Soluble Bone | 10.00 | | 4.00 |
| Potash and Soluble Bone | 10.00 | | 2.00 |
| H. G. Cotton and Tobacco Guano | 8.00 | 3.28 | 4.00 |
| Manure Substitute | 8.00 | 3.28 | 4.00 |
| Organic Cotton Grower | 8.00 | 2.46 | 3.00 |
| Big Crop Grower | 8.00 | 1.65 | 2.00 |
| Special Peanut Grower | 8.00 | 1.03 | 4.00 |
| Royal Crop Grower | 8.00 | 1.03 | 4.00 |
| Special Peanut Grower | 8.00 | 1.00 | 4.00 |
| Royal Crop Grower | 8.00 | 1.00 | 4.00 |
| Blood, Bone and Potash | 7.00 | 4.10 | 8.00 |
| Special 7 Per Cent Trucker | 6.00 | 5.74 | 5.00 |
| Special Potato Grower | 6.00 | 4.10 | 7.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|---------------------|
| Virginia Trucker | 6.00 | 3.38 | 4.00 |
| Nitrate of Soda | | 15.23 | |
| Muriate of Potash | | | 50.00 |
| Kainit | | | 12.00 |
| General Manufacturing Co., Norfolk, Va., and New Bern, N. C.— | | | |
| Acid | | • • • • | |
| Georgia Chemical Works, Augusta, Ga.— | | | |
| High Grade Dissolved Bone Phosphate | 16.00 | | |
| Extra Dissolved Bone Phosphate | 14.00 | | |
| Dissolved Bone Phosphate | 13.00 | | |
| Georgia Bone and Potash | 12.00 | | 6.00 |
| 12 Per Cent Dissolved Bone Phosphate | 12.00 | | |
| High Grade XX Acid Phosphate with Potash. | 10.00 | | 4.00 |
| Bone and Potash | 10.00 | | 2.00 |
| Carolina Special Cotton Grower | 9.00 | 2.47 | 4.00 |
| Mascot Blood and Bone Guano | 9.00 | 2.47 | 3.00 |
| Bumper Tobacco Grower | 9.00 | 1.85 | 4.00 |
| Good as Gold Guano | 9.00 | 1.65 | $\frac{3.00}{2.00}$ |
| Gem Crop Grower | 9,00 | $\frac{1.65}{.82}$ | $\frac{2.00}{2.00}$ |
| Georgia Belle Compound | $\frac{9.00}{8.00}$ | $\frac{.82}{3.29}$ | 4.00 |
| Cardinal High Grade | 8.00 | $\frac{3.13}{2.47}$ | 3.00 |
| Intensive Formula | 8.00 | 2.47 | 3.00 |
| Three Oaks High Grade Guano | 8.00 | $\frac{2.47}{2.47}$ | 2.00 |
| Thunderbolt Tobacco Special | 8.00 | 2.06 | 3.00 |
| Georgia Formula | 8.00 | 1.65 | 2.00 |
| XXX Meal Mixture | 8.00 | 1.65 | 2.00 |
| Georgia Special Tobacco | 8.00 | 1.65 | 2.00 |
| Georgia Special Wheat and Corn Grower | 8.00 | .82 | 4.00 |
| Acid Phosphate with 4 Per Cent Potash | 8.00 | | 4.00 |
| Nitrate of Soda | | 14.82 | |
| Cotton-seed Meal | | 6.18 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Griffith & Boyd Co., Baltimore, Md.— | | | |
| High Grade 16 Per Cent Acid Phosphate | 16.00 | | |
| Grower's Favorite | 8.00 | 3.30 | 4.00 |
| Farmers' Potato Manure | 8.00 | .82 | 9.00 |
| Fish, Bone, and Potash | 7.25 | 1.50 | 3.00 |
| 7 Per Cent Guano | 5.00 | 5.75 | 5.00 |
| Hadley, Harris & Co., Inc., Wilson, N. C.— | | | |
| Golden Weed Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Hadley Boss Guano | 8.00 | $\frac{2.26}{2.26}$ | 2.50 |
| Daisy Fish Mixture | 8.00 | 1.65 | 2.00 |
| Harris' Java Tobacco Guano | 7.00 | 3.30 | 7.00 |
| Harris' Electric Top Dresser | 2.00 | 8.22 | 3.00 |
| Hampton Guano Co., Norfolk, Va | | | |
| Pure Ground BoneTotal | 20.00 | 3.70 | |
| Supreme Acid Phosphate | 16.00 | | |
| Hampton Acid Phosphate | 14.00 | | |
| zampoon zora z nospinete | | | |

| | Avail. | | |
|---|----------------|---------------------|---------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| Hampton 12-5 Bone and Potash | 12.00 | | 5.00 |
| Hampton Bone and Potash Mixture | 11.00 | | 2.00 |
| Hampton Crop Grower | 10.00 | | 4.00 |
| Dauntless Potash Mixture | 10.00 | | 2.00 |
| Arlington Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Alpha Crop Grower | 8.50 | 2.06 | 2.50 |
| Hampton H. G. Tobacco Grower | 8.00 | 3.29 | 4.00 |
| Little's Favorite Crop Grower | 8.00 | 3.29 | 4.00 |
| Hampton Tobacco Guano | 8.00 | 2.47 | 3.00 |
| P. P. P. Princess Prolific Producer | 8.00 | 2.47 | 3.00 |
| Extra Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Shirley Superphosphate | 8.00 | 1.65 | 2.00 |
| Hampton Special Grain and Peanut Fertilizer. | 8.00 | 1.00 | 4.00 |
| Excelsior Bone and Potash | 8.00 | **** | 4.00 |
| Reliance Truck Guano | 7.00 | 4.11 | 5.00 |
| Virginia Truck Grower | 6.00 | 5.76 | 5.00 |
| Hampton 10 Per Cent Truck Grower | 5.00 | 8.23 | 3.00 |
| Hampton Top Dresser | 4.00 | 8.23 | 2.00 |
| Nitrate of Soda | | 15.00 | |
| Dry Ground Fish | | 8.23 | |
| Special Top Dresser | | 7.41 | 3.00 |
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| S. B. Harrell & Co., Inc., Norfolk, Va.— | | | |
| Harrell's Acid Phosphate | 14.00 | | |
| Harrell's Eclipse Harrell's Champion Cotton and Peanut | 9.00 | 2.26 | 2.00 |
| Grower | 8.00 | 1.65 | 2.00 |
| Harrell's Truck Guano | 6.00 | $\frac{1.03}{5.76}$ | 5.00 |
| · | | 0.10 | 5.00 |
| Home Fertilizer and Chemical Co., Baltimore, Md.— | • | | |
| Eclipse Dissolved Phosphate | 16.00 | | |
| Home High Grade Acid Phosphate | 14.00 | | |
| Home Dissolved Animal Bone | 12.00 | 1.65 | |
| Gilt Edge Crop Grower | 10.00 | 1.65 | 4.00 |
| Eclipse Blood, Beef and Bone | 10.00 | 1.23 | 3.00 |
| Home Bone and Potash | 10.00 | | 5.00 |
| Home Alkaline Bone | 10.00 | | 2.00 |
| Home Ammoniated Bone | 9.00 | 1.65 | 3.00 |
| Home B. G. Ammoniated Compound | 9.00 | .82 | 5.00 |
| Everybody's Fertilizer | 9.00 | .82 | 2.00 |
| Home Standard Guano | 8.00 | 3.30 | 4.00 |
| Eclipse Dissolved Bone and Potash | 8.00 | 2.48 | 4.00 |
| Riosa Tobacco Compound | 8.00 | 2.48 | 3.00 |
| Special C. & C. Compound | 8.00 | 2.48 | 3.00 |
| Yancey's Formula for Yellow Leaf Tobacco | 8.00 | 2.48 | 2.00 |
| Phenix Crop Grower | 8.00 | 2.48 | 2.00 |
| Home Potato Special | 8.00 | 1.65 | 10.00 |
| Matchless Guano | 8.00 | 1.65 | 4.00 |
| Home Cereal Fertilizer | 8.00 | 1.65 | 2.00 |
| Ammoniated Bone Manure | 7.00 | 1.65 | 5.00 |
| Farmer's Choice | 7.00 | .82 | 4.00 |
| Trucker's Special Compound | 6.00 | 5.77 | 5.00 |
| Home Vegetable Fertilizer | 6.00 | 4.12 | 6.00 |
| Eclipse Ammoniated Compound | 6.00 | 3.30 | 10.00 |
| Home Potato Grower | 6.00 | 3.30 | 4.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Sulphate of Ammonia | | 20.62 | |
| Nitrate of Soda | | 14.85 | |
| Cerealite Top Dressing | | 7.43 | 3,00 |
| Home Fertilizer | | 5.77 | 7.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| German Kainit | | | 12.00 |
| The Hubbard Fertilizer Co., Baltimore, Md.— | | | |
| Hubbard's 16 Per Cent Phosphate | 16.00 | | |
| Hubbard's 14 Per Cent Phosphate | 14.00 | | |
| Hubbard's Special Mixture 10 and 4 | 10.00 | | 4.00 |
| Hubbard's B. and P. 10 and 2 | 10.00 | | 2.00 |
| Hubbard's Noxall | 8.00 | 5.28 | 4.00 |
| Hubbard's Royal Ensign | 8.00 | 2.46 | 4.00 |
| Hubbard's Yellow Wrapper | 8.00 | 2.46 | 3.00 |
| Hubbard's Fish Compound | 8.00 | 1.64 | 3.00 |
| Hubbard's Exchange Guano | 8.00 | 1.64 | 2.00 |
| Hubbard's Southern Leader | 7.00 | 3.28 | 5.00 |
| Hubbard's 5 Per Cent Royal Seal | 6.00 | 4.10 | 5.00 |
| Hubbard's New Process Top Dresser | | 7.51 | 3.50 |
| Pure German Kainit | | | 12.40 |
| The Imperial Co., Norfolk, Va | | | |
| Imperial Pure Ground BoneTotal | 20.00 | 3.70 | |
| Imperial High Grade Tennessee Acid Phos- | 20.00 | 0.10 | |
| phate | 16.00 | | |
| Imperial High Grade Acid Phosphate | 14.00 | | |
| Imperial Special Potash Mixture | 12.00 | | 5.00 |
| Imperial Catawba Wheat Grower | 10.00 | | 4.00 |
| Imperial Carolina Wheat Mixture | 10.00 | | 3.00 |
| Imperial Virginia Grain Mixture | 10.00 | | 2.00 |
| Imperial Bone and Potash | 10.00 | | $\frac{2.00}{2.00}$ |
| Imperial Martin County Special Crop Grower | 9.00 | 2.26 | 2.00 |
| Imperial Crop Grower | 9.00 | 1.65 | 4.00 |
| Imperial Snowflake Cotton Grower | 8.00 | 3.29 | 4.00 |
| Imperial Tobacco Grower | 8.00 | 3.29 | 4.00 |
| Imperial Robeson County Special | 8.00 | $\frac{0.20}{2.47}$ | 4.00 |
| Imperial X. L. O. Cotton Guano | 8.00 | 2.47 | 3.00 |
| Imperial Tobacco Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Imperial Yellow Bark Sweet Potato Guano | 8.00 | $\frac{2.17}{2.47}$ | 3.00 |
| Imperial Pee Dee Cotton Grower | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Imperial F. and B. Cotton Guano | 8.00 | 2.06 | 3.00 |
| Imperial Bright Tobacco Guano | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Imperial Tennessee Tobacco Guano | 8.00 | 1.65 | 8.00 |
| Imperial Peanut Guano | 8.00 | $\frac{1.05}{1.65}$ | 4.00 |
| Imperial Cotton Grower | 8.00 | 1.65 | 2.00 |
| Imperial Champion Guano | 8.00 | 1.65 | 2.00 |
| Imperial Peanut and Corn Guano | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Imperial Cisco Soluble Guano | 8.00 | $\frac{1.05}{1.65}$ | 2.00 |
| Imperial Standard Premium Guano | 8.00 | $\frac{1.05}{1.65}$ | 2.00 |
| Imperial Ammoniated Guano | 8.00 | 1.00 | 4.00 |
| Imperial Fish and Bone Grain Grower | 8.00 | .82 | 4.00 |
| Imperial Yadkin Wheat Grower | 8.00 | | $\frac{4.00}{4.00}$ |
| Imperial 7-7-7 Potato Guano | 7.00 | 5.76 | $\frac{4.00}{7.00}$ |
| Imperial High Grade Irish Potato Guano | 7.00 | 4.11 | 8.00 |
| Imperial Dawson's Cotton Grower | 7.00 | $\frac{4.11}{2.67}$ | $\frac{3.00}{2.75}$ |
| Imperial Roanoke Crop Grower | 7.00 | $\tilde{2.47}$ | $\frac{2.10}{2.00}$ |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|--------------------------|---------------------|
| Imperial Asparagus Mixture | 6.00 | 4.94 | 7.00 |
| Imperial 5-6-7 Potato Guano | 6.00 | 4.11 | 7.00 |
| Imperial Williams' Special Potato Guano | 6.00 | 4.11 | 5.00 |
| Imperial Fish and Bone | 6.00 | 3.29 | 4.00 |
| Imperial Sweet Potato Guano | 6.00 | 1.65 | 6.00 |
| Imperial 10 Per Cent Guano | 5.00 | 8.23 | 2.50 |
| Imperial Ammonia Top Dresser for Spinach. | 5.00 | 8.23 | |
| Imperial Special 7 Per Cent for Potatoes | 5.00 | 5.76 | 5.00 |
| Imperial Eastern Shore Sweet Potato Special | 5.00 | 3.29 | 9.00 |
| Imperial Special Tobacco Guano | 5.00 | 3.29 | 9.00 |
| Imperial Top Dresser for Cotton | 4.00 | 8.23 | 2.00 |
| Imperial Laughinghouse Special Tobacco | | | _,,,, |
| Guano | 4.00 | 3.29 | 6.00 |
| Imperial Conetoe Cotton Grower | 4.00 | 3.29 | 4.00 |
| Imperial Cubanola Tobacco Guano | 4.00 | 2.47 | 5.00 |
| Imperial Nitrate of Soda | | 15.00 | |
| Imperial Top Dresser | | 7.40 | 3.00 |
| Imperial Dry Ground Fish | | 8.23 | |
| Imperial Muriate of Potash | | | 49.00 |
| Imperial Sulphate of Potash | | | 48.00 |
| Imperial Genuine German Kainit | • • • • | • • • • | 12.00 |
| N. B. Josey Guano Co., Tarboro, N. C.— | | | |
| Josey's 16 Per Cent Acid Phosphate | 16.00 | | |
| Josey's Bone and Potash | 10.00 | | 4.00 |
| Josey's Truck Guano | 8.00 | 4.10 | 5.00 |
| Josey's Big Yield Guano | 8.00 | 3.30 | 4.00 |
| Josey's 8-4-4 C. S. Meal and Fish Scrap Guano | 8.00 | 3.30 | 4.00 |
| Josey's Special Tobacco Guano | 8.00 | 2.47 | 5.00 |
| Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Josey's Bright Leaf Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Josey's "U No" Guano | 8.00 | 2.47 | 3.00 |
| Josey's Quick Step Tobacco Guano Josey's Favorite C. S. Meal and Fish Scrap | 8.00 | 2.06 | 3.00 |
| Guano | 8.00 | 2.05 | 2.50 |
| Josey's C. S. Meal Guano | 8.00 | 1.65 | 2.00 |
| Josey's Potato Guano | 7.00 | 5.77 | 7.00 |
| Josey's ("Big Four") C. S. M. and F. S. Guano | 6.00 | 3.30 | 4.00 |
| Josey's Peanut Guano | $\frac{5.50}{3.00}$ | 1.23 | $\frac{5.50}{4.00}$ |
| Josey's Elite Top Dresser Nitrate of Soda | | $\substack{7,42\\15.50}$ | |
| Josey's Top Dresser | • • • • | $\frac{15.50}{7.42}$ | 4.00 |
| Cotton-seed Meal | | 6.19 | |
| Muriate of Potash | | 0.10 | 48.00 |
| Manure Salts | | | 20.00 |
| Genuine German Kainit | | | 12.00 |
| | | | |
| Lister's Agricultural Chemical Works, Newark, N. J. | | | |
| Lister's H. G. Phosphoric Acid Phosphate | 16.00 | • • • • | • • • • |
| Lister's Buyers Choice Acid Phosphate | 14.00 | • • • • | |
| Lister's Phosphoric Acid and Phosphate | 10.00 | • • • • | 4.00 |
| Lister's Dissolved Phosphate and Potash | 10.00 | • • • • | 2.00 |
| Lister's Carolina Bright for Tobacco Lister's Standard Pure Bone Superphosphate | 9.00 | 2.47 | 3.00 |
| of Lime | 9.00 | 1.65 | 2.00 |
| Lister's Complete Manure | 8.00 | 2.47 | 3.00 |

| Name and Address of Manufacturer and Name of Brand. Lister's Special Tobacco Fertilizer 8.00 2.06 3.0 Lister's Ammoniated Dissolved Bone Phosphate 8.00 2.06 2.0 Lister's Success Fertilizer 8.00 2.06 2.0 John F. McNair, Laurinburg, N. C.— Nitrate of Soda 15.20 15.20 Muriate of Potash 9.00 Genuine German Kainit 12.0 McNair Phosphate Co., Laurinburg, N. C.— |
|--|
| Lister's Ammoniated Dissolved Bone Phosphate |
| Lister's Success Fertilizer 8.00 1.65 2.0 John F. McNair, Laurinburg, N. C.— Nitrate of Soda 15.20 Muriate of Potash 48.0 Genuine German Kainit 12.0 McNair Phosphate Co., Laurinburg, N. C.— |
| Nitrate of Soda 15.20 Muriate of Potash 48.0 Genuine German Kainit 12.0 McNair Phosphate Co., Laurinburg, N. C.— |
| Nitrate of Soda 15.20 Muriate of Potash 48.0 Genuine German Kainit 12.0 McNair Phosphate Co., Laurinburg, N. C.— |
| McNair Phosphate Co., Laurinburg, N. C.— |
| |
| |
| Rob Roy 8.00 5.76 5.0 Sodash 2.00 7.29 5.0 |
| The MacMurphy Co., Charleston, S. C.— |
| High Grade Acid Phosphate, 14 Per Cent 14.00 |
| Acid Phosphate 12.00 |
| ACIG I HOSPITALE AND POLISH. 19 00 |
| Acid Phosphate and Potash 11.00 1.0 Acid Phosphate and Potash 10.00 50 |
| Acid Phosphate and Detech |
| ACIII Phosphata and Potoch |
| WHOOX & Gibbs Co.'s Manipulated Guano 925 926 9.0 |
| Special 8-4-6 Guano |
| Special 8-1-4 Cotton Guano |
| Special 8-4-4 Tobacco Guano con 200 |
| Special 8-5-4 Tobacco Guano con Secondario |
| Special S-3-3 Cotton and Corn. S.00 2.47 4.00 Special S-3-3 Technology Grant Corn. S.00 2.47 3.00 3.0 |
| 5) DECIAL 0-5-5 10031600 GHS 10 |
| Standard 8-2½-1 Cotton Guano 8.00 2.47 3.00 Special 8-2-2 Cotton Guano 8.00 2.06 1.00 Special 8-2-2 Cotton Guano 8.00 1.65 2.00 |
| |
| Nitrate of Soda |
| Muriate of Potash |
| Subplace of Potash |
| The Mapes Formula and Peruvian Guano Co |
| Newark, N. J.— |
| Mapes' Complete Manure, "A" Brand 10.00 2.47 2.50 |
| Mapes' Vegetable or Complete Manure for 8.00 2.47 6.00 |
| Light Soils |
| Mapes' Economical Potato Manure |
| Marietta Fertilizer Co., Atlanta, Ga.— |
| Marietta Blood and Bone Special 9.00 .82 3.00 |
| Marietta Beef Blood and Rong |
| Fertilizer, No. 835 |
| 5 Fer Cent Trucker 6.00 4.11 7.00 |
| Martin Fertilizer Co., Norfolk, Va., and New Bern, N. C.— |
| , Martin's Pure Ground Bone 22.00 2.46 |
| Martin's Raw Bone Meal |
| Martin's Acid Phosphate |
| Martin's Acid Phosphate 14.00 |
| Martin's Pure Dissolved Animal Bone 12.00 1.65 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|---------------------|
| Martin's Potash and Soluble Bone | 12.00 | | 5.00 |
| Martin's Potash and Soluble Bone | 12.00 | | 3.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 6.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 5.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 4.00 |
| Jennett's Potash and Soluble Bone | 10.00 | | 4.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 3.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 2.00 |
| Jennett's Potash and Soluble Bone | 10.00 | | 2.00 |
| Martin's Tobacco Special | 9.00 | 2.46 | 3.00 |
| Martin's Cotton Special | 9.00 | 2.46 | 3.00 |
| Martin's Tobacco Compound | 9.00 | 2.26 | 2.00 |
| Johnson's High Grade | 9.00 | 2.05 | 5.00 |
| Martin's Dissolved Organic Compound | 9.00 | 1.00 | 3.00 |
| Martin's Corn and Cereal Special | 9.00 | 1.00 | 2.00 |
| Martin's Giff and Gereat Special | 8.75 | 1.65 | 2.00 |
| Martin's Blood, Bone and Potash | 8.00 | 4.10 | 7.00 |
| Martin's Red Star Brand Fertilizer | 8.00 | 4.10 | 5.00 |
| Special Fertilizer | 8.00 | 3.28 | 6.00 |
| Martin's Cotton and Tobacco Guano | 8.00 | 3.28 | 6.00 |
| Martin's Cotton Guano | 8.00 | 3.28 | 4.00 |
| Martin's Red Star Brand | 8.00 | 3.28 | 4.00 |
| Martin's Tobacco Special | 8.00 | 3.28 | 4.00 |
| Jennett's Cotton Guano | 8,00 | 3.28 | 4.00 |
| Martin's Blue Ribbon Brand Fertilizer | 8.00 | 3.28 | 2.00 |
| Martin's Bull Head Fertilizer | 8.00 | 2.46 | 8.00 |
| Martin's Cotton and Tobacco Guano | 8.00 | 2.46 | 5.00 |
| Privott's Favorite | 8.00 | 2.46 | 4.00 |
| Martin's Bull Head | 8.00 | 2.46 | 3.00 |
| Martin's Tobacco Special | 8.00 | 2.46 | 3.00 |
| Jennett's Slaughter House Mixture | 8.00 | 2.46 | 3.00 |
| Martin's Meal Mixture | 8.00 | 2.46 | 3.00 |
| Martin's Tobacco Special | 8.00 | 2.06 | 5.00 |
| Martin's Meal Mixture | 8.00 | 2.06 | 4.00 |
| Martin's Meal Mixture | 8.00 | 2.05 | 4.00 |
| Martin's Special Fertilizer | 8.00 | 2.05 | 3.00 |
| Martin's Cotton Guano | 8.00 | 2.05 | 1.00 |
| Privott's Special for Potatoes and Peanuts | 8.00 | 1.65 | 6.00 |
| Martin's Cotton and Tobacco Guano | 8.00 | 1.65 | 5.00 |
| Martin's Cotton and Tobacco Guano | 8.00 | 1.65 | 3.00 |
| Martin's Animal Organic Compound | 8.00 | $\frac{1.65}{1.65}$ | 3.00 |
| Martin's Slaughter House Special | 8.00 | $\frac{1.65}{1.65}$ | $\frac{2.00}{2.00}$ |
| Martin's Wheat Special | 8.00 | | $\frac{2.00}{2.00}$ |
| Martin's Carolina Special for Tobacco | 8.00 | 1.65 | $\frac{2.00}{2.00}$ |
| Martin's Carolina Cotton | 8.00 8.00 | $\frac{1.65}{1.65}$ | $\frac{2.00}{2.00}$ |
| Martin's Corn and Cereal Special | 8.00 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Martin's Old Virginia Favorite | 8.00 8.00 | $\frac{1.65}{1.65}$ | $\frac{2.00}{2.00}$ |
| Jennett's Beef Blood and Bone | 8.00 | 1.03 | 4.00 |
| Martin's One Eight Four | S.00 | 1.03 | 4.00 |
| Martin's Peanut Grower Martin's Potash and Soluble Bone | 8.00 | 1.03 | 4.00 |
| | 7.00 | 8.22 | $\frac{4.00}{2.50}$ |
| Martin's Top Dresser | 7.00 | 4.10 | $\frac{2.50}{5.00}$ |
| Abbott's Special | 7.00 | 3.28 | 8.00 |
| Martin's Gilt Edge Potato Manure | 7.00 | 2.46 | 10.00 |
| Martin's 7 Per Cent Guano | 6.00 | $\frac{5.74}{5.74}$ | 5.00 |
| Martin's Animal Bone Potato Fertilizer | 6.00 | 4.10 | 7.00 |
| Martin's Early Truck and Vegetable Grower. | 6.00 | 3.28 | 8.00 |
| martino Lati, Track and regensio oronor. | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------|
| Knowles' Special | 6.00 | 3.28 | 6.00 |
| Martin's Top Dresser | 5.00 | 8.23 | 2.50 |
| Martin's Nitrate Soda | | 15.23 | |
| Martin's Muriate of Potash | | | 50.00 |
| Martin's Sulphate of Potash | | | 48.00 |
| Martin's Sulphate of Totash Martin's Kainit | | | 48.00 |
| Martin's Kamit | | | 45.00 |
| E. H. & J. A. Meadows Co., New Bern, N. C.— | | | |
| Diamond Acid Phosphate | 16.00 | | |
| Diamond Acid Phosphate | 14.00 | • • • • | • • • • |
| pound | 10.00 | • • • • | 5.00 |
| pound | 10.00 | | 4.00 |
| Meadows' Lobos Guano | 8.00 | 4.11 | 5.00 |
| Meadows' Ideal Tobacco Guano | 8.00 | 3.29 | 4.00 |
| Brooks' Special Tobacco Grower | 8.00 | | 5.00 |
| Daylor's Special Tobacco Grower | | $\frac{2.47}{2.47}$ | |
| Parker's Special Tobacco Guano | 8.00 | 2.47 | 4.00 |
| Meadows' Gold Leaf Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Meadows' Roanoke Guano | 8.00 | 2.05 | 3.00 |
| Meadows' All Crop Guano | 8.00 | 2.05 | 2.50 |
| Meadows' Cotton Guano | 8.00 | 1.65 | 2.00 |
| Meadows' Great Cabbage Guano | 7.00 | 5.76 | 7.00 |
| Meadows' Great Potato Guano | 7.00 | 4.11 | 8.00 |
| Nitrate of Soda | | 15.50 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 50.00 |
| Meadows' German Kainit | | | 12.40 |
| The Miller Fertilizer Co., Baltimore, Md.— | | | |
| Miller's 16 Per Cent Acid Phosphate | 16.00 | | |
| Miller's 14 Per Cent Acid Phosphate | | | |
| Corn and Peanut Grower | 14.00 | • • • • | 2.25 |
| Corn and Wheat Grower | 10.50 | | |
| The Miller Fertilizer Co.'s 10 and 4 Per Cent. | 10.50 | | 2.25 |
| Clinch | 10.00 | | 4.00 |
| Clinch | 10.00 | 4.40 | 2.00 |
| Trucker | 8.00 | 4.12 | 5.00 |
| No. 1 Potato and Vegetable Grower | 8.00 | 3.71 | 7.00 |
| Miller's Irish Potato | 8.00 | 3.29 | 4.00 |
| 4 Per Cent Tobacco | 8.00 | 3.29 | 4.00 |
| Standard Phosphate | 8.00 | 2.47 | 3.00 |
| Tobacco King | 8.00 | 2.47 | 3.00 |
| Miller's High Grade | 8.00 | 2.06 | 3.00 |
| Special Tobacco Grower | 8.00 | 1.65 | 4.00 |
| Potato and Vegetable Guano | 8.00 | 1.65 | 4.00 |
| Ammoniated Dissolved Bone | 8.00 | 1.65 | 2.00 |
| Farmer's Profit | 8.00 | 1.65 | 2.00 |
| Miller's 8 and 4 | 8.00 | 4.40 | 4.00 |
| High Grade Potato | 6.00 | 4.12 | 7.00 |
| | 4.00 | 6.58 | 3.00 |
| Nitrate of Soda | | 15.05 | ~ |
| Muriate of Potash | | | 50.00 |
| Sulphate of Ammonia | • • • • | • • • • | 48.00 |
| Navassa Guano Co., Wilmington, N. C.— | | | |
| Navassa Piedmont Wheat Grower | 10.00 | • • • • | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. | Nitrogen. | Potash. |
|---|-----------------|---------------|------------|
| Traine and Indices of Mandatacture and Iranic of Diana. | Acid. | Titel og e Li | r ottisii. |
| New Bern Cotton Oil and Fertilizer Mills, New Bern, N. C.— | | | |
| Thomas PhosphateTotal | 18.00 | | |
| Bone Meal | 16.00 | 2.47 | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acid Phosphate | 14.00 | | |
| Special Corn and Peanut Grower | 11.00 | | 2.00 |
| High Grade Bone and Potash | 10.00 | | 4.00 |
| Carteret Bone and Potash | 10.00 | | 2.00 |
| Greene County Tobacco Fertilizer | 9.00 | 2.47 | 5.00 |
| Sparrow's Special Tobacco Grower | 9.00 | 2.47 | 3.00 |
| Oriole Tobacco Grower | 8.00 | 3.30 | 4.00 |
| Harvey's Special Meal and Fish Guano | 8.00 | 2.47 | 3.00 |
| Special C. S. M. Mixture | 8.00 | 2.47 | 3.00 |
| Foy's High Grade Fertilizer | 8.00 | 2.47 | 3.00 |
| Lenoir Bright Leaf Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Pitt's Prolific Golden Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Favorite Cotton Grower | 8.00 | 2.27 | 2.00 |
| Onslow's Farmers' Reliance Guano | 8.00 | 2.06 | 3.00 |
| Jones County Premium Crop Grower | 8.00 | 2.06 | 3.00 |
| Craven Cotton Guano | 8.00 | 1.65 | 2.00 |
| Greene County Standard Fertilizer | 8.00 | 1.65 | 2.00 |
| Dunn's Standard Truck Grower | 7.00 | 5.77 | 7.00 |
| Ives' Irish Potato Guano | 7.00 | 4.12 | 7.00 |
| Eureka Tobacco Fertilizer | 6.00 | 3.30 | 7.00 |
| Hart's Special Tobacco Grower | 6.00 | 2.47 | 6.00 |
| Pamlico Electric Top Dresser | 5.00 | 8.25 | 2.50 |
| Wooten's Special Tobacco Guano | 4.00 | 3.30 | 6.00 |
| Sulphate of Ammonia | | 20.62 | |
| Nitrate of Soda | | 15.67 | |
| Ground Blood | | 13.20 | |
| Ground Tankage | | 9.00 | |
| Eureka Top Dresser | | 8.25 | 3.00 |
| High Grade Fish Scrap | | 8.25 | |
| Cotton-seed Meal | | 6.18 | |
| Sulphate of Potash | | | 50.00 |
| Muriate of Potash | | | 48.00 |
| Genuine German Kainit | • • • • | | 12.00 |
| Nitrate Agencies Co., New York, Baltimore, Sa- | | | |
| vannah, Charleston, and Norfolk— | | | |
| Acid Phosphate | 16.00 | | |
| Basic Slag | 14.00 | • • • • | |
| Ground Fish | 7.00 | 9.35 | |
| Nitrate of Soda | | 15.00 | |
| Ground Dried Blood | | 13.16 | |
| Ground Tankage | | 9.04 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 47.00 |
| Kainit | • • • • | • • • • | 12.00 |
| Norfolk Fertilizer Co., Norfolk, Va.— | | | |
| Pure Ground BoneTotal | 20.00 | 3.70 | |
| Oriana 16 Per Cent Acid Phosphate | 16.00 | | |
| Whitney H. G. Acid Phosphate | 16.00 | | |
| Oriana 14 Per Cent Acid Phosphate | 14.00 | | |
| Oriana Wheat Grower | 10.00 | | 4.00 |
| | - | | |

THE BULLETIN.

| | Avail. | | |
|---|----------------|---------------|-------------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| Shenandoah Wheat Mixture | 10.00 | | 3.00 |
| Young's Grain Grower | 10.00 | | 2.00 |
| Oriana Bone and Potash | 10.00 | | 2.00 |
| Oriana C. S. M. Special | 9.00 | 2.26 | 2.00 |
| Oriana Complete Fertilizer | 8.00 | 3.29 | 4.00 |
| Oriana First Step Tobacco Guano | 8.00 | 3.29 | 4.00 |
| Oriana Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Oriana for Cotton | 8.00 | 2.47 | 3.00 |
| Oriana Bright Leaf Guano | 8.00 | 2.06 | 3.00 |
| Oriana Cotton Guano | 8.00 | 1.65 | 2.00 |
| Oriana Crop Grower | 8.00 | 1.65 | 2.00 |
| Mayodan Valley Wheat Grower | 8.00 | | 4.00 |
| Oriana Special Mixture | 6.00 | 4.11 | 5.00 |
| Oriana Truck Guano | 5.00 | 5.76 | 5.00 |
| Pine Top Special Crop Grower | 5.00 | 1.65 | 6.00 |
| Nitrate of Soda Mixture for Top Dressing | | 0.00 | 2.00 |
| Cetton | 4.00 | 8.23 | 2.00 |
| Oriana High Grade Tobacco Guano | 4.00 | 3.29 | 6.00 |
| Nitrate of Soda | | 15.00 | |
| Dry Ground Fish | | 8.23 | |
| Norfolk Top Dresser | | 7.40 | 3.00 |
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | • • • • | • • • • | 48.00 |
| Genuine German Kainit | • • • • | | 12.00 |
| Nontally Wallow Co. Nontally Wa | | | |
| Norfolk Tallow Co., Norfolk, Va.— | | | |
| Natalco Ground Bone | 8.00 | 2.45 | |
| North Carolina Cotton Oil Co., Charlotte, N. C.— | | | |
| Dixie Standard | 8.00 | 2.48 | 3.00 |
| Majestic | 8.00 | 1.65 | 2.00 |
| zattycobie | 0.00 | 2.00 | |
| North Carolina Cotton Oil Co., Henderson, N. C.— | | | |
| Special Mixture W. F. Marsh, Jr | 10.00 | 2.47 | 3.00 |
| Pride of Vance Tobacco Fertilizer | 9.00 | 2.47 | 3.00 |
| Uneedit Tobacco Fertilizer | 9.00 | 2.47 | 3.00 |
| Henderson Tobacco Fertilizer | 9.00 | 2.47 | 3.00 |
| Franklin Tobacco Fertilizer | 9.00 | 2.47 | 3.00 |
| Currin's Special for Tobacco | 8.00 | 3.29 | 4.00 |
| Two in One | 8.00 | 3.28 | 4.00 |
| Sulphate of Potash Brand Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Henderson High Grade | 8.00 | 2.47 | 3.00 |
| McKinne Mixture | 8.00 | 2.26 | 3.25 |
| Henderson Standard Guano | 8.00 | 2.26 | 2.00 |
| Brewer's Special | 8.00 | 2.26 | 2.00 |
| American Pet | 8.00 | 2.26 | 2.00 |
| Henderson Cotton Grower | 8.00 | 1.65 | 2.00 |
| Franklin Cotton Grower | 8.00 | 1.65 | 2.00 |
| Uneedit Cotton Grower | 8.00 | 1.65 | 2.00 |
| Vance Cotton Grower | 8.00 | 1.65 | 2.00_{-1} |
| Nitrate of Soda | • • • • | 14. 80 | 50.00 |
| Muriate of Potash | • • • • | | 50.00 |
| Sulphate of Potash | • • • • | | 48.00 |
| North Carolina Cotton Oil Co., Raleigh, N. C.— | | | |
| Raleigh Special Guano | 8.00 | 2.47 | 3.00 |
| Raleigh Standard Guano | 8.00 | 2.26 | 2.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|----------------------|----------------------|
| North Carolina Cotton Oil Co., Wilmington, N. C.— | | | |
| High Grade Acid Phosphate | 16.00 | | |
| Wilmington Bone and Potash | 10.00 | | 4.00 |
| Pate's High Grade | 9.00 | 2.47 | 3.00 |
| Cockrell & Williams' Cotton Grower | 9.00 | 2.27 | 2.00 |
| Wilmington Mortgage Lifter | 9.00 | 2.27 | 2.00 |
| Wilmington's Pride | 8.00 | 4.12 | 7.00 |
| Wilmington's Truck Grower | 8.00 | 3.30 | 4.00 |
| Bullock's High Grade | 8.00 | 3.30 | 4.00 |
| Wilmington's Full Value | 8.00 | 3.30 | 4.00 |
| Wilmington Tobacco Grower | 8.00 | 3.30 | $\frac{4.00}{10.00}$ |
| Wilmington Fruit Grower | 8.00 8.00 | $\frac{2.47}{2.47}$ | 7.50 |
| Best Tobacco Grower | 8.00 | $\frac{2.47}{2.47}$ | 4.00 |
| Bullock's Cotton Grower | 8.00 | $\frac{2.47}{2.47}$ | 4.00 |
| Wilmington Farmer Boy | 8.00 | $\frac{2.47}{2.47}$ | 4.00 |
| Wilmington High Grade | 8.00 | $\frac{2.17}{2.47}$ | 3.00 |
| Wilmington Leader | 8.00 | $\frac{5.17}{2.47}$ | 3.00 |
| Clute's Cotton Grower | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| L. P. B. Special. | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Carter's Lifter | 8.00 | $\frac{1}{2.47}$ | 3.00 |
| Lewis's Special | 8.00 | 2.47 | 3.00 |
| Cooper's Special | 8.00 | 2.47 | 3.00 |
| The Stone Company Special | 8.00 | 2.47 | 3.00 |
| Wilmington Standard | 8.00 | 2.47 | 2.50 |
| Pate's Special | 8.00 | 2.47 | 2.00 |
| Currie's Crop Grower | 8.00 | 2.06 | 4.00 |
| Wilmington Banner | 8.00 | 1.65 | 3.00 |
| Clark's Special | 8.00 | 1.65 | 3.00 |
| Maultsby's Cotton Grower | 8.00 | 1.65 | 3.00 |
| Wilmington Cotton Grower | 8.00 | 1.65 | 2.00 |
| Wilmington Special | 8.00 | 1.65 | 2.00 |
| Wilmington Cotton Mixture | 7.00 | 2.47 | 5.00 |
| High Grade Tobacco | 6.00 | 3.30 | 10.00 |
| Wilmington Headlight | 6.00 | $\frac{3.30}{7.40}$ | 8.00 |
| Wilmington High Grade Top Dresser | 4.50 | $\frac{7.40}{19.68}$ | 3.00 |
| Sulphate of Ammonia | | 14.80 | • • • • |
| Nitrate of Soda | | 13.12 | |
| H. G. Ground Tankage | | 8.20 | |
| Wilmington Special Top Dresser | | 7.40 | 3.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| | | | |
| G. Ober & Sons Co., Baltimore, Md.— | | | |
| Pure Raw Bone MealTotal | 21.00 | 3.71 | |
| Ober's High Grade Acid Phosphate | 16.00 | 0.11 | |
| Ober's Dissolved Bone Phosphate | 14.00 | | |
| Ober's Standard Potash Compound | 12.00 | | 5.00 |
| Ober's Dissolved Animal Bone | 10.00 | 2.47 | |
| Ober's Acid Phosphate with Potash | 10.00 | | 4.00 |
| Ober's Dissolved Bone, Phosphate and Potash | 10.00 | | 2.00 |
| Ober's Special High Grade Fertilizer | 9.00 | 2.47 | 3.00 |
| Ober's Special Ammoniated Dissolved Bone | 9.00 | 1.65 | 2.00 |
| Ober's Farmers' Mixture | 9.00 | .82 | 2.00 |
| Ober's H. G. Fertilizer | 8.00 | 3.30 | 4.00 |
| Ober's Complete Guano for All Crops | 8.00 | 2.47 | 3.00 |

| | A :1 | | |
|---|--------------------------|---------------------|---------------------|
| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
| Ober's Special Compound for Tobacco | 8.00 | 2.47 | 3.00 |
| Cooper's Pungo | 8.00 | 2.06 | 2.00 |
| Ober's Standard Tobacco Fertilizer | 8.00 | 1.65 | 2.00 |
| Ober's Special Cotton Compound | 8.00 | 1.65 | 2.00 |
| Ober's Soluble Ammoniated Superphosphate | 3.00 | 1.00 | 2.00 |
| of Lime | 8.00 | 1.65 | 2.00 |
| Ober's Stag Guano | 8.00 | .82 | 4.00 |
| Ober's Acid Phosphate with Potash | 8.00 | | 4.00 |
| Ground Fish | 7.30 | 9.00 | |
| Ober's Complete Vegetable Fertilizer | 7.00 | 4.12 | 5.00 |
| Red Seal Special Tobacco Guano | 6.00 | 2.47 | 7.00 |
| Ober's Special Tobacco Bed Fertilizer, 10 Per | | | |
| Cent | 4.00 | 8.25 | 3.00 |
| Nitrate of Soda | | 15.50 | |
| Ground Blood | | 13.00 | |
| Sulphate of Potash | | | 48.00 |
| Muriate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| Pan-American Fertilizer Co., Norfolk, Va.— | | | |
| | | | |
| Pan-American 16 Per Cent Acid Phosphate | 16.00 | | |
| Pan-American 10 and 2: | 10.00 | | 2.00 |
| Pan-American Favorite Compound | 8.00 | 3.29 | -4.00 |
| Pan-American Special Cotton Grower | 8.00 | 2.47 | 3.00 |
| Pan-American Universal Phosphate | 8.00 | 1.65 | 2.00 |
| Pan-American Special | 7.00 | 5.76 | 5.00 |
| Pan-American 6 Per Cent Trucker | 7.00 | 4.94 | 5.00 |
| Pan-American P. Trucker | 6.00 | 5.76 | 6.00 |
| Pan-American Universal Trucker | 6.00 | 5.76 | 5.00 |
| Pan-American Carolina Trucker | 6.00 | 4.11 | 7.00 |
| Pan-American Dixie Standard | 6.00 | 4.11 | 5.00 |
| Pan-American Tip Top Dresser | 5.00 | 8.23 | 2.00 |
| Pan-American Potato and Truck Special | 5.00 | 5.76 | 5.00 |
| Pan-American Universal Top Dresser | 3.00 | 8.23 | 4.00 |
| Patapsco Guano Co., Baltimore, Md.— | | | |
| | 04 =4 | 0.70 | |
| Patapsco Pure Raw BoneTotal | 21.51 | 3.70 | |
| Florida Soluble Phosphate | 16.00 | • • • • | • • • • |
| Patapsco Pure Dissolved S. C. Phosphate | 14.00 | | |
| Patapseo High Grade Phosphate and Potash. | 11.00 | • • • • | 5.00 |
| Baltimore Soluble Phosphate | 11.00 | | 2.00 |
| Patapseo 10 and 4 Potash Mixture | 10.00 | | 4.00 |
| Patapsco Soluble Phosphate and Potash | 10.00 | | 2.00 |
| Patapseo Guano for Tobacco | 9.25 | 2.06 | 2.00 |
| Patapsco Guano | 9.25 | 2.06 | 2.00 |
| Patapsco Tobacco Fertilizer | 9.00 | 2.47 | 3.00 |
| Patapsco Bright Tobacco Grower | 9.00 | 2.26 | 2.00 |
| Patapsco Cotton and Corn Special | 9.00 | 2.06 | 5.00 |
| Patapseo Cotton Growers' Special | 9.00 | 1.65 | 3.00 |
| Coon Brand Guano | 9.00 | .82 | 3.00 |
| Patapseo Cotton and Tobacco Special | 8.00 | 3.29 | 4.00 |
| Patapseo Plant Food for Tobacco, Potatoes | 8.00 | 9.17 | 5.00 |
| and Truck | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| | | | |
| Choctaw Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Patapsco H. G. Tobacco Special | 8.00 | $\frac{2.47}{2.06}$ | $\frac{3.00}{3.00}$ |
| Patapsco Special Tobacco Mixture | 8.00 | | |
| Unicorn Guano | 8.00 | 2.06 | 3.00 |
| Planters Favorite | 8.00 | 1.65 | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|----------------------|---------|
| Grange Mixture, C. S. M. Base | 8.00 | 1.65 | 2.00 |
| Sea Gull Ammoniated Guano | 8.00 | 1.65 | 2.00 |
| Patapsco 7-7-7 Truck Gnano | 7.00 | 5.76 | 7.00 |
| Patapsco Trucker for Early Vegetables | 7.00 | 4.11 | 5.00 |
| Money Maker Guano | 7.00 | 3.70 | 6,00 |
| Dry Ground FishTotal | 6.00 | 8.23 | |
| Patapsco Potato Guano | 6.00 | 4.11 | 7.00 |
| Patapsco Crop Dresser | 4.00 | 3.29 | 4.00 |
| Nitrate of Soda | | 15.00 | |
| Patapsco Top Dresser | | 7.41 | 3.00 |
| Mariate of Potash | | | 49.00 |
| Genuine German Kainit | | | 12.00 |
| | | | |
| Peruvian Guano Corporation, Charleston, S. C.— | | | |
| Peruviau Sulphate Tobacco Formula | 10.00 | 1.65 | 8.00 |
| The Phosphate Mining Co., Goronah, Ga | | | |
| "Supreme" Acid Phosphate | 18.00 | | |
| Acid Phosphate | 17.00 | | |
| "Superfine" Acid Phosphate | 16.00 | | |
| Acid Phosphate | 15.00 | | |
| "Superior" Acid Phesphate | 14.00 | | |
| Acid Phosphate | 13.00 | | |
| Acid Phosphate | 12.00 | | |
| Acid Thosphate | 1 = .(/// | | |
| Picdmont-Mt. Airy Guano Co., Baltimore, Md.— | | | |
| Piedmont Bone MealTotal | 21.00 | 3.29 | |
| Piedmont 16 Per Cent Acid Phosphate | 16.00 | | |
| Piedmont 14 Per Cent Acid Phosphate | 14.00 | | |
| Piedmont Special Potash Mixture | 10.00 | | 5.00 |
| Levering's Potashed Bone | 10.00 | | 4.00 |
| Piedmont Farmers' Potash Mixture | 10.00 | | 2,00 |
| Piedmont Farmers' Standard | 9,00 | 1.65 | 2.00 |
| Piedmont Essential Tobacco Compound | 9,00 | 1.65 | 2.00 |
| Levering's Ammoniated Bone | 9,00 | .82 | 3,00 |
| Piedmont Unexcelled Guano | 8.00 | 3.29 | 4.00 |
| Piedmont Special Tobacco Guano | 8.00 | 2.47 | 4.00 |
| Piedmont High Grade Ammoniated Bone and | | | 1 |
| Potash | 8.00 | 2.47 | 3,00 |
| Levering's Reliable Tobacco Guano | 8.00 | $\frac{2.47}{2.47}$ | 3,00 |
| | 8.00 | 2,06 | 3,00 |
| Piedment Guano for Tobacco | S,00 | 2.06 | 3.00 |
| | S,00 | 1.65 | 3,00 |
| Levering's Standard Piedmont Bone and Peruvian Mixture | 8,00 | 1.65 | 2.00 |
| Piedmont Cultivator Brand | 8,00 | 1.65 | 2.00 |
| | 8.00 | 1.65 | 2.00 |
| Piedmont Red Leaf Tobacco Guano Piedmont Farmers' Favorite | 8,00 | .82 | 4.00 |
| | 8.00 | | 5.00 |
| Piedmont Star Bone and Potash | 7.00 | 5.76 | 7.00 |
| Piedmont 7-7-7 Truck Guano | 6,00 | 5.76 | 5.00 |
| Piedmont Special Truck Fertilizer | 6,00 | 4.94 | 7.00 |
| Piedmont Special Potato Guano | 6,00 | 4.12 | 7.00 |
| Piedmont Early Vegetable Manure | 6,00 | $\frac{4.12}{4.12}$ | 5.00 |
| Piedmont Early Trucker | 6,00 | 3,29 | S.00 |
| Piedmont Vegetable Compound | 5,00 | | 5.00 |
| Piedmont 7 Per Cent Truck Guano | | $\frac{5.76}{2.47}$ | 6.00 |
| Piedmont Potato Producer | 5.00 | $\frac{2.47}{15.23}$ | |
| Nitrate of Soda | | 10.25 | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|-----------------------|
| Boykin's Top Dresser | | 7.41 | 3.00 |
| Muriate of Potash | | | 50,00 |
| Sulphate of Potash | | | 48.00 |
| German Kainit | | •••• | 12.00 |
| Planters Cotton Oil and Fertilizer Co., Rocky Mount, N. C.— | | | |
| Acid Phosphate | 16,00 | | |
| Royal Cotton Grower | 9.00 | 2.26 | 2.00 |
| J. P. D. Special | 8.00 | 3.29 | 5,00 |
| Gorham H. G | 8.00 | 3,29 | 4.00 |
| Robertson's Tobacco Compound | 8.00 | 2.47 | 5,00 |
| Tar River Special | 8.00 | 2.47 | 3,00 |
| Planters' C. S. Oil Co.'s Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Break's Corn Special | 8.00 | 1.65 | 7.00 |
| Planters' Pride for Cotton | 8.00 | 1.65 | 2.00 |
| Planters' C. S. Oil Co.'s Cotton Guano | 8.00 | 1.65 | 2.00 |
| Planters' Peanut Mixture | 8.00 | 1.21 | 5,00 |
| Planters' Special Potato Guano | 7.00 | 4.12 | 5,00 |
| Braswell's Excelsior | 7.00 | 3.29 | 6.00 |
| E. L. D. Special | 7.00 | 2.47 | 3.00 |
| Braswell's Special for Tobacco | 7.00 | 2.26 | 3.50 |
| Planters' Top Dresser | 3.50 | 7.82 | 3,00 |
| Nitrate of Soda | | 15.00 | |
| Ground Fish Scrap | | 8.23 | 50,00 |
| Muriate of Potash | | | -18,00 |
| Sulphate of Petash | | | $\frac{45.00}{12.00}$ |
| | | | 12.00 |
| Pocahontas Guano Co., Lynchburg, Va.— | | | |
| Pure Raw Bone MealTotal Carrington's S. C. Phosphate, Waukesha | 22.00 | 3.71 | |
| Brand | 16.00 | | |
| Imperial Dissolved S. C. Phosphate | 14.00 | | |
| Indian Special Grain and Grass Guano | 12.00 | 5.00 | |
| Special Potash Mixture | 10,00 | 5,00 | |
| Wabash Wheat Mixture | 10,00 | 4.00 | |
| Carrington's Superior Grain Compound | 10,00 | 2.00 | |
| Pocahontas Special Tobacco Fertilizer | 9,00 | 2.47 | 3.00 |
| High Grade 4 Per Cent Tobacco Compound | 0.00 | 1.05 | 4.00 |
| Mohawk King | 9,00 | 1.85 | 2.00 |
| Yellow Tobacco Special | 9,00 | $\frac{1.65}{1.65}$ | 2.00 |
| Standard Tobacco Guano, Old Chief Brand | 9,00 | | 2.00 |
| Planters' Special | 9,00 | .82 | |
| Indian Tobacco Grower | 8.00 | 2.47 | 4.00 |
| Farmers' Favorite Apex Brand | 8.00 | 2.47 | 3.00 |
| Special Truck Grower, Eagle Mount Brand | 8.00 | 2.06 | 6.00 |
| Spot Cash Tobacco Compound | 8.00 | 2.05 | 3.00 |
| Truckers' Special | 8.00 | 1.65 | 6.00 |
| Carrington's Banner Brand Guano | 8.00 | 1.65 | 2.00 |
| A. A. Complete Champion Brand | 8.00 | 1.00 | 3,00 |
| Cherokee Grain Special | 8.00 | | 4.00 |
| Nitrate of Soda | | 15.00 | |
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | | | 48,00 |
| Genuine German Kainit | | | 12,00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|-----------------------|
| The Pocomoke Guano Co., Norfolk, Va.— | | | • |
| Pure Ground BoneTotal | 20.00 | 3.70 | |
| Superb Acid Phosphate | 16.00 | | |
| Peerless Acid Phosphate | 14.00 | | |
| Pocomoke 12-5 Bone and Potash | 12.00 | | 5.00 |
| Alkali Bone | 11.00 | | 2.00 |
| Pocomoke Bone and Potash Mixture | 10.00 | | 4.00 |
| 10-2 Potash Mixture | 10.00 | | 2.00 |
| Monticello Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Cinco Tobacco Guano | 8.50 | 2.06 | 2.50 |
| Pocomoke Superphosphate | 8.50 | 1.65 | 2.00 |
| Electric Crop Grower | 8.50 | 1.65 | 2.00 |
| Garrett's Grape Grower | 8.00 | 3.29 | 10.00 |
| Faultless Ammoniated Superphosphate | 8.00 | 3.29 | 4.00 |
| Pocomoke H. G. Tobacco Guano | 8.00 | 3.29 | 4.00 |
| Monarch Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Harvey's High Grade Monarch | 8.00 | 2.47 | 3.00 |
| Pocomoke Sweet Potato Grower | 8.00 | 2.47 | 3.00 |
| CCC Crescent Complete Compound | 8.00 | 1.65 | 3.00 |
| Pamlico Superphosphate | 8.00 | 1.65 | 2.00 |
| Pocomoke Wheat, Corn and Peanut Manure | 8.00 | 1.00 | 4.00 |
| Pocomoke Defiance Bone and Potash | 8.00 | | 4.00 |
| Pocomoke Truck Grower 5 Per Cent | 7.00 | 4.11 | 5.00 |
| Standard Truck Guano | 7.00 | 4.11 | 5.00 |
| Seaboard Popular Trucker | 6.00 | 5.76 | 5.00 |
| Freeman's 7 Per Cent Irish Potato Grower | 6.00 | 5.76 | 5.00 |
| Coast Line Truck Guano | 5.00 | 8.23 | 3.00 |
| Pocomoke Top Dresser | 4.00 | 8.23 | 2.00 |
| Smith's Special Formula | 4.00 | 3.29 | 6.00 |
| Nitrate of Soda | • • • • | 15.00 | |
| Dry Ground Fish | | 8.23 | 2.00 |
| Special Top Dresser | | 7.41 | 3.00 |
| Muriate of Potash | | • • • • | $\frac{49.00}{48.00}$ |
| Sulphate of Potash | · · · · · | • • • • | 12.00 |
| Genuine German Kannt | | • • • • | 12.00 |
| Powhatan Chemical Co., Richmond, Va.— | | | |
| Pure Animal BoneTotal | 25.00 | 2.47 | |
| Pure Raw Bone MealTotal | 22.50 | 3.70 | |
| Magic Dissolved Bone Phosphate | 16.00 | | |
| High Grade Acid Phosphate | 14.00 | | |
| Powhatan Acid Phosphate | 13.00 | | |
| Magic Corn Special | 12.00 | 1.00 | 2.00 |
| Magic Wheat Special | 12.00 | 1.00 | 2.00 |
| High Grade Bone and Potash Mixture | 12.00 | | 5.00 |
| Virginia Dissolved Bone | 12.00 | | |
| Magic Corn Grower | 10.00 | .82 | 1.00 |
| Magic Crop Grower | 10.00 | .82 | 1.00 |
| Magic Bone and Potash Mixture | 10.00 | | 4.00 |
| Bone and Potash Mixture | 10.00 | | 2.00 |
| Austin's Special Fertilizer | 9.00 | 2.47 | 6.00 |
| Guilford Special Tobacco Fertilizer | 9.00 | 2.47 | 6.00 |
| Ralling's Special Fertilizer | 9.00 | 2.47 | 2.00 |
| Economic Cotton Grower | 9.00 | 2.26 | 2.00 |
| Johnson's Best Fertilizer | 9.00 | $\frac{2.06}{2.06}$ | 5.00 |
| Holt's Magic Fertilizer | 9.00 | $\frac{2.06}{1.85}$ | 5.00 |
| Union Magic Fertilizer | $9.00 \\ 9.00$ | $\frac{1.85}{1.65}$ | $\frac{4.00}{3.00}$ |
| North Carolina Favorne | 5.00 | 60.1 | 5.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------------------|
| Powhatan Special Fertilizer | 9.00 - | 1.65 | 2.00 |
| Magic Mixture | 9.00 | 1.65 | 1.00 |
| Powhatan Grain Guano | 9.00 | .82 | 3.00 |
| Magic Wheat Grower | 9.00 | .82 | 2.00 |
| King Trucker | 8.00 | 4.11 | 5.00 |
| Tomlinson's Best Fertilizer | 8.00 | 3.70 | 7.00 |
| Copeland's Magic Fertilizer | 8.00 | 3.29 | 8.00 |
| Powhatan Special Tobacco Fertilizer | 8.00 | 3.29 | 6.00 |
| North State Special | 8.00 | 3.29 | 4.00 |
| Tomlinson's Favorite Fertilizer | 8.00 | 2.88 | 5.00 |
| Special Fertilizer | 8.00 | 2.47 | 7.00 |
| Tomlinson's Magic Fertilizer | 8.00 | 2.47 | 7.00 |
| Tomlinson's Special Fertilizer | 8.00 | 2.47 | 5.00 |
| Magic Fertilizer | 8.00 | 2.47 | 4.00 |
| P. C. Co.'s Hustler | 8.00 | 2.47 | 3.00 |
| Johnson's Special Fertilizer | 8.00 | 2.47 | 3.00 |
| King Brand Fertilizer | 8.00 | 2.06 | 3.00 |
| White Leaf Tobacco Fertilizer | 8.00 | 2.06 | -3.00 |
| Powhatan Peanut Fertilizer | 8.00 | 1.65 | 4.00 |
| Magic Cotton Grower | 8.00 | 1.65 | -2.00 |
| Magic Special Fertilizer | 8.00 | 1.65 | -2.00 |
| Magie Tobacco Grower | 8.00 | 1.65 | -2.00 |
| Magic Peanut Special | 8.00 | .82 | 4.00 |
| Magic Grain Special | 8.00 | .82 | 4.00 |
| Magic Peanut Grower | 8.00 | | 4.00 |
| Magic Grain and Grass Grower | 8.00 | | 4.00 |
| Powhatan Bone and Potash Mixture | 8.00 | | 4.00 |
| Powhatan Trucker | 7.00 | 4.94 | 5.00 |
| Copeland's Best Fertilizer | 7.00 | 2.88 | 7.00 |
| Copeland's Special Fertilizer | 6.00 | 3.29 | 7.00 |
| Allen's Special Tobacco Fertilizer | 6.00 | 1.65 | 5.00 |
| Powhatan Top Dresser | 4.00 | 8.23 | 4.00 |
| Magic Top Dresser | 4.00 | 6.17 | 2.50 |
| Sulphate of Ammonia | | 19.75 | |
| Nitrate of Soda | | 15.63 | |
| Tomlinson Nitrate Muriate Special | | 9.87 | 5.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| High Grade German Potash | | | 16.00 |
| Pure German Kainit | | | 12.00 |
| Rasin-Monumental Co., Baltimore, Md | | | |
| Rasin 16 Per Cent Acid Phosphate | 10.00 | | |
| Rasin Acid Phosphate | $\frac{16.00}{14.00}$ | | |
| Rasin 13 Per Cent Acid Phosphate | 13.00 | | |
| Rasin H. G. Bone and Potash | 12.00 | • • • • | 5.00 |
| Rasin's Big 10 | 10.00 | 3.29 | 4.00 |
| Rasin Seawell Alkaline Phosphate | 10.00 | | 6.00 |
| Rasin Special Bone and Potash | 10.00 | | 5.00 |
| Rasin's Double Bone and Potash | 10.00 | • • • • | 4.00 |
| Rasin Bone and Potash | 10.00 | • • • • | 2.00 |
| Rasin's Nine-Three-Three Guano | 9.00 | 2.47 | 3.00 |
| Rasin's Dixie Cotton Guano | 9.00 | 2.26 | 2.00 |
| Rasin Dixie Guano | 9.00 | 1.65 | 2.00 |
| Rasin's IXL (Cotton-seed Meal Body) | 9.00 | .S2 | 3.00 |
| Baltimore Special Mixture | 9.00 | .82 | 2.00 |
| Rasin's Dixie H. G. Guano | 8.00 | 3.29 | $\frac{2.00}{4.00}$ |
| Rasin's Seawall Special Guano | 8.00 | 2.47 | 5.00 |
| - | | | |

| Name and Address of Manufacturer and Name of Brand, | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------|
| Rasin's Old Empire Guano Special | 8.00 | 2.47 | 3,00 |
| Rasin's Complete Cotton Compound | 8,00 | $\frac{2.47}{2.47}$ | 3.00 |
| Rasin's Indian Brand for Tobacco | S.00 | $\frac{2.47}{2.47}$ | 3.00 |
| | | | |
| Rasin Gold Standard | 8.00 | 2.47 | 3.00 |
| Rasin Special Fertilizer | 8.00 | 2.06 | 3,00 |
| Rasin's General Tobacco Grower | 8,00 | 2.06 | 3.00 |
| Rasin's Old Empire Guano | 8,00 | 1.65 | 2.00 |
| Rasin's 8-4 Bone and Potash | 8.00 | | 4.00 |
| Rasin Irish Potato Special | 7.00 | 3.29 | 8.00 |
| Rasin Truckers' Mixture | 6,00 | 5.77 | 5.00 |
| Nitrate of Soda | | 14.82 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| | | | 12.00 |
| Rasin Genuine German Kainit | • • • • | | 12.00 |
| Read Phosphate Co., Charleston, S. C.— | | | |
| Read's H. G. Dissolved Bone | 16.00 | | |
| Read's H. G. Acid Phosphate | 14.00 | | |
| Read's Bone and Potash | 10,00 | | 4.00 |
| Read's Alkaline Bone | 10,00 | | 2.00 |
| Read's Manipulated Guano | 9,00 | 1.65 | 3.00 |
| | 8.00 | 4.12 | 7.00 |
| Read's H. G. Cotton Guano | | 3,30 | 6.00 |
| | 8,00 | | |
| Read's H. G. Guano | 8.00 | 3.30 | 4.00 |
| Read's H. G. Cotton Grower | 8,00 | 2.47 | 3,00 |
| Read's II. G. Tobacco Leaf | 8,00 | 2.47 | 3,00 |
| Read's Soluble Fish Guano | 8,00 | 1.65 | -2.00 |
| Read's Blood and Bone Fertilizer, No. 1 | 8,00 | 1.62 | 2.00 |
| Read's Special Potash Mixture | 8.00 | | 4.00 |
| Read's Fish and Blood Mixture | 7.00 | 3.30 | 5,00 |
| Nitrate of Soda | | 19,00 | |
| Muriate of Potash | | | 48.00 |
| | | | |
| German Kainit | • • • • | • • • • | 12.00 |
| Red Cross Guano Co., Lynchburg, Va.— | | | |
| Pure Raw Bone MealTotal | 22.00 | 3.71 | |
| Red Cross Bone MealTotal | 22.00 | 3.00 | |
| Red Cross H. G. Phosphate | 16,00 | | |
| Red Cross Standard Phosphate | 14.00 | | |
| Red Cross Grain Grower | 10,00 | | 4.00 |
| | 10.00 | | 2.00 |
| Red Cross Bone and Potash | | | |
| Red Cross High Grade for Tobacco | 9,00 | 2.47 | 3.00 |
| Red Cross for Tobacco and Truck | 9,00 | 1.85 | 4.00 |
| Red Cross for Bright Tobacco | 9.00 | 1.65 | 2.00 |
| Red Cross Special for Tobacco | 8.00 | 2.47 | 3,00 |
| Red Cross Tobacco Guano | 8.00 | 2.06 | 3,00 |
| Red Cross Crop Grower | 8.00 | 1.65 | 2.00 |
| Red Cross Grain and Grass Special | 8,00 | 1.00 | 3,00 |
| Rhum Phosphate Mining Co., Mount Pleasant, Pa.— | | | |
| • | 110.00 | | |
| Ground Phōsphate RockTotal | 28.00 | | • • • • |
| Richmond Guano Co., Richmond, Va.— | | | |
| Pure Animal BoneTotal | 25,00 | 2.47 | |
| Pure Raw Bone MealTotal | 22.50 | 3.70 | |
| Rex Dissolved Bone Phosphate | 16.00 | | |
| | 14.00 | | |
| High Grade Acid Phosphate | 14.00 | | |

THE BULLETIN.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|----------------------|
| Premium Bone and Potash Mixture | 13.00 - | | 3.00 |
| Premium Dissolved Bone | 13.00 | | |
| Premium Corn Special | 12.00 | 1.00 | 2.00 |
| Premium Wheat Special | 12.00 | 1.00 | 2.00 |
| H. G. Bone and Potash Mixture | 12.00 | | 5.00 |
| Regal Bone and Potash Mixture | 12.00 | | 4.00 |
| Old Homestead Dissolved Bone | 12.00 | | |
| Dissolved S. C. Phosphate | 12.00 | | |
| Premium Corn Grower | 10,00 | .82 | 1.00 |
| Bone Mixture | 10.00 | .82 | 1.00 |
| Premium Crop Grower | 10.00 | .82 | 1.00 |
| Johnson's Best Bone and Potash | 10.00 | | 5.00 |
| Rex Bone and Potash Mixture | 16.00 | | 4,00 |
| Bone and Potash Mixture | 10,00 | | 2.00 |
| Sanders' Special Formula for Bright Tobacco. | 9,00 | 2.88 | 5,00 |
| Collins' Special Fertilizer | 9,00 | 2.47 | 2.00 |
| Carolina Cotton Grower | 9,00 | 2.26 | 2.00 |
| Burton Special Tobacco Fertilizer | 9,00 | 2.06 | 3.00 |
| C. & B.'s Best Fertilizer | 9,00 | 1.65 | 3.00 |
| Bumper Crop Ammoniated Guano | 9,00 | 1.65 | 3.00 |
| Lowery's Special Fertilizer | 9,00 | 1.65 | 3.00 |
| Cracker Jack Fertilizer | 9.00 | 1.65 | 2.00 |
| Bone Mixture | 9,60 | 1.65 | 1.00 |
| Tip Top Grain Guano | 9,00 | .82 | 3.00 |
| Premium Wheat Grower | 9,00 | .82 | 2.00 |
| Premium Crop Grower | 9,00 | .82 | 2.00 |
| Southern Trucker | 8.00 | 4.11 | 5.00 |
| Bone and Blood Special for Tobacco | 8.00 | 3.29 | 6,60 |
| Special Fertilizer | 8.00 | 3,29 | 6,00 |
| Perfection Special | 8.00 | 3.29 | 4.00 |
| Beeson's Best Fertilizer | 8.00 | $\frac{2.47}{2.47}$ | $\frac{10.00}{3.00}$ |
| Carolina Bright Tobacco Fertilizer | 8,00 | | 3.00 |
| Gilt Edge Fertilizer Cartilizar | 8,00 8,00 | $\frac{2.47}{2.47}$ | 3.00 |
| Gilt Edge Tobacco Fertilizer | 8,00 | 2.26 | 2.50 |
| Carolina Bright Special Tobacco Fertilizer Tip Top Tobacco Fertilizer | 8,00 | 2.06 | 3,00 |
| Tip Top Fortilizer | 8,00 | 2.06 | 3,00 |
| Carolina Bright for Cotton | 8.00 | 2.06 | 1.50 |
| Special Premium Brand for Tobacco | 8.00 | 1.85 | 2.25 |
| Special Premium Brand for Plants | 8.00 | 1.85 | 2.25 |
| Beeson's Favorite Fertilizer | 8.00 | 1.65 | 10.00 |
| Beeson's Special Fertilizer | 8.00 | 1.65 | 6,00 |
| Rex Tobacco Fertilizer | 8.00 | 1.65 | 4.00 |
| Rex Ammoniated Crop Grower | 8.00 | 1.65 | 3.00 |
| Premium Cotton Fertilizer | 8.00 | 1.65 | 2.00 |
| Premium Tobacco Fertilizer | 8.00 | 1.65 | 2.00 |
| Premium Brand Fertilizer | 8.00 | 1.65 | 2,00 |
| Edgecombe Cotton Grower | 8,00 | 1.65 | 2.00 |
| Premium Grain Special | 8.00 | .82 | 4.00 |
| Premium Peanut Special | 8,00 | .82 | 4.00 |
| Premium Peanut Grower | 8.00 | | 4.00 |
| Tip Top Bone and Potash Mixture | 8.00 | | 4.00 |
| Winter Grain and Grass Grower | 8.00 | | 4.00 |
| Clark's Special Formula | 7.00 | 4.94 | 6,00 |
| Special High Grade for Truck | 7.00 | 4.94 | 5,00 |
| 10 Per Cent Cabbage Guano | 6. 00 | 8.23 | 2.00 |
| Smith's 7 Per Cent Special | 6.00 | 5.76 | 5.00 |
| Edwards' Prolific Cotton Grower | 6.00 | 3.29 | 4.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|--------------------|---------|
| Gilt Edge Top Dresser | 4.00 | 8.23 | 4.00 |
| Premium Top Dresser | 4.00 | 6.17 | 2.50 |
| Carter's Special for Tobacco | 4.00 | 2.47 | 6.00 |
| Smith's Special Fertilizer | 4.00 | 1.65 | 7.00 |
| Sulphate of Ammonia | | 19.75 | |
| Nitrate of Soda | | 15.63 | |
| Special Top Dresser | | 7.40 | 3.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| High Grade German Potash | | | 16.00 |
| Pure German Kainit | • • • • | • • • • | 12.00 |
| Robersonville Guano Co., Robersonville, N. C.— | | | |
| Roberson's H. G. Acid Phosphate | 16.00 | | |
| Roberson's 4 Per Cent Special | 8.00 | 3.29 | |
| Roberson's H. G. Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Roberson's H. G. Meal and Fish Guano | 8.00 | 2.47 | 3.00 |
| Roberson's H. G. Cotton Grower | 8.00 | 2.47 | 3.00 |
| Roberson's Special 7-7-7 Potato Grower | 7.00 | 5.77 | 7.00 |
| Roberson's H. G. Truck Guano | 7.00 | 4.12 | 5.00 |
| Roberson's 7 Per Cent Potato Guano | 6.00 | 5.77 | 5.00 |
| Robersonville H. G. Top Dresser | 4.00 | 8.23 | 4.00 |
| Sulphate of Ammonia | | 20.50 | |
| Nitrate of Soda | | 15.60 | |
| Dried Blood | | 13.62 | |
| Fish Serap | | 8.00 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Roberson's Genuine German Kainit | | | 12.00 |
| Robeson Manufacturing Co., Lumberton, N. C.— | | | |
| Eureka | 10.00 | 3.30 | 5.00 |
| Stanby | 8.00 | 3.30 | 4.00 |
| Gold Dollar | 8.00 | 3.30 | 4.00 |
| Globe C. S. M. Guano | 8.00 | 2.47 | 5.00 |
| Bladen Special | 8.00 | 2.47 | 4.00 |
| Silver Dollar | 8.00 | 2.47 | 3.00 |
| Cottonade | 8.00 | 2.27 | 3.00 |
| Robeson's Special | 8.00 | 1.65 | 3.00 |
| Homerun | 3.00 | 8.00 | 5.00 |
| The Robertson Fertilizer Co., Norfolk, Va.— | | | |
| Robertson's Raw Bone MealTotal | 21.00 | 3.71 | |
| Robertson's Fine Ground BoneTotal | 21.00 | 2.47 | |
| High Peak Acid Phosphate | 16.00 | | |
| Scepter Brand Acid Phosphate | 14.00 | | |
| P. M. C. Acid Phosphate | 13.00 | | |
| J. W. S. Special Bone and Potash Mixture | 12.00 | | 5.00 |
| J. W. S. Alkaline Bone | 10.00 | | 5.00 |
| Skyscraper Bone and Potash | 10.00 | | 4.00 |
| Level Run Dissolved Bone and Potash | 10.00 | | 2.00 |
| Beaver Brand Soluble Guano | 9.00 | 1.85 | 4.00 |
| Robertson's Blood and Bone Mixture | 9.00 | 1.00 | 2.00 |
| P. M. C. High Grade Soluble Gnano | 8.00 | 4.12 | 7.00 |
| Robertson's 5-6-7 Guano | 8.00 | 4.12 | 7.00 |
| Wood's Winner H. G. Guano | 8.00 | 3.30 | 4.00 |
| Robertson's Soluble H. G. Guano | 8.00 | $\frac{2.47}{1.2}$ | 4.00 |
| Old Kentucky High Grade Tobacco Manure | 8.00 | 2.47 | 3.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Robertson's Special Formula for Tobacco | 8.00 | 2.47 | 3.00 |
| Big Cropper High Grade Guano | 8.00 | 2.47 | 3,00 |
| Robertson's X-(T Ray) Tobacco Grower | 8.00 | 2.06 | 2.00 |
| Yellow Jacket Tobacco Guano | 8.00 | 1.85 | 4.00 |
| Double Pollar Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Double Dollar Soluble Guano | 8.00 | 1.65 | 2.00 |
| Ten Strike Soluble Crop Grower | 8.00 | 1.00 | 4.00 |
| M. C. Special Bone and Potash Mixture | 8.00 | | 4,00 |
| Robertson's 5 Per Cent Guano | 7.00 | 4.12 | 5.00 |
| Robertson's 7 Per Cent for Truck | 6.00 | 5.76 | 5.00 |
| Robertson's 10 Per Cent Truck Guano | 2.00 | 8.25 | 2.00 |
| Nitrate of Soda | | 14.85 | |
| Muriate of Potash | | | 50.00 |
| Genuine German Kainit | | | 50.00 |
| Genune German Kamit | • • • • | • • • • | 12.00 |
| F. S. Royster Guano Co., Norfolk, Va.— | | | |
| Pure Raw Bone MealTotal | 21.50 | 3.71 | |
| Arrow Brand Thomas PhosphateTotal | 18.00 | | |
| Royster's H. G. 17 Per Cent Acid Phosphate | 17.00 | | |
| Royster's H. G. 16 Per Cent Acid Phosphate | 16.00 | | |
| Royster's 14 Per Cent Acid Phosphate | 14.00 | | |
| Royster's Dissolved Bone | 13.00 | | |
| Royster's 12 and 5 Bone and Potash Mixture. | 12.00 | | 5.00 |
| Royster's XX Acid Phosphate | 12.00 | | |
| Royster's 11 and 5 Bone and Potash Mixture. | 11.00 | | 5.00 |
| Royster's Cotton Special | 10.00 | 3.30 | 4.00 |
| Seminole High Grade Fertilizer | 10.00 | 2.47 | 3,00 |
| Royster's Soluble Guano | 10.00 | 1.65 | 2,00 |
| Haywood County Special Guano | 10.00 | .82 | 3.00 |
| Royster's 10 and 6 Bone and Potash Mixture. | 10.00 | | 6.00 |
| Royster's 10 and 5 Bone and Potash Mixture. | 10.00 | | 5.00 |
| Royster's 10 and 4 Bone and Potash Mixture. | 10.00 | | 4.00 |
| Royster's Bone and Potash for Grain | 10.00 | | 3.00 |
| Royster's Bone and Potash Mixture | 10.00 | | 2.00 |
| Royster's 4-9-5 Special | 9.00 | 3.30 | $\frac{2.00}{5.00}$ |
| Tomlinson's Special | 9.00 | $\frac{3.30}{2.47}$ | 5.00 |
| Royster's 9-3-4 Special | 9.00 | $\frac{2.47}{2.47}$ | 4.00 |
| Surry Special Tobacco Grower | 9.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Piedmont Special Cotton Grower | 9.00 | $\frac{2.47}{2.47}$ | 3.00 |
| | 9.00 | $\frac{2.41}{2.26}$ | 2.00 |
| Royster's Meal Mixture | 9.00 | $\frac{2.26}{2.26}$ | 2,00 |
| Royster's Cotton Grower | 9.00 | 1.65 | 3.00 |
| Viking Ammoniated Guano | 9.00 | $\frac{1.05}{1.65}$ | 1.00 |
| Special Compound | | .82 | |
| Royster's Grain Grower | 9.00 | | 3.00 |
| Royster's Special 1-9-2 Guano | 9.00 | .82 | 2.00 |
| Royster's Supreme Tobacco Guano | 8.00 | 3.71 | 7.00 |
| Royster's Best Guano | 8.00 | 3.71 | 7.00 |
| Cobb's High Grade for Tobacco | 8.00 | 3.30 | 5.00 |
| Cobb's H. G. for Cotton | 8.00 | 3.30 | 5.00 |
| Trucker's Delight | 8.00 | 3.30 | 4.00 |
| Jupiter High Grade Guano | 8.00 | 3.30 | 4.00 |
| Royster's H. G. Special Tobacco Guano | 8.00 | 3.30 | 4.00 |
| Milo Tobacco Guano | 8.00 | 3.30 | 4.00 |
| Royster's Special 4-8-3 Guano | 8.00 | 3.30 | 3.00 |
| Gorham's Special | 8.00 | 3.30 | 2.50 |
| Lenoir Special Tobacco Guano | 8.00 | 2.88 | 7.00 |
| Royster's Sovereign Tobacco Grower | 8.00 | 2.88 | 5.00 |
| Eagle's Special Tobacco Guano | 8.00 | 2.47 | 5.00 |

Avail.

| Name and Address of Manufacturer and Name of Brand. | Avan. Phos. Acid. | Nitrogen. | Potash. |
|---|-------------------------|---------------------|---------|
| Marlboro High Grade Cotton Grower | 8.00 | 2.47 | 3.00 |
| Bonanza Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Royster's Special Sweet Potato Guano | 8.00 | 2.47 | 3,00 |
| • | 8,00 | $\frac{2.06}{2.06}$ | 3,00 |
| Orinoco Tobacco Guano | 8.00 | 2.06 | 2.00 |
| Special Tobacco Compound | | 1.65 | 2.00 |
| Royster's Special Wheat Fertilizer | 8.00 | | 2.00 |
| Royster's Complete Guano | 8.00 | 1.65 | |
| Farmers' Bone Fertilizer | 8.00 | 1.65 | 2.00 |
| Webb's Korn King | 8.00 | 1.65 | 2.00 |
| Farmers' Bone Fertilizer for Tobacco | 8.00 | 1.65 | 2.00 |
| Jumbo Peanut Grower | 8,00 | 1.02 | 4.00 |
| Royster's 8 and 4 Bone and Potash Mixture | 8.00 | | 4.00 |
| Royster's Special 7 Per Cent Truck Guano | 7.00 | 5.77 | 7.00 |
| Royster's Early Truck Guano | 7.00 | 4.12 | 8.00 |
| Royal Special Potato Guano | 7.00 | 4.12 | 7.00 |
| Royal Potato Guano | 7.00 | 4.12 | 5.00 |
| Royster's 7 and 5 Bone and Potash Mixture | 7.00 | | 5,00 |
| Royster's Peanut Special | 7.00 | | 5,00 |
| Arrow Potato Guano | 6.00 | 5.77 | 5,00 |
| Royster's Irish Potato Guano | 6.00 | 4.12 | 7.00 |
| Yellow Bark Sweet Potato Guano | 6.00 | 4.12 | 7.00 |
| Royster's Special 5-6-5 | 6.00 | 4.12 | 5,00 |
| Pasquotank Potato Guano | 6,00 | 3.30 | 8.00 |
| Royster's Tobacco Manure | 6.00 | 3,30 | 7.00 |
| Oakley's Special Tobacco Guano | 6.00 | 3.30 | 4.00 |
| Royster's 2-6-5 Special | 6,00 | 1.65 | 5,00 |
| Royster's Special 10 Per Cent Truck Guano | 5,00 | 8.24 | 3.00 |
| Royster's Cabbage Guano | 5,00 | 8,22 | 2.50 |
| Harvey's Cabbage Guano | 5.00 | 6.59 | 3,00 |
| Royster's Potato Guano | 5.00 | 4.94 | 7.00 |
| Presto Top Dresser | 4.00 | 8.22 | 4.00 |
| Royster's Ground Fish Scrap | 4.00 | 8.22 | |
| Royster's Special Top Dresser | 4.00 | 6.18 | 2,50 |
| Royster's 4-6-4 Special | 4.00 | 4.94 | 4.00 |
| Currituck Sweet Potato Guano | 4.00 | 2.47 | 8.00 |
| Royster's Ground Fish Scrap | 3.00 | 8.22 | |
| | 2.00 | 8.22 | 5,00 |
| Royster's 10-2-5 Top Dresser | | 15.22 | |
| Nitrate of Soda | | 7.42 | 3,00 |
| Magic Top Dresser | | 6.17 | |
| Cotton-seed Meal | | | 48.00 |
| Sulphate of Potash | • • • • | | 48.00 |
| Muriate of Potash | | | 20,00 |
| Manure Salts | | | 12.00 |
| Genuine German Kainit | | • • • • | 12,00 |
| Scotland Neck Guano Co., Scotland Neck, N. C.— | | | |
| Our 16 Per Cent Acid Phosphate | 16.00 | | |
| Our Bone and Potash Mixture | 10.00 | | 4.00 |
| Biggs' H. G. Truck Guano | 8.00 | 4.12 | 5,00 |
| Noah Biggs C. S. M. and Fish Scrap Guano | 8.00 | 3.30 | 4,00 |
| Noah Biggs' Special Tobacco Guano | 8,00 | 2.47 | 4.00 |
| | 8,00 | 2.47 | 3.00 |
| Johnson's Bright Leaf Tobacco Guano State Farm C. S. M. and Fish Scrap Tobacco | | | |
| Guano | 8.00 | $\frac{2.47}{0.00}$ | 3.00 |
| Farmers' C. S. M. and Fish Scrap Guano | 8,00 | 2.06 | 2.50 |
| Our Special C. S. M. Guano | 8.00 | 1.65 | 2.00 |
| Johnson's Special Potato Guano | 7.00 | 5.77 | 7.00 |
| Our Best Peanut Gnano | 5.50 | 1.23 | 5.50 |
| | | | |

| | Avail. | | |
|---|----------------|---------------------|--------------|
| Name and Address of Manufacturer and Name of Brand, | Phos. Acid. | Nitrogen. | Potash. |
| K. Elite Top Dressing | 3.00 - | 7.40 | 3.50 |
| Nitrate of Soda | | 15.50 | |
| Noah Biggs Top Dresser | | 7.46 | 3,50 |
| Our Genuine German Kainit | | | 12.00 |
| The Southern Collon Oil Co., Concord, Davidson, Shelby, Gibson, Monroe, and Wadesboro— | | | |
| S. C. O. Co.'s 16 Per Cent Acid Phosphate | 16.00 | | |
| Gold Seal Acid Phosphate | 14.00 | | |
| Conqueror Bone and Potash | 10.00 | | 4,00 |
| Magnolia Bone and Potash | 10,00 | | 2.00 |
| King Bee | 9.17 | 1.65 | 2.00 |
| Adams' Favorite | 9.00 | 2.47 | -1.50 |
| Uncle Sam | 9.00 | 2.47 | 3,00 |
| Heme Made | 9.00 | 2.05 | 3.00 |
| Razem | 9,00 | $\frac{1.65}{.82}$ | 3,00 |
| Special Grain Grower | 9,00 8,50 | | 3,00 3,50 |
| Special Ash Exement | 8.00 | 3,30 | 6,00 |
| Conqueror | 8.00 | 3.30 | 4.00 |
| Canto | 8.00 | 3.29 | 6,00 |
| Melonite | 8,00 | 3.29 | 4.00 |
| Peacock | 8.00 | 2.47 | 3.00 |
| Moon | 8,00 | $\frac{2.47}{2.47}$ | 3.00 |
| Landsake | 8.00 | 2.47 | 2,50 |
| Red Bull | 8.00 | 2.06 | 2.00 |
| All-to-Good | 8.00 | 2.05 | 3,00 |
| Gloria | 8.00 | 1.65 | 2.00 |
| Double Two | 8.00 | 1.65 | 2.00 |
| S. C. O. Co.'s Ash Element | 7.50 | | 4.50 |
| Dandy Top Dresser | 4.00 | 9.07 | 2.50 |
| Peerless Top Dresser | 4.00 | 6.17 | 2.50 |
| Nitrate of Soda | | 15.00 | |
| Labi | | 8.99 | 17.00 |
| Special Top Dresser | | 8.22 | 3.00 |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Geuuine German Kainit | | | 12.00 |
| The Southern Exchange Co., Maxton, N. C.— | | | |
| S. E. C. Acid Phosphate | 16.00 | | |
| S. E. C. Acid Phosphate | 14.00 | | |
| S. E. C. Bone and Potash Mixture | 10.00 | | 4.00 |
| S. E. C. Bone and Potash Mixture | 10.00 | | 2,00 |
| Juicy Fruit Fertilizer | 9.00 | 1.85 | 4,00 |
| The Walnut Fertilizer | 8.50 | 2.06 | 2.50 |
| Melon Grower | 8.00 | 4.11 | 7.00 |
| McKimmon's Special Truck Formula | 8.00 | 4.11 | 7.00 |
| Two Fours Guano | 8.00 | 3.29 | 4.00 |
| Southern Exchange Co.'s Bright Tobacco | | | |
| Formula | 8.00 | 2.47 | 4.00 |
| That Big Stick Guano | 8.00 | 2.47 | 4.00 |
| Bull of the Woods Fertilizer | 8.00 | 2.47 | 4.00 |
| [*] Marietta Supply Co.'s Best | \$.00 | 2.47 | 3,00 |
| Jack's Best Fertilizer | 8.00 | 2.47 | 3,00 |
| Correct Cotton Compound | 8.00 | 2.47 | 3,00 |
| R. M. C. Special Crop Grower | 8.00 | 2.47 | 3.00 |
| Clark's Special Compound | 8.00 | 1.65 | 3.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Southern Exchange Co.'s Special Tobacco Fer- | | | |
| tilizer | 8.00 | 1.65 | 3.00 |
| Currie Crop Lifter | 8.00 | 1.65 | 3.00 |
| The Racer Guano | 8.00 | 1.65 | 3.00 |
| The Coon Guano | 8.00 | 1.65 | 2.00 |
| The Southern Exchange Co.'s Top Dresser | 4.00 | 8.23 | 2.00 |
| Nitrate of Soda | | 15.00 | |
| Muriate of Potash | | | 49.00 |
| Genuine German Kainit | • • • • | • • • • | 12.00 |
| Spartanburg Fertilizer Co., Spartanburg, S. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acidulated Phosphate | 14.00 | | |
| Staff of Life | 13.00 | .82 | 3.00 |
| West's Potash Acid | 13.00 | | 3.00 |
| 13-3 Potash Acid | 13.00 | | 3.00 |
| Nitro Blood | 12.50 | 1.65 | 2.50 |
| 12-6 | 12.00 | | 6.00 |
| Wheat Formula | 11.50 | 1.21 | 5.00 |
| Gosnell's Plant Food | 10.50 | 2.46 | 2.00 |
| N. C. Special | 10.50 | 1.65 | 8.00 |
| Corn Formula | 10.50 | 1.65 | 5.00 |
| King Tiger | 10.00 | $\frac{1.05}{1.65}$ | 3.00 |
| 10-4 | 10.00 | | $\frac{3.00}{4.00}$ |
| Dana's Best | 10.00 | | 4.00 |
| Melrose | 10.00 | | $\frac{4.00}{2.00}$ |
| 10-2 | 10.00 | • • • • | $\frac{2.00}{2.00}$ |
| | 9.20 | 1.05 | $\frac{2.00}{2.00}$ |
| Boll Buster | | $\frac{1.65}{1.65}$ | 2.00 |
| Grain Compound | 9.20 | | |
| Hummer | 9.00 | 1.65 | 3.00 |
| Tiger Brand | 9.00 | .82 | 3.00 |
| Unaka | 8.00 | 3.29 | 4.00 |
| Glencoe | 8.00 | 2.46 | 3.00 |
| Corn Grower | 8.00 | 1.65 | 2.00 |
| Corn Maker | 8.00 | 1.65 | 2.00 |
| Corn King | 8.00 | 1.65 | 2.00 |
| C. C. & O. Special | 8.00 | 1.65 | 2.00 |
| Potato Guano | 7.00 | 2.46 | 7.00 |
| Sulphate Ammonia | | 20.65 | |
| Nitrate of Soda | | 14.81 | |
| Muriate of Potash | | | 48.00 |
| Kainit | • • • • | • • • • | 12.00 |
| Swift Fertilizer Works, Atlanta. Ga., Wilmington, N. C., and Chester, S. C.— | | | |
| Swift's Raw Bone MealTotal | 23.00 | 3.70 | |
| Swift's Pure Bone Meal | $\frac{23.00}{23.00}$ | $\frac{3.10}{2.47}$ | |
| | 16.00 | | |
| Swift's Special | | | |
| Swift's Cultivator | 14.00 | • • • • | |
| Swift's North Carolina Special | 13.00 | 1.65 | 2.00 |
| Swift's North Carolina Special | 12.00 | 1.65 | 2.00 |
| Swift's Special | 12.00 | • • • • | 6.00 |
| Swift's Atlanta | 12.00 | • • • • | 4.00 |
| Swift's Chattahoochee | 12.00 | 0.00 | 1.00 |
| Swift's Farmers' Special | 10.00 | 3.29 | 4.00 |
| Swift's Special High Grade Guano | 10.00 | 3.29 | 3.00 |
| Swift's Corn and Cotton Grower | 10.00 | 2.47 | 3.00 |
| Swift's Eagle | 10.00 | 1.65 | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Swift's Planters' Special | 10.00 | .82 | 3.00 |
| Swift's Plow Boy | 10.00 | .82 | 1.00 |
| Swift's Atlanta | 10.00 | | 5.00 |
| Swift's Farmers' Home | 10.00 | | 4.00 |
| Swift's Field and Farm | 10.00 | | 2.00 |
| Swift's Wheat Grower | 10.00 | | 2.00 |
| Swift's Special | 9.50 | 4.12 | 3.00 |
| Swift's Blood, Bone and Potash | 9.50 | 3.29 | 7.00 |
| Swift's Champion | 9.00 | $\frac{0.25}{2.47}$ | 4.00 |
| Swift's Special Cotton Grower | 9.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Swift's Cotton King | 9.00 | $\frac{2.17}{2.47}$ | 2.00 |
| Swift's Special Cotton Guano | 9.00 | 2.26 | $\frac{2.00}{2.00}$ |
| Swift's Gold Medal | 9.00 | 1.65 | 3.00 |
| Swift's Farmers' Favorite | 9.00 | 1.65 | 3.00 |
| Swift's Cotton Plant | 9.00 | 1.65 | 1.00 |
| Swift's Special | 9.00 | .82 | 3.00 |
| Swift's Special Formula | 9.00 | .82 | 2.00 |
| Swift's Cape Fear | 8.00 | 4.12 | 3.00 |
| Swift's Special Tobacco Grower High Grade. | 8.00 | 3.29 | 6.00 |
| Swift's Majestic for Tobacco High Grade | 8.00 | 3.29 | 4.00 |
| Swift's Monarch | 8.00 | 3.29 | 4.00 |
| Swift's Cotton-seed Meal Compound | 8.00 | 3.29 | 4.00 |
| Swift's Quick Growth Tobacco Fertilizer | 8.00 | 3.29 | 2.00 |
| Swift's Strawberry Grower | 8.00 | 2.47 | 10.00 |
| Swift's Piedmont Tobacco Grower | 8.00 | 2.47 | 6.00 |
| Swift's Carter's Prolific | 8.00 | 2.47 | 4.00 |
| Swift's Carolina Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Swift's Ruralist | 8.00 | 2.47 | 3.00 |
| Swift's Cotton-seed Meal Compound | 8.00 | 2.47 | 3.00 |
| Swift's Gold Leaf Tobacco Grower | 8.00 | 2.06 | 3.00 |
| Swift's Braswell Formula | 8.00 | 2.06 | 2.50 |
| Swift's Sumatra Tobacco Grower | 8.00 | 2.06 | 2.00 |
| Swift's Bright Leaf Tobacco Grower | 8.00 | 1.65 | 5.00 |
| Swift's Pioneer Tobacco Grower | 8.00 | 1.65 | 4.00 |
| Swift's Clark's Special Cotton Grower | 8.00 | 1.65 | 3.00 |
| Swift's Red Steer | 8.00 | 1.65 | 2.00 |
| Swift's Golden Harvest | 8.00 | 1.65 | $\frac{2.00}{5.00}$ |
| Swift's Thompson's Special | 8.00 | .82 | 5.00 |
| Swift's Special Peanut Grower | 8.00 | .82 | 4.00 |
| Swift's Golden Grain Grower | S.00 S.00 | .82 .82 | $\frac{4.00}{4.00}$ |
| Swift's Golden Grain Grower | 8.00 8.00 | | 4.00 |
| Swift's Plantation | 7.00 | ${5.76}$ | 7.00 |
| Swift's Special Irish Potato Grower | 7.00 | 4.12 | 8.00 |
| Swift's Potato Grower | 7.00 | 4.12 | 7.00 |
| Swift's Early Trucker | 7.00 | 4.12 | 5.00 |
| Swift's Special High Grade | 7.00 | 3.29 | 5.00 |
| Swift's Special Trucker | 6.00 | 5.76 | 5.00 |
| Swift's Favorite Truck Guano | 6.00 | 4.94 | 6.00 |
| Swift's Special Potato Grower | 6.00 | 4.12 | 7.00 |
| Swift's Special Tobacco Grower | 6.00 | 3.29 | 6,00 |
| Swift's Special 10 Per Cent Blood and Bone | | | |
| Trucker | 5.00 | 8.23 | 3.00 |
| Swift's Superior Top Dresser | 5.00 | 8.23 | 3.00 |
| Swift's Plant Bed Tobacco Fertilizer | 5.00 | 6.58 | 2.00 |
| Swift's Fruiter Top Dresser | 5.00 | 4.94 | 2.50 |
| Swift's Special Top Dresser | 4.00 | 8.23 | 4.00 |
| Swift's Excelsior Top Dresser | 4.00 | 6.18 | 2.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Swift's Everett's Special Formula | 4.00 | 3.29 | 3.00 |
| Swift's No. 1 Ground Tankage | 3.50 | 9,06 | |
| Swift's Pure Nitrate of Soda | | 14.82 | |
| Swift's Ground Dried Blood | | 13.18 | |
| Swift's Special Top Dresser | | 8.23 | 4.00 |
| Cotton-seed Meal | | 7.50 | |
| Swift's Special Top Dresser | | 7.40 | 4.00 |
| Swift's Nitrogen and Potash, No. 1 | | 7.40 | 3.00 |
| Swift's Nitrogen and Potash, No. 2 | | 6.58 | 4.00 |
| Swift's Cotton-seed Meal High Grade | | 6.18 | |
| Swift's Muriate of Potash | | | 50,00 |
| Swift's Sulphate of Potash | | | 49.00 |
| Swift's Pure German Kainit | | • • • • | 12.00 |
| Tidewater Guano Co., Norfolk, Ya.— | | | |
| Thomas Phosphate | 17.00 | | |
| B. B. Yellow Tobacco Grower | 8,00 | 2.47 | 3.00 |
| Tuscarora Fertilizer Co., Atlanta, Ga., and Wil- mington, X. C.— | | | |
| Tuscarora High Grade Trucker | 6,00 | 4.11 | 7.00 |
| Union Abattoir Co., Norfotk, Yu., and New Bern, N. C.— | | | |
| Acid Phosphate | 16,00 | | |
| Acid Phosphate | 14.00 | | |
| Red Star Potash and Soluble Bone | 10,00 | | 4.00 |
| Johnson's High Grade | 9.00 | 2.06 | 5,00 |
| Red Star H. G. Guano | 8.75 | 2.00 | 2.00 |
| Cotton Guano | 8,00 | 3. <u>2</u> 8 | 4.00 |
| Red Star Cotton Guano | 8,00 | 2.50 | 1.00 |
| Coften and Tobacco Guano | 8.00 | 2.46 | 3.00 |
| Standard Gnano | 8.00 | 1.65 | 2.00 |
| Muriate of Potash | | | 50,00 |
| Kainit | | | 12.00 |
| Union Guano Co., Winston-Salem, A. C.— | | | |
| Pure Raw Animal Bone Meal | 20,60 | 3.71 | |
| Union 16 Per Cent Acid Phosphate | 16.00 | | |
| Union High Grade Acid Phosphate | 14.00 | | |
| Dissolved Animal Bone Meal | 13.00 | 2.06 | |
| Union Dissolved Bone | 13.00 | | |
| Union 12-6 Bone and Potash | 12.00 | | 6,00 |
| Union 12-5 Bone and Potash | 12.00 | | 5.00 |
| Union 12-4 Bone and Potash | 12,00 | | 4.00 |
| Union 12-3 Bone and Potash | 12.00 | | 3,00 |
| Union 12-2 Bone and Potash | 12.00 | | 2.00 |
| Union 12 Per Cent Acid Phosphate | 12.00 | | 1.70 |
| Liberty Bell Crop Grower | 10.50 | | $\frac{1.50}{4.00}$ |
| Union Prolific Cotton Compound | 10.00 | 3.29 | 3,00 |
| Union Special Formula for Cotton | 10,00 10,00 | $\frac{2.47}{1.65}$ | 2.00 |
| Union Mule Brand Guano | 10.00 | 1.03 | 6,00 |
| Grain Chemicals | 10.00 | 1.00 | 6.00 |
| Union 10-6 Bone and Potash Union 10-5 Bone and Potash | 10.00 | | 5,00 |
| Union 10-3 Bone and Potash | 10.00 | | 4.00 |
| Onakers Grain Mixture | 10.00 | | 4.00 |
| Giant Phosphate and Potash | 10.00 | | 3,00 |
| count ranslands and range | 20.00 | | - / - / / |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|--------------------|---------------------|
| Finch & Harris's Special Bone and Potash | | | |
| Mixture | 10.00 | | 3.00 |
| Union Bone and Potash | 10.00 | | 2.60 |
| Union Gold Leaf Tobacco Mixture | 9,00 | 3.00 | 6.00 |
| Union Renown Guano | 9,00 | 2.47 | 3.00 |
| Union Complete Cotton Mixture | 9,00 | 1.65 | 3.00 |
| Farmers' Blood and Bone Guano | 9,00 | 1.65 | 3.00 |
| Dixie Cotton Grower | 9.00 | 1.65 | 2.00 |
| Q. and Q. (Quality and Quantity) Guano B. S. Ammoniated Guano | 9,00 9,00 | $\frac{1.65}{.82}$ | $\frac{1.00}{3.00}$ |
| Union Guano for Tobacco | 8.00 | 3,29 | 6.00 |
| Union Premium Guano | 8.00 | 3.29 | 4.00 |
| Bright Leaf Tobacco Compound | 8.00 | 2.75 | 7.00 |
| Union Homestead Gnano | 8.00 | 2.47 | 3,00 |
| Victoria High Grade Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Union Water Fowl Guano | 8.00 | 2.06 | 3.00 |
| Union Standard Tobacco Grower | 8,00 | 2.06 | 2.00 |
| Union Potato Mixture | 8,00 | 1.65 | 10.00 |
| Old Honesty Guano | 8.00 | 1.65 | 2.00 |
| Fish Brand Ammoniated Guano for Tobacco. | 8.00 | 1.65 | 2.00 |
| Old Honesty Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Fish Brand Ammoniated Guano | 8.00 | 1.65 | 2.00 |
| Union Superlative Guano | 8.00 | .82 | 4.00 |
| Surrise Ammoniated Guano | 8.00 | .82 | 3.00 |
| Union 8-5 Bone and Potash Union Wheat Mixture | 8,00 8,00 | | 5,00 4,00 |
| Union Vegetable Compound | 7.00 | 4.12 | 5,00 |
| Union Truck Guano | 7.00 | 3.29 | 5.00 |
| Complete Mixture for Top Dressing | 4.00 | 6.18 | 1.00 |
| Special 10 Per Cent Top Dresser | 2.00 | 8.24 | 2.50 |
| Nitrate of Soda | | 14.82 | |
| Union Top Dresser Ammonia and Potash Mix- | | | |
| ture | | 7.42 | 3,00 |
| Cotton-seed Meal | | 6.18 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| United States Fertilizer Co., Bultimore, Md.— | | | |
| Raw Bone Meal | 22.50 | 3,69 | |
| Farm Bell Acid Phosphate | 16.00 | | |
| Farm Bell Acid Phosphate | 14.00 | | |
| Farm Bell Phospho Potassa | 12.00 | | 5.00 |
| Farm Bell Potash and Acid | 10.00 | | 6,00 |
| Farm Bell 10-5 Mixture | 10,00 | | 5,00 |
| Farm Bell Special Mixture | 10.00 | | 4.00 |
| Farm Bell Alkaline Mixture | 10.00 | | 2.00 |
| Farm Bell Big Yield | 9,00 | 2.47 | 4.00 |
| White Oak Mountain Tobacco Guano | 9,00 | 2.46 | 3.00 |
| Farm Bell Harvest Moon | 9,00 | .82 | 3,00 |
| Farm Bell Buckeye Guano | 9.00 8.00 | .82 4.11 | 2,00 7,00 |
| Farm Bell Blood, Bone and Potash Farm Bell Excelsior Guano | 8.00 | 3.28 | 7.00 |
| Farm Bell Majestic Guano | 8.00 | 3.28 | 4.00 |
| Farm Bell Tobacco Fertilizer | 8.00 | 2.47 | 4.00 |
| Farm Bell Cotton Special | 8.00 | 2.47 | 3.00 |
| Farm Bell Tobacco Special | 8.00 | 2.47 | 3,00 |
| Farm Bell Crop Grower | 8.00 | 2.06 | 3.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---|---------------------|
| Farm Bell Tomato Special | 8.00 | 2.05 | 3.00 |
| Farm Bell Tobacco Grower | 8.00 | $\frac{2.05}{2.05}$ | 3.00 |
| Farm Bell Fruit and Potato Guano | 8.00 | 1.65 | 10.00 |
| Farm Bell Animal Ammoniated | 8.00 | 1.65 | 5.00 |
| Farm Bell Standard Guano | 8.00 | 1.65 | $\frac{3.00}{2.00}$ |
| Farm Bell Standard for Tobacco | 8.00 | $\begin{array}{c} \textbf{1.65} \\ \textbf{1.65} \end{array}$ | $\frac{2.00}{2.00}$ |
| Farm Bell Wheat, Oat, Corn Special | | | |
| Farm Pell Donnant Winner | 8.00 | .82 | 6.00 |
| Farm Bell Pennant Winner | 8.00 | .82 | 4.00 |
| Farm Bell Phosphate and Potash | 8.00 | | 5.00 |
| Farm Bell Wheat and Grass Grower | 8.00 | | 4.00 |
| Farm Bell Truckers' Ideal | 7.00 | 4.11 | 8.00 |
| Farm Bell Potato and Tobacco Guano | 7.00 | 2.47 | 10.00 |
| Farm Bell Klimax Kompound | 7.00 | .82 | 4.00 |
| Farm Bell 7 Per Cent Trucker | 6.00 | 5.75 | 5.00 |
| Farm Bell Truckers' Favorite | 6.00 | 3.28 | 8.00 |
| Farm Bell Lightning Topper | 4.00 | 8.20 | 3.00 |
| Farm Bell Top Dresser | 4.00 | 6.58 | 2.00 |
| Sulphate of Ammonia | | 20.50 | |
| Nitrate of Soda | | 15.50 | |
| Sulphate of Potash | | | 50.00 |
| Mnriate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| Vance Guano Co., Henderson, N. C.— | | | |
| Best Grade Acid Phosphate | 16.00 | | |
| Vance High Grade Acid Phosphate | 14.00 | | |
| Vance Corn and Grain Grower | | 1.00 | 3.50 |
| Farmers' Union | $\frac{10.00}{9.00}$ | $\frac{1.00}{3.00}$ | $\frac{3.30}{3.00}$ |
| Prodicts Post | 8.00 | $\frac{3.00}{4.00}$ | $\frac{3.00}{4.00}$ |
| Brodie's Best Fish Brand Tobacco Manure | 8.00 | $\frac{4.00}{3.00}$ | 3.00 |
| | 8.00 | $\frac{3.00}{2.00}$ | $\frac{3.00}{2.00}$ |
| Sterling Cotton Grower | 8.00 | $\frac{2.00}{2.00}$ | $\frac{2.00}{2.00}$ |
| Hot Stuff | 3.00 | 10.00 | $\frac{2.00}{5.00}$ |
| | 5.00 | 10.00 | 5.00 |
| Venable Fertilizer Co., Richmond, Va.— | | | |
| Pure Animal BoneTotal | 25.00 | 2.47 | |
| Pure Raw Bone MealTotal | 22.50 | 3.70 | |
| Venable Best Acid Phosphate | 16.00 | | |
| H. G. Acid Phosphate | 14.00 | | |
| Venable's Dissolved Bone | 13.00 | | |
| Venable's Majestic Bone and Potash Mixture. | 12.00 | | 5.00 |
| Venable's Standard Acid Phosphate | 12.00 | | |
| Venable's Corn, Wheat and Grass Fertilizer. | 10.00 | .82 | 1.00 |
| High Grade Bone and Potash Mixture | 10.00 | | 4.00 |
| Bone and Potash Mixture | 10.00 | | 2.00 |
| Venable Carolina Favorite | 9.00 | 2.47 | 6.00 |
| Venable's 3-9-3 Tobacco Fertilizer | 9.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Roanoke Mixture | 9.00 | $\frac{2.26}{2.26}$ | 2.00 |
| Roanoke Meal Mixture | 9.00 | $\frac{2.26}{2.26}$ | $\frac{2.00}{2.00}$ |
| Venable's Majestic Guano | 9.00 | 1.65 | 3.00 |
| Venable's B. B. P. Manure | 9.00 | 1.65 | 1.00 |
| Majestic Grain Guano | 9.00 | .82 | 3.00 |
| Venable's Wheat Grower | 9.00 | .82 | 2.00 |
| Venable's 5 Per Cent Trucker | 8.00 | 4.11 | 5.00 |
| Venable's Special Tobacco Fertilizer | 8.00 | 3.29 | 6.00 |
| Venable's Sovereign Guano | 8.00 | $\frac{3.29}{3.29}$ | 4.00 |
| Venable's 4 Per Cent Trucker | 8.00 | $\frac{3.29}{3.29}$ | 4.00 |
| Venable's H. G. Tobacco Fertilizer | 8.00 | $\frac{3.29}{2.47}$ | 3.00 |
| renames n. G. Topacco Fertinger | 0.00 |) 4.نـ | 5.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|-------------------|
| Farmers' Union H. G. Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Venable's Choice Fertilizer | 8.00 | 2.47 | 3.00 |
| Venable's H. G. Cotton Guano | 8.00 | 2.47 | 3.00 |
| Venable's Alliance Tobacco Manure, No. 1 | 8.00 | 2.06 | 3.00 |
| Venable's Cotton Grower | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Venable's Roanoke Special | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Venable's Ideal Manure | | | |
| Venable's Ideal Mahure | 8.00 | 1.65 | 5.00 |
| Our Union Tobacco Fertilizer | 8.00 | 1.65 | 4.00 |
| Farmers' Union Special Tobacco Fertilizer | 8.00 | 1.65 | 2.00 |
| Venable's Meal Mixture | 8.00 | 1.65 | 2.00 |
| Venable's Alliance Tobacco Manure, No. 2 | 8.00 | 1.65 | $2.0\overline{0}$ |
| Our Union Special Fertilizer | 8.00 | 1.65 | 2.00 |
| Planter's Bone Fertilizer | 8.00 | 1.65 | 2.00 |
| Venable's Peanut Special | 8.00 | .82 | 4.00 |
| Venable's Grain Special | 8.00 | .82 | 4.00 |
| Venable's Alliance Bone and Potash Mixture. | 8.00 | | 4.00 |
| Venable's Peanut Grower | 8.00 | | 4.00 |
| Venable's 10 Per Cent Trucker | 6.00 | 8.23 | 2.00 |
| Venable's 6-6-6 Manure | 6.00 | 4.94 | 6.00 |
| Venable's Top Dresser | 4.00 | 8.23 | 4.00 |
| Majortio Ten Drowen | | | |
| Majestic Top Dresser | 4.00 | 6.17 | 2.50 |
| Sulphate of Ammonia | | 19.75 | |
| Nitrate of Soda | • • • • | 15.63 | |
| Special Top Dresser | | 7.40 | 3.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| High Grade German Potash | | | 16.00 |
| Pure German Kainit | | | 12.00 |
| | | | |
| Virginia-Carolina Chemical Co., Richmond, Va.— | | | |
| VC. C. Co.'s FloatsTotal | 27.00 | | |
| VC. C. Co.'s Concentrated Acid Phosphate | 24.00 | | |
| VC. C. Co.'s Pure Raw Bone Total | 20.60 | 3.71 | |
| VC. C. Co.'s Johnson's Best | 20.00 | 4.94 | 6.00 |
| VC. C. Co.'s Concentrated Bone and Potash. | 20.00 | | 4.00 |
| VC. C. Co.'s Concentrated Bone and Fotash. VC. C. Co.'s 17 Per Cent Acid Phosphate | 17.00 | • • • • | |
| V. C. Co.'s Stay Prond Cround Slow | | • • • • | |
| VC. C. Co.'s Star Brand Ground Slag | 17.00 | 0.00 | |
| VC. C. Co.'s Concentrated Ammoniated | 16.00 | 3.29 | 4.00 |
| VC. C. Co.'s Climax Potash Mixture | 16.00 | | 2.00 |
| VC. C. Co.'s Alliance Acid Phosphate | 16.00 | | |
| VC. C. Co.'s 16 Per Cent Acid Phosphate | 16.00 | | |
| VC. C. Co.'s Sludge Acid Phosphate | 14.00 | | |
| VC. C. Co.'s 14 Per Cent Acid Phosphate | 14.00 | | |
| VC. C. Co.'s Dissolved Animal BoneTotal | 13.00 | 2.06 | |
| VC. C. Co.'s 13 Per Cent Acid Phosphate | 13.00 | | |
| VC. C. Co.'s Special High Grade Potash Mix- | 20,00 | | • • • • • |
| ture | 12.00 | | 6.00 |
| VC. C. Co.'s H. G. Potash Mixture | 12.00 | | 5.00 |
| VC. C. Co.'s Goodman's Special Potash Mix- | 12.00 | • • • • | 5.00 |
| ture | 12.00 | | 5.00 |
| VC. C. Co.'s 12-4 Grain Grower | 12.00 | | 4.00 |
| VC. C. Co.'s Wythe County Potash Mixture. | 12.00 | | 3.00 |
| VC. C. Co.'s Special Crop Grower | 12.00 | | 3.00 |
| VC. C. Co.'s Battle's Crop Grower | 12.00 | | 3.00 |
| VC. C. Co.'s 12 Per Cent Acid Phosphate | 12.00 | | |
| VC. C. Co.'s Home Comfort Acid Phosphate. | | • • • • | • • • • |
| | 12.00 | • • • • | |
| VC. C. Co.'s Virginia 11-5 Bone and Potash, | 11.00 | 0.00 | 5.00 |
| VC. C. Co.'s Electric H. G. Special | 10.00 | 3.29 | 4.00 |
| 6 | | | |

| | Avail. | | |
|---|--------|---------------------|--------------|
| Name and Address of Manufacturer and Name of Brand. | Phos. | Nitrogen. | Potash. |
| | Acid. | | |
| VC. C. Co.'s Ideal Crop Grower | 10.00 | 2.47 | 3.00 |
| VC. C. Co.'s Special Grain Mixture | 10.00 | 1.65 | 5.00 |
| VC. C. Co.'s Sovereign Crop Producer | 10.00 | 1.65 | 2.00 |
| VC. C. Co.'s H. G. Southern Fertilizer Com- | | | |
| panies Scott's Gossypium Phospho | 10.00 | 1.05 | 2.00 |
| VC. C. Co.'s Ford's Wheat and Corn Guano. | 10.00 | .82 | 2.50 |
| VC. C. Co.'s Grain Special | 10.00 | | 6.00 |
| VC. C. Co.'s Standard Bone and Potash | 10.00 | | 5.00 |
| VC. C. Co.'s Crescent Potash Mixture | 10.00 | | 5.00 |
| VC. C. Co.'s Special Potash Mixture | 10.00 | | 4.00 |
| VC. C. Co.'s Dissolved Bone and Potash | 10.00 | | 2.00 |
| VC. C. Co.'s Best's H. G. Tobacco Fertilizer. | 9.00 | 2.47 | 7.00 |
| VC. C. Co.'s Great Texas Cotton Grower | 0.00 | | ••• |
| Soluble Guano | 9.00 | 2.47 | 4.00 |
| VC. C. Co.'s 3-9-3 Tobacco Fertilizer | 9.00 | $\frac{5.47}{2.47}$ | 3.00 |
| VC. C. Co.'s Jeffrey's High Grade Guano | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s N. and R.'s Best | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s Westfield Special H. G. Tobacco | 0.00 | | 0.00 |
| Grower | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s Grey Soil Special H. G. Tobacco | 0.00 | | •••• |
| Grower | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s Powell's Special H. G. C. S. M. | 9.00 | 2.26 | 3.00 |
| VC. C. Co.'s Southern Cotton Grower C. S. M. | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Vececo Cotton Grower C. S. M. | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Cotton Grower | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Best's Special Cotton Grower | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Prolific Cotton Grower C. S. M. | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s White Stem C. S. M | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Standard Cotton Grower C. S. M. | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Cotton Grower | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Bumper Crop Grower | 9.00 | 2.06 | 5.00 |
| VC. C. Co.'s Cuban Special Mixture | 9.00 | 1.85 | 4.00 |
| VC. C. Co.'s Cock's Soluble Guano H. G. Ani- | | | |
| mal Bone | 9.00 | 1.85 | 3.00 |
| VC. C. Co.'s No. 923 Guano | 9.00 | 1.65 | 3.00 |
| VC. C. Co.'s Reliable Cotton Brand Fertilizer | 9.00 | 1.65 | 3.00 |
| VC. C. Co.'s North State Guano C. S. M | 9.00 | 1.65 | 1.00 |
| VC. C. Co.'s Grain Mixture | 9.00 | 1.03 | 2.00 |
| VC. C. Co.'s Bigelow's Crop Guano | 9.00 | .82 | 3.00 |
| VC. C. Co.'s Burnhardt's Grain and Crop | | | |
| Guano | 9.00 | .82 | 3.00 |
| VC. C. Co.'s McCormick's Wheat and Grain | | | |
| Guano | 9.00 | .82 | 3.00 |
| VC. C. Co.'s Baltimore Special Mixture | 9.00 | .82 | 2.00 |
| VC. C. Co.'s Farmer's Friend Favorite Fer- | | | |
| tilizer Special | 8.50 | 1.65 | 2.00 |
| VC. C. Co.'s Powhatan Crop Mixture | 8.50 | 1.65 | 1.50 |
| VC. C. Co.'s Pelican Peruvian Guano (Peli- | | | |
| can Truck Grower and Top Dresser) | 8.00 | 4.12 | 5.00 |
| VC. C. Co.'s Muse's Special | 8.00 | 3.70 | 7.00 |
| VC. C. Co.'s Enterprise High Grade | 8.00 | 3.29 | 11.00 |
| VC. C. Co.'s Long Leaf Tobacco Grower | 8.00 | 3.29 | 5. 00 |
| VC. C. Co.'s Old Dominion Special Mixture | 0.00 | 0.00 | 4.00 |
| for Tobacco | 8.00 | $\frac{3.29}{2.20}$ | 4.00 |
| VC. C. Co.'s Alliance H. G. Manure | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s Fish and Meal Mixture | 8.00 | $\frac{3.29}{2.20}$ | 4.00 |
| VC. C. Co.'s Carr's Crop Grower | 8.00 | $\frac{3.29}{2.20}$ | 4.00 |
| VC. C. Co.'s Farmers' Choice | 8.00 | 3.29 | 4.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| VC. C. Co.'s John F. Croom & Bro. Fish and | | | |
| Meal Mixture | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s Special | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s Nowell & Richardson's Special VC. C. Co.'s Croom's Crop Grower, Best for | 8.00 | 3,29 | 4.00 |
| All Crops | 8.00 | 3,29 | 4.00 |
| VC. C. Co.'s Formula 161 for Tobacco | 8.00 | 3.29 | 4,00 |
| VC. C. Co.'s High Grade Tobacco Fertilizer. | 8.00 | 2.47 | 10.00 |
| VC. C. Co.'s Valentine Special | 8.00 | 2.47 | 7.00 |
| VC. C. Co.'s Special Mixture | 8.00 | 2.47 | 6.00 |
| VC. C. Co.'s Excelsior H. G. Special VC. C. Co.'s Lion's High Grade Tobacco Fer- | 8.00 | 2.47 | 5.09 |
| tilizer | 8.00 | 2.47 | 4.00 |
| VC. C. Co.'s Farmers' Success | 8.00 | 2.47 | 4.00 |
| VC. C. Co.'s Myatt's Special H. G. Fertilizer. | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Alliance Special Fertilizer: VC. C. Co.'s Croom's Special Cotton Ferti- | 8.00 | 2.47 | 3.00 |
| lizer, Fish and Meal MixtureVC. C. Co.'s Menhaden Fish and Meal Mix- | 8.00 | 2.47 | 3.00 |
| ture VC. C. Co.'s Best's H. G. Cotton and Tobacco | 8.00 | 2.47 | 3,00 |
| Guano | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Diamond C. S. M | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Jumbo Peruvian Guano, Jumbo | | | |
| Crop Grower | 8.00 | 2.47 | 3,00 |
| Tobacco, High Grade | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Blake's Best | 8.00 | 2.47 | 3,00 |
| VC. C. Co.'s Royal High Grade Fertilizer VC. C. Co.'s Special High Grade Tobacco Fer- | 8.00 | 2.47 | 3.00 |
| tilizer C. S. M | 8.00 | 2.47 | 3,00 |
| VC. C. Co.'s Adams' Special | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Peruvian II, G. Tobacco Guano. | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Red Cliff H. G. Cotton Grower. | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Zeno Special Compound for To- | | | |
| bacco H. G | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s 3-8-3 Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Gold Medal H. G. Tobacco Guano VC. C. Co.'s Blake's H. G. Cotton and To- | 8.00 | 2.47 | 3.00 |
| bacco Guano | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Atlas Guano C. S. M | 8.00 | 2.47 | 2.50 |
| VC. C. Co.'s Admiral C. S. M | 8.00 | 2.47 | 2.50 |
| VC. C. Co.'s Good Luck C. S. M | 8.00 | 2.47 | 2.50 |
| VC. C. Co.'s Split Silk C. S. M | 8.00 | 2.47 | 2.50 |
| Guano, No. 3 | 8.00 | 2.47 | 2.00 |
| VC. C. Co.'s Orange Grove Guano | 8.00 | 2.26 | 2.50 |
| VC. C. Co.'s Delta C. S. M. Guano | 8.00 | 2.26 | 2.50 |
| VC. C. Co.'s Royal Crown | 8.00 | 2.26 | 2.00 |
| VC. C. Co.'s Superlative C. S. M. Guano | 8.00 | 2.06 | 3.00 |
| VC. C. Co.'s Blue Star C. S. M | 8.00 | 2.06 | 3.00 |
| VC. C. Co.'s Potato and Cabbage Special | 8.00 | 1.65 | 10.00 |
| VC. C. Co.'s Smith's Irish Potato Guano VC. C. Co.'s Pace's 5 Per Cent Special Potato | 8.00 | 1.65 | 10.00 |
| Guano | 8.00 | 1.65 | 5.00 |
| VC. C. Co.'s Bone Favorite | 8.00 | 1.65 | 5.00 |
| VC. C. Co.'s Monarch Brand | 8.00 | 1.65 | 5.00 |
| VC. C. Co.'s Boon's Favorite | 8.00 | 1.65 | 5.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------|
| VC. C. Co.'s Valley Pride | 8.00 | 1.65 | 4.00 |
| VC. C. Co.'s Corn and Peanut Special | 8.00 | $\frac{1.05}{1.65}$ | 4.00 |
| VC. C. Co.'s Maultsby's Fish Guano | 8.00 | 1.65 | 3.00 |
| | | | |
| VC. C. Co.'s Alliance Grain Fertilizer | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Winston Special for Cotton | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Diamond Dust C. S. M | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Plant Food C. S. M | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Wilson's Standard C. S. M | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Ajax C. S. M. Guano VC. C. Co.'s Farmers' Favorite Fertilizer | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Monarch Wheat and Grass | 8.00 | 1.65 | 2.00 |
| Grower | 8.00 | 1.00 | 7.00 |
| VC. C. Co.'s Special Peanut Grower | 8.00 | 1.00 | 4.00 |
| VC. C. Co.'s Electric Grain and Grass Grower | 8.00 | 1.00 | 4.00 |
| VC. C. Co.'s Peerless Corn, Wheat and Grass | 0.00 | 2.00 | 2.00 |
| Grower | 8.00 | 1.00 | 4.00 |
| VC. C. Co.'s Peanut Grower | 8.00 | .82 | 4.00 |
| VC. C. Co.'s The Harvester | 8.00 | .82 | 3.00 |
| VC. C. Co.'s Pinnacle Grain Grower | 8.00 | .82 | 3.00 |
| VC. C. Co.'s 8-5 Potash Mixture | 8.00 | | 5.00 |
| VC. C. Co.'s Potash Mixture for Peanuts | 8.00 | | 4.00 |
| VC. C. Co.'s Jones' Grain Special | 8.00 | | 4.00 |
| VC. C. Co.'s Special Wheat Compound | 8.00 | | 4.00 |
| VC. C. Co.'s Truck Crop Fertilizer | 7.00 | 4.12 | 7.00 |
| VC. C. Co.'s Konqueror H. G. Truck Fertil- | •••• | | **** |
| izer | 7.00 | 4.12 | 5.00 |
| VC. C. Co.'s Pasquotank Trucker | 7.00 | 3.29 | 8.00 |
| VC. C. Co.'s Potash Potato Producer | 7.00 | 3.29 | 8.00 |
| VC. C. Co.'s Formula 44 for Bright Wrappers | | | |
| and Smokers VC. C. Co.'s Plant Bed and High Grade To- | 7.00 | 2.55 | 3.20 |
| bacco Fertilizer | 7.00 | 2.26 | 6.00 |
| VC. C. Co.'s Invincible High Grade Fertilizer | 6.00 | 4.12 | 7.00 |
| VC. C. Co.'s Kitty Hawk Truck Fertilizer | 6.00 | 4.12 | 7.00 |
| VC. C. Co.'s Special Truck Guano | 6.00 | 4.12 | 7.00 |
| VC. C. Co.'s Money Maker for Cabbage and | | | |
| Potatoes | 6.00 | 1.65 | 10.00 |
| VC. C. Co.'s Clinton Special H. G VC. C. Co.'s 10 Per Cent Top Dresser Extra | 5.00 | 2.47 | 5.00 |
| H. G | 4.00 | 8.24 | 4.00 |
| VC. C. Co.'s Fish Scrap | 4.00 | 8.24 | |
| VC. C. Co.'s Dewberry Special | 4.00 | 6.59 | |
| VC. C. Co.'s Dewberry Special Extra H. G | 4.00 | 6.56 | 4.00 |
| VC. C. Co.'s High Grade Top Dresser | 4.00 | 6.17 | 2.50 |
| VC. C. Co.'s Sulphate of Ammonia | | 20.59 | |
| VC. C. Co.'s Nitrate of Soda | | 14.82 | |
| VC. C. Co.'s Blood | | 13.18 | |
| VC. C. Co.'s Special Top Dresser | | 7.41 | 3.00 |
| VC. C. Co.'s Cotton-seed Meal | | 6.15 | |
| VC. C. Co.'s Muriate of Potash | | | 48.00 |
| VC. C. Co.'s Sulphate of Potash | | | 48.00 |
| VC. C. Co.'s Manure Salts | | | 20.00 |
| VC. C. Co.'s Kainit | | | 12.00 |
| Allison & Addison's Fulton Acid Phosphate | 14.00 | | |
| Allison & Addison's I. X. L. Acid Phosphate | 13.00 | | |
| Allison & Addison's Standard Acid Phosphate | 12.00 | | |
| Allison & Addison's Rockets Acid Phosphate | 12.00 | • • • • | • • • • |

| | 1 2011 | | |
|--|--------------------------|-----------|--------------|
| Name and Address of Manufacturer and Name of Brand. | Avail. Phos, Acid. | Nitrogen. | Potash. |
| Allison & Addison's McGavock's Special Pot- | | | |
| ash Mixture | 10.00 | | 2.00 |
| Allison & Addison's B. P. Potash Mixture Allison & Addison's Star Brand Special To- | 10.00 | | 2.00 |
| bacco Manure | 9.00 | 2.26 | 2.00 |
| Allison & Addison's Star Brand Special H. G. | -9.00 | 2.06 | 5.00 |
| Allison & Addison's Star Brand Guano | 9.00 | 1.65 | 1.00 |
| Allison & Addison's Little Giant Grain and | 9.00 | 1.00 | 2.00 |
| Grass Grower | 0.00 | 1.00 | |
| Fertilizer | 8.50 | 2.26 | 2.00 |
| Allison & Addison's Star Brand Vegetable | | | |
| Guano | 8.00 | 3.75 | 4.00 |
| Allison & Addison's A. A. Guano | 8.00 | 2.47 | 3.00 |
| Allison & Addison's Anchor Brand Fertilizer. | 8.00 | 1.65 | 2.00 |
| Allison & Addison's Old Hickory Guano | 8.00 | 1.65 | 2,00 |
| Allison & Addison's Peanut Grower | 8.00 | 1.00 | 4.00 |
| Atlantic and Virginia Fertilizer Co.'s Eureka | | | |
| Acid Phosphate | 16.00 | | |
| Atlantic and Virginia Fertilizer Co.'s Valley | 4.1.00 | | |
| of Virginia Phosphate | 14.60 | | |
| shaw Acid Phosphate | 13.00 | | |
| Atlantic and Virginia Fertilizer Co.'s Our Acid | 3.77.777 | | |
| Phosphate | 12.00 | | |
| Atlantic and Virginia Fertilizer Co.'s Eureka | | | |
| Bone and Potash Compound | 10.00 | | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Eureka | | | |
| Ammoniated Bone Special for Tobacco | 9.00 | 2.06 | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Orient | 9.00 | 1.65 | 2.00 |
| Complete Manure | 0.00 | 1.00 | =.00 |
| Truckers | 8.00 | 4.12 | 5.00 |
| Atlantic and Virginia Fertilizer Co.'s Eureka | 00 | | |
| Ammoniated Bone | 8.00 | 1.65 | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Orient | | | |
| Special for Tobacco | 8.00 | 1.65 | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Peanut | 0.00 | | 4.00 |
| Grower | 8.00 | 1.00 | 1,00 |
| Atlantic and Virginia Fertilizer Co.'s Carolina | 7.00 | 5.76 | 7.00 |
| Trucker | 1.00 | 9.10 | 1.00 |
| Aeid Phosphate | 15.00 | | |
| Charlotte Oil and Fertilizer Co.'s Catawba | 10.00 | | |
| Acid Phosphate | 14.00 | | |
| Charlotte Oil and Fertilizer Co.'s Acid Phos- | | | |
| phate | -13.00 | | |
| Charlotte Oil and Fertilizer Co.'s Dayvault's | 40.00 | | 4.00 |
| Special | 12.00 | | 6,00 |
| Charlotte Oil and Fertilizer Co.'s Dissolved | 12.00 | | |
| Bone | 1 | | |
| fect Wheat Grower | 11.00 | 2.47 | 4.00 |
| Charlotte Oil and Fertilizer Co.'s 10-2 Bone | | | |
| and Potash | 10.00 | | 2.00 |
| Charlotte Oil and Fertilizer Co.'s High Grade | 0.00 | 0.03 | |
| Special Tobacco Fertilizer | 9.00 | 2.06 | 2.00 |
| Charlotte Oil and Fertilizer Co.'s Queen of the | 9.00 | 1.65 | 2.00 |
| Harvest C. S. M | 9.00 | 1.00 | <i>≟.</i> 00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Charlotte Oil and Fertilizer Co.'s McCrary's Diamond Bone and Potash | 9.00 | | 3.00 |
| Charlotte Oil and Fertilizer Co.'s Groom's Special Tobacco Fertilizer | 8.00 | 2.47 | 4.00 |
| Gnano B, G. Charlotte Oil and Fertilizer Co,'s Special 3 Per | 8.00 | 2.47 | 3.00 |
| Cent Guano C. S. M | 8.00 | 2.47 | 2.00 |
| Guano B. G. Charlotte Oil and Fertilizer Co.'s Ammoniated | 8.00 | 2.06 | 1.50 |
| Guano C. S. M | 8.00 | 2.06 | 1.50 |
| B. G. Charlotte Oil and Fertilizer Co.'s King Cotton | 8.00 | 1.65 | 2.00 |
| Grower | 8.00 | 1.65 | 2.00 |
| Acid Phosphate | 16.00 | • • • • | • • • • |
| Dissolved Bone | 14.00 | | |
| Davie & Whittle's Owl Brand Acid Phosphate. | 13.00 | | |
| Davie & Whittle's Owl Brand Dissolved Bone. Davie & Whittle's Owl Brand Acid Phosphate | 12.00 | • • • • | • • • • |
| with Potash | 10.00 | • • • • | 2.00 |
| Per Cent Soluble Guano | 9.00 | 2.06 | 3.00 |
| Guano | 9.00 | 2.06 | 2.00 |
| Davie & Whittle's Owl Brand Truck Guano Davie & Whittle's Owl Brand Guano for To- | 8,00 | 4.94 | 5.00 |
| bacco | 8.00 | 2.47 | 3.00 |
| Davie & Whittle's Vinco Guano | 8.00 | 1.65 | 3.00 |
| | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Davie & Whittle's Owl Brand Guano | | | |
| Davie & Whittle's Peanut Grower | 8.00 | 1.00 | 4.00 |
| Durham Fertilizer Co.'s Best Acid Phosphate. Durham Fertilizer Co.'s Standard High Grade | 16.00 | • • • • | |
| Acid Phosphate Durham Fertilizer Co.'s Excelsior Dissolved | 14.00 | • • • • | |
| Bone Durham Fertilizer Co.'s Blacksburg Dissolved | 14.00 | • • • • | |
| Bone Durham Fertilizer Co.'s N. C. Farmers' Alli- | 13.00 | • • • • | |
| ance Official Acid Phosphute Durham Fertilizer Co.'s Double Bone Phos- | 13.00 | • • • • | |
| phate | 13.00 | | |
| Durham Fertilizer Co.'s Acid Phosphate | 12.00 | | |
| Durham Fertilizer Co.'s Great Wheat and Corn Grower | 10.50 | | 1.50 |
| Durham Fertilizer Co.'s Diamond Wheat Mixture | 10.00 | | 3.00 |
| Durham Fertilizer Co.'s Standard Wheat and Corn Grower | 10.60 | | 2.00 |
| Durham Fertilizer Co.'s Blue Ridge Wheat Grower | 10.00 | | 2.00 |
| Durham Fertilizer Co.'s Standard Wheat Grower | 10.00 | | 2.00 |
| Durham Fertilizer Co.'s Bone and Potash Mix- | | | |
| ture Durham Fertilizer Co.'s L. & M. Special | $\frac{10.00}{9.00}$ | ${2.47}$ | $\frac{2.00}{2.00}$ |
| | | | |

| | 4 ., | | |
|---|--------------------------|-----------|---------|
| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
| Durham Fertilizer Co.'s Standard Guano Durham Fertilizer Co.'s Ammoniated Fertil- | 9.00 | 1.65 | 2.00 |
| izer Durham Fertilizer Co.'s Special Plant and | 9.00 | 1.65 | 1.00 |
| Truck Fertilizer | 8.00 | 4.12 | 3.00 |
| Durham Fertilizer Co.'s Durham High Grade. Durham Fertilizer Co.'s Gold Medal Brand | 8.00 | 3.29 | 4.00 |
| Guano | 8.00 | 2.47 | 3.00 |
| Guano | 8.00 | 2.47 | 3.00 |
| ance Official | 8.00 | 2.06 | 3.00 |
| bacco Grower Durham Fertilizer Co.'s Raw Bone Superphos- | 8.00 | 2.06 | 3.00 |
| phate for Tobacco | 8.00 | 2.06 | 2.00 |
| phate | 8.00 | 2.06 | 1.50 |
| ruvian Guano | 8.00 | 1.65 | 2.00 |
| ruvian Guano for Tobacco | 8.00 | 1.65 | 2.00 |
| Guano | 8.00 | 1.65 | 2.00 |
| Guano | 8.00 | 1.65 | 2.00 |
| Durham Fertilizer Co.'s Peanut Grower Durham Fertilizer Co.'s Carr's Special Wheat | 8.00 | 1.00 | 4.00 |
| Grower | 8.00 | | 4.00 |
| Durham Fertilizer Co.'s Best Potato Manure. Lynchburg Guano Co.'s Ironside Acid Phos- | 7.00 | 5.76 | 7.00 |
| phate Lynchburg Guano Co.'s Lynchburg High Grade | 16.00 | • • • • | |
| Acid Phosphate Lynchburg Guano Co.'s Arvonia Acid Phos- | 14.00 | • • • • | • • • • |
| phate | 13.00 | • • • • | • • • • |
| phate | 12.00 | | |
| Lynchburg Guano Co.'s Alpine Mixture Lynchburg Guano Co.'s S. W. Special Bone | 10.00 | • • • • | 5.00 |
| and Potash Mixture | 10.00 | • • • • | 4.00 |
| Potash | 10.00 | | 2.00 |
| Lynchburg Guano Co.'s Independent Standard | 8.50 | 1.65 | 2.00 |
| Lynchburg Guano Co.'s Bright Belt Guano Lynchburg Guano Co.'s Solid Gold Tobacco | 8.00 | 2.47 | 3.00 |
| Guano | 8.00 | 2.26 | 4.00 |
| Lynchburg Guano Co.'s New Era | 8.00 | 1.65 | 3.00 |
| Lynchburg Guano Co.'s Lynchburg Soluble Lynchburg Guano Co.'s Lynchburg Soluble for | 8.00 | 1.65 | 2.00 |
| Tobacco Norfolk and Carolina Chemical Co.'s Norfolk | 8.00 | 1.65 | 2.00 |
| Reliable Acid Phosphate Norfolk and Carolina Chemical Co.'s Norfolk Part Acid Phosphoto | 14.00 | •••• | |
| Rest Acid Phosphate Norfolk and Carolina Chemical Co.'s Norfolk Soluble Pene | 13.00 12.00 | • • • • | • • • • |
| Soluble Bone | 10.00 | •••• | 2.00 |
| Done and rotash | 10.00 | | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Norfolk and Carolina Chemical Co.'s Norfolk Truck and Tomato Grower | 8.00 | 4.12 | 5.00 |
| Norfolk and Carolina Chemical Co.'s Amazon High Grade Manure | 8.00 | 2.47 | 3.00 |
| Norfolk and Carolina Chemical Co.'s Bright Leaf Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Norfolk and Carolina Chemical Co.'s Amazon H. G. Special Tobacco Guano Norfolk and Carolina Chemical Co.'s Cooper's | 8.00 | 2.47 | 3.00 |
| Bright Tobacco Fertilizer Norfolk and Carolina Chemical Co.'s Genuine | 8.00 | 2.06 | 3.00 |
| Slaughter House Bone Guano, Made Expressly for Tobacco | 8.00 | 2.06 | 2.00 |
| Norfolk and Carolina Chemical Co.'s Crescent Brand Ammoniated Fertilizer | 8.00 | 1.65 | 2.00 |
| Norfolk and Carolina Chemical Co.'s Genuine Slaughter House Bone Guano | 8.00 | 1.65 | 2.00 |
| Norfolk and Carolina Chemical Co.'s Peanut Grower | 8.00 | 1.00 | 4.00 |
| Phosphate | $\frac{14.00}{13.00}$ | | |
| Old Dominion Guano Co.'s Royster's Acid Phosphate | 12.00 | | |
| Old Dominion Guano Co.'s Obelisk Brand Bone and Potash | 10.00 | | 4.00 |
| Old Dominion Guano Co.'s Planter's Bone and Potash Mixture | 10.00 | | 3.00 |
| Old Dominion Guano Co.'s Alkaline Bone and Potash | 10.00 | | 2.00 |
| Old Dominion Guano Co.'s Horne's Cotton Fer- tilizer | 9.00 | 2.06 | 3.00 |
| Old Dominion Guano Co.'s Standard Raw Bone Soluble Guano | 9 00 | 1.65 | 1.00 |
| Old Dominion Guano Co.'s Farmers' Friend High Grade Fertilizer | 8.00 | 2.47 | 3.00 |
| Old Dominion Guano Co.'s Farmers' Soluble Bone High Grade Special Tobacco Manure. | 8.00 | 2.47 | 3.00 |
| Old Dominion Guano Co.'s Farmers' Friend Special Tobacco Fertilizer | 8.00 | 2.47 | 3,00 |
| Old Dominion Guano Co.'s Osceola Tobacco Guano | 8.00 | 2.06 | 3.00 |
| Old Dominion Guano Co.'s Farmers' Friend Fertilizer | 8.00 | 1.65 | 2.00 |
| cial Wheat Guano Co.'s Old Dominion Sol- | 8.00 | 1.65 | 2.00 |
| uble Tobacco Guano Co.'s Bullock's Cottou | 8.00 | 1.65 | 2.00 |
| Guano | 8.00 | 1.65 | 2.00 |
| Old Dominion Guano Co.'s Soluble Guano | 8.00 | 1.65 | 2.00 |
| Old Dominion Guano Co.'s Peanut Grower Old Dominion Guano Co.'s Miller's Special | 8.00 | 1.00 | 4.00 |
| Wheat Mixture | 8.00 | | 4.00 |
| Old Dominion Guano Co.'s 7-7-7 Truck Guano. | 7.00 | 5.76 | 7.00 |
| Old Dominion Guano Co.'s Potato Manure | 7.00 | 4.12 | 8.00 |
| Old Dominion Guano Co.'s 7 Per Cent Truck Fertilizer | 6.00 | 5.76 | 6.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Old Dominion Guano Co.'s 6-7-5 Truck Guano. Old Dominion Guano Co.'s Special Sweet Po- | 6.00 | 5.76 | 5.00 |
| tato Guano | 6.00 | 1.65 | 6.00 |
| Fertilizer | 5.00 | 8.24 | 2.50 |
| Acid Phosphate | 14.00 | | |
| Powers, Gibbs & Co.'s Fulp's Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid | 13.00 | • • • • | |
| Phosphate | 13.00 | | |
| Powers, Gibbs & Co.'s Almont Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid | 12.00 | • • • • | |
| Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate | 12.00 | | |
| and Potash | 10.50 | | 1.50 |
| Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and | 10.00 | • • • • | 3.00 |
| Potash Powers, Gibbs & Co.'s Cotton-seed Meal Stand- | 10.00 | | 2.00 |
| ard Guano | 9,00 | 2.47 | 2.00 |
| Ammoniated Guano | 8.00 | 3,29 | 5.00 |
| ated Dissolved Bone | 8.00 | 3.29 | 4.00 |
| Grade Tobacco Manuro | 8.00 | 2.47 | 3.00 |
| ated Guano | 8.00 | 2.47 | 2.00 |
| Ammoniated Guano for Tobacco | 8.00 | 2.06 | 3.00 |
| Guano | 8.00 | 2.06 | 2.00 |
| Guano | 8.00 | 2.06 | 1.50 |
| moniated Guano | 8.00 | 1.65 | 2.00 |
| ble Ammoniated Guano | 8.00 | 1.65 | 2.00 |
| ated Guano | 8.00 | 1.65 | 2.00 |
| Powers, Gibbs & Co.'s Peanut Grower Southern Chemical Co.'s Comet 16 Per Cent | 8.00 | 1.00 | 4.00 |
| Acid Phosphate | 16.00 | | |
| Acid Phosphate | 16.00 | | |
| Cent Acid Phosphate | 14.00 | | |
| phate | 13.00 | • • • • | |
| phate | 13.00 | | |
| cation | 12.00 | • • • • | 3,00 |
| ' phate | 12.00 | • • • • | |
| phate | $12.00 \\ 10.00$ | | 6.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------------------|
| Southern Chemical Co.'s Quickstep Bone and | 11.00 | | 5.00 |
| Potash | 11.00 | • • • • | 5.00 |
| ture Southern Chemical Co.'s Farmers' Pride Bone | 10.00 | • • • • | 4.00 |
| and Potash | 10.00 | • • • • | 3.00 |
| Potash | 10.00 | • • • • | 2.00 |
| Grower | 10.00 | | 2.00 |
| Grass Grower | 10.00 | | 2.00 |
| Southern Chemical Co.'s Sun Brand Guano | 9.00 | 2.06 | 5.00 |
| Southern Chemical Co.'s George Washington Plant Bed Fertilizer for Tobacco | 8.00 | 2.47 | 2.50 |
| Southern Chemical Co.'s Pilot Ammoniated Guano Special for Tobacco | 8.00 | 2.06 | 3.00 |
| Southern Chemical Co.'s Electric Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Southern Chemical Co.'s Electric Standard Guano | 8.00 | 1.65 | 2.00 |
| Southern Chemical Co.'s Yadkin Complete Fer- tilizer | 8.00 | 1.65 | 2.00 |
| Southern Chemical Co.'s Click's Special Wheat Compound | 8.00 | | 4.00 |
| J. G. Tinsley & Co.'s Powhatan Acid Phos- phate | 14.00 | | |
| J. G. Tinsley & Co.'s Dissolved S. C. Bone J. G. Tinsley & Co.'s Stonewall Brand Acid | 13.00 | | |
| Phosphate | 12.00 | | |
| J. G. Tinsley & Co.'s Bone and Potash Mixture J. G. Tinsley & Co.'s Powhatan Tobacco Fer- | 10.00 | • • • • | 2.00 |
| tilizer | 9.00 | 2.47 | 3.00 |
| J. G. Tinsley & Co.'s Tobacco Fertilizer | 8.00 | 3.29 | $\frac{2.50}{2.00}$ |
| J. G. Tinsley & Co.'s Richmond Brand Guano. J. G. Tinsley & Co.'s Peruvian H. G. Tobacco | 8.00 | 2.47 | 3.00 |
| Guano J. G. Tinsley & Co.'s Killickinick Tobacco Mix- | 8.00 | 2.47 | 3.00 |
| J. G. Tinsley & Co.'s Appomattox Standard | 8.00 | 2.06 | 3.00 |
| Tobacco Grower | 8.00 | 1.65 | 2.00 |
| J. G. Tinsley & Co.'s Lee Brand Guano J. G. Tinsley & Co.'s Stonewall Tobacco | 8.00 | 1.65 | 2.00 |
| Guano | 8.00 | 1.65 | 2.00 |
| J. G. Tinsley & Co.'s Peanut Grower J. G. Tinsley & Co.'s Special Irish Potato | 8.00 | 1.00 | 4.00 |
| Guano J. G. Tinsley & Co.'s 7 Per Cent Ammoniated | 6.00 | 5.76 | 6.00 |
| Guano for Truck | 6.00 | 5.76 | 6.00 |
| J. G. Tinsley & Co.'s Irish Potato Guano | 6.00 | 4.94 | 6.00 |
| J. G. Tinsley & Co.'s Strawberry Grower | 6.00 | 3.29 | 4.00 |
| J. G. Tinsley & Co.'s Top Dresser | 5.00 | 9.06 | |
| J. G. Tinsley & Co.'s 10 Per Cent Truck Guano S. W. Travers & Co.'s Champion Acid Phos- | 5.00 | 8.24 | 2.50 |
| phate S. W. Travers & Co.'s Dissolved Bone Phos- | 16.00 | • • • • | • • • • |
| phate S. W. Travers & Co.'s Standard Dissolved S. | 14.00 | • • • • | • • • • |
| C. Bone | 13.00 | • • • • | |

THE BULLETIN.

| No. of Popular | Avail. | Nituogon | Datash |
|--|--------------------|-----------|---------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| S. W. Travers & Co.'s Capital Dissolved Bone. S. W. Travers & Co.'s Capital Bone and Pot- | 12.00 _. | | • • • • |
| ash Compound | 10.00 | • • • • | 2.00 |
| tilizer | 8.50 | 1.85 | 2.25 |
| S. W. Travers & Co.'s Capital Truck Fer- tillizer | 8.00 | 3.29 | 8.00 |
| S. W. Travers & Co.'s Capital Tobacco Fer- tillizer | 8.00 | 3.29 | 3.00 |
| S. W. Travers & Co.'s Big Leaf Tobacco Grower | 8.00 | 2.47 | 3.00 |
| S. W. Travers & Co.'s Capital Cotton Fer- tilizer | 8.00 | 2.06 | 2.00 |
| S. W. Travers & Co.'s National Fertilizer | 8.00 | 1.65 | 2.00 |
| S. W. Travers & Co.'s National Special To- bacco Fertilizer | 8.00 | 1.65 | 2.00 |
| S. W. Travers & Co.'s Beef Blood and Bone Fertilizer | 8.00 | 1.65 | 2.00 |
| S. W. Travers & Co.'s Peanut Grower | 8.00 | 1.00 | 4.00 |
| S. W. Travers & Co.'s Special Wheat Com- | | | |
| pound | 8.00 | • • • • | 4.00 |
| tilizer | 6.00 | 5.76 | 5.00 |
| Virginia State Fertilizer Co.'s Bull Run Acid | 10.00 | | |
| Phosphate | 16.00 | • • • • | |
| Acid Phosphate Virginia State Fertilizer Co.'s Clipper Brand | 14.00 | | |
| Acid Phosphate | 13.00 | | |
| Phosphate | 12.00 | | |
| Virginia State Fertilizer Co.'s Alps Brand Acid Phosphate | 12.00 | | |
| Virginia State Fertilizer Co.'s Mountain Top Bone and Potash | 10.00 | | 5.00 |
| Virginia State Fertilizer Co.'s XX Potash Mix- ture | 10.00 | | 4.00 |
| Virginia State Fertilizer Co.'s Dissolved Bone and Potash | 10.00 | | 2.00 |
| Virginia State Fertilizer Co.'s Number One Soluble Guano | 9.00 | 1.65 | 2.00 |
| Virginia State Fertilizer Co.'s Highland King. | 9.00 | 1.65 | 1.00 |
| Virginia State Fertilizer Co.'s Gamecock Special for Tobacco | 8.50 | 1.65 | 2.00 |
| Virginia State Fertilizer Co.'s High Grade To- bacco Guano | 8.00 | 2.47 | 3.00 |
| Virginia State Fertilizer Co.'s Bull Dog Soluble Guano | 8.00 | 2.47 | 3,00 |
| Virginia State Fertilizer Co.'s Dunnington's | | | |
| Special Formula for Tobacco Virginia State Fertilizer Co.'s Peerless Special | 8.00 | 2.47 | 3.00 |
| Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Virginia State Fertilizer Co.'s Buffalo Guano. Virginia State Fertilizer Co.'s Austrian To- | 8.00 | 2.06 | 3.00 |
| bacco Grower | 8.00 | 2.06 | 2.00 |
| cial Tobacco Guano | 8.00 | 2.06 | 2.00 |
| bacco Guano | 8.00 | 1.65 | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|----------------------|---------------------|
| Virginia State Fertilizer Co.'s Virginia State Guano Virginia State Fertilizer Co.'s Gilt Edge Brand | 8.00 | 1.65 | 2.00 |
| Dissolved Bone and Potash | 8.00 | | 4.00 |
| Wilson Chemical Co., Wilson, N. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acid Phosphate | 14.00 | | |
| Bone and Potash Mixture No. 3 | 10.00 | | 5.00 |
| Bone and Potash Mixture No. 2 | 10.00 | | 4.00 |
| Bone and Potash Mixture No. 1 | 10.00 | 0.70 | $\frac{2.00}{5.00}$ |
| 8-4.50-7 for Tobacco | 8.00 | 3.70 | 7.00 |
| Grower | 8.00 | 3.30 | 4.00 |
| Grower | 8.00 | 3.30 | 4.00 |
| Planters Formula No. 1 | 8.00 | 2.47 | 10.00 |
| Planters Formula No. 2 | 8.00 | 2.47 | 7.00 |
| W. C. Co.'s Gilt Edge Tobacco Grower | 8.00 | 2.47 | 5.00 |
| East Carolina Cotton Grower | 8.00 | 2.47 | 3.00 |
| East Carolina Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Cotton States Standard | 8.00 | $\frac{1.65}{14.00}$ | 2.00 |
| Muriate of Potash | | 14.00 | 50.00 |
| Sulphate of Potash | | | 50.00 |
| H. G. 16 Per Cent Kainit | | | 16.00 |
| Genuine German Kainit | | | 12.00 |
| Winborne Guano Co., Norfolk, Va.— | | | |
| • | 16.00 | | |
| High Grade Acid Phosphate | 14.00 | | |
| Best Bone and Potash | 11.00 | | 4.00 |
| Soluble Bone and Potash | 10.00 | | 2.00 |
| Winborne's Triumph Guano | 8.00 | 3.30 | 4.00 |
| Winborne's King Guano | 8.00 | 2.47 | 3.00 |
| Winborne's Special Tobacco Guano | 8.00 | , 2.47 | 3.00 |
| Winborne's Crop Grower | 8.00 | 1.65 | 2.00 |
| Winborne's Excelsior Guano | 8.00 | 1.65 | 2.00 |
| Florodora Eureka Guano | 8.00 | 1.65 | 2.00 |
| Climax Peanut Guano | 8.00 | .82 | 4.00 |
| Premium Top Dresser | 6.00 | 7.40 | 3.00 |
| Special 5-6-7 Truck Guano | 6.00 | $\frac{4.10}{3.30}$ | $\frac{7.00}{5.00}$ |
| Winborne's Tip Top Tobacco Guano Winborne's Sweet Potato Guano | 6.00 6.00 | $\frac{5.50}{2.47}$ | 6.00 |
| Big Crop 7 Per Cent Guano | 5.00 | 5,75 | 5.00 |
| Nitrate of Soda | 0.00 | 15.00 | •••• |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| T. W. Wood & Sons, Richmond, Va.— | | | |
| Wood's Pure Animal Bone MealTotal | 25.00 | 2.47 | |
| Ground Basic SlagTotal | 17.00 | | |
| Standard H. G. Acid Phosphate | 16.00 | | |
| Standard High Grade Acid Phosphate | 14.00 | | |
| Standard Bone and Potash Mixture | 10.00 | | 2.00 |
| Standard Corn Fertilizer | 9.00 | 1.23 | 1.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| Standard Wheat Fertilizer | 9.00 | 1.23 | 1.00 |
| Standard High Grade Truck Fertilizer | 8.00 | 4.93 | 6.00 |
| Standard Market Grower Fertilizer | 8.00 | 3.29 | 4.00 |
| Standard Irish Potato Fertilizer | 8.00 | 2.47 | 10.00 |
| Standard Vegetable Fertilizer | 8.00 | 2.47 | 3.00 |
| Standard Potato Fertilizer | 8.00 | 1.65 | 5.00 |
| Standard Grain and Grass Fertilizer | 8.00 | 1.65 | 2.00 |
| Standard Crop Grower Fertilizer | 8.00 | 1.03 | 2.00 |
| Wood's Lawn Enricher | 6.00 | 2.47 | 3.00 |
| Nitrate of Soda | | 15.63 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| The J. R. Young Fertilizer Co., Norfolk, Va | | | |
| J. R. Young's 3-8-3 Guano for Cotton | 8.00 | 2.47 | 3.00 |
| J. R. Young's New Process 2-8-2 Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Cotton, Corn and Peanuts | 8.00 | 1.65 | 2.00 |

LEAF TOBACCO SALES FOR NOVEMBER, 1913.

| Pounds sold for producers, first hand24,9 | 54,002 |
|--|-------------|
| Pounds sold for dealers | |
| Pounds resold for warehouses | $324,\!539$ |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 451,609 |

LEAF TOBACCO SALES FOR DECEMBER, 1913.

| Pounds sold for producers, first hand21,3 | 45,788 |
|---|--------|
| Pounds sold for dealers | |
| Pounds resold for warehouses | 81,259 |
| Total23,8 | 52,056 |

LEAF TOBACCO SALES FOR JANUARY, 1914.

| Pounds sold for producers, first hand | 56,946 |
|---------------------------------------|--------|
| Pounds sold for dealers 5 | |
| Pounds resold for warehouses | |
| Total | |



THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE

RALEIGH

Vol. 35, No. 4.

APRIL, 1914

Whole No. 195

Fertilizer Experiments with Cotton on the Sandy Loam Soils (Norfolk Sandy Loams) of the Coastal Plain

PUBLISHED MONTHLY AND SENT FREE TO CITIZENS ON APPLICATION.

Entered at the Postoffice at Raleigh, N. C., as second class matter, February 7, 1901, under Act of June 6, 1900.

STATE BOARD OF AGRICULTURE

W. A. GRAHAM, Commissioner, ex officio Chairman, Raleigh,

| 11, 21, (thattast, the management), the opinio Charles man, transfer |
|--|
| F. P. LATHAM Belhaven First District. |
| K. W. Barnes Lucama Second District. |
| R. L. WOODARD |
| CLARENCE POE |
| R. W. Scott |
| A. T. McCallum |
| C. C. Wright Hunting Creek Seventh District. |
| William Bledsoe Eighth District. |
| W. J. SHUFORD Hickory Ninth District. |
| A. CANNON Horse Shoe Tenth District. |

| OFFICERS AND STAFF |
|---|
| W. A. GRAHAM |
| FILLAS CARR Secretary and Purchasing Agent. |
| MISS SARAH D. JONES Bookkeeper. |
| D G CONN Rulletin Superintendent. |
| B. W. KILGORE |
| J. M. PICKEL |
| W. G. HAYWOOD. Fertilizer Chemist. |
| J. Q. Jackson |
| E. S. Dewar |
| E. B. Hart |
| J. R. MULLEN. Assistant Chemist. |
| R. W. COLLETT |
| II I) BRIMLEY , Curator of Museum. |
| T. W. Addickes |
| FRANKLIN SHERMAN JR. Entomo ogist. |
| C. L. Metcalf Assistant Entomologist. |
| S. C. CLAPP. Assistant Entomologist in Field Work. |
| B. B. FLOWE |
| H. P. FLOWE. Assistant Veterinarian. |
| W X HITT |
| S. B. Shaw |
| R. G. Hill Assistant Horticulturist. |
| T. B. PARKER Director of Farmers' Institutes. |
| Miss Carrie Hungins Assistant to Director of Farmers' Institutes. |
| R. L. SLOAN |
| W. M. ALLEN |
| E W THORNTON Assistant Pure Food Chemist. |
| C. E. Bell |
| C. B. WILLIAMS |
| J. K. PLUMMER. Soil Chemist. |
| W. F. Pate |
| R. Y. WINTERS |
| G. M. GARREN Assistant Agronomist in Crops. |
| *W. E. HEARN State Soil Agent, Soil Survey. |
| L. L. BrinkleySoil Survey. |
| S. O. Perkins. Soil Survey. |
| R. C. JURNEY. Soil Survey. J. L. BURGESS. Agronomist and Botanist. |
| MISS S. D. ALLEN |
| C. H. WALDRON |
| DAN T. GRAY |
| W. H. EATON |
| †ALVIN J. REED |
| STANLEY COMBS |
| TE. H. MATHEWSON |
| †C R HUDSON Farm Demonstration Work, |
| TT E Browne Assistant in Charge of Boys' Clubs. |
| † A K ROBERTSON Assistant in Boys' Clubs. |
| TARS JANES McKimmon |
| †MISS MARGARET SCOTT |
| |

F. N. McDowell, Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferies, Assistant Director Pender Test Farm, Willard, N. C. F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture. †Assigned by the Bureau of Animal Husbandry, United States Department of Agriculture. ‡In coöperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL

Hon. W. A. Graham,

Commissioner of Agriculture.

Sir:-I submit in manuscript a report covering experiments with cotton on the Edgecombe Test Farm for the years 1903-'09, inclusive, together with a discussion of the results. B. W. Kilgore and C. B. Williams are responsible for the plans and conduct of the work in 1903-'07; B. W. Kilgore and G. M. MacNider, 1907-'09. R. W. Pou and R. W. Scott, Jr., had charge of the culture and handling of the crop and E. L. Worthen and W. C. Etheridge did the main work in putting the results in tabular form. C. B. Williams is responsible for the con clusions and the writing of it.

I recommend the publication of this report as the April Bulletin.

Very respectfully,

C. B. WILLIAMS, Chief, Division of Agronomy.

Approved for printing:

W. A. GRAHAM,

Commissioner.



FERTILIZER EXPERIMENTS WITH COTTON ON THE SANDY LOAM SOILS (NORFOLK SANDY LOAMS) OF THE COASTAL PLAIN

Being a Report of Work with Cotton on the Edgecombe Test Farm in 1903-1909, Inclusive

BY B. W. KILGORE, C. B. WILLIAMS, G. M. MACNIDER, AND R. W. SCOTT, JR.

GENERAL SUMMARY OF RESULTS OF FERTILIZER TESTS

1. The proper fertilization of cotton pays large profits, larger ones than any other staple crop generally grown in the State. What this fertilization should be on these and similar soils is shown by the results

of our experiments as given on the following pages.

2. In the production of cotton on this land with only two constituents used nitrogen combined with potash afforded the largest net returns per acre, while a mixture of nitrogen and phosphoric acid gave the smallest profit. The use of phospphoric acid and potash averaged \$4.06 more profit per acre than phosphoric acid and nitrogen, but it was not so great by \$6.24 per acre as that secured on an average by the use of a mixture carrying nitrogen and potash.

The experiments as a whole show nitrogen to be the dominant or controlling constituent of plant-food for increasing yields and adding the

greatest profit per acre in growing cotton on this type of soil.

3. The results show that lime alone has been used on an average at a small profit. In combination with nitrogen, phosphoric acid and potash to make a complete fertilizer it has shown an annual increased profit of \$6.17 per acre above the net returns secured from the use of the complete fertilizer alone.

The results show that for cotton growing on this type of land the use of moderate quantities of lime particularly in connection with a com-

plete fertilizer will prove quite profitable.

4. The amount of nitrogen used in the normal fertilizer (400 pounds per acre), applied in these cotton experiments, was 2½ per cent, or 10 pounds to the acre. This amount was varied so as to give 5, 10, 20 and 30 pounds of nitrogen per acre. The yields and profits per acre were increased as the applications of nitrogen were made larger. As an average of all the results on the two fields, both increase in the yield due to fertilizer and in profit per acre were almost tripled by the use of 30 pounds of nitrogen with normal amounts of phosphoric acid and potash over what they were where only 5 pounds of nitrogen was used with normal amounts of phosphoric acid and potash. The former application on an average gave a profit of \$26.45 per acre over cost of fertilizer applied. The increase of 25 pounds of nitrogen in the formula

(from N½PK to N₃PK) has resulted in returns on an average equivalent to 69 cents for each pound of nitrogen added between 5 and 30 pounds per acre. The use of 30 pounds of nitrogen, with the exception of the two and one-half times normal fertilizer application, was the most profitable one tried. Five pounds of nitrogen would be supplied by 81 pounds of 7½ per cent cottonseed meal, by 40 pounds of 15 per cent

dried blood or by 34 pounds of 18 per cent nitrate of soda.

5. The amount of phosphoric acid in the normal fertilizer (400 pounds per acre) was 7 per cent which is equivalent to 28 pounds per acre. This quantity was varied so as to apply 14, 28, 56 and 84 pounds respectively of phosphoric acid per acre, with normal amounts of nitrogen and potash. These amounts of phosphoric acid would be supplied by 100, 200, 400 and 600 pounds respectively of 14 per cent acid phosphate. The greatest net returns over cost of fertilizer per acre was secured in the study of the most profitable quantity of phosphoric acid

to use on cotton, by the use of 28 pounds per acre.

6. The amount of potash in the normal fertilizer (400 pounds per acre) was $2\frac{1}{2}$ per cent, equivalent to 10 pounds per acre. Varying this amount so as to apply 5, 10, 20 and 30 pounds per acre respectively, the results indicate (with one apparently abnormal exception) that the largest profit over cost of fertilizer from different quantities of potash was obtained from the use of about 20 pounds of potash with normal amounts of nitrogen and phosphoric acid. To supply 20 pounds per acre of potash will require an application of 167 pounds of 12 per cent kainit, 100 pounds of 20 per cent manure salt, or 40 pounds of 50 per cent muriate or sulphate of potash.

7. Varying the amounts of the normal fertilizer applications from 200 to 1,000 pounds per acre gave progressively increased yields and profits as the quantity of fertilizer was made larger, the results being quite uniform on an average in this regard. The averages, after de-

ducting for cost of fertilizer showed the following net profits:

200 pounds of fertilizer per acre gave a profit of \$ 5.95.

400 pounds of fertilizer per acre gave a profit of 11.45.

600 pounds of fertilizer per acre gave a profit of 23.70.

800 pounds of fertilizer per acre gave a profit of 31.63.

1,000 pounds of fertilizer per acre gave a profit of 34.47.

Putting this in a slightly different way, on an average the first 200 pounds of fertilizer yielded a net profit (after deducting for the cost of fertilizer) of \$2.98 for each 100 pounds of fertilizer; the application of 400 pounds yielded \$2.86 per 100 pounds; 600 pounds yielded \$3.95 per 100 pounds; 800 pounds yielded \$3.95 per 100 pounds; and 1,000

pounds yielded \$3.45 profit per 100 pounds of fertilizer.

8. Comparisons of dried blood and nitrate of soda as sources of nitrogen showed no great advantage one over the other in the production of cotton on this type of soil. In the tests nitrate of soda was applied one-half at planting and one-half about July 1, on one plat; one-half was applied about July 1, the other half of the nitrogen coming from dried blood, which was applied before planting on another plat, and

on a third plat nitrate of soda furnished one-fifth of the nitrogen, the balance coming from dried blood, all being applied before planting. The blood was applied one-half at planting and one-half about July 1, on one plat; one-half at planting, the rest of the nitrogen coming from nitrate of soda which was applied July 1 on another plat, and on a third plat four-fifths of the nitrogen was supplied by blood and one-fifth by nitrate of soda. The most economical method of application and the one which made the highest yield of seed cotton was the one which received half of the nitrogen as dried blood in the row at planting with normal quantities of phosphoric acid and potash and the remaining half of the nitrogen as a side dressing in the form of nitrate of soda about July 1.

9. Where 400 pounds of fertilizer were applied each in the drill before planting, broadcast before planting, and divided into two equal parts, one-half being applied in the drill before planting and the other half as a side dressing about July 1, the results are not uniform, but on an average seem to indicate best returns from applying one-half of the fertilizer in drill at planting and other half alongside the row about July 1.

10. Where only 400 pounds is used to the acre the best and most economical returns will be in the drill or alongside the row rather than to be applied broadcast.

11. Our analyses of the various soils of the State indicate that these results will apply to the sandy and fine sandy (Norfolk) loams of the

upper Coastal Plain section of the State.

12. In the production of cotton on these soils, taking the results here reported as a whole, it is recommended that at least 400 pounds of fertilizer be used and as much more as can be afforded up to 1,000 pounds per acre. The fertilizer can be most profitably applied in the drill before planting; one-half at planting and the other half as a side dressing about July 1; one-half of the nitrogen as blood, cottonseed meal, fish scrap or tankage in the row at planting with all the phosphoric acid and potash and the remaining nitrogen as nitrate of soda as a side dressing about July 1; or all of the nitrogen in some of the recognized organic forms of carriers of nitrogen with the phosphoric acid and potash at planting.

On land deficient in humus or where no considerable leguminous crops or residues have recently been plowed into the soil, the fertilizer constituents should be contained in the mixture in about the proportion of 7 per cent phosphoric acid, 7 per cent of nitrogen, and 5 per cent of potash. The nitrogen may be all derived from blood, tankage, cottonseed meal, or similar products, or in part from one or all of these, and

in part (up to one-half) from nitrate of soda.

Kainit, manure salt, sulphate or muriate of potash may furnish the

potash, and acid phosphate the phosphoric acid.

Four hundred pounds of the above mixture would contain 28 pounds of available phosphoric acid, 28 pounds of nitrogen and 20 pounds of potash, and 1,000 pounds would contain 70 pounds of available phosphoric acid, 70 pounds of nitrogen, and 50 pounds of potash. required amounts of phosphoric acid in 400 and 1,000 pounds respectively of this mixture would be supplied by 175 pounds and 438 pounds of 16 per cent acid phosphate; the nitrogen by 215 pounds and 538 pounds of 13 per cent (N.) dried blood; and the potash by 100 pounds and 250 pounds of manure salt. Other materials or other grades of these same materials may be used, and it will not be difficult, knowing just what they contain, to use such quantities of them as will be necessary to furnish the quantities of plant food, having in mind that it is the specific number of pounds of phosphoric acid, nitrogen and potash that is desired, rather than a given weight of mixed fertilizer.

13. On a whole the results show that lime used at the rate of 1,000 pounds of slaked lime broadcast every two or four years has proven profitable in cotton growing, when the lime was used in connection with

an application of the normal fertilizer.

I. FERTILIZER EXPERIMENTS WITH COTTON ON THE SANDY LOAM SOILS OF THE COASTAL PLAIN

This is the fourth of a series of Bulletins giving the results of experiments to determine the fertilizer or plant food needs of different soil types of the State. The three previous reports issued as the June, August and September (1910) Bulletins of this Department, gave—

1. Results of Fertilizer and Variety Experiments with Cow Peas on

Piedmont Red Clay Loam Soil (June).

2. Results of Fertilizer Experiments with Cotton on Piedmont Red Clay Loam Soil; and Varieties, Culture and Fertilization of Cotton on Piedmont Red Clay Loam, Red Clay and Valley Soils (August).

3. Results of Fertilizer Experiments with Corn on Piedmont Red Clay Loam; and Variety Culture and Fertilization of Corn on Pied-

mont Red Clay Loam, Red Clay, and Valley Soils (September).

More attention is now being paid to the production of cotton than ever before in the history of the State and fertilizers are used more generally and in larger amounts on this crop than in former years.

WORK REPORTED.

Cotton is our leading money erop. More commercial fertilizer is used in fertilizing and growing this crop than any other. It responds readily and profitably to proper fertilization. Some ten years ago systematic experiments were begun to determine the fertilizer or plant-food requirements for the most economical production of cotton on our different cotton soils.

On the following pages are recorded the results of seven years' fertilizer and variety tests of cotton on the Edgecombe Test Farm of this Department, extending through the years 1903-1909 inclusive. The work is being continued to collect further data, when cotton is grown as it has been in the work here recorded, as well as in rotations with other staple crops and soil-improving crops.

LOCATION OF FARM AND CHARACTER OF SOIL.

The Edgecombe Test Farm is located near the center of Edgecombe County, on the main road between Tarboro and Rocky Mount, approximately eight miles from either place. It is two miles south of Kingsboro Station.

The main upland soil of this farm is representative of much of the Coastal Plain Section of the State. It consists of a dark gray sandy to fine sandy loam, eight to twelve inches deep, underlain by a yellow sandy clay subsoil. The surface soil is light in texture, and is commonly very deficient in organic matter. It classifies as Norfolk sandy to fine sandy loam. Like most of the sandy soil of the Coastal Plain, the sand content is mostly silica (quartz sand) which contains no important plant food. The chemical analysis of this type of land shows it to be universally deficient in nitrogen and phosphoric acid, and in

the southeastern part of the State, also in potash. The potash content is much higher in the northern part of the Coastal Plain Section; especially is this true northeast of Albemarle Sound. The soil of the Edge-combe Test Farm is between these two extremes, approaching the low rather than the high potash content. Consequently we could hardly expect the increase from the use of potash to be as great when used on this character of soil in the counties to the north of Edgecombe, but in those to the south its use should be accompanied with larger increases and greater profit. These light sandy soils are also deficient in lime. This deficiency is noticeable in the growing of legume crops. Bacterilogical investigations show this soil to be very deficient in beneficial bacterial life.

The following figures which are averages for several samples taken on the Edgecombe Farm show the chemical composition of the soil. They state the pounds of plant food per acre contained in the surface to the depth of six and two-third inches, and in subsoil to the depth of

twenty-eight inches.

| | $Pounds\ in$ | Pounds in |
|--|------------------------|---------------|
| | Surface. | Subsoil. |
| | $6\frac{2}{3}$ inches. | $28\ inches.$ |
| Nitrogen (N) | 984 | 1,720 |
| Phosphorie Acid (P ₂ O ₅) | 1,236 | 2,200 |
| Potash (K_2O) | 3,810 | $13,\!200$ |
| Lime (ČaÕ) | 3,595 | 10,216 |

PLATS.

The plats on which the experiments were conducted were embraced in fields A and B. The farm on which all the plats are located has been in cultivation for a good many years. The experiments were started on field A in 1903 and on field B in 1905. The plats in field A were laid off in three parallel series of thirteen plats each with a turn row or driveway between each series. The plats are one-tenth acre in size or 217.8 feet by 20 feet, with an unfertilized space between plats sufficient for one row and a four-foot unfertilized space at the end of rows. Plats 1, 2, and 3 of the second series, and 1, 2, 3, 4, 5, 6, 7, and 8 of the third series of this field are somewhat inferior in fertility naturally to

the other plats of the field, due to surface washing.

The plats in field B were laid out in a similar way to those of field A, except that the plats in the third series were of one-twentieth acre size, but in the other two series they were of the same dimensions as those of field A. Another difference was that in field B provision was made for two rows between plats instead of one as in field A and these extra rows were fertilized like the plat nearest to them, but were not harvested and weighed with the plats. Work was started on field B in 1905 and a rotation of cotton and corn with field A was begun. Bur clover was sown on field B at the last cultivation of corn in 1908 and of cotton in 1909, but as the bur clover failed in 1909 the plats were seeded to crimson clover early in November and covered by a Planet, Jr., cultivator, going once to the row.

Field A.—The plats were used for fertilizer experiments with cotton in 1903-'04-'06-'08; and fertilizer experiments with corn in 1905-'07-'09. In case of each of the two crops the same plan or system of fertilization was followed. By this is meant that plat 8 in all cases received only nitrogen and potash, plat 9 only phosphoric acid and potash, plat 10 a normal application of potash, nitrogen, and phosphoric acid, and so on, though the quantities actually applied varied with the two crops. The fertilization of the cotton plats was based on a normal application of 400 pounds per acre of a mixture containing 7 per cent available phosphoric acid and $2\frac{1}{2}$ per cent each of nitrogen and potash. The fertilization for corn was on a basis of 300 pounds per acre of a mixture containing 7 per cent available phosphoric acid, 3 per cent nitrogen, and $1\frac{1}{2}$ per cent potash.

Field B.—These plats were used for fertilizer experiments with corn in 1906 and 1908 and for fertilizer experiments with cotton in

1905-'07-'09.

PREPARATION AND CULTIVATION.

The land in all eases was well prepared by breaking with a two-horse turning plow in the winter, usually January and February, to a depth of 8 to 10 inches, and allowed to remain this way until just before planting, when it was cut up thoroughly with a disk harrow. The rows were run off $3\frac{1}{3}$ feet apart, the fertilizer distributed in the drill and covered to a slight ridge, usually with one furrow of disk or other cultivator. This was done some time prior to planting, so as to give the ground time to settle before planting. Russell's Big Boll was the variety of cotton used in all the experiments. The cotton was planted as soon as the weather would permit in the spring, on the slight ridge made in covering the fertilizer, but which was usually brought to a level, or almost to a level, by the cotton planter. The cotton was well cultivated with weeders, harrows, single and two-horse cultivators, requiring not exceeding two furrows to row, making the cultivation deep at beginning and shallow toward the close of the season, when root development of the plants was well extended into the soil. The cultivation was repeated each ten days to two weeks during the season, the crop being laid by between July 15 and August 1, according to season. The erop was thinned as nearly as possible to one stalk in the hill every 15 inches.

FERTILIZATION AND FERTILIZER MATERIALS USED.

As already stated, the fertilizer was applied in the drill just before planting the cotton, the exact quantity of material for each row being weighed out separately so that each row would get its proper amount of the several fertilizer constituents. Acid phosphate was used as the source of phosphoric acid; dried blood as the source of nitrogen, except where there was a comparison of different nitrogen-furnishing materials, or where nitrate of soda was used as a part of the nitrogen; manure salt as the source of potash; and rock or builder's lime for lime. The fertilizer materials were analyzed each year and applications made on the basis of actual analyses, so as to give the exact quantities of nitrogen, phosphoric acid, and potash required for each plat. For the sake of simplicity and convenience in presenting the results of a number of

years' experiments, the fertilizer applications are expressed in terms of acid phosphate, containing 14 per cent available phosphoric acid, dried blood containing 13 per cent nitrogen, nitrate of soda containing 14.8 per cent nitrogen, and manure salt containing 20 per cent potash, which figures represent the average composition of these materials. The fertilizer applications in the fertilizer experiments are on the basis of 400 pounds per acre for the normal plat (N P K) of a mixture containing 7 per cent available phosphoric acid and 2½ per cent each of nitrogen and of potash. Lime is applied at the rate of 500 pounds of rock, builder's or burnt lime. The fertilizer applications in the tables, in addition to being represented in terms of acid phosphate, dried blood, nitrate of soda, and manure salt, are also expressed in terms of the symbols, N, P, K, and L, which have the following significance:

N equals nitrogen at the rate of 10 pounds per acre, or 77 pounds of 13 per cent dried blood;

P equals phosphoric acid at the rate of 28 pounds per acre, or 200 pounds of 14 per cent acid phosphate;

K equals potash at the rate of 10 pounds per acre, or 50 pounds of 20 per cent manure salt;

L equals lime at the rate of 500 pounds rock or unslaked lime per acre.

There are columns in the tables showing the exact weights in pounds of phosphoric acid, nitrogen, and potash applied to each plat (expressed on acre basis), which will enable any one to use the same amounts of fertilizer constituents in other materials if desired.

The following average prices which fairly represent the cost of the several materials to the farmer for the period under experimentation

have been assumed for the materials used:

| 14 per cent Acid Phosphate. \$14.00 per ton. 13 per cent Dried Blood 60.00 per ton. |
|---|
| 14.8 per cent Nitrate of Soda (18 per cent Am- |
| monia) 50.00 per ton. |
| 20 per cent Manure Salt 20.00 per ton. |
| Rock Lime 10.00 per ton. |

The arrangements of the plats and the scheme of fertilizer application is shown by the following:

Normal fertilizer application, 400 pounds per acre of a mixture containing—

| 6 | |
|-----------------|--------------------------|
| Phosphoric Acid | 7 per cent. |
| Nitrogen | $2\frac{1}{2}$ per cent. |
| Potash | $2\frac{1}{2}$ per cent. |

In this normal application—

N equals 10 pounds nitrogen, equals 77 pounds 13 per cent dried blood;

P equals 28 pounds phosphoric acid, equals 200 pounds 14 per cent acid phosphate;

K equals 10 pounds potash, equals 50 pounds 20 per cent manure salt.

SIZE OF PLATS, ONE-TENTH ACRE. (217.8 x 20 feet.)

| (| |
|--|---|
| First Series— | Application. |
| 8 | N K |
| 9 | . P K |
| 10 | .N P K |
| 11 | |
| 13 | . 0 |
| 14 | $N_2 P K$ |
| 15 | $N_3 P K$ |
| 16 | .N P½K |
| 17 | $ \begin{array}{ccc} .N & P_2 & K \\ .N & P_3 & K \end{array} $ |
| 18 | .14 13 11 |
| Second Series— | |
| | N P K1/6 |
| 1^2 2^2 | $.N P K_2$ |
| 3^2 | |
| 4^2 | |
| 5^2 | O |
| 6^2 | . 1 ½(NPK) |
| 72 | . 2 (NPK) . 3 (NPK) |
| $8^2 \dots | |
| 10^2 | |
| $11^2 \dots | N P K |
| $12^2 \dots $ | .N P K |
| $13^2 \dots | |
| | |
| Third Series— | |
| 1^3 | 0 |
| 43 | .NPK |
| 53 | Lime N P K L |
| 6^3 | |
| | |

The above represents the plats in field B. In field A and in "Old Field" they are arranged in a similar way.

Weather Conditions During 1900-'09, Inclusive.

Besides soil, seed, fertilization, and cultivation, and time of planting, weather conditions, mainly the rainfall, influence the crop yield. In the table presented herewith will be found the monthly and annual rainfall during the years covered by the experiments, the mean monthly and annual rainfall since 1868, and the same data for the months of May to September, inclusive. During the growing months the rainfall was

below normal in all years except 1909. In the years 1903-'04 and '06 this average was approximately an inch or more per month, but for the other three years. 1905-'07 and '08 the deficiency of rainfall during the growing season was only slight. The year 1905 was the only one in the period which had a total rainfall below normal.

TABLE A.—RAINFALL IN INCHES AT TARBORO.

| | 1900 | 1901 | 1902 | 1903 | 1904 | 1905 | 1906 | 1907 | 1908 | 1909 | Ueans of Observation Since 1868 |
|--|-------|-------|-------|-------|-------|--------|-------|-------|----------|-------|--|
| | | | | | | | | | | | |
| January | 4.41 | 1.85 | 2.85 | 3,38 | 3.21 | 3.21 | 3.29 | 10.1 | 5.20 | 2.00 | 3,89 |
| February | 5.35 | 1.92 | 7.23 | 6.27 | 4.24 | . 6.79 | 967 | 4.84 | 4.38 | 3.41 | 4.15 |
| | 2.70 | 3.02 | 2.86 | 5.48 | 4.09 | 3.51 | 5.16 | 2.85 | - + - | 1.96 | 3.92 |
| April | 3.34 | 5.45 | 2.48 | 4.39 | 1.17 | 7.52 | .71 | 4.60 | 2.03 | 5.93 | 3.20 |
| May | 2.07 | 5.54 | 4.83 | 2.43 | 2.04 | 4.46 | 2.17 | 3.83 | 4.31 | 6.17 | £.89 |
| June | 3.54 | 1.29 | 3.08 | 5.26 | 2.13 | 3.66 | 3.04 | 5.59 | 60 | 9.92 | 4.25 |
| July | 2.03 | 8.24 | 1.12 | 4.44 | 4.87 | 7.83 | 6.53 | 5.20 | 9.36 | 4.07 | 6,35 |
| August | 6.72 | 11.61 | 5.86 | 7.43 | 5.28 | 4.66 | 60.9 | 96.9 | 6.74 | 6.9 | 6.73 |
| September | 1.05 | 8.24 | 4.16 | 1.42 | 2.70 | 3.00 | 2.45 | 3.97 | 61 | 98. | 3.47 |
| October | 1.06 | 3.51 | 3.17 | 4.81 | 1.91 | 1.62 | 2.87 | 1.33 | 3.55 | 1.42 | 3.59 |
| November | 3.70 | 1.23 | 3.35 | .74 | 4.55 | .80 | 07. | 5.08 | 1.25 | 1.21 | 2.55 |
| December | 3.21 | 5.11 | 2.18 | 2.43 | 4.48 | 5.54 | 3,03 | 5.05 | 3.46 | 84. g | £7. 60 |
| Annual. | 39.17 | 57.01 | 43.17 | 48.47 | 40.67 | 52.60 | 41.00 | 49.61 | 48.74 | 46.42 | 50.77 |
| Monthly average from May to September in- clusive | 3.08 | 96.9 | 3.81 | 4.15 | 3.40 | 4.70 | 90.₽ | 4.97 | .8. € | 5.60 | 5.14 |

RESULTS.

In studying the yields of the two fields it will be well to bear in mind that on fields A and B the rotation consisted of cotton and corn and that bur clover as a cover crop was not put on fields A and B until latter part of July in 1908. Field B was sown in bur clover in fall of 1909, but as this failed crimson clover was seeded uniformly over the plates early in November.

In the future, as during the past four years (1910-1913) the crops

will be grown according to the following rotation:

First year ... Cotton and Crimson Clover.
Second year ... Peanuts and Bur Clover.
Third year ... Corn and Cowpeas.

The cotton, peanut, and corn crops will be fertilized according to

the general scheme of conducting the fertilizer experiments.

The experiments were planned to cover the culture and fertilization of cotton as a whole, but the results of the several subdivisions or phases of the subject are grouped in short tables to facilitate examination and the drawing of conclusions, after which they will be considered as a whole and general conclusions drawn for the fertilization of the crop on this type of soil.

Table 1-results of fertilizer experiments with cotton; effect of nitrogen, phosphoric acid and potash in DIFFERENT COMBINATIONS; LIME ALONE; AND LIME IN ADDITION TO A COMPLETE FERTILIZER.

RESULTS IN FIELD A IN 1903, 1904, 1906, AND 1908.

| | fo teoC -T97A. In- teCost | A vertilizer A vertilizer Fertilizer OTO TO | 65 | 2.81 5.52 | 1.90 | 4.21 3.13 | 3.71 —4.12 | .63 —3.15 | 4.84 9.74 | 1 1 2 2 3 4 9 1 1 1 2 1 2 2 2 3 3 4 3 4 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 |
|---|--|--|--------------|--------------------------|--------------------------|--|---|--|---|---|
| | | Value of Increase: 4.5 Cents Pound | | 8.33 | 20.07 | 1.34 | #. | -2.52 | 14.58 | |
| | 695 Peed 975 A 79 1981 A 1971 | Increase Pounds o Cotton P Due to F | | 185 | 16 | 163 | 6- | -56 | 324 | |
| | 919A 197 | Average to bleit Cotton ii Pounds I | 1030 | 1215 | 1076 | 1193 | 1108 | 1001 | 1441 | 1117 |
| | NDS |)s 1909 | 625 | 0 | 2 | 0 | 0 | 0 | | |
| | IN Pot | 1907 - 1908 | 62 | 1030 | 935 | 1070 | 760 | 800 | 1290 | 006 |
| AND 190 | ED COTTON | 1906 | 900 | 0501 | 940 | 0#11 | 066 | 096 | 320 | 066 |
| , 1900, | F SEED Per | 1905 | | - | | | | 1 | | |
| 709, I3U | VIELD OF SEED COTTON IN POUNDS PER AGRE | 1904 | 1380 | 1370 | 1185 | 1343 | 1323 1328 | 1240 | 1586 | 1328 |
| 4 4 4 | | 1903 | 1215 | 1410 | 1245 | 1220 | 1358 | 1215 | 1568 | 1248 |
| AND 1905, 1904, 1900, AND 1908, 1904, 1900, AND 1908, 1908, 1908, AND 1908, | 10 (N) II 6 | sbanoq goniN nok 194 sbanoq | | K 10 | | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | N 10 28 O | | 28 H | 0 |
| | FERTILIZER APPLICATION PER ACRE | | Unfertilized | 50 lbs. 20% manure salt. | 50 lbs. 20% manure salt. | 200 lbs. 19% acid phosphate | 77 lbs. 18% blood 200 lbs. 14% acid phosphate. Unfertilized | 500 lbs. unslaked lime every 4th yearL 77 lbs. 13% bloodN | 200 lbs. 14% acid phosphate. 50 lbs. 20% manure salt. 500 lbs. unslaked lime every 4th voor | Unfertilized |
| | Number ol Plat | | | œ | 6 | 10 | $\left.\begin{array}{c} 10^3 \\ 8^3 \end{array}\right.$ | 63 | -13 | 83 |

TABLE I—CONTINUED RESULTS IN FIELD B IN 1905, 1907 AND 1909.

| Value of Average Annual In- crease Over Cost of Fertilizer | \$ 25.54 | 18.08 | 9.25 | 22.48 | | 9.18 | 28.10 |
|--|--|---|----------------|-------------------------------------|-------------------------|-----------------------------------|-------------------|
| Average Cost of Fertilizer Per Acre | \$ 2.81 | 1.90 | 3.71 | 4.21 | | .63 | 4.84 |
| Value of Increase at 4.5 Gents Per Pound | \$ 28.35 | 19.98 | 12.96 | 26.69 | | 18.6 | 32.94 |
| Increase in Pounds of Seed Cotton Per Acre Due to Fertilizer | 630 \$ | 444 | 288 | 593 | | 218 | 732 |
| Average Annual Yield of Seed Cotton in Pounds Per Acre | 1059 | 873 | 717 | 1022 | 429 | 292 510 | 1024 |
| 606 | 730 | 710 | 380 | 750 | 300 | 09 | 810 |
| Pound 1908 | 1 | | 1 | 1 | | | 1 |
| ON IN | 1004 | 637 | 069 | 861 | 357 | 270 600 | 966 |
| зер Сотт Рвп Аскв 15 1906 | | | | | | | |
| . Seed Pei 1905 | 1443 | 1273 | 1080 | 1455 | 630 | 545 820 | 1265 |
| Yield of Seed Cotton in Pounds Per Acre 1903 1904 1905 1906 1907 1908 E | - | | : | | | | |
| io abrinof (V) negon/Vi Per Acre Pombal pombal pombal (P.5.) pombal io abrinof io abrinof (O.M.) decident (O.M.) decident en decident (O.M.) abrinof on abrinof (O.M.) abrin | $\begin{bmatrix} N & 10 & \dots \\ K & \dots & 10 \end{bmatrix}$ | \mathbb{R} | N 10 | N 10 | N 10) | 0 | |
| FERTILIZER APPLICATION PER ACRE | 77 lbs. 13% blood | | lbs. 13% blood | bs. 13% bloodbs. 14% acid phosphate | 50 lbs. 20% manure salt | ized unslaked lime every 4th year | 77 IDS. 13% Blood |
| Number of Plat | x | 6 | 01 | 11 | 13 | 13 53 | £9 |

| Unfertilized | | | | | |
|---|-------|------------|-----------|-----------|-------|
| | 0 | 27.5 | | | |
| 50 lbs. 20% manure salt. K | 10 | 1148 | 376 16 92 | 2.81 | 14 11 |
| 200 lbs. 14% acid phosphate | 28 | 688 | | | 7.87 |
| Unfertilized | | 960 | | | |
| 77 lbs. 13% blood | 10 28 | 686 | 167 7.52 | 3 71 3 81 | 3.81 |
| 77 lbs. 13% blood | 28 10 | 1120 | | | 11.45 |
| Unfertilized | | | | | |
| 500 lbs. unslaked lime every 4th year. I. | | 763 825 | 62 2.79 | .63 | 2.16 |
| 200 lbs. 14% acid phosphate | 28 | 1262 | 499 22.46 | 4 | 17.62 |

EFFECT OF NITROGEN, PHOSPHORIC ACID, POTASH AND LIME ALONE AND IN COMBINATION WITH EACH OTHER ON COTTON YIELDS.

The experiments, the results of which are presented in Table I, were planned to determine the effect on yield of cotton of different fertilizer applications when two of the constituents were applied together, as nitrogen and phosphoric acid (N P), nitrogen and potash (N K), and phosphoric acid and potash (P K), and when all three of the fertilizing constituents were applied to make a complete fertilizer (N P K); also to test the effect of lime (L) when used alone and when used in connection with a complete fertilizer (N P K L). The results are shown in yields of seed cotton per acre for the several years, average yields, average increases over the unfertilized (O) plats which represent the effect of the fertilizer applications, the value of increase, cost of the fertilizer, and value of the average annual increase over cost of fertilizer.

Nitrogen and Phosphoric Acid, N. P. (Plats 163 and 10.) Nitrogen and phosphoric acid gave increased yields over the unfertilized plats four of the seven years on the two fields, the annual average increase for the three years in field B being 288 pounds; for four years on field Λ an average loss of 9 pounds, or an average annual increase for seven years in the two fields of 167 pounds, worth \$3.81 over the cost of fertilizer.

Nitrogen and Potash, N.K. (Plats 8 and 8.) The application of nitrogen and potash combined gave large increased yields for all years except one. The average increase on field B was 630 pounds per acre, and 185 on field Λ . The average increase for the seven years was greater than that given by any of the other applications except complete fertilizer and lime. The average profit from this application was \$14.11 per acre.

Phosphoric Acid and Potash, P.K. (Plats 9 and 9.) Phosphoric acid and potash combined gave a large average annual increase for the three years on field B—444 pounds—but for the four years on field A the average increase was only ±6 pounds. This gives an average increase on the two fields of 217 pounds, worth \$9.77, which is \$7.87 more

than the cost of the fertilizer.

Phosphoric Acid, Potash and Nitrogen, N P K. (Plats 10 and 11.) These three materials combined in a complete fertilizer gave average increased yields in both fields. The average annual increase for four years on field Λ was 163 pounds of seed cotton; and for three years on field B, 593 pounds; or an average increase per acre for the seven years

of 348 pounds, worth \$11.45 over the cost of fertilizer.

Lime, L. (Plats 63 and 53.) For the four years on field A the lime plat showed an average annual loss of 56 pounds of seed cotton, representing a financial loss of \$3.15. On field B however, this material gave an increase each of the three years, averaging 218 pounds more than the unfertilized plat, and the profit was \$9.18. As an average of these two apparently contradictory results lime gave an average increase of 62 pounds, representing a profit of \$2.16.

Lime with Complete Fertilizer, N P K L. . (Plats 73 and 63.) With the exception of the year 1905 on field B, lime in combination with the

three fertilizer constituents gave a larger yield of cotton than did complete fertilizer without lime. The average yield for the seven years from this treatment was 142 pounds greater than for complete fertilizer without lime. The profit, \$17.62, is greater than that from any of the other fertilizer combinations.

Taking the experiments as a whole the average results show that: The combination of nitrogen and phosphoric acid gave the smallest

increase and also the least profit.

That nitrogen and potash gave an everage yield of 209 pounds more seed cotton than did the nitrogen and phosphoric acid treatment, with a profit of \$14.11.

Phosphoric acid and potash gave a slightly greater yield than nitrogen and phosphoric acid, but not nearly as great as nitrogen and potash.

Nitrogen, added to phosphoric acid and potash, making a complete fertilizer, increased the yield 131 pounds, and gave an additional profit of \$2.58

The results from lime alone, while contradictory on the two fields, show a slight average increase and a profit of \$2.16. In addition to complete fertilizer, lime shows an increase of 151 pounds of seed cotton, and its application here was at a profit of \$6.17, and for complete application—N P K L—the profit was \$17.62.

The main increased yields and profits came from the use of nitrogen and petash. On the whole, practically no great beneficial effect was seen from the phosphoric acid application. The application of lime was

in general, accompanied with some profit.

TABLE II—RESULTS OF FERTULZER EXPERIMENTS WITH COTTON; EFFECT OF VARYING QUANTITIES OF NITROGEN ON YIELDS.

Results in Field A in 1903, 1904, 1906 and 1908.

| | bioA o | · | Yield of Seed Cotton in Pounds Per Acre | ed Cotton Per Acre | ON IN P | OUNDS | fannas beed er Acre | n f Seed er Acre ertilizer | te Ter | - | -uI lei |
|-------------------|--|--|--|-----------------------|---------|-------------|--|--|--|--------------------------------|---|
| Number of Plat | FERNALLIZER APPLICATION PER ACRE TO A CONTROLL OF THE ACRE TO A CONTRO | Рег Аете <u>9</u> | 1904 1905 | 1906 | 1907 | 1908 1909 | A verage A strong to bleiY and too bleiY and too bleiY are a span of the branch to be a span of the br | Increase I Pounds Cotton P Due to F | Value of Increase a 4.5 Cents Pound | Average of Pertilizer Per Acre | to sulsV nnnA sgs 7O sess12 ilit19T to |
| 11 | 38.5 lbs. 13% blood | $\begin{bmatrix}\\\\ 10 \end{bmatrix}$ 1220 | 1118 | 1050 | | 1050 | 1110 | 08 | \$3.60 | \$3.06 | \$0.54 |
| 10 | N 10 ate. F. S. S. W. W. T. W. T. W. T. W. T. W. | $\begin{array}{c} \\ \\ 10 \end{array}$ | 1343 | 1140 | | 070 | 1193 | 163 | 7.34 | 4.21 | 3.13 |
| 12 | 154 lbs, 19% blood | $\begin{pmatrix} -1 \\ -1 \\ 0 \end{pmatrix}$ 1723 | 1666 | 1110 | | 1480 | 1495 | 465 | 20.93 | 6.52 | 14.41 |
| 13 | 231 lbs. 13% blood 30 30 200 lbs. 14% acid phosphate 200 lbs. 25% acid phosphate 200 l | 2120 | 1990 | 1410 | | 0991 | 1795 | 292 | 34.43 | 8.83 | 25.60 |
| 2 | 50 lbs. 20% manure salt | 1215 | 1380 | 006 | | 625 | 1030 | | | | |

Results in Field B in 1905, 1907 and 1909.

| 20.61 | 22.48 | 26.87 | 27.53 | 1 | | 9.18 | 11.45 | 19.76 | 26.45 |
|--|----------------|-------|-------|--|---|--------------|-------|-------|--------|
| 3.06 | 4.21 | 6.52 | 8.83 | | | 3.06 | 4.21 | 6.52 | 8.83 |
| 23.67 | 26.69 | 33.39 | 36.36 | | | 12.24 | 15.66 | 26.28 | 35,35 |
| 526 | 593 | 742 | 808 | | | 272 | 348 | 584 | 784 |
| 955 | 1022 | 1171 | 1237 | | 772 | 1044 | 1120 | 1356 | 1556 |
| 38.5 lbs. 13% blood 14.0 | phateP lltK | 1085 | ateR | AVERAGE RESULTS FOR SEVEN YEARS IN FIELDS A AND B. | Unfertilized O SS.5 lbs. 13% blood 12 N E | ohate. It | salt | 9 X 8 | sphate |
| 12 | 11 13 | 14 | 15 | 1 | 7-13 | 1i-12 | 10-11 | 12-14 | 13-15 |

EFFECT OF VARYING QUANTITIES OF NITROGEN.

These tests (Table II) were planned to determine the effect on the yield of cotton of varying quantities of nitrogen, leaving the phosphoric acid and potash constant. On one plat the nitrogen was reduced to one-half of the normal quantity, making the application 5 pounds of nitrogen per acre or practically 11/4 per cent in the fertilizer mixture. On two of the plats it was increased by 2 and 3 times the normal quantity (10 pounds per acre), making the application 20 and 30 pounds per acre respectively, or on basis of the fertilizer mixture 5 and 7½ per cent. The average results for both fields show the largest yield and profit from the fertilizer application containing three times normal or the largest quantity of nitrogen in the several mixtures. times normal application which represents a fertilizer analyzing 7-712-21/2 gave an average annual increase of 784 pounds of seed cotton, a profit of \$26.45 over the cost of fertilizer. With the exception of the two and a half times normal application this represents the largest profit.

These results indicate as they do those with corn, that nitrogen is one of the controlling constituents, if not the most important one for crop

production on this soil.

TABLE III—RESULTS OF FERTILIZER ENPERIMENTS WITH COTTON; EFFECT OF VARYING QUANTITIES OF PHOSPHORIC ACID.

| | -təvA l -nal Inn- tsoO təv(isəl | Value o | \$6.08 | | 3.13 | 2.82 | -2.01 | |
|---|--|---|---|--------------------------------|---|--|--|--------------|
| | to tso S | | \$3.51 | | 5: 1 | 5.61 | 7.01 | |
| | 16.9 | Value o Pretease Lo Cen Pound | 76. 28 | | 5. | 67. | 9.00 | |
| | of Seed Per Aere Fertilizer | Pounds Cotton Due to | 16 | 2 2 1 | 163 | 63 | 111 | |
| | lennual 1 Seed in 1 Per Agre | ggriezA. o bleiT nottoD sbanoT | 958 | 1030 | 1193 | 107.7 | 1126 | 1015 |
| i | | 1909 | | 1 | | | 1 1 1 1 | |
| | Poun | 1908 | 572 | 625 | 1070 | 980 | 955 | 557 |
| | Yield of Seed Cotton in Pounds Per Acre | 1907 | | | 1 | | 1 | |
| | EED COTTC PER ACRE | 1906 | 958 | 900 | . 1110 | 186 | . 1200 | 910 |
| | or Sei | 1905 | 1 2 2 7 | | 1 | | | 1 |
| | YIELD | 1904 | 1045 | 1380 | 1343 | 1079 | 1178 | 1158 |
| | | rer ve | 1020 | 1215 | 1320 | 1070 | 1170 | 1268 |
| | 9.1 | Pound Pound Pound Pound | 14 | | 28 | 56 10 | 84 | 01 |
| _ | 10 s (V) no | banoq goriti goriti | $\begin{array}{c c} N & 10 \\ 12P & \\ X & \end{array}$ | 0 | P | 2 P N TO | 3 P | ٥ ک |
| | n Per Acr | | ٠ | | 9 | 0 | 0 | |
| | Fertilizer Application Per Acre | | 13% blood14% acid phosphat 20% manure salt | Jood | 14% acid phosphat 20% manure salt | 13% blood 14% acid phosphat 20% manure salt | lood cid phosphat | taunic sait |
| | Fertilze | | 77 lbs. 13% blood | Unfertilized 77 lbs. 13% blood | 200 lbs. 14% acid phosphate. 50 lbs. 20% manure salt | 77 lbs. 13% blood 400 lbs. 14% acid phosphate. 50 lbs. 20% manure salt | 600 lbs. 14% acid phosphate | Unfertilized |
| | Number of Plat | | * H | 7 | 10 | 56* | ************************************** | 21- |

*These plats are not as productive naturally as the other plats in the series of Field A. Much of the top soil has been washed off, they being located on the highest portion of the field.

TABLE III-CONTINUED.

RESULTS IN FIELD B IN 1905, 1907 AND 1909.

| of Aver- naual In- Over Cost tilizer | Value orease crease TeH fo | \$19.53 | 22.48 | 21.93 | 23.73 | |
|---|--|---|-------------------|----------|---|--------------|
| | o teoO HitreT oA req | \$3.51 | 4.21 | 5.61 | 7.01 | |
| 10 | Value Increa | \$23.04 | 26.69 | 27.54 | 30.74 | |
| se in so to | Bound Pound Deed TeT of | 512 | 593 | 613 | 683 | |
| ge Annual of Seed of n in s Per Acre | Avera Yield Cottoi | 941 | 1022 | 1641 | 1112 | 429 |
| | 6061 | 089 | 750 | 770 | 098 | 300 |
| YIELD OF SEED COTTON IN POUNDS PER ACRE | 1908 | 1 | | | - | |
| NI NO | 1907 | 904 | 861 | 926 | 973 | 357 |
| D COTTON | 1906 | | 5 5 6 | | | |
| SEE1 | 1905 | 1238 | 1455 | 1378 | 1503 | 630 |
| ЕГР ОН | 1904 | | | | | |
| Υn | 1903 | | | 1 | | |
| io e (Z) ga or or orion Per Acre 10st Acre 10st Acre | banoq Iqsodq (₅ O ₂ Q) banoq | $\begin{bmatrix} N & 10 & \cdots \\ 2 & P & 14 & \cdots \\ K & \cdots & 10 \end{bmatrix}$ | P 28 10 K | 2 P 56 | -3 P s1 | 0 |
| Fertilizer Application Per Agre | | 77 lbs. 13% blood | 77 lbs. 13% blood | 3% blood | 77 lb. 13% blood. 600 lbs. 14% acid phosphate | Unfertilized |
| Number of Feet | | 16 | 11 | 17 | 18 | 13 |

AVERAGE RESULTS FOR SEVEN YEARS IN FIELDS A AND B.

| 4.91 | 11.45 | 7.80 | 9.01 |
|------------------------|---|-------------------|---|
| 3.51 | 4.21 | 5.61 | 7.01 |
| 951 187 8.42 3.51 4.91 | 348 15.66 4.21 11.45 | 298 13.41 | 356 16.02 |
| 187 | 348 | 298 | 356 |
| 764 - | 772 | 1062 | 1120 |
| Unfertilized | Unfertilized. 77 lbs. 13% blood. N 10 200 lbs. 14% acid phosphate. P 28 10 lbs. 20% manure salt. K 10 | 77 lbs. 13% blood | 77 lbs. 13% blood N 10 600 lbs. 14% acid phosphate 3 P 84 50 lbs. 20% manure salt |
| 72-13 | 7–13 | 22-17 | 32-18 |

much profit.

EFFECT OF VARYING QUANTITIES OF PHOSPHORIC ACID.

The above experiments (in Table III) were planned to show the effect on the yields of seed cotton of varying quantities of phosphoric acid, the nitrogen and potash remaining the same. On one plat one-half the normal quantity of phosphoric acid was applied, or an amount represented by 100 pounds of 14 per cent acid phosphate and equivalent to $3\frac{1}{2}$ per cent phosphoric acid in the fertilizer mixture. On two plats were applied two and three times the normal quantities of phosphoric acid, represented by 400 and 600 pounds of 14 per cent acid phosphate

respectively, or 56 and 84 pounds of phosphoric acid per acre.

Varying the amounts of phosphoric acid had no very marked effect on the yield of cotton. The application of more than normal—28 pounds per acre—which is equal to an application of 200 pounds of 14 per cent acid phosphate failed to increase the yield, and consequently gave less profit. However, when the amount was reduced to one-half normal both yield and profit were less. It is well to remember in this connection that nitrogen and potash alone (see Table I) gave a larger yield and greater profit than did any of the mixtures containing phosphoric acid. These results certainly indicate that the application of phosphoric acid in the form of acid phosphate is not accompanied with

TABLE IV-RESULTS OF FERTILIZER EXPERIMENTS WITH COTTON, EFFECT OF VARYING QUANTITIES OF POTASH.

ESULTS IN FIELD A IN 1903, 1904, 1906 AND 1908

| | Value of Aver- age Annual In- crease Over Cost of Pertilizer | \$ 5.23 | 3.13 | 7.13 | 8.16 | - |
|---|--|-------------------|--|--------------|---|-----------------------|
| | Average Cost of Fertilizer Per Acre | 8 3.96 | 15.4 | 1: | 6.6 | |
| | Value of Increase at Ports Per Pound | \$ 8.19 | 1.34 | 11.84 | 13.37 | |
| | Increase in Pounds of Seed Cotton Per Acre Due to Fertiliser | 182 | 163 | 263 | 297 | - |
| | Appendix Annual Vield of Seed in the Appendix Appendix Acresis and Appendix Acres and Appendix Acres of Appendix Appendi | 1197 | 1030 | 1278 | 1312 | 1015 |
| | OUNDS | 935 | 625 | 0. | 00 | 55 |
| , | DN IN POS BE 1907 190 | 36 | 1070 | 1170 | 1320 | 1 |
| and 1908 | YIELD OF SEED COTTON IN POUNDS PER ACRE | 1210 | 900 | 1210 | 1170 | 016 |
| 4, 1906 | OF SEEI F - 1905 | | | | | 1 7 9 8 8 |
| 1903, 190 - | Yfeld of | 1370 1273 | 1215 1380 1220 1343 | 1393 1337 | | 1208 1108 |
| RESULTS IN FIELD A IN 1903, 1904, 1906 AND 1908 | Paragraph of Parag | 77 lbs. 13% blood | 77 Bs. 13% blood N 10 200 Bs. 14% acid phosphate P 28 10 12 50 lbs. 20% manure saft. K 10 10 | Salt. 2 K 20 | 77 bs. 13% blood N 10 200 bs. 14% acid phosphate P 28 11 150 bs. 20% manure salt. | 0 |
| | Number of Plat | 21 | 01 | 25 | 9 2 | |

TABLE IV-CONTINUED.
RESULTS IN FIELD B IN 1905, 1907 AND 1909.

| nal In- | o sulsV inA sgs O sessio littsA lo | 39.15 | : | 22.48 | 33.23 | 32.95 | 1 |
|--|---|-------------------|--------------|-------------------|--|-----------|--------------------------|
| to dead of | Average Fertilize Per Acr | 3.96 | | 4.21 | 4.71 | 5.21 | |
| at ts Per | Increase 4.5 Centend | 43.47 | | 26.69 | 37.94 | 38.16 | 1 |
| ni Beed to Per Acre Tertilizer | Incresse Pounds Cotton I Due to | 996 | | 593 | 843 | 848 | |
| Annual Seed in Per Acre | Preparent to bleif nottoO sbands | 1336 | 429 | 1022 | 1213 | 1218 | 370 |
| | 1909 | 930 | 300 | 750 | 930 | 800 | 180 |
| Yield of Seed Cotton in Pounds Per Acre | 1908 | | | | | | |
| NI NC | 701 | 1470 | 357 | 861 | 1287 | 1484 | 410 |
| вер Сотт Рек Аск | 1906 | | | | | | } |
| F SEEI Pe | 1905 | 1608 | 630 | 1455 | 1423 | 1370 | 520 |
| TELD O | 1904 | | | | | | |
| X | 1903 | | | | | | |
| his Asia | o ennoq nagortik erakisa o ennoq tonpod o ennoq o ennoq o ennoq o ennoq o ennoq o ennoq | N 10 | | N 10 28 | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | N 10 | K 30 J |
| | Fertuzer Application Per Acris | 77 lbs. 13% blood | Unfertilized | 77 lbs. 13% blood | 77 lbs. 13% blood Phosphate 200 lbs. 14% acid phosphate Plo0 lbs. 20% manure saft. 2 K | 13% blood | 150 lbs. 20% manure salt |
| Mumbor | of Plat | 12 | 13 | 11 | 22 | 32 | 22 |

AVERAGE RESULTS FOR SEVEN YEARS IN FIELDS A AND B.

| (i lbs. 13% blood | 77 lbs. 13% blood N 10 28 28 25 lbs. 20% manure salt. 15 K 5 5 | 739 | 518 23.31 3.96 | 3.96 | 19.35 |
|--|--|--------|----------------------|-------|-------|
| Unfertilized O O O T7 lbs. 13% blood D O O O O O O O O O O O O O O O O O O | $\begin{array}{c} {\rm O} \\ {\rm N} \\ {\rm N} \\ {\rm P} \\ {\rm P} \\ {\rm N} \\ {\rm M} \end{array}$ | 772 | 348 15.66 4.21 11.45 | 4 .21 | 11.45 |
| 77 lbs. 13% blood | $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 1250 5 | 511 23.00 | 4.71 | 18.29 |
| 77 lbs. 13% blood | N 10 28 30 | 1272 5 | 533 23.99 | 5.21 | 18.78 |

Effect of Varying Quantities of Potash.

The experiments reported in Table IV were arranged to show the effect on the yield of seed cotton of varying quantites of potash, the nitrogen and phosphorie acid remaining constant. On one plat only one-half the normal quantity of potash was applied, or 1½ per cent in the fertilizer mixture, or 5 pounds of potash per acre, while on two other plats two and three times the normal quantities were given, or 20 and 30 pounds of actual potash per acre respectively. On basis of the normal fertilizer mixture this would represent 5 and 7½ per cent of potash in the mixture.

The yield of cotton on Plat 1², field B, which received one-half normal potash is abnormally high. With this exception, increased amounts of potash gave increased amounts of cotton on this field. However, the increase on field B from the application of three times normal—30 pounds—over twice normal—20 pounds—was not enough to pay for the additional fertilizer. For the four years' average on field A, increased amounts of potash gave increased yields and small increased profits. In general it appears that with cotton increasing amounts of potash can

hardly be expected to much more than pay for themselves.

TABLE V-RESULTS OF FERTILIZER EXPERIMENTS WITH COTTON; EFFECT OF VARYING QUANTITIES OF FERTILIZER ON YIELDS.

RESULTS IN FIELD A IN 1903, 1904, 1906 AND 1908.

| Imphor | | (V) bioA of eroA : | | TELD C | F Seed Ped | вер Соттс Рев Асве | NIN | Yield of Seed Cotton in Pounds Per Acre | lennar beed ers& re | heed or A re- rosilita | 3. | | -41 16 |
|---------|---|---|----------|---|---------------|-----------------------|------|--|---|--|---|---|--|
| of Plat | FERTILIZER APPLICATION PER ACRE | o sbanod nogortik o sparod to sbanod troplosh o (logo) to (logo) to sbanod to sbanod to sbanod | Per Aere | 1904 | 1905 | 1906 | 1907 | 1908 1909 | e A Yeringe A Tield of S ni notte? A sbaned | i serease i Pounds of Cotton Po Due to Fo | Value ot Increase a 45 Cents Pound | Ээвтэ <i>ч I.</i> тэхийтэч этэА тэЧ + | To onlove of a number of the second of the s |
| 83 | | | 1248 | 1328 | 1 | 066 | 1 | 006 | 71117 | | 86 | ss | |
| 133 | 38.5 198, 13% blood | 6 11 5 | 1310 | 1198 | | 950 | 1 | 850 | 1077 | 10 | -1.80 | -2.11 | -3.91 |
| 1- | Unfertilized O 77 lbs (3% blood V | 10 | 1215 | 1380 | | 939 | | 625 | 1030 | | | | |
| 10 | hosphate e salt | | 1220 | 1343 | | 1140 | | 0.70 | 1193 | 163 | 7.34 | 4.21 | 3.13 |
| 250 | dosphate | 15 42 | ± ± × | ======================================= | | 1330 | | 1290 | 1363 | 348 | 15.66 | 6.32 | 9.34 |
| <u></u> | 154 lbs, 13% blood | 20 56 | 1568 | 1615 | | 1310 | | 1180 | 1493 | 178 | 16, 19 | 8.43 | 13.09 |
| 102 | 192.5 lbs. 13% blood 21 ₂ N 500 lbs. 14% acid phosphate 21 ₂ P 195 lbs. 14% acid phosphate 21 ₂ P 195 lbs. 900 memory columns acid | 25 70 | 1630 | 1733 | 1 | 1400 | | 1560 | 1578 | 563 | 25.34 | 10.53 | 14.81 |
| 120 | Unfertilized | | 1268 | 1158 | | 910 | | 100 | 1015 | | | | |

TABLE V-CONTINUED.

RESULTS IN FIELD B IN 1905, 1907 AND 1909.

| į. | | | (N) | +, | | Yield of Seed Cotton in Pounds Per Acre | F Seed P | d Corton Per Acre | N IN] | Pound | | Annual Seed Per Acre | pəəS 1 | J, | | 4ver- al In- teO st er |
|----------------------------------|--|-----------------------|---|--|------|--|-------------|----------------------|--------|-------------|------|---|------------------------------------|--|-------------------------------------|---|
| ı. | F ERTHIZER A PPLICATION FER ACRE | | Pounds or Mittogen Nitrogen Per Acre Pounds or | Phosphor (P ₂ O ₅) Pe Potash (I Pet Acre | 1903 | 1904 | 1905 | 1906 | 1907 | 1908 | 1909 | Average A to bleiv and to bleiv and to bleiv and to bleiv A to bleiv A to be been been and a beauto A | Increase i Pounds o Cotton P | Value of Increase s 4.5 Cents Pound | A verage C Tertilizer Pet Ace | to suls V nank sys vO seests silitied to |
| 8.5 0 11 5 11 | 38.5 lbs. 13% blood | 1,2 N 1,2 P N X | ro . | 14 | | | 096 | 1 | 1005 | | 260 | 8.12 | 472 | \$21.24 | \$2.11 | \$19.13 |
| nfe | | 0 | | | | | 520 | | 410 | | 180 | 370 | | | | - |
| of 2 | Unfertilized 77 lbs. 13% blood | 0 2 | 02 | | | | 089 | | 357 | | 300 | 429 | | | | |
| 00 lbs. 50 lbs. | 200 lbs. 14% acid phosphate. 50 lbs. 20% manure salt. | Р | | 28 10 } | | | 1455 | | 861 | - | 750 | 1022 | 593 | 26.69 | 4.21 | 22.48 |
| fe. | Unfertilized | 0 2 | <u> </u> | | | | 520 | | 410 | | 180 | 370 | | | | |
| 00 lbs. 75 lbs. | sphatesalt | 1½ P 1½ K | I! | 42 | | | 1243 | | 1266 | | 785 | 1098 | 804 | 36.18 | 6.32 | 29.86 |
| 154 lbs. 400 lbs. 100 lbs. | 13% blood 14% acid phosphate 20% manure salt | 2 2 P | 20 | 56 20 | | 1 | 1528 | 1 | 1751 | i i i | 1055 | 1445 | 1151 | 51.80 | 8.42 | 43.38 |
| 2.5 | | 2½ N 2½ P 2½ P | 25 | 2.0 | | 1 | 1823 | | 1727 - | ; | 1210 | 1587 | 1293 | 58.19 | 10.53 | 47.66 |
| nfer | | 0 | | | | | 410 | | 185 | 1 | 09 | 218 | | | | |

TABLE V-Continued.

AVERAGE RESULTS FOR SEVEN YEARS IN FIELDS A AND B.

| 5.95 | 11.45 | 23.70 | 31.63 | 34.47 |
|--|--|--|--------------------|---|
| 8.06 2.11 5.95 | 348 15.66 4.21 11.45 | 6.32 | 8.42 | |
| 8.06 | 15.66 | 30.02 | 40.05 | 45.00 10.53 |
| 179 | 348 | 299 | 890 | 1000 |
| 976 | 1120 | 1249 | 1472 | 1582 |
| Unfertilized O S S 5 1bs. 13% blood S S 1bs. 13% acid phosphate S 25 1bs. 20% manure salt. 5 K S S S 1bs. 20% manure salt. 5 5 | Unfertilized O O T7 lbs. 13% blood N 19 S00 lbs. 14% acid phosphate P P 10 T N T N T | 115.5 lbs. 13% blood 115.7 lbs. 142 15 15 15 15 15 15 15 1 | 154 lbs. 13% blood | 192.5 lbs. 13% blood 29.2 N 25 50 lbs. 14% acid phosphate 29.2 P 70 125 lbs. 20% manure salt 29.2 K 25 Unfertilized |
| 83-52 | 7-13 | 82-62 | 92-72 | 102-82 72-(52-132) |

EFFECT OF VARYING QUANTITIES OF FERTILIZER ON YIELDS.

The experiments in Table V were planned to show the effect of inereasing and decreasing the normal (N P K equals 400 pounds of a fertilizer mixture containing 7 per cent phosphoric acid, 21/2 per cent potash and 212 per cent nitrogen) fertilizer application on the yields. The applications were at the rate of 200 pounds per acre $(\frac{1}{2} N \tilde{P} K)$; 400 pounds per acre (N P K); 600 pounds per acre (1½ N P K); 800 pounds per acre (2 N P K); and 1,000 pounds per acre (2½ N P K); The results on several fields and the averages of the two fields are quite uniform in showing increased yields and increased profits for the several increases in the amounts of fertilizer, the quantity of fertilizer per acre varying from 200 to 1,000 pounds. The largest yields, as well as the greatest profit, were obtained from the 1,000-pound application. It is possible that the limit of the most profitable fertilization for cotton on this soil has not been reached, and that more than 1,000 pounds per acre would give remunerative returns. It should be remembered, too, in this connection, that the composition of this mixture is not especially adapted to this soil, as shown by results in previous tables. A larger per cent of nitrogen would certainly have increased the yields and very probably the net profit.

In addition to larger profits from heavy fertilization of the right kind, the land is in all probability improving in productiveness and value. Results on these plats and fields in after years will be most valuable in throwing light on this most important phase of the proper fertilization for immediate returns and for the permanent improvement of the soil. This latter phase of farm practice is not given the thought and consid-

eration it should receive by most farmers.

TABLE VI—RESULTS OF FERTILIZER EXPERIMENTS WITH COTTON; EFFECT OF DIFFERENT MATERIALS FURNISHING NITROGEN AND

TIME OF APPLICATION.

RESULTS IN FIELD A IN 1903, 1904, 1906 AND 1908.

| Number Ferrutzer Apelication Per Acre O (3) O (3) O (4) O (4) O (5) O (5) O (6) O (6) O (7) O O (7) O (7) O (7) O (7) O (7) O (7) O O (7) O O O O O O O O O | -197 <i>/</i> , til lii: 192 (193 192 | fo entrV mnA exe v() execte diffred to | O.S. | 10.10 | 5.64 | 13.70 | | -6.53 |
|--|--|---|---|-------|---|--|--------------|---------------------|
| Perflixed | | | 00 | 8.90 | 3.59 | 5: 5: | - | 7 |
| Ferritzer Application Pounds of Section Pounds of Section Pounds of Section | - | Pound | e/e | 14.00 | 6.5 | 17.91 | | -2.39 |
| Ferritzer Application Per Acre | ni beed orok re resilitaer | Pounds (Cotton I Due to F | 1 | 311 | 205 | 398 | | |
| Ferrilizer Application Per Acre | lannah Seed n por Acre | Average Yield of Cotton i Pounds | 1015 | 1326 | 1320 | 1413 | 11.7 | 1064 |
| Ferrilizer Application Per Acre Cold A | | 1909 | | | _ | | | |
| Ferrilizer Application Per Acre Cold A | Pour | 1902 | 133 | 1070 | 1070 | 1070 | 900 | 1057 |
| Ferrilizer Application Per Acre Cold A | ON IN | 1907 | 1 | 1 | | | | |
| Ferrilizer Application Per Acre Cold A | Corn | 1506 | 910 | 1330 | 10701 | 1440 | 066 | 1080 |
| Ferrilizer Application Per Acre Cold A | iaas a I | 1905 | | | | | | 1 |
| Ferrilizer Application Per Acre Cold A | ELD 0 | 1961 | 1158 | | 1270 | 1543 | 1328 | 1063 |
| Fertulizer Application Fertulizer Application Conference Confe | | | 1268 | 1455 | 1468 | 150s | 1248 | 1055 |
| Number of Plat 112 112 113 113 113 113 113 113 113 113 | lo (X) II 9 bioA pino party and | sbunoq SyortiZ Tot Toq Spunoq Shuosphus Shuosphus Socializati | i | 5 | ltg. ¹ 2 N 5 71. ¹ 2 N 5 28 K | 12 N 5 1 2 N 5 1 N 5 N 5 N 5 N 5 N 5 N 5 N 5 N 5 N | Unfertilized | at pltg. 1/5 N 2 28 |
| The state of the s | Number of Plat | | | 112 | 122 | 132 | 8 | ** |

*This plat is not as good naturally as the other plats of the series used in making the comparisons. The top soil has been washed off to a considerable extent, as they are located on the most elevated portion of the field.

TABLE VI-CONTINUED.

| 1906 |
|---------|
| AND |
| 1907 |
| 1905, |
| Z |
| В |
| FIELD |
| Z |
| RESULTS |
| jenne |

| Aver- ial In- rer Cost zer | to sulay and the original section of the original sect | S | 38.27 | 34.75 | 24.86 | 27.36 | |
|--|--|--|---|-----------------------|------------------------------------|--|-------------|
| To teo O | Average Fertilizer Per Acre | S | 3.90 | 3.59 | 4.21 | 4.14 | |
| at Per | Value of Increase 2,5 Cents band | 8 | 42.17 | 38.34 | 29.07 | 31.50 | |
| Beed er Acre ertilizer | Increase Pounds of Cotton F Due to F | | 937 | 852 | 949 | 700 | |
| Annual Seed n Per Acre | Average Tield of Cotton Pounds I | 370 | 1231 | 1146 | 940 | 994 | 218 |
| | 1909 | 180 | 096 | 890 | 630 | 089 | 09 |
| Yield of Seed Cotton in Pounds Per Acre | 1908 | | | | | | |
| N I N | 1907 | 410 | 1261 | 1134 | 864 | 952 | 185 |
| вер Сотт Реп Асве | 1906 | | | | | | 1 |
| r Seel | 1905 | 520 | 1473 | 1415 | 1325 | 1350 | 410 |
| ієгь оі | 1904 | | | 5 1 2 3 5 | | | - |
| Y | 1903 | | | | | | |
| fo for Acid and Acid | Pounds (Zitrogen Per Acre Phospho (Pounds (Phospho (Pounds (| Unfertilized O. S.5. Bs. 13% blood apple at ulfg. 14 N 5 | 33.8 lbs. 14.8% nit. sod. appld. July 1 j 5 N 5 200 lbs. 14% acid phosphate | l. at plt d. July | 38.5 lbs. 13% blood appld. at pltg | 61.6 lbs. 13% blood appld. at pltg 4/5 N 8 | ontertuized |
| Number | of Plat | 52 | 26 | 10° | 112 | 132 | |

TABL VI-CONTINUED.

AVERAGE RESULTS FOR SEVEN YEARS IN FIELDS A AND B.

| 582 | 3.90 27.74 | 3.59 23.68 | 4.21 24.05 | 4.14 14.36 |
|--|---|---|------------------------------------|----------------|
| 59 | 703 31.64 | 606 27.27 3.59 | 28.26 | 111 18.50 4.14 |
| | 703 | 909 | 628 | 411 |
| 583 | 1285 | 1188 | 1210 | 623 _ |
| Unfertilized. O 38.5 lbs. 13% blood appld. at pltg | 53.3 Ds. 14.8 %nit, sod. appid. July 1 55 N 2 200 lbs. 14% acid phosphate | 33.8 lbs. 14.8% nit. sod. appid. at pitg. 15 N 5 5 33.8 lbs. 14.8% nit. sod. appid. July 11. 15 N 5 200 lbs. 14% cold phosphate | 38.5 lbs. 13% blood appld. at pltg | Unfertilized |
| 72-(52-132) | 112-92 | 122-102 | 132-112 | 8³-(5²-13²) |

Effect of Different Materials Furnishing Nitrogen and Time of Application.

The experiments, the results of which are presented in Table VI, were arranged to test the comparative value of dried blood and nitrate of soda as nitrogen-furnishing materials in growing cotton, as well as the best

way of applying these.

Nitrate of soda is a material easily soluble in water and therefore quickly available for the use of plants. The questions usually raised in connection with its use are the possibility of its loss from the soil, especially sandy or open, porous soil, because of its easy solubility in water and its giving out before a long-seasoned crop has made its growth, thus leaving it without a supply of nitrogen before the end of the growing season. Its use is most strongly advocated for short-season crops, as in early truck and vegetable growing, and as a top dressing for grain and for corn and cotton after growth is well advanced, or for any crop when seen to be in need of a quickly-acting nitrogen-supplying material.

Dried blood, which is a fair representative of the animal and vegetable materials furnishing nitrogen, as cotton-seed meal, tankage, etc., is not soluble in water and acts more slowly and for a longer time. It must be changed by rotting or decomposing in the soil into nitrates before it can feed the crop, and is thus likely to be effective throughout a reason-

able growing season.

It has become a practice in growing many crops to apply only a part of the nitrogen at the time of planting and a portion later, usually as nitrate of soda, so as to keep the crop growing as rapidly as possible. The tests in Table VI were planned with a view of throwing as much light as possible on these questions of nitrogen fertilization. In the experiments all of the phosphoric acid and potash were applied in the drill before planting. On plats 112 and 92 one-half the nitrogen was supplied as dried blood and was applied with the phosphoric acid and potash before planting, and one-half the nitrogen was supplied as nitrate of soda and applied about July first. In plats 122 and 102 all of the nitrogen was furnished by nitrate of soda, one-half being applied before planting, with the phosphoric acid and potash and the other half about July first. On plats 132 and 112 the nitrogen was supplied by dried blood, one-half being applied before planting, with the phosphoric acid and potash and the other half about July first. On plats 13 and 122 four-fifths of the nitrogen was furnished by dried blood and one-fifth by nitrate of soda and was all applied before planting, along with the phosphoric acid and potash.

It is evident that there is considerable variation in the different years and on the different fields. In studying these results it is only fair to practically disregard plat 1^3 , field Λ , for it is naturally much less fertile than the check plat of the same series— 8^3 . With this exception the average table shows no marked difference in profit favoring any single method of application. On the average, two applications of nitrogen, one-half at planting and one-half about July 1, gave the largest increase and profit. Considering the results on field B alone, and this probably

is more accurate than the average (on account of the lack of uniformity in field Λ), two applications of the nitrogen in all cases gave larger profit than the single application either applied in the drill before planting (plat 11) or broadcasted (plat 75). From the data at hand it hardly seems safe to draw any definite conclusions in favor of either method. Taking into consideration the results from similar treatments on the Iredell Test Farm (see August Bulletin, 1910, No. 139), it appears that the dried blood and nitrate of soda are about equally satisfactory sources of nitrogen, the choice between them depending largely on market prices, and that very little extra profit can be expected by making two applications of the nitrogen when the total amount is not over ten pounds per acre. In larger amounts a second application may prove profitable.

TABLE VII-RESULTS OF FERTILIZER EXPERIMENTS WITH COTTON; EFFECT OF DIFFERENT METHODS AND TIME OF APPLICATION.

| 1908. |
|------------|
| AND |
| 1906, |
| 1904, |
| 1903, |
| $_{\rm N}$ |
| ¥ |
| Field |
| IN |
| RESULTS |
| |

| Value of Aver- age Annual In- crease Over Cost of Fertilizer | 3.13 | 2.27 | 3.35 | | 22.48 | 27.29 | 18.74 |
|---|--|---|--|---|---|--|---|
| Average Cost of Fertilizer Per Acre | 4.21 | 4.21 | 4.31 | | 4.21 | 4.21 | 4.21 |
| Value of Increase at 4.5 Cents Per Pound | 7.34 | 6.48 | 7.56 | E | \$ 26.69 | 31.50 | 22.95 |
| Increase in Pounds of Seed Cotton Per Acre Due to Fertilizer | 163 | 141 | 168 | | 593 | 200 | 510 |
| Average Annual Yield of Seed Cotton in Pounds Per Acre | 1030 | 1117 | 1285 | | 429 | 292 | 802 |
| 606 | | | 1 | | 300 | 610 | 200 |
| XIELD OF SEED COTTON IN POUNDS PER ACRE | 625 | 900 | - 1150 | | | | === |
| TTON IN RE 5 1907 | | | | 9. | 357 | 270 | - 737 |
| PER ACRE De ACRE De ACRE De ACRE De ACRE | 900 1140 | 990 | 1140 | ND 190 | 2 0 | 15 0 | _ |
| о ог See Р ₁ | - 08 | 88 | 00 | , 1907 л | 630 1455 | 545 | 1170 |
| X1BLD C | 1215 1380 1220 1343 | 1248 1328 1375 1348 | 1390 1460 | IN 1905 | | | |
| Potash (K ₂ O) Per Acre | | | 13 | егь В | | 1 1 101 | 9 |
| Pounds of Phosphoric Acid (P ₂ O ₂) Per Acre fo sounds of | 288 | 28 | 288 | RESULTS IN FIELD B IN 1905, 1907 AND 1909 | - 58 | 28 | 28 |
| Pounds of Nitrogen (N) Per Acre | 10 | | 10 | RESUL | 10 | 10 | 10 |
| ACRE | O | O | PR | | 0 N P | O N | N A |
| v Per / | | | | | | | |
| ICATION | osphat salt | lized | 13% blood 14% acid phosphate 20% manure salt | | bloodacid phosphate | osphate salt | 13% blood 14% acid phosphate. 20% manure salt |
| в Аррг | blood acid phospl manure sal | ized 13% blood 14% acid phospl 20% manure sal | 13% blood 14% acid phospl 20% manure sal | | blood acid phe manure | ized | 13% blood 14% acid phospl 20% manure sal |
| Fertilizer Application Per Acre | lized. 13% 14% 20% | Unfertilized 77 lbs. 13% blood 200 lbs. 14% acid p 50 lbs. 20% manu | | | lized. 13% 14% 20% | | |
| —— F | Unfertil 77 lbs. 200 lbs. 50 lbs. | Unfertil 77 lbs. 200 lbs. 50 lbs. | 77 lbs. 200 lbs. 50 lbs. | | Unferti 77 lbs. 200 lbs. 50 lbs. | Unfertil 77 lbs. 200 lbs. 50 lbs. | 77 lbs. 200 lbs. 50 lbs. |
| Number of Plat | *10 | 83 | . 64 | | 113 | 13 | ‡73 |
| Z,2 | * | | | | • | | |

TABLE VII-CONTINUED.

ABLE VII-CONTINUED.

| 7-13 | Unfertilized | 772 | · · | * | - |
|---------------------|--|--------|----------------|----------|------------|
| 10-11 | 77 lbs. 13% blood. 200 lbs. 14% acid phosphate | 1120 3 | 348 15.66 4.21 | 99. | 4.21 11.45 |
| 83-13 | Unfertilized | 763 | | | |
| 43-43 | 77 lbs. 13% blood | 1146 3 | 383 17.24 | £2. | 4.21 13.03 |
| | 50 lbs. 20% manure salt | | | | - |
| ‡ 93– 73 | 200 lbs. 14% acid phosphate | 1078 3 | 315 14.18 4.21 | <u>8</u> | 4.21 |

*The fertilizer was applied in the drill before planting on this plat.

Fertilizer on this plat applied one-half in drill before planting and one-half as side dressing about July 1.

Fertilizer on this plat applied broadcast before planting.

EFFECT OF DIFFERENT METHODS AND TIME OF APPLICATION OF FERTILIZER.

The results presented in Table VII were obtained from experiments planned to show the effect on yield of seed cotton from applying—

(a) All the fertilizer in the drill before planting;

(b) Dividing the fertilizer into two equal parts, applying one-half in the drill before planting and the other half as a side dressing about July first; and

(c) From applying all of the fertilizer broadcast before planting, the quantity of fertilizer and the materials entering into it being the same

in all three cases.

Taking the results as a whole, the increased yields and profits show that it has made very little difference whether all of the fertilizer was applied in the drill before planting, or whether it was divided into two equal parts and one-half put in the drill before planting and the other half applied as a side dressing about July first, according to season. The double application gave the largest yield and profit, the drill application before planting slightly less, and the broadcast application a still smaller yield and profit. These differences are hardly sufficient to warrant any definite conclusions in favor of one method above another.

II. VARIETIES, CULTURE AND FERTILIZATION OF COTTON ON SANDY LOAM SOILS OF THE COASTAL PLAIN

Seven years' fertilizer and variety experiments have been conducted on the sandy learn soil of the Edgecombe Test Farm. On a lais of these results and other information which we have, the suggestions below are given for the culture and fertilization of cotton on the sandy and sandy learn soils of the Coastal Plain section, and the varieties of cotton which are best suited to them.

Cotton is not a hard or exhaustive crop on the soil, when the soil and crop are handled with care and intelligence. A bale of cotton (900 pounds of seed and 500 pounds of lint) removes from the soil in round numbers:

30 pounds Nitrogen,

12 pounds Phosphoric Acid, and

13 pound Potash,

worth at present prices of fertilizer ingredients \$7.20. Only 48 cents worth of this is carried away in the lint. The seed can be sold for enough to return in commercial fertilizer considerably more plant food than the lint and seed took from the soil. The stalks, leaves, and bolls, which should never be burned or otherwise removed, and 95 per cent of which have come from the air, add vegetable matter or humas to the soil. If the land is liberally fertilized in the right way, well drained and protected from surface washing, it should continue to produce large and profitable crops of cotton from year to year, and with a good rotation and profitable fertilization will increase in fertility and productiveness. None of our other staple crops are as easy on the soil as is cotton when handled in the way indicated above.

Preparation and Cultivation.—The land should be thoroughly and well prepared by breaking in the fall or early spring to a depth of 6 or 8 inches, and the soil may be gradually deepened beyond this for a few inches to advantage. Before planting, cut up well with a disk harrow to get rid of clods and to make a good seedbed, and run off rows 3½ to 4 feet apart, and on very fertile land 4% feet. As a rule, the fertilizer should be put in the drill before planting and the cotton planted on a level or just above the level, according to the season and drainage condition of the land. Weeders and light harrows may be run across the rows two or three times before and after the cotton is up and before cultivation with cultivators and hoeing begins. When the crop is well up and danger of frost is over, hoe and thin to a stand of 15 to 20 inches in the drill, leaving as nearly as possible one stalk in a place, and giving greater distance in the row and between rows as the productiveness of the land increases. On thin land the rows should be closer together and 'the cotton closer in rows, as the stalks do not grow very large; but distance should be given both ways as the land increases in productiveness, from whatever cause brought about. Cultivate with good one or two-horse cultivators, which will not require more than two furrows at greatest to the row, every ten days to two weeks and as nearly as possible after rains to keep down grass and weeds and to conserve the supply of moisture. The cultivation should be comparatively deep early in the season, becoming shallow as the crop grows and the root system develops. Ordinarily cultivation should be continued in the Coastal Plain section of the State until July 15, or later.

Varieties.—Up through 1909 sixty-seven varieties of cotton have been tested on the Edgecombe Farm, a number of these running through the entire period. Generally the later maturing varieties of the big boll type have given the largest returns, though now and then, with a short growing season, the small boll, early maturing kinds have stood well.

Among the varieties which have done well are:

Medium to Large Bolled Varieties—

Russell's Big Boll. Culpepper's Improved. Cleveland's Big Boll. Cook's Improved. Brown's No. 1. Peterkin's Improved.

Small Bolled Varieties—

King's Improved. Hodge. Webb. Broadwell's Double-Jointed. Sugar Loaf.

The results of variety tests have been published each year and are summarized in the February (1909) Bulletin. These results can be had

for study by any one specially interested in them.

Fertilization.—Analyses of these soils show that they are very low in nitrogen and phosphoric acid and only fairly well supplied with potash and lime. Experiments show that nitrogen is the most needed constituent for the production of cotton, but that profitable results are secured from the use of materials carrying potash and phosphoric acid. The aim of the farmers on the Coastal Plain soils of the State should be to supply as great amount as possible of the nitrogen requirements of his soil by establishing rotations in which leguminous crops come into the rotation at as frequent intervals as practicable. As many of these crops or crop residues should be plowed into the soil as possible to provide as nearly as possible the requisite amount of nitrogen for other crops in the rotation, and also to store the soil with plenty of organic matter in order to maintain the soil in a good physical condition. Where commercial fertilizers are depended upon largely to supply the nitrogen and other plant food constituents, it is not possible, with the present results, to say just definitely what is the best proportion of these three constituents for most profitable returns, but it is certain that the fertilizer should carry a much higher percentage of nitrogen than has been used heretofore, if the soil is not well stocked with organic matter, and that the phosphoric acid may be decreased. The indications are that for the average soil of the Coastal Plain a mixture containing about 7 per cent of available phosphoric acid, 7 per cent of nitrogen and 5 per cent of potash will give close to if not the best results. This mixture should be used for best results at the rate of at least 400 pounds per acre, and as much more as one can afford up to 1,000 pounds.

The nitrogen may be all derived from blood, tankage, cotton-seed meal, or similar products, or in part from one or all of these, and in part

(up to one-half) from nitrate of soda or sulphate of ammonia.

Kainit, manure salt, sulphate or muriate of potash may furnish the potash, and acid phosphate the phosphoric acid. Four hundred pounds of the above mixture would contain 28 pounds phosphoric acid, 28 pounds of nitrogen and 20 pounds of potash, and 1,000 pounds would contain 70 pounds phosphoric acid, 70 pounds of nitrogen and 50 pounds of potash. The required amounts of phosphoric acid in 400 and 1,000 pounds respectively of this mixture would be supplied by 175 and 438 pounds of 16 per cent acid phosphate; the nitrogen by 215 and 538 pounds of 13 per cent dried blood, and the potash by 100 pounds and 250 pounds of 20 per cent manure salt. Other materials or other grades of these same materials may be used, and it will not be difficult, knowing just what they contain, to use such quantities of them as will be necessary to furnish the required amount of plant food, having in mind that it is the specific number of pounds of phosphoric acid, nitrogen and potash that is desired, rather than a given weight of mixed fertilizer.

It is not more, but perhaps less difficult to calculate the number of pounds of nitrogen, phosphoric acid, and potash to be applied per acre to any given crop from materials which are to be had than to estimate the exact number of pounds of materials to make a formula of a certain composition; as, for example, in an 8-2-2 goods. The question of filler does not have to be considered in doing this, as is necessary in making a fertilizer formula in the usual way. When it is desired, for instance, to apply the equivalent of 400 pounds per acre of a fertilizer mixture containing 7 per cent of available phosphoric acid, 7 per cent of nitrogen and 5 per cent of potash, or 28 pounds of phosphoric acid, 28 pounds of nitrogen, and 20 pounds of potash, it is only necessary to divide the number of pounds of plant food desired per acre (28, 28, and 20) by the percentage composition of the materials to be used, as follows:

| Number of Pounds of Plant Food per Acre Wanted | * | Percentage Composition of the Materials to be Used | = | Number of Pounds of Fer- tilizer Materials per Acre to Apply |
|---|---|---|---|--|
| | | | | |
| Phosphoric Acid 28 Lbs. Nitrogen 28 Lbs. Potash 20 Lbs. | ÷ | 13% Dried Blood | = | 175 Pounds. 215 Pounds. 100 Pounds. |

With cotton planted on the coarse sandy or fine sandy loam soils of the Coastal Plain section of the State, which have open or only moderately retentive sandy clay subsoils, it has generally been found most profitable to divide the whole fertilizer application into two parts, putting in one-half in the drill at planting and reserving the other half to be applied alongside the row as a side dressing about July 1. However, instead of this, if the soil is not of too open a nature, all the phosphoric acid and potash with one-half of the nitrogen in the form of cotton-seed meal, dried blood, or some other form of available organic nitrogenous material may be put in at planting of the cotton and the remaining half of the nitrogen reserved to be applied in a more immediately available form, like nitrate of soda, alongside the rows about July 1, after the plants have gotten well started in their growth and the roots have fairly well filled the soil.

LEAF TOBACCO SALES FOR FEBRUARY, 1914.

| Pounds sold for producers, first hand | 8,931,236 |
|---------------------------------------|-----------|
| Pounds sold for dealers | 379,904 |
| Pounds resold for warehouses | |
| | |
| Total | 9,912,700 |

THE BULLETIN

OF THE

DEPARTMENT OF AGRICULTURE,


RALEIGH

Vol. 35, No. 5.

MAY, 1914.

Whole No. 196.

INSECT ENEMIES OF CORN



SUGAR-CANE BEETLE.

BEETLE AT WORK IN CORN STALK AT RIGHT. INJURED STALK AT LEFT.

NATURAL SIZE. SEE PAGE 41.

PUBLISHED MONTHLY AND SENT FREE TO CITIZENS ON APPLICATION.

Entered at the Post-office at Raleigh, N. C., as second-class matter,

February 7, 1901, under Act of March 6, 1900.

STATE BOARD OF AGRICULTURE.

| W. A. GRAHAM, Commissioner, ex officio Chairman, Raleigh. | | | |
|---|-------------|-------------------|--|
| F. P. Latham | Belhaven | First District, | |
| K. W. Barnes | Lucama | Second District. | |
| R. L. Woodard | Pamlico | Third District. | |
| | Raleigh | | |
| R. W. Scott | Haw River | Fifth District, | |
| A. T. McCallum | Red Springs | Sixth District. | |
| C. C. Wright | | Seventh District. | |
| WILLIAM BLEDSOE | Gale | Eighth District. | |
| W. J. Shuford | Hickory | Ninth District. | |
| | | | |

| OFFICERS AND STAFF. | | | |
|---|---|--|--|
| W. A. GRAHAM. ELIAS CARR. MISS SARAH D. JONES D. G. CONN B. W. KILGORE J. M. PICKEL. | Commissioner. | | |
| ELIAS CARR | Secretary and Purchasing Agent. | | |
| Miss Sarah D. Jones | Bookkeeper. | | |
| D. G. Conn | Bulletin Superintendent. | | |
| B. W. KILGORE | _State Chemist, Director Test Farms. | | |
| J. M. Pickel | Feed Chemist. | | |
| W. G. Haywood | Fertilizer Chemist. | | |
| W. G. HAYWOOD J. Q. JACKSON E. S. DEWAR | Assistant Chemist. | | |
| Li, M. DEWAN | Assistant Chemist. | | |
| E. B. Hart. | Assistant Chemist. | | |
| J. R. MULLEN | Assistant Chemist. | | |
| R. W. COLLETT H. H. BRIMLEY T. W. Adickes | Assistant Director Test Farms. | | |
| H. H. BRIMLEY | Curator of Museum. | | |
| T. W. ADICKES | Assistant Curator. | | |
| FRANKLIN SHERMAN, JR C. L. Metcalf | Entomologist. | | |
| C. L. METCALF. | Assistant Entomologist. | | |
| S. C. CLAPP B. B. FLOWE. | Assistant Entomologist in Field Work. | | |
| B. B. FLOWE | Vetermarian | | |
| H. P. FLOWE | Assistant Veterinarian. | | |
| C D Cray | | | |
| W. N. HUTT S. B. Shaw R. G. Hill | Assistant Horticulturist. | | |
| T. B. PARKER | Discover of Ferman' Institute | | |
| Miss Carrie Hudgins | ant to Director of Formers' Institutes. | | |
| R. L. SLOAN Assist | ant to Director of Farmers' Institutes. | | |
| W. M. ALLEN. | Pure Food Chemist | | |
| E. W. Thornton | | | |
| C E Bell | Assistant Pure Food Chemist | | |
| C. E. Bell. C. B. WILLHAMS. | Chief in Agronomy | | |
| J. K. Plummer | Soil Chemist | | |
| W. F. Pate | Agronomist in Soils | | |
| W. F. Pate. R. Y. Winters. | Plant Breeding. | | |
| G, M. Garren *W. E. Hearn | Assistant Agronomist in Crops. | | |
| *W. E. Hearn | State Soil Agent, Soil Survey. | | |
| L. L. Brinkley | Soil Survey. | | |
| S. O. Perkins | Soil Survey. | | |
| R. C. JURNEY J. L. BURGESS MISS S. D. ALLEN C. H. WALDRON DAN T. GRAY | Soil Survey. | | |
| J. L. BURGESS | Agronomist and Botanist. | | |
| Miss S. D. Allen | Assistant to Botanist. | | |
| C. H. Waldron | Assistant Agronomist and Botanist. | | |
| DAN T. GRAY | Chief in Animal Industry. | | |
| W. H. Eaton | Dairy Experimenter. | | |
| W. H. EATON | Dairy Farming. | | |
| STANLEY COMBS. | Assistant in Dairy Farming. | | |
| TE, H. MATHEWSON | Tobacco Investigations. | | |
| IC. R. HUDSON | Farm Demonstration Work. | | |
| E. H. Mathewson C. R. Hudson T. E. Browne A. K. Robertson Mrs. Jane S. McKimmon Miss Margaret Scott | Assistant in Charge of Boys' Clubs. | | |
| tMp. Lyr S. McKrygov | Assistant in Boys' Clubs. | | |
| t Mars Marcaper Scott | Assistant in Charge of Girls' Clubs. | | |
| IMISS MARGARET SCOTT. | Assistant in Giris Chibs. | | |

F. N. McDowell, Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferies, Assistant Director Pender Test Farm, Willard, N. C. F. S. Peckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

*Assigned by the Bureau of Soils, United States Department of Agriculture. †Assigned by the Bureau of Animal Industry, United States Department of Agriculture. In cooperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL.

Hon. W. A. Graham, Commissioner.

Sir:—I submit herewith manuscript for a Bulletin on "Insect Enemies of Corn." Corn is our most important crop, and the total damage done to it by insects is enormous. The Bulletin which we issued upon this subject in May, 1905, has been exhausted, and the matter which it contained has here been rewritten to include later observations and to avail ourselves of many excellent publications on corn insects which have recently appeared from other States, thus bringing, so far as I am able, the best present information into shape available to our farmers. The general plan of the older Bulletin has been retained, as also the illustrations.

I recommend its publication as the Bulletin for May, 1914.

Very respectfully,

FRANKLIN SHERMAN, JR.,

Approved for printing:

Entomologist.

W. A. GRAHAM,

Commissioner.

CONTENTS.

| Introduction | 5 |
|--|-----------------|
| General Considerations | 6 |
| Cultural Considerations | 6 |
| Rotation, p. 6; Fertilization, p. 7; Fall or Winter Plowing, p. 7; Time of Planting, p. 7; Planting Increased Quantity of Seed, p. 7; Cultivation, p. 8; Selection of Lands, p. 8; Disposition of Remnants, p. 8; Ideal System to Avoid Insect Injury, p. 8. | 0 |
| Regarding Insects and Their Names | 9 |
| INSECT ENEMIES OF CORN. | |
| Wire-worms | 10 |
| Remedies for Wire-worms | 12 |
| White Grubs | 13 15 |
| Cut-worms | |
| Remedies for Cut-worms | 18 |
| Corn Root-louse | |
| Corn Bud-worm | $\frac{21}{23}$ |
| Corn Bill-beetle (mention) | 24 |
| Corn-root Web-worm | 24 25 |
| Corn Stalk-borer | 25 28 |
| Chinch Bug | 29 33 |
| The Army-worm | 35 |
| The Fall Army-worm | |
| The Sugar-cane Beetle | 41 44 |
| The Corn Ear-worm | |
| Weevils | 50 |
| Lesser Corn Insects | 54 |
| Seed-corn Maggot, p. 55; Flea-beetles and Leaf-beetles, p. 55; Red Spider, p. 55; Grasshopper, p. 55; Lady-beetle, p. 55; Stinging Caterpillars, p. 55; Other Caterpillars, p. 56. | |
| Conclusion | 56 |

INSECT ENEMIES OF CORN.

By Franklin Sherman, Jr., Entomologist.

INTRODUCTION.

Nearly one-half of all the land planted in crops in North Carolina each year is devoted to corn. The yearly money value of the total crop is estimated at \$70,000,000.

Insects are estimated to destroy approximately one-tenth of the total value of our crop products. Allowing that corn suffers its proportional share, we are brought to the conclusion that the corn crop in North Carolina suffers an average loss of \$7,000,000 per year from insect pests.

Nor can it be said that this is an exaggerated estimate. What with wire-worms, cut-worms, bud-worms, bill-beetles, stalk-borers, chinch-bugs, ear-worms, weevils, and others, the corn plant certainly seems to suffer its full one-tenth loss. The writer has frequently known of cases in this State where one species of pest alone has destroyed from one-half to three-fourths of the entire crop; a total loss has been reported in some instances. Injury by insects frequently makes replanting necessary, and this is always a serious loss of time, labor, seed, and use of land. Putting the matter in its mildest light, the loss certainly runs well up among the millions.

The object of this Bulletin is to show how and where these losses occur, to describe the insects responsible for them, and set forth the remedies or methods which may be employed in preventing or avoiding these injuries.

A Bulletin on "Insect Enemies of Corn" was issued in May, 1905,* but the edition has been exhausted. The continued demand for information about corn insects makes a new issue desirable. The work of the county demonstration agents, the boys' corn clubs, the teaching of agriculture in many of our public schools, and many other commendable factors, have all increased the interest in the corn crop, and in the enemies which attack corn.

In the present Bulletin the descriptions of the insects and the account of injuries in North Carolina are based on our own observations, correspondence, etc. The accounts of life-histories, remedies, etc., are gleaned from all available reliable sources, including text-books, bulletins, etc., as well as our own observations. A great work yet lies ahead in the working out of the exact, detailed life-histories of our Southern corn insects and in determining with exact, scientific accuracy the degree of

^{*}Vol. 26, No. 5, Bul. N. C. Dept. Agr., May, 1905, "Insect Enemies of Corn." F. Sherman.

protection that can be secured from them. The most that we can pretend to do here is to present the general facts, with such recommendations for control as seem, from present even incomplete evidence, to offer the best hope of relief. The illustrations are the same as in the previous Bulletin.

GENERAL CONSIDERATIONS.

In dealing with insect pests on corn, it must be constantly remembered that the crop is of relatively low commercial value, the margin of actual profit is small, hence expensive measures are not justifiable except in limited areas where their use will prevent the insects from spreading over larger areas. It may not be profitable to spray a whole cornfield to kill insects, yet the spraying of a few rows or a certain portion of the field may be profitable if by that means the pest can be prevented from spreading farther. The small margin of profit on the crop as a whole renders it difficult or impossible to combat some of the pests satisfactorily.

Again, corn is grown on such large areas and there are so many individual plants in a field that the treatment of each individual plant is

usually out of the question.

Therefore, in combatting many of the insect pests of corn we must rely on such methods of culture and handling of the crop as shall render it least liable to injury; in other words, the treatment must be preventive rather than curative—and this frequently necessitates taking the insects into account before the crop is planted, even in the very selection of the lands where it is to be planted, or, in severe cases, even modifying the manner of rotation of the crops which shall precede the corn. How far one is justified in going in recasting the plan of his farm operations to protect his corn from injury will of course depend upon how severe the injury is, and upon the value which he places upon the corn crop itself.

CULTURAL CONSIDERATIONS.

By changing or modifying the methods of culture much may be done to avoid insect injury. This is so important that we will consider it in more detail.

Rotation.—Any system by which corn follows grass or a growth of weeds is injurious, from the standpoint of insect pests. Where land just from sod is put in corn, the crop suffers more from wire-worms, white grubs, root web-worms and cut-worms than it does when it follows a cultivated crop like cotton. Suppose we have a field now in sod which we wish to bring into cultivation: A system of rotation which will give the minimum amount of insect injury to the corn might be arranged as follows: First year, plant the field in a small grain, and after that in peas. Second year, cotton, potatoes, cabbage or other cultivated crops.

Third year, corn (peas may also be grown with the corn). Fourth year, small grain and peas again, and so on. A shorter system may be used, but it is best to have corn at least two years removed from a growth of grass or weeds, and it is advisable to have it separated from small grain by one year in a cultivated crop. Of course such a plan may not always be feasible, but it is best so far as avoiding insect injury is concerned, and the nearer we can come to it the better. The employment of peas in the rotation is beneficial from all points of view. Not only do they tend to improve the land, but they do not in any way render the corn more subject to insect injury.

Corn following corn year after year is also favorable to the increase of certain insects (stalk-borers), and a two-year rotation with merely cotton and corn is favorable to some pests, especially ear-worm and rootlouse. Hence, while corn and cotton may follow each other occasionally, they should not always do so, and they should at least sometimes be separated by some other crop between them so as to interfere with those pests which feed on both cotton and corn.

Fertilization.—A crop of corn which has been put into healthy condition by fertilization, whether by commercial or farm manures, is better able to withstand and recover from insect attacks than one which has not been so aided. Here the peas serve a useful purpose. It has also been claimed that where heavy applications of kainit or other salty fertilizers are used the wire-worms, cut-worms and other underground insects are checked to a considerable extent.

Fall or Winter Plowing.—As a general rule, it may be poor policy to plow land in the fall and leave it bare all winter. If, however, a field which is in sod is to be planted in corn it will be well to adopt this method of fall plowing in order that the wire-worms, cut-worms and other soil-inhabiting insects may be starved out, killed by exposure, or driven away, before the crop is planted in the spring, especially if these pests are known to be usually destructive in the locality. The plowing should be deep, so as to thoroughly break up and pulverize the soil.

Time of Planting.—This has an important bearing on the amount of insect injury that the corn will suffer later on. Corn planted late is not so much hurt by either cut-worms or stalk-borers. In the eastern part of the State some good farmers claim that corn planted very carly will often partially escape the bill-beetle (not always nor completely). In the eastern section also, very early (or very late) planting may avoid part of the injury by bud-worms; while in the western half of the State late planting of corn seems to be the best method of escaping bud-worms.

Planting Increased Quantity of Seed.—Injury by some insects, such as wire-worms, white grubs, bud-worms, and cut-worms, may occur largely before thinning time (especially if the corn is planted late), so that if

an extra quantity of seed is planted a stand may be secured even if some is destroyed by insects. Any surplus that remains can then be gotten rid of by thinning. There used to be a commonly quoted rhyme in this connection:

"One for the cut-worm,
And one for the crow,
One grain to rot, and
Two grains to grow."

The idea here is the planting of extra seed so that there will be a stand left in spite of poor germination and damage to the young stalks. This is a very simple expedient, though it does not in any way decrease the number of pests.

Cultivation.—Frequent and thorough cultivation of the soil not only stimulates the corn to a better growth, but acts as a decided check to cut-worms, wire-worms, root-lice, and other insects living in the soil. The cultivation can be more thoroughly practiced when corn is planted in checks, so that it can be cultivated both ways, than when the ordinary method is used.

Selection of Lands.—Wire-worms and bud-worms are worse in low-lands. It should be remembered, therefore, that when other considerations do not interfere, it may be well to avoid the very low situations.

Disposition of Remnants.—Throughout the southern states it is a common custom to "pull" the fodder, leaving the stalks standing in the field, often with the shucks attached, until the land is needed for other purposes, when they are beaten down and plowed under. Such a practice is detrimental from the standpoint of one who wishes to avoid insect injury. If the fodder were cut at the ground (or as close to it as practicable) and the stalks and leaves shredded or made into ensilage, a reduction of insect injury should result, and the value of the fodder and grain would both be increased by the process. Many insects find hibernating places in these stalks and husks. Chinch-bugs, grain weevils, and stalk-borers are all favored by this custom of "pulling" and leaving the stalks, and all will be more or less reduced by abandoning the custom and making use of the shredder and the silo. Even the plowing out, raking together and burning of the stubs will sometimes be advisable.

In some of our extreme northeastern counties it is the regular practice of many farmers to burn the stalks, under the idea that this destroys bill-beetles; but we question the advisability of this, for the land needs the humus of the stalks. If the stalks be cut and fed as fodder or ensilage and the remaining stubble be plowed out, raked together and burned, the whole result, in our opinion, would be better.

Ideal System to Avoid Insect Injury.—Having gone into some detail with these cultural considerations, it is well now to summarize with a

statement of the system to be followed if one aims to incur the minimum amount of insect damage to his corn crop:

The field should be on land well drained and of sufficient elevation not to be subject to overflow. It should be at least two years out of sod, and the year previous to corn should have been in some hoed or cultivated crop. If there is much growth of weeds or grass on the land, it should be plowed in the fall. The land should be deeply plowed, thoroughly prepared. The time of planting may be modified according to location and severity of insect pests, as already discussed. The young corn should be given frequent and thorough cultivation. At harvest the stalk should be cut at the ground and shredded or made into ensilage; the remaining stubble can be plowed out, raked together and burned.

The writer understands perfectly that such a system as this cannot always be carried out in all details, but he does claim that such a system will involve a minimum of insect risk, and the system is closely in accord with the best farm practice.

REGARDING INSECTS AND THEIR NAMES.

In considering the corn insects in this Bulletin, we have confined the main discussion to those which have actually been known to do serious injury to corn in this State; the lesser pests are discussed briefly.

In discussing each pest, we have given both the popular (common) and scientific names of the species, and have indicated the *order*, and under the order the *family* of insects to which each belongs. This makes for accuracy and definiteness. It should be remembered that the *Order* is the more comprehensive group, and that each order is divided into a number of *Families*.

The great majority of our insects fall into seven orders, and there are some ten or twelve other smaller and less important orders. These seven principal orders are:

- 1. The Orthoptera (Or-thop'-te-ra), including the Grasshoppers, Katydids, Crickets, Roaches, etc.
- 2. Hemiptera (He-mip'-te-ra), Bugs, such as Chinch Bug, Squash Bug and Terrapin Bug, Plant-lice and Scale-insects.
 - 3. Neuroptera (Neu-rop'-te-ra), Lace-wings, Dobsons, etc.
 - 4. Lepidoptera (Lep-i-dop'-te-ra), Butterflies and Moths.
- 5. Diptera (Dip'-te-ra), the true two-winged Flies, such as Houseflies, Mosquitoes, Blow-flies, Horse-flies, etc.
- 6. Coleoptera (Co-le-op'-te-ra), Beetles, such as Potato-beetle, Billbeetle, Flea-beetle, June-beetle, Tumble-beetle, Tiger-beetle, etc.
 - 7. Hymenoptera (Hy-men-op'-te-ra), Bees, Ants and Wasps.

Of these seven orders the Neuroptera, Diptera and Hymenoptera contain no very serious pests of corn, but all the others will be found referred to in the following pages.

It is believed that this arrangement will be of use to those who are interested in learning how to recognize the different orders of insects, and to all readers who wish to make their knowledge exact.

INSECT ENEMIES OF CORN.

WIRE-WORMS (Several Species). Order Colcoptera, Family Elaterida. (Also sometimes called "Drill-worm.")

Description.—Slender, smooth, firm-bodied, yellowish-brown worms (larvæ), attaining length of one to two inches, which destroy the corn by eating the seed before it comes up, or by eating roots, or into the stalk just below the surface of the ground, eausing the center of the growing part to die. The adult insect is a "Jack-snapper."

Injury in North Carolina.—Any insect which does its work underground is not likely to attract attention except in cases of serious injury; hence the complaints made of these pests cannot be an adequate measure of the damage done by them. It is quite certain, also, that farmers often confuse injury by Wire-worms with that done by budworms, so that what is attributed to one may in reality be due to the other.

From the letters of complaint which have come to us in regard to Wire-worms, we give the following quotations, all of which throw some light on the nature or extent of damage or the habits of the insects:

"It gets in the root of the corn and kills it at any age from time it comes up until a foot high. In a 20-acre field I believe they have killed 14 per cent, and are still killing. They do most damage in lowlands."

"A yellow worm works in the roots and kills the corn in low wet land."

"Very destructive to corn on black lowlands. They attack the corn from the root and go up the pith and kill it entirely."

"Destroying the corn in this county before it gets out of the ground; my bottom-land is thoroughly infested. Many of my neighbors are in the same position as I am."

"Damaging corn in meadow after sod."

"Present by the bushel in a piece of my land this year."

It is not to be inferred that Wire-worms attack only corn. They feed on roots of many plants, also on seeds and tubers. One correspondent sent an irish potato which had been bored through and through by them. Some feed mainly or exclusively in decaying vegetation, rotting wood, etc. In this State they are a recognized tobacco pest.

While on a tour through the Piedmont counties to inspect wheatfields in the middle of April (1905), the writer several times noted more or less injury to wheat by Wire-worms. No doubt corn sown on similar land suffered in the same way, only in *greater degree*, since the number

of corn plants is small compared with wheat and the injury would be more concentrated. The following extracts from my notes on this trip will be of interest in this connection:

Greensboro, April 11, 1905.—Noted injury to wheat by Wire-worms eating off stem and roots at and near surface of ground. Noted at several places, though never serious.

Lexington, April 12, 1905.—In one field found very considerable injury by Wire-worms. Land had previously been in broom-sedge, as evidenced by tufts of sod in the field.

Statesville, April 13, 1905.—Noted some injury.

On April 20 (1905) the writer went to Warren County to investigate a Wire-worm outbreak. The infested field was a fine piece of meadow-land, reclaimed from swamp by drainage, and was cultivated (to corn) the year before for the first time, when Wire-worms destroyed practically every stalk. During the summer the land grew up in grass and weeds again and was not plowed until spring, when the soil was found to be still badly infested. The larvæ were still to be found in almost any foot of soil examined; they were apparently of different ages, some about full-grown. No pupæ nor adults were found.





Fig. 1.—Adult and larva of Wire-worm. It is the larva or worm form that does the damage. The adult beetle is known as a "Jack-snapper" and does no harm other than to lay the eggs.

(After Comstock and Slingerland.)

There are many species of Wire-worms, and though the kinds cannot always be distinguished in the Wire-worm stage, yet of the adult beetles over seventy species are already known to occur in North Carolina, and there are probably as many more not yet on record. But it is probable that only a few of our species are seriously destructive.

In June, 1911, a correspondent sent adult beetles of Wire-worms and said they were doing serious injury to his corn, but his description fitted the work of the Wire-worms themselves. No doubt the larvæ were still doing injury, but some were coming out in the mature beetle form, and it was these which he found.

Life-history.*—Wire-worms are the young, or larvæ, of the beetles which are called "Jack-snappers," "Snap-jacks," "Click-beetles," "Hominy-beaters," "Elaters," "Thumping-beetles," and other similar names. The beetles have these names because of their power to spring suddenly into the air when placed on the back.

^{*}Much of what is known of exact life-histories of Wire-worms comes from the work of Dr. Forbes in Illinois. (Bul. 44, Ill. Exp. Sta., "Ins. Injuries to Seed and Roots of Corn," May, 1896.) Extensive experiments are also reported by Professors Comstock and Slingerland of the N. Y. (Cornell) Exp. Sta.

The following account will give a general idea of the history of those species that attack corn, the details probably varying somewhat in the different species:

Many of the adult beetles pass the winter in dead wood, under bark, under trash, boards, leaves, at the base of tufts of grass, etc. In the summer they lay eggs, usually depositing them in grassy places. The larvæ hatching from the eggs are slender, smooth, yellowish-brown in color and firm in texture, and are called "Wire-worms." They burrow through the soil, feeding on various seeds and roots which they may find. It is thought that it takes most species from two to three years to reach maturity. Then they change to the stage known as the pupa in a cell in the soil. While in the pupa state they are quiet and take no food, but are going through the change from larvæ to adult beetles. After a few weeks in the pupa state the insect changes to an adult beetle. Some of the beetles emerge and pass the following winter in sheltered places; others do not emerge until the following spring.

Summary.—It will be noticed from the foregoing account that Wireworms are more destructive on lowlands, and that they are worse on lands which have been in sod. They feed on seeds, roots, and stems. It is probable that they do not attack corn or other cultivated crops because they especially like them, but because when sod lands are broken up they are already in the soil, their natural food is destroyed, and they must take what is planted. It takes from two to three years for a generation to reach complete maturity, and adults deposit eggs mainly in sod lands. With these facts in mind, we can better appreciate the recommendations which follow.

REMEDIES.

The first consideration in attempting to avoid injury to corn by Wireworms is not to allow corn to follow directly after sod. If corn must follow sod, plow the land in the fall and stir once or twice during the winter. These measures will starve and kill by exposure many of the larve and will break open the little cells in which the newly formed adults are passing the winter and kill the insects. By avoiding low lands (especially low sod lands) much injury will be averted. Good fertilization and frequent tillage will also check the insects or enable the corn better to recover from their attacks.

In regard to corn after sod, it should be remembered that most species of Wire-worms are thought to take two or three years to become full-grown, hence it is well to have the land in some other crop not so subject to injury during the first year from sod, so that the majority of the insects will have had time to mature and deposit their eggs elsewhere.

But Dr. Forbes in Illinois states that they "are much more likely to do serious mischief the *second* year after the breaking up of the sod," which would indicate that in severely infested fields it would be better to have some crop other than corn on the land for two years after sod.

In Massachusetts, Dr. Fernald reported good results by planting seed eoated with gas-tar and then dusted in a bucket of fine dust and Parisgreen sufficient to give the corn a greenish color, this apparently repelling the insects and not affecting germination.1

The cultural methods here referred to are further discussed under the heads of Rotation (p. 6), Fertilization (p. 7), Fall Plowing (p. 7), Planting Increased Quantity of Seed (p. 7), Cultivation (p. 8), and Selection of Lands (p. 8).

WHITE GRUBS (Several Species).

Order Coleoptera. Family Scarabaida.

Description.—Thick-bodied whitish grubs reaching a length of $1\frac{1}{2}$ inches; when disturbed, often curling up tightly; infesting sod lands or fields where much manure or decaying vegetation is present; living underground and doing damage by eating roots from corn, grasses, or other plants. When fully grown they change to brown "May-beetles," or green "June Bugs."

Injury in North Carolina.—As with other underground insects, injury by White Grubs is apt to pass unnoticed unless it becomes very serious, and also their presence in gardens and cultivated fields is taken so much as a matter of course that definite complaints of their injuries are infrequent in this State. But it cannot be otherwise than true that the total damage by them to our corn crop is considerable.

During inspection of wheat-fields in the spring, we have found these Grubs doing injury, though usually not to a serious extent.

White Grubs have been complained of to us as a pest in gardens, lawns, greenhouses, in grass fields, and in farm crops. But the most serious and definite complaint we have ever had came in August, 1913, from Mr. George F. Ogilvie, Oakwoods, Wilkes County. As this was evidently a typical White Grub outbreak, I quote from Mr. Ogilvie's letters, as showing the extent to which these pests may do damage:

"I have a few patches that I have been manuring up with stable manure. and at this time thousands of large White Grubs work under the manure. They throw up the dirt until one's feet sink in it. Where I have sown small seeds like spinach, they have completely ruined it. I have used on some plats a very large quantity of ashes, and yet the grubs are everywhere, even where you can see the ashes in the land."

(Later) "Since I wrote you, they have been worse. I resowed my spinach plat, and they have again completely ruined it. I never saw anything like it; the whole surface of the ground is heaved and churned up until one sinks almost over the shoes."2

^{*} ¹This statement from "Insects of Farm, Garden, and Orchard," by E. D. Sanderson, p. S3. I have not at hand the original report on the Massachusetts experiments. ²An interesting fact in this connection is that twelve years before this time, when I was in that vicinity on other work, Mr. Ogilvie was mentioned to me as a man who took special pains to manure his land heavily.—Author.

We have indicated that there are several different species of the White Grubs. As with the wire-worms and cut-worms, many of the species seem to do but little injury, while the greater part of Grub injury is probably due to only six to a dozen species. Of the groups of beetles to which they belong, however, we have evidence of not less than thirty-five to forty kinds in the State, with no doubt many more awaiting discovery.




Fig. 2.—White Grubs. Showing adult beetles at 3 and 4. Larva eating roots of plants at 2, and pupa at 1.

(After Riley, Div. Ent., U. S. Dept. Agr.)

Life-history and Habits.—The most comprehensive work in this country on the life-histories and habits of White Grubs and their adult beetles has been done at the Illinois Experiment Station under Dr. S. A. Forbes.* But in the space of this Bulletin we can only give a general condensed account of the life-history.

The adult beetles appear in spring and early summer; they are the common brown "May-beetles" which often enter our houses at night, or the green "June-bugs," so familiar to children. The beetles mate and the females deposit their eggs preferably in grassy or weedy fields. The eggs hatch into the "White Grubs," small at first, but growing with age to from 1 to 1½ inches in length, feeding upon roots of many plants. The exact length of time required for the Grub to attain full growth is uncertain, but seems to be from two to three years. It then changes to a pupa, in a cell in the soil, and the pupa changes to a mature beetle, which, however, may not emerge to live an active beetle life until the following spring. In the writer's personal experience it is a common thing to unearth the adult beetles in gardens in fall, winter, or spring.

^{*}Among the several publications on this subject by Dr. Forbes I have been especially interested in Bul. 116. Ill. Exp. Station, "Life-history, Habits, etc., of White Grubs."

No doubt some species complete a generation quicker than others, or even in the same species the period may vary according to heat or cold, moisture or dryness.

Every careful observer knows something of the habits of the adult beetles. The green June-beetle usually appears at Raleigh around the first of July, and may be found abundantly feeding on ripe figs, grapes, peaches, and other fruits. The brown May-beetles are evening or night fliers, and often congregate on trees at dusk, where they eat the foliage.

REMEDIES.

Hogs, chickens, and some wild birds are fond of White Grubs, and to some extent can be made use of in combatting these pests. In garden plats or in small patches of corn much can be done by encouraging poultry to follow the plow or the spade, or by merely gathering the Grubs which are exposed and feeding them.

Cornfields which are known to be badly infested by them can surely be largely freed from them by turning in hogs after the crop is off, especially if by scarcity of feed or otherwise they are encouraged to root diligently. Dr. Forbes reports a case in which 100 pigs destroyed over 90 per cent of the Grubs in a badly infested 10-acre field in less than a month.

As the Grubs are more likely to be abundant and destructive in lands taken from sod, their injuries to corn can in some measure be prevented by putting lands fresh from sod in some other crops for the first year (or, better, two years) by which time the majority of the Grubs will have matured.

See, also, Rotation (p. 6), Fertilization (p. 7), Cultivation (p. 8).

 ${\tt CUT\text{-}WORMS \ (Several Species).} \quad {\tt Order} \ \textit{Lepidoptera.} \quad {\tt Family} \ \textit{Noctuide}.$

Description.—Rather stout-bodied, soft, brown, blackish or grayish caterpillars, which remain concealed during the day and do great injury at night by eating off various kinds of young succulent plants at or near the surface of the ground.

Injury in North Carolina.—Everybody knows what Cut-worms are. So well known and so universally common and destructive are they that their injuries in ordinary seasons excite no particular interest or comment. Everybody takes it as a matter of course to lose a part of his cabbage, tomatoes, tobacco, corn, or any other green succulent crop, from their ravages. Like the potato-beetle and the house-fly, people take them so much as a matter of course that many persons give them no serious attention, and the complaints received of their injuries is in no sense a measure of their destructiveness. Most of the complaints that are made refer to their injuries in gardens, or flower-beds.

In 1901, specimens were sent from Moore County with the report that they were a scourge that year, and that the correspondent could not get a stand of melons until after the worms matured; he had found as many as ten or twelve around one dewberry vine. He also reported them as destroying beans, cabbage, leaves on young peach trees, etc.*

During 1905, reports of serious Cut-worm damage were frequent, indicating damage to many crops, including corn, cabbage, and tomatoes. Cut-worms are also recognized as a regular and serious pest to tobacco.




Fig. 3.—The Granulated Cut-worm (Feltia annexa), showing larva (a), pupa (f), adult moth (h), and details of structure.
(After Riley and Howard, Div. of Ent., U. S. Dept. Agr.)

Life-history and Habits.—As with the wire-worms, so with Cutworms: there are a number of different species concerned. They are all the caterpillar stage, or larvæ, of moths, and the family Noctuidæ to which they belong contains upward of two thousand species. The larvæ of all of these would not be considered as true Cut-worms, however, and of those which could be truly classed under that name there are probably not more than thirty or forty species that are ever serious pests in the eastern United States. From our scattered observations we believe that 95 per cent of all the Cut-worm injury in this State is caused by not more than six or eight species.

Much work yet remains to be done in rearing our southern Cut-worms to the adult state before it will be possible to give in detail the life-history of all of our common species. Some species mature and emerge as moths in early summer, while others emerge as moths in the fall. Thus far we have observed no species which is seen in the adult state both in summer and fall; so that it seems that they are all single-brooded, some of the species emerging as moths in early summer and other species emerging in the fall.

Mr. C. S. Brimley of Raleigh, who has long taken an interest in collecting, rearing, and studying insects, reared to maturity a number of

^{*}From letter from R. W. Caviness (deceased). Mr. Caviness was an excellent observer.

Cut-worms during 1903-'04. The notes here given refer to the dates on which the adult moths emerged in Mr. Brimley's cages, or when adult moths were captured:

The Granulated Cut-worm.—Feltia annexa, Treit, August 29, September 20, October 7, 12, 1903.

Feltia hirilis, Grote, September 17, 25, 1904.

The Dingy Cut-worm.—Feltia subgothica, Hawworth, September 12, 27, 1904. Prodenia commelina, Sm. and Abb., August 17, 1904.

Peridroma saucia, Hub., June 22, 23, 24, 1903.

Other species, not identified, emerged as follows: Species No. 1 (spring species), June 4, 28, 1903. One captured (not bred) May 30, 1902. Species No. 2 (fall species), October 7 (2 specimens), 12, 1903.

From these notes it seems that for the spring species June, and for the fall species September and October, are the principal months of activity and egg-laying by the adult moths.




Fig. 4.—Another Cut-worm (Peridromia saucia) showing adult moth (a), larva (three views) (b,c and d), egg (enlarged) (e), and eggs in natural position on grass stalk (f). (After Howard, U. S. Dept. Agr., Div. Entomology.)

Of course, the details in the life-history of a species will vary somewhat according as it matures in the spring or in the fall; but the following will serve as a condensed account:

The larvæ (the destructive Cut-worm stage) pass the winter in the earth, or on the surface under such shelter as they can find, in a partly grown condition. The long fast of winter gives them ravenous appetites when the warm days of spring arouse them to activity, and they feed on any green succulent young plants that they can find. Some species have the habit of climbing trees or other plants to eat the tender expand-

ing leaves, but those that are most destructive to corn do their damage by eating off the young stalks at or near the surface of the ground. Sometimes the severed stalk (if it be young and small) is dragged partially into the ground. The worms usually remain quiet during the day and feed mainly at night. Sometimes, however, they will work during the day if the weather be cloudy. Cool weather seems to sharpen their appetites. When the larvæ become grown (which varies according as the moth is to emerge in spring or fall), they change to pupe in the earth, an inch or so under the surface, sometimes only barely covered by the soil. Those that are to emerge in spring change to pupe about the middle or latter part of May; and it is because these larve become mature at this season that they cease their injuries, and not usually because of any epidemic of disease among them. In the pupa state they are without legs or wings, and take no food—it is simply a stage of transition from the larvæ to the adult moth. After a few weeks in the pupa stage the adult moth bursts from the pupa-shell. Most of the Cut-worm moths are dull gray or brown in general color, marked with lighter streaks or spots, and with the hind wings lighter in color, sometimes of a pinkish hue. When the wings are expanded they measure from one to two inches from tip to tip. These moths fly mostly at night and are often attracted to bright lights and not infrequently enter houses and flutter about the lamps or walls. The females deposit their eggs on trash, grass or weeds, in sod or weedy lands, and the larvæ become partly grown by winter and hibernate as already explained.

Summary.—Cut-worms are the larvæ of night-flying moths. They pass the winter as larvæ, eat voraciously in the spring, become mature, pupate, and emerge as moths in early summer or fall, according to the species. June, September and October seem to be the principal months for egg-laying. Eggs are deposited in weedy or sod fields, after which the moths die. The larvæ pass the winter in a partly grown condition in the fields. With these points clearly understood it will be easy to comprehend the following remedial suggestions:

REMEDIES.

As the eggs are laid principally in sod or weedy lands, corn planted on land just from sod or weeds is likely to suffer from Cut-worms. They are often numerous in clover sod also; yet corn after clover does so remarkably well that in general it pays to take the risk. If the corn must come after a growth of grass or weeds, then by plowing the land in fall or winter many of the Cut-worms will be killed or starved before spring. This result has been several times reported by farmers. In 1905, Mr. G. M. Bentley, at that time an assistant in this office, made some observations on Cut-worm injury to tobacco in Wake County. On a small plat which was plowed March 19th, he found seven plants destroyed, while on an adjoining plat of same size, with same number of

hills, plowed one month earlier (February 22d), he found only two plants destroyed. So far as this observation went, therefore, it showed that land plowed in winter was much less infested than land which was not plowed until spring.

By delaying the planting until moderately late in the spring, those Cut-worms which mature to moths in the spring will be nearly or entirely grown, and will therefore not do serious injury, and the extra time can be given to a more thorough preparation of the land. Frequent cultivation as soon as the corn is up will also disturb the Cnt-worms in the soil and deter them in some degree.

But if we must put a piece of spring-plowed sod or weedy land into corn, and wish to plant at the normal season, there is still a method (not always easy or entirely satisfactory, perhaps) by which we may combat the Cut-worms. When the land is plowed in the spring much of their food is destroyed and they become hungry. It is then, after breaking and harrowing the land and before the corn is planted, that it is possible to poison them. Clover or other green and succulent vegetation may be poisoned with Paris-green and distributed through the fields as a bait to the worms. The clover may be sprayed as it stands and then cut; or perhaps the better and more thorough plan would be to cut it and dip it into a barrel of the poisoned solution. The Paris-green for this purpose should be thoroughly mixed with water at the rate of about one pound to the barrel (40 to 50 gallons) of water. Arsenate of lead may be used instead of Paris-green, at the rate of five or six pounds to the barrel. Paris-green and wheat bran have been used in gardens, at the rate of about one ounce of the poison to two or three pounds of the bran. A mash made of bran, Paris-green and water, and sweetened with molasses, has also been used by gardeners.

But in field operations with corn grown on a large scale, the main practices to be relied upon are:

- (1) Avoidance of corn after sod or weeds;
- (2) Fall or winter plowing, or very early in spring, if sod lands are to be put in corn;
 - (3) Moderately late planting.

For further discussion of the methods mentioned, see Rotation (p. 6), Fall Plowing (p. 7), Time of Planting (p. 7), Planting Increased Quantity of Seed (p. 7), Cultivation (p. 8).

THE CORN (AND COTTON) ROOT-LOUSE. (Aphis Madai-vadicis, Forbes.)
Order Hemiptera. Family Aphididæ.

(Also called "Blue-bug," "Blue-louse," "Blue Root-louse.")

Description.—A small greenish or bluish plant-louse attacking the roots of young corn, causing it to be of slow, belated growth or unhealthy color. Their presence often indicated by ants entering and leaving the ground at the hill.

Injury in North Carolina.—In this State this Root-louse has not often been reported on corn, though it does injury to this crop. It is much more often reported as a pest of cotton, and the writer believes that the first published record of it as a really serious cotton pest was in a Bulletin of this Department.¹ Injury to corn, however, has been reported several times in recent years, from the counties of Bladen, Caldwell, Forsyth, Gaston, and Union. As it is a pest of cotton chiefly in our eastern counties, has been reported on corn to the edge of the mountains, and is known as a corn pest throughout the entire State of Illinois, we must conclude that it does attack corn throughout the entire length and breadth of North Carolina, even though definite complaints of it on this crop have been few. Like the other underground insects, it is likely to pass unnoticed except in the most aggravated cases.

Life-history.—Here again we must acknowledge our indebtedness to the work of Dr. Forbes in Illinois. Not only was he the original describer of the Corn Root-louse as a species, but what is known of its exact life-history comes largely from the work of his office. Working in a great State the chief crop of which is corn, he has studied carefully the insect enemies of that plant, and many of his publications have discussed this Corn Root-louse, and the relation which the attendant ant bears to it.

Dr. Forbes says that the first generation of Root-lice in the spring are all wingless, and if the plants on which they feed remain thrifty, many generations in succession will be wingless; but that if the plant becomes overcrowded by them and seems likely to die, then many of the oncoming generations have wings which enable them to migrate in search of new plants. Such stray lice are found by the ants which attend them, and are quickly placed on roots of plants which will support them—on corn if in a cornfield. Here they multiply until the approach of winter. All this time, from the opening of spring through many generations, only female Root-lice are produced, all being born alive (no eggs); but as cold weather approaches in fall, the last generation contains both males and females; these mate, and the fertilized females lay eggs which pass the winter and hatch to wingless females in the spring. In Illinois Dr. Forbes finds an average of about sixteen generations per year.² The louse is largely dependent upon the cornfield ant, for this ant stores the eggs of the Root-louse in its burrows over winter, and when they hatch in spring they place the young lice on the roots of plants upon which they can feed. The lice secrete from their bodies a sweetish substance known as "honey-dew," and it is to obtain this that the ants attend the lice. The ants themselves do not hurt the corn (or cotton), nor do they give birth to lice, nor do they de-

¹Vol. 29, No. 6. Bul. N. C. Dept. Agr., June, 1908, "Insect Enemies of Cotton," by F. Sherman, p. 17.

²Account condensed from "The Corn Root-aphis in Illinois." Circular of Ill. Exp. Sta., Jan., 1913, by S. A. Forbes.

stroy the lice. They are an entirely distinct species of insect and attend the lice for the purpose of securing the honey-dew.

Although with us this Root-louse is recognized as a pest only on cotton and corn, it is known to feed on the roots of many other plants which may tide it over in places or in seasons when corn or cotton are not within its reach.

REMEDIES.

Throughout our cotton-growing region the time-worn two-year rotation of corn one year, cotton the next, and then back to corn again, acts directly in favor of the increase of this louse, for it feeds upon the roots of both these plants. Hence a rotation which shall at least every third year put some crop on the land other than cotton or corn would surely offer a hope of relief.

Corn (or cotton) fields which have been infested may be deeply winter-plowed to break up the ants' nests, the soil being deeply cultivated (or disked) before being planted to the next crop.

It stands to reason that thorough preparation of the land, liberal fertilization, and frequent cultivation will all tend either to discourage or interfere with the ants or the lice, and will encourage the crop to healthy growth which may withstand moderate attacks.

THE CORN BUD-WORM. (Diabrotica 12-punctata, Oliv.)
Order Colcoptera. Family Chrysomelidw.
(Also called "Root-worm" and "Drill-worm.")

Description.—A slender worm or grub, half an inch long, yellowish white, destroys young corn by eating into the stalk below ground, killing the central portion. Worse on lowgrounds in cool belated seasons. The adult beetle is about one-third inch long, yellowish green with twelve black spots, feeding on many plants and often destructive on squash and related crops.

Injury in North Carolina.—The Corn Bud-worm is a pest of long standing in this State, so much so that a certain amount of injury by it is taken largely as a matter of course. From the very considerable number of letters which have come to us regarding it, we quote from several to show the nature of the injury as the farmer sees it:

"Have been troubled with something that kills my corn from time it comes up until 6 or 8 inches high; looks like a worm had cut the heart of the corn under the ground near the root; the heart dies and the stalk is worthless."

"Corn Bud-worms are the worst insect I have to contend with. On low bottom-lands they kill about one-half of it in cool spells. They work about an inch from the grain of corn."

"A great deal of my corn is killed by Bud-worms when about a hand high."

In June, 1907, I was told that it was unusually destructive that year in Henderson County, and that it is regularly worse in wet, cool seasons.




Fig. 5.—The Corn Bud-worm, showing adult beetle (c), larva (b), pupa (d), and egg (a), all enlarged; natural sizes indicated by lines, etc., at side. Work on corn shown natural size at c. (Redrawn from Riley, Div. Ent., U. S. Dept. Agr.)

Field Notes on the Adults.—Our own notes throw some light on the habits and behavior of the adult beetles.

Hibernation.—The winter is passed in the adult stage, presumably under any adequate shelter. In December, 1906, I found many sluggish adults inside of cracked gourds in a field in Brunswick County, and this may be a common place for hibernation. On October 31, 1900, at Raleigh, I found many eating into and inside of gourds which were green, but the vines of which were dead. But I believe that many (perhaps most) of them pass the winter under rubbish or trash.

Emergence in Spring.—March 10, 1904, I found adults common in blooming strawberry fields in Pender County. By March 25, same year, had noted them feeding on opening leaf-buds and flowers of fruit trees at both Southern Pines and Raleigh. In 1907 I noticed first adults in flight at Raleigh on March 22. In 1908, on March 25, adults were plentiful at Raleigh feeding on many kinds of new vegetation. In 1909, April 16, at Louisburg, Franklin County, I found them abundant on young pear foliage, many females heavy with eggs; though an assistant noted adults mating freely as late as May 17 in 1907, at Raleigh. In 1913 I saw the first active adult in garden at Raleigh on March 29.

Later Habits of Adults.—In October, 1900, I noted that adults were common on goldenrod and aster. On May 17, 1907, Mr. R. S. Wog-

lum, assistant, noted them abundant on squash at Raleigh, as many as 25 on one leaf, and mating was common. At Andrews, Cherokee County, on May 20, 1911, I found adults plentiful on cabbage in garden, and indicated their presence on beans. As a matter of fact, the adults feed freely on leaves and flowers of many plants, and are not confined to any particular kinds.

Life-history.—Prof. F. M. Webster¹ has recently published an account of this pest, in which he has brought together the observations of many workers, and concludes that "from all available information it appears that the egg period varies greatly and may require from 7 to 24 days, the larval (worm) period 15 to 35 days, and that of the pupa (between the worm and the adult beetle) from 7 to 13 days."

Dr. Chittenden² records one individual adult beetle as having laid 209 eggs, though this is probably above the average, and he concludes that there are three broods at Washington, and possibly four further south.

Briefly stated, the general life-history of the insect seems to be about as follows: The adults pass the winter, emerge very early in spring, feeding on flowers and foliage, mate, and lay eggs at the base of corn or other plants in which the worms feed; the worms on hatching from the eggs, burrow into the root or stalk of the plant attacked, become grown in a few weeks, leave the plant and change to the pupa state in the earth close by, from which the beetles emerge one to two weeks later. Several broods are produced in the course of the season.

Two farmers in North Carolina, Dr. Porter of Pender County and Mr. James Middleton of Wake, placed jars over infested corn plants and thus bred the adult beetles.

REMEDIES.

The time of planting appears to be the greatest factor in preventing Corn Bud-worm. The complaints quoted show it to be worse early in the season, or in cool spells of early spring; hence the general later planting of corn would suggest itself.

In South Carolina Mr. W. A. Thomas³ divides his State into three general regions corresponding to our (1) coastal plain, (2) lower piedmont, and (3) upper piedmont, and concludes (in *South Carolina*, be it remembered) that in the first or eastern of these divisions corn planted after May 5th will escape the worst of the injury; in the second or middle region, after May 12th, while in the west, after May 19th. For our own State, we should be inclined to make all the dates from one to two weeks later to allow for difference in latitude and elevation.

But the experience and testimony of farmers themselves cannot be wholly disregarded, at least not unless the most exact and definite evi-

¹Bul. No. 5, U. S. Dept. Agr., Sept. 27, 1913, "Southern Corn Root-worm or Bud-worm." F. M. Webster.

²Cir. 59, Bur. Ent., U. S. Dept. Agr., "Corn Root-worms." F. H. Chittenden, March,

²Cir. 59, Bur. Ent., U. S. Dept. Agr., "Corn Root-worms." F. H. Chittenden, March, 1905. ³Bul. 161, S. C. Exp. Sta., "The Bud-worm of Corn." W. A. Thomas, March, 1912.

dence to the contrary can be produced; and in North Carolina many farmers insist that they can escape the bulk of Bud-worm injury to their corn by either very early, or late, planting. An intelligent farmer in Yadkin County at the Farmers' Institute in August, 1908, said that with him corn planted in either April or June was not much hurt by Bud-worms, but if planted in May, it was hurt. His testimony is typical of that offered by many others, though somewhat more explicit.

If one's experience shows that either early or late planting will escape bud-worm injury, then we would incline to give the late planting the preference, as it will have the tendency to avoid other pests (cut-worms, stalk-borers), and also allows opportunity for better preliminary preparation of the ground.

It has been noted that Bud-worm is worse on lowlands, hence the use of other lands for corn when entirely available and convenient, will help

to avoid injury.

As with many other corn pests, ample cultivation and liberal fertilization will enable the corn to recover from slight attacks. Also the planting of liberal amount of seed will provide enough plants for a "stand," even though some is killed by Bud-worm.

THE CORN BILL-BEETLE.

Order Coleoptera. Family Calandridæ. (Also called "Bill-bug," "Klew-bug," "Curlew-bug," etc.)

Description.—A grayish to blackish hard-shell beetle about ½ inch long, with strong down-curved beak or snout; damages corn by puncturing the stalks near the ground.

This is one of the worst corn pests in the eastern part of the State. Many points in regard to its life-history, habits, and methods of control are not yet entirely clear; and as it is now under special investigation by Prof. Z. P. Metcalf of our Experiment Station, it is considered best to omit any effort at detailed discussion.

THE CORN-ROOT WEB-WORM. (Crambus caliginocellus, Clem.) Order Lepidoptera. Family Pyralidæ.

Description.—Whitish caterpillars with small black spots on body, attaining length of ½ to ¾ inch; attacking young corn near the ground; each caterpillar surrounding itself with a slight web.

Injury in North Carolina.—Only a few complaints have come to us regarding this insect, and we shall devote but little space to it. Yet we feel sure that in the total it must do considerable injury, for the adult moths are very common in grassy fields at Raleigh in summer and the insect is of wide distribution.

^{&#}x27;The idea of early planting to escape bud-worm also exists in Alabama. Cir. No. 8, Ala. Exp. Sta., March, 1911, "Bud-worms in Corn," by W. F. Turner, p. 6.

Life-history and Habits.—The adult insect is a delicate little moth of silvery-gray color, which frequents grassy fields, where the eggs are laid in summer and fall. The larvæ normally live upon grasses, eating into the stems or bulbons roots at the surface of the ground. When corn is planted on land just from sod the larvæ are often already present in great numbers, and being deprived of their natural food of grasses, they attack the corn, eating into the stalk at the surface of the ground, each larva being somewhat protected by a loose web which acts as a barrier to predaceous enemies and parasites. When grown the larva is about three-quarters of an inch in length, yellowish-white, pinkish, reddish, or even of a reddish-brown color, being quite variable. In midsummer they change to the pupa state at or close to the base of the plant, and emerge as moths two weeks later. Eggs are at once laid in grass lands, where the partly grown larvæ pass the winter and are ready to commence feeding as soon as spring opens.

REMEDIES.

By avoiding corn immediately after sod much of the injury by this insect will be averted. If sod land is to be planted in corn, fall plowing will kill many of these insects by exposure or starvation.

THE LARGER CORN STALK-BORER. (Diatra a saccharalis, Fab.)
Order Lepidoptera. Family Pyralidæ.
(Sometimes called "Shatter-worm.")

Description.—Whitish caterpillars with brown or black specks, reaching length of about 1 inch, injuring corn by boring into the stalk and (when corn is young) into the terminal growing part, causing weakness and distorted growth, rendering the plant worthless when the attack is severe. Injury becomes evident in June. The adult moth measures about an inch from tip to tip of wings, is yellowish-brown, and is an active flier.

Injury in North Carolina.—This is a prevalent pest in this State and at times very destructive. While most of the complaints have come from the southern and southeastern counties, we believe it to be present throughout the State, at least east of the mountains. We have reports of it from the following widely separated counties, as well as many others: Alamance, Columbus, Duplin, Edgecombe, Mecklenburg, Rutherford, and Warren. It is considered to be rather a southern insect, and is a standard pest of sugar-cane in Louisiana.

At Red Springs, Robeson County, in 1902, the writer found it abundant and destructive, as many as six of the worms being taken from a single stalk, and from 10 to 15 per cent of the stalks were ruined. At Raleigh, in July, 1913, I found much injury by it in a garden, the worms even working in the tops which were bunched for tassel; in the stalks




Fig. 6.—Work of the larger Corn Stalk-borer. a, appearance of young stalk badly injured. b, stalk cut open near root to show burrow and pupa inside. (After Howard, Div. of Ent., U. S. Dept. Agr.)




Fig. 7.—Showing larva of larger Corn Stalk-borer, a, b and c showing variations in the markings, etc. Natural length indicated by line below a. d, c, f and g, views of certain parts of body of larva.

(After Howard, Div. of Ent., U. S. Dept. Agr.)

they were present above where the ear would be. As a rule, it works in the lower part of the stalk (especially later in the season) and often close to the ground. In Mecklenburg County it was reported as having destroyed a very serious per cent of the stalks in 1913.

Life-history.—As an enemy of corn, studies of this pest have been published by both Dr. L. O. Howard¹ and George C. Ainslic² of Washington, and by Prof. R. I. Smith,³ formerly of the North Carolina Station. Two distinct broods are recognized. The winter is passed in the caterpillar stage below the ground level in the stalks or roots of corn, perhaps also in some other plants. In spring the caterpillars change to the pupa state, from which the adult moths emerge after about two weeks. These moths then lay eggs on the young corn and these hatch into the first destructive worms of the season, boring into the stalks and tops of the growing corn, their injuries becoming noticeable from June 10 to 20, at which time the worms are growing rapidly and




Fig. 8.—Pupa and adult of larger Corn Stalkborer, a, adult moth. b, showing wings of male moth. c, pupa. Natural size of moth and pupa indicated by lines.

(After Howard, Div. of Ent., U. S. Dept. Agr.)

boring actively in the stalks. In Robeson County (1902) we found grown worms and others that had changed to pupe on June 30th, and from these we reared adult moths July 8th. The first brood of moths, therefore, appeared that year to emerge first half of July, though two years later we received larve from Mecklenburg County on July 2d; so in the higher and cooler sections they are probably always somewhat later in reaching maturity. The second brood of worms burrow into the stalks chiefly in the first two joints above ground, and often so weaken them that they are blown to the ground. The worms of this second generation become grown by harvest, burrow down the center of the stalks

⁴Cir. 16, second series, Div. Ent., U. S. Dept. Agr., "Larger Corn Stalk-borer," L. O. Howard, Aug., 1896.

 ²Cir. 116, second series, Bur. Ent., U. S. Dept. Agr., "Larger Corn Stalk-borer." George N. Ainslie, Feb., 1910.
 ³Bul. 197, N. C. Exp. Sta., "Insects of Garden Crops." R. I. Smith, May, 1908, p. 35.

to the root, and there pass the winter in the full-grown condition, changing to pupe in the spring, from which the moths emerge to lay eggs for the destructive spring brood of worms.

It must be remembered that no exact dates can be set for the times at which moths will emerge, or eggs be laid, for these will vary with the season and elevation. Thus at Raleigh, in 1913, we found larvæ abundant in cornstalks July 1st, and in 1905 we found pupe July 15th in stalks from Johnston County, though in 1902 we bred adult moths July 8th. But it seems fairly well established that normally there are two full broods each season. It is quite likely that some of the worms of the second brood feed on other plants than corn—indeed, in addition to corn and cane, Ainslie says that it has been reported on sorghum, Johnson grass, guinea-corn, and gama grass.

If each worm simply burrowed once into the stalks and remained inside, the case might not be so serious; but they have the destructive habit of leaving and reëntering the stalk again, so that each worm may make several holes.

REMEDIES.

Thorough destruction of stalks which have been rendered useless, remnants, and stubble, would seem to be the most likely method of control. If infested stalks be cut close to the ground while borers are still in them, and fed green, many of the borers will inevitably be destroyed. If the stalks are left standing until the usual time of harvest, and are then cut close to the ground and shredded or made into ensilage, it is to be presumed that some of the second brood will be destroyed. Those left in the stubble can then be reached by plowing out the stubble, raking together and burning. Through the early part of the season (up to about July 1st) stalks which have already been rendered worthless should be pulled and fed green as fast as they are seen to destroy the worms in them, for they have no future value anyway. Our common custom of "pulling" the fodder and allowing the stalks to stand is favorable to this insect. But if the fodder is to be "pulled," and it is desired to allow the stalks to rot in the field, then if they be plowed under as deeply as possible the adult moths would have difficulty in emerging.

Next to the destroying of the Borers themselves in the stalks, the later average planting seems to offer the best hope of escape. The data already given indicate that corn planted reasonably late will largely escape injury by the first brood, though it will be exposed to the second brood. Dr. Howard presents results noted in 1891 (in Virginia?), from which the following is given:

| Date of Planting. | Per Cent of Damaged Stalks. |
|-------------------|-----------------------------|
| April 1 to 15 | |
| April 15 to 28 | |
| May 1 to 15 | |
| May 15 to 31 | |
| June 1 to 15 | |

Mr. Ainslie also recommends rotation as one of the best preventive measures, and says: "Where corn has followed itself on the same field for two or more years there has been a much greater loss than where a change of crop is practiced, especially where stalks and stubble remain undisturbed through winter." But he also says: "By far the most effective plan is to remove the stubble from the field with a rake and burn it."

The writer believes that this Stalk-borer offers a good chance for cooperative effort, for the moths are active fliers and can readily make their way from one field to another; hence it would seem that best results would be secured by all the farmers in a locality using the same methods at the same time.

THE CHINCH BUG. (Blissus leucopterus, Say.)
Order Hemiptera. Family Lygaida.

Description.—Small bugs about one-fifth inch long, blackish with white wings, the young bugs reddish. Appear at times in great numbers in wheat, oats, corn, millet, and timothy. There are both long-winged and short-winged forms. Most destructive in our piedmont section on "poor land." Primarily a dry-weather pest.

Injury in North Carolina.—This insect is very irregular in its appearance as a pest. It is present every year, but only at irregular intervals does it become excessively abundant. Any pest of this character is sure to be often reported when it does appear in numbers, especially by those of the younger generation of farmers who have not become indifferent to its ravages. Farmers who have lived long in the region of Chinch-bug injury well know of their destructiveness; others may take our statement for it that when conditions favor their increase they appear by millions, sucking the sap from the plants until they dry up as if from drought or fire. At such times the destruction is often complete, every stalk being sucked to death (not eaten) by the insects. From our somewhat voluminous correspondence we quote the following as typical and enlightening:

"They came from my wheat-field and are sucking my corn to death; have covered 2 or 3 acres in ten days." (Later) "They are not doing very much while the heavy rains fall."

"I think they first appeared in oats, then destroyed sorghum-cane, now in the corn and are destroying it. They get around the stalk near the ground and on the blades and suck it to death; seem to move in a solid army. Parisgreen will not kill them."

"After harvest the bugs came from the adjoining wheat-field, marched into my corn and sucked it until it died or was so dwarfed (next the wheat) that no ears could form."

"Since the wheat was cut they have gone into the corn. They cover the stalk around the roots and in a few days the stalks will die."

"They gather at the root of the corn (or) under the sheath of the blade and there suck until they ruin the whole stalk."

"They sometimes ruin our corn on the clay land. If I had a remedy would prefer to plant corn on the clay and cotton on the sandy land."

In May, 1905, a correspondent in Rockingham County wrote that he had suffered destruction to timothy by Chinch Bugs for four years in succession; but we are forced to believe that this was a very unusual experience, at least for this State.




Fig. 9.—Adult Chinch Bug, showing dark color of body and white wings. Much enlarged. Insect in reality about one-fifth inch in length. This is the long-winged form of the insect.

(After Webster, Div. Ent., U. S. Dept. Agr.)

DISTRIBUTION, HABITS, LIFE-HISTORY.

Distribution.—The Chinch Bug occurs throughout the United States east of New Mexico, Wyoming, and North Dakota (including parts of those States); also in southern and eastern Canada, eastern Mexico, in Central America and Panama; also in areas in California. It seemingly is absent in southern Florida, and occurs sparingly if at all in the higher Alleghany Mountains (statement made from Webster's Map). The area in which it is to be regarded as a pest is more restricted, embracing a large territory in what we term the "central west" (including Kansas, Iowa, Missouri, Illinois, etc.). There are spots of severe infection in Maine, New York, Tennessee, and Louisiana. But what is of

¹Among the writings on Chinch Bug, we may mention Bul. 95, Ill. Exp. Sta., by S. A. Forbes; "The 1912 Chinch Bug Campaign in Illinois," by S. A. Forbes; Bul. 69, Bur. Ent., U. S. Dept. Agr., by F. M. Webster; Cir. 113, Bur. Ent., U. S. Dept. Agr., by F. M. Webster; Bul. 191, Kan. Exp. Sta., by T. J. Headlee and J. W. McCulloch.

most concern to North Carolina farmers is the fact that a belt of badly infested territory begins in central Virginia, extends entirely across the piedmont area of North Carolina, and terminates in South Carolina. (Webster's Map).

This indication by Professor Webster is in accord with the ravages reported in North Carolina. The only strictly eastern counties from which we have had complaints are Pamlico and Gates; but in the piedmont section complaints have been numerous from Warren to Stokes counties on the north, southward to and including the counties of Wake, Lee, and Anson in the east, and Rowan, Iredell, and Gaston on the west, thus including the greater part of our "piedmont" area. The writer has, however, collected specimens of the bug at Beaufort on the coast; but it has not been reported as a pest there.




Fig. 10.—Showing various stages in growth of Chinch Bug. a and b, eggs. c, e, f and g, stages in growth of young bugs. d, h and j, legs. i, sucking beak through which the insect sucks sap from the plant. All enlarged, natural sizes indicated by lines, etc., at side of figures.

(After Riley, Div. Ent., U. S. Dept. Agr.)

Habits and Life-history.—Adult bugs pass the winter in grasses, under rubbish, etc. At Raleigh we have found them in winter under boards at grassy edges of fields. When spring opens these bugs take flight early and seek growing grasses or small grains which will serve as food. In 1905 (while inspecting wheat-fields for Hessian Fly with Professor Webster), it was found April 11 in Guilford County at base of wheat plants. We did not find eggs nor observe mating. On April 14 (1905) Professor Webster found one adult in wheat-field in Mecklenburg County. My notes of that trip say: "Farmers say they appear worse in spots near stumps, stones, and trash, in which, no doubt, they hibernate. Stones and trash were near where these were found." The adults which emerge in spring fly freely in search of suitable food.

Once settled in the fields of small grain (or grass), they finally lay eggs, and the young bugs which hatch feed on the growing plants. The young bug bears a general resemblance to the adult, though it is reddish and wingless (there is no worm, larva, or eaterpillar stage in the

Chinch Bug). About the time of harvesting wheat and oats these young bugs mature, and they then spread to cornfields for new food, doing so mostly by walking or crawling instead of flying, though they have wings. Another brood of young then develop in the corn, and these, when winter approaches, seek winter quarters. There are, so far as positively known, only two complete and distinct broods, the first maturing in the small grain and the second in the corn. This fact of two distinct broods and the habit of migrating is clearly indicated in the letters of complaint which we have already quoted. But it is worthy of special emphasis that in going from the wheat or oats to the corn, they do so chiefly by crawling (not flying), for on this point the protection of the corn from the bugs largely depends.

The Chinch Bug, both in young and adult, is provided with a beak attached to the head, which is thrust into the plant and through which the juices are sucked. Being thus a sap feeder, it cannot be poisoned by Paris-green, etc., which must remain only on the surface of the plant. The effect of their attack is to dry out and wilt down the plant.

There are two forms, or races, of the Chinch Bug: one having wings nearly as long as the body when adult, the other having decidedly shorter wings when adult. It is said that the short-winged form is more prone to attack grasses; while it is the long-winged form that is the chief enemy to corn. All the adult bugs in our collection are of the long-winged form.

Dry Weather Favors Chinch Bugs.—Usually Chinch Bugs are more destructive in dry weather, and in wet seasons they are not so noticeable. This is apparently because of certain epidemics of disease among them which are more virulent during wet seasons. It is well for farmers to know this, as it is often convenient to be able to forecast, even though imperfectly, their probable appearance in any locality in destructive numbers. Heavy showers also drown many of them.

Worse on Certain Lands.—A preference for clay lands rather than sandy is indicated in the complaints already quoted, and the same or similar testimony is often offered to the writer when discussing this insect at Farmers' Institutes. We have also been assured at Institutes (humorously but seriously) that there is no better preventive for them than stable manure, as they are sure to be most destructive on the "thin, poor spots in the field," and that the farmer on thin, poor land suffers worse from them than the one on rich, strong land. In any event, we can all agree that the more vigorous and healthy the corn, the more resistant it will be to slight injuries, whether from this or any other insect.

Natural Enemies.—On account of a very disagreeable odor possessed by these insects, one would not expect to find many enemies which

¹Cases similar to this are known in other insects. Certain grasshoppers which inhabit densely grassy places are short-winged and cannot fly, while closely related species occurring in the open have longer wings and can fly.

would devour them. Although a large number of birds doubtless eat them to a greater or less extent, the quail or common "Bobwhite" stands at the head of the list, and the blackbirds, bobolinks and sparrows follow.

But by far the most prevalent natural enemies of the Chinch Bug are certain diseases, particularly those of a fungous nature, which not infrequently save many thousands of dollars to the farmers by destroying the bugs. One of these fungous diseases, known as the Muscardine fungus, has been considerably experimented with in Kansas and some other states, to see if it could not be artificially introduced into fields where the bugs were doing injury; but it is so slow to get started, and so uncertain in its results, that it has never come into general use.

REMEDIES.

Out of all the mass of recommendations for the control of chinch bugs, three methods stand out as available and useful as conditions exist in this State: (1) Destruction of the bugs in their winter quarters; (2) preventing them from spreading from wheat or oats to corn by means of barriers to their progress, and (3) killing them (the young ones, at least) by spraying while they are in restricted areas, before they have spread throughout the cornfield.

Destruction of Bugs in Winter.—In Kansas, where the bugs seem to hibernate largely in bunch-grass, they have been successfully destroyed by burning over closely so as to reach those that are close down between the bases of the stems. In North Carolina we at present know of no one place in which the bugs especially congregate for winter, but have found them under rubbish in grassy places near cornfields. Hence the cleaning and burning over of such waste places, fence-rows, ditch-banks, etc., adjacent to cornfields which were infested in summer will seem likely to destroy many of the over-wintering bugs. But as the bugs are not usually serious with us two years in succession, farmers may neglect this after-measure, and may be more inclined to depend on the next method discussed, namely:

Preventing the Spread into Corn, by Barriers.—For this purpose, a deep furrow, a strip of plowed and finely pulverized soil, a narrow strip of tar laid in a furrow or even simply on the ground—these all serve to check the insects in their march from one field to another. If a furrow is to be used it should be deep and so run that the earth shall be thrown toward where the bugs are already congregated, so that they will have to climb the steep side of the furrow. If the insects are found in the oat stubble, for example, one or two such furrows should at once be plowed around the field to prevent their escape. Two furrows a few feet apart will of course be more effective than one.

The furrow may be made still more effective by digging holes with regular post-hole digger every 15 to 20 feet in the bottom of the furrow. The bugs falling in the furrow will run along trying to find an outlet, and presently falling in the holes, will be quite unable to escape.

Infested stubble can be burned over, if thick and dry enough, or plowed deeply and rolled or dragged to finely pulverize the surface.

If a strip several yards wide be plowed around the infested oats or wheat and this be finely pulverized, the bugs will have difficulty in crossing it so long as the surface remains dry and dusty; rain will hinder its usefulness.

The use of a strip or line of tar around a field serves the same general purpose.² Two such strips a yard or two apart will be even more effective. The earth may be scraped clean along the line where the tar is to be placed, so that sticks, grass or weeds shall not serve as bridges for the insects to cross.

Where a part of the cornfield has become infested, the same methods may be employed, separating the infested from the uninfested parts of the field, so as to check their advance.

Of course, the best protection will be secured by the employment of several of these methods together.

The success of these methods is based upon the fact that the adults which mature in June crawl rather than fly, even though they do have wings. And as their legs are short and their bodies comparatively inelastic, they find it difficult to overcome obstacles such as have been mentioned; furrows, strips of tar, or finely pulverized soil making very effectual barriers to their progress. Of course, a sudden dash of rain may destroy the barriers, which must be replaced at once.

Spraying.—We are not advocating the spraying of whole cornfields to protect them from Chinch Bug. This spraying method is available chiefly while the bugs are only in restricted areas of the corn.

Kerosene emulsion has been recommended for this purpose by Professor Webster (1907), to be prepared as follows: Dissolve ½ lb. of hard soap in 1 gal. water, bring to a boil, then pour in 2 gals. kerosene and churn together vigorously until it becomes eream-like. To each gallon of this add 15 gallons of water, mixing thoroughly. He states that it is best to spray the corn with this before 8 a. m. or after 5 p. m., as it will then be less likely to hurt the plants.

But in the writer's personal experience with plant-lice he finds that ordinary grades of laundry soap dissolved in warm water is an excellent substitute for the more complicated (and more dangerous to plants) oil

¹Headlee and McColloch, in Kansas, found a blast-torch preferable for destroying the bugs along the barrier.

²In Illinois, Dr. Forbes had excellent results from "Road Oil No. 7," a grade costing about \$3.50 per barrel and especially prepared for Chinch Bug work. (Standard Oil Refinery, Whiting, lud.) In this State tar would perhaps be more available.

emulsion. And Dr. Forbes in his Chinch Bug work in 1912 found that, "Chinch Bugs were killed by the soap solution alone, with no injury to the corn, if cheap rosin soaps were used at the rate of 1 lb. to 6 gals. water."

In this State such brands as "Octagon," "New Home," and the like are everywhere in common household use, and we have controlled many plant-lice by using these brands dissolved in water at rate of 1 lb. to 4 gals. Hence we give the method by which we have prepared it, believing (without actual test against this particular pest) that it will be quite satisfactory against young Chinch Bugs:

Cut 1 lb. of soap into thin slices in 2 gals. water. Bring to boil to dissolve the soap; now pour in 2 gals. water (cold preferably), and spray while the solution is still warm.

If the cheaper grades of "rosin soap" are on hand, they may be used in same way, or, as suggested by Dr. Forbes, even at the weaker strength of 1 lb. to 6 gals. In spraying for Chinch Bugs use liberally enough to thoroughly *drench* them.

In closing this discussion of the remedial measures for the Chinch Bug, it is of interest to read the following letter from one who used the furrow method. This letter is here given because there are so many who believe that such a remedy will not prove satisfactory:

* * Will say that I first had deep furrows, throwing the dirt from the corn and then bedded back to the corn. In this way the bugs were held in check, and destroyed only ten or twelve rows that they first appeared in. Thanking you for your prompt reply, I am,

Very truly,

W. N. BOYD.

Warrenton, Warren County, N. C., October 19, 1904.

ARMY WORMS-TWO KINDS.

Order Lepidoptera. Family Noctuida.

There are two distinct, though closely related, species of corn insects which when abundant are commonly called "Army-worms." The adults of both are moths and they belong to the same family (Noctuidæ), which family also contains the cut-worm and ear-worm moths, discussed in this BULLETIN.

As the life-histories of these two insects differ, we discuss each separately. The one which normally is destructive earlier in the season is the true "Army-worm"; the other which is destructive later is distinguished by the name of the "Fall Army-worm."

THE ARMY-WORM. (Heliophila unipuncta, Haw.)

Description.—The grown caterpillars are about 1½ inches long, of a dark gray or blackish color with three narrow yellowish stripes above

and a darker and broader one on each side, appearing at times in hordes of countless thousands, devouring vegetation of various kinds, but especially grains and grasses. The adult moths spread about 1½ inches from tip to tip of the wings and are brownish-yellow in color.

Injury in North Carolina.—Very few outbreaks of this insect have been reported to us, although it is certainly present in at least limited numbers every year. Adult moths are often found at Raleigh from May to November. We have one adult moth captured by the writer at Hendersonville in June, 1907. The indications are that it occurs throughout the State, but that its area of destructiveness is chiefly in the western half.

In 1907, three complaints of damage by it were received

In 1907, three complaints of damage by it were received from the mountains, but in no case was the outbreak reported as widespread. The complaints were all in May.

In August, 1908, while the writer was in the western part of the State on Institute work, news of an "Armyworm" outbreak came from Durham, N. C., and this was looked into by Assistant Z. P. Metcalf, some of whose observations will be presented later in this account.

Life-history, Habits, etc.—There are undoubtedly several broads of this insect each year, for at Raleigh the moths have been collected from May to November by Mr.




Fig. 12.—Army-worm moth, pupa and eggs on grass stem. Natural size. (After Comstock, Div. Ent., U. S. Dept. Agr.)



Fig. 11.—Armyworm (larva) on head of timothy. Natural size. (After Comstock, Div. Ent., U. S. Dept. Agr.)

C. S. Brimley. Dr. Forbes¹ states that only one brood is apt to be destructive in any one locality in any one year. This agrees with the reports which have come to us; and observations in 1908 indicate that there is a good reason. It is believed that the winter is spent in the

¹An excellent account which I have consulted in this connection is given by Dr. S. A. Forbes in Bul. 95, Ill. Exp. Sta. Some of the statements are also based on a Bulletin of the N. Y. (Cornell) Exp. Sta., by M. V. Slingerland.

adult moth state, the moths laying eggs in early spring in grassy places, each female moth being capable of laying several hundred eggs. The worms which hatch from these feed on grasses, and when the supply is exhausted may march in an "army" into corn or other grain. They feed eagerly, grow rapidly, and finally enter the earth to change to the pupa stage, from which adult moths emerge in two weeks, and these, after mating, lay eggs for another brood.

When searching for new food they often move in a solid army containing countless thousands of individual worms, and devour all suitable food as they go. The records that we have for this State indicate that they have destroyed corn, grasses, and timothy; but wheat, oats, millet, etc., are also relished. Their preference seems to be for the grasslike plants; but in absence of these, they may be induced by hunger to take others.

Natural Enemies.—Fortunately, this Army-worm seems especially susceptible to subjection by its natural enemies, among which the most important seems to be a parasitic fly (Winthemia 4-pustulata, Fab. Order Diptera). This fly is somewhat larger than a house-fly and more bristly. It lays its eggs on the skin of the Army-worm and the fly-maggots hatching from these eggs eat into the body of the worm, usually causing its death before it can reach the adult moth stage to perpetuate another brood.

Mr. Z. P. Metcalf, at that time assistant in this office, made observations on the activity and efficiency of these parasites during the Armyworm outbreak at Durham in August, 1908. Out of 491 worms which Mr. Metcalf brought back and confined in cages, 442 were infested with eggs of this parasite, leaving 49 without parasites,—yet 61 of the worms developed to the pupa, but only 7 yielded adult moths. In a few cases he found that where only a single egg had been fastened to the worm, that it was able to complete its changes and emerge as an adult moth. But the fact of only 7 moths developing from 491 worms indicates that over 98 per cent of the worms died before reaching maturity, while from these same 491 worms he reared 556 adults of the fly-parasite. His data showed that while many of the parasites also died before they matured. that the rate of mortality with the Army-worm was over 98 per cent. while for the parasite it was 73 per cent. This difference would undoubtedly be much greater could the rate have been calculated from egg to adult in both cases; but this was impossible. But these results show that the tendency would be for the flies to rapidly overtake the worms in number, and subdue them; and this, no doubt, in large measure explains why the Army-worm is not more often destructive, and why it is that usually only one destructive brood shows up in a locality in any one season

REMEDIES.

The remedies for this Army-worm are much the same as for the Fall Army-worm next discussed, hence will be considered in that connection. (See page 40.)

THE FALL ARMY-WORM. (Laphygma frugiperda, S. & A.)

Description.—Grown caterpillars are from 1 inch to 1½ inches long; along each side a black stripe and in middle a wider yellow-gray stripe which includes four black dots on each body segment. Sometimes occurring in great numbers together, in late summer, though often more scattering; feed on great variety of plants. The adult moth spreads about 1 inch from tip to tip, front wings mottled grayish-brown, hind wings pinkish white, almost transparent.

Injury in North Carolina.—In 1899 (before the writer was engaged in work in the State) this species was destructive in the southeastern part, being reported to the U. S. Department of Agriculture from several

localities.

In 1902 (August 23) it was reported from Duplin County, and as the letter well illustrates the work of the species, we quote:

"Crab-grass came up all between the peas and the outlook for a fine erop of hay was very good, but two or three weeks ago a small striped worm appeared and has literally stripped the grass, leaving stems only; are beginning to cut the peas; they are here by millions."

But during the present century, at least, there has been no year in which the area and severity of its ravages could compare with that of 1912, when it was indeed a severe scourge in many localities in our State.

Outbreak of 1912.—The first positive report of Fall Army-worm in 1912 came July 20, from Chadbourn, Columbus County, where it was reported as eating young corn. The last complaint was October 26, from Pilot Mountain, Surry County, where it was attacking rye. The complaints were, however, divided approximately into three series, which we believe did actually indicate three successive destructive broods of the worms. The first series of complaints covered the period from July 20 to August 3. The second series began August 17 and ended August 26. The third series of complaints opened September 25 and closed October 26. There were no complaints dated between August 3 and 17, nor between August 26 and September 25. The last series contained only three complaints (September 25, 27, and October 25), of which the last might possibly represent a fourth destructive generation of worms, though probably not.

Many of the complaints indicated no particular crop, but among the crops which were definitely reported as suffering were corn, grass, soy

beans, peanuts, peas, alfalfa, rye, cane, potatoes (kind not specified), and cotton. But the cotton farmer who reads this account should bear in mind that this Fall Army-worm is not the same as the cotton caterpillar which stripped cotton throughout the Sate in 1911.




Fig. 13.—Fall Army-worm. a, adult moth; b, wing, showing variation in markings; e, larva or "Fall Army-worm"; d, part of body of worm, from side; e, pupa.

d is twice natural size; others one-fourth larger than natural size.

(After Chittenden, Bur. Ent., U. S. Dept. Agr.)

While the injury and complaint regarding Fall Army-worm was especially severe in 1912, it is interesting to know that the insect is really common with us every year, though only occasionally do the caterpillars appear in such destructive hordes. Thus, in 1906 we have undoubted evidence that the insect was abundant, though no complaint of it reached us. In that year Mr. C. S. Brimley of Raleigh, an insect collector, was collecting moths by attracting them to trees on which a sugar mixture had been smeared. He noted that the adult moths of this Fall Armyworm were very abundant, counting "about 600 of these moths on five sugared trees on August 23, and they were present in same numbers the next two nights. The same five trees were visited by about 300 moths on the night of October 3." Mr. Brimley records the occurrence of the moths at Raleigh from late July to early November. These observations and notes were made and published by Mr. Brimley over three years before the outbreak of 1912. I present this data here as proof to our farmers that the severe outbreak of 1912 was not by a "new insect," but by one which is present every year, and similar outbreaks may occur any year when conditions are suited to the insect. Yet the moths are free fliers and may wander or migrate for some distance before laving eggs, so that a brood of worms in one locality may yield moths which will produce another broad of worms in some other locality. Study of the distribution of complaints received in 1912, in connection with the dates, might indicate this, but we will not take the space.

¹Entomological News, Jan., 1909, p. 35.

Life-history.—Briefly put, the life-history seems to be about as follows: The winter is believed to be passed mainly in the pupa stage an inch or two below the surface of the ground. Moths emerging from these in spring or early summer lay eggs from which a brood of worms hatch. These, when grown, go underground and change to pupæ, from which another brood of moths emerges later. How many distinct broods may thus be produced we do not know, but as the worms feed ravenously and grow rapidly, there are certainly several broods, the later broods (July to October—our records) being more likely to be destructive.

REMEDIES.

The outbreak of 1912 extended through many of the southern states and called forth a special appropriation and special investigation by the U. S. Department of Agriculture. In August, 1912, the U. S. Department issued Circular No. 40 (revised), upon which this account of remedies is based.

Poisoning the Worms.—In making applications of poison to kill the worms, it must be remembered that the vegetation which is so treated is not to be used as forage. Hence this method is more applicable to waste places, or in the edges of cornfields rather than wholesale over entire forage crops. Paris-green or arsenate of lead may be used, either as a dust application or in water as a spray. As Paris-green is better known and more available, we discuss it first, although the arsenate is considered to be really more effective.

Paris-green, Dry.—Mix Paris-green with lime or flour at rate of 1 lb. to 4 lbs. of lime or flour. The worms eat it more readily if mixed with flour, but it is less likely to hurt leaves if mixed with lime. Take your choice. Dust the plants until whitened.

Paris-green, Spray.—Mix Paris-green with water at rate of 10 ounces to 50 gallons, adding 2 lbs. of freshly slaked lime. Spray liberally, endeavoring to reach all the leaves or blades of the plants treated.

Arsenate of Lead, Dry.—This material is more commonly sold in paste form, but the dry powdered form can be ordered, and is considered better than Paris-green because it can be dusted on pure without injury to the leaves. It will be cheaper to mix it with equal or twice its weight of flour.

Arsenate of Lead, Spray.—If the powdered form is to be used as a spray, mix with water at rate of 2 lbs. to 50 gals. water. If the paste form is to be used, use 4 lbs. to 50 gals. water; spray thoroughly.

Poison Bait.—This method gives a chance to poison the worms without applying it to plants at all, so the plants can be used as forage afterwards. Mix 2 to 3 lbs. of either Paris-green or (powdered) arsenate of lead with 100 lbs. wheat bran. Add 2 gals. syrup, and water enough to moisten; mix thoroughly, and distribute on ground where worms are.

Barriers.—If a deep furrow be plowed ahead of the moving worms, or around fields to be protected, or around the area where the worms are, so as to confine them, they find it somewhat difficult to cross the obstruction. In all cases list toward the worms, so they will have to climb the steep side of the furrow. If it is desirable or seems necessary to destroy them as they gather in the furrow, a log may be dragged along in the furrow from time to time, or they may be killed by application of kerosene or a blast-torch, or occasional post-holes in bottom of the furrow will concentrate many where they may be crushed.

Cultivation.—As the worms go underground only an inch or so to change to the pupa stage, many of them may be killed or at least disturbed in this process by thorough shallow cultivation, or disking the land where a brood of worms has matured and just disappeared. This would need to be done soon after the worms enter the earth, for in the course of a week or two they will have issued as moths, and then the work would be absolutely useless.

When Army-worms have developed in large number, and especially when they begin to move from one field to another, they require immediate and thorough action. It may require the labor of every available hand for a day or two to keep them in check; but fortunately the duration of each brood is short, and much depends upon detecting the trouble early before the worms are widespread, and taking prompt action then. While we have discussed the remedies for both kinds together, it is to be remembered that there are two distinct Army-worms which may attack corn, the "Army-worm" being more in the western part of the State, more confined to grasses and grains, and more apt to remain in dense "armies." The Fall Army-worm is more prevalent (according to present evidence) in the eastern and southern parts of the State, feeds on a greater variety of crops, and is more inclined to scatter instead of remaining in compact swarms.

THE SUGAR-CANE BEETLE. (Ligyrus rugiceps, Lec.) Order Coleoptera. Family Scarabæidæ.

Description.—A pitch-black beetle about one-half inch long, of somewhat the shape of our green "June Bug"; attacking eorn at or about the surface of the ground, eating into the stalks.

Injury in North Carolina.—Records of the U. S. Department of Agriculture at Washington show that in June, 1885, this insect was reported from Monroe, Union County, with the statement that it was new to the farmers there.

On May 30, 1904, Dr. E. S. Credle, Pantego, Beaufort County, made complaint of this pest. As our correspondence at that time covered most of what is (even now) known of the insect in this State, it is given in some detail. His first letter was as follows:

I send you under separate cover a bottle of bugs that are destroying the corn crop in this township. Please let me know what they are and if there is any remedy for them.

REPLY.

- * * * It is the Sugar-cane Beetle, which is regularly destructive in Louisiana, but of which I have never had any complaint during the four years I have been in this State. As its name indicates, it is known primarily as a pest of the sugar-cane. * * * * A most careful search of the literature fails to reveal any reference to remedies which have been found effectual, and I guess we must put it among those (pests) against which we have little or no means of defense. It has been suggested that the beetles are attracted to lights, and I would suggest that you hang a brightly burning lantern in your cornfield suspended over a pan in which is tar, or water and kerosene.
- * * Now this will be an experiment merely. I am not even sure that it will attract a single one of the insects, but I think that the test will be well worth making. * * * Please also try to give me some information on the following points: (1) How many years have you known this pest? (2) How long has it been with you this season? (3) Where and how does it attack the plant (living specimens with plant would furnish best answer)? (4) How abundant is it in the fields—how many at each hill on an average?
- * * * Any observations that you can make, or specimens that you can obtain, bearing on the life-history or habits of the insect will be of interest and value. (June 4, 1904.)

Dr. Credle's next letter was dated June 9, 1904, and was as follows:

* * I have tried the lantern and water and kerosene, also the tar, but had no success; did not get a dozen bugs in three nights. These bugs first appeared here last year about the middle of May, and after the first big rain we had they disappeared. They returned this season, first of April, and are here yet and very numerous, from eight to ten to the hill of corn. I send you, under separate cover, bugs with a sample of the different sizes of corn and cotton that they are at work on. * * * You will notice they do their work right at the root, and they can kill corn any size. The outlook is that they are going to be the most destructive pest that we have ever had. Hope there may be some way to destroy them.

REPLY.

* * I would like to make a few other suggestions as to remedies, and if you find it convenient to try them I hope you will report results: (1) the sprinkling of a little wood-ashes about the base of the plants, say a handful to each hill; (2) same, using air-slacked lime; (3) pine sawdust, which should be fresh enough to have a strong tar or pitch odor. If you try any of these methods I would advise that you use them only on a small scale, as it will likely prove useless in any case, and it would scarcely be advisable for you to go to any great trouble in a mere experiment. (June 11, 1904.)

Dr. Credle's next letter is dated June 14, 1904, and from it the following is taken:

* * * I am still of the impression that they are dry-weather bugs. The part of the township (where) they are doing the worst damage there has been no rain since March. There has not been enough rain since the first

of April to lay the dust, but I have noticed for the last few days they (the bugs) are dying; can see them all about in the field dead. Will try the remedies you suggest and report.

On June 6, 1905 (a year later), Dr. Credle wrote:

* * * My corn crop last year was so completely destroyed by the beetles that I had what was left plowed up the first of June and planted over on the 7th and 8th. This last crop was not bothered in the least by them, and I made a good crop. They have been there all winter. When the corn was being housed in December we would often find them under the shuck, eating the corn, * * * They have destroyed corn for me this season, but not so bad as last. The only places they bothered this year to any amount was where I raised hay last year. But they have stopped now, and I don't think they will bother further this season. Several of my neighbors have had to plow up and plant over this season, that were bothered very little last year. I did not use any of the remedies, as I did not have any cause to do so in the last planting. Did not make any observation on the egg-laying habits, but as they seem to bother more where that old dead grass was plowed in, that must have been the place where they laid (very likely!). I am satisfied that they do but little damage after June 1st.

Dr. Credle also stated that the insects seemed very fond of irish potatoes, and that while breaking ground they often found them eating the volunteer potatoes in the spring.

Mr. J. P. Clark, of Pantego, also wrote (June 2) in 1905, stating that farmers were again troubled with this Cane-beetle; that some of the land had to be plowed and replanted.

This time we were able to make some observations in the field. Mr. G. M. Bentley (at that time assistant) was sent to Pantego to examine the conditions. His observations are dated June 14, 1905. The first field examined had been much damaged and replanted, the corn then being nearly 6 feet high; only a few of the beetles were found, and injury was not much in evidence. In the second field the corn had been planted for the third time of the season and was smaller; a considerable number of the beetles were found eating the young stalks. The third field examined was that of Dr. Credle, from whom we have already quoted. A number of beetles were found (after careful search), as many as five on one stalk, working at, or just beneath, the surface of the ground. Observations in different parts of the field showed that "noticeably more beetles were at work in a certain portion of the field where 'bull-grass' had been plowed in. The beetles were found mating in several instances." Specimens sent by Dr. Credle, June 9, 1904, were mating in box when received.

Since the outbreak of 1904 and 1905 in Beaufort County we have had only one complaint, this coming in June, 1912, from Greenville, Pitt County; but there was no indication that the damage was widespread or long continued.

DISCUSSION OF THE INSECT.1



Fig. 14.—Sugar-cane Beetles. A row of the adult insects, natural size. See also figure on front cover of this Bulletin (original).

The complete life-history of this insect does not appear to be known, the laying of the eggs, appearance of grown larvæ, and methods of pupation, all being unsettled points. Most of the observations that have been made on the insect have been made in Louisiana and Mississippi, and here the habits and life-history might be slightly different. If the larva lives on the roots of the sugar-cane in Louisiana, it may live on roots of grasses, as Dr. Credle intimates, or sorghum-cane, some species of wild reed or rush, or perhaps on corn itself, in this State. As to its being primarily a dry-weather insect, as intimated by Dr. Credle, the natural habitat of the insect in the low cane-lands of Louisiana would seem to show that if anything it should prefer a damp climate. Observations made in Mississippi seemed to show it to be worse in wet lands, and this would seem to be a natural occurrence. In June, 1886, Mr. G. W. Smith-Vaniz, of Canton, Miss., in writing to the U.S. Department of Agriculture at Washington, sent eggs found in soil near corn where the beetles were at work, and which were similar to eggs dissected from the bodies of female beetles. Mr. Smith-Vaniz also hatched out young larvæ; but there the observations seem to cease.

We have in our collection one specimen of the adult beetle which was taken at Gastonia, Gaston County, on May 30, 1902.

As to the possibilities of this insect becoming a regular and serious corn pest in this State, it seems reasonable to infer that its injuries will probably be confined chiefly to the eastern part of the State, in what is commonly known as the coastal region, and its outbreaks, however serious at times, will probably be of irregular and infrequent occurrence. How long it has already been in the State no one can tell with certainty. The injury to cotton and potatoes, as reported by Dr. Credle, is probably unusual and occurs only when the beetles are exceedingly abundant.

REMEDIES.

Late planting, liberal fertilization, and cultivation are the only palliatives that we can suggest which are at all certain to yield results. It is

¹An article on this insect from which this account is largely drawn (other than our own notes and observations) was published by Dr. L. O. Howard, U. S. Entomologist, in Insect Life, Vol. 1, pp. 11-13, 1889.

to be observed that corn planted June 7th and 8th, 1904, made a good crop at Pantego, and in 1905 the insects were disappearing as early as June 6th. Dr. Credle's observation of their being worse on land just from grass suggests the advisability of avoiding such lands for corn.

Although the insects seem to be attracted to lights at times, this habit does not seem to tempt them to leave the plants when feeding and cannot be relied upon to lure them to their destruction.

See Rotation (p. 6), Fertilization (p. 7), Time of Planting (p. 7), Cultivation (p. 8).

THE CORN EAR-WORM. (Heliothis armigera, Hub.) Order Lepidoptera. Family Noctuidar.

Description.—A grayish, greenish, reddish or brownish caterpillar (very variable in color), about one and a quarter inches long when grown, which eats into the ears of corn, often several in a single ear. The adult is a yellowish-brown moth with wings expanding from 1 to $1\frac{1}{4}$ inches from tip to tip.

Injury in North Carolina.—Among our destructive insects we think that this stands near the head, both in the total amount of damage done and the difficulty of combating it. According as it attacks different parts of the several crops, it is known as the Cotton Boll-worm, the Tobacco Bud-worm, the Tomato Fruit-worm, the Corn "Shatter-worm" (when in the top of corn) and the Corn Ear-worm. The insect also attacks other plants to more or less extent; has been reported burrowing in the pods of cow-peas, in the seed-pods of tobacco, and others have recorded it as occasionally eating into orchard fruits, though we have not noted this. Here we are principally concerned with its injuries to corn, and in this connection the following records are of interest:

In the latter part of May and early June, 1902, complaints were received from Mr. A. T. McCallum at Red Springs and Mr. A. J. McKimmon of Maxton, both in Robeson County. In response to these complaints the writer made a visit, giving special attention to the case at Maxton, which was especially serious. Mr. McKimmon had about thirty acres planted in sweet corn for shipment to northern markets, but scarcely an ear could be found which was not infested with several of these larvæ. As many as eleven were found in a single ear. The crop was fully 75 per cent (if not 99 per cent) lost from the ravages of this pest.

Early in January, 1903, Mr. R. W. Livermore, also of Red Springs, wrote asking about methods of combating this pest which had done him serious injury the year previous. From his letters, dated January 6th and 8th:

^{* *} The worm which was doing the damage in my early corn last year was the worm which bores into the ear when the corn is ripening. I am inclined to think that this worm shuts out the early sweet-corn crop for this section as a shipping crop to be depended upon.




Fig. 15.—The Corn Ear-worm, showing the destructive larva at work in ear of corn. (After Quaintance, Bureau Ent., U. S. Dept. Agr.)

Life-history and Habits. —The winter is passed in the pupa stage, under the surface of the ground. The adult moths come out in spring or early summer and, being very active fliers, wander whither they will in search of nectar-bearing flowers or suitable plants upon which to place the eggs. When corn is the object of attack the eggs are laid on the silk, though the early brood of moths often deposit them in the terminal growing part of the plant, in which case the caterpillars eat the leaves and tassel and are called "Shatter-worms." The great majority of the eggs are laid on the silk, and the larvæ work down the silk, or bore directly through the husk to the forming ear, where they feed on the kernels and soon attain full growth, when they burrow out

¹This portion of the account is based partially on Farmers' Bul. 191, U. S. Dept. Agr., by A. L. Quaintance.



FIG. 16.—The Corn Ear-worm, showing larva at work on blades of corn.
When it does this injury it is sometimes known as the "Shatter-worm."

(After Quaintance, Bureau Ent., U. S. Dept. Agr.)

through the husk and enter the ground to pupate. There are a number of broods during the summer, the last brood passing the winter in the pupa state and emerging as adults in the spring.

Corn is not much attacked after the kernels begin to harden, the insects then turning to other plants such as tomatoes, tobacco and cotton. There are several broods each season, probably four or five in the greater part of this State.

North Carolina Notes.—The notes here given throw some light on the time of emergence, etc., of the insect in this State:

In 1900, on September 18th, Mr. D. L. Wolff, R. F. D. No. 1, Pinnacle, Surry County, sent in adult moths which were captured when on tobacco flowers.




Fig. 17.—The Corn Ear-worm, showing adult moth in natural position with wings not spread. About twice natural size.

(After Quaintance, Bureau Ent., U. S. Dept. Agr.)

In 1902, at Raleigh, adults were observed for the first time in the terminal blades of corn on May 15th. On the 18th eggs were abundant on new silk (it was early corn) and thereafter larvæ were abundant in the ears.

In 1904, the writer found his first adult ear-worm moth for the season at Raleigh, on June 15, though they had likely been out some time previous. This moth was in the funnel formed by the top blades of the corn-plant which was not yet in tassel. On June 18 (same year) eggs were abundant on silk of Adams' early corn in garden, but no worms had yet appeared.

In 1905, on May 18th, Mr. S. O. Lazenby, R. F. D. No. 4, Statesville, sent in a specimen of the adult moth.

These notes show that the adults are abroad early in the spring and also late in the summer, into the fall. The finding of larvæ mature, or

nearly so, at Maxton on May 31st (1902), is an evidence that they reach maturity quickly. There must, therefore, be quite a number of different broods.

Professor Quaintance calls attention to the fact that when the worms are abundant in corn they may devour one another, thus reducing the number which actually mature. He also observes—and the same fact is evident to all who have observed—that the damage is not measured by the corn actually eaten, but also by the large amount which rots or molds as a result of the insect's work. The holes made through the husk also serve as entrance places for weevils.

REMEDIES.

When this insect attacks other plants, it is sometimes recommended to plant an occasional row of corn for the purpose of inducing the insects to attack the corn so the other crop will be spared. This is an evidence that it prefers corn to other food. This paves the way for a frank statement of the fact that no wholly satisfactory remedy for the Ear-worm in corn is known. Such methods as may be employed with reasonable hope of relief are mentioned below.

As the insect passes the winter in the pupa state in the earth, fall or winter plowing of badly infested lands will kill many of them. Experiments in Kansas¹ "showed that plowing infested cornfields 5 or 6 inches deep in late fall and early winter destroyed practically 100 per cent of the over-wintering pupæ." But in North Carolina it must be remembered that the insect develops in many other crops besides corn, especially cotton and tobacco; hence fields in which these crops stand until freezing weather will likely be infested as well as corn lands. Indeed, if the corn matures early, the latest broods must of necessity develop on other crops, chiefly cotton, hence the plowing of cornfields only would reach only a part of the insects.

In gardens and small patches of corn, something can be done by pinching the tips of the ears by hand, or even cutting off the ends of the ears and feeding them to stock, to prevent the worms going down the length of the whole ear. If the pinching method be used, it should be done several times, to kill as many as possible, for some of the young worms will likely escape each time.

If the corn matures very early, it will not be exposed to the later broods of worms, for the moths prefer to lay eggs on fresh silk and the worms will not work readily in hardened kernels. Thus early planting, and the use of early maturing varieties, would seem to be against the insect; but we must remember that early planted corn is, in general, more hurt by a number of other corn pests, and we do not believe, as yet, that the benefit of very early planting against this insect will amend

¹Cir. No. 7, Kans. Exp. Sta., "Corn Ear-worm," by T. J. Headlee (1910?).

for its other disadvantages. We can conceive that any one planting in any one year might largely escape ear-worm by not being in tender silk when the adult moths were out in numbers. But we are not able to forecast the broods with sufficient exactness (nor can we know the rate with which the corn will grow) to make any positive recommendations on this point.

Let us hope that better remedies may be developed in the future.

WEEVILS (Several Species). Orders Lepidoptera and Coleoptera.

Description.—Small or medium-sized insects which in the adult or larval state, or both, injure grain by eating into the kernels when stored, or by eating the meal or other products. Sometimes attack corn in the field before harvest. Often troublesome in mills, barns, stores, pantries, etc. The adult insects are moths or beetles.

Injury in North Carolina—There are from eight to a dozen distinct kinds of "grain weevils" in North Carolina, and the total damage by them is great. Prof. R. I. Smith during some special studies of our grain weevils recorded at least nine species as known to him.¹ These were:

(Lepidoptera) (Moths): Angoumois Grain Moth,
Indian Meal Moth,
Meal Snout Moth.
(Coleoptera) (Beetles): Saw-toothed Grain Beetle,
The Cadelle,
Yellow Meal-worm,
Dark Meal-worm,
Granary Weevil,
Rice Weevil ("Black Weevil").

Undoubtedly the most destructive "weevil" to our corn is the last one in the above list—the "Rice Weevil" or "Black Weevil." It has been sent in to us more often than any other kind. It appears to be the hardest of all the weevils to control. It also often infests the corn in the field, as the following letter from the southeastern part of the State, received August, 1912, shows:

"A year ago a large quantity of corn here was destroyed by weevils before taken from the field. This year a great deal of the early corn has one or two dozen weevils on each ear, and as the corn hardens it is being damaged."

Many other letters could be quoted showing this same general condition.

⁴Bul. 263, N. C. Exp. Sta., "Corn Weevils and Other Grain Insects." R. I. Smith, May, 1909.

General Life-history of Grain Weevils.—As there are a number of distinct kinds of grain weevils, some seeming to prefer ground grain products, the life-histories vary in details. The account here given is only meant to be general, giving an approximate idea of the whole group.




Fig. 18.—Grain Weevils (beetles), showing two closely related species at a and d: a larva at b, and pupa at c. Natural size indicated by lines. The one at d is the "Black Weevil," our most destructive corn weevil.

(After Chittenden, Div. Ent., U. S. Dept. Agr.)

The adult insects are moths or beetles, mostly small, but a few of medium size. These lay eggs on or in the grain or husk and the worms eat into the kernels. In some species the worm reaches full growth in the same kernel in which it first hatches; in others the same worm may live in several different kernels. When grown, the worm changes to a pupa from which the adult moth or beetle emerges later. In the case of weevils infesting meal, bran, and other ground materials, the worms burrow around in the material, frequently spinning a web which fastens little masses together. Meal and other products thus infested are apt to become moldy and unhealthy as food for both man and beast. Where the whole grain is infested, the vital germ is often eaten out, thus spoiling the grain for seeding purposes.

In the previous Bulletin of this Department on "Corn Insects" the writer stated that adult weevils had been found "passing the winter in the remnants of fodder where this had been pulled," but he has not now the original note at hand. His recollection is that it was the "Black Weevil," found in winter in the husk remaining attached to the stalk.

REMEDIES.

Prevention.—Thorough cleaning out of old bins, sweeping out stray shattered grains, chaff, litter, etc., will get rid of many of the Weevils




Fig. 19.—Ear of corn riddled by Angoumois Grain Moth. A case of excessive injury.

that are breeding in the bins so as to give the new crop a start with fewer Weevils to contend with in the beginning (save those in the corn when brought from the field).

The letter already quoted showed special damage to the early corn. Professor Hinds in Alabama in the bulletin already referred to, stated that up to midwinter his records showed "about fifty times as many Weevils on early corn as on late corn."

It is commonly believed in this State (and Professor Hinds mentions the same for Alabama) that corn stored in the husk is not so liable to Weevil attack. Prof. R. I. Smith, in the North Carolina Bulletin already referred to, calls attention to the fact that tight-fitting husks do appear to protect the corn to some extent. But the ear-worm has already often eaten holes through the husks so that Weevils gain entrance, and once the Weevils are in, the writer maintains, as in his previous Bulletin, that the husk merely hides the injury and causes the farmer to think that there is less Weevil. Professor Hinds says that the value of the husk as a protection depends on the length and tightness of the husk. On this point of storing in husk, we think we are safe in saying that it is not to be relied upon, except for those ears which have long tight husks. To depend on preventing Weevil merely by storing the whole crop in husk will result in many disappointments, for many of the ears will have torn or damaged husks, or ears protruding beyond the husk, etc., which will merely invite Weevil to enter.

Farmers in this State have also told us that if the corn be slightly dampened when stored (in husks) that it undergoes slight heating which seems to protect it from Weevil. Use of salt, ashes, lime, and cedar or pine twigs for

^{&#}x27;In this account I have drawn upon Bul. 203, N. C. Exp. Sta., by R. I. Smith, already referred to, and on Bul. 176, Ala. Exp. Sta., "Reducing Insect Injury to Stored Corn," by W. E. Hinds, Feb., 1914.

putting in bin with the corn have all been mentioned, and must be classed among the remedies or preventives that have not been adequately proven. In his former Bulletin the writer stated that "shelled corn may be placed in absolutely tight bins and top of each bin covered with a complete layer of lime or ashes to depth of an inch. Of course, this is only practicable for those bins that are not being continually disturbed." This suggestion is not based on actual tests, but only as a chance to keep the Weevils out, and would be in no sense a remedy for those already in the corn.

Fumigation Treatment.—But for the Weevils that are already in the corn, or the ones that may gain entrance after it has been stored, we know of no treatment other than fumigation with some poisonous gas that can be relied upon, and some recent testimony shows this to be less certain than was formerly believed!

For this purpose the material known as carbon bisulphide (or carbon disulphide) has long been, and still is, the standard material. It is a clear, foul-smelling liquid which evaporates rapidly, giving off poisonous fumes. It is necessary to have the grain in some tight receptacle, absolutely tight if possible, or at least as near to it as possible. For small quantities, as for seed grain, etc., a water-tight barrel or cask can be used, or boxes if cracks and covers be sealed by pasting paper closely over them. The tighter the better, and the less the barrel, box, or bin approaches to perfect tightness the less perfect you must expect the result to be, and the greater amount of the material you must use in the effort to make amends for leaking of the gas.

A brand of the chemical especially made for insect work is manufactured by E. R. Taylor, Penn Yan, N. Y., under the name of "Fuma Carbon Disulphide," and is sold in lots of 50 lbs. or more. In small quantities the chemical can be had from, or ordered through, many drug stores, at retail prices of about 30 cents per pound (pint).

The amount to use is figured on the air space in the barrel, box, bin, or room (not merely on the amount of grain). Professor Hinds in Alabama says this should be at the rate of 5 to 8 lbs. for 1,000 cubic feet of space if the room or bin is quite tight, varying up to as high as 20 or 25 lbs. per 1,000 cubic feet of space if only moderately tight as by lathing the cracks, and says that for use in barrels ("for peas") "about one-half teacupful is sufficient if the top be tightly covered." The "Black Weevil" in corn may require more than this amount, perhaps three-fourths of cupful.

Professor Hinds says: "In making the application, level the surface and prepare small holes about a foot deep, about 3 to 4 ft. apart. Divide the liquid among these holes; pour direct on the corn in the holes and fill the holes with corn." If the room is large, begin on the farther end, working toward the door. "Close door tightly and quickly paste paper over the cracks; leave closed for at least 24 hours; no harm

if left indefinitely; fumigation is more effective during warm weather; never attempt it when temperature is below 60 degrees. A second treatment (stronger) should be given after a week or two if it appears that the first was not effective."

Prof. R. I. Smith, after working in North Carolina, became convinced "that carbon bisulphide, at any reasonable strength, cannot be successfully used in *ordinary* corn cribs, grain boxes, or storerooms. Small quantities can be fumigated in absolutely tight boxes or barrels by using about one ounce to three bushels; the top must be air-tight, not simply covered with blankets or canvas. Fumigation should continue for about 24 hours." He found that some stages of the insects would survive treatment; especially eggs and pupæ.

Which leads the present writer to insist that one may expect imperfect results, but still this fumigation method is the best known when once the corn is infested. Have the corn free to begin with, if possible, by cleaning the bins, and perhaps even throwing out ears already visibly infested; have the bins tight, so that they can be fumigated if necessary; use enough of the bisulphide to make allowance for leakage through such cracks as there may be; and finally, if the treatment seems not to have killed all, give a second treatment a week or two later to kill larvæ and adults which may have developed from eggs or pupæ which survived the first treatment.

Caution.—Carbon bisulphide is like benzine in its nature, both the liquid and its fumes being very inflammable, and no light or fire of any description can be brought near while the fumigation is going on, not even a lamp, cigar, or pipe. After the fumigation is over, open the bin (box, or room) and air out. If these cautions are heeded the material is safe to use.

Heat.—It has long been known that insects are killed by high temperatures, and this fact has been made use of recently in some striking tests by Mr. George A. Dean of the Kansas Experiment Station in ridding flour-mills of insects by the heat method. In summarizing his work, he says:

"A temperature of from 118 to 125 degrees is sufficient for any part of the mill. This temperature should be held several hours to allow the heat to penetrate all the infested parts (of the mill)." But he also says: "I would not recommend heat for killing insects in stored seeds and grain. In case they are stored in small quantities, the heat method would be entirely satisfactory; but if in large quantities it would require too much heat to penetrate to center of bins."

LESSER CORN INSECTS.

We have devoted the greater part of this Bulletin to those insects which are regular serious pests of corn in this State. It now remains to make brief mention of a few which are of minor importance or which

¹Jour. Ec. Ent., Vol. 6, p. 40, Feb., 1913.

are only occasionally destructive. For these we enter into no lengthy discussions either of injuries, life-histories, or remedies.

Seed-corn Maggot (Order Diptera).—A white maggot infesting seeds of corn, preventing germination. Once reported from Forsyth County as damaging corn which had been planted, and presumably the same once reported from Rowan County infesting planted seeds of melons. The attack is made after the seed is planted. The adult insect is a gray slender fly, smaller than house-fly. Remedies not very available, and in this State not much needed.

Flea-beetles and Leaf-beetles (Order Coleoptera).—Several species of these are known to attack young corn, eating the blades. Several complaints have been made in this State, but injury never widespread and usually not serious. Adult insects (which do the damage) are small, usually shining beetles, often jumping or dropping quickly when disturbed. Remedies scarcely necessary. Dusting with ashes, or with Paris-green in ashes or lime (1 ounce to 1 lb. ashes) would probably drive many away.

Red Spider (not a true insect).—This small creature is related to the spiders, mites, and ticks. Primarily a pest on cotton, sometimes on corn, peas, etc., especially in long hot spells. Rainy weather checks them.

Grasshoppers (Order Orthoptera).—We have many native kinds which feed on corn, but usually not destructive and the injury is soon outgrown. Some appear full-winged in spring, others are in young wingless state in spring and develop wings in summer and fall. When serious they can be combated by use of poisonous baits.

Lady-beetles (Order Coleoptera).—One of our most common Lady-



Fig. 20.—Lady-beetle (Megilla maculata) from which a parasite has emerged and spun its cocoon beneath the insect. Slightly enlarged, size of beetle indicated by line above. Lady-beetles of this species parasitized in this way may frequently be found on blades of corn. (After Riley, Div. Ent., U. S. Dept. Agr.)

beetles is frequently seen on corn where it feeds to some extent on the pollen, blades, and the soft kernels. This is the Thirteen-spotted Lady-beetle (Megilla maculata). The species also feeds to some extent on other insects, and its larva is entirely insectivorous in its diet, feeding on plant-lice, slugs, etc. Frequently specimens of this beetle may be found on blades of corn standing over a small silken eocoon of yellowish or brownish color.

Such a cocoon contains a parasite, the larva of which has issued from the beetle. In a few days the adult parasite emerges from the cocoon as a small winged wasp-like creature, which goes off to seek a Lady-beetle victim. The beetle invariably dies soon after the parasite emerges.

Stinging Caterpillars (Order Lepidoptera).—There are two kinds of caterpillars frequently found on corn which if brushed against carelessly may produce painful stings. One of these is known as the Saddle-back

Caterpillar (Sibenne stimulea), so called from the peculiar saddle-like markings in the middle of the back. This caterpillar when grown is about an inch long. There are two projections at each end of the body which are directed upward and outward, and these projections as well as other parts of the body are armed with sharp brittle spines which readily pierce the skin and break off. The general color of the larva is greenish, with a reddish-brown patch resembling the saddle, and a similar patch at each end of the body from which the projections arise. The caterpillar when grown spins a cocoon from which it comes out as a brownish moth. There seems to be but one annual brood, the adult moths issuing in spring or early summer. Ammonia, bicarbonate of soda, or even strong brine, are recommended as antidotes for the sting.

Our other species of stinging eaterpillar is the larva of the Io Moth (Automeris io). This is a rather handsome pea-green caterpillar attaining a length when full grown of two inches, with a purple stripe down each side of the body, the whole body armed with yellowish spines which are borne in clusters on little warts or tubercles. When grown the larva spins a brownish silken cocoon within which it transforms to a handsome moth, the males being yellowish and expanding two inches from tip to tip of the wings, and the females yellowish-brown and expanding as much as three inches in large specimens. In both sexes the hind wings are marked with conspicuous eye-spots.

Other Caterpillars (Order Lepidoptera).—Various caterpillars of many kinds may be found on the corn plant, all transforming to moths of some kind. Most of these, however, are not serious, or, if so, are only destructive in sporadic outbreaks.

* * *

In concluding this Bulletin it is but fair to repeat that in its preparation the writings of others have been freely drawn upon. Without crediting each statement made, the author has named the principal papers in footnotes. Many of our own observations are also included. It would take years and years of concentrated effort for any one person to work out all such facts as have been here recorded on the insects attacking this one crop—corn. But the writer is persuaded that there is a proper demand for bulletins of this type, each discussing all the more important insect pests of some one important crop. Such a bulletin cannot always be made up entirely of facts ascertained, proven, and tested by the writer in person.

The writer will welcome correspondence with corn-growers who make use of the suggestions contained herein, and who carefully watch the results. He also desires to be promptly informed in case of any serious outbreak of any corn pest not mentioned in these pages.

Franklin Sherman, Jr., Entomologist, Dept. Agriculture, Raleigh, N. C.

THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE.

RALEIGH

Vol. 35, No. 6.

JUNE, 1914.

Whole No. 197.



- I. ANALYSES OF FERTILIZERS—SPRING SEASON, 1914.
- II. REGISTRATION OF FERTILIZERS.

PUBLISHED MONTHLY AND SENT FREE TO CITIZENS ON APPLICATION.

Entered at the Post-office at Raleigh, N. C., as second-class matter, February 7, 1901, under Act of June 6, 1900.

STATE BOARD OF AGRICULTURE.

W. A. GRAHAM, Commissioner, ex officio Chairman, Raleigh.

| | II. CHARLES, COMMISSIONER, a office commission, and | |
|-----------------|---|-------------------|
| F. P. LATHAM | Belhaven | First District. |
| K. W. Barnes | Lucama | Second District. |
| R. L. WOODARD | Pamlico | Third District. |
| CLARENCE POE | Raleigh. | Fourth District. |
| R. W. SCOTT | Haw River | Fifth District. |
| A. T. McCallem | Red Springs | Sixth District. |
| C. C. Wright | Hunting Creek | Seventh District. |
| WILLIAM BLEDSOE | Gale | Eighth District. |
| W. J. SHUFORD | Hickory | Ninth District. |
| A. Cannon | | Tenth District. |

OFFICERS AND STAFF.

| W. A. GRAHAM | C |
|---------------------------|---|
| W. A. GRAHAM | Commissioner. |
| ELIAS CARR. | Secretary and Purchasing Agent. |
| MISS SARAH D. JONES | Bookkeeper. |
| D. G. Conn | Bulletin Superintendent. |
| B. W. KILGORE. | State Chamist Director Test Farms |
| D. W. KILGURE | State Chemist, Director rest raims. |
| J. M. Pickel | reed Chemist. |
| W. G. HAYWOOD. | Fertilizer Chemist. |
| J. O. Jackson | Assistant Chemist. |
| E. Š. Dewar. | Assistant Chemist. |
| E. B. Hart. | Assistant Chemist |
| I. D. HART | Assistant Chemist |
| J. R. MULLEN | Assistant Chemist. |
| R. W. COLLETT | Assistant Director Test Farms. |
| H. H. BRIMLEY | Curator of Museum. |
| T. W. Adickes | Assistant Curator. |
| FRANKLIN SHERMAN, JR. | Entomologist. |
| C. L. METCALF. | Assistant Entomologist |
| S. C. CLAPP. | A sistent Feter elegist in Field Work |
| S. C. CLAPP | Assistant Entomologist in Field Work. |
| B. B. FLOWE | Veterinarian. |
| H. P. Flowe | Assistant Veterinarian. |
| E. C. Kord | Assistant Veterinarian. |
| W. N. HUTT | Horticulturist. |
| S. B. Shaw. | Assistant Horticulturist |
| D. D. SHAW | A - i - t - t II tical tuniot |
| R. G. Hill | Assistant Horticulturist. |
| T. B. PARKER | Director of Farmers' Institutes. |
| Miss Cappir Hungins Assis | stant to Director of Farmers' Institutes. |
| R. L. SloanAssis | stant to Director of Farmers' Institutes. |
| W. M. ALLEN | Pure Food Chemist. |
| E. W. THORNTON | Assistant Pure Food Chemist |
| C. E. Bell. | Assistant Pure Food Chemist |
| C. P. WILLIAMS | Chief in Agranamy |
| C. B. WILLIAMS | Chief in Agronomy. |
| J. K. Plummer | Soll Chemist. |
| W. F. Pate | Agronomist in Soils. |
| R. Y. WINTERS. | Plant Breeding. |
| G. M. Garren | Assistant Agronomist in Crops. |
| *W. E. HEARN | State Soil Agent, Soil Survey. |
| L, L. Brinkley | Soil Survey. |
| S. O. Perkins. | Soil Survey |
| D. C. J. | Soil Survey |
| R. C. Jurney | Son Survey. |
| J. L. BURGESS. | Agronomist and Botanist |
| Miss S. D. Allen | Assistant to Botanist. |
| C. H. Waldron | Assistant Agronomist and Botanist. |
| DAN T. GRAY | Chief in Animal Industry. |
| W. H. EATON | Dairy Experimenter. |
| tAlvin J. Reed. | Dairy Farming |
| JALVIN J. REED | A solution to Doing Francisco |
| STANLEY COMBS. | |
| ‡E. H. Mathewson. | Tobacco Investigations |
| tC R Hubson | Farm Demonstration Work. |
| tt e Browne | Assistant in Charge of Boys' Clubs. |
| ta K Robertson | Assistant in Boys' Clubs. |
| Mrs. Jane S. McKimmon | Assistant in Charge of Girls' Clubs |
| MISS MARGARET SCOTT | Assistant in Girle' Clube |
| IMISS MARGARET SCOTT | |

F. N. McDowell, Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferies, Assistant Director Pender Test Farm, Willard, N. C.

F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture.

[†]Assigned by the Bureau of Animal Industry, United States Department of Agriculture. In cooperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL.

HON. W. A. GRAHAM,

Commissioner of Agriculture.

Sir:—I submit herewith analyses of fertilizers made in the laboratory of samples collected during the spring. These analyses show fertilizers to be about as heretofore, and to be, generally, what was claimed for them. I recommend that it be issued as the June Bulletin.

Very respectfully,

B. W. KILGORE,

Approved for printing:

State Chemist.

W. A. GRAHAM,

Commissioner.

I. ANALYSES OF FERTILIZERS—SPRING SEASON, 1914.

By B. W. KILGORE, W. G. HAYWOOD, J. Q. JACKSON, E. S. DEWAR, AND J. R. MULLEN.

The analyses presented in this Bulletin are of samples collected by the fertilizer inspectors of the Department, under the direction of the Commissioner of Agriculture, during the spring months of 1914. They should receive the careful study of every farmer in the State who uses fertilizers, as by comparing the analyses in the Bulletin with the claims made for the fertilizers actually used, the farmer can know by or before the time fertilizers are put in the ground whether or not they contain the fertilizing constituents in the amounts they were claimed to be present.

TERMS USED IN ANALYSES.

Water-soluble Phosphoric Acid.—Phosphate rock, as dug from the mines, mainly in South Carolina, Florida, and Tennessee, is the chief source of phosphoric acid in fertilizers.

In its raw, or natural state, the phosphate has three parts of lime united to the phosphoric acid (called by chemists tri-calcium phosphate). This is very insoluble in water and is not in condition to be taken up readily by plants. In order to render it soluble in water and fit for plant food, the rock is finely ground and treated with sulphuric acid, which acts upon it in such a way as to take from the three-lime phosphate two parts of its lime, thus leaving only one part of lime united to the phosphoric acid. This one-lime phosphate is what is known as water-soluble phosphoric acid.

Reverted Phosphoric Acid.—On long standing some of this water-soluble phosphoric acid has a tendency to take lime from other substances in contact with it, and to become somewhat less soluble. This latter is known as reverted or gone-back phosphoric acid. This is thought to contain two parts of lime in combination with the phosphoric acid, and is thus an intermediate product between water-soluble and the original rock.

Water-soluble phosphoric acid is considered somewhat more valuable than reverted, because it becomes better distributed in the soil as a consequence of its solubility in water.

Available Phosphoric Acid is made up of the water-soluble and reverted; it is the sum of these two.

*Water-soluble Ammonia.—The main materials furnishing ammonia in fertilizers are nitrate of soda, sulphate of ammonia, cotton-seed meal, dried blood, tankage, and fish scrap. The first two of these (nitrate of soda and sulphate of ammonia) are easily soluble in water and become

well distributed in the soil where plant roots can get at them. They are, especially the nitrate of soda, ready to be taken up by plants, and are therefore quick-acting forms of ammonia. It is mainly the ammonia from nitrate of soda and sulphate of ammonia that will be designated under the heading of water-soluble ammonia.

Organic Ammonia.—The ammonia in cotton-seed meal, dried blood, tankage, fish scrap, and so on, is included under this heading. These materials are insoluble in water, and before they can feed plants they must decay and have their ammonia changed, by the aid of the bacteria of the soil, to nitrates, similar to nitrate of soda.

They are valuable then as plant food in proportion to their content of ammonia, and the rapidity with which they decay in the soil, or rather the rate of decay, will determine the quickness of their action as fertilizers. With short season, quick-growing crops, quickness of action is an important consideration, but with crops occupying the land during the greater portion or all of the growing season, it is better to have a fertilizer that will become available more slowly, so as to feed the plant till maturity. Cotton-seed meal and dried blood decompose fairly rapidly, but will last the greater portion, if not all, of the growing season in this State. While cotton seed and tankage will last longer than meal and blood, none of these act so quickly, or give out so soon, as nitrate of soda and sulphate of ammonia.

Total Ammonia is made up of the water-soluble and organic; it is the sum of these two.

The farmer should suit, as far as possible, the kind of ammonia to his different crops, and a study of the forms of ammonia as given in the tables of analyses will help him to do this.

VALUATIONS.

To have a basis for comparing the values of different fertilizer materials and fertilizers, it is necessary to assign prices to the three valuable constituents of fertilizers—ammonia, phosphoric acid, and potash. These figures, expressing relative value per ton, are not intended to represent erop-producing power, or agricultural value, but are estimates of the commercial value of ammonia, phosphoric acid, and potash in the materials supplying them. These values are only approximate (as the costs of fertilizing materials are liable to change, as other commercial products are), but they are believed to fairly represent the cost of making and putting fertilizers on the market. They are based on a careful examination of trade conditions, wholesale and retail, and upon quotations of manufacturers.

Relative value per ton, or the figures showing this, represents the prices on board the cars at the factory, in retail lots of five tons or less, for eash.

To make a complete fertilizer the factories have to mix together in proper proportions materials containing ammonia, phosphoric acid, and potash. This costs something. For this reason it is thought well to have two sets of valuations—one for the raw or unmixed materials, such as acid phosphate, kainit, cotton-seed meal, etc., and one for mixed fertilizers.

The values used last season were:

VALUATIONS FOR 1913.

In Unmixed or Raw Materials.

| For phosphoric acid in acid phosphate | 4 | cents | per | pound. |
|--|-----------------|-------|----------------------|--------|
| For phosphoric acid in bone meal and Peruvian Guano. | $3\frac{1}{2}$ | cents | per | pound. |
| For phosphoric acid in basic slag | 4 | cents | per | pound. |
| For nitrogen | $19\frac{1}{2}$ | cents | per | pound. |
| For potash | 4 | cents | per | pound. |

In Mixed Fertilizers.

| For | phosphoric acid | $4\frac{1}{2}$ | cents per pound. |
|-----|-----------------|----------------|------------------|
| For | nitrogen | 21 | cents per pound. |
| For | potash | 5 | cents per pound. |

VALUATIONS FOR 1914.

In Unmixed or Raw Materials.

| For phosphoric acid in acid phosphate | 4 | cents per | pound. |
|---|-----------------|-----------|--------|
| For phosphoric acid in bone meal and Peruvian Guano | | | |
| and basic slag | 4 | cents per | pound. |
| For nitrogen | $19\frac{1}{2}$ | cents per | pound. |
| For potash | 4 | cents per | pound. |

In Mixed Fertilizers.

| For | phosphoric acid | $4\frac{1}{2}$ | cents per pound. |
|-----|-----------------|----------------|------------------|
| For | nitrogen | 21 | cents per pound. |
| For | potash | 5 | cents per pound. |

HOW RELATIVE VALUE IS CALCULATED.

In the calculation of relative value it is only necessary to remember that so many per cent means the same number of pounds per hundred, and that there are twenty hundred pounds in one ton (2,000 pounds).

With an 8-2-1.65 goods, which means that the fertilizer contains available phosphoric acid 8 per cent, potash 2 per cent, and nitrogen 1.65 per cent, the calculation is made as follows:

| Percentage or Lbs. in 100 Lbs. | Value Per 100 Lbs. | Value Per Ton, 2,000 Lbs. |
|--|-----------------------|------------------------------|
| 8 pounds available phosphoric acid at 4½ cents | $0.36 \times 20 =$ | |
| 2 pounds potash at 5 cents | $0.10 \times 20 =$ | 2.00 |
| 1.65 pounds nitrogen at 21 cents | | |
| | | |
| Total value | $0.817 \times 20 =$ | \$16.14 |

Freight and merchant's commission must be added to these prices.

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | Perce | ntage Ce | ompositi | Percentage Composition or Parts per 100 | ts per 10 | 0. | |
|-----------------------|---|--|--------------------------------------|----------------------------------|-------------------------------------|----------------------|---|---------------------------|------------------|--|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | oldaliavA Phosphoric Acid. | Vater- soluble Vitrogen. - | Organic Aitrogen. | Total Vittogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | SRS. | | | | | | | |
| | Brands claiming | | | 8.00 | - | | .82 | 1.00 | 4.00 | \$ 14.64 |
| 3586 | Georgia Chemical Works, Augusta, Ga. | Georgia Special Wheat and Corn | Greensboro | 9.30 | 3 | . 30 | 1.13 | 1.37 | 3.40 | 16.52 |
| 3565 | Piedmont-Mount Airy Guano Co., Baltimore, Md. Brands claimina | Grower. Piedmont Farmers' Favorite | Monroe | .5. 8 .00 8 | \$. | 0.7. | 1.19 | 1.45 | 3.92 | 18.85 |
| 3469 | Aeme Mfg. Co., Wilmington, N. C. | Acme Fertilizer | Roseboro | 7.74 | 1.15 | 1.28 | 8 ÷ | 2.95 | 3.04 | 30.3 |
| 3492 | | Marvel Great Crop Grower | Mount Olive | 8.21 | 8. | 1.20 | 95.3 | 2.78 | 3.54 | 20.55 |
| 5943 | Union Guano Co., Winston, N. C | Union Water Fowl Guano | Hope Mills | 9.74 | 76. | 31 | 91.5 | 99.5 | 3.78 | 21.74 |
| 3494 | VaCar. Chemical Co., Richmond, Va. | VC. C. Co.'s Blue Star C. S. M | Mount Olive | 8.13 | 1.13 | <u>s</u> | | 25.52 | 2.72 | 19.87 |
| | Brand claiming | | 1 1 2 2 3 4 4 1 | 8.00 | | | 2.06 | 2.50 | 4.00 | 19.85 |
| 5941 | Acme Mfg. Co., Wilmington, N. C | Acme Merito | Hope Mills | 8.23 | 1.01 | 1.21 | 2.25 | 7.7 | 3.86 | 20.72 |
| | Brands claiming | | | 8.00 | | | 1.65 | 2.00 | 2.00 | 16.13 |
| 5942 | American Fertilizing Co., Norfolk, Va. | Bone and Peruvian Guano | Hope Mills | 9.84 | 27. | 1.14 | 5.27 | 3.12 | 12.72 | 22.37 |
| 3517 | Bangh & Sons Co., Norfolk, Va. | Baugh's Animal Base and Potash Com-Wadesboro | Wadesboro | 7.66 | 1.31 | 09. | 1.8.1 | 2.30 | 57.7 | 17.22 |
| 3654 | Columbia Guano Co., Norfolk, Va | pound. Columbia Soluble Guano | Conover | 8.15 | 1.37 | -36 | 1.73 | 91.5 | 1.96 | 16.56 |
| 3563 | Patapseo Guano Co., Baltimore, Md | Sea Gull Ammoniated Guano | Monroe | 7.99 | E. 53 | .36 | 1.69 | 2.02 | 2.26 | 16.55 |
| 3566 | Piedmont-Mount Airy Guano Co., Baltimore, | Piedmont Cultivator Guano. | Monroe | 8.45 | <u>z</u> | 1.10 | 1.91 | 33 | 2.34 | 9671 |
| 3557 | Md. do | Piedmont Fish Guano | Edenton | 8.51 | 7 | 1.30 | 1.73 | 2 | 2.14 | 17.06 |
| | | | | | | | | | | |

| 363 | 3672 Martin Fertilizer Co., Norfolk, Va | Martin Carolina Cotton | Clinton | 7.42 | .91 | 99 | 1 57 | 3 | 90 6 | 16 22 |
|--------------|---|---|---|------|-------|-------|------|--------------|-------|-------|
| 357 | 3575 Meadows, E. H. & J. A., Co., New Bern, N. C | Meadows' Cotton Grower | New Bern | 8.41 | .51 | 1.34 | 8 | 9 05 | 00.2 | 17 00 |
| 3665 | Navassa Guano Co., Wilmington, N. C. | Navassa Cotton Fertilizer | Clinton | 06 6 | 1 9 1 | 30 | - | 0 | 00.7 | 06.11 |
| 5947 | Royster, F. S., Guano Co., Norfolk, Va | Farmers' Bone Fertilizer | Hone Mills | 07.0 | 10. | 8. 9 | 6. 1 | | 1.76 | 16.38 |
| 3680 | Southern Cotton Oil Co.: Shelby: N. C. | Southern Cotton Oil C. P. Cil. | | 3 | | 1.02 | 77.7 | : : | 2.08 | 16.61 |
| 0202 | | Standard Fertilizer. | Grover | 8.37 | .51 | 1.14 | 1.65 | 5.00 | 2.26 | 16.72 |
| 080 | I uscarora Fertilizer | Tuscarora Standard | Lincolnton | 7.64 | 26. | Ŧ. | 1.71 | 2.08 | 2.08 | 16.14 |
| 3532 | | Standard Grade | Spring Hope | 8.06 | 09. | 1.50 | 2.13 | 2.59 | 9.36 | 18 46 |
| 3519 | 9 Union Guano Co., Winston, N. C. | Old Honesty Guano | Wadesboro | 8.52 | .75 | 1.26 | 5.0 | 17 | 1 60 | 12 21 |
| 3547 | - | Allison & Addison's Anchor Brand Fertilizer. | Asheville | 8.83 | 1.33 | .30 | 1.63 | 1.98 | 2.10 | 16.89 |
| 3520 | | Durham Fertilizer Co.'s Genuine Bone Wadesboro and Peruvian Guano. | Wadesboro | 8.39 | 1.15 | .50 | 1.65 | 3.00 | 1.50 | 15.98 |
| 5043 | | Old Dominion Guano Co.'s Soluble Guano. | Statesville | 8.65 | 1.19 | .38 | 1.57 | 1.91 | 2.2 | 16.62 |
| 5926 | op | Travers & Co.'s Beef, Blood, and Bone Elizabeth City. Fertilizer. | Elizabeth City | 6.74 | 1.19 | .58 | 1.77 | 2.15 | 2.04 | 15.34 |
| 6060 | Read claiming | VC. C. Co.'s Farmers' Friend Fer- tilizer. | Spring Hope | 8.99 | .59 | 1.32 | 1.91 | 2.32 | 3.30 | 19.41 |
| | | | 1 | 8.00 | | | 1.65 | 2.00 | 5.00 | 19.13 |
| 262 | 5920 Baugh & Sons Co., Norfolk, Va. | Baugh's Complete Animal Base Fer- tilizer. | Oak City | 7.74 | 1.01 | .60 | 19.1 | 1.96 | 5.36 | 19.09 |
| 9 | | | | 8.00 | | | 2.26 | 2.75 | 2.00 | 18.69 |
| 2027 | 5527 Caracign Phosphate and Fertilizer Works, Reinfeligh, N. C. Reinfeligh, O. C. | Pacific Tobacco and Cotton Grower | Spring Hope | 8.90 | 1.19 | 1.18 | 2.37 | 2.88 2.88 | 2.26 | 20.22 |
| 0.0 | | | | 8.00 | | | 2.47 | 3.00 | 3.00 | 20.57 |
| 3024 | Acme Mlg. Co., Wilmington, N. C. | Acine 8-3-3 Guano | Williamston | 8.62 | 1.03 | 1.34 | 2.37 | 88. 88. | 2.96 | 20.47 |
| 3/00 | op | Best's Fish Scrap Guano | Goldsboro | 8.59 | 1.43 | .94 | 2.37 | 25.88 | 3.20 | 20.88 |
| 3651 | do. | Pee Dee Special Fertilizer | Rowland | 8.85 | 1.29 | 1.08 | 2.37 | 2.88 | 2.96 | 20.88 |
| 5883 | American Fertilizer Co., Norfolk, Va. | American Eagle Guano | Plymouth | 7.43 | 5.69 | .16 | 2.85 | 3,46 | 3,94 | 22.60 |
| 3095 | op | | Rowland | 6.62 | .75 | £4. | 1.29 | 1.57 | 2.82 | 16.90 |
| 5918 | Armour Fertilizer Works, Wilmington, N. C | | Vander | 7.95 | 1.46 | 02. | 2.16 | 2.63 | 2.90 | 19.13 |
| 4004 Fuct | Asheville Packing Co., Asheville, N. C. | Asheville Packing Co.'s Complete Fer- | Asheville | 98.9 | 97. | 5.00 | 2.75 | 3.34 | 3.26 | 20.98 |
| #0ae | ozot – Ablantie Chemical Co., Noriolk, Va | Atlantic High Grade Tobacco Guano Robersonville. | Robersonville | 8.05 | 1.45 | . 1.5 | 2.57 | 3.13 | 3, 10 | 21.14 |

ANALYSES OF COMMERCIAL FERTHJIZERS-SPRING SEASON, 1914.

| | Relative Value per Ton at Factory. | | \$ 20.57 | 21.35 | 21.34 | 20.41 | 21.33 | 20.51 | 21.16 | 23.90 | 21.67 | 22.88 | 20.63 | 23.42 | 20.97 | 20.74 | 20.62 | 20.77 | 22.53 |
|---|--|--------------------|-----------------|----------------------------------|---------------------------------|---------------------------------|-------------------------------------|---------|---|---------------------------------------|----------------------------------|---------------------------------------|---------------------------|--|--|------------------------------------|--------------------------|--|-------------------------------------|
| .00 | Total Potash. | | 3.00 | 3,38 | 3.32 | 2.92 | 3.58 | 3.38 | 3.28 | 2.56 | 3.08 | 3.34 | 2.88 | 3.44 | 3.26 | 3.42 | 3.58 | 3.64 | 3.74 |
| rts per l | Equivalent to Ammonia. | | 3.00 | 3.17 | 3.15 | 2.98 | 2.88 | 2.76 | 3.03 | 4.00 | 3.51 | 3.59 | 3.05 | 3.34 | 3.00 | 2.93 | 2.95 | 2.95 | 3.15 |
| Percentage Composition or Parts per 100 | Total Zitrogen. | | 2.47 | 2.61 | 2.59 | 2.45 | 2.37 | 2.27 | 5.49 | 3.29 | 2.89 | 2.95 | 2.51 | 2.75 | 2.47 | 2.41 | 2.43 | 2.43 | 2.59 |
| ompositi | Organic Zitrogen. | | | 1.89 | .62 | 89. | 1.20 | 96. | .36 | 2.54 | 1.72 | .58 | .56 | 1.96 | .93 | .34 | .44 | 1.20 | 1.84 |
| entage C | Water- soluble Zitrogen. | | | 23 | 1.97 | 1.77 | 1.17 | 1.31 | 2.13 | 15. | 1.17 | 2.37 | 1.95 | 62. | 1.54 | 2.07 | 1.99 | 1.23 | .75 |
| Perc | Available Phosphoric Jeisk | | 8.00 | 7.79 | 7.94 | 8.00 | 8.66 | 8.14 | 8.25 | 8.36 | 7.17 | 7.95 | 8.01 | 9.37 | 8.14 | 8.00 | 7.59 | 7.69 | 8.79 |
| | Where Sampled. | ERS. | | Kinston | Wadesboro | Spring Hope | Dunn | Kinston | Nashville | Everetts | Spring Hope | Ahoskie | Wilkesboro | Robersonville | Whiteville | Dunn | Dunn | Lane | Whiteville |
| | Name of Brand. | Mixed Pertilizers. | | Baugh's High Grade Tobacco Guano | Baugh's Grand Rapids High Grade | Hyeo Tobacco Guano | Pick Leaf. | op | Farmers' Union Tobacco Guano | Golden Gem Guano | Golden Grade Guano | Hubbard's Yellow Wrapper Guano | X. L. O. Cotton Guano | Josey's Tip Top Guano | Special 8-3-3 Cotton and Corn Guano Whiteville | Martin's Bull Head Fertilizer | Martin's Tobacco Special | Oceola | . Clarendon Tobacco Guano |
| | Name and Address of Manufacturer. | | Brands claiming | Baugh & Sons Co., Norfolk, Va | do | Columbia Guano Co., Norfolk, Va | Contentnea Guano Co., Wilson, N. C. | op | Coöperative Warehouse Co., Salisbury, N. C Farmers' Union Tobacco Guano | Farmers Cotton Oil Co., Wilson, N. C. | Farmers Guano Co., Raleigh, N. C | Hubbard Fertilizer Co., Baltimore, Md | Imperial Co., Norfolk, Va | Josey, N. B., Guano Co., Tarboro, N. C | MacMurphy Co., Charleston, S. C | Martin Fertilizer Co., Norfolk, Va | op | McNair Phosphate Co., Laurinburg, N. C | Navassa Guano Co., Wilmington, N. C |
| | Laboratory | | ш | 3505 | 3516 | 3530 | 2895 | 3701 | 3725 | 3622 | 3528 | 3709 | 3515 | 2962 | 3715 | 5891 | 5890 | 5877 | 3468 |

| 5922 | 2do | Navassa Standard Meal Guano | Halifax | 10.19 | 1.12 | 1.20 | 2.32 | 5.85 | 3.68 | 22.59 |
|------|---|--|--------------|-------|------|------|------|------|------|-------|
| 3464 | 3464 N. C. Cotton Oil Co., Wilmington, N. C. | Carter's Lifter | Maxton | 8.43 | 1.13 | 1.26 | 2.39 | 2.91 | 3.84 | 21.46 |
| 3465 | op 9 | Wilmington Farmer Boy | Maxton | 8.47 | 1.09 | 1.28 | 2.37 | 2.88 | 4.26 | 21.83 |
| 3466 | do | Wilmington High Grade | Whiteville | 8.30 | 1.07 | 1.36 | 2.43 | 2.95 | 3.30 | 20.98 |
| 3620 | New Bern Cotton Oil and Fertilizer Co., New Bern, N. C. | Foy's High Grade Fertilizer | Everetts | 79.7 | 1.37 | 1.60 | 2.97 | 3.61 | 3.34 | 22.72 |
| 6909 | | | New Bern | 8.46 | .42 | 1.62 | 2.04 | 2.48 | 4.38 | 20.57 |
| 3667 | do | Harvey's Special Meal and Fish Guano. Grifton | o. Grifton | 8.54 | .45 | 1.94 | 2.39 | 2.91 | 4.00 | 21.72 |
| 3518 | | Piedmont-Mount Airy High Grade Ammoniated Rone and Potesh | Morven | 8.39 | 1.51 | 1.18 | 2.69 | 3.27 | 2.92 | 21.77 |
| 3729 | Planters Cotton-seed Oil Co., Rocky Mount, N. C. | Planters Cotton-seed Oil Co.'s Tobacco Nashville Guano. | o Nashville | 8.92 | 1.65 | .83 | 2.47 | 3.00 | 3.26 | 21.45 |
| 5882 | | Harvey's High Grade Monarch | Creswell | 7.80 | 2.17 | .44 | 2.61 | 3.17 | 3.08 | 21.06 |
| 3578 | | qo | New Bern | 7.56 | 2.07 | .50 | 2.57 | 3.12 | 3.34 | 20.93 |
| 3728 | · op | Monarch Tobacco Grower | Battleboro | 8.21 | 1.41 | 96. | 2.37 | 2.88 | 3.08 | 20.42 |
| 3705 | | . P. C. Co.'s Hustler | Kinston | 8.70 | 1.81 | .80 | 2.61 | 3.17 | 3.74 | 22.53 |
| 3732 | Rasin-Monumental Co., Baltimore, Md | Rasin's Indian Brand for Tobacco | Nashville | 8.84 | 2.11 | .40 | 2.51 | 3.05 | 3.00 | 21.50 |
| 3600 | Richmond Guano Co., Richmond, Va | Gilt Edge Fertilizer | Dunn | 8.62 | 1.67 | 85 | 2.49 | 3.03 | 3.40 | 21.62 |
| 5946 | | Marlboro High Grade Cotton Grower | Hope Mills | 7.99 | 1.31 | 1.20 | 2.51 | 3.05 | 3.12 | 20.85 |
| 3603 | Scotland Neck Guano Co., Scotland Neck, N. C. | State Farm C. S. Meal and Fish Scrap Guano. | Dunn | 7.97 | 62. | 1.32 | 2.11 | 2.57 | 3.34 | 19.37 |
| 5934 | | op | . Hookerton | 8.79 | .81 | 1.56 | 2.37 | 2.88 | 3.90 | 21.76 |
| 5948 | 02 | Morning Glory | Fayetteville | 8.25 | 89. | 1.16 | 1.84 | 2.24 | 6.18 | 21.33 |
| 5949 | do | Special Cotton Grower | Fayetteville | 8.32 | .62 | 1.16 | 1.78 | 2.16 | 3.94 | 18.90 |
| 3694 | Southern Exchange Co., Maxton, N. C. | . Correct Cotton Compound | Parkton | 10.47 | 1.59 | 89. | 2.27 | 2.76 | 3.24 | 22.20 |
| 3601 | 02 | Swift's Carolina High Grade Tobacco Grower. | Smithfield | 6.62 | 2.15 | 1.26 | 3.41 | 4.14 | 3.76 | 24.04 |
| 3478 | | Swift's Cotton-seed Meal Compound | Goldsboro | 7.42 | 1.41 | 1.32 | 2.73 | 3.32 | 8.32 | 21.46 |
| 3658 | | Tuscarora Blood and Bone | Newton | 7.28 | 1.11 | 1.12 | 2.23 | 2.71 | 3.08 | 19.00 |
| 3531 | | Cotton and Tobacco Guano | Spring Hope | 8.34 | 1.87 | .58 | 2.45 | 2.98 | 3.38 | 21.18 |
| 3673 | Union Guano Co., Winston, N. C. | Victoria High Grade Tobacco Grower Clinton. | Clinton | 8.84 | 2.15 | .34 | 2.49 | 3.03 | 3.18 | 21.59 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | Perce | entage C | ompositi | Percentage Composition or Parts per 100. | rts per 10 | | |
|-----------------------|--|---|---|---------------------------------|--------------------------------|----------------------|--|---------------------------|------------------|--|
| Lарогатогу Хитрет. | Name and Address of Manufacturer | Name of Brand | Where Sampled. | Available Phosphoric bioA | Water- soluble Zitrogen. | Organic Zitrogen. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | Mined Fertilzers | aks. | | | | | | | |
| | Brands claiming | | | 8.00 | | | 2.47 | 3.00 | 3.00 | \$ 20.57 |
| 5902 | 5902 United States Fertilizer Co., Baltimore, Md | Farm Bell Tobacco Special. | Greensboro | 8,63 | 1.17 | 36. | 2.15 | 2.61 | 3.74 | 20.54 |
| 3604 | Wilson Chemical Co., Wilson, N. C | Plant Bed Tobacco Grower | Dunn | 8.29 | 1.51 | 1.18 | 3.69 | 4.49 | 3.14 | 21.90 |
| 3582 | VaCar. Chemical Co., Richmond, Va. | Davie & Whittle's Owl Brand Chano | Kinston | × 45 | 17 | .36 | 2.53 | 3.68 | 33.33 | 21.58 |
| 3538 | db | Norfolk and Carolina Chemical Co.'s | Spring Hope | 8.19 | 5.5 5.5 | €. | 2.71 | 86 67 87 | 3,56 | 25.33 |
| 3605 | ф. | Bright Leal Tobacco Guano. Powers, Gibbs & Co.'s Old Kentucky | Selma | 8.60 | 5.13 | .36 | 2.40 | 3.03 | 2.84 | 21.0 |
| 3510 | op | H. G. Tobacco Manure. Special H. G. Tobacco Fertilizer | Kinston | 8. 13 21 | 1.45 | 1.06 | 2.3 | 3.05 | 3.86 | 21.71 |
| 2965 | do | VC. C. Co.'s Diamond C. S. M. | Robersonville | s. <u>E</u> | | 8. | 2.7 | 87.28 | 2.96 | 21.64 |
| 3636 | ф :- | VC. C. Co.'s Lion's H. G. Tobucco | Wallace | 8.69 | 2.07 | .36 | 2.43 | 2.92 | 35 | 20.69 |
| 3707 | op | Fertilizer. VC. C. Co.'s Valentine's Special | Kinston | 8.80 | 1.93 | ₹: | 2.27 | 2.76 | 7. <u></u> | 21.61 |
| | Brand claiming | | | 8.00 | | | 2.47 | 3.00 | 4.00 | 21.57 |
| 3467 | 3467 McNair Phosphate Co., Laurinburg, N. C. | Supply Company Special | Maxton | 8.49 | 21 | 1.30 | 15.51 | 3.05 | 3.82 | 25.00 |
| | Brands claiming | | 1 | 8.00 | | | 2.47 | 3.00 | 5.00 | 22.57 |
| 2909 | 6062 Josey, N. B., Guano Co., Tarboro, N. C. | Josey's Special Tobacco Guano. | Benson | 3.6 | 27 | 1.78 | 2.32 | 2. X. | 5.22 | 22.71 |
| 5966 | do | .do | Robersonville | 9.87 | 2 | 1.62 | 2.44 | 2.97 | 4.94 | 21.07 |
| 70 | 70 Martin Fertilizer Co., Norfolk, Va. | . Martin's Cotton and Tobacco Guano. | Benson | 8.36 | | | 2.21 | 5.69 | 4.72 | 21.44 |
| 3629 | 3629 Navassa Cuano Co., Wilmington, N. C. | Navassa Blood and Meal Mixture | Wallace | 8, 15 | 1.51 | 1.30 | 23.83 | 3,42 | 5.44 | 24.58 |

| | Brands claiming | | | 8.00 | | 1 | 2.47 | 3.00 | 7.50 | 25.07 | |
|------|---|---|---------------|------|------|-----------|------|------|-------|-------|------|
| 5905 | 5905 N. C ₃ Cotton Oil Co., Wilmington, N. C | Best Tobacco Grower | Hobgood | 7.40 | 1.16 | 1.30 | 2.36 | 2.87 | 8.86 | 25.43 | |
| 3630 | op- | op | Wallace | 8.03 | 1.60 | 5. | 2.35 | 2.86 | 6.90 | 23.99 | |
| - | Brand claiming | | | 8.00 | | 1 | 2.47 | 3.00 | 10.00 | 27.57 | |
| 3713 | 3713 Baugh & Sons Co., Norfolk, Va | Baugh's Fruit and Berry Guano | Chadbourn | 8.04 | 2.25 | .48 | 2.73 | 3.32 | 10.82 | 29.52 | |
| - | Brand claiming | | | 8.00 | | | 3.29 | 4.00 | 3.00 | 24.02 | |
| 3513 | 3513 VaCar. Chemical Co., Richmond, Va | Travers & Co.'s Capital Tobacco Fer- tilizer. | Greenville | 7.56 | 2.93 | 86. | 3.25 | 3.95 | 3.28 | 23.73 | |
| 3300 | Drangs claiming | Acmo O 16 Earthiage | Mount Olivo | 8.00 | 1 10 | | 3.29 | 9.00 | 90.4 | 25.02 | |
| 0000 | AND ALES CO. THIRTHEOM, M. C. | 1 | mount onverse | | 02.1 | 04.1 | 00.0 | | 1.10 | 01.00 | |
| 5633 | (O) | | Cioldsboro | ##.% | 1.53 | 1.52 | 3.05 | 3.71 | 4.10 | 74.51 | |
| 3556 | American Agricultural Chemical Co., New York N. V. | Lazaretto Carolina Cotton Food | Edenton | 8.17 | 99. | 2.73 | 3.39 | 4.12 | 4.81 | 26.43 | 1. |
| 5884 | American Fertilizer Co., Norfolk, Va | N. C. and S. C. Cotton Grower | Plymouth | 7.70 | 2.55 | .74 | 3.29 | 4.00 | 3.58 | 24.33 | nr |
| 5962 | 5962 Atlantic Chemical Co., Norfolk, Va | Oriental H. G. Guano | Robersonville | 8.27 | 1.97 | 1.16 | 3,13 | 1.17 | 4.10 | 25.95 | , 10 |
| 3625 | 3625 Baugh & Sons Co., Norfolk, Va | Bangh's Fish, Bone, and Potash | Robersonville | 8.37 | 2.59 | .76 | 3.35 | 4.07 | 4.62 | 26.22 | UL |
| 5919 | | op | Oak City | 8.24 | 2.65 | .50 | 3.18 | 3.87 | 1.10 | 21.87 | LEI |
| 3623 | 3623 Josey, N. B., Guano Co., Tarboro, N. C | Josey's C. S. Meal and Fish Serap | Robersonville | 7.90 | 17. | 2.10 | 2.81 | 3.12 | 4.26 | 23.17 | LIN |
| 3671 | Martin Fertilizer Co., Norfolk, Va | Martin's Red Star Brand Fertilizer | Clinton | 9.71 | 2.31 | ¥.7. | 3.05 | 3.71 | 4.78 | 26.33 | |
| 3594 | ор- | Martin's Tobacco Special | Dunn | 8.80 | 1.08 | 2.37 | 3.45 | 4.19 | 4.38 | 26.79 | |
| 3576 | Meadows, E. H. & J. | A., Co., New Bern, N. C. Meadows' Ideal Tobacco Guano | New Bern | 8.17 | 1.55 | <u>.s</u> | 3.39 | 4.13 | 4.40 | 25,99 | |
| 3462 | Navassa Guano Co., Wilmington, N. C. | Coree Tobacco Guano | Wilmington | 8.79 | 2.53 | .21 | 2.77 | 3.37 | 4.48 | 24.02 | |
| 5921 | op | Navassa Special Meal Fertilizer | Halifax | 9.33 | 2.20 | .94 | 3.14 | 3.82 | 3.52 | 25.10 | |
| 5879 | New Bern Cotton Oil and Fertilizer Mills, New Oriole Tobacco Grower | | Resaca | 9.10 | 1.33 | 1.92 | 3.25 | 3.95 | 5.18 | 27.02 | |
| 3666 | dodo | op | Grifton | 8.77 | 1.01 | 1.82 | 2.83 | 3.44 | 4.34 | 24.12 | |
| 3463 | N. C. Cotton Oil Co., Wilmington, N. C. | Wilmington Truck Grower | Maxton | 8.83 | 1.09 | 2.18 | 3.27 | 3.98 | 4.80 | 26.48 | |
| 5958 | 5958 Pocomoke Guano Co., Norfolk, Va | . Faultless Animoniated Superphosphate. Lewiston | Lewiston | 29.7 | 2.71 | 99. | 3.37 | 4.10 | 4.36 | 25.40 | |
| 3507 | 3507 Powhatan Chemical Co., Richmond, Va | North State Special. | Kinston | 8.34 | 2.29 | 86. | 3.27 | 3.98 | 4.43 | 25.66 | TO |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | • | | | | | | | | | |
|----------------------|---|--|---|----------------------------------|--------------------------------|---|--------------------|---------------------------|------------------|--|
| | | | | Perc | entage C | Percentage Composition or Parts per 100 | on or Par | ts per 10 | 0. | |
| Laboratory $Number.$ | Name and Address of Manufacturer | Name of Brand | Where Sampled. | Available Phosphoric Acid. | Water- soluble Zitrogen, | отвапіс Иісточева. | Тоға) Хіtгоgеп. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | жs. | | | | | | | |
| | Brands claiming | | | 8.00 | | | 3.29 | 4.00 | 4.00 | \$ 25.02 |
| 3508 | Royster, F. S., Guano Co., Norfolk, Va | Royster's H. G. Special Tobacco Guano Greenville | Greenville | 7.81 | 2.45 | .75 | 3.23 | 3.93 | 4.18 | 24.77 |
| 3602 | Swift Fertilizer Works, Wilmington, N. C | fajestic for Tobacco, High | Smithfield | 7.93 | 1.27 | 2.14 | 3.41 | 4.14 | 4.4 | 25.90 |
| 3479 | op | Grade. Swift's Monarch High Grade | Goldsboro | 8.09 | 1.66 | 1.95 | 3.61 | 4.39 | 3.58 | 26.02 |
| 3533 | Union Abattoir Co., Norfolk, Va | Cotton Guano | Spring Hope | 89.8 | 2.67 | .83 | 3.49 | 42.4 | 4.73 | 27.19 |
| 3512 | VaCar. Chemical Co., Richmond, Va | Old Dominion Special Mixture | Greenville | 7.64 | 1.77 | 1.52 | 3.29 | 4.00 | 4.04 | 24.73 |
| 3536 | op | VC. C. Co 's Fish and Meal Mixture Spring Hope | Spring Hope | 7.88 | 3.03 | . S. | 3.85 | 4.68 | 3.84 | 27.10 |
| | Brands claiming | | 1 | 8.00 | | | 4.11 | 5.00 | 7.00 | 31.46 |
| 3471 | Armour Pertilizer Works, Wilmington, N. C | Armour's Blood, Bone, and Potash Wilmington. | Wilmingtou | 7.70 | 2.41 | 1.68 | 4.09 | 4.97 | 5.92 | 30.03 |
| 3606 | Eastern Cotton Oil Co., Hertford, N. C | Tankage and Fish Substitute Peruvian Elizabeth City | Elizabeth City. | 6.47 | 2.23 | 1.44 | 3.67 | 4.46 | 7.56 | 28.80 |
| 3618 | VaCar. Chemical Co., Richmond, Va | Guano for Truck. V.C. C. Co.'s Invincible H. G. Fer- | Elizabeth City | 5.90 | 3.67 | .58 | 4.25 | 5.17 | 7.16 | 30.32 |
| | Brand claiming | thizer. | 1 | 8.00 | | | 92.5 | 7.00 | 9.00 | 36.39 |
| 5889 | McNair Phosphate Co., Laurinburg, N. C | Rob Roy | Lane | 8.05 | 4.93 | ₹. | 5.27 | 6.41 | 4.94 | 34.29 |
| | Brands claiming | | 1 | 9.00 | | | .82 | 1.00 | 3.00 | 14.54 |
| 3541 | Patapsco Guano Co., Baltimore, Md | Coon Brand Guano | Kings Mountain | 9.00 | | 1 | 68. | 1.08 | 3.20 | 15.04 |
| 3655 | Royster, F. S., Guano Co., Norfolk, Va. | Royster's Grain Guano | Hickory | 9.07 | .59 | .15 | 11. | 35. | 3.24 | 14.64 |

| | brand claiming | | | 9.00 | 1 | | 1.65 | 2.00 | 3.00 | 18.03 |
|------|--|--|----------------|-------|-----------------------|------|------|------|------|-------|
| 369 | 3693 Southern Cotton Oil Co., Charlotte, N. C | Razem Fertilizer | Red Springs | 7.64 | .73 | 1.24 | 1.97 | 2.40 | 3.24 | 18.39 |
| | Brand claiming | | | 9.00 | - | | 1.85 | 2.25 | 4.00 | 19.87 |
| 372 | 3726 Cooperative Warehouse Co., Salisbury, N. C. | Farmers' Union Tobacco Guano | Nashville | 88.6 | 1.25 | .60 | 1.85 | 2.25 | 4.50 | 21.16 |
| | Brands claiming | | | 9.00 |)))) 1 | | 2.26 | 2.75 | 2.00 | 19.59 |
| 347. | 3475 Acme Mfg. Co., Wilmington, N. C. | Acme Cotton Grower | Goldsboro | 9.92 | 1.03 | 1.36 | 2.39 | 2.91 | 2.04 | 21.03 |
| 3702 | Caraleigh Phosphate and Fertilizer Works, Raleigh, N. C. | Pacific Tobacco and Cotton Grower | LaGrange | 9.08 | .95 | 1.34 | 2.29 | 2.78 | 2.38 | 20.17 |
| 5923 | | Columbia C. S. M. Special | Godwin | 8.85 | 88. | 1.16 | 2.04 | 2.4X | 2.36 | 18.89 |
| 3703 | 3 Navassa Guano Co., Wilmington, N. C. | . Big Boll Special | LaGrange | 9.55 | 25.1 | 1.07 | 2.29 | 2.78 | 2.35 | 20.53 |
| 362 | 3627 VaCar. Chemical Co., Richmond, Va | . VaCar. Chemical Co.'s Prolific Cotton Williamston Grower. | on Williamston | 8.09 | .93 | 1.24 | 2.17 | 2.64 | 2.36 | 18.75 |
| | Diality of all limity | | | 00.01 | | | .82 | 1.00 | 3.00 | 15.44 |
| 365 | 3657 Swift Fertilizer Works, Wilmington, N. C Rrands daiming | . Swift's Planters' Special Standard Grade Guano. | Conover | 7.75 | 1.39 | .92 | 2.31 | 2.81 | 2.28 | 18.96 |
| | Dialido Galiffilig | | | , uu. | | | 2.88 | 3.50 | 7.00 | 25.40 |
| 350 | 3504 Baugh & Sons Co., Norfolk, Va | . Baugh's Southern States Guano for Bright Tobacco | Kinston | 66.9 | 2.41 | 09. | 3.01 | 3.66 | 7.14 | 26.07 |
| 593 | 5936do | do | Kinston | 7.13 | 2.29 | .56 | 2.85 | 3.46 | 86.9 | 25.37 |
| | Brand claiming | | | 7.00 | | | 3.29 | 4.00 | 4.00 | 24.12 |
| 3500 | 3503 American Fertilizer Co., Norfolk, Va | American Fish Scrap Guano | Greenville | 69.9 | 3.11 | .36 | 3.47 | 4.22 | 4.52 | 25.11 |
| | Brands claiming | | | 7.00 | | | 3.29 | 4.00 | 8.00 | 28.12 |
| 361: | 3613. Baugh & Sons Co., Norfolk, Va | . Glover's Special Potato Guano | Elizabeth City | 6.62 | 2.83 | .52 | 3.35 | 4.07 | 8.24 | 28.37 |
| 360 | 3609 Martin Fertilizer Co., Norfolk, Va | Abbott's Special Potato Guano | Elizabeth City | 6.39 | 1.99 | 06. | 2.89 | 3.51 | 8.34 | 26.14 |
| 361 | 3619 VaCar. Chemical Co., Richmond, Va | . VC. C. Co.'s Pasquotank Trucker | Elizabeth City | 6.77 | 2.83 | 33 | 3.15 | 3.83 | 8:20 | 27.52 |
| | Brands claiming | | | 7.00 | | 1 | 4.11 | 5.00 | 5.00 | 28.56 |
| 588 | 5881 Pocomoke Guano Co., Norfolk, Va. | . Standard Truck Guano | Creswell | 7.08 | 3.23 | 1.00 | 4.23 | 5.14 | 5.50 | 29.64 |
| 361 | 3614 dodo. | | Elizabeth City | 7.17 | 3.11 | 1.00 | 4.11 | 5.00 | 5.08 | 28.79 |
| | Brand claiming | | | 7.00 | 1 | 1 | 4.11 | 5.00 | 7.00 | 30.56 |
| 362 | 3621 New Bern Cotton Oil and Fertilizer Co., New Bern, N. C. | Ives' Irish Potato Guano | Everetts | 7.16 | 2.13 | 1.14 | 3.27 | 3.98 | 8.62 | 28.80 |
| | | | | | | | | | | |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | Perc | entage C | ompositi | Percentage Composition or Parts per 100. | rts per 10 | ÷. | |
|----------------------|--|--|---|----------------------------------|--------------------------------|----------------------|--|---------------------------|------------------|--|
| Laboratory Number | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Zitrogen. | Organic Zitrogen. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| Ī | | MIXED FERTILIZERS | ERS. | | | | | | | |
| | Brand claiming | | | 7.00 | | | 4.11 | 5.00 | 7.00 | \$ 30.56 |
| 3635 | 3635 VaCar. Chemical Co., Richmond, Va. | VC. C. Co.'s Special Truck Guano | Wallace | 8.2 | 3.79 | .30 | 3.99 | <u>s</u> . | 80.9 | 30.25 |
| | Brand claiming | | 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7.00 | 1 | | 5.76 | 7.00 | 7.00 | 37.49 |
| 3574 | 3574 Meadows, E. H. & J. A., Co., New Bern, N. C., Meadows' Great Cabbage Guano. | . Meadows' Great Cabbage Guano | New Bern | 7.04 | 3.99 | 06.1 | 5.89 | 7.16 | 6.98 | 38.05 |
| | Brands claiming | | 1 | 00.9 | | | 2.47 | 3.00 | 7.00 | 22.77 |
| 3633 | 3633 Armour Fertilizer Works, Wilmington, N. C | Armour's Velvet Leaf Fertilizer | Wallace | 5.84 | 1.39 | 1.22 | 2.61 | 3.17 | 6.32 | 22.54 |
| 5968 | 5968 Ober, G., & Sons Co., Baltimore, Md | Ober's Red Scal Special Tobacco Guano Middlesex | o Middlesex | 69.9 | <u>æ</u> . | .54 | 2.38 | 2.89 | 7.64 | 23.66 |
| | Brand claiming | | | 6.00 | 1 | | 3.29 | 4.00 | 8.00 | 29.66 |
| 3489 | 3489 Aeme Mfg. Co., Wilmington, N. C | Aeme Truck Guano | Mount Olive | 7.43 | 1.61 | 1.72 | 3,33 | 4.05 | 6.10 | 26.76 |
| | Brands claiming | | 1 | 9.00 | | | 4.11 | 5.11 | 5.00 | 27.66 |
| 3608 | 3608 Imperial Co., Norfolk, Va | Imperial Williams' Special Potato | Elizabeth City | 6.17 | 3.49 | ×, | 4.07 | 4.95 | 5.40 | 28.05 |
| 3615 | 3615 Royster, F. S., Guano Co., Norfolk, Va. | Guano. Royster's Special 5-6-5 | Elizabeth City | 5.39 | 2.39 | 1.30 | 3.69 | 4.49 | 5.08 | 25.43 |
| 3617 | 3617 Troutman Mfg. Co., Churchland, Va | Troutman's 5 Per Cent Guano | Elizabeth City | 66.9 | 2.75 | 1.76 | 4.51 | 5.48 | 4.94 | 30.17 |
| | Brands claiming | | 1 | 6.00 | | | 4.11 | 5.00 | 7.00 | 29.66 |
| 3611 | 3611 Baugh & Sons Co., Norfolk, Va. | Baugh's Peruvian Substitute for Pota- | Elizabeth City | 6.12 | 3.47 | .70 | 4.17 | 5.07 | 7.60 | 30.62 |
| 3607 | 3607 Imperial Co., Norfolk, Va | toes, etc. Imperial 5-6-7 Potato Guano | Elizabeth City | 6.13 | 3.23 | 88. | 4.11 | 5.00 | 7.76 | 30.54 |
| 3610 | Martin Fertilizer Co., Norfolk, Va | Martin's Animal Bone Potato Guano Elizabeth City | Elizabeth City | 5.57 | 2.59 | .90 | 3.49 | 4.24 | 8.58 | 28.25 |

| 5925 | 5925 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Invincible | Elizabeth City | 6.23 | 3.10 | .50 | 3.90 | 4.74 | 6.20 | 28.19 |
|------|--|---|---|-------|---|---|---|---|------|-------|
| 3546 | op | VC. C. Co.'s Special Truck Guano | Brevard | 6.40 | 4.37 | .30 | 4.67 | 5.68 | 89.8 | 31.05 |
| 590s | | do | Belhaven | 6.32 | 3.71 | .78 | 4.49 | 5.46 | 6.32 | 30.87 |
| | Brands claiming | | | 9.00 | 1 | 1 | 5.76 | 7.00 | 5.00 | 34.59 |
| 3626 | 3626 Baugh & Sons Co., Norfolk, Va. | Baugh's 7 Per Cent Potato Guano | Robersonville | 6.40 | 4.81 | 38. | 5.61 | 6.83 | 5.54 | 34.86 |
| 3612 | 3612 Martin Fertilizer Co., Norfolk, Va | Martin's 7 Per Cent Guano | Elizabeth City | 4.70 | 4.75 | 96: | 5.71 | 6.94 | 5.43 | 33.63 |
| | Brand claiming | | | 2.00 | | 1 | 7.29 | 8.86 | 5.00 | 37.42 |
| 5888 | Co., Laurinburg, N. C | Yodush | Lane | 5.17 | 6.67 | 1.02 | 7.59 | 9.23 | 5.88 | 39.71 |
| | Brands claiming | | | 10.00 | | 1 | | | 2.00 | 11.00 |
| 3682 | 3682 Poconoke Guano Co., Norfolk, Va | 10-2 Potash Mixture | Maiden | 10.36 | | | 1 | | 2.23 | 11.54 |
| 3661 | 3661 Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash Mixture | Hiekory | 9.94 | - 1 | 1 | 1 | | 2.30 | 11.25 |
| | Brands claiming | | | 10.00 | | | 1 | 1 1 1 | 4.00 | 13.00 |
| 3662 | 3662 Columbia Guano Co., Norfolk, Va | Columbia Bone and Potash Mixture | Conover | 9.78 | | 1 | | | 3.92 | 12.72 |
| 3592 | 3592 Georgia Chemical Works, Augusta, Ga | de XX Acid Phosphate with | Greensboro | 10.62 | 1 | 1 | | | 3.14 | 12.70 |
| 3543 | Patapseo Guano Co., Baltimore, Md | Patapsco f0-4 Potash Mixture | Kings Mountain. | 10.14 | | 1 | 1 | 1 | 3.90 | 13.03 |
| 3660 | 3660 Swift Fertilizer Works, Wilmington, N. C | Swift's Farmers' Home II. G. Phos- | Conover | 10.57 | | 1 | 1 | | 2.92 | 12.43 |
| 3659 | 3659 Tuscarora Fertilizer Co., Greensboro, N. C | Phace. Tuscarora Acid and Potash | Newton | 9.60 | | | 1 | 1 | 3.50 | 12.14 |
| 5950 | olb | -do | Lincolnton | 9.82 | | 1 | | 1 1 1 1 | 3.14 | 12.00 |
| 3591 | 3591 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Special Potash Mixture Burlington | Burlington | 10.80 | | | | 1 | 3.28 | 13.00 |
| | Brand claiming | | | 10.00 | | - | 1 | 1 | 5.00 | 14.00 |
| 3550 | 3550 VaCar. Chemical Co., Richmond, Va | Va. State Fertilizer Co.'s Mountain Top Asheville Bone and Potash. | Asheville | 96.6 | | 1 | 1 1 1 | 1 | 4.80 | 13.76 |
| | Brand claiming | | | 12.00 | 1 | 1 1 1 | 1.65 | 2.00 | | 17.73 |
| 3632 | 3632 Home Fertilizer and Chemical Co., Baltimore, Home Dissolved Animal Bone | Home Dissolved Animal Bone | Wallaee | 13.00 | 1 | 1 1 1 1 1 | 1.65 | 5.00 | 1 | 18.63 |
| | Brand claiming | | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 | 1 | 1 | 5.76 | 7.00 | 7.00 | 31.19 |
| 3639 | 3639 Home Fertilizer and Chemical Co., Baltimore, Home Fertilizer. Md. | Home Fertilizer | Wallace | 1 | | 1 | 4.91 | 5.97 | 9.43 | 30.04 |
| | | | | | | | | | | |

ANALYSES OF COMMERCIAL FERTHLIZERS—SPRING SEASON, 1914.

| | Total Potash. Relative Value per Ton at Factory. | | \$ 10.40 | 10.81 | 10.80 | 11.20 | 11.14 | 11.64 | 11.34 | 13.39 | 12.72 | 12.80 | 13.17 | 13.23 | 12.98 | 13.43 | 13.13 | 13.19 |
|--|--|--------------------------------------|-----------------|--|--|-----------------|--|--|---------------------------------|--|---|---|--------------------------------------|---|-------------------------------------|------------------------------------|---------------------------------|---------------------------------|
| Percentage Composition or Parts per 100. | Equivalent to Ammonia. | | | | | | | | | | | | | | | | | |
| tion or Pa | $	ext{Total} 	ext{Votal}$ | | | | - | | | | | | | 1 | | | 1 | | | |
| omposit | Organic Nitrogen. | | 1 | 1 | | | | | | | 1 | | | | 1 | | 1 | 4 |
| entage (| Water- soluble Nitrogen. | | | | | 1 | | 1 | | | 1 | 1 | | | - | | 1 | |
| Lere | Available Phosphoric Acid. | | 13.00 | 13.51 | 13.50 | 14.00 | 13.93 | 14.55 | 14.17 | 16.74 | 15.90 | 16.00 | 16.46 | 16.54 | 16.23 | 62.91 | 16.41 | 16.49 |
| | Where Sumpled. | ZER MATERIALS. | | Mocksville | Mocksville | | Maiden | Red Springs | Maiden | Fayetteville | Red Springs | | Raeford | Dallas | Edenton | . Tabor | Edenton | Conover |
| | Name of Brand. | RAW OR UNMINED FERTILIZER MATERIALS. | | Premium Dissolved Bone | Royster's Dissolved Bone | | Armour Acid Phosphate | Acid Phosphate. | Peerless Acid Phosphate | S. C. O. Co.'s 14 Per Cent Acid Phos- | pliatedo | | 16 Per Cent Acid Phosphate | Zell's 16 Per Cent Acid Phosphate | Arps' High Grade 16 Per Cent | Baugh's 16 Per Cent Acid Phosphate | High Grade Acid Phosphate | Columbia High Grade 16 Per Cent |
| | Name and Address of Manufacturer. | | Brands claiming | 3798 Richmond Guano ('o., Richmond, Va | 3799 Royster, F. S., Guano Co., Norfolk, Va. | Brands claiming | 3684 Armour Fertilizer Works, Greensboro, N. C., | McNair Phosphate Co., Laurinburg, N. C | Pocomoke Guano Co., Norfolk, Va | Southern Cotton Oil Co., Fayetteville, N. C. | 3695 Southern Cotton Oil Co., Goldshoro, N. C | Brands claiming | 3754 Aeme Mfg. Co., Wilmington, N. C | American Agricultural Chemical Co., New | Arps, George L., & Co., Norfolk, Va | Baugh & Sons Co., Philadelphia, Pa | Boney, Paisley, Goldshoro, N. C | Columbia Guano Co., Norfolk, Va |
| | Гарогатогу Митрег. | | æ | 3798 | 3799 | ā | 3684 | 3697 | 3685 | 5951 | 3695 | æ | 3754 | 3788 | 3745 | 3714 | 3562 | 3664 |

| 3687 Contentnea Guano Co., Wilson, N. C. |
|--|
| Crow's High Grade 16 Per Cent Acid |
| 3743 Eastern Cotton Oil Co., Hertford, N. C 16 Per Cent Acid Phosphate. |
| Farmers Cotton Oil Co., Wilson, N. C Acid Phosphate |
| 3744 Foreign Products Co., Baltimore, Md High Grade Acid Phosphate |
| McNair Phosphate Co., Laurinburg, N. C Acid Phosphate |
| Navassa Guano Co., Wilmington, N. CNavassa 16 Per Cent Acid Phosphate. |
| Oil and Fertilizer Mills, New 16 Per Cent Acid Phosphate |
| |
| High Grade Acid Phosphate |
| Patapseo Guano Co., Baltimore, Md Florida Soluble Phosphate |
| Pearsall's 16 Per Cent Acid Phosphate. |
| Airy Guano Co., Baltimore, Piedmont 16 Per Cent Acid Phosphate. Belhaven |
| Superb Acid Phosphate, 16 Per Cent |
| Powhatan Chemical Co., Richmond, Va Magic Dissolved Bone Phosphate |
| Piedmont-Mount Airy Guano Co., Baltimore, Piedmont 16 Per Cent Acid Phosphate |
| Co., Richmond, Va Rex Dissolved Bone |
| Neck, Our 16 Per Cent Acid Phosphate |
| Swift Fertilizer Works, Wilmington, N. C Swift's Special High Grade Acid Phos- |
| Puscarora Fertilizer Co., Greensboro, N. C Tuscarora Acid Phosphate |
| Union 16 Per Cent Acid Phosphate |
| VaCar. Chemical Co., Richmond, VaAtlantic and Virginia Fertilizer Co.'s |
| Durban Pertilizer ('o.'s Best Acid |
| Southern Denical Co.'s Comet 16 Per Lillington |
| Cent Acid Fuosphate. VaCar. Chemical Co.'s 16 Per Cent Cent Acid Phosphate. |

20

ANALYSES OF COMMERCIAL FERTILIZERS SPRING SEASON, 1911.

| Brands claiming Brands claiming Brands claiming Brands claiming Brand claiming Brand claiming Brand claiming Brand claiming Brand claiming Brands claiming Co., Richmond, Va. S904 American Pertifizer Co., Norfolk, Va. S325 Conestee Chemical Co., Wifmington, N. C. | Name of Brand. RAW OR UNMINED FERTHLIZER MATERIALS. VC. C. Co.'s 16 Per Cent Acid Phos-Phate. Diate. 1ee's Prepared Agricultural Lime. Sharpsburg. | Where Sampled. ZER MATERIALS. Wadesboro. | plodsphoric for the state of th | Орчапіс Хістодеп. | Total Xitrogen. | Equivalent of | TeroT Potash. |
|--|---|---|--|----------------------------|---|---------------|------------------|
| Brands claiming VaCar. Chemical Co., Richmond, Va. do. Brand claiming Lee, A. S., & Sons Co., Richmond, Va. Brands claiming American Pertilizer Co., Norfolk, Va. Conestee Chemical Co., Wilmington, N. C. | RAW OR UNMINED FERTILIZ VC. C. Co.'s 16 Per Cent Acid Phospilate. do. Lee's Prepared Agricultural Line. | ZER MATERIALS. Wadesboro. | 16.00 16.52 15.80 | | | | |
| Brands claiming YaCar. Chemical Co., Richmond, Va. do. Brand claiming. Lee, A. S., & Sons Co., Richmond, Va Brands claiming. American Fertilizer Co., Norfolk, Va | VC. C. Co.'s 16 Per Cent Acid Phosphate. do. Lee's Prepared Agricultural Line. | Wadesboro Belhaven | 16.00 | | | | |
| Brand claiming Lee, A. S., & Sons Co., Richmond, Va. Brand claiming Lee, A. S., & Sons Co., Richmond, Va. Brands claiming American Pertilizer Co., Norfolk, Va. Conestee Chemical Co., Wifmington, N. C. | VC. C. Co.'s 16 Per Cent Acid Phosphate. do. Lee's Prepared Agricultural Line. | WadesboroBelhaven | 16.52 | | | | |
| Brand claiming. Brands claiming. American Fertilizer Co., Wichington, Va | Lee's Prepared Agricultural Lime | | | | | | : |
| Brands claiming American Pertilizer Co., Wichington, Va. Conestee Chemical Co., Wifmington, N. C | Lee's Prepared Agricultural Lime | | | | | | 2.25 |
| American Pertifizer Co., Norfolk, Va. | | Sharpsburg | _ | | | | 1.42 |
| Conestee Chemical Co., Wilmington, N. C | Genuine German Kainit | Sharpsburg | | | | | 13.72 |
| | do | . Wadesboro | | | 1 | | 13.62 |
| 3524 Union Guano Co., Winston, N. C | op | Wadesboro | | 1 1 1 1 1 1 | | | 12.50 |
| 3526 VaCar, Chemical Co., Richmond, Va | op | Monroe | | | | | 14.16 |
| Brand claiming | | | | 1 | 1 | 1 1 1 1 | 48.00 |
| 3499 Aeme Mfg. Co., Wilmington, N. C | Muriate of Potash | Mount Olive | | | | | 50.04 |
| Brand claiming | | | | | 7.40 | 9.00 | |
| 5897 Foreign Products Co., Baltimore, Md. | Fish Scrap | Edenton | | 1 | 6.67 | 8.11 | |
| Brands claiming | | | | | 8.25 | 10.03 | |

| 3625 | 3628 Piedmont-Mount Airy Guano Co., Baltimore, Ground Fish Guano, Md. | | Williamston | 6.79 | 6.79 8.26 | 26.48 |
|------|--|-----------------|--------------|-------|-------------|-------|
| | Brands claiming | | | 14.81 | 14.81 18.00 | 57.76 |
| 5981 | 5981 Acme Mfg. Co., Wilmington, N. C. | Nitrate of Soda | Dunn | 15.00 | 15.00 18.24 | 58.50 |
| 5987 | 5987 Grace, W. R., & Co., New York, N. Y. | -do | Fayetteville | 15.48 | 15.48 18.82 | 60.37 |
| 3653 | 3653 N. C. Cotton Oil Co., Wilmington, N. C. | do | Lillington | 15.46 | 15.46 18.80 | 60.29 |
| | Brand claiming | | | 15.00 | 15.00 18.24 | 58.50 |
| 6006 | 6006 Nitrate Agencies Co., Norfolk, Va | Nitrate of Soda | Palmyra | 15.52 | 15.52 18.87 | 60.53 |
| | Brand claiming | | | 15.22 | 18.50 | 59.36 |
| 5953 | 5953 Royster, F. S., Guano Co., Norfolk, Va Nitrate of Soda. | Nitrate of Soda | Hope Mills | 15.42 | 18,75 | 60.14 |

BRANDS REGISTERED-SEASON 1914.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. | Nitrogen. | Potash. |
|---|-----------------|--------------|---------|
| Acme Manufacturing Co., Wilmington, N. C.— | Acid. | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Acme High Grade Acid Phosphate | 14.00 | | |
| Acme Bone and Potash | 12.00 | | 6.00 |
| Acme Bone and Potash | 12.00 | | 5.00 |
| Acme Bone and Potash | 12.00 | | 4.00 |
| | | | |
| Acme Bone and Potash | 12.00 | • • • • | 3.00 |
| Acme Bone and Potash | 12.00 | | 2.00 |
| Acme Bone and Potash | 11.00 | | 6.00 |
| Acme Bone and Potash | 11.00 | | 5.00 |
| Acme Bone and Potash | 11.00 | | 4.00 |
| Acme Boue and Potash | 11.00 | | 3.00 |
| Acme Bone and Potash | 11.00 | | 2.00 |
| Acme Melon Grower | 10.00 | 3.30 | 5.00 |
| Acme Bone and Potash | 10.00 | | 6.00 |
| Acme Bone and Potash | 10.00 | | 5.00 |
| Acme Bone and Potash | 10.00 | | 4.00 |
| Acme Bone and Potash | 10.00 | | 3.00 |
| Acme Bone and Potash | 10.00 | | 2.00 |
| Acme Square Deal Fertilizer | 9.25 | 1.65 | 2.00 |
| Acme Square Deal Fertilizer for Tobacco | 9.25 | 1.65 | 2.00 |
| Acme Cotton Grower | 9.00 | 2.27 | 2.00 |
| Acme Premo Guano | 9.00 | .82 | 3.00 |
| Pumpelly's Special Tobacco Fertilizer | 8.00 | 4.12 | 8.00 |
| Acme Special Fertilizer for Cotton | 8.00 | 4.12 | 7.00 |
| Acme Special Fertilizer for Tobacco | 8.00 | 4.12 | 7.00 |
| B. & C. Co.'s Special Fertilizer | 8.00 | 3.30 | 6.00 |
| Acme Plumb Good Fertilizer | 8.00 | 3.30 | 6.00 |
| Acme Plumb Good Fertilizer for Tobacco | 8.00 | 3.30 | 6.00 |
| Acme "OK" Fertilizer | 8.00 | 3.30 | 4.00 |
| Acme "OK" Fertilizer for Tobacco | 8.00 | 3.30 | 4.00 |
| Quick Step Fertilizer | 8.00 | 3.30 | 4.00 |
| Quick Step Fertilizer for Tobacco | 8.00 | 3.30 | 4.00 |
| Acme Crop Grower | 8.00 | 2.47 | 4.00 |
| Currie's Iligh Grade Fertilizer | 8.00 | 2.47 | 4.00 |
| Acme Crop Grower for Tobacco | 8.00 | 2.47 | 4.00 |
| Best's Fish Scrap Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Best's Fish Scrap Guano | 8.00 | 2.47 | 3.00 |
| Pee Dee Special Fertilizer | 8.00 | 2.47 | 3.00 |
| Pee Dee Special for Tobacco | 8.00 | 2.47 | 3.00 |
| Acme 8-3-3 C. S. M. Guano | 8.00 | 2.47 | 3.00 |
| Acme 8-3-3 C. S. M. Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Acme Plant Food | 8.00 | 2.47 | 2.50 |
| Acme Fertilizer for Tobacco | 8.00 | 2.47 | 2.50 |
| Acme Plant Food for Tobacco | 8.00 | 2.47 | 2.50 |
| Acme Fertilizer | 8.00 | 2.47 | 2.50 |
| Acme Merito Mixture | 8.00 | 2.06 | 4.00 |
| Tip Top Crop Grower | 8.00 | 2.06 | 3.00 |
| Tip Top Tobacco Grower | 8.00 | 2.06 | 3.00 |
| Latimer's Complete Fertilizer | 8.00 | 2.06 | 2.00 |
| Acme Standard Guano | 8.00 | 2.06 | 2.00 |
| Best's Complete Fertilizer | 8.00 | 2.06 | 2.00 |
| Cotton-seed Meal Guano | 8.00 | \cdot 1.65 | 2.00 |
| Gem Fertilizer | 8.00 | 1.65 | 2.00 |
| Cotton-seed Meal Guano for Tobacco | 8.00 | 1.65 | 2.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|----------------------|---------------------|
| Gem Fertilizer for Tobacco | 8.00 | 1.65 | 2.00 |
| Acme Special Grain Fertilizer | 8.00 | 1.65 | 2.00 |
| Acme Bone and Potash | 8.00 | | 6.00 |
| Acme Bone and Potash | 8.00 | | 5.00 |
| Acme Bone and Potash | 8.00 | | 4.00 |
| Acme Root Crop Guano | 7.00 | 4.12 | 7.00 |
| Acme Standard Truck Guano | 7.00 | 4.12 | 5.00 |
| Jefferson Cotton Grower | 7.00 | 2.47 | 4.00 |
| Acme High Grade Guano | 6.00 | 4.94 | 8.00 |
| Acme Truck Grower | 6.00 | 3.30 | 8.00 |
| Acme Corn Guano | 6.00 | 2,47 | 3.00 |
| Dried Ground Fish | 4.50 | 7.81 | • • • • |
| Acme Special 4-10-4 Guano | 4.00 | 8.25 | 4.00 |
| Clark's Corn Guano | 1.00 | 6.58 | 10.00 |
| Sulphate of Ammonia | | 20.56 | |
| | • • • • | 14.81 | |
| Nitrate of Soda | | | |
| Dried Ground Blood | | 11.51 | 9.00 |
| Acme Top Dresser | | 7.40 | 3.00 |
| Cotton-seed Meal | | 6.17 | |
| Cotton-seed Meal | | 6.17 | |
| Sulphate of Potash | | | 48.00 |
| Muriate of Potash | | | 48.00 |
| High Grade German Kainit 16 Per Cent | | | 16.00 |
| Genuine German Kainit | | | 12.00 |
| American Agricultural Chemical Co., Baltimore, Greensboro, and New York— | | | |
| A. A. C. Co.'s 16 Per Cent Superphosphate | 16.00 | | |
| Canton Chemical 16 Per Cent Acid Phosphate. | 16.00 | | |
| Detrick's 16 Per Cent Acid Phosphate | 16.00 | | |
| Lazaretto 16 Per Cent Acid Phosphate | 16.00 | | |
| Zell's 16 Per Cent Acid Phosphate | 16,00 | | |
| Lazaretto 14 Per Cent Acid Phosphate | 14.00 | | |
| Canton Chemical 14 Per Cent Acid Phosphate. | 14.00 | | |
| Detrick's XXtra Acid Phosphate | 14.00 | | |
| Zell's 14 Per Cent Acid Phosphate | 14.00 | | |
| Zell's 13 Per Cent Acid Phosphate | 13.00 | | |
| Detrick's H. G. Bone and Potash | 12.00 | | 5.00 |
| Zell's H. G. Bone and Potash | 12.00 | | 5.00 |
| Zell's Sterling High Grade | 10.00 | 3.29 | 4.00 |
| Lazaretto Sure Crop Compound | 10.00 | 3,29 | 4.00 |
| Champion Cotton Fertilizer | 10.00 | $\frac{3.2.7}{2.47}$ | 3.00 |
| Excelsior Alkaline Bone | | | |
| | 10.00 | | 5.00 |
| Zell's H. G. Bone and Potash | 10.00 | | 4.00 |
| Canton Chemical Soluble Phosphate and Pot- | 10.00 | | 1.00 |
| ash | 10.00 | | 4.00 |
| Lazaretto H. G. Alkaline Bone | 10.00 | | 4.00 |
| Zell's Bone and Potash | 10.00 | | $\frac{2.00}{2.00}$ |
| Lazaretto Alkaline Bone | 10.00 | | 2.00 |
| Detrick's Bone and Potash | 10.00 | | 2.00 |
| Canton Chemical Soluble Phosphate and Pot- | 40.00 | | 0.00 |
| ash | 10.00 | | 2.00 |
| A. A. C. Co.'s Top Notch Special | 9.00 | 2.47 | 7.00 |
| Zell's Royal High Grade Fertilizer | 9.00 | 2.06 | 2.00 |
| Detrick's Superior Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Canton Chemical Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Zell's Victoria Animal Bone Compound | 9.00 | 1.85 | 4.00 |
| Lazaretto Retriever Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Zell's Empire Cotton Compound | 9.00 | 1.65 | 3.00 |

| Name and Address of Manufacturer and Name of Brand, | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Zell's Hustler Phosphate | 9.00 | .82 | 3,00 |
| Mogul Fertilizer | 9.00 | .82 | 3.00 |
| Pacific Guano for Tobacco | 8.50 | 2.47 | 2.50 |
| Reese's Potato and Truck Special | 8,00 | 3.29 | 7.00 |
| Zell's Popular Tobacco Manure | 8.00 | 3.29 | 4.00 |
| Detrick's Kangaroo Komplete Kompound Spe- | | 0.20 | 2.00 |
| cial High Grade | 8,00 | 3.29 | 4.00 |
| Lazaretto Carolina Cotton Food | 8,00 | 3.29 | 4.00 |
| A. A. C. Co.'s Palmetto C. S. M. Compound | 8.00 | 3.29 | 4.00 |
| Canton Chemical Bono Tobacco Fertilizer | 8.00 | 3.29 | 4.00 |
| Zell's Economizer Cotton Food | S.00 | 3.29 | 4.00 |
| A. A. C. Co.'s Excelsior Compound for To- | | | |
| bacco | 8.00 | 2.47 | 5.00 |
| Detrick's Gold Eagle Cotton Compound | 8.00 | 2.47 | 4.00 |
| Detrick's Kangaroo Complete Compound for | | | |
| Tobacco | 8.00 | 2.47 | 4.00 |
| Lazaretto King of the Harvest | 8.00 | 2.47 | 4.00 |
| Zell's Tobacco Fertilizer | \$,00 | -2.47 | 4.00 |
| Canton Chemical Homestead Protector | 8.00 | 2.47 | 4.00 |
| Canton Chemical Gladiator Cotton Fertilizer. | 8.00 | 2.47 | 3.00 |
| A. A. C. Co.'s Eureka Cotton-seed Meal Com- | | | |
| pound | 8.00 | 2.47 | 3.00 |
| Detrick's Special Tobacco Fertilizer | 8,00 | 2.47 | 3.00 |
| Canton Chemical Baker's Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Canton Chemical Superior High Grade Fer- | | | |
| tilizer | 8.00 | 2.47 | 3.00 |
| Detrick's Victory Cotton Fertilizer | 8,00 | 2.47 | 3.00 |
| Detrick's Kangaroo Komplete Kompound | 8,00 | 2.47 | 3.00 |
| Bright Tobacco Grower | | | |
| Lazaretto Carolina Tobacco Fertilizer Detrick's Kangaroo Komplete Kompound for | \$,00 | 2.47 | 3.00 |
| Cotton | 8,00 | 2.47 | 3.00 |
| Zell's Bright Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Zell's Reliance High Grade Manure | 8.00 | 2.47 | 3.00 |
| Lazaretto New Rival Cotton Fertilizer | 5.00 | 2.47 | 3.00 |
| Lazaretto Special Tobacco and Potato Fertil- | 6.00 | 2.47 | 3,00 |
| izer Partition | 8,00 | | |
| Lazaretto Challenge Fertilizer | 8.00 | 2.47 | 3.00 |
| Canton Chemical CCC Special Compound Detrick's Vegetator Ammoniated Superphos- | 5.00 | 2.06 | 6.00 |
| phate | 8.00 | 2.06 | 3.00 |
| Zell's "Square Deal" for Tobacco | \$,00 | 2.06 | 3.00 |
| Slingluff's British Mixture | 5.00 | 2.06 | 2.50 |
| Excelsior Bone Compound | -8.00 | 1.65 | 5.00 |
| Square Deal Phosphate | 8.00 | 1.65 | 4.00 |
| Savage, Son & Co.'s Brand Purity Guano | 8.00 | 1.65 | 2.00 |
| Dawson's Crop Maker | \$,00 | 1.65 | 2.00 |
| Triumph Soluble Guano | .\$.00 | 1.65 | 2.00 |
| Canton Chemical Baker's Fish Guano | 8.00 | 1.65 | 2.00 |
| Canton Chemical Game Guano | 5.00 | 1.65 | 2.00 |
| Detrick's Royal Crop Grower | 5.00 | 1.65 | 2.00 |
| Detrick's Fish Mixture | 5,00 | 1.65 | 2,00 |
| Lazaretto Crop Grower | 5,00 | 1.65 | 2.00 |
| Zell's Special Compound for Tobacco | \$.00 | 1.65 | 2,00 |
| Zell's Calvert Guano | 5.00 | 1.65 | 2.00 |
| Zell's Fish Guano | \$.00 | 1.65 | 2.00 |
| | 5,00 | 1.65 | 2.00 |
| Reese's Pacific Guano | | | 2.00 |
| Detrick's Rival Tobacco Compound | 5,00 | 1.65 | 2.00 |

| Detrick's Complete Compound for Grain and Grass 4.00 | Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|---|--------------------------|-----------|---------|
| Grass | Detrick's Complete Compound for Grain and | | | |
| Lazaretto Peanut Grower 8.00 82 4.00 A. A. C. Co's Regal Crop Grower 8.00 82 3.00 Palmetto Alkaline Phosphate 8.00 4.00 Lazaretto Early Trucker 7.00 4.11 5.00 A. A. C. Co's Blood, Bone and Fish Compound 7.00 3.29 5.00 Lazaretto Truckers Favorite 6.00 5.76 5.00 Lazaretto Empire Trucker 6.00 4.11 7.00 A. A. C. Co's Bultimore Top Dresser 7.41 3.00 A. A. C. Co's Baltimore Top Dresser 7.41 3.00 A. A. C. Co's Surirate of Potash 40.00 A. A. C. Co's Gennine German Kainit 12.00 A. A. C. Co's Gennine German Kainit 12.00 A. A. C. Co's Gennine German Kainit 12.00 A. A. C. Co's Surirate of Potash 14.00 Dixie Acid Phosphate 14.00 Dixie Acid Phosphate 14.00 Dixie Bone and Potash 13.00 6.00 Dixie Ferrilizer 10.00 3.30 4.00 Dixie Ferrilizer 10.00 3.30 4.00 Dixie Ferrilizer 10.00 3.30 2.00 Dixie Ferrilizer 10.00 2.47 3.00 Dixie Ferrilizer 10.00 2.47 3.00 Dixie Money Maker Fertilizer 10.00 2.47 3.00 Dixie Money Maker Fertilizer 10.00 1.55 3.00 Dixie Ferrilizer 10.00 1.55 3.00 Dixie Ferrilizer 10.00 1.55 3.00 Dixie Ferrilizer 10.00 1.65 3.00 Dixie Bone and Potash 10.00 2.47 2.00 Dixie Bone and Potash 10.00 2.47 2.00 Dixie Ferrilizer 10.00 1.65 3.00 Dixie Ferrilizer 10.00 3.00 Dixie Ferrilizer 10.00 3.00 Dixie Bone and Potash 10.00 2.00 Dixie Ferrilizer 10.00 3.00 Dixie Ferrilizer 10.00 3.00 Dixie Ferrilizer 10.00 3.00 Dixie Ferrilizer 10.00 3.00 Dixie Ferrilizer 3.00 3.00 Dixie Ferrilizer 3.00 3.00 Dixie Ferrilizer 3.00 3.00 | | $8.00 \cdot$ | 1.03 | 4.00 |
| A. A. C. Co.'s Regal Crop Grower. Palmetto Alkaline Phosphate Lazaretto Early Trucker A. A. C. Co.'s Blood, Bone and Fish Compound Lazaretto Truckers' Favorite G. 600 5.76 5.00 Lazaretto Empire Trucker A. A. C. Co.'s Blood, Bone and Fish Compound Lazaretto Empire Trucker A. A. C. Co.'s Nitrate of Soda A. A. C. Co.'s Nitrate of Soda A. A. C. Co.'s Baldimore Top Dresser A. A. C. Co.'s Buildimore Top Dresser A. A. C. Co.'s Gennine German Kainit J. Co. A. A. C. Co.'s Gennine German Kainit J. Co. S. Co. Something German Kainit J. Co. Something S. C.— Dixie Acid Phosphate Dixie Acid Phosphate Dixie Bone and Potash Dixie Bone and Potash Dixie Bone and Potash Dixie Fertilizer J. 10,00 Jivie Blood, Bone and Potash J. 10,00 Jivie Blood, Bone and Potash J. 10,00 Jivie Fertilizer J. 10,00 Jivie Fertilizer J. 10,00 Jivie Fortilizer J. 10,00 Jivie Fertilizer J. 10,00 Jivie Fortilizer J. 10,00 Jivie J. 10 Ji | The A. A. C. Co.'s Fidelity Grain Grower | 8.00 | | |
| Palmetto Alkaline Phosphate | Lazaretto Peanut Grower | 8.00 | | |
| Lazaretto Early Trucker 7.00 4.11 5.00 A. A. C. Co.'s Blood, Bone and Fish Compound 7.00 3.29 5.00 Lazaretto Truckers' Favorite 6.00 5.76 5.00 A. A. C. Co.'s Nitrate of Soda 15.00 15.00 A. A. C. Co.'s Nitrate of Soda 15.00 A. A. C. Co.'s Martiate of Potash 49.00 A. A. C. Co.'s Martiate of Potash 49.00 A. A. C. Co.'s Genuine German Kainit 12.00 12.00 American Agricultural Chemical Co., Dixic Guano Branch, Sparlunbury, S. C.— Dixie Acid Phosphate 14.00 15.00 | A. A. C. Co.'s Regal Crop Grower | | .82 | |
| A. A. C. Co's Blood, Bone and Fish Compound | | | | |
| Double | Lazaretto Early Trucker | 7.00 | 4.11 | 5.00 |
| Lazaretto Truckers Favorite | A. A. C. Co.'s Blood, Bone and Fish Com- | | 0.30 | |
| Lazaretto Empire Trucker 6,00 4.11 7.00 A. A. C. Co.'s Nitrate of Soda 15,00 A. A. C. Co.'s Baltimore Top Dresser 7.41 3,00 A. A. C. Co.'s Muriate of Potash 49,000 A. A. C. Co.'s Genuine German Kainit 12,00 A. A. C. Co.'s Genuine German Kainit 12,00 American Agricultural Chemical Co., Dixic Guano Branch, Spartamburg, S. C.— | pound | | | |
| A. A. C. Co.'s Nitrate of Soda A. A. C. Co.'s Baltimore Top Dresser. 7.41 3.00 A. A. C. Co.'s Gauiriate of Potash | | | | |
| A. A. C. Co.'s Baltimore Top Dresser. 7.41 3.00 A. A. C. Co.'s Muriate of Potash 40.00 A. A. C. Co.'s Genuine German Kainit 12.00 American Agricultural Chemical Co., Dixic Guano Branch, Sparlambury, S. C.— Dixie Acid Phosphate 16.00 Dixie Acid Phosphate 14.00 Dixie Bone and Potash 12.00 6.00 Dixie Bone and Potash 12.00 6.00 Dixie Fertilizer 10.00 3.30 4.00 Dixie Fertilizer 10.00 3.30 2.00 Dixie Fertilizer 10.00 2.47 4.00 Dixie Fertilizer 10.00 2.47 3.00 Dixie Fertilizer 10.00 2.47 3.00 Dixie Blood, Bone and Potash 10.00 1.85 3.00 Dixie Fertilizer 10.00 1.85 3.00 Dixie Fertilizer 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 3.00 Dixie Fortilizer 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 3.00 Dixie Grain Grower 10.00 1.65 3.00 Dixie Bone and Potash 10.00 5.2 5.00 Dixie Bone and Potash 10.00 4.00 Dixie Bone and Potash 10.00 5.2 5.00 Dixie Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.20 1.65 3.00 Dixie Fertilizer 9.20 1.65 3.00 Dixie Fertilizer 9.20 1.65 3.00 Dixie Fortilizer 9.20 1.65 3.00 Dixie Fortilizer 9.20 1.65 3.00 Dixie Fortilizer 9.30 1.65 3.00 Dixie Fortilizer 8.00 3.30 8.00 Dixie Fortilizer 8.00 8.00 8.00 Dixie | | | | |
| A. A. C. Co's Muriate of Potash | | | | |
| A. A. C. Co.'s Genuine German Kainit | A. A. C. Co.'s Baltimore Top Dresser | | | |
| American Agricultural Chemical Co., Dixic Guano Branch, Sparlanbury, S. C.— Dixic Acid Phosphate 14.00 Dixic Acid Phosphate 14.00 Dixic Bone and Potash 13.00 6.00 Dixic Bone and Potash 12.00 6.00 Dixic Fortilizer 10.00 3.30 2.00 Dixic Fertilizer 10.00 2.47 4.00 Dixic Fertilizer 10.00 2.47 4.00 Dixic Fertilizer 10.00 2.47 3.00 Dixic Fortilizer 10.00 2.47 3.00 Dixic Blood, Bone and Potash 10.00 2.47 3.00 Dixic Money Maker Fertilizer 10.00 1.85 3.00 Dixic Blood, Bone and Potash 10.00 1.65 4.00 Dixic Cotton Grower 10.00 1.65 4.00 Dixic Grain Grower 10.00 1.65 3.00 Dixic Fertilizer 10.00 1.65 3.00 Dixic Grain Grower 10.00 1.65 3.00 Dixic Bone and Potash 10.00 4.00 Dixic Fertilizer 9.20 1.65 2.00 Dixic Fertilizer 9.00 2.47 3.00 Dixic Fertilizer 8.00 3.30 4.00 Dixic Potato Fertilizer 5.00 5.77 | | | | |
| Dixie Acid Phosphate | A. A. C. Co.'s Genuine German Kainit | | | 12.00 |
| Dixie Acid Phosphate 14.00 Dixie Bone and Potash 13.00 Dixie Rone and Potash 12.00 Dixie Fertilizer 10.00 3.30 4.00 Dixie Fertilizer 10.00 3.30 2.00 Dixie Fertilizer 10.00 2.47 4.00 Dixie Blood, Bone and Potash 10.00 2.47 2.00 Dixie Money Maker Fertilizer 10.00 1.85 3.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Fertilizer 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 3.00 Dixie Grain Grower 10.00 1.65 3.00 Dixie Bone and Potash 10.00 .82 5.00 Dixie Bone and Potash 10.00 .82 5.00 Dixie Bone and Potash 10.00 .2.00 2.00 Dixie Bone and Potash 10.00 2.47 3.00 <td></td> <td></td> <td></td> <td></td> | | | | |
| Dixie Bone and Potash 13,00 6,00 Dixie Bone and Potash 12,00 6,00 Dixie Fertilizer 10,00 3,30 4,00 Dixie Fertilizer 10,00 2,47 4,00 Dixie Fertilizer 10,00 2,47 4,00 Dixie Blood, Bone and Potash 10,00 2,47 2,00 Dixie Money Maker Fertilizer 10,00 1,85 3,00 Dixie Blood, Bone and Potash 10,00 1,65 8,00 Dixie Fertilizer 10,00 1,65 8,00 Dixie Fertilizer 10,00 1,65 3,00 Dixie Fertilizer 10,00 1,65 3,00 Dixie Grain Grower 10,00 1,65 2,00 Dixie Bone and Potash 10,00 82 5,00 Dixie Bone and Potash 10,00 4,00 Dixie Bone and Potash 10,00 4,00 Dixie Bone and Potash 10,00 2,47 3,00 Dixie Fertilizer 9,20 1,65 2,00 Dixie | Dixie Acid Phosphate | 16,00 | | |
| Dixie Rone and Potash 12,00 | Dixie Acid Phosphate | 14.00 | | |
| Dixie Bone and Potash 12.00 | Dixie Bone and Potash | 13.00 | | 6,00 |
| Dixie Fertilizer 10.00 3.30 2.00 Dixie Fertilizer 10.00 2.47 4.00 Dixie Blood, Bone and Potash 10.00 2.47 2.00 Dixie Money Maker Fertilizer 10.00 1.85 3.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Cotton Grower 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 2.00 Dixie Grain Grower 10.00 82 5.00 Dixie Bone and Potash 10.00 82 5.00 Dixie Bone and Potash 10.00 4.00 Dixie Bone and Potash 10.00 2.00 Dixie Bone and Potash 10.00 2.47 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.01 5.00 | | 12.00 | | 6,00 |
| Dixie Fertilizer 10.00 2.47 4.00 Dixie Fertilizer 10.00 2.47 3.00 Dixie Blood, Bone and Potash 10.00 2.47 2.00 Dixie Money Maker Fertilizer 10.00 1.85 3.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Fertilizer 10.00 1.65 4.00 Dixie Cotton Grower 10.00 1.65 2.00 Dixie Fertilizer 10.00 1.65 2.00 Dixie Grain Grower 10.00 82 5.00 Dixie Bone and Potash 10.00 82 5.00 Dixie Bone and Potash 10.00 4.00 4.00 Dixie Bone and Potash 10.00 2.00 4.00 Dixie Bone and Potash 10.00 2.00 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 8.00 1.65 2.00 Dixie Fertilizer 8.00 | Dixie Fertilizer | 10.00 | 3,30 | 4.00 |
| Dixie Fertilizer 10,00 2.47 3.00 Dixie Blood, Bone and Potash 10,00 2.47 2.00 Dixie Blood, Bone and Potash 10,00 1.65 8.00 Dixie Blood, Bone and Potash 10,00 1.65 8.00 Dixie Fertilizer 10,00 1.65 3.00 Dixie Fertilizer 10,00 1.65 3.00 Dixie Cotton Grower 10,00 1.65 3.00 Dixie Grain Grower 10,00 82 5.00 Dixie Bone and Potash 10,00 82 5.00 Dixie Bone and Potash 10,00 4.00 Dixie Bone and Potash 10,00 2.00 Dixie Bone and Potash 10,00 2.00 Dixie Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 8.00 4.02 3.30 8.00 Dixie Fertilizer 8.00 4.12 7.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 </td <td>Dixie Fertilizer</td> <td>10.00</td> <td>3.30</td> <td>2.00</td> | Dixie Fertilizer | 10.00 | 3.30 | 2.00 |
| Dixie Blood, Bone and Potash 10.00 2.47 2.00 Dixie Money Maker Fertilizer 10.00 1.85 3.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Fertilizer 10.00 1.65 4.00 Dixie Cotton Grower 10.00 1.65 2.00 Dixie Grain Grower 10.00 .65 2.00 Dixie Grain Grower 10.00 .82 5.00 Dixie Grain Grower 10.00 .62 5.00 Dixie Bone and Potash 10.00 .60 4.00 Dixie Bone and Potash 10.00 .20 2.00 Dixie Bone and Potash 10.00 .240 2.00 Dixie Bone and Potash 10.00 .247 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 1.65 3.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 | Dixie Fertilizer | 10.00 | 2.47 | 4.00 |
| Dixie Blood, Bone and Potash 10.00 2.47 2.00 Dixie Money Maker Fertilizer 10.00 1.85 3.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Fertilizer 10.00 1.65 4.00 Dixie Cotton Grower 10.00 1.65 2.00 Dixie Fertilizer 10.00 .82 5.00 Dixie Grain Grower 10.00 .82 5.00 Dixie Bone and Potash 10.00 .82 5.00 Dixie Bone and Potash 10.00 .200 2.00 Dixie Bone and Potash 10.00 .200 2.00 Dixie Beats All Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 2.00 Dixie Fertilizer 9.00 1.65 3.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer Asorite 8.00 | Dixie Fertilizer | 10.00 | 2.47 | 3.00 |
| Dixie Blood, Bone and Potash 10.00 1.85 3.00 Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Fertilizer 10.00 1.65 4.00 Dixie Cotton Grower 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 2.00 Dixie Bone and Potash 10.00 .82 5.00 Dixie Bone and Potash 10.00 .600 Dixie Bone and Potash 10.00 .200 Dixie Bone and Potash 10.00 .200 Dixie Bone and Potash 10.00 .247 Dixie Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fortilizer 8.00 3.30 4.00 Dixie Special Corn Mixture< | | 10.00 | 2.47 | 2.00 |
| Dixie Blood, Bone and Potash 10.00 1.65 8.00 Dixie Fertilizer 10.00 1.65 4.00 Dixie Cotton Grower 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 2.00 Dixie Grain Grower 10.00 82 5.00 Dixie Bone and Potash 10.00 4.00 Dixie Bone and Potash 10.00 2.00 Dixie Bone and Potash 10.00 2.47 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Fertilizer 8.00 1.65 5.00 | | 10.00 | 1.85 | 3,00 |
| Dixie Cotton Grower 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 2.00 Dixie Grain Grower 10.00 .82 5.00 Dixie Bone and Potash 10.00 .600 Dixie Bone and Potash 10.00 .200 Dixie Bone and Potash 10.00 .200 Dixie Beats All Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 2.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 9.00 1.65 3.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 3.3 4.00 Dixie Special Corn Mixture \$8.00 1.65 5.00 Dixie Potato F | | 10.00 | 1.65 | 8.00 |
| Dixie Cotton Grower 10.00 1.65 3.00 Dixie Fertilizer 10.00 1.65 2.00 Dixie Grain Grower 10.00 .82 5.00 Dixie Bone and Potash 10.00 .6.00 Dixie Bone and Potash 10.00 .2.00 Dixie Bone and Potash 10.00 .2.00 Dixie Beats All Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fortilizer 8.00 3.30 4.00 Dixie Fortilizer | Dixie Fertilizer | 10.00 | 1.65 | 4,00 |
| Dixie Grain Grower 10.00 .82 5.00 Dixie Bone and Potash 10.00 6.00 Dixie Bone and Potash 10.00 4.00 Dixie Bone and Potash 10.00 2.00 Dixie Bone and Potash 10.00 2.00 Dixie Bone and Potash 10.00 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 2.00 Dixie Blood and Bone 9.00 1.65 2.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Form Grower 8.00 1.65 5.00 Dixie Special Corn Mixture \$8.00 1.65 5.00 Dixie Bone and Potash 8.00 4.00 Dixie Potato Fertilizer 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 <td></td> <td>10.00</td> <td>1.65</td> <td>3,00</td> | | 10.00 | 1.65 | 3,00 |
| Dixie Grain Grower 10.00 .82 5.00 Dixie Bone and Potash 10.00 .6.00 Dixie Bone and Potash 10.00 .4.00 Dixie Bone and Potash 10.00 .2.00 Dixie Bone and Potash 10.00 .2.00 Dixie Bone and Potash 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 1.65 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Formary Favorite 8.00 1.65 5.00 Dixie Special Corn Mixture \$ 8.00 1.65 4.00 Dixie Rone and Potash 8.00 4.00 4.00 Dixie Rone and Potash | Dixie Fertilizer | 10.00 | 1.65 | 2.00 |
| Dixie Bone and Potash 10.00 6.00 Dixie Bone and Potash 10.00 4.00 Dixie Bone and Potash 10.00 2.00 Dixie Beats All Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 2.00 Dixie Blood and Bone 9.00 1.65 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Special Corn Mixture 8.00 1.65 5.00 Dixie Special Corn Mixture 8.00 1.65 4.00 Dixie Potato Fertilizer 7.00 2.47 4.30 Dixie Potato Fertilizer 7.00 2.47 4.30 Dixie Potato Fertilizer 7.00 2.47 4.00 | | 10.00 | .82 | 5,00 |
| Dixie Bone and Potash 10.00 4.00 Dixie Bone and Potash 10.00 2.00 Dixie Beats All Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 2.00 Dixie Blood and Bone 9.00 1.65 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture 8.00 1.65 5.00 Dixie Bone and Potash 8.00 4.00 Dixie Potato Fertilizer 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 | | 10.00 | | 6,00 |
| Dixie Bone and Potash 10.00 2.00 Dixie Beats All Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 1.65 3.00 Dixie Blood and Bone 9.00 1.65 2.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture \$ 8.00 1.65 5.00 Dixie Bone and Potash 8.60 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Potato Fertilizer 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, S. C.— | | 10,00 | | 4.00 |
| Dixie Beats All Fertilizer 9.20 1.65 2.00 Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 2.00 Dixie Blood and Bone 9.00 1.65 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 3.30 4.00 Dixie Form Grower 8.00 1.65 5.00 Dixie Special Corn Mixture \$ 8.00 1.65 5.00 Dixie Bone and Potash 8.00 1.65 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultura | | 10.00 | | 2.00 |
| Dixie Fertilizer 9.00 2.47 3.00 Dixie Fertilizer 9.00 2.47 2.00 Dixie Blood and Bone 9.00 1.65 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture \$8.00 1.65 4.00 Dixie Bone and Potash 8.00 4.00 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Potato Fertilizer 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, S. C.— 16.00 Red Rooster Acid P | | 9.20 | 1.65 | 2.00 |
| Dixie Fertilizer 9.00 2.47 2.00 Dixie Blood and Bone 9.00 1.65 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture \$ 8.00 1.65 4.00 Dixie Bone and Potash 8.00 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Potato Fertilizer 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, 8, C.— Red Rooster Acid Phosphate 16.00 Red Rooster Acid Phosphate 14.00 | | 9.00 | 2.47 | 3.00 |
| Dixie Blood and Bone 9.00 1.65 3.00 Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture 8.00 1.65 5.00 Dixie Bone and Potash 8.00 . 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Potato Fertilizer 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, 8. C.— 16.00 . . Red Rooster Acid Phosphate 14.00 . . . | | 9,00 | 2.47 | 2.00 |
| Dixie Fertilizer 9.00 1.65 2.00 Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture \$ 8.00 1.65 4.00 Dixie Bone and Potash 8.60 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Lawn Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, 8. C.— 16.00 Red Rooster Acid Phosphate 16.00 Red Rooster Acid Phosphate 14.00 | | 9,00 | 1.65 | 3,00 |
| Dixie Fertilizer 8.00 4.12 7.00 Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture \$8.00 1.65 4.00 Dixie Bone and Potash 8.00 4.00 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Lawn Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, S. C.— Red Rooster Acid Phosphate 16.00 Red Rooster Acid Phosphate 14.00 | | 9.00 | 1.65 | 2.00 |
| Dixie Fertilizer 8.00 3.30 8.00 Dixie Fertilizer 8.00 3.30 4.00 Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture \$8.00 1.65 4.00 Dixie Bone and Potash 8.00 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Lawn Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, S. C.— Red Rooster Acid Phosphate 16.00 Red Rooster Acid Phosphate 14.00 | | 8.00 | 4.12 | 7.00 |
| Dixie Farmers' Favorite 8.00 2.47 3.60 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture 8.00 1.65 4.00 Dixie Bone and Potash 8.60 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Lawn Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, 8. C.— 16.00 1.00 Red Rooster Acid Phosphate 16.00 14.00 | | 8.00 | 3,30 | 5.00 |
| Dixie Farmers' Favorite 8.00 2.47 3.30 Dixie Corn Grower 8.00 1.65 5.00 Dixie Special Corn Mixture 8.00 1.65 4.00 Dixie Bone and Potash 8.00 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Lawn Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, 8, C.— 16.00 Red Rooster Acid Phosphate 16.00 Red Rooster Acid Phosphate 14.00 | Dixie Fertilizer | 8.00 | 3,30 | 4.00 |
| Dixie Special Corn Mixture \$ 8,00 1.65 4.00 Dixie Bone and Potash 8.60 4.00 Dixie Potato Fertilizer 7.00 3.30 5.00 Dixie Lawn Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, S. C.— 16.00 Red Rooster Acid Phosphate 14.00 | | \$.00 | 2.47 | 3,80 |
| Dixie Bone and Potash 8.60 4.00 Dixie Potato Fertilizer 7.00 330 5.00 Dixie Lawn Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, S. C.— 16.00 16.00 14.00 Red Rooster Acid Phosphate 14.00 14.00 14.00 14.00 | Dixie Corn Grower | 8,00 | 1.65 | 5,00 |
| Dixie Bone and Potash 8.60 4.00 Dixie Potato Fertilizer 7.00 330 5.00 Dixie Lawn Grower 7.00 2.47 4.00 Dixie Special Garden Grower 7.00 2.47 4.00 Dixie Top Dresser 5.00 5.77 3.00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, S. C.— 16.00 16.00 14.00 Red Rooster Acid Phosphate 14.00 14.00 14.00 14.00 | Dixie Special Corn Mixture | § 8,00 | 1.65 | 4.00 |
| Dixie Potato Fertilizer 7,00 3.30 5,00 Dixie Lawn Grower 7,00 2.47 4,00 Dixie Special Garden Grower 7,00 2.47 4,00 Dixie Top Dresser 5,00 5,77 3,00 American Agricultural Chemical Co., Farmers Fertilizer Works, Spartanburg, S. C.— 16,00 Red Rooster Acid Phosphate 14,00 | | 8,00 | | 4,00 |
| Dixie Lawn Grower | | 7.00 | 3.30 | 5,00 |
| Dixie Special Garden Grower | | 7.00 | 2.47 | 4.00 |
| Dixie Top Dresser | | | 2.47 | 4.00 |
| Red Rooster Acid Phosphate | Dixie Top Dresser | 5.00 | 5.77 | 3,00 |
| Red Rooster Acid Phosphate | | | | |
| Red Rooster Acid Phosphate | Red Rooster Acid Phosphate | 16,00 | | |
| Red Rooster Bone and Potash | Red Rooster Acid Phosphate | | | |
| | Red Rooster Bone and Potash | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Red Rooster Bone and Potash | 12.00 | | 6.00 |
| Red Rooster Fertilizer | 10.00 | 3.30 | 4.00 |
| Red Rooster Fertilizer | 10.00 | 3.30 | 2.00 |
| Red Rooster Fertilizer | 10.00 | 3.30 | |
| Red Rooster Fertilizer | 10.00 | 2.47 | 4.00 |
| Red Rooster Fertilizer | 10.00 | 2.47 | 3.00 |
| Red Rooster Blood, Bone and Potash | 10.00 | 2.47 | 2.00 |
| Red Rooster Money Maker Fertilizer | 10.00 | 1.85 | 3.00 |
| Red Rooster Blood, Bone and Potash Fertil- | | | |
| izer | 10.00 | 1.65 | 8.00 |
| Red Rooster Fertilizer | 10.00 | 1.65 | 4.00 |
| Red Rooster Cotton Grower | 10.00 | 1.65 | 3.00 |
| Red Rooster Fertilizer | 10.00 | 1.65 | -2.00 |
| Red Rooster Grain Grower | 10.00 | .82 | 5.00 |
| Red Rooster Bone and Potash | 10.00 | | 6.00 |
| Red Rooster Bone and Potash | 10.00 | | 4.00 |
| Red Rooster Bone and Potash | 10.00 | | 2.00 |
| Red Rooster Fertilizer | 9.00 | 2.47 | 3.00 |
| Red Rooster Fertilizer | 9.00 | 2.47 | 2.00 |
| Red Rooster Blood and Bone | 9.00 | 1.65 | 3.00 |
| Red Rooster Beats All Fertilizer | 9.00 | 1.65 | 2.00 |
| Red Rooster Fertilizer | 8.00 | 4.12 | 7.00 |
| Red Rooster Fertilizer | 8.00 | 3.30 | 8.00 |
| Red Rooster Fertilizer | 8.00 | 3.30 | 4.00 |
| Red Rooster Farmers' Favorite Fertilizer | 8.00 | 2.47 | 3.00 |
| Red Rooster Fertilizer | 8.00 | 2.06 | 1.00 |
| Red Rooster Corn Grower | 8.00 | 1.65 | 5.00 |
| Red Rooster Special Corn Mixture | 8.00 | 1.65 | 4.00 |
| Red Rooster Fertilizer | 8.00 | 1.65 | 2.00 |
| Top Notch C. S. M. Compound | 8.00 | 1.65 | 2.00 |
| Red Rooster Bone and Potash | 8.00 | | 4.00 |
| Red Rooster Potato Fertilizer | 7.00 | 3.30 | 5.00 |
| Red Rooster Special Garden Grower | 7.00 | 2.47 | 4.00 |
| Red Rooster Lawn Grower | 7.00 | 2.47 | 4.00 |
| Red Rooster Top Dresser | 5.00 | 5.75 | 3.00 |
| American Agricultural Chemical Co., Homestead Fertilizer Branch, Spartanburg, S. C.— | | | |
| Homestead Acid Phosphate | -16.00 | | |
| Homestead Acid Phosphate | 14.00 | | |
| Homestead Bone and Potash | 13.00 | | 6.00 |
| Homestead Bone and Potash | 12.00 | | 6.00 |
| Homestead Fertilizer | 10.00 | 3.30 | 4.00 |
| Homestead Fertilizer | 10.00 | 3.30 | 2.00 |
| Homestead Fertilizer | 10.00 | 2.47 | 4.00 |
| Homestead Fertilizer | 10.00 | 2.47 | 3.00 |
| Homestead Blood, Bone and Potash | 10.00 | 2.47 | 2.00 |
| Homestead Money Maker Fertilizer | 10.00 | 1.85 | 3.00 |
| Homestead Blood, Bone and Potash | 10.00 | 1.65 | 8.00 |
| Homestead Fertilizer | 10.00 | 1.65 | 4.00 |
| Homestead Cotton Grower | 10.00 | 1.65 | 3.00 |
| Homestead Fertilizer | 10.00 | 1.65 | 2.00 |
| Homestead Grain Grower | 10.00 | .82 | 5.00 |
| Homestead Bone and Potash | 10.00 | | 6.00 |
| Homestead Bone and Potash | 10.00 | | 4.00 |
| Homestead Bone and Potash | 10.00 | 1.0= | $\frac{2.00}{2.00}$ |
| Homestead Beats All Fertilizers | 9.20 | $\frac{1.65}{2.47}$ | 3,00 |
| Homestead Fertilizer | 9.00 | 2.41 | 5.00 |

THE BULLETIN.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Homestead Fertilizer | 9.00 | 2.47 | 2.00 |
| Homestead Blood and Bone | 9.00 | 1.65 | 3.00 |
| Homestead Fertilizer | 8.00 | 4.12 | 7.00 |
| Homestead Fertilizer | 8.00 | 3,30 | 8.00 |
| Homestead Fertilizer | 8.00 | 3.30 | 4.00 |
| Homestead Farmers' Favorite | 8.00 | 2.47 | $3.\bar{0}0$ |
| Homestead Fertilizer | 8.00 | 2.06 | 1.00 |
| Homestead Corn Grower | S.00 | 1.65 | 5.00 |
| Homestead Special Corn Mixture | 8.00 | 1.65 | 4.00 |
| Homestead Fertilizer | 8.00 | 1.65 | 2.00 |
| Homestead Bone and Potash | S.00 | | 4.00 |
| Homestead Potato Fertilizer | 7.00 | 3.30 | 5.00 |
| | 7.00 | $\frac{3.35}{2.47}$ | $\frac{3.00}{4.00}$ |
| Homestead Special Garden Grower | 7.00 | $\frac{2.47}{2.47}$ | 4.00 |
| Homestead Lawn Grower | | | |
| Homestead Top Dresser | 5.00 | 5.77 | 3.00 |
| American Fertilizer Co., Norfolk, Va.— | | | |
| American Nonpareil Tobacco Grower | 8.00 | 3.29 | 4.00 |
| The Armour Fertilizer Works, Atlanta, Chicago, Wilmington, and Greensboro— | | | |
| Bone MealTotal | 24.00 | 2.47 | |
| Armour's Raw Bone MealTotal | 22.00 | 3.70 | |
| 17 Per Cent Acid Phosphate | 17.00 | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Star Phosphate 14 Per Cent | 14.00 | | |
| Acid Phosphate | 14.00 | | |
| Golden Grain Grower | 13.00 | | 4.00 |
| 13 Per Cent Acid Phosphate | 13.00 | | 1.00 |
| | 12.00 | | 6.00 |
| Phosphate and Potash | 12.00 | | 5.00 |
| Phosphate and Potash | 12.00 12.00 | • • • • | |
| 12 Per Cent Acid Phosphate | | 9.17 | 1.00 |
| Fertilizer, No. 1134 | 11.00 | 2.47 | 4.00 |
| Sampson Corn Mixture | 11.00 | | 5.00 |
| Fertilizer, No. 1045 | 10.00 | 3.30 | 5.00 |
| Fertilizer, No. 1044 | 10.00 | 3.30 | 4.00 |
| Fertilizer, No. 1033 | 10.00 | 2.47 | 3.00 |
| Fertilizer, No. 1025 | 10.00 | 1.65 | 5.00 |
| Fertilizer, No. 1023 | 10.00 | 1.65 | 3.00 |
| Armour's Wheat Grower | 10.00 | 1.65 | 2.00 |
| Ammoniated Dissolved Bone and Potash | 10.00 | 1.65 | 2.00 |
| Special Mixture | 10.00 | 1.03 | 6.00 |
| Phosphate and Potash | 10.00 | | 6.00 |
| Phosphoric Acid and Potash | 10.00 | | 5.00 |
| Superphosphate and Potash | 10,00 | | 4.00 |
| Acid and Potash | 10.00 | | 3.00 |
| Phosphate and Potash, No. 1 | 10.00 | | 2.00 |
| Armour's Tobacco Champion | 9.00 | 2.47 | 3.00 |
| African Cotton Grower | 9.00 | 2.47 | 3.00 |
| Johnson's High Grade | 9.00 | 2.05 | 5.00 |
| Forsyth County Tobacco Special | 9.00 | $\frac{2.05}{2.05}$ | 3.00 |
| Armour's Bright Tobacco Grower | 9.00 | 1.65 | 3.00 |
| Bone and Dissolved Bone with Potash | 9.00 | $\frac{1.65}{1.65}$ | 3.00 |
| Fertilizer, No. 913 | 9.00 | .82 | 3.00 |
| | | | |
| 'Armour's Phosphate and Potash | 9.00 | 1.07 | 3.00 |
| Tobacco Fertilizer | 8.50 | 1.65 | 2.00 |
| Standard Cotton Grower | 8.50 | 1.65 | 2.00 |
| Bone, Blood and Potash | 8.00 | 4.11 | 7.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Young's Special | 8.00 | 4.11 | 3.00 |
| Van Lindley's Special | 8.00 | 4.11 | 2.00 |
| Fertilizer, No. 846 | 8.00 | 3,30 | 6,00 |
| Fertilizer, No. 844 | 8.00 | 3,30 | 4.00 |
| Special Trucker | 8.00 | 3.30 | 4.00 |
| Truck and Berry Special | 8.00 | 2.47 | 10,00 |
| Armour's 836 for Tobacco | 8.00 | 2.47 | 6,00 |
| Fertilizer, No. 836 | 8.00 | 2.47 | 6.00 |
| Special for Tobacco | 8.00 | 2.47 | 5.00 |
| Fertilizer, No. 835 | 8.00 | 2.47 | 5.00 |
| Fertilizer, No. 834 | 8.00 | 2.47 | 4.00 |
| Fertilizer, No. 833 | 8.00 | 2.47 | 3.00 |
| Underwood's Favorite | 8.00 | 2.47 | 3.00 |
| Cotton Special | 8.00 | 2.47 | 3.00 |
| Tobacco Special | 8,00 | 2.47 | 3.00 |
| Fertilizer, No. 832 | 8.00 | 2.47 | 2.00 |
| Berry King | 8.00 | 2.05 | 4.00 |
| Gold Medal for Tobacco | 8.00 | 2.05 | 3.00 |
| Sweet Potato Special | 8.00 | 2.05 | 3.00 |
| Champion | 8.00 | 2.05 | 2.50 |
| King Cotton | 8.00 | 2.05 | - 2.00 |
| Slate's Tobacco Special | 8.00 | 1.85 | 4.00 |
| High Grade Potato | 8.00 | 1.65 | 10.00 |
| Fruit and Root Crop Special | 8.00 | 1.65 | 5.00 |
| Stokes & Co. Tobacco Special | 8.00 | 1.65 | 5.00 |
| Fertilizer, No. 825 | 8.00 | 1.65 | 5.00 |
| Fertilizer, No. 824 | 8.00 | 1.65 | 4.00 |
| Fertilizer, No. 823 | 8.00 | 1.65 | 3.00 |
| Carolina Cotton Special | 8.00 | 1.65 | 3.00 |
| Slaughter House for Tobacco | 8.00 | 1.65 | 2.00 |
| Armour's Slaughter House Fertilizer | 8,00 | $\frac{1.65}{1.65}$ | $\frac{2.00}{2.00}$ |
| General | 8,00 8,00 | 1.00 | 5.00 |
| Fertilizer, No. 815 | 5.00 | .82 | 4.00 |
| Fertilizer, No. 814 | S.00 | .s2 | 3.00 |
| Phosphate and Potash, No. 2. | 8.00 | | 5.00 |
| Phosphate and Potash, No. 3 | 8.00 | | 4.00 |
| Fertilizer, No. 758 | 7.00 | 4.11 | 8.00 |
| 7 Per Cent Trucker | 6,00 | 5.76 | 5,00 |
| 5 Per Cent Trucker | 6,00 | 4.11 | 7.00 |
| Manure Substitute | 6,00 | 3,30 | 4.00 |
| Armour's Velvet Leaf | 6.00 | 2.47 | 7.00 |
| 10 Per Cent Trucker | 5.00 | 8.23 | 3.00 |
| Top Dresser | 5.00 | \$.23 | 2.00 |
| Armour's Top Dresser | 4.00 | 6.18 | 2.50 |
| Special Formula for Tobacco | 4,00 | 3.30 | 5,00 |
| Harvey's Special | 4.00 | 3,30 | 4.00 |
| Harris Electric Top Dresser | 2.00 | 8,28 | 3.00 |
| Armour's Top Dresser | | 7.83 | 4.00 |
| Armour's Top Dresser | | 7.40 | 3.00 |
| Sulphate of Ammonia | | 20,00 | |
| Nitrate of Soda | | 14.81 | |
| Blood | | 13,16 | |
| 10 Per Cent Tankage | • • • • | 8,23 | |
| Cotton-seed Meal | | 6.18 | 50.00 |
| Sulphate of Potash | | | 50.00 |
| Kainit | | | 12.00 |
| ramit | | | 3 = 100 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|----------------------|
| George L. Arps & Co., Norfolk, Va.— | | | |
| Arps' H. G. 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acid Phosphate | 14.00 | | |
| Arps' 10 and 4 Bone and Potash Mixture | 10.00 | | 4.00 |
| Arps' 10 and 2 Bone and Potash Mixture | 10.00 | | 2.00 |
| Arps' "Go-a-head" Guano for Trucks, Cotton | | | |
| and Tobacco | 8.00 | 3.30 | 4.00 |
| Arps' Quick Growth for All Crops | 8.00 | 2.47 | 3.00 |
| Arps' Premium Guano for Cotton. Tobacco, | | | |
| and All Spring Crops | 8.00 | 1.65 | 2.00 |
| Arps' Big Yield Guano | 8.00 | 1.65 | 2.00 |
| Arps' Standard Truck Guano | 7.00 | 4.12 | 5.00 |
| Arps' Potato Guano | 6.00 | 5.76 | 5.00 |
| Arps' Scuppernong Guano for Trucks | 6.00 | $\frac{3.13}{4.12}$ | 7.00 |
| Arps' H. G. Top Dresser | | S.22 | 3.00 |
| Genuine German Kainit | | | $\frac{3.00}{12.00}$ |
| Genume German Kamit | | | 12.00 |
| Ashepoo Fertilizer Co., Charleston, S. C.— | | | |
| High Grade Ashepoo Dissolved Phosphate | 16.00 | | |
| II. G. Bradley's Dissolved Phosphate | 16.00 | | |
| High Grade Ashepoo Acid Phosphate | 14.00 | | |
| H. G. Bradley's Acid Phosphate | 14.00 | | |
| Standard Bradley's Acid Phosphate | 13.00 | | |
| Standard Quinnipiac Acid Phosphate | 13.00 | | |
| Standard Ashepoo Acid Phosphate | 13.00 | | |
| H. G. Ashepoo Bone and Potash | 12.00 | | 2.00 |
| Standard Ashepoo Acid Phosphate and Potash | 12.00 | | 1.00 |
| Standard Entaw Acid Phosphate and Potash. | 12.00 | | 1.00 |
| Standard Bradley's Acid Phosphate | 12.00 | | |
| Standard Ashepoo Acid Phosphate | 12.00 | | |
| Standard Eutaw Acid Phosphate | 12.00 | | |
| Standard Ashepoo Potash and Acid Phosphate | 11.00 | | 1,00 |
| Standard Eutaw Potash Acid Phosphate | 11,00 | | 1.00 |
| High Grade Ashepoo Watermelon Guano | 10.00 | 3.29 | 5.00 |
| H. G. Ashepoo Cantaloupe Guano | 10.00 | 2.46 | 10.00 |
| H. G. Ashepoo Fruit Fertilizer | 10.00 | 1.65 | 6.00 |
| High Grade Bradley's Guano | 10.00 | 1.65 | 4.00 |
| H. G. Ashepoo Fertilizer | 10.00 | 1.65 | $\frac{2.00}{2.00}$ |
| High Grade Ashepoo Superpotash Acid Phos- | 20.00 | 1.00 | 2.00 |
| phate | 10.00 | | 4.00 |
| II. G. Bradley's Potash Acid Phosphate | 10.00 | | 4.00 |
| H. G. Eutaw Superpotash Acid Phosphate | 10,00 | | 4.00 |
| Standard Bradley's Wheat Grower | 10.00 | | 2.00 |
| Standard Enoree Acid Phosphate and Potash. | 10.00 | | -2.00 |
| Standard Ashepoo Fertilizer | 9.00 | 1.85 | 1.00 |
| Standard Eutaw Fertilizer | 9,00 | 1.85 | 1.00 |
| Standard B. D. Sea Food Guano | 9,00 | 1.85 | 1.00 |
| Standard Bradley's Patent Superphosphate Standard Quinnipiac Pine Island Ammoniated | 9,00 | 1.85 | • 1.00 |
| Superphosphate | -9.00 | 1.85 | 1.00 |
| Standard Cumberland Bone Superphosphate | 0.00 | 4.0= | 4 00 |
| of LimeStandard Americus Ammoniated Bone Super- | 9.00 | 1.85 | 1.00 |
| phosphate | 9.00 | 1.85 | 1.00 |
| Standard Eutaw Guano | 9.00 | 1.65 | 2.00 |
| Standard Eutaw XX Guano | 9.00 | 1.65 | 2.00 |
| Standard Ashepoo Guano | 9.00 | 1.65 | 2.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. | Nitrogen. | Potash. |
|---|-----------------|---------------------|---------------------|
| | Acid. | 1.65 | 2.00 |
| Standard Soluble Pacific Guano | 9.00 | $\frac{1.05}{1.65}$ | 1.00 |
| Standard Ashepoo Guano | 9.00 | | 4.00 |
| High Grade Bradley's Guano | 8.00 | 3.29 | |
| High Grade Ashepoo Guano | 8.00 | 3.29 | 4.00 |
| High Grade Eutaw Special Cotton-seed Meal | | | 4.0 |
| Guano | 8.00 | 2.46 | 4.00 |
| High Grade Eutaw Fertilizer | 8.00 | 2.46 | 4.00 |
| High Grade Bradley's Guano | 8.00 | 2.46 | 3.00 |
| High Grade Pacific Fertilizer | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Cotton Fertilizer | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Bird and Fish Guano | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Meal Mixture | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Golden Tobacco Producer | 8.00 | 2.46 | 3.00 |
| High Grade Ashepoo Fertilizer | 8.00 | 2.46 | 3.00 |
| Standard Ashepoo Meal Guano | 8.00 | 2.46 | 2.00 |
| Standard Ashepoo Guano | 8.00 | $\frac{2.16}{2.06}$ | $\frac{2.00}{2.00}$ |
| Standard Eutaw Guano | 8.00 | $\frac{2.06}{2.06}$ | 2.00 |
| | 8.00 | 1.65 | 2.00 |
| Standard Ashepoo Fertilizer | S.00 | $\frac{1.05}{1.65}$ | $\frac{2.00}{2.00}$ |
| Standard Bradley's Guano | 8.00 | 1.95 | 4.00 |
| Standard Brownwood Potash Acid Phosphate. | | 14.81 | |
| Sulphate of Ammonia | | 14.01 | 45.00 |
| Muriate of Potash | | | 45.00 |
| Sulphate of Potash | | | 12.00 |
| German Kainit | | | 12.00 |
| ttlanta Hilling Co., Atlanta, Ca. | | | |
| Atlanta Milling Co., Atlanta, Ga.— | | = -0 | |
| Cotton-seed Meal | | 7.50 | |
| The Atlantic Chemical Corporation, Norfolk, Va.— | | | |
| Pure Raw Bone MealTotal | 21.50 | 3.71 | |
| | 18.00 | | |
| Acco Thomas Phosphate | 10.00 | | |
| | 16.00 | | |
| phate | 14.00 | | |
| Atlantic 14 Per Cent Acid Phosphate | 13.00 | | |
| Atlantic Dissolved Bone | 12.00 | 1.02 | 2.00 |
| Atlantic Corn Special | 12.00 12.00 | | |
| Atlantic Acid Phosphate | | | 5.00 |
| Atlantic 11 and 5 Bone and Potash Mixture | 11.00 | | 5.00 |
| Atlantic 10 and 5 Bone and Potash Mixture. | 10.00 | | 4.00 |
| Atlantic 10 and 4 Bone and Potash Mixture | 10.00 | | 3.00 |
| Atlantic Bone and Potash for Grain | 10.00 | | $\frac{3.00}{2.00}$ |
| Atlantic Bone and Potash Mixture | 10.00 | 0.47 | |
| Acco Tobacco Compound | 9.00 | 2.47 | 3.00 |
| Atlantic Meal Compound | 9.00 | 2.27 | 2.00 |
| Atlantic Cotton Grower | 9.00 | 2.06 | 1.00 |
| Corona Cotton Compound | 9.00 | 1.65 | 3.00 |
| Atlantic Special Guano | 9.00 | 1.65 | 1.00 |
| Atlantic Grain Guano | 9.00 | .82 | 3.00 |
| Atlantic Fish Guano | 9.00 | .82 | 3.00 |
| Atlantic Special 1-9-2 Guano | 9.00 | .82 | 2.00 |
| Atlantic 4-8-5 Special Tobacco Grower | 8.00 | 3.30 | 5.00 |
| Atlantic Special Truck Guano | 8.00 | 3.30 | 4.00 |
| Oriental High Grade Guano | 8.00 | 3.30 | 4.00 |
| Paloma Tobacco Guano | 8.00 | 3.30 | 4.00 |
| Pitt County Light Tobacco Special | 8.00 | 2.47 | 5.00 |
| Boone's Special | 8.00 | 2.47 | 4.00 |
| Atlantic High Grade Tobacco Guano | 8.00 | 2.47 | 3.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------|
| Atlantic High Grade Cotton Guano | 8.00 | 2.47 | 3.00 |
| Atlantic Tobacco Grower | 8.00 | 2.06 | 3.00 |
| Atlantic Tobacco Compound | 8.00 | 2.06 | 2.00 |
| Atlantic Special Wheat Fertilizer | 8.00 | 1.65 | 2.00 |
| Atlantic Soluble Guano | | | |
| Atlantic Soluble Guano for Tobacco | 8.00 | 1.65 | 2.00 |
| | 8.00 | 1.65 | 2.00 |
| Apex Peanut Grower | 8.00 | 1.02 | 4.00 |
| Atlantic 8 and 5 Bone and Potash Mixture | 8.00 | | 5.00 |
| Atlantic 8 and 4 Bone and Potash Mixture | 8.00 | | -4.00 |
| Atlantic 7 Per Cent Truck Guano | 7.00 | 5,77 | 7.00 |
| Atlantic Potato Guano | 7.00 | 4.12 | 5.00 |
| Perfection Peanut Grower | 7.00 | | 5.00 |
| Atlantic Special Potato Guano | 6.00 | 4.12 | 7.00 |
| Atlantic 2-6-5 Special | 6.00 | 1.65 | 5.00 |
| Atlantic Side Dresser | 4.00 | 8.22 | |
| | | | 4.00 |
| Atlantic Special Top Dresser | 4.00 | 6.18 | 2,50 |
| Nitrate of Soda | | 15.22 | |
| Atlantic Top Dresser | | 7.42 | 3.00 |
| Cotton-seed Meal | | 6.17 | |
| Sulphate of Potash | | | 48.00 |
| Muriate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| | | | 12.00 |
| Atlantic Fertilizer Co., Atlanta, Ga.— | | | |
| | 40.00 | | |
| Atlantic Acid and Potash Mixture H. G | 12.00 | | 6,00 |
| Atlantic Acid and Potash Mixture II. G | 10.00 | | 5.00 |
| Paltimone Foutilism Gs. Baltimore 313 | | | |
| Baltimore Fertilizer Co., Baltimore, Md.— | | | |
| Honest Acid Phosphate | 16.00 | | |
| Honest Acid Phosphate | 14.00 | | |
| Honest Bone and Potash | 10.00 | | 2.00 |
| Honest 4-8-5 | 8.00 | 3.20 | 5.00 |
| Honest Sweet Potato Grower | 8.00 | $\frac{3.20}{2.40}$ | 4.00 |
| Honest Cotton Grower | | | |
| Honest Ammoniated Done | 8.00 | 2.40 | 3.00 |
| Honest Ammoniated Bone | 8.00 | 1.60 | 2.00 |
| Honest Dixie Trucker | 6.00 | 4.00 | 7.00 |
| Honest Trucker | 6.00 | 4.00 | 5.00 |
| Baugh & Sons Co., Philadelphia, Pa., and Norfolk, | | | |
| Va.— | | | |
| Baugh's Raw Bone Meal, Warranted Pure, | | | |
| Total | 21.50 | 9.50 | |
| Baugh's 16 Per Cent Acid Phosphate | | 3.70 | |
| Baugh's Pure Bone and Muriate of Potash | 16.00 | | |
| | 17.00 | 0.45 | - 00 |
| Mixture Total | 15.00 | 2.47 | 5.00 |
| Baugh's High Grade Acid Phosphate | 14.00 | | |
| Baugh's Pure Dissolved Animal Bones | 13.00 | 2.06 | |
| Baugh's 12 and 5 Phosphate and Potash | 12.00 | | 5.00 |
| Baugh's High Grade Cotton and Truck Guano | 10.00 | 1.65 | 2.00 |
| Baugh's 10 and 8 Phosphate and Potash | 10.00 | | 8.00 |
| Baugh's 10 and 4 Phosphate and Potash Mix- | | | |
| Paugh's Soluble Alkeline Superhamber | 10.00 | | 4.00 |
| Baugh's Soluble Alkaline Superphosphate | 10.00 | | 2.00 |
| Baugh's Grain and Grass Grower | 9.00 | .82 | 2.00 |
| Baugh's H. G. Potato Grower | 8.00 | 3.30 | 10.00 |
| Baugh's Fish, Bone and Potash | 8.00 | 3.30 | 4.00 |
| Baugh's Yucatan Special Tobacco Guano | 8.00 | 3.30 | 4.00 |
| Baugh's Fruit and Berry Guano | 8.00 | $\frac{0.00}{2.47}$ | 10.00 |
| | 0.00 | | 10.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Baugh's Special Tobacco Guano | 8.00 | 2.47 | 5.00 |
| Baugh's Grand Rapids High Grade Guano Baugh's Sweet Potato Guano for Sweet Pota- | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| tues | 8.00 | 2.47 | 3.00 |
| Baugh's High Grade Tobacco Guano, | 8.00 | 2.47 | 3.00 |
| Baugh's Complete Animal Base Fertilizer | 8.00 | 1.65 | 5.00 |
| Baugh's Fish Mixture | 8.00 | 1.65 | 2.00 |
| Baugh's Animal Base and Potash Compound | | | |
| for All Crops | 8.00 | 1.65 | 2.00 |
| Baugh's Wheat Fertilizer for Wheat and Grass | 8.00 | 1.65 | 2.00 |
| Baugh's Southern States Excelsior Guano | 8.00 | 1.00 | 3.00 |
| Baugh's Southern States Guano for Bright | 0.00 | | 0.00 |
| Tobacco | 7.00 | 2.88 | 7.00 |
| Baugh's Potato and Truck Special | 7.00 | 2.88 | 7.00 |
| Baugh's Strawberry Mixture | 7.00 | $\frac{2.47}{2.47}$ | 5.00 |
| Baugh's Fine Ground FishTotal | 6.87 | 8.23 | |
| Baugh's 7 Per Cent Potato Guano | 6.00 | 5.76 | 5.00 |
| Baugh's P. P. P. Plentiful Potato | 6.00 | 4.94 | 6.00 |
| Baugh's Peruvian Guano Substitute for Pota- | 0.00 | 7.07 | 0,00 |
| toes for All Vegetables | 6.00 | 4.12 | 7.00 |
| Baugh's Farmers' Friend Guano | 6,00 | 4.12 | 7.00 |
| | | 8.23 | $\frac{6.00}{2.50}$ |
| Baugh's New Process 10 Per Cent Guano | $\frac{5.00}{5.00}$ | 1.65 | 10.00 |
| Baugh's Special Potato Manure | $\frac{5.00}{4.00}$ | $\frac{1.05}{6.58}$ | |
| H. G. TankageTotal | | 20.57 | |
| Sulphate of Ammonia | | 15.63 | |
| Nitrate of Soda | | 13.05 13.17 | |
| Baugh's Soluble Top Dresser for All Crops | | 8.23 | 3.00 |
| Muriate of Potash | | C.=+> | 50,00 |
| High Grade Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.40 |
| · | | •••• | 12,10 |
| The Berkley Chemical Co., Norfolk, Va.— | | | |
| Pure Ground BoneTotal | 20.00 | 3.70 | |
| Resolute Acid Phosphate | 16.00 | | |
| Berkley Acid Phosphate | 14.00 | | |
| Berkley 12-5 Bone and Potash | 12.00 | | 5.00 |
| Berkley Bone and Potash Mixture | 11.00 | | 2.00 |
| Berkley Plant Food | 10.00 | | 4.00 |
| Laurel Potash Mixture | 10.00 | | 2.00 |
| Monitor Animal Bone Fertilizer | 9,00 | 1.85 | 4.00 |
| Select Crop Grower | 8.50 | 2.06 | 2.50 |
| Victory Special Crop Grower | 8.00 | 3.29 | 4.00 |
| Berkley H. G. Tobacco Grower | \$.00 | 3.29 | 4.00 |
| Berkley Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Advance Crop Grower | 8.00 | 2.47 | 3.00 |
| Brandon Superphosphate | S.00 | 1.65 | $\frac{2.00}{2.00}$ |
| Long Leaf Tobacco Grower | 8.00 | 1.65 | |
| Berkley Peanut and Grain Grower | S.00 | 1.00 | 4.00 4.00 |
| Superior Bone and Potash | $\frac{8.00}{7.00}$ | 4.11 | 5.00 |
| Mascot Truck Guano | 6.00 | $\frac{4.11}{5.76}$ | 5.00 |
| Royal Truck Grower | 5.00 | 3.29 | 5.00 |
| | 4.00 | 8.23 | 2.00 |
| Berkley Top Dresser | 9.00 | 15.00 | |
| Dry Ground Fish | | 8.23 | |
| Special Top Dresser | | 7.41 | 3.00 |
| opecial top Dieset | | ,,,,, | 0.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Beta Fertilizer Co., Beta, N. C.— | | | |
| Beta Grass and Grain Fertilizer | 10.00 | | 2.00 |
| Beta Potato and Truck | 8.00 | 4.00 | 7.00 |
| Beta Fertilizer | 8.00 | 4.00 | 4.00 |
| Beta Special Corn Grower | 8.00 | 3.00 | 5.00 |
| Beta Special Cotton | 8.00 | 3.00 | 3.00 |
| Beta Regulator Corn Grower | 8.00 | 2.00 | 2.00 |
| Beta Special Lawn | 4.00 | 2.00 | 2.00 |
| S. T. Beveridge & Co., Richmond, Va.— | | | |
| Beveridge's Raw Ground Bone MealTotal | 20.00 | 3.70 | |
| | 20.00 | | |
| Beveridge's Thomas or Basic SlagTotal | 17.00 | | |
| Beveridge's Thomas or Basic SlagTotal | 17.00 | | |
| Blackstone Guano Co., Inc., Blackstone, Va | | | |
| Clover Leaf 16 Per Cent Phosphate | 16,00 | | |
| Bone and Phosphate Half and Half | 15.00 | 1.65 | |
| Bla. G. Co., Inc., Acid Phosphate | 14.00 | | |
| Clover Leaf for Grain | 13.00 | 1.03 | 1.00 |
| Dissolved Bone | 10.00 | 1.03 | 1.00 |
| B. G. Co., Inc., Bone and Potash | 10.00 | | 4.00 |
| B. G. Co., Inc., Bone and Potash | 10.00 | | 2.00 |
| Blackstone Special for Tobacco | 9.00 | 2.47 | 3.00 |
| Old Bellefonte | 8.00 | 3.30 | 2.00 |
| Clover Leaf for Tobacco | 8.00 | 2.47 | 3.00 |
| Tobacco Special | 8.00 | 2.47 | 3.00 |
| Wrapper Brand | 8.00 | 2.47 | 3.00 |
| Jim Crow for Tobacco | 8.00 | 2.47 | 3.00 |
| Bellefonte | 8.00 | 2.47 | 2.00 |
| Hard Cash for Tobacco | 8.00 | 2.06 | 2.00 |
| Carolina Special for Tobacco | 8.00 | 1.65 | 4.00 |
| Standard Guano | 8.00 | 1.65 | 2.00 |
| Red Letter for Tobacco | 8.00 | 1.65 | 2.00 |
| Alliance for Tobacco | 8.00 | 1.65 | 2.00 |
| Leader for Tobacco | 8.00 | 1.65 | 2.00 |
| Peanut Special | 8.00 | 1.03 | 6.00 |
| Material for Special Order | | 4.05 | |
| Bowker Fertilizer Co., Baltimore, Md., and Boston, Mass.— | | | |
| | 10.00 | | |
| 16 Per Cent Dissolved Bone Phosphate | 16.00 | | |
| Bowker's Soluble Phosphate | 14.00 | • • • • | |
| Golden Harvest Fertilizer | 12.00 | | 5.00 |
| Imperial Alkaline Phosphate Superphosphate with Potash for Grass and | 10.00 | • • • • | 4.00 |
| Grain | 10.00 | | 2.00 |
| Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Blood, Bone and Fish | 8.00 | 3.29 | 4.00 |
| Blood, Bone and Fish | 8.00 | 3.29 | 4.00 |
| Bowker's Red Oak Tobacco Fertilizer | 8.00 | 2.47 | 7.00 |
| Bowker's White Star Compound | 8.00 | 2.47 | 4.00 |
| Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Eureka Cotton Compound | 8.00 | 2.47 | 3.00 |
| | | | |

| | Avail. | | |
|---|----------------|---------------------|---------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| Excelsior C. S. M. Mixture | 8.00 | 1.65 | 2.00 |
| Empire Standard | 8.00 | 1.65 | 2.00 |
| Corn and Grain Grower | 8.00 | .82 | 4.00 |
| Southern Special Compound | -7.00 | 3.29 | 5.00 |
| Bowker's 7 Per Cent Potato Guano | 6.00 | 5.76 | 5.00 |
| H. G. Top Dresser | | 7.41 | 3.00 |
| | | | |
| Boykin Chemical and Fertilizer Co., Baltimore, Md.— | • | | 0.00 |
| Boykin Top Dresser | • • • • | 7.41 | 3.00 |
| H. P. Brown Guano Co., Salisbury, N. C.— | | | |
| Brown's Ground Rock Phosphate Total | 28.00 | | |
| Brown's 21½-4½ Bone Meal | 21.05 | 3.70 | |
| Brown's 20-12 Bone and Potash | 20.00 | | 12.00 |
| Brown's 20-8 Bone and Potash | 20.00 | | 8.00 |
| Brown's Thomas Phosphate17.00 t | $o\ 19.00$ | | |
| Brown's 16 Per Cent Acid Phosphate | 16.00 | | |
| Brown's 14 Per Cent Acid Phosphate | 14.00 | | |
| Brown's Dissolved Animal Bone | 13.00 | 2.06 | |
| Brown's 13 Per Cent Acid Phosphate | 13.00 | | |
| Brown's 12-6 Bone and Potash | 12.00 | | 6.00 |
| Brown's 12-5 Bone and Potash | 12.00 | | 5.00 |
| Brown's 12-4 Bone and Potash | 12.00 | | 4.00 |
| Brown's 12-3 Bone and Potash | 12.00 | | 3.00 |
| Brown's 12 Per Cent Acid Phosphate | 12.00 | | |
| Brown's 11-5 Bone and Potash | 11.00 | | 5.00 |
| Brown's 10-4-4 Guano | 10.00 | 3.29 | 4.00 |
| Brown's 10-3-3 Guano | 10.00 | 2.47 | 3.00 |
| Brown's 10-2-2 Guano | 10.00 | 1.65 | 2.00 |
| Brown's 10-14-6 Guano | 10.00 | 1.03 | 6.00 |
| Brown's 10-6 Bone and Potash | 10.00 | | 6.00 |
| Brown's 10-5 Bone and Potash | 10.00 | | 5.00 |
| Brown's 10-4 Bone and Potash | 10.00 | | 4.00 |
| Brown's 10-3 Bone and Potash | 10.00 | | 3.00 |
| Brown's 10-2 Bone and Potash | 10.00 | | 2.00 |
| Brown's 9-3-3 Guano | 9.00 | 2.47 | 3.00 |
| Brown's 9-2%-2 Guano | 9.00 | $\frac{2.26}{2.26}$ | 2.00 |
| Brown's 9-214-4 Guano | 9.00 | 1.85 | 4.00 |
| Brown's 9-2-3 Guano | 9.00 | $\frac{1.65}{1.65}$ | 3.00 |
| Brown's 9-1-3 Guano | 9.00 | .82 | 3.00 |
| | 8.00 | 3.71 | 7.00 |
| Brown's 8-41/2-7 Guano | 8.00 | $\frac{3.71}{3.71}$ | 7.00 |
| Brown's 8-4½-7 Tobacco Guano | 8.00 | $\frac{3.11}{3.29}$ | 6.00 |
| Brown's S-4-6 Guano | | $\frac{3.29}{3.29}$ | 6.00 |
| Brown's 8-4-6 Tobacco Guano | 8.00 | $\frac{3.29}{3.29}$ | 4.00 |
| Brown's 8-4-4 Guano | 8.00 | $\frac{5.29}{2.47}$ | 5.00 |
| Brown's 8-3-5 Guano | 8.00 | $\frac{2.47}{2.47}$ | 5.00 |
| Brown's 8-3-5 Tobacco Guano | 8.00 | | |
| Brown's 8-3-3 Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Brown's 8-3-3 Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Brown's 8-21/2-3 Guano | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Brown's 8-2½-3 Tobacco Guano | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Brown's 8-21/4-2 Guano | 8.00 | 2.06 | 2.00 |
| Brown's 8-2½-2 Tobacco Guano | 8.00 | 2.06 | 2.00 |
| Brown's 8-2-10 Guano | 8.00 | 1.65 | 10.00 |
| Brown's 8-2-3 Guano | 8.00 | 1.65 | 3.00 |
| Brown's 8-2-2 Guano | 8.00 | 1.65 | 2.00 |
| Brown's 8-2-2 Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Brown's 8-1-4 Guano | 8.00 | .82 | 4.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--|--|--|
| Brown's 8-1-3 Guano | 8.00 | .82 | 3.00 |
| Brown's 8-5 Bone and Potash | 8.00 | | 5.00 |
| Brown's 8-4 Bone and Potash | 8.00 | | 4.00 |
| Brown's 7-7-7 Guano | 7.00 | 5.76 | 7.00 |
| Brown's 7-5-8 Guano | 7.00 | 4.12 | 8.00 |
| | | | |
| Brown's 7-5-5 Guano | 7.00 | 4.17 | 5.00 |
| Brown's 7-4-5 Guano | 7.00 | 3.29 | 5.00 |
| Brown's 4-7½-2 Top Dresser | 4.00 | 8.17 | 2.00 |
| Brown's Fish Scrap | | 8.24 | |
| Brown's Nitrate of Soda | | 15.00 | |
| Brown's Dried Blood | | 13.00 | |
| Brown's 12 Per Cent Kainit | | 12.00 | |
| Brown's Top Dresser | | 7.40 | -3.00 |
| Brown's Cotton-seed Meal | | 6.17 | |
| Brown's 7 Per Cent Tankage | | 5.76 | |
| Brown's Muriate of Potash | | | 48.00 |
| Brown's Sulphate of Potash | | | 48.00 |
| brown's surpliate of Fotasi | | • • • • | 30,00 |
| C. J. Burton Guano Co., Baltimore, Md.— | | | |
| Burton's 16 Per Cent Acid Phosphate | 16.00 | | |
| Burton's 14 Per Cent Acid Phosphate | 14.00 | | |
| Burton's Alkaline | 10.00 | | 4.00 |
| Punton's Detach Mixture | | | |
| Burton's Potash Mixture | 10.00 | 0.30 | 2.00 |
| Burton's High Grade Tobacco | 8.00 | 3.29 | 4.00 |
| Burton's Best | 8.00 | 2.47 | 3.00 |
| Tobacco Queen | 8.00 | 2.47 | 3.00 |
| Burton High Grade | - 8.00 | 2.06 | -3.00 |
| Burton's Butcher Bone | 8.00 | 1.65 | 2.00 |
| Caraleigh Phosphate and Fertilizer Works, Raleigh, N. C.— | | | |
| Raw Bone MealTotal | 45.00 | 3.70 | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Climax Dissolved Bone | 14.00 | | |
| Sterling Acid Phosphate | 13.00 | | |
| · Staple Acid Phosphate | 12.00 | | |
| Horne & Son's High Grade Bone and Potash. | 11.00 | | |
| Special Bone and Potash Mixture | 10.00 | | 5.00 |
| Morris & Scarboro's Special Bone and Potash. | | | 4.00 |
| Electric Bone and Potash Mixture | 10.00 | | 3.00 |
| Pacific Tokeses and Catter Cons. | 10.00 | 0.20 | 2.00 |
| Pacific Tobacco and Cotton Grower | 9.00 | 2.26 | 2.00 |
| Special 8-4-4 | 8.00 | 3.39 | 4.00 |
| Rhamkatte Special Tobacco Guano | 8.00 | 3.29 | 6.00 |
| Caraleigh Meal and Tankage Mixture | 8.00 | 3.29 | 4.00 |
| Horne's Best | 8.00 | 2.47 | 3.00 |
| Eclipse Ammoniated Guano | 8.00 | 2.47 | 3.00 |
| Caraleigh Formula for Tobacco | | | 3.00 |
| Planter's Pride | 8.00 | 2.47 | 5.00 |
| rianters ringe | 8.00 | $\frac{2.47}{2.06}$ | |
| Caraleigh Special Tobacco Guano | 8.00 8.00 | 2.06 | 3.00 |
| Caraleigh Special Tobacco Guano | 8.00 8.00 8.00 | $\frac{2.06}{2.06}$ | $\frac{3.00}{3.00}$ |
| Caraleigh Special Tobacco Guano Eli Ammoniated Fertilizer | 8.00 8.00 8.00 8.00 | $2.06 \\ 2.06 \\ 1.65$ | 3.00 3.00 2.00 |
| Caraleigh Special Tobacco Guano Eli Ammoniated Fertilizer Crown Ammoniated Guano | 8.00 8.00 8.00 8.00 8.00 | 2.06 2.06 1.65 1.65 | 3.00 3.00 2.00 2.00 |
| Caraleigh Special Tobacco Guano Eli Ammoniated Fertilizer Crown Ammoniated Guano Comet Guano | 8.00 8.00 8.00 8.00 8.00 8.00 | 2.06 2.06 1.65 1.65 .82 | 3.00 3.00 2.00 2.00 3.00 |
| Caraleigh Special Tobacco Guano Eli Animoniated Fertilizer Crown Ammoniated Guano Comet Guano Buncombe Corn Grower | 8.00 8.00 8.00 8.00 8.00 8.00 8.00 | 2.06 2.06 1.65 1.65 .82 | 3.00 3.00 2.00 2.00 3.00 4.00 |
| Caraleigh Special Tobacco Guano Eli Ammoniated Fertilizer Crown Ammoniated Guano Comet Guano Buncombe Corn Grower Buncombe Wheat Grower | \$.00 \$.00 \$.00 \$.00 \$.00 \$.00 \$.00 | 2.06 2.06 1.65 1.65 .82 | 3.00 3.00 2.00 2.00 3.00 4.00 4.00 |
| Caraleigh Special Tobacco Guano Eli Ammoniated Fertilizer Crown Ammoniated Guano Comet Guano Buncombe Corn Grower Buncombe Wheat Grower Caraleigh Top Dresser | \$.00 \$.00 \$.00 \$.00 \$.00 \$.00 \$.00 \$.00 | 2.06 2.06 1.65 1.65 .82 8.23 | 3.00 3.00 2.00 2.00 3.00 4.00 4.00 4.00 |
| Caraleigh Special Tobacco Guano Eli Ammoniated Fertilizer Crown Ammoniated Guano Comet Guano Buncombe Corn Grower Buncombe Wheat Grower Caraleigh Top Dresser Nitrate of Soda | 8.00 8.00 8.00 8.00 8.00 8.00 8.00 8.00 | 2.06 2.06 1.65 1.65 .82 8.23 15.63 | 3.00 3.00 2.00 2.00 3.00 4.00 4.00 |
| Caraleigh Special Tobacco Guano Eli Ammoniated Fertilizer Crown Ammoniated Guano Comet Guano Buncombe Corn Grower Buncombe Wheat Grower Caraleigh Top Dresser | \$.00 \$.00 \$.00 \$.00 \$.00 \$.00 \$.00 \$.00 | 2.06 2.06 1.65 1.65 .82 8.23 | 3.00 3.00 2.00 2.00 3.00 4.00 4.00 4.00 |

| | A !1 | | |
|---|--------------------------|---------------------|---------------------|
| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
| Ground Fish | | 8.82 | |
| Sulphate of Potash | | | 50.00 |
| Muriate of Potash | | | 50.00 |
| Genuine German Kainit | • • • • | | 12.00 |
| Carolina Union Fertilizer Co., Norfolk, Va.— | | | |
| Carolina Union Raw Bone MealTotal | 21.00 | 3.71 | |
| Carolina Union 16 Per Cent | 16.00 | | |
| Carolina Union 14 Per Cent | 14.00 | | |
| Carolina Union 12-5 | 12.00 | | 5.00 |
| Carolina Union 10-5 | 10.00 | | 5.00 |
| Carolina Union 10-4 | 10.00 | | 4.00 |
| Carolina Union 10-2 | 10.00 | | 2.00 |
| Carolina Union 21/4-9-4 Guano | 9.00 | 1.85 | 4.00 |
| Carolina Union 1-9-2 | 9.00 | .82 | 2.00 |
| Carolina Union 4-8-4 | 8.00 | 3.30 | 4.00 |
| Carolina Union 3-8-3 | 8.00 | 2.47 | 3.00 |
| Carolina Union 2½-8-3 | 8.00 | 2.06 | 3.00 |
| Carolina 2-8-2 | 8.00 | 1.65 | 2.00 |
| Carolina Union 1-8-4 | 8.00 | .82 | 4.00 |
| Carolina Union 10-2-2 | 2.00 | 8.25 | 2.00 |
| Nitrate of Soda | | 14.85 | |
| Muriate of Potash | • • • • | | 50.00 |
| Genuine German Kainit | • • • • | • • • • | 12.00 |
| Catawba Fertilizer Co., Lancaster, S. C.— | | | |
| Catawba High Grade Acid Phosphate | 16.00 | | |
| Catawba High Grade Acid Phosphate | 14.00 | | |
| Catawba Acid and Potash | 12.00 | | 5.00 |
| Catawba Acid and Potash | 12.00 | | 4.00 |
| Catawba Special | 10.00 | 3.20 | 4.00 |
| Catawba Farmers' King | 10.00 | 1.65 | 5.00 |
| Catawba Climax | 10.00 | 1.65 | 2.00 |
| Catawba Preference | 10.00 | 1.65 | 2.00 |
| Catawba Grain King | 10.00 | .82 | 4.00 |
| Catawba Acid and Potash | 10.00 | | 4.00 |
| Catawba Acid and Potash | 10.00 | | 2.00 |
| Catawba Gold Medal | 9.00 | 2.47 | 7.00 |
| Catawba Farmers' Special | 9.00 | 2.47 | 2.00 |
| Catawba Old Hickory | 8.00 | 3.29 | 6.00 |
| Catawba Regulator | 8.00 | 3.29 | 4.00 |
| Catawba Reliable | 8.00 | 3.29 | 4.00 |
| Catawba Electric | 8.00 | 3.29 | 4.00 |
| Catawba Farmers' Choice | 8.00 | 2.47 | 5.00 |
| Catawba Red Rose | 8.00 | 2.47 | 3.00 |
| Catawba Peerless | 8.00 | 2.47 | 3.00 |
| Catawba Red Star | 8.00 | 2.47 | 3.00 |
| Catawba Champion | 8.00 | 2.05 | 3.00 |
| Catawba Standard Formula | 8.00 | 2.05 | 3.00 |
| Catawba Standard | 8.00 | 2.05 | 2.00 |
| Catawba Eclipse | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Catawba Economizer | 8.00 | $\frac{1.65}{1.65}$ | $\frac{2.00}{2.00}$ |
| Catawba Dixie | 8.00 | 1.65 | 4.00 |
| Catawba Acid and Potash | 8.00 | 4.02 | |
| Catawba Cotton Producer | 6.00 | 4.93 | $\frac{5.00}{2.50}$ |
| Catawba H. G. Top Dresser | 4.00 | 6.16 | 7.00 |
| Catawba Superior | 4.00 | 5.75 5.75 | 4.00 |
| Catawba Excelsior | 4.00 | 67.6 | 4.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Catawba Nitrate of Soda | | 15.00 | |
| Catawba Muriate of Potash | | | 48.00 |
| Catawba Kainit | | | 12.00 |
| | | | |
| Central Phosphate Co., Mount Pleasant, Tenn.— | | | |
| Tennessee Phosphate | 32.00 | | |
| Tennessee PhosphateTotal | 28.00 | | |
| Chatham Oil and Fertilizer Co., Pittsboro, N. C.— | | | |
| C. O. & F. Co. Acid Phosphate | 16.00 | | |
| C. O. & F. Co. Acid Phosphate | 14.00 | | |
| C. O. & F. Co. Bone and Potash | 10.00 | | $\frac{5.00}{2.00}$ |
| Chatham Corn Grower | $\frac{10.00}{9.00}$ | 1.23 | 3.00 |
| Pittsboro High Grade | 8.00 | 3.30 | $\frac{3.00}{4.00}$ |
| High Land Tobacco Grower | 8.00 | $\frac{3.30}{2.47}$ | 3.00 |
| Pride of Chatham | 8.00 | 2.47 | 3.00 |
| London's Special | 8.00 | 2.47 | 3.00 |
| Chatham Cotton Grower | 8.00 | $\bar{1.65}$ | 2.00 |
| C. O. & F. Co. German Kainit | | | 12.00 |
| The Chesapeake Chemical Co., Baltimore, Md.— | | | |
| C. C. Co.'s Dissolved Phosphate 16 Per Cent | 16.00 | | |
| C. C. Co.'s Dissolved Phosphate 14 Per Cent | 14.00 | | |
| C. C. Co.'s Reliable Phosphate | 10.00 | | 4.00 |
| C. C. Co.'s Celebrated Mixture | 10.00 | | 2.00 |
| C. C. Co.'s High Grade Guano | 8.00 | 3.28 | 4.00 |
| C. C. Co.'s Excelsior Fertilizer | 8.00 | 2.46 | 4.00 |
| C. C. Co.'s Fish Guano | 8.00 | 2.46 | 3.00 |
| C. C. Co.'s Ammoniated Phosphate | 8.00 | 1.64 | 3.00 |
| C. C. Co.'s National Crop Grower | 8.00 | 1.64 | 2.00 |
| C. C. Co.'s Keystone Phosphate | 7.00 | 3.28 | -5.00 |
| C. C. Co.'s Potato Compound | 6.00 | 4.10 | 5.00 |
| C. C. Co.'s Prolific Top Dresser | | 7.51 | 3.50 |
| C. C. Co.'s German Kainit | | | 12.40 |
| City Abattoir of Winston-Salem, Winston-Salem, N. C.— | | | |
| | 0 =0 | ~ | |
| Tankage | 8.50 | 5.74 | |
| Clayton Oil Mill, Clayton, N. C.— | | | |
| C. O. M. 16 Per Cent Acid Phosphate | 16.00 | | |
| C. O. M. High Grade Bone and Potash | 12.00 | | 5.00 |
| C. O. M. Wheat Compound | 10.00 | 2.05 | 4.50 |
| C. O. M. Bone and Potash | 10.00 | | 5.00 |
| R. B. W. Special | 9.00 | 3.30 | 4.00 |
| Austin's Special | 9.00 | . 2.47 | 3.00 |
| Wayside Special | 9.00 | 1.65 | 4.00 |
| C. W. H. Special | 8.00 | 5.00 | 5.00 |
| C. O. M. Cotton Grower | 8.00 | 3.30 | 4.00 |
| Clayton Gnano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Planters' Favorite | 8.00 | $\frac{2.47}{0.47}$ | 3.00 |
| Clayton Sec. Tobacco Grower | 8.00 | $\frac{2.47}{1.65}$ | 3,00 |
| Cotton Queen | 8.00 | 1.65 | 2.00 |
| Summer Queen | 8.00 | $\frac{1.65}{7.75}$ | 2.00 |
| C. O. M. Top Dresser | 3.00 | 7.75 | 2.00 |
| C. O. M. German Kainit | | | 12.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|----------------------|-----------------------|
| The Coe-Mortimer Co., Charleston, S. C.— | | | |
| Gen. Key — Tree Brand Thomas Phosphate, | | | |
| Total | 18.00 | | |
| Total | 17.50 | | |
| Coe-Mortimer Co.'s Dissolved Bone | | | |
| Coe-Mortimer Co.'s Dissolved Bone | $\frac{16.00}{14.00}$ | | |
| Coe-Mortimer Co.'s Level Best | 10.00 | 2.00 | 4.00 |
| Coe-Mortimer Co.'s Progressive Farmer | | 3.29 9.47 | |
| Coe-Mortimer Co.'s Bone and Potash | 10.00 | 2.47 | 3.00 |
| Coe-Mortimer Co.'s Bone and Potash | 10.00 | | 4.00 |
| Coe-Mortimer Co.'s Corn Club | $\frac{10.00}{9.25}$ | ${2.05}$ | $\frac{2.00}{2.00}$ |
| Carolina Special | 9.25 | $\frac{2.05}{2.47}$ | 3.00 |
| Coe-Mortimer Co.'s Excelsior | 9.00 | $\frac{2.41}{2.05}$ | $\frac{3.00}{4.00}$ |
| Coe-Mortimer Co.'s M. H. G | | | 3.00 |
| | 9.00 | 1.65 | |
| Knickerbocker Standard Coe-Mortimer Co.'s Tar Heel | 9.00 | 1.65 | 2.00 |
| Coe-Mortimer Co.'s Special Formula | 9.00 | .82 | $\frac{3.00}{2.00}$ |
| | 8.50 | $\frac{1.65}{7.81}$ | |
| High Grade Tankage | 8.00 | 7.81 | 9,50 |
| E. Frank Co.'s Extra High Grade | 8.00 | 4.11 | 7.00 |
| Marcoe Guano | 8.00 | 3.29 | 4.00 |
| CM. Co.'s Tobacco Grower | 8.00 | 3.28 | 4.00 |
| Coe-Mortimer Co.'s Tobacco Fertilizer, No. 3. | 8.00 | 2.47 | 6.00 |
| Coe-Mortimer Co.'s Tobacco Fertilizer, No. 2. | 8.00 | 2.47 | 5.00 |
| Coe-Mortimer Co.'s Tobacco Fertilizer, No. 1. | 8.00 | 2.47 | 4.00 |
| Coe-Mortimer Co.'s Meal Mixture | 8.00 | 2.47 | 4.00 |
| - CM. Co.'s Tobacco Special | 8.00 | 2.47 | 3.00 |
| Darlington Guano | 8.00 | 2.47 | 3.00 |
| Coe-Mortimer Co.'s Cotton and Corn | 8.00 | $\frac{2.05}{2.05}$ | 3.00 |
| Coe-Mortimer Co.'s General Crop | 8.00 | 2.05 | 2.00 |
| Coe-Mortimer Co.'s Standard | 8.00 | 2.05 | 1.00 |
| Coe-Mortimer Co.'s Straight Goods | 8.00 | 1.65 | 3.00 |
| Universal | 8.00 | 1.65 | 2.00 |
| Coe-Mortimer Co.'s Bone and Potash | 8.00 | | 4.00 |
| Mortimer's High Grade | 7.00 | 4.11 | 5.00 |
| Imported Fish Guano | 5.80 | 8.22 | 10.00 |
| Coe-Mortimer Co.'s Top Dresser | 4.00 | $\frac{6.17}{10.07}$ | 2.50 |
| H. G. Blood | • • • • | 13.37 | 16.25 |
| Nitrate of Soda | • • • • | 14.83 | 10.00 |
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | • • • • | | $\frac{49.00}{20.00}$ |
| Muriate Mixture | • • • • | | $\frac{20.00}{12.00}$ |
| Genuine German Kainit | | | 12.00 |
| Columbia Guano Co., Norfolk, Va.— | | | |
| Pure Raw Bone MealTotal | 21.50 | 3.71 | |
| Columbia Thomas Phosphate | 18.00 | | |
| Columbia High Grade 16 Per Cent Acid Phos- | | | |
| phate | 16.00 | | |
| Columbia 14 Per Cent Acid Phosphate | 14.00 | | |
| Columbia Dissolved Bone | 13.00 | | |
| Columbia 12 and 6 Bone and Potash Mixture. | 12.00 | | 6.00 |
| Columbia 12 and 5 Bone and Potash | 12.00 | | 5.00 |
| Columbia 12 and 5 B, and P, Mixture | 12.00 | | 5.00 |
| Columbia Acid Phosphate | 12.00 | | |
| Columbia 11 and 5 Bone and Potash Mixture. | 11.00 | | 5.00 |
| Columbia 10½ and 1½ Bone and Potash Mix- | | | |
| ture | 10.50 | | 1.50 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash, |
|---|--------------------------|---------------------|---------------------|
| Columbia 10 and 5 Bone and Potash Mixture. | 10.00 | | 5.00 |
| Columbia 10 and 4 Bone and Potash Mixture. | 10.00 | | 4.00 |
| Columbia Bone and Potash for Grain | 10.00 | | 3.00 |
| Columbia Bone and Potash Mixture | 10.00 | | 2.00 |
| Columbia C. S. M. Special | 9.00 | ${2.27}$ | 2.00 |
| | 9.00 | $\frac{2.27}{2.06}$ | |
| Parrish's Special | | | 5.00 |
| Roanoke Ammoniated Guano | 9.00 | 1.65 | 3.00 |
| Carolina Soluble Guano | 9.00 | 1.65 | 1.00 |
| Columbia Grain Guano | 9.00 | .82 | 3.00 |
| Columbia Special 1-9-2 Guano | 9.00 | .82 | 2.00 |
| Columbia Special Truck | 8.00 | 4.12 | -5.00 |
| Tobacco King | 8.00 | 3.30 | 5.00 |
| Pelican Ammoniated Guano | 8.00 | 3,30 | 4.00 |
| Columbia Special Truck Guano | 8.00 | 8.30 | 4.00 |
| Trojan Tobacco Guano | 8.00 | 3.30 | 4.00 |
| Columbia Special 4-8-3 | 8.00 | 3.30 | 3.00 |
| Yelverton Bros.' Plant Food for Tobacco | 8.00 | 2.47 | 5.00 |
| Columbia 8-3-4 Special Guano | 8.00 | 2.47 | 4.00 |
| Olympia Cotton Guano | 8.00 | 2.47 | 3.00 |
| Hyco Tobacco Guano | 8.00 | $\frac{2.17}{2.47}$ | 3.00 |
| Our Best Meal Guano | 8.00 | 2.47 | 3.00 |
| Royal Tobacco Fertilizer | | $\frac{2.41}{2.06}$ | |
| Columbia Special Tobacco Guano | 8.00 | | 3.00 |
| | 8.00 | 2.06 | $\frac{2.00}{2.00}$ |
| Columbia 8-2-5 Tobacco Special | 8.00 | 1.65 | 5.00 |
| Columbia Fish and Blood Guano | 8.00 | 1.65 | 4.00 |
| Columbia Fish Phosphate and Potash | 8.00 | 1.65 | 4.00 |
| Columbia Fish Phosphate and Potash | 8.00 | 1.65 | 3.00 |
| Columbia Soluble Guano for Tobacco | 8.00 | 1.65 | 2.00 |
| Columbia Special Wheat Fertilizer | 8.00 | 1.65 | 2.00 |
| Columbia Soluble Guano | 8.00 | 1.65 | 2.00 |
| Spinola Peanut Grower | 8.00 | 1.02 | 4.00 |
| Columbia 8 and 4 Bone and Potash Mixture | 8.00 | | 4.00 |
| Columbia Special 7 Per Cent Truck Guano | 7.00 | 5.77 | 7.00 |
| Columbia Potato Manure | 7.00 | 4.12 | 7.00 |
| Columbia Potato Guano | 7.00 | 4.12 | 5.00 |
| Crown Brand Peanut Guano | 7.00 | | 5.00 |
| Columbia Irish Potato Grower | 6.00 | 4.12 | 7.00 |
| Perfection Potato Producer | 5.00 | 4.94 | 7.00 |
| Columbia Side Dresser | 4.00 | 8.22 | 4.00 |
| Columbia Special Top Dresser | $\frac{1.00}{4.00}$ | 6.18 | $\frac{4.00}{2.50}$ |
| Columbia Top Dresser | 1.00 | 7.42 | 3.00 |
| Nitrate of Soda | | 15.22 | |
| Cotton-seed Meal | | | |
| | | 6.17 | |
| Sulphate of Potash | | | 48.00 |
| Muriate of Potash | | | 48.00 |
| Genuine German Kainit | • • • • | • • • • | 12.00 |
| Combalice Fertilizer Co., Charleston, S. C.— | | | |
| C. F. Co. Dissolved Bone | 16.00 | | |
| C. F. Co. Dissolved Bone | 14.00 | | |
| C. F. Pure Dissolved Bone | 13.00 | | |
| C. F. Co. Melon Fertilizer | 10.00 | 3.30 | = 00 |
| C. F. Co. Cantaloupe Fertilizer | | | 5.00 |
| | 10.00 | 2.47 | 10.00 |
| Acid with Potash | 10.00 | | 2.00 |
| Special Mixture | 9.00 | 1.65 | 2.00 |
| C. F. Co. K. M. S. | 8.00 | 3.30 | 4.00 |
| C. F. Co. H. G. Cotton Mixture | 8.00 | 2.47 | 3.00 |
| C. F. Co. Cotton and Corn Compound | 8.00 | -1.65 | 2.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---|---|
| Nitrate of Soda | | 14.83 | |
| Muriate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| Conestee Chemical Co., Wilmington, N. C.— | | | |
| | 10.00 | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Conestee High Grade Acid Phosphate | 14.00 | | |
| Conestee Bone and Potash | 12.00 | | 6.00 |
| Conestee Bone and Potash | 12.00 | | 5.00 |
| Conestee Bone and Potash | $\frac{12.00}{12.00}$ | • • • • | $\frac{4.00}{3.00}$ |
| Conestee Bone and Potash | 12.00 | | $\frac{3.00}{2.00}$ |
| Conestee Bone and Potash | 11.00 | | 6.00 |
| Conestee Bone and Potash | 11.00 | | 5.00 |
| Conestee Bone and Potash | 11.00 | | 4.00 |
| Conestee Bone and Potash | 11.00 | | 3.00 |
| Conestee Bone and Potash | 11.00 | | 2.00 |
| Conestee Bone and Potash | 10.00 | | 6.00 |
| Conestee Bone and Potash | 10.00 | | 5.00 |
| Conestee Bone and Potash | 10.00 | | 4.00 |
| Conestee Bone and Potash | 10.00 | | 3.00 |
| Conestee Bone and Potash | 10.00 | | 2.00 |
| Conestee Square Deal Fertilizer for Tobacco. | 9.25 | 1.65 | 2.00 |
| Conestee Square Deal Fertilizer | 9.25 | 1.65 | 2.00 |
| Adams' Special Fertilizer | 9.00 | 2.47 | 3.00 |
| Conestee Cotton Grower | 9.00 | 2.27 | 2.00 |
| Conestee Premo Guano | 9.00 | .82 | 3.00 |
| Conestee Melon Grower | 8.00 8.00 | $\frac{4.12}{4.12}$ | $\frac{7.00}{7.00}$ |
| Conestee Special Fertilizer for Tobacco | 8.00 | $\frac{4.12}{4.12}$ | $\begin{array}{c} 7.00 \\ 7.00 \end{array}$ |
| Conestee O. K. Fertilizer for Tobacco | 8.00 | 3.30 | 4.00 |
| Conestee P. D. Q. Fertilizer | 8.00 | 3.30 | 4.00 |
| Conestee "O. K." Fertilizer | 8.00 | 3.30 | 4.00 |
| Conestee P. D. Q. Fertilizer for Tobacco | 8.00 | 3.30 | 4.00 |
| Conestee Plumb Good Fertilizer | 8.00 | 2.47 | 4.00 |
| Conestee Crop Grower for Tobacco | 8.00 | 2.47 | 4.00 |
| Conestee Fish Scrap Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Conestee 8-3-3 C. S. M. Guano | 8.00 | 2.47 | 3.00 |
| Conestee 8-3-3 C. S. M. Guano for Tobacco | 8.00 | 2.47 | 3.00 |
| Conestee Fish Scrap Guano | 8.00 | 2.47 | 3.00 |
| Conestee Special Fertilizer | 8.00 | 2.47 | 3.00 |
| Conestee Special Tobacco Fertilizer | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Conestee Fertilizer for Tobacco | 8.00 | 2.47 | 2.50 |
| Conestee Fertilizer | 8.00 | $\frac{2.47}{2.00}$ | 2.50 |
| Conestee Tobacco Grower | 8.00 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Conestee Complete Fertilizer | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Conestee Special Grain Fertilizer | 8.00 | $\frac{2.06}{1.65}$ | 2.00 |
| Conestee Standard Guano for Tobacco | 8.00 | 1.65 1.65 | $\frac{2.00}{2.00}$ |
| Conestee Standard Guano 101 10bacco | 8.00 | $1.65 \\ 1.65$ | $\frac{2.00}{2.00}$ |
| Cotton-seed Meal Guano for Tobacco | 8.00 | 1.65 1.65 | $\frac{2.00}{2.00}$ |
| Cotton-seed Meal Guano | 8.00 | $\begin{array}{c} 1.65 \\ 1.65 \end{array}$ | $\frac{2.00}{2.00}$ |
| Conestee Bone and Potash | 8.00 | | $\frac{2.00}{6.00}$ |
| Conestee Bone and Potash | 8.00 | | 5.00 |
| Conestee Bone and Potash | 8.00 | • • • • | $\frac{5.00}{4.00}$ |
| Conestee Root Crop Guano | 7.00 | $\frac{\dots}{4.12}$ | 7.00 |
| Conestee Standard Truck Guano | 7.00 | $\frac{4.12}{4.12}$ | 5.00 |
| Conestee High Grade Guano | 6.00 | $\frac{4.12}{4.94}$ | S.00 |
| | 0.00 | 1.01 | 0.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Conestee Truck Grower | 6.00 | 3.30 | 8.00 |
| Conestee Corn Guano | 6.00 | 2.47 | 3.00 |
| Dried Ground Fish : | 4.50 | 7.81 | |
| Conestee Special Top Dresser | 4.00 | 8.25 | 4.00 |
| Sulphate of Ammonia | | 20.56 | |
| Nitrate of Soda | | 14.81 | |
| Dried Ground Blood | | 11.51 | |
| Conestee Top Dresser | | 7.40 | 3.00 |
| Cotton-seed Meal | | 6.17 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| H. G. German Kainit 16 Per Cent | | | 16.00 |
| Genuine German Kainit | | | 12.00 |
| Contentuca Guano Co., Wilson, N. C.— | | • • • • | 12.00 |
| High Grade 16 Per Cent Acid | 10.00 | | |
| Contentnea 14 Per Cent Acid | 16.00 | | |
| "Corn Club" Special | 14.00 | .82 | - 00 |
| Bone and Potash Mixture, No. 3. | 10.00 | | 5.00 |
| | 10.00 | | 5.00 |
| Bone and Potash Mixture, No. 2 | 10.00 | | 4.00 |
| Contentnea Cotton Formula | 10.00 | | 2.00 |
| Purthelement's Cetter Charges | 9.00 | 2.25 | 2.00 |
| Bartholomew's Cotton Grower | 9.00 | 1.85 | 5.00 |
| 8-4½-7 for Tobacco | S.00 | 3.70 | 7.00 |
| 8-4½-7 for Cotton | 8.00 | 3.70 | 7.00 |
| Climax High Grade | S.00 | 3.30 | 4.00 |
| Climax H. G. for Cotton | 8.00 | 3.30 | 4.00 |
| Carr Tobacco Grower | 8.00 | 2.90 | 6.00 |
| High Grade Tobacco Grower | 8.00 | 2.90 | 5.00 |
| Government Formula, No. 1 | 8.00 | 2.47 | 10.00 |
| Government Formula, No. 2 | 8.00 | 2.47 | 7.00 |
| Victor Tobacco Grower | 8.00 | 2.47 | 5.00 |
| Farmers' Favorite Tobacco Grower | 8.00 | 2.47 | 4.00 |
| Plant-bed Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Pick Leaf Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Top Notch Fertilizer | 8.00 | 2.47 | 3.00 |
| Matchless Cotton Grower | 8.00 | 2.47 | 3.00 |
| Contentnea Cotton Grower | 8.00 | 2.47 | 2.50 |
| Bragg Cotton Grower | 8.00 | 2.05 | 3.00 |
| Blood and Bone Cotton Grower | 8.00 | 1.65 | 2.00 |
| Bragg Corn Grower | 8.00 | .82 | 5.00 |
| Contentnea Corn Special | 5,00 | 1.65 | 5.00 |
| High Grade Top Dresser | 4.00 | 8.25 | 4.00 |
| Contentnea Top Dresser | 3.00 | 8.25 | 5.00 |
| Nitrate of Soda | | 14.82 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 50.00 |
| Manure Salts | | | 20.00 |
| H. G. 16 Per Cent German Kainit | | | 16.00 |
| German Kainit | | | 12.00 |
| Cooper Guano Co., Wilmington, N. C.— | | | |
| Cooper's 4½ Per Cent Raw Bone Meal | 22.50 | 3.71 | |
| Cooper's Acid with Potash | 10.00 | 9.11 | 5.00 |
| Cooper's Zenith | S.00 | 2.00 | 3.00 |
| Cooper's High Grade | 7.00 | 6.00 | 5.00 |
| Cooperative Warehouse Co., Salisbury, N. C.— | 1.00 | 0.00 | 5.00 |
| Farmers' Union Cotton-seed Meal | | 0.17 | |
| rarmers Union Cotton-seed Mear | | 6.17 | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|---------------------|
| Coweta Fertilizer Co., Norfolk, Va.— | | | |
| Coweta 16 Per Cent Acid Phosphate | 16.00 | | |
| Coweta High Grade Acid Phosphate | 14.00 | | |
| Coweta Acid Phosphate | 13.00 | | |
| Coweta Fish Guano | 10.00 | 1.65 | 2.00 |
| Coweta Standard Bone and Potash | 10.00 | | 4.00 |
| Coweta Dissolved Bone and Potash | 10.00 | | 2.00 |
| Coweta Nonpareil Grower | 9.00 | .83 | 3.00 |
| Coweta Animal Bone | 8.00 | 3.29 | 4.00 |
| Sea Bird Standard Guano | 8.00 | 2.47 | 3.00 |
| Coweta Perfection Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Coweta Royal Guano | 8.00 | 2.06 | 3.00 |
| Coweta Beef Blood and Bone | 8.00 | 2.06 | 1.00 |
| Coweta Success Guano | 8.00 | 1.65 | 2.00 |
| Coweta Special Bone and Potash | 8.00 | | 4.00 |
| Coweta Standard Truck Guano | 6.00 | 4.12 | 7.00 |
| Nitrate of Soda | | 14.83 | |
| Cotton-seed Meal | | 6.17 | |
| Muriate of Potash | | | 49.00 |
| Genuine German Kainit | | • • • • | 12.00 |
| Craven Chemical Co., New Bern, N. C.— | | | |
| Panama 16 Per Cent Phosphate | 16.00 | | |
| Jewel Acid Phosphate | 14.00 | | |
| Turkey Trot Bone and Potash | 12.00 | | 6.00 |
| | 12.00 | | 5.00 |
| Herring's Bone and Potash | 12.00 | | 4.00 |
| Craven H. G. Bone and Potash | 10.00 | | 6.00 |
| Foy's H. G. Bone and Potash Mixture | 10.00 | | 4.00 |
| Craven Grain Compound | 10.00 | | 2.00 |
| Trent Bone and Potash | 9.00 | 2.47 | 3.00 |
| Halifax Guano | 9.00 | $\frac{2.11}{1.65}$ | 3.00 |
| Prolix 9-2-3 Special Guano | S.00 | $\frac{1.05}{3.29}$ | 4.00 |
| Hanover Standard Guano | 8.00 | $\frac{3.23}{2.47}$ | 6.00 |
| Currituck Sweet Potato Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Duplin Tobacco Guano | | $\frac{2.47}{2.47}$ | 3.00 |
| Gaston High Grade Fertilizer | - S.00 - S.00 | $\frac{2.47}{2.47}$ | 3.00 |
| C. E. Foy High Grade Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| C. C. Co. Standard Tobacco Guano | | $\frac{2.47}{2.47}$ | 3.00 |
| Hart's Special Tobacco Grower | 8.00 | $\frac{2.41}{2.06}$ | 3.00 |
| Marvel Great Crop Grower | 8.00 | | $\frac{5.00}{2.00}$ |
| Elite Cotton Guano | 8.00 | 1.65 | 7.00 |
| Pantego Potato Guano | 7.00 | 4.12 | |
| Neuse Truck Grower | 6.00 | 4.94 | 6.00 |
| Craven Chemical Co.'s Truck Guano, 5-10-21/2. | 5.00 | 8.24 | 2.50 |
| Craven Chemical Co.'s Top Dresser A | 4.00 | 8.24 | 4.00 |
| Craven Chemical Co.'s Top Dresser B | 4.00 | 6.18 | 2.50 |
| Craven Chemical Co.'s Top Dresser C | | 7.41 | 3.00 |
| Genuine German Kainit | | | 12.00 |
| Dey & Brother, Beaufort, N. C.— | | | |
| Ground Fish Scrap | 7.00 | 8.23 | |
| • | | | |
| Dixic Guano Co., Durham, N. C.— Dixie 16 Per Cent Acid Phosphate | 16.00 | | |
| Dixie 14 Per Cent Acid Phosphate | 14.00 | | |
| Dixie Champion for Wheat and Corn | 10.50 | | 1.50 |
| Jeff Davis Special | 9.00 | 2.26 | 2.00 |
| Jen Davis opecial | 3.00 | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| Dixie Star Ammoniated | 9.00 | 1.65 | 2.00 |
| Dixie Corn Fertilizer | 9.00 | 82 . | 3.00 |
| Radium Brand Guano | 8.00 | 3.28 | 5.00 |
| Dixie Tobacco Fertilizer | 8.00 | 2.46 | 3.00 |
| Carolina Special Ammoniated | 8.00 | 2.46 | 3.00 |
| Sulky Plow Brand Guane | 8.00 | 2.46 | 2.00 |
| Battle's Blood and Bone Fertilizer | 8.00 | 2.05 | 3.00 |
| Niagara Soluble Bone | 8.00 | 2.05 | 2.00 |
| Dixie Cotton Fertilizer | 8.00 | 1.65 | 2.00 |
| Old Plantation Superphosphate | 8.00 | 1.65 | 2.00 |
| Nitrate of Soda | | 14.82 | |
| Sulphate of Potash Muriate of Potash | | | 49.00 |
| Kainit | | | 48.00 |
| Dixie Prepared Agricultural Lime | | | 12.00 |
| Dixie Tiepared Agricultural Lime | | | 2.50 |
| Dixie Guano Co., Inc., Suffolk, Va.— | | | |
| Dixie Acid Phosphate | 16.00 | | |
| Dixie Acid Phosphate | 14.00 | | |
| Dixie Goodluck Brand | 12.00 | 1.00 | 6.00 |
| Dixie Alkaline Bone and Potash | 11.00 | | 2.00 |
| Dixie Monticello Brand | 10.00 | 1.00 | 2.00 |
| Dixie Alkaline Bone and Potash | 10.00 | | 4.00 |
| Dixie Alkaline Bone and Potash | 10.00 | | 2.00 |
| Dixie's Best | 8.00 | 4.11 | 7.00 |
| Dixie 8-4-4 Guano | S.00 | 3.29 | 4.00 |
| Dixie Maximum Brand | 8.00 | 2.47 | 4.00 |
| Dixie High Grade | 8.00 | 2.47 | 3.00 |
| Dixie 8-2-5 Guano | 8.00 | 1.65 | 5.00 |
| Dixie Standard Guano | 8.00 | 1.65 | 2.00 |
| Dixie Bonus Brand | 8.00 | 1.65 | 2.00 |
| Dixie Jumbo Peanut Grower | 8.00 | 1.00 | 4.00 |
| Dixie 5 Per Cent Truck | 7.00 | 4.11 | 5.00 |
| Dixie Potato Guano | 6.00 | 5.75 | 5.00 |
| Dixie 10 Per Cent Top Dresser | 5.00 | 8.23 | 3.00 |
| Dixie 7 Per Cent Guano | 5.00 | 5.66 | 4.00 |
| Nitrate of Soda | | 15.21 | |
| Ground Fish | | 8.23 | |
| Cotton-seed Meal | | 6.16 | |
| Muriate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| Eastern Cotton Oil Co., Hertford, N. U.— | | | |
| Acid Phosphate | 16.00 | | |
| "Ten-One-Four for Peanuts" | 10.00 | .83 | 4.00 |
| Currituck Special for Yellow Sweets | 8.00 | 3.29 | 6.00 |
| Mat White Special | 8.00 | 3.29 | 4.00 |
| It-grows Currituck Yellows | 8.00 | 2.47 | 3.00 |
| Rain-proof Cotton Grower | 8.00 | 2.47 | 3.00 |
| Fish and Blood Mixture | 8.00 | 1.65 | 2.00 |
| Perquimans Favorite | 8.00 | 1.65 | 2.00 |
| Early Bird | 7.00 | 4.12 | 5.00 |
| Hertford Truck Grower Tankage and Fish Substitute Peruvian Guano | 6.00 | 5.77 | 5.00 |
| for Truck | 6.00 | 4.12 | 7.00 |
| Nun-such Potato Grower | 6.00 | 4.12 | 7.00 |
| | 0.00 | | 1.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|-----------------------|
| Elmore Gin and Fertilizer Co., Elmore, N. C.— | | | |
| Elmore Standard Fertilizer | 8.00 | 3.29 | 4.00 |
| Elmore Standard Fertilizer | 8.00 | $\frac{3.23}{2.47}$ | 3.00 |
| Elmore X Fertilizer | 6.50 | $\frac{2.47}{2.47}$ | $\frac{3.50}{2.50}$ |
| Elmore Cantaloupe Special | 7.00 | 4.00 | 7.50 |
| | 1.00 | S.65 | 3.50 |
| Elmore Top Dresser Elmore Money Maker Top Dresser | | 7.41 | 6.00 |
| Elmore Corn Fertilizer | | 3.70 | 7.50 |
| | | 07.0 | ***** |
| Etiwan Fertilizer Co., Charleston, S. C.— | | | |
| Etiwan 16 Per Cent Acid Phosphate | 16.00 | | |
| Etiwan High Grade Acid Phosphate | 14.00 | | |
| Etiwan Dissolved Bone | 13.00 | | |
| Diamond Soluble Bone | 13.00 | | 1.00 |
| Etiwan Acid Phosphate with Potash | 11.00 | | 1.00 |
| Plow Brand Acid Phosphate with Potash | 11.00 | | 1.00 |
| Etiwan Potash Bone | 10.00 | | 4.00 |
| Etiwan Soluble Bone with Potash | 10.00 | | 3.00 |
| Diamond Soluble Bone with Potash | 10.00 | | 2.00 |
| XX Acid Phosphate with Potash | 10.00 | 0.00 | 2.00 |
| Etiwan Blood and Bone Guano | 9.00 | 2.06 | 1.00 |
| Plow Brand Raw Bone Superphosphate | 9.00 | 2.06 | 1.00 |
| Etiwan 9-2-3 Per Cent Ammoniated Fertilizer. | 9.00 | 1.65 | 3.00 |
| Plow Brand Ammoniated Dissolved Bone | 9.00 | 1.65 | 2.00 |
| Etiwan Superior Cotton Fertilizer | 8.00 | 3.30 | 6.00 |
| Etiwan Special Cotton Fertilizer | 8.00 | 3.30 | 4.00 |
| Plow Brand Special Tobacco Fertilizer | 8.00 | 3.30 | 4.00 |
| Etiwan Cotton Compound | 8.00 | 2.47 | $\frac{3.00}{2.00}$ |
| Etiwan High Grade Cotton Fertilizer | 8.00 | $\frac{2.47}{1.65}$ | |
| Etiwan Ammoniated Fertilizer | 8.00 | 1.65 | 2.00 |
| Plow Brand Ammoniated Fertilizer | 8.00 | 1.65 | 2.00 |
| Etiwan Special Potash Mixture | 8.00 | 14.00 | 4.00 |
| Nitrate of Soda | | 14.82 | 48.00 |
| Muriate of Potash | | • • • • | $\frac{48.00}{12.00}$ |
| Genuine German Kainit | • • • • | • • • • | 12.00 |
| Farmers Coöperative Fertilizer Co., Inc., Black- stone and Kenbridge, Va.— | | | |
| Pure Animal BoneTotal | 21.00 | 2.47 | |
| F. C. F. Co.'s Acid Phosphate | 16.00 | | |
| F. C. F. Co.'s Acid Phosphate | 14.00 | | |
| Sampson | 10.00 | 2.47 | 5.00 |
| Pape's Peerless | 10.00 | 1.64 | 2.00 |
| Cherokee | 10.00 | 1.03 | |
| F. C. F. Co.'s Bone and Potash Compound | 10.00 | | 4.00 |
| F. C. F. Co.'s Bone and Potash Compound | 10.00 | | 2.00 |
| Walkover | 9.00 | 1.03 | 1.00 |
| Virginian | 8.00 | 3,99 | 2.00 |
| Virginian X | 8.00 | 3.29 | 4.00 |
| Meherrin | 8.00 | 2.47 | 3.00 |
| Nottoway Special | 8.00 | 2.47 | 2.00 |
| Free State Official | 8.00 | 2.06 | 3.00 |
| Paul Jones | 8.00 | 1.64 | 2.00 |
| Farmers Cotton Oil Co., Wilson, N. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Bonum Acid Phosphate | 14.00 | | |
| Contentuea Acid Phosphate | 13.00 | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| Washington's Corn Mixture Guano | 10.00 | 1.65 | 5.00 |
| Xtra Good Bone and Potash | 10.00 | | 2.00 |
| Whitley's Special Guano | 9.00 | 3.30 | 4.00 |
| Dean's Special Guano | 8.00 | 3.70 | 7.00 |
| Regal Tobacco Guano | 8.00 | 2.88 | 5.00 |
| Newsome's Tobacco Special | 8.00 | 2.47 | 4.00 |
| Graves' Cotton Grower Guano | 8.00 | 2.47 | 3.00 |
| Golden Gem Guano | 8.00 | 2.47 | 3.00 |
| Wilson High Grade Guano | 8.00 | 2.27 | 2.00 |
| Planters' Friend Guano | 8.00 | 2.06 | 3.00 |
| Carolina Choice Tobacco Guano | 8.00 | 2.06 | 3.00 |
| Crop King Guano | 8.00 | 1.65 | 2.00 |
| Farmers' Special Guano | 8.00 | 1.65 | 2.00 |
| Rogers' Truck Grower | 7.00 | 5.76 | 7.00 |
| Wilson Top Dresser | 2.00 | 9.05 | 4.00 |
| Perfect Top Dresser | 2.00 | 8.23 | 5.00 |
| Sulphate of Ammonia | | 20.57 | |
| Nitrate of Soda | | 15.63 | |
| Nitrate Special | | 10.66 | 4.00 |
| Tomlinson's Nitrate Special | | 9.87 | 5.00 |
| Sulphate of Potash | | | 50.00 |
| Muriate of Potash | | | 50.00 |
| German Kainit | | | 12.00 |
| Farmers Guano Co., Raleigh, N. C., and Norfolk, Va.— | | | |
| Raw Bone MealTotal | 45.00 | 3.70 | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acid Phosphate | 14.00 | | |
| Farmers Acid Phosphate | 13.00 | | |
| Special H. G. Bone and Potash | 11.00 | | 5.00 |
| Farmers Grain Grower | 10.00 | 1.03 | 2.00 |
| Special Bone and Potash Mixture | 10.00 | | 4.00 |
| Century Bone and Potash Mixture | 10.00 | | 2.00 |
| Farmers Meal and Tankage Mixture | 8.00 | 3.29 | 4.00 |
| Farmers Blood and Bone | 8.00 | 3.29 | 4.00 |
| Big Crop Guano | 8.00 | 2.88 | 5.00 |
| Farmers Formula for Tobacco | 8.00 | 2.47 | 3.00 |
| Money Point Guano | 8.00 | 2.47 | 3.00 |
| Golden Grade Guano | 8.00 | 2.47 | 3.00 |
| Toco Tobacco Guano | 8.00 | 2.06 | 3.00 |
| Farmers 8-2-5 Guano | 8.00 | 1.65 | 5.00 |
| Farmers Ammoniated Guano | 8.00 | 1.65 | 2.00 |
| State Standard Guano | 8.00 | 1.65 | 2.00 |
| Farmers Peanut Guano | 8.00 | 1.03 | 4.00 |
| Special Bone and Potash | 8.00 | | 4.00 |
| Farmers 7-7-7 Per Cent Trucker | 7.00 | 5.76 | 7.00 |
| Farmers 7-5-8 Special | 7.00 | 4.12 | 8.00 |
| Farmers Challenge | 7.00 | 4.12 | 5.00 |
| Farmers 6-7-5 Trucker | 6.00 | 5.76 | 5.00 |
| Farmers Top Dresser | 3.00 | 8.23 | 4.00 |
| Nitrate of Soda | | 15.63 | |
| Kanona Tankage | | 9.04 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 50.00 |
| Genuine German Kainit | | | 12.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|-----------|
| Farmers Guano Works, Dillard, Ga | | | |
| High Grade Dissolved Acid 16 Per Cent | 16.00 | | |
| High Grade Compost Mixture | 13.00 | | 7.00 |
| High Grade Corn Grower | 12.00 | .82 | 5.00 |
| Special for Wheat | 12.00 | | 5.00 |
| Mack's Special Double Potash Formula | 11.00 | 1.65 | 6.00 |
| Special for Corn | 10.00 | 1.65 | 4.00 |
| Small Grain Compound | 10.00 | | 4.00 |
| Special Mixture for Potatoes | 8.00 | .82 | 7.00 |
| High Grade Vegetable Compound | 8.00 | | 6.00 |
| Oats Special Mixture | 8.00 | | 5.00 |
| Nitrate of Soda | | 15.00 | |
| Sulphate Potash | | | 50.00 |
| Muriate Potash | | | 50.00 |
| Farmville Oil and Fertilizer Co., Farmville, N. C.— | | | |
| Chamblee & Sons H. G. for Tobacco | 8.00 | 2.47 | 5.00 |
| | | | |
| Federal Chemical Co., Columbia, Tenn.— | | | |
| Tennessee Brown Phosphate RockTotal | 29% | | • • • • |
| Fremont Oil Mills, Fremont, N. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| Fremont High Grade Bone and Potash | 10.00 | | 4.00 |
| S. H. & Co.'s 8-4-4. | 8.00 | 3.29 | 4.00 |
| Fremont High Grade Guano | 8.00 | 3.29 | 4.00 |
| 8-3-5 Compound | 8.00 | 2.47 | 5.00 |
| Fremont Oil Mill Co.'s Special Tobacco | 8.00 | 2.47 | 5.00 |
| Nahunta Special | 8.00 | 2.47 | 3.00 |
| S. H. & Co.'s S-3-3 | 8.00 | 2.47 | 3.00 |
| Square Deal | 8.00 | 2.05 | 3.00 |
| Up-to-date | 8.00 | 1.65 | 2.00 |
| F. O. M. Co. Top Dresser | 3.00 | 7.40 | 5.00 |
| Nitrate of Soda | | 14.85 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| General Manufacturing Co., Norfolk, Va | | | |
| | 16.00 | | |
| Acid Phosphate | 16.00 14.00 | • • • • | • • • • • |
| Potash and Soluble Bone | 12.00 | • • • • | 5.00 |
| Potash and Soluble Bone | 12.00 | | 3.00 |
| Potash and Soluble Bone | 10.00 | | 5.00 |
| Potash and Soluble Bone | 10.00 | | 4.00 |
| Potash and Soluble Bone | 10.00 | | 2.00 |
| H. G. Cotton and Tobacco Guano | 8.00 | 3.28 | 4.00 |
| Manure Substitute | 8.00 | 3.28 | 4.00 |
| Organic Cotton Grower | 8.00 | 2.46 | 3.00 |
| Big Crop Grower | 8.00 | 1.65 | 2.00 |
| Special Peanut Grower | 8.00 | 1.03 | 4.00 |
| Royal Crop Grower | 8.00 | 1.03 | 4.00 |
| Special Peanut Grower | 8.00 | 1.00 | 4.00 |
| Royal Crop Grower | 8.00 | 1.00 | 4.00 |
| Blood, Bone and Potash | 7.00 | 4.10 | 8.00 |
| Special 7 Per Cent Trucker | 6.00 | 5.74 | 5.00 |
| Special Potato Grower | 6.00 | 4.10 | 7.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|---------|
| Virginia Trucker | 6.00 | 3,38 | 4.00 |
| Nitrate of Soda | | 15.23 | |
| Muriate of Potash | | | 50.00 |
| Kainit | | | 12.00 |
| General Manufacturing Co., Norfolk, Va., and New Bern, N. C.— | | | |
| Acid | | | |
| Georgia Chemical Works, Augusta, Ga.— | | | |
| High Grade Dissolved Bone Phosphate | 16.00 | | |
| Extra Dissolved Bone Phosphate | 14.00 | | |
| Dissolved Bone Phosphate | 13.00 | | |
| Georgia Bone and Potash | 12.00 | | 6.00 |
| 12 Per Cent Dissolved Bone Phosphate | 12.00 | | |
| High Grade XX Acid Phosphate with Potash. | 10.00 | | 4.00 |
| Bone and Potash | 10.00 | | 2.00 |
| Carolina Special Cotton Grower | 9.00 | 2.47 | 4.00 |
| Mascot Blood and Bone Guano | 9.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Bumper Tobacco Grower | | 1.S5 | |
| Good as Gold Guano | 9.00 | | 4.00 |
| | 9.00 | 1.65 | 3.00 |
| Gem Crop Grower | 9.00 | 1.65 | 2.00 |
| Georgia Belle Compound | 9.00 | .82 | 2.00 |
| Cardinal High Grade | 8.00 | 3.29 | 4.00 |
| Intensive Formula | 8.00 | 2.47 | 3.00 |
| Golden Leaf Special Tobacco Compound | 8.00 | 2.47 | 3.00 |
| Three Oaks High Grade Guano | 8.00 | 2.47 | 2.00 |
| Thunderbolt Tobacco Special | 8.00 | 2.06 | 3.00 |
| Georgia Formula | 8.00 | 1.65 | 2.00 |
| XXX Meal Mixture | 8.00 | 1.65 | 2.00 |
| Georgia Special Tobacco | 8.00 | 1.65 | 2.00 |
| Georgia Special Wheat and Corn Grower | 8.00 | .82 | 4.00 |
| Acid Phosphate with 4 Per Cent Potash | 8.00 | | 4.00 |
| Nitrate of Soda | | 14.82 | |
| Cotton-seed Meal | | 6.18 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Griffith & Boyd Co., Baltimore, Md.— | | | |
| High Grade 16 Per Cent Acid Phosphate | 16.00 | | |
| Grower's Favorite | 8.00 | 3.30 | 4.00 |
| Farmers' Potato Manure | 8.00 | .82 | 9.00 |
| Fish, Bone, and Potash | 7.25 | 1.50 | 3.00 |
| 7 Per Cent Guano | 5.00 | 5.75 | 5.00 |
| Hadley, Harris & Co., Inc., Wilson, N. C.— | | | |
| | 0.00 | a | |
| Golden Weed Tobacco Grower | 8.00 | $\frac{2.47}{2.00}$ | 3.00 |
| Hadley Boss Guano | 8.00 | 2.26 | 2.50 |
| Daisy Fish Mixture | 8.00 | 1.65 | 2.00 |
| Harris' Java Tobacco Guano | 7.00 | 3.30 | 7.00 |
| Harris' Electric Top Dresser | 2.00 | 8.22 | 3.00 |
| Hampton Guano Co., Norfolk, Va.— | | | |
| Pure Ground BoneTotal | 20.00 | 3.70 | |
| Supreme Acid Phosphate | 16.00 | | |
| Hampton Acid Phosphate | 14.00 | | |
| | 7.700 | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Hampton 12-5 Bone and Potash | 12.00 | | 5.00 |
| Hampton Bone and Potash Mixture | 11.00 | | 2.00 |
| Hampton Crop Grower | 10.00 | | 4.00 |
| Danntless Potash Mixture | 10.00 | | 2.00 |
| Arlington Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Alpha Crop Grower | 8.50 | 2.06 | 2.50 |
| Hampton H. G. Tobacco Grower | 8.00 | 3.29 | 4.00 |
| Little's Favorite Crop Grower | 8.00 | 3.29 | 4.00 |
| Hampton Tobacco Guano | 8.00 | 2.47 | 3.00 |
| P. P. P. Princess Prolific Producer | 8.00 | 2.47 | 3.00 |
| Extra Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Shirley Superphosphate | 8.00 | 1.65 | $\frac{2.00}{1.00}$ |
| Hampton Special Grain and Peanut Fertilizer | 8.00 | 1.00 | 4.00 |
| Excelsior Bone and Potash | 8.00 | 4.11 | $\frac{4.00}{5.00}$ |
| Reliance Truck Guano | 7.00 | $\frac{4.11}{5.76}$ | 5.00 |
| Virginia Truck Grower | 6.00 | 8.23 | 3.00 |
| Hampton 10 Per Cent Truck Grower | $\frac{5.00}{4.00}$ | 8.23 | $\frac{3.00}{2.00}$ |
| Hampton Top Dresser | | 15.00 | 2.00 |
| Nitrate of Soda | | 8.23 | |
| Dry Ground Fish | | 7.41 | 3.00 |
| Special Top Dresser | | 1.11 | 49.00 |
| Muriate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Genuine German Ramit | | | 22.00 |
| S. B. Harrell & Co., Inc., Norfolk, Va.— | | | |
| | 14.00 | | |
| Harrell's Acid Phosphate | 9.00 | 2.26 | 2.00 |
| Harrell's Eclipse | 5.00 | 2.20 | 2.00 |
| Harrell's Champion Cotton and Peanut Grower | 8.00 | 1.65 | 2.00 |
| Harrell's Truck Guano | 6.00 | 5.76 | 5.00 |
| namen's fruck duano | 0.00 | 0 | |
| Home Fertilizer and Chemical Co., Baltimore, Md.— | | | |
| Eclipse Dissolved Phosphate | 16.00 | | |
| Home High Grade Acid Phosphate | 14.00 | | |
| Home Dissolved Animal Bone | 12.00 | 1.65 | |
| Gilt Edge Crop Grower | 10.00 | 1.65 | 4.00 |
| Eclipse Blood, Beef and Bone | 10.00 | 1.23 | 3.00 |
| Home Bone and Potash | 10.00 | | 5.00 |
| Home Alkaline Bone | 10.00 | | 2.00 |
| Home Ammoniated Bone | 9.00 | 1.65 | 3.00 |
| Home B. G. Ammoniated Compound | 9.00 | .82 | 5.00 |
| Everybody's Fertilizer | 9.00 | .82 | 2.00 |
| Home Standard Guano | 8.00 | 3.30 | 4.00 |
| Eclipse Dissolved Bone and Potash | 8.00 | 2.48 | 4.00 |
| Riosa Tobacco Compound | 8.00 | 2.48 | 3.00 |
| Special C. & C. Compound | 8.00 | 2.48 | 3.00 |
| Yancey's Formula for Yellow Leaf Tobacco | 8.00 | 2.48 | 2.00 |
| Phoenix Crop Grower | 8.00 | 2.48 | 2.00 |
| Home Potato Special | 8.00 | 1.65 | 10.00 |
| Matchless Guano | 8.00 | 1.65 | 4.00 |
| Home Cereal Fertilizer | 8.00 | 1.65 | 2.00 |
| Ammoniated Bone Manure | 7.00 | 1.65 | 5.00 |
| Farmer's Choice | 7.00 | .82 | 4.00 |
| Trucker's Special Compound | 6.00 | - 5.77 | 5.00 |
| Home Vegetable Fertilizer | 6.00 | $\frac{4.12}{3.30}$ | $6.00 \\ 10.00$ |
| Eclipse Ammoniated Compound | 6.00 6.00 | 3.30 3.30 | 4.00 |
| Home Potato Grower | 0.00 | 0.00 | T.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| Sulphate of Ammonia | | 20.62 | |
| Nitrate of Soda | | 14.85 | |
| Cerealite Top Dressing | | 7.43 | 3.00 |
| Home Fertilizer | | 5.77 | 7.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| German Kainit | | | 12.00 |
| The Hubbard Fertilizer Co., Baltimore, Md.— | | | |
| Hubbard's 16 Per Cent Phosphate | 16.00 | | |
| Hubbard's 14 Per Cent Phosphate | 14.00 | | |
| Hubbard's Special Mixture 10 and 4 | 10.00 | | 4.00 |
| Hubbard's B. and P. 10 and 2 | 10.00 | | 2.00 |
| Hubbard's Noxall | 8.00 | 3.28 | 4.00 |
| Hubbard's Royal Ensign | 8.00 | 2.46 | 4.00 |
| Hubbard's Yellow Wrapper | 8.00 | 2.46 | 3.00 |
| Hubbard's Fish Compound | 8.00 | 1.64 | 3,00 |
| Hubbard's Exchange Guano | 8.00 | 1.64 | 2.00 |
| Hubbard's Sonthern Leader | 7.00 | 3.28 | 5.00 |
| Hubbard's 5 Per Cent Royal Seal | 6.00 | 4.10 | 5.00 |
| Hubbard's New Process Top Dresser | | 7.51 | 3.50 |
| Pure German Kainit | | | 12.40 |
| | | • • • • | 12.10 |
| The Imperial Co., Norfolk, Va.— | | | |
| Imperial Pure Ground BoneTotal Imperial High Grade Tennessee Acid Phos- | 20.00 | 3.70 | |
| phate | 16.00 | | |
| Imperial High Grade Acid Phosphate | 14.00 | | |
| Imperial Special Potash Mixture | 12.00 | | 5.00 |
| Imperial Catawba Wheat Grower | 10.00 | | 4.00 |
| Imperial Carolina Wheat Mixture | 10.00 | | 3.00 |
| Imperial Virginia Grain Mixture | 10.00 | | 2.00 |
| Imperial Bone and Potash | 10.00 | | 2.00 |
| Imperial Martin County Special Crop Grower | 9.00 | 2.26 | 2.00 |
| Imperial Crop Grower | 9.00 | 1.65 | 4.00 |
| Imperial Snowflake Cotton Grower | 8.00 | 3.29 | 4.00 |
| Imperial Tobacco Grower | 8.00 | 3.29 | 4.00 |
| Imperial Robeson County Special | 8.00 | 2.47 | 4.00 |
| Imperial X. L. O. Cotton Guano | 8.00 | 2.47 | 3.00 |
| Imperial Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Imperial Yellow Bark Sweet Potato Guano | 8.00 | 2.47 | 3.00 |
| Imperial Pee Dee Cotton Grower | 8.00 | 2.47 | 3.00 |
| Imperial F. and B. Cotton Guano | 8.00 | 2.06 | 3.00 |
| Imperial Bright Tobacco Guano | 8.00 | 2.06 | 3.00 |
| Imperial Tennessee Tobacco Guano | 8.00 | 1.65 | 8.00 |
| Imperial Peanut Guano | 8.00 | 1.65 | 4.00 |
| Imperial Cotton Grower | 8.00 | 1.65 | 2.00 |
| Imperial Champion Guano | 8.00 | 1.65 | 2.00 |
| Imperial Peanut and Corn Guano | 8.00 | 1.65 | 2.00 |
| Imperial Cisco Soluble Guano | 8.00 | 1.65 | 2.00 |
| Imperial Standard Premium Guano | 8.00 | 1.65 | 2.00 |
| Imperial Ammoniated Guano | 8.00 | 1.00 | 4.00 |
| Imperial Fish and Bone Grain Grower | 8.00 | .82 | 4.00 |
| Imperial Yadkin Wheat Grower | 8.00 | | 4.00 |
| Imperial 7-7-7 Potato Guano | 7.00 | 5.76 | 7.00 |
| Imperial High Grade Irish Potato Guano | 7.00 | 4.11 | 8.00 |
| Imperial Dawson's Cotton Grower | 7.00 | 2.67 | 2.75 |
| Imperial Roanoke Crop Grower | 7.00 | 2.47 | 2.00 |
| 4 | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|---------------------|
| Innomial Amonagus Mintuns | | 1.01 | 5 00 |
| Imperial Asparagus Mixture | 6.00 | 4.94 | 7.00 |
| Imperial 5-6-7 Potato Guano | 6.00 | 4.11 | 7.00 |
| Imperial Williams' Special Potato Guano | 6.00 | 4.11 | 5.00 |
| Imperial Fish and Bone | 6.00 | 3.29 | 4.00 |
| Imperial Sweet Potato Guano | 6.00 | 1.65 | 6.00 |
| Imperial 10 Per Cent Guano | 5.00 | 8.23 | 2.50 |
| Imperial Ammonia Top Dresser for Spinach. | 5.00 | 8.23 | |
| Imperial Special 7 Per Cent for Potatoes | 5.00 | 5.76 | 5.00 |
| Imperial Eastern Shore Sweet Potato Special | 5.00 | 3.29 | 9.00 |
| Imperial Special Tobacco Guano | 5.00 | 3.29 | 9.00 |
| Imperial Top Dresser for Cotton | 4.00 | 8.23 | 2.00 |
| Imperial Laughinghouse Special Tobacco | 2.00 | O. _ O | 00 |
| Guano | 4.00 | 3.29 | 6.00 |
| Imperial Conetoe Cotton Grower | $\frac{4.00}{4.00}$ | 3.29 | |
| | | | 4.00 |
| Imperial Cubanola Tobacco Guano | 4.00 | 2.47 | 5.00 |
| Imperial Nitrate of Soda | • • • • | 15.00 | |
| Imperial Top Dresser | | 7.40 | 3.00 |
| Imperial Dry Ground Fish | | 8.23 | |
| Imperial Muriate of Potash | | | 49.00 |
| Imperial Sulphate of Potash | | | 48.00 |
| Imperial Genuine German Kainit | | | 12.00 |
| | | | |
| N. B. Josey Guano Co., Tarboro, N. C.— | | | |
| Josey's 16 Per Cent Acid Phosphate | 16.00 | | |
| Josey's Bone and Potash | 10.00 | | 4.00 |
| Josey's Truck Guano | 8.00 | 4.10 | 5.00 |
| Josey's Big Yield Guano | 8.00 | 3,30 | $\frac{3.00}{4.00}$ |
| | | | |
| Josey's 8-4-4 C. S. Meal and Fish Scrap Guano | 8.00 | 3.30 | 4.00 |
| Josey's Special Tobacco Guano Josey's Tip Top C. S. Meal and Fish Scrap | 8.00 | 2.47 | 5.00 |
| Guano | 8.00 | 2.47 | 3.00 |
| Josey's Bright Leaf Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Josey's "U No" Guano | 8.00 | 2.47 | 3.00 |
| Josey's Quick Step Tobacco Guano | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Josey's Favorite C. S. Meal and Fish Scrap | | | |
| Guano | 8.00 | 2.05 | 2.50 |
| Josey's C. S. Meal Guano | 8.00 | 1.65 | 2.00 |
| Josey's Potato Guano | 7.00 | 5.77 | 7.00 |
| Josey's ("Big Four") C. S. M. and F. S. Guano | 6.00 | 3.30 | 4.00 |
| Josey's Peanut Guano | 5.50 | 1.23 | 5.50 |
| Josey's Elite Top Dresser | 3.00 | 7.42 | 4.00 |
| Nitrate of Soda | | | |
| | | 15.50 | 4.00 |
| Josey's Top Dresser | | 7.42 | 4.00 |
| Cotton-seed Meal | | 6.19 | |
| Muriate of Potash | | | 48.00 |
| Manure Salts | | | 20.00 |
| Genuine German Kainit | | | 12.00 |
| | | | 22.00 |
| Lister's Agricultural Chemical Works, Newark, N. J | _ | | |
| Lister's H. G. Phosphoric Acid Phosphate | 16,00 | | |
| Lister's Buyers' Choice Acid Phosphate | 14.00 | | |
| Lister's Phosphoric Acid and Phosphate | 10.00 | | 4.00 |
| Lister's Dissolved Phosphate and Potash | 10.00 | | 2.00 |
| | | 0.17 | |
| Lister's Carolina Bright for Tobacco | 9,00 | 2.47 | 3.00 |
| Lister's Standard Pure Bone Superphosphate | | | |
| of Lime | 9.00 | 1.65 | 2.00 |
| Lister's Complete Manure | 8,00 | 2.47 | 3.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avatl. Phos. Acid. | Nitrogen. | l'otash. |
|--|--------------------------|---------------------|-----------------------|
| Lister's Special Tobacco Fertilizer Lister's Ammoniated Dissolved Bone Phos- | 8.00 | 2.06 | 3.00 |
| phate Lister's Success Fertilizer | 8,00 8,00 | $\frac{2.06}{1.65}$ | $\frac{2.00}{2.00}$ |
| John F. McNair, Laurinburg, N. C.— | | | |
| Nitrate of Soda | | 15.20 | |
| Muriate of Potash Genuine German Kainit | | | $\frac{48.00}{12.00}$ |
| McNair Phosphate Co., Laurinburg, N. C.— | | | |
| Rob Roy | $\frac{8.00}{2.00}$ | 5.76 7.20 | $\frac{5.00}{5.00}$ |
| | | | |
| The MacMurphy Co., Charleston, S. C.— | 4400 | | |
| High Grade Acid Phosphate, 14 Per Cent | 14.00 | | |
| Acid Phosphate | $\frac{13.00}{12.00}$ | | 1.00 |
| Acid Phosphate and Potash | 11.00 | | 1.00 |
| Acid Phosphate and Potash | 10.00 | | 5.00 |
| Acid Phosphate and Potash | 10.00 | | 4.00 |
| Acid Phosphate and Potash | 10,00 | | 2.00 |
| Wilcox & Gibbs Co.'s Manipulated Guano | 9.25 | 2.26 | 2.00 |
| Special 8-4-6 Guano | 8.00 | 3.29 | 6.00 |
| Special 8-4-4 Cotton Guano | 8.00 | 3,29 | 4.00 |
| Special 8-4-4 Tobacco Guano | $\frac{8.00}{8.00}$ | $\frac{3.29}{2.47}$ | $\frac{4.00}{4.00}$ |
| Special 8-3-4 Tobacco Guano Special 8-3-3 Cotton and Corn | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Special 8-3-3 Tobacco Guano | 8.00 | $\frac{5.47}{2.47}$ | 3.00 |
| Standard 8-21/4-1 Cotton Guano | 8.00 | $\frac{2.06}{2.06}$ | 1.00 |
| Special 8-2-2 Cotton Guano | 8.00 | 1.65 | 2.00 |
| Special 9.25-2-2 Cotton and Corn Guano | 2.25 | 1.65 | 2.00 |
| Nitrate of Soda | | 14.81 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| The Mapes Formula and Peruvian Guano Co., Newark, N. J.— | | | |
| Mapes' Complete Manure, "A" Brand | 10.00 | 2.47 | 2.50 |
| Mapes' Corn Manure | 8.00 | 2.47 | 6.00 |
| Mapes' Vegetable or Complete Manure for | | | |
| Light Soils | 6,00 | 4.94 | 6.00 |
| Mapes' Economical Potato Manure | 4.00 | 3.29 | 8.00 |
| Marietta Fertilizer Co., Atlanta, Ga.— | | | |
| Marietta Blood and Bone Special | 9.00 | .\$2 | 3.00 |
| Marietta Beef Blood and Bone | 9.00 | .82 | 2.00 |
| Fertilizer, No. \$35 | 8.00 | 2.47 | 5.00 |
| 5 Per Cent Trucker | 6,00 | 4.11 | 7.00 |
| Martin Fertilizer Co., Norfolk, Va., and New Bern, N. C.— | | | |
| Martin's Pure Ground Bone | 22.00 | 2.46 | |
| 'Martin's Raw Bone Meal | 21.00 | 3.70 | |
| Martin's Acid Phosphate | 16.00 | | |
| Martin's Acid Phosphate | 14.00 | 1.05 | |
| Martin's Pure Dissolved Animal Bone | 12.00 | 1.65 | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Martin's Potash and Soluble Bone | 12.00 | | 5.00 |
| Martin's Potash and Soluble Bone | 12.00 | | 3.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 6.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 5.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 4.00 |
| Jennett's Potash and Soluble Bone | 10.00 | | 4.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 3.00 |
| Martin's Potash and Soluble Bone | 10.00 | | 2.00 |
| Jennett's Potash and Soluble Bone, | 10.00 | | 2.00 |
| Martin's Tobacco Special | 9.00 | 2.46 | 3.00 |
| Martin's Cotton Special | 9.00 | 2.46 | 3.00 |
| Martin's Tobacco Compound | 9.00 | 2.26 | 2.00 |
| Johnson's High Grade | 9.00 | $\frac{2.05}{1.00}$ | 5.00 |
| Martin's Dissolved Organic Compound | 9.00 | 1.00 | 3.00 |
| Martin's Corn and Cereal Special | 9.00 | 1.00 | 2.00 |
| Martin's Blood, Bone and Potash | 8.75 8.00 | $\frac{1.65}{4.10}$ | $\frac{2.00}{7.00}$ |
| Martin's Red Star Brand Fertilizer | 8.00 | 4.10 | $\frac{7.00}{5.00}$ |
| Special Fertilizer | 8.00 | 3.28 | 6.00 |
| Martin's Cotton and Tobacco Guano | 8.00 | 3.28 | 6.00 |
| Martin's Cotton Guano | 8.00 | 3.28 | 4.00 |
| Martin's Red Star Brand | 8.00 | 3.28 | 4.00 |
| Martin's Tobacco Special | 8.00 | 3.28 | 4.00 |
| Jennett's Cotton Guano | 8.00 | 3.28 | 4.00 |
| Martin's Blue Ribbon Brand Fertilizer | 8.00 | 3.28 | 2.00 |
| Martin's Bull Head Fertilizer | 8.00 | 2.46 | 8.00 |
| Martin's Cotton and Tobacco Guano | 8.00 | 2.46 | 5.00 |
| Privott's Favorite | 8.00 | 2.46 | 4.00 |
| Martin's Bull Head | 8.00 | 2.46 | 3.00 |
| Martin's Tobacco Special | 8.00 | 2.46 | 3.00 |
| Jennett's Slaughter House Mixture | 8.00 | 2.46 | 3.00 |
| Martin's Meal Mixture | , S.00 | 2.46 | 3.00 |
| Martin's Tobacco Special | 8.00 | 2.06 | 5.00 |
| Martin's Meal Mixture | 8.00 | 2.06 | 4.00 |
| Martin's Meal Mixture | 8.00 | 2.05 | 4.00 |
| Martin's Special Fertilizer | 8.00 | 2.05 | 3.00 |
| Martin's Cotton Guano | 8.00 | 2.05 | 1.00 |
| Privott's Special for Potatoes and Peanuts | 8.00 | 1.65 | 6.00 |
| Martin's Cotton and Tobacco Guano | 8.00 | 1.65 | 5.00 |
| Martin's Cotton and Tobacco Guano | 8.00 | 1.65 | 3.00 |
| Martin's Animal Organic Compound | 8.00 | 1.65 | 3.00 |
| Martin's Slaughter House Special | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Martin's Wheat Special | 8.00 8.00 | 1.65 | $\frac{2.00}{2.00}$ |
| Martin's Carolina Special for Tobacco Martin's Carolina Cotton | S.00 S.00 | $\frac{1.65}{1.65}$ | $\frac{2.00}{2.00}$ |
| Martin's Carolina Cotton Martin's Corn and Cereal Special | S.00 | $\frac{1.65}{1.65}$ | |
| Martin's Old Virginia Favorite | S.00 | | 2.00 |
| Jennett's Beef Blood and Bone | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Martin's One Eight Four | S.00 S.00 | | 2.00 |
| Martin's Peanut Grower | 8.00 | 1.03 | 4.00 |
| Martin's Petash and Soluble Bone | | 1.03 | 4.00 |
| Martin's Top Dresser | 8.00 | 0.00 | 4.00 |
| Martin's Red Star Brand Fertilizer | 7.00 | 8.22 | 2.50 |
| | 7.00 | $\frac{4.10}{3.28}$ | 5.00 |
| Abbott's Special | $\frac{7.00}{7.00}$ | $\frac{3.28}{2.46}$ | 8.00 10.00 |
| Martin's 7 Per Cent Guano | 6.00 | $\frac{2.96}{5.74}$ | 5.00 |
| Martin's Animal Bone Potato Fertilizer | 6.00 | | 7.00 |
| Martin's Early Truck and Vegetable Grower. | 6.00 | $\frac{4.10}{3.28}$ | 8.00 |
| . Marinis Early Truck and regetable Grower. | 0.00 | 5.28 | 5.00 |

THE BULLETIN.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|----------------|
| Knowles' Special | 6.00 | 3.28 | 6.00 |
| Martin's Top Dresser | 5.00 | 8.23 | 2.50 |
| Martin's Nitrate Soda | | 15.23 | |
| Martin's Muriate of Potash | | | 50.00 |
| Martin's Sulphate of Potash | | | 48.00 |
| Martin's Kainit | | | 48.00 |
| The state of March and the Norm Press 37 Cl | | | |
| E. H. & J. A. Meadows Co., New Bern, N. C.— | | | |
| Diamond Acid Phosphate | 16.00 | | |
| Diamond Acid Phosphate | 14.00 | | |
| Meadows' Dissolved Bone and Potash Com- | = 0.00 | | - 00 |
| pound | 10.00 | | 5.00 |
| Meadows' Dissolved Bone and Potash Com- | # O. O.O | | 1.00 |
| pound | 10.00 | 4 4 4 | 4.00 |
| Meadows' Lobos Guano | 8.00 | 4.11 | 5.00 |
| Meadows' Ideal Tobacco Guano | 8,00 | 3.29 | 4.00 |
| Brooks' Special Tobacco Grower | 8.00 | 2.47 | 5.00 |
| Parker's Special Tobacco Guano | 8.00 | 2.47 | 4.00 |
| Meadows' Gold Leaf Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Meadows' Roanoke Guano | 8.00 | 2.05 | 3.00 |
| Meadows' All Crop Guano | 8.00 | 2.05 | 2.50 |
| Meadows' Cotton Guano | 8.00 | 1.65 | 2.00 |
| Meadows' Great Cabbage Guano | 7.00 | 5.76 | 7.00 |
| Meadows' Great Potato Guano | 7.00 | 4.11 | 8.00 |
| Nitrate of Soda | | 15.50 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 50.00 |
| Meadows' German Kainit | • • • • | • • • • | 12.40 |
| The Miller Fertilizer Co., Baltimore, Md.— | | | |
| Miller's 16 Per Cent Acid Phosphate | 16.00 | | |
| Miller's 14 Per Cent Acid Phosphate | 14.00 | | |
| Corn and Peanut Grower | 10.50 | | 2.25 |
| Corn and Wheat Grower | 10.50 | | 2.25 |
| The Miller Fertilizer Co.'s 10 and 4 Per Cent. | 10.00 | | 4.00 |
| Clinch | 10.00 | | 2.00 |
| Trucker | 8.00 | 4.12 | 5.00 |
| No. 1 Potato and Vegetable Grower | 8.00 | 3.71 | 7.00 |
| Miller's Irish Potato | 8.00 | 3.29 | 4.00 |
| 4 Per Cent Tobacco | 8.00 | 3.29 | 4.00 |
| Standard Phosphate | 8.00 | 2.47 | 3.00 |
| Tobacco King | 8.00 | 2.47 | 3.00 |
| Miller's High Grade | 8.00 | 2.06 | 3.00 |
| Special Tobacco Grower | 8.00 | 1.65 | 4.00 |
| Potato and Vegetable Guano | 8.00 | 1.65 | 4.00 |
| Ammoniated Dissolved Bone | 8.00 | 1.65 | 2.00 |
| Farmer's Profit | 8.00 | 1.65 | 2.00 |
| Miller's 8 and 4 | 8.00 | | 4.00 |
| High Grade Potato | 6.00 | 4.12 | 7.00 |
| Special | 4.00 | 6.58 | 3.00 |
| Nitrate of Soda | | 15.05 | EO 00 |
| Muriate of Potash | | | 50.00 48.00 |
| Sulphate of Ammonia | • • • • | | 45.00 |
| Navassa Guano Co., Wilmington, N. C.— | | | |
| Navassa Piedmont Wheat Grower | 10.00 | • • • • | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|---------------------|
| New Bern Cotton Oil and Fertilizer Mills, New Bern, N. C.— | | | |
| Thomas PhosphateTotal | 18.00 | | |
| Bone MealTotal | 16.00 | 2.47 | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acid Phosphate | 14.00 | | |
| Special Corn and Peanut Grower | 11.00 | | 2.00 |
| High Grade Bone and Potash | 10.00 | | 4.00 |
| Carteret Bone and Potash | 10.00 | | 2.00 |
| Greene County Tobacco Fertilizer | 9.00 | 2.47 | 5.00 |
| Sparrow's Special Tobacco Grower | 9.00 | 2.47 | 3.00 |
| Oriole Tobacco Grower | 8.00 | 3.30 | 4.00 |
| Harvey's Special Meal and Fish Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Special C. S. M. Mixture | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Foy's High Grade Fertilizer | 8,00 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Lenoir Bright Leaf Tobacco Grower Pitt's Prolitic Golden Tobacco Guano | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Favorite Cotton Grower | 8.00 | 2.27 | $\frac{3.00}{2.00}$ |
| Onslow's Farmers' Reliance Guano | S.00 | 2.06 | 3.00 |
| Jones County Premium Crop Grower | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Craven Cotton Guano | 8.00 | 1.65 | $\frac{3.00}{2.00}$ |
| Greene County Standard Fertilizer | 8.00 | 1.65 | 2.00 |
| Dunn's Standard Truck Grower | 7.00 | 5.77 | 7.00 |
| Ives' Irish Potato Guano | 7.00 | 4.12 | 7.00 |
| Eureka Tobacco Fertilizer | 6.00 | 3.30 | 7.00 |
| Hart's Special Tobacco Grower | 6.00 | 2,47 | 6.00 |
| Pamlico Electric Top Dresser | 5.00 | 8.25 | 2.50 |
| Wooten's Special Tobacco Guano | 4.00 | 3.30 | 6.00 |
| Sulphate of Ammonia | | 20.62 | |
| Nitrate of Soda | | 15.67 | |
| Ground Blood | | 13.20 | |
| Ground Tankage | | 9.00 | |
| Eureka Top Dresser | | 8.25 | 3.00 |
| High Grade Fish Scrap | | 8.25 | |
| Cotton-seed Meal | | 6.18 | |
| Sulphate of Potash | | | 50.00 |
| Muriate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Nitrate Agencies Co., New York, Baltimore, Sa- vannah, Charleston, and Norfolk— | | | |
| Acid Phosphate | 16.00 | | |
| Basic Slag | 14.00 | | |
| Ground Fish | 7.00 | 9.35 | |
| Nitrate of Soda | 1.00 | 15.00 | |
| Ground Dried Blood | | 13.16 | |
| Ground Tankage | | 9.04 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 47.00 |
| Kainit | | | 12.00 |
| | • • • • | | 14,00 |
| Norfolk Fertilizer Co., Norfolk, Va.— | | | |
| Pure Ground BoneTotal | 20.00 | 3.70 | |
| Oriana 16 Per Cent Acid Phosphate | 16.00 | | |
| Whitney II. G. Acid Phosphate | 16.00 | | |
| Oriana 14 Per Cent Acid Phosphate | 14.00 | | |
| Oriana Wheat Grower | 10.00 | • • • • | 4.00 |

| | A read 1 | | |
|---|--------------------------|---------------------|---------------------|
| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
| Shenandoah Wheat Mixture | -10.00 | | 3.00 |
| Young's Grain Grower | 10.00 | | 2.00 |
| Oriana Bone and Potash | 10.00 | | 2.00 |
| Oriana C. S. M. Special | 9.00 | 2.26 | 2.00 |
| Oriana Complete Fertilizer | 8.00 | 3,29 | -4.00 |
| Oriana First Step Tobacco Guano | 8.00 | 3,29 | 4.00 |
| Oriana Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Oriana for Cotton | -8.00 | 2.47 | 3.00 |
| Oriana Bright Leaf Guano | 8.00 | 2.06 | 3.00 |
| Oriana Cotton Guano | 8.00 | 1.65 | 2.00 |
| Oriana Crop Grower | 8.00 | 1.65 | 2.00 |
| Mayodan Valley Wheat Grower | 8.00 | | 4.00 |
| Oriana Special Mixture | 6.00 | 4.11 | 5.00 |
| Oriana Truck Guano | 5.00 | 5.76 | 5.00 |
| Pine Top Special Crop Grower | 5.00 | 1.65 | 6.00 |
| Nitrate of Soda Mixture for Top Dressing | | | |
| Cotton | 4.00 | 8.23 | 2.00 |
| Oriana High Grade Tobacco Guano | 4.00 | 3.29 | 6.00 |
| Nitrate of Soda | | 15.00 | |
| Dry Ground Fish | | 8.23 | |
| Norfolk Top Dresser | | 7.40 | 3.00 |
| Muriate of Potash | | 1.30 | 49.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Genune German Kannt | | • • • • | 12.00 |
| Norfolk Tallow Co., Norfolk, Va.— | | | |
| | 0.00 | a .= | |
| Natalco Ground Bone | 8.00 | 2.45 | |
| North Carolina Cotton Oil Co., Charlotte, N. C.— | | | |
| Dixie Standard | 8.00 | 2.48 | 3.00 |
| Majestic | 8.00 | $\frac{1.45}{1.65}$ | $\frac{3.00}{2.00}$ |
| | | 2.00 | 2.00 |
| North Carolina Cotton Oil Co., Henderson, N. C. | | | |
| Special Mixture W. F. Marsh, Jr | 10.00 | 2.47 | 3.00 |
| Pride of Vance Tobacco Fertilizer | 9.00 | 2.47 | 3.00 |
| Uneedit Tobacco Fertilizer | 9.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Henderson Tobacco Fertilizer | 9,00 | 2.47 | 3.00 |
| Franklin Tobacco Fertilizer | 9.00 | 2.47 | 3.00 |
| Currin's Special for Tobacco | S.00 | 3.29 | 4.00 |
| Two in One | 8.00 | 3.28 | 4.00 |
| Sulphate of Potash Brand Tobacco Guano | 8.00 | $\frac{5.25}{2.47}$ | |
| Henderson High Grade | | $\frac{2.47}{2.47}$ | 3.00 |
| McKinne Mixture | 8.00 | $\frac{2.41}{2.26}$ | 3.00 |
| Henderson Standard Guano | 8.00 | | 3.25 |
| | 8.00 | 2.26 | 2.00 |
| Brewer's Special | . 8.00 | 2.26 | 2.00 |
| American Pet | 8.00 | 2.26 | 2.00 |
| Henderson Cotton Grower | 8.00 | 1.65 | 2.00 |
| Franklin Cotton Grower | 8.00 | 1.65 | 2.00 |
| Uneedit Cotton Grower | 8.00 | 1.65 | 2.00 |
| Vance Cotton Grower | 8.00 | 1.65 | 2.00 |
| Nitrate of Soda | | 14.80 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| North Carolina Cotton Oil Co., Ralcigh, N. C.— | | | |
| | 6.00 | 9.17 | 9.00 |
| Raleigh Special Guano | 8.00 | 2.47 | 3.00 |
| Raleigh Standard Guano | 8.00 | 2.26 | 2.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--|---------------------|----------------------|
| North Carolina Cotton Oil Co., Wilmington, N. C.— | | | |
| High Grade Acid Phosphate | 16.00 | | |
| Wilmington Bone and Potash | 10.00 | | 4.00 |
| Pate's High Grade | 9.00 | 2.47 | 3.00 |
| Cockrell & Williams' Cotton Grower | 9.00 | 2.27 | 2.00 |
| Wilmington Mortgage Lifter | 9.00 | 2.27 | 7,00 |
| Wilmington's Pride | 8.00 | 4.12 | 7.00 |
| Wilmington's Truck Grower | 8.00 | 3.30 | 4.00 |
| Bullock's High Grade | 8.00 | 3.30 | 4.00 |
| Wilmington's Full Value | 8.00 | 3.30 | 4.00 |
| Wilmington Tobacco Grower | 8.00 | 3.30 | 4.00 |
| Wilmington Fruit Grower | 8.00 | 2.47 | 10.00 |
| Best Tobacco Grower | 8.00 | 2.47 | 7.50 |
| John's Special | 8.00 | 2.47 | 4.00 |
| Bullock's Cotton Grower | 8.00 | 2.47 | 4.00 |
| Wilmington Farmer Boy | 8.00 | 2.47 | 4.00 |
| Wilmington High Grade | 8.00 | $\frac{2.47}{1.00}$ | 3.00 |
| Wilmington Leader | 8.00 | 2.47 | 3.00 |
| Clute's Cotton Grower | 8.00 | 2.47 | 3.00 |
| L. P. B. Special | 8.00 | 2.47 | 3.00 |
| Carter's Lifter | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Lewis's Special | 8.00 | 2.47 | 3.00 |
| Cooper's Special | 8.00 | 2.47 | 3.00 |
| The Stone Company Special | 8.00 | 2.47 | 3.00 |
| Wilmington Standard | 8.00 | 2.47 | 2.50 |
| Pate's Special | 8.00 | 2.47 | 2.00 |
| Currie's Crop Grower | 8.00 | 2.06 | 4.00 |
| Wilmington Banner | 8.00 | 1.65 | 3.00 |
| Clark's Special | 8.00 | 1.65 | 3.00 |
| Maultsby's Cotton Grower | 8.00 | 1.65 | 3.00 |
| Wilmington Cotton Grower | 8.00 | 1.65 | 2.00 |
| Wilmington Special | 8.00 | $\frac{1.65}{2.47}$ | 2.00 |
| Wilmington Cotton Mixture | $\begin{array}{c} 7.00 \\ \textbf{6.00} \end{array}$ | $\frac{2.47}{3.30}$ | $\frac{5.00}{10.00}$ |
| Wilmington Headlight | 6.00 | 3.30 | 8.00 |
| Wilmington High Grade Top Dresser | $\frac{0.00}{4.50}$ | $\frac{3.30}{7.40}$ | 3.00 |
| Sulphate of Ammonia | 4.50 | 19.68 | |
| Nitrate of Soda | | 14.80 | • • • • |
| Dried Blood | | 13.12 | • • • • • |
| H. G. Ground Tankage | | 8.20 | |
| Wilmington Special Top Dresser | | 7.40 | 3.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| | | | 12.00 |
| G. Ober & Sons Co., Baltimore, Md.— | | | |
| Pure Raw Bone MealTotal | 21.00 | 3.71 | |
| Ober's High Grade Acid Phosphate | 16.00 | | |
| Ober's Dissolved Bone Phosphate | 14.00 | | |
| Ober's Standard Potash Compound | 12.00 | | 5.00 |
| Ober's Dissolved Animal Bone | 10.00 | 2.47 | |
| Ober's Acid Phosphate with Potash | 10.00 | | 4.00 |
| Ober's Dissolved Bone, Phosphate and Potash | 10.00 | | 2.00 |
| Ober's Special High Grade Fertilizer | 9.00 | 2.47 | 3.00 |
| Ober's Special Ammoniated Dissolved Bone | 9.00 | 1.65 | 2.00 |
| Ober's Farmers' Mixture | 9.00 | .82 | 2.00 |
| Ober's H. G. Fertilizer | 8.00 | 3.30 | 4.00 |
| Ober's Complete Guano for All Crops | 8.00 | 2.47 | 3.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Ober's Special Compound for Tobacco | 8.00 | 2.47 | 3.00 |
| Cooper's Pungo | 8.00 | $\frac{2.44}{2.06}$ | $\frac{3.00}{2.00}$ |
| Ober's Standard Tobacco Fertilizer | 8.00 | 1.65 | $\frac{2.00}{2.00}$ |
| Ober's Special Cotton Compound | 8.00 | $\frac{1.05}{1.65}$ | 2.00 |
| Ober's Soluble Ammoniated Superphosphate of | 3.00 | 1.00 | 2.00 |
| Lime | 8.00 | 1.65 | 2.00 |
| Ober's Stag Guano | 8.00 | .82 | 4.00 |
| Ober's Acid Phosphate with Potash | 8.00 | | 4.00 |
| Ground Fish | 7.30 | 9.00 | |
| Ober's Complete Vegetable Fertilizer | 7.00 | 4.12 | 5.00 |
| Red Seal Special Tobacco Guano Ober's Special Tobacco Bed Fertilizer, 10 Per | 6.00 | 2.47 | 7.00 |
| Cent | 4.00 | 8,25 | 3.00 |
| Nitrate of Soda | | 15.50 | |
| Ground Blood | | 13.00 | |
| Sulphate of Potash | | | 48.00 |
| Muriate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| | | | 12.00 |
| Pan-American Fertilizer Co., Norfolk, Va.— | | | |
| Pan-American 16 Per Cent Acid Phosphate | 16.00 | | |
| Pan-American 10 and 2 | 10.00 | | 2.00 |
| Pan-American Favorite Compound | 8.00 | 3.29 | 4.00 |
| Pan-American Special Cotton Grower | 8.00 | 2.47 | 3.00 |
| Pan-American Universal Phosphate | 8.00 | 1.65 | 2.00 |
| Pan-American Special | 7.00 | 5.76 | 5.00 |
| Pan-American 6 Per Cent Trucker | 7.00 | 4.94 | 5.00 |
| Pan-American P. Trucker | 6.00 | 5.76 | 6.00 |
| Pan-American Universal Trucker | 6.00 | 5.76 | 5.00 |
| Pan-American Carolina Trucker | 6.00 | 4.11 | 7.00 |
| Pan-American Dixie Standard | 6.00 | 4.11 | 5.00 |
| Pan-American Tip Top Dresser | 5.00 | 8.23 | 2.00 |
| Pan-American Potato and Truck Special | 5.00 | 5.76 | 5.00 |
| Pan-American Universal Top Dresser | 3.00 | 8.23 | 4.00 |
| Patapsco Guano Co., Baltimore, Md.— | | | |
| Patapsco Pure Raw BoneTotal | 21.51 | 3.70 | |
| Florida Soluble Phosphate | 16.00 | | |
| Patapsco Pure Dissolved S. C. Phosphate | 14.00 | | |
| Patapsco High Grade Phosphate and Potash | 11.00 | | 5.00 |
| Baltimore Soluble Phosphate | 11.00 | | 2.00 |
| Patapsco 10 and 4 Potash Mixture | 10.00 | | 4.00 |
| Patapsco Soluble Phosphate and Potash | 10.00 | | $\frac{4.00}{2.00}$ |
| Patapseo Guano for Tobacco | 9.25 | 2.06 | 2.00 |
| Patapsco Guano | 9.25 | 2.06 | 2.00 |
| Patapsco Tobacco Fertilizer | 9.00 | $\frac{2.00}{2.47}$ | 3.00 |
| Patapsco Bright Tobacco Grower | 9.00 | 2.26 | $\frac{3.00}{2.00}$ |
| Patapsco Cotton and Corn Special | 9.00 | $\frac{2.26}{2.06}$ | 5.00 |
| Patapsco Cotton Growers' Special | 9.00 | 1.65 | 3.00 |
| Coon Brand Guano | 9.00 | .82 | 3.00 |
| Patapsco Cotton and Tobacco Special | S.00 | 3.29 | 4.00 |
| Patapsco Plant Food for Tobacco, Potatoes | | | |
| and Truck | 8.00 | -2.47 | 5.00 |
| Patapsco Gold Leaf C. S. M. Mixture | 8.00 | 2.47 | 3.00 |
| , Choctaw Guano | 8.00 | 2.47 | 3.00 |
| Patapsco H. G. Tobacco Special | 8.00 | 2.47 | 3.00 |
| Patapsco Special Tobacco Mixture | 8.00 | 2.06 | 3.00 |
| Unicorn Guano | 8.00 | 2.06 | 3.00 |
| Planters Favorite | 8.00 | 1.65 | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. | Nitrogen. | Potash. |
|--|---------------------|---------------------|---------------------|
| | Acid. | | 0.00 |
| Grange Mixture, C. S. M. Base | 8.00 | 1.65 | 2.00 |
| Sea Gull Ammoniated Guano | $\frac{8.00}{7.00}$ | $\frac{1.65}{5.76}$ | $\frac{2.00}{7.00}$ |
| Patapsco 7-7-7 Truck Guano | $\frac{7.00}{7.00}$ | 4.11 | 5.00 |
| Patapsco Trucker for Early Vegetables | 7.00 | $\frac{4.11}{3.70}$ | 6.00 |
| Money Maker Guano | 6.00 | 8.23 | |
| Patapsco Potato Guano | 6.00 | 4.11 | 7.00 |
| Patapsco Crop Dresser | 4.00 | 3.29 | 4.00 |
| Nitrate of Soda | 1.00 | 15.00 | |
| Patapsco Top Dresser | | 7.41 | 3.00 |
| Muriate of Potash | | | 49.00 |
| Genuine German Kainit | | | 12.00 |
| Peruvian Guano Corporation, Charleston, S. C.— | | | |
| Peruvian Sulphate Tobacco Formula | 10.00 | 1.65 | 8.00 |
| Territoria de la companio del companio del companio de la companio del companio de la companio del companio de la companio del la companio della companio de | | | |
| The Phosphate Mining Co., Goronah, Ga | | | |
| "Supreme" Acid Phosphate | 18.00 | | |
| Acid Phosphate | 17.00 | | |
| "Superfine" Acid Phōsphate | 16.00 | | |
| Acid Phosphate | 15.00 | | |
| "Superior" Acid Phosphate | 14.00 | | |
| Acid Phosphate | 13.00 | | |
| Acid Phosphate | 12.00 | • • • • | |
| Piedmont-Mount Airy Guano Co., Ballimore, Md.— | | | |
| Piedmont Bone MealTotal | 21.00 | 3.29 | |
| Piedmont 16 Per Cent Acid Phosphate | 16.00 | | |
| Pielmont 14 Per Cent Acid Phosphate | 14.00 | | |
| Piedmont Special Potash Mixture | 10.00 | | 5.00 |
| Levering's Potashed Bone | 10.00 | | 4.00 |
| Piedmont Farmers' Potash Mixture | 10.00 | | 2.00 |
| Piedmont Farmers' Standard | 9.00 | 1.65 | 2.00 |
| Piedmont Essential Tobacco Compound | 9.00 | 1.65 | 2.00 |
| Levering's Ammoniated Bone | 9.00 | .82 | 3.00 |
| Piedmont Unexcelled Guano | 8.00 | 3.29 | 4.00 |
| Piedmont Special Tobacco Guano Piedmont High Grade Ammoniated Bone and | 8.00 | 2.47 | 4.00 |
| Potash | 5.00 | 2.47 | 3.00 |
| Levering's Reliable Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Piedmont Guano for Tobacco | 8.00 | 2.06 | 3.00 |
| Piedmont Guano for All Crops | 8.00 | 2.06 | 3.00 |
| Levering's Standard | 8.00 | 1.65 | 3.00 |
| Piedmont Bone and Peruvian Mixture | 8.00 | 1.65 | 2.00 |
| Piedmont Cultivator Brand | 8.00 | 1.65 | 2.00 |
| Piedmont Red Leaf Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Piedmont Farmers' Favorite | 8.00 | .82 | 4.00 |
| Piedmont Star Bone and Potash | 8.00 | | 5.00 |
| Piedmont 7-7-7 Truck Guano | 7.00 | 5.76 | 7.00 |
| Piedmont Special Truck Fertilizer | 6.00 | 5.76 | 5.00 |
| Piedmont Special Potato Guano | 6.00 | 4.94 | 7.00 |
| Piedmont Early Vegetable Manure | 6.00 | 4.12 | 7.00 |
| Piedmont Early Trucker | 6.00 | 4.12 | 5.00 |
| Piedmont Vegetable Compound | 6.00 | 3.29 | 8.00 |
| Piedmont 7 Per Cent Truck Guano | 5.00 | 5.76 | 5.00 |
| Piedmont Potato Producer | 5.00 | 2.47 | 6.00 |
| Nitrate of Soda | | 15.23 | |
| THERE OF EARTH THEFT THE THEFT | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| Boykin's Top Dresser | | 7.41 | 3.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| German Kainit | | | 12.00 |
| Planters Cotton Oil and Fertilizer Co., Rocky Mount, N. C.— | | | |
| Acid Phosphate | 16.00 | | |
| Royal Cotton Grower | 9.00 | 2.26 | 2,00 |
| J. P. D. Special | 8.00 | 3,29 | 5.00 |
| Gorham H. G. | 8.00 | 3.29 | 4.00 |
| Robertson's Tobacco Compound | $\frac{8.00}{8.00}$ | $\frac{2.47}{2.47}$ | $\frac{5.00}{3.00}$ |
| Planters' C. S. Oil Co.'s Tobacco Guano | S.00 S.00 | $\frac{2.47}{2.47}$ | |
| Break's Corn Special | 8.00 | 1.65 | 3.00 7.00 |
| Planters' Pride for Cotton | 8.00 | $\frac{1.05}{1.65}$ | 2.00 |
| Planters' C. S. Oil Co.'s Cotton Guano | 8.00 | 1.65 | 2.00 |
| Planters' Peanut Mixture | S.00 | 1.05 | |
| Planters' Special Potato Guano | | | 5.00 |
| Braswell's Excelsior | 7.00 | $\frac{4.12}{3.29}$ | 5.00 |
| | 7.00 | | 6.00 |
| E. L. D. Special. | 7.00 | 2.47 | 3.00 |
| Braswell's Special for Tobacco | 7.00 | 2.26 | 3.50 |
| Planters' Top Dresser | 3.50 | 7.82 | 3.00 |
| Nitrate of Soda | | 15.00 | |
| Ground Fish Scrap | • • • • | 8.23 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Genume German Kaimit | | | 12.00 |
| Pocahoutas Guano Co., Lynchburg, Va.— | | | |
| Pure Raw Bone Meal | 22.00 | 3.71 | |
| Brand | 16.00 | | |
| Imperial Dissolved S. C. Phosphate | 14.00 | | |
| Indian Special Grain and Grass Guano | 12.00 | 5.00 | |
| Special Potash Mixture | 10.00 | 5.00 | |
| Wabash Wheat Mixture | 10.00 | 4.00 | |
| Carrington's Superior Grain Compound | 10.00 | 2.00 | |
| Pocahontas Special Tobacco Fertilizer High Grade 4 Per Cent Tobacco Compound | 9.00 | 2.47 | 3.00 |
| Mohawk King | 9.00 | 1.85 | 4.00 |
| Yellow Tobacco Special | 9.00 | 1.65 | 2.00 |
| Standard Tobacco Guano, Old Chief Brand | 9.00 | 1.65 | 2.00 |
| Planters' Special | 9.00 | .82 | 2.00 |
| Indian Tobacco Grower | 8.00 | 2.47 | 4.00 |
| Farmers' Favorite Apex Brand | 8.00 | 2.47 | 3.00 |
| Special Truck Grower, Eagle Mount Brand | 8.00 | 2.06 | 6.00 |
| Spot Cash Tobacco Compound | 8.00 | 2.05 | 3.00 |
| Truckers' Special | 8.00 | 1.65 | 6.00 |
| Carrington's Banner Brand Guano | 8.00 | 1.65 | 2.00 |
| A. A. Complete Champion Brand | 8.00 | 1.00 | 3.00 |
| Cherokee Grain Special | 8.00 | | 4.00 |
| Nitrate of Soda | | 15.00 | |
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| The Pocomoke Guano Co., Norfolk, Va.— | | | |
| Pure Ground BoneTotal | 20.00 | 3.70 | |
| Superb Acid Phosphate | 16.00 | | |
| Peerless Acid Phosphate | 14.00 | | |
| Pocomoke 12-5 Bone and Potash | 12.00 | | 5.00 |
| Alkali Bone | 11.00 | | 2.00 |
| Pocomoke Bone and Potash Mixture | 10.00 | | 4.00 |
| 10-2 Potash Mixture | 10.00 | | 2.00 |
| Monticello Animal Bone Fertilizer | 9.00 | 1.85 | 4.00 |
| Cinco Tobacco Guano | 8.50 | 2.06 | 2.50 |
| Pocomoke Superphosphate | 8.50 | 1.65 | 2.00 |
| Electric Crop Grower | 8.50 | 1.65 | 2.00 |
| Garrett's Grape Grower | 8.00 | 3.29 | 10.00 |
| Faultless Ammoniated Superphosphate | 8.00 | 3.29 | 4.00 |
| Pocomoke H. G. Tobacco Guano | 8.00 | 3.29 | 4.00 |
| Monarch Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Harvey's High Grade Monarch | 8.00 | 2.47 | 3.00 |
| Pocomoke Sweet Potato Grower | 8.00 | 2.47 | 3.00 |
| CCC Crescent Complete Compound | 8.00 | 1.65 | 3.00 |
| Pamlico Superphosphate | 8.00 | 1.65 | 2.00 |
| Pocomoke Wheat, Corn and Peanut Manure | 8.00 | 1.00 | 4.00 |
| Pocomoke Defiance Bone and Potash | 8.00 | | 4.00 |
| Pocomoke Truck Grower 5 Per Cent | 7.00 | 4.11 | 5.00 |
| Standard Truck Guano | 7.00 | 4.11 | 5.00 |
| Seaboard Popular Trucker | 6.00 | 5.76 | 5.00 |
| Freeman's 7 Per Cent Irish Potato Grower | 6.00 | 5.76 | 5.00 |
| Coast Line Truck Guano | 5.00 | 8.23 | 3.00 |
| Pocomoke Top Dresser | 4.00 | 8.23 | 2.00 |
| Smith's Special Formula | 4.00 | 3.29 | 6.00 |
| Nitrate of Soda | | 15.00 | |
| Dry Ground Fish | | 8.23 | |
| Special Top Dresser | | 7.41 | 3.00 |
| Muriate of Potash | | | 49.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | | | 12.00 |
| Powhatan Chemical Co., Richmond, Va.— | | | |
| Pure Animal BoneTotal | 25.00 | 2.47 | |
| Pure Raw Bone MealTotal | 22.50 | 3.70 | |
| Magic Dissolved Bone Phosphate | 16.00 | | |
| High Grade Acid Phosphate | 14.00 | | |
| Powhatan Acid Phosphate | 13.00 | | |
| Magic Corn Special | 12.00 | 1.00 | 2.00 |
| Magic Wheat Special | 12.00 | 1.00 | 2.00 |
| High Grade Bone and Potash Mixture | 12.00 | | 5.00 |
| Virginia Dissolved Bone | 12.00 | | |
| Magic Corn Grower | 10.00 | .82 | 1.00 |
| Magic Crop Grower | 10.00 | .82 | 1.00 |
| Magic Bone and Potash Mixture | 10.00 | | 4.00 |
| Bone and Potash Mixture | 10.00 | | 2.00 |
| Austin's Special Fertilizer | 9.00 | 2.47 | 6.00 |
| Guilford's Special Tobacco Fertilizer | 9.00 | 2.47 | 6.00 |
| Ralling's Special Fertilizer | 9.00 | 2.47 | 2.00 |
| Economic Cotton Grower | 9.00 | 2.26 | 2.00 |
| Johnson's Best Fertilizer | 9.00 | 2.06 | 5.00 |
| Holt's Magic Fertilizer | 9.00 | 2.06 | 5.00 |
| Union Magic Fertilizer | 9.00 | 1.85 | 4.00 |
| North Carolina Favorite | 9.00 | 1.65 | 3.00 |
| TOTA Catolina Parotite | 0.00 | 1.00 | 0.50 |

| | 4 | | |
|---|--------------------------|------------------------|---------------------|
| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
| Powhatan Special Fertilizer | 9.00 | 1.65 | 2.00 |
| Magic Mixture | 9.00 | 1.65 | 1.00 |
| Powhatan Grain Guano | 9.00 | .82 | 3.00 |
| Magic Wheat Grower | 9.00 | .82 | 2.00 |
| King Trucker | 8.00 | 4.11 | 5.00 |
| Tomlinson's Best Fertilizer | 8.00 | 3.70 | 7.00 |
| Copeland's Magic Fertilizer | 8.00 | 3.29 | 8.00 |
| Powhatan Special Tobacco Fertilizer | 8.00 | 3.29 | 6.00 |
| North State Special | 8.00 | 3.29 | 4.00 |
| Tomlinson's Favorite Fertilizer | 8.00 | 2.88 | 5.00 |
| Special Fertilizer | 8.00 | 2.47 | 7.00 |
| Tomlinson's Magic Fertilizer | 8.00 | 2.47 | 7.00 |
| Tomlinson's Special Fertilizer | 8.00 | 2.47 | 5.00 |
| Magic Fertilizer | 8.00 | 2.47 | 4.00 |
| P. C. Co,'s Hustler | 8.00 | 2.47 | 3.00 |
| Johnson's Special Fertilizer | 8.00 | 2.47 | 3.00 |
| King Brand Fertilizer | 8.00 | 2.06 | 3.00 |
| White Leaf Tobacco Fertilizer | 8.00 | 2.06 | 3.00 |
| | 8.00 | $\frac{1.65}{1.65}$ | 4.00 |
| Magic Cotton Grower Magic Special Fertilizer | 8.00 | 1.65 | 2.00 |
| Magic Tobacco Grower | 8.00 | 1.65 | 2.00 |
| Magic Peanut Special | 8.00 8.00 | $\substack{1.65\\.82}$ | 2.00 |
| Magic Grain Special | S.00 | .82 .82 | $\frac{4.00}{4.00}$ |
| Magic Peanut Grower | 8.00 | | 4.00 |
| Magic Grain and Grass Grower | 8.00 | | 4.00 |
| Powhatan Bone and Potash Mixture | 8.00 | | 4.00 |
| Powhatan Trucker | 7.00 | 4.94 | 5.00 |
| Copeland's Best Fertilizer | 7.00 | 2.88 | 7.00 |
| Copeland's Special Fertilizer | 6.00 | 3.29 | 7.00 |
| Allen's Special Tobacco Fertilizer | 6.00 | 1.65 | 5.00 |
| Powhatan Top Dresser | 4.00 | 8.23 | 4.00 |
| Magic Top Dresser | 4.00 | 6.17 | 2.50 |
| Sulphate of Ammonia | | 19.75 | , |
| Nitrate of Soda | | 15.63 | |
| Tomlinson Nitrate Muriate Special | | 9.87 | 5.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| High Grade German Potash | | | 16.00 |
| Pure German Kainit | | | 12.00 |
| Rasin-Monumental Co., Baltimore, Md.— | | | |
| Rasin 16 Per Cent Acid Phosphate | 16.00 | | |
| Rasin Acid Phosphate | 14.00 | | |
| Rasin 13 Per Cent Acid Phosphate | 13.00 | | |
| Rasin H. G. Bone and Potash | 12.00 | | 5.00 |
| Rasin's Big 10 | 10.00 | 3.29 | 4.00 |
| Rasin Seawall Alkaline Phosphate | 10.00 | 0.20 | 6.00 |
| Rasin Special Bone and Potash | 10.00 | | 5.00 |
| Rasin's Double Bone and Potash | 10.00 | | 4.00 |
| Rasin Bone and Potash | 10.00 | | 2.00 |
| Rasin's Nine-Three-Three Guano | 9.00 | 2.47 | 3.00 |
| Rasin's Dixie Cotton Guano | 9.00 | $\frac{2.41}{2.26}$ | $\frac{3.00}{2.00}$ |
| Rasin Dixie Guano | 9.00 | 1.65 | $\frac{2.00}{2.00}$ |
| Rasin's IXL (Cotton-seed Meal Body) | 9.00 | .82 | 3.00 |
| Baltimore Special Mixture | 9.00 | .82 .82 | $\frac{5.00}{2.00}$ |
| Rasin's Dixie H. G. Guano | 8.00 | 3.29 | 4.00 |
| Rasin's Seawall Special Guano | S.00 | $\frac{3.25}{2.47}$ | 5.00 |
| Soundi Special States | 0.00 | #.XI | 9.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------|
| Rasin's Old Empire Guano Special | 8.00 | 2.47 | 3.00 |
| Rasin's Complete Cotton Compound | 8.00 | 2.47 | 3.00 |
| Rasin's Indian Brand for Tobacco | 8.00 | 2.47 | 3.00 |
| Rasin Gold Standard | 8.00 | 2.47 | 3.00 |
| Rasin Special Fertilizer | 8.00 | $\frac{2.06}{2.06}$ | 3.00* |
| Rasin's General Tobacco Grower | 8.00 | 2.06 | 3.00 |
| Rasin's Old Empire Guano | 8.00 | 1.65 | 2.00 |
| Rasin's 8-4 Bone and Potash | 8.00 | | 4.00 |
| Rasin Irish Potato Special | 7.00 | 3.29 | 8.00 |
| Rasin Truckers' Mixture | 6.00 | 5.77 | 5.00 |
| Nitrate of Soda | | 14.82 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Rasin Genuine German Kainit | | | 12.00 |
| Rasm Genune German Kamit | | • • • • | 12.00 |
| Read Phosphute Co., Charleston, S. C.— | | | , |
| Read's II, G. Dissolved Bone | 16.00 | | |
| Read's H. G. Acid Phosphate | 14.00 | | |
| Read's Bone and Potash | 10.00 | | 4.00 |
| Read's Alkaline Bone | 10.00 | | 2.00 |
| Read's Manipulated Guano | 9.00 | 1.65 | 3.00 |
| Read's H. G. Cotton Guano | 8.00 | 4.12 | 7.00 |
| Read's Ammoniated Dissolved Bone | 8.00 | 3.30 | 6.00 |
| Read's H. G. Guano | 8.00 | 3.30 | 4.00 |
| Read's H. G. Cotton Grower | 8.00 | 2.47 | 3.00 |
| Read's H. G. Tobacco Leaf | 8.00 | 2.47 | 3.00 |
| Read's Soluble Fish Guano | 8.00 | 1.65 | 2.00 |
| Read's Blood and Bone Fertilizer, No. 1 | 8.00 | 1.62 | 2.00 |
| Read's Special Potash Mixture | 8.00 | | 4.00 |
| Read's Fish and Blood Mixture | 7.00 | 3.30 | 5.00 |
| Nitrate of Soda | | 19.00 | |
| Muriate of Potash | | | 48.00 |
| German Kainit | | | 12.00 |
| German Kannt | | •••• | 12.00 |
| Red Cross Guano Co., Lynchburg, Va.— | | 0.71 | |
| Pure Raw Bone MealTotal | 22.00 | 3.71 | |
| Red Cross Bone MealTotal | 22.00 | 3.00 | |
| Red Cross II. G. Phosphate | 16.00 | | |
| Red Cross Standard Phosphate | 14.00 | | |
| Red Cross Grain Grower | 10.00 | | 4.00 |
| Red Cross Bone and Potash | 10.00 | | 2.00 |
| Red Cross High Grade for Tobacco | 9.00 | 2.47 | 3.00 |
| Red Cross for Tobacco and Truck | 9.00 | 1.85 | 4.00 |
| Red Cross for Bright Tobacco | 9,00 | 1.65 | 2.00 |
| Red Cross Special for Tobacco | 8.00 | 2.47 | 3.00 |
| Red Cross Tobacco Guano | 8.00 | 2.06 | 3.00 |
| | 8.00 | 1.65 | 2.00 |
| Red Cross Crop Grower | S.00 | 1.00 | 3.00 |
| Red Cross Grain and Grass Special | 3.00 | 1.00 | 5.00 |
| Rhum Phosphate Mining Co., Mount Pleasant, Pa.— | | | |
| Ground Phosphate Rock Total | 28.00 | | |
| Richmond Guano Co., Richmond, Va.— | | | |
| Pure Animal BoneTotal | 25.00 | 2.47 | |
| Pure Raw Bone MealTotal | 22.50 | 3.70 | |
| Rex Dissolved Bone Phosphate | 16.00 | | |
| High Grade Acid Phosphate | 14.00 | | |
| High Grade Acid ranshitate | 2 2.00 | | |

THE BULLETIN.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. | Nitrogen. | Potash. |
|---|-----------------|-----------|---------|
| Premium Bone and Potash Mixture | Acid. 13.00 | | 3.00 |
| Premium Dissolved Bone | 13.00 . | | |
| Premium Corn Special | 12.00 | 1.00 | 2.00 |
| Premium Wheat Special | 12.00 | 1.00 | 2.00 |
| H. G. Bone and Potash Mixture | 12.00 | | 5.00 |
| Regal Bone and Potash Mixture | 12.00 | | 4.00 |
| Old Homestead Dissolved Bone | 12.00 | | |
| Dissolved S. C. Phosphate | 12.00 | | |
| | 10.00 | .82 | 1.00 |
| Premium Corn Grower | 10.00 | .82 | 1.00 |
| Bone Mixture | 10.00 | .82 | 1.00 |
| Premium Crop Grower | | | 5.00 |
| Johnson's Best Bone and Potash | 10.00 | | 4.00 |
| Rex Bone and Potash Mixture | 10.00 | | |
| Bone and Potash Mixture | 10.00 | 0.00 | 2.00 |
| Sanders' Special Formula for Bright Tobacco. | 9.00 | 2.88 | 5.00 |
| Collins' Special Fertilizer | 9.00 | 2.47 | 2.00 |
| Carolina Cotton Grower | 9.00 | 2.26 | 2.00 |
| Burton Special Tobacco Fertilizer | 9.00 | 2.06 | 3.00 |
| C. & B.'s Best Fertilizer | 9,00 | 1.65 | 3.00 |
| Bumper Crop Ammoniated Guano | 9.00 | 1.65 | 3.00 |
| Lowery's Special Fertilizer | 9.00 | 1.65 | 3.00 |
| Cracker Jack Fertilizer | 9,00 | 1.65 | 2.00 |
| Bone Mixture | 9.00 | 1.65 | 1.00 |
| Tip Top Grain Guano | 9.00 | .82 | 3.00 |
| Premium Wheat Grower | 9.00 | .82 | 2.00 |
| Premium Crop Grower | 00.0 | .82 | 2.00 |
| Southern Trucker | 8.00 | 4.11 | 5.00 |
| Bone and Blood Special for Tobacco | 8.00 | 3.29 | 6.00 |
| Special Fertilizer | 8.00 | 3.29 | 6.00 |
| Perfection Special | 8.00 | 3.29 | 4.00 |
| Beeson's Best Fertilizer | 8.00 | 2.47 | 10.00 |
| Carolina Bright Tobacco Fertilizer | 8.00 | 2.47 | 3,00 |
| Gilt Edge Fertilizer | 8.00 | 2.47 | 3.00 |
| Gilt Edge Tobacco Fertilizer | 8.00 | 2.47 | -3.00 |
| Carolina Bright Special Tobacco Fertilizer | 8.00 | 2.26 | -2.50 |
| Tip Top Tobacco Fertilizer | 8.00 | 2.06 | 3.00 |
| Tip Top Fertilizer | 8.00 | 2.06 | 00.8 |
| Carolina Bright for Cotton | 8.00 | 2.06 | 1.50 |
| Special Premium Brand for Tobacco | 8.00 | 1.85 | 2.25 |
| Special Premium Brand for Plants | 8.00 | 1.85 | 2.25 |
| Beeson's Favorite Fertilizer | 8.00 | 1.65 | 10.00 |
| Beeson's Special Fertilizer | 8.00 | 1.65 | 6,00 |
| Rex Tobacco Fertilizer | 8.00 | 1.65 | 4.00 |
| Rex Ammoniated Crop Grower | 8.00 | 1.65 | 3.00 |
| Premium Cotton Fertilizer | \$.00 | 1.65 | 2.00 |
| Premium Tobacco Fertilizer | 8.00 | 1.65 | 2.00 |
| Premium Brand Fertilizer | 8.00 | 1.65 | 2.00 |
| Edgecombe Cotton Grower | 8.00 | 1.65 | 2.00 |
| Premium Grain Special | 8.00 | .82 | 4.00 |
| Premium Peanut Special | 8.00 | .82 | 4.00 |
| Premium Peanut Grower | 8.00 | | 4.00 |
| Tip Top Bone and Potash Mixture | 8.00 | | 4.00 |
| Winter Grain and Grass Grower | 8.00 | | 4.00 |
| Clark's Special Formula | 7.00 | 4.94 | 6.00 |
| Special High Grade for Truck | 7.00 | 4.94 | 5.00 |
| 10 Per Cent Cabbage Guano | 6.00 | 8.23 | 2.00 |
| Smith's 7 Per Cent Special | 6.00 | 5.76 | 5.00 |
| Edwards' Prolific Cotton Grower | 6.00 | 3.29 | 4.00 |
| | | | |

| A Normal During | Avail. | Nitrogen | Dotash |
|--|-----------------------|---------------------|---------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| Gilt Edge Top Dresser | 4.00 | 8.23 | 4.00 |
| Premium Top Dresser | 4.00 | 6.17 | 2.50 |
| Carter's Special for Tobacco | 4.00 | 2.47 | 6.00 |
| Smith's Special Fertilizer | 4.00 | 1.65 | 7.00 |
| Sulphate of Ammonia | | 19.75 | • |
| Nitrate of Soda | | 15.63 | |
| Special Top Dresser | | 7.40 | 3.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| High Grade German Potash | | | 16.00 |
| Pure German Kainit | • • • • | | 12.00 |
| Robersonville Guano Co., Robersonville, N. C.— | | | |
| Roberson's H. G. Acid Phosphate | 16.00 | | |
| Roberson's 4 Per Cent Special | S.00 | 3.29 | |
| Roberson's H. G. Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Roberson's H. G. Meal and Fish Guano | 8.00 | 2.47 | 3.00 |
| Roberson's H. G. Cotton Grower | 8.00 | $\frac{2.11}{2.47}$ | 3.00 |
| Roberson's Special 7-7-7 Potato Grower | 7.00 | $\frac{5.77}{5.77}$ | 7.00 |
| Roberson's H. G. Truck Guano | 7.00 | 4.12 | 5.00 |
| Roberson's 7 Per Cent Potato Guano | 6.00 | 5.77 | 5.00 |
| Robersonville H. G. Top Dresser | 4.00 | 8.23 | 4.00 |
| Sulphate of Ammonia | | 20.50 | |
| Nitrate of Soda | | 15.60 | |
| Dried Blood | | 13.62 | |
| Fish Scrap | | 8.00 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Roberson's Genuine German Kainit | | | 12.00 |
| Robeson Manufacturing Co., Lumberton, N. C.— | | | |
| Eureka | 10.00 | 3.30 | 5.00 |
| Stanby | 8.00 | $\frac{3.30}{3.30}$ | 4.00 |
| Gold Dollar | 8.00 | $\frac{3.30}{3.30}$ | 4.00 |
| Globe C. S. M. Guano | 8.00 | $\frac{3.60}{2.47}$ | 5.00 |
| Bladen Special | 8.00 | $\frac{2.47}{2.47}$ | 4.00 |
| Silver Dollar | 8.00 | $\frac{2.17}{2.47}$ | 3.00 |
| Cottonade | 8.00 | $\frac{2.17}{2.27}$ | 3.00 |
| Robeson's Special | 8.00 | 1.65 | 3.00 |
| Homerun | 3.00 | 8.00 | 5.00 |
| Will Delegation Handlings Co. Newfolk Va | | | |
| The Robertson Fertilizer Co., Norfolk, Va.— | 21.00 | 3,71 | |
| Robertson's Raw Bone MealTotal | | $\frac{3.71}{2.47}$ | |
| Robertson's Fine Ground BoneTotal | $\frac{21.00}{16.00}$ | | |
| High Peak Acid Phosphate | 14.00 | | |
| Scepter Brand Acid Phosphate | 13.00 | | |
| P. M. C. Acid Phosphate J. W. S. Special Bone and Potash Mixture | 12.00 | | 5.00 |
| | 10.00 | • • • • | 5.00 |
| J. W. S. Alkaline Bone Skyscraper Bone and Potash | 10.00 | • • • • | 4.00 |
| Level Run Dissolved Bone and Potash | 10.00 | | 2.00 |
| Beaver Brand Soluble Guano | 9.00 | 1.85 | 4.00 |
| Robertson's Blood and Bone Mixture | 9.00 | 1.00 | 2.00 |
| P. M. C. High Grade Soluble Guano | 8.00 | $\frac{1.00}{4.12}$ | 7.00 |
| Robertson's 5-6-7 Guano | 8.00 | $\frac{4.12}{4.12}$ | 7.00 |
| Wood's Winner H. G. Guano | 8.00 | 3.30 | 4.00 |
| Robertson's Soluble H. G. Guano | 8.00 | $\frac{0.60}{2.47}$ | 4.00 |
| Old Kentucky High Grade Tobacco Manure | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| organization and and apprecial requirects | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Robertson's Special Formula for Tobacco | 8.00 | 2.47 | 3.00 |
| Big Cropper High Grade Guano | 8.00 | 2.47 | 3.00 |
| Robertson's X-(T Ray) Tobacco Grower | 8.00 | 2.06 | 2.00 |
| Yellow Jacket Tobacco Guano | 8.00 | 1.85 | 4.00 |
| Double Dollar Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Double Dollar Soluble Guano | 8.00 | 1.65 | 2.00 |
| Ten Strike Soluble Crop Grower | 8.00 | 1.00 | 4.00 |
| M. C. Special Bone and Potash Mixture | 8.00 | | 4.00 |
| Robertson's 5 Per Cent Guano | 7.00 | 4.12 | 5.00 |
| Robertson's 7 Per Cent for Truck | 6.00 | 5.76 | 5.00 |
| Robertson's 10 Per Cent Truck Guano | 2.00 | 8.25 | 2.00 |
| Nitrate of Soda | | 14.85 | |
| Muriate of Potash | | | 50.00 |
| Genuine German Kainit | | | 12.00 |
| F. S. Royster Guano Co., Norfolk, Va.— | | | |
| | 01 50 | 0.51 | |
| Pure Raw Bone MealTotal | 21.50 | 3.71 | |
| Arrow Brand Thomas PhosphateTotal | 18.00 | • • • • | · · · • |
| Royster's H. G. 17 Per Cent Acid Phosphate | 17.00 | | |
| Royster's H. G. 16 Per Cent Acid Phosphate | 16.00 | • • • • | |
| Royster's 14 Per Cent Acid Phosphate | 14.00 | • | |
| Royster's Dissolved Bone | 13.00 | • • • • | |
| Royster's 12 and 5 Bone and Potash Mixture. | 12.00 | | 5.00 |
| Royster's XX Acid Phosphate | 12.00 | | |
| Royster's 11 and 5 Bone and Potash Mixture. | 11.00 | | 5.00 |
| Royster's Cotton Special | 10.00 | 3.30 | 4.00 |
| Seminole High Grade Fertilizer | 10.00 | 2.47 | 3.00 |
| Royster's Soluble Guano | 10.00 | 1.65 | 2.00 |
| Haywood County Special Guano | 10.00 | .82 | 3.00 |
| Royster's 10 and 6 Bone and Potash Mixture. | 10.00 | | 6.00 |
| Royster's 10 and 5 Bone and Potash Mixture. | 10.00 | | 5.00 |
| Royster's 10 and 4 Bone and Potash Mixture. | 10.00 | | 4.00 |
| Royster's Bone and Potash for Grain | 10.00 | • • • • | 3.00 |
| Royster's Bone and Potash Mixture | 10.00 | | 2.00 |
| Royster's 4-9-5 Special | 9.00 | 3.30 | 5.00 |
| Tomlinson's Special | 9.00 | 2.47 | 5.00 |
| Royster's 9-3-4 Special | 9.00 | 2.47 | 4.00 |
| Surry Special Tobacco Grower | 9.00 | 2.47 | 3.00 |
| Piedmont Special Cotton Grower | 9.00 | 2.47 | 3.00 |
| Royster's Meal Mixture | 9.00 | 2.26 | 2.00 |
| Royster's Cotton Grower | 9.00 | 2.26 | 2.00 |
| Viking Ammoniated Guano | 9.00 | 1.65 | 3.00 |
| Special Compound | 9.00 | 1.65 | 1.00 |
| Royster's Grain Grower | 9.00 | .82 | 3.00 |
| Royster's Special 1-9-2 Guano | 9.00 | .82 | 2.00 |
| Royster's Supreme Tobacco Guano | 8.00 | 3.71 | 7.00 |
| Royster's Best Guano | 8.00 | 3.71 | 7.00 |
| Cobb's High Grade for Tobacco | 8.00 | 3.30 | 5.00 |
| Cobb's H. G. for Cotton | 8.00 | 3.30 | 5.00 |
| Trucker's Delight | 8.00 | 3.30 | 4.00 |
| Jupiter High Grade Guano | 8.00 | 3.30 | 4.00 |
| Royster's H. G. Special Tobacco Guano | 8.00 | 3.30 | 4.00 |
| Milo Tobacco Guano | 8.00 | 3.30 | 4.00 |
| Royster's Special 4-8-3 Guano | 8.00 | 3.30 | 3.00 |
| Gorham's Special | 8.00 | 3.30 | 2.50 |
| Lenoir Special Tobacco Guano | 8.00 | 2.88 | 7.00 |
| Royster's Sovereign Tobacco Grower | 8.00 | 2.88 | 5.00 |
| Eagle's Special Tobacco Guano | 8.00 | 2.47 | 5.00 |
| и | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|------------------|
| Marlboro High Grade Cotton Grower | 8.00 | 2.47 | 3.00 |
| Bonanza Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Royster's Special Sweet Potato Guano | 8.00 | 2.47 | 3.00 |
| Orinoco Tobacco Guano | 8.00 | 2.06 | 3.00 |
| Special Tobacco Compound | 8.00 | 2.06 | 2.00 |
| Royster's Special Wheat Fertilizer | 8.00 | 1.65 | 2.00 |
| Royster's Complete Guano | 8.00 | 1.65 | 2.00 |
| Farmers' Bone Fertilizer | 8.00 | 1.65 | 2.00 |
| Webb's Korn King | 8.00 | 1.65 | 2.00 |
| Farmers' Bone Fertilizer for Tobacco | 8.00 | 1.65 | $\frac{1}{2.00}$ |
| Jumbo Peanut Grower | 8.00 | 1.02 | 4.00 |
| Royster's 8 and 4 Bone and Potash Mixture | 8.00 | | 4.00 |
| Royster's Special 7 Per Cent Truck Guano | 7.00 | 5.77 | 7.00 |
| Royster's Early Truck Guano | 7.00 | 4.12 | 8.00 |
| Royal Special Potato Guano | 7.00 | 4.12 | 7.00 |
| Royal Potato Guano | 7.00 | 4.12 | 5.00 |
| Royster's 7 and 5 Bone and Potash Mixture | 7.00 | | 5.00 |
| Royster's Peanut Special | 7.00 | | 5.00 |
| Arrow Potato Guano | 6.00 | 5.77 | 5.00 |
| Royster's Irish Potato Guano | 6.00 | 4.12 | 7.00 |
| Yellow Bark Sweet Potato Guano | 6.00 | 4.12 | 7.00 |
| Royster's Special 5-6-5 | 6.00 | 4.12 | 5.00 |
| Pasquotank Potato Guano | 6.00 | 3.30 | 8.00 |
| Royster's Tobacco Manure | 6.00 | 3.30 | 7.00 |
| Oakley's Special Tobacco Guano | 6.00 | 3.30 | 4.00 |
| Royster's 2-6-5 Special | 6.00 | 1.65 | 5.00 |
| Royster's Special 10 Per Cent Truck Guano | 5.00 | 8.24 | 3.00 |
| Royster's Cabbage Guano | 5.00 | 8.22 | 2.50 |
| Harvey's Cabbage Guano | 5.00 | 6.59 | 3.00 |
| Royster's Potato Guano | 5.00 | 4.94 | 7.00 |
| Presto Ton Dresser | 4.00 | 8.22 | 4.00 |
| Royster's Ground Fish Scrap | 4.00 | 8.22 | |
| Royster's Special Top Dresser | 4.00 | 6.18 | 2.50 |
| Royster's 4-6-4 Special | 4.00 | 4.94 | 4.00 |
| Currituck Sweet Potato Guano | 4.00 | 2.47 | 8.00 |
| Royster's Ground Fish Scrap | 3.00 | 8.22 | |
| Royster's 10-2-5 Top Dresser | 2.00 | 8.22 | -5.00 |
| Nitrate of Soda | | 15.22 | |
| Magic Top Dresser | | 7.42 | 3.00 |
| Cotton-seed Meal | | 6.17 | |
| Sulphate of Potash | | | 48.00 |
| Muriate of Potash | | | 48.00 |
| Manure Salts | | | 20.00 |
| Genuine German Kainit | | | 12.00 |
| Scotland Neck Guano Co., Scotland Neck, N. C.— | | | |
| Our 16 Per Cent Acid Phosphate | 16.00 | | |
| Our Bone and Potash Mixture | 10.00 | | 4.00 |
| Biggs' H. G. Truck Guano | 8.00 | 4.12 | 5.00 |
| Noah Biggs C. S. M. and Fish Scrap Guano | 8.00 | 3.30 | 4.00 |
| Noah Biggs' Special Tobacco Guano | 8.00 | 2.47 | 4.00 |
| Johnson's Bright Leaf Tobacco Guano | 8.00 | 2.47 | 3.00 |
| State Farm C. S. M. and Fish Scrap Tobacco | | | |
| Guano | 8.00 | 2.47 | 3.00 |
| Farmers' C. S. M. and Fish Scrap Guano | 8.00 | 2.06 | 2.50 |
| Our Special C. S. M. Guano | 8.00 | 1.65 | 2.00 |
| Johnson's Special Potato Guano | 7.00 | 5.77 | 7.00 |
| Our Best Peanut Guano | 5.50 | 1.23 | 5.50 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|---------------------|
| K. Elite Top Dressing | 3.00 | 7.40 | 3.50 |
| Nitrate of Soda | | 15.50 | |
| Noah Biggs Top Dresser | | 7.46 | 3.50 |
| Our Genuine German Kainit | | | 12.00 |
| The Southern Cotton Oil Co., Concord, Daridson, Shelby, Gibson, Monroc, and Wadesboro— | | | |
| S. C. O. Co.'s 16 Per Cent Acid Phosphate | 16.00 | | |
| Gold Seal Acid Phosphate | 14.00 | | |
| Conqueror Bone and Potash | 10.00 | | 4.00 |
| Magnolia Bone and Potash | 10.00 | | 2.00 |
| King Bee | 9.17 | 1.65 | 2.00 |
| Adams' Favorite | 9,00 | 2.47 | 4.50 |
| Uncle Sam | 9,00 | 2.47 | 3.00 |
| Home Made | 9.00 | 2.05 | 3.00 |
| Razem | 9.00 | 1.65 | 3.00 |
| Special Grain Grower | 9.00 | .82 | 3.00 |
| Special Ash Element | 8.50 | 0.00 | 3.50 |
| Choice | 8.00 | 3.30 | 6.00 |
| Conqueror | 8.00 | 3.30 | 4.00 |
| Canto | 8.00 | 3.29 | $\frac{6.00}{4.00}$ |
| Melonite | $\frac{8.00}{8.00}$ | $\frac{3.29}{2.47}$ | 3.00 |
| Peacock Moon | 8.00 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Landsake | 8.00 | $\frac{2.47}{2.47}$ | $\frac{5.00}{2.50}$ |
| Red Bull | 8.00 | 2.06 | 2.00 |
| All-to-Good | 8.00 | $\frac{2.05}{2.05}$ | 3.00 |
| Gloria | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| Double Two | 8.00 | 1.65 | 2.00 |
| S. C. O. Co.'s Ash Element | 7,50 | | 4.50 |
| Dandy Top Dresser | 4.00 | 9.07 | 2.50 |
| Peerless Top Dresser | 4.00 | 6.17 | 2.50 |
| Nitrate of Soda | | 15.00 | |
| Labi | | 8.99 | 17.00 |
| Special Top Dresser | | 8.22 | -3.00 |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | • • • • | • • • • | 12,00 |
| The Southern Exchange Co., Maxton, N. C.— | | | |
| S. E. C. Acid Phosphate | 16.00 | | |
| S. E. C. Acid Phosphate | 14.00 | | |
| S. E. C. Bone and Potash Mixture | 10.00 | | 4.00 |
| S. E. C. Bone and Potash Mixture | 10.00 | | 2.00 |
| Juicy Fruit Fertilizer | 9.00 | 1.85 | • 4.00 |
| The Walnut Fertilizer | 8.50 | 2.06 | 2.50 |
| Melon Grower | 8.00 | 4.11 | 7.00 |
| McKimmon's Special Truck Formula | 8.00 | 4.11 | 7.00 |
| Two Fours Guano | 8.00 | 3.29 | 4.00 |
| Formula | 8.00 | 2.47 | 4.00 |
| That Big Stick Guano | 8.00 | 2.47 | 4.00 |
| Bull of the Woods Fertilizer | 8.00 | 2.47 | 4.00 |
| Marietta Supply Co.'s Best | 8.00 | 2.47 | 3.00 |
| Jack's Best Fertilizer | 8.00 | 2.47 | 3.00 |
| Correct Cotton Compound | 8.00 | 2.47 | 3.00 |
| R. M. C. Special Crop Grower | 8.00 | 2.47 | 3.00 |
| Clark's Special Compound | 8.00 | 1.65 | 3.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|-----------------------|
| Southern Exchange Co.'s Special Tobacco Fer- | 110101 | | |
| tilizer | 8.00 | 1.65 | 3.00 |
| Currie Crop Lifter | 8.00 | 1.65 | 3.00 |
| The Racer Guano | 8.00 | $\frac{1.65}{1.65}$ | 3.00 |
| | 8.00 | $\frac{1.65}{1.65}$ | 2.00 |
| The Coon Guano | 4.00 | 8.23 | $\frac{2.00}{2.00}$ |
| | | 15.00 | |
| Nitrate of Soda | • • • • | | 49.00 |
| Muriate of Potash | • • • • | • • • • | $\frac{45.00}{12.00}$ |
| Genuine German Kainit | • • • • | • • • • | 12.00 |
| Spartanburg Fertilizer Co., Spartanburg, S. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acidulated Phosphate | 14.00 | | |
| Staff of Life | 13.00 | .82 | 3.00 |
| West's Potash Acid | 13.00 | | 3.00 |
| 13-3 Potash Acid | 13.00 | | 3.00 |
| Nitro Blood | 12.50 | 1.65 | 2.50 |
| 12-6 | 12.00 | | 6.00 |
| Wheat Formula | 11.50 | 1.21 | 5.00 |
| Gosnell's Plant Food | 10.50 | 2.46 | 2.00 |
| N. C. Special | 10.50 | 1.65 | 8.00 |
| Corn Formula | 10.50 | 1.65 | 5.00 |
| King Tiger | 10.00 | 1.65 | 3.00 |
| 10-4 | 10.00 | | 4.00 |
| Dana's Best | 10.00 | | 4.00 |
| Melrose | 10.00 | | 2.00 |
| 10-2 | 10.00 | | $\frac{2.00}{2.00}$ |
| Boll Buster | 9.20 | 1.65 | $\frac{2.00}{2.00}$ |
| Grain Compound | 9.20 | 1.65 | $\frac{2.00}{2.00}$ |
| Hummer | 9.00 | $\frac{1.05}{1.65}$ | 3.00 |
| | 9.00 | .82 | 3.00 |
| Tiger Brand | 8.00 | 3.29 | 4.00 |
| | 8.00 | $\frac{3.29}{2.46}$ | 3.00 |
| Glencoe | | | |
| Corn Grower | 8.00 | 1.65 | 2.00 |
| Corn Maker | 8.00 | 1.65 | 2.00 |
| Corn King | 8.00 | 1.65 | 2.00 |
| C. C. & O. Special | 8.00 | 1.65 | 2.00 |
| Potato Guano | 7.00 | 2.46 | 7.00 |
| Sulphate Ammonia | | 20.65 | • • • • |
| Nitrate of Soda | | 14.81 | |
| Muriate of Potash | • • • • | | 48.00 |
| Kainit | • • • • | • • • • | 12.00 |
| Swift Fertilizer Works, Atlanta, Ga., Wilmington, N. C., and Chester, S. C.— | | | |
| Swift's Raw Bone MealTotal | 23.00 | 3.70 | |
| Swift's Pure Bone MealTotal | 23.00 | 2.47 | |
| Swift's Special | 16.00 | | |
| Swift's Cultivator | 14.00 | | |
| Swift's Harrow | 13.00 | | |
| Swift's North Carolina Special | 12.00 | 1.65 | 2.00 |
| Swift's Special | 12.00 12.00 | | 6.00 |
| Swift's Atlanta | 12.00 | • • • • | 4.00 |
| Swift's Chattahoochee | $\frac{12.00}{12.00}$ | | 4.00 |
| | 10.00 | 3.29 | 4.00 |
| Swift's Farmers' Special | | | 3.00 |
| Swift's Special High Grade Guano | 10.00 | 3.29 | |
| Swift's Corn and Cotton Grower | 10.00 | 2.47 | 3.00 |
| Swift's Eagle | 10.00 | 1.65 | 2.00 |

| | • | | |
|---|--------------------------|---------------------|---------------------|
| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
| Swift's Planters' Special | 10.00 | .82 | 3.00 |
| Swift's Plow Boy | 10.00 | .82 | 1.00 |
| Swift's Atlanta | 10.00 | | 5.00 |
| Swift's Farmers' Home | 10.00 | | 4.00 |
| Swift's Field and Farm | 10.00 | | 2.00 |
| Swift's Wheat Grower | 10.00 | | 2.00 |
| Swift's Special | 9.50 | 4.12 | 3.00 |
| Swift's Blood, Bone and Potash | 9.50 | 3.29 | 7.00 |
| Swift's Champion | 9.00 | 2.47 | 4.00 |
| Swift's Special Cotton Grower | 9.00 | 2.47 | 3.00 |
| Swift's Cotton King | 9.00 | 2.47 | 2.00 |
| Swift's Special Cotton Guano | 9.00 | 2.26 | 2.00 |
| Swift's Gold Medal | 9.00 | 1.65 | 3.00 |
| Swift's Farmers' Favorite | 9.00 | 1.65 | 3.00 |
| Swift's Cotton Plant | 9.00 | 1.65 | 1.00 |
| Swift's Special | 9.00 | .82 | . 3.00 |
| Swift's Special Formula | 9.00 | .82 | 2.00 |
| Swift's Cape Fear | 8.00 | 4.12 | 3.00 |
| Swift's Special Tobacco Grower High Grade. | 8.00 | 3.29 | 6.00 |
| Swift's Majestic for Tobacco High Grade | 8.00 | 3.29 | 4.00 |
| Swift's Monarch | 8.00 | 3.29 | 4.00 |
| Swift's Cotton-seed Meal Compound | 8.00 | 3.29 | 4.00 |
| Swift's Quick Growth Tobacco Fertilizer | 8.00 | 3.29 | 2.00 |
| Swift's Strawberry Grower | 8.00 | 2.47 | 10.00 |
| Swift's Piedmont Tobacco Grower | 8.00 | 2.47 | 6.00 |
| Swift's Carter's Prolific | 8.00 | 2.47 | 4.00 |
| Swift's Carolina Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Swift's Ruralist | 8.00 | 2.47 | 3.00 |
| Swift's Cotton-seed Meal Compound | 8.00 | 2.47 | 3.00 |
| Swift's Gold Leaf Tobacco Grower | 8.00 | $\frac{2.06}{2.06}$ | 3.00 |
| Swift's Braswell Formula | 8.00 8.00 | $\frac{2.06}{2.06}$ | $\frac{2.50}{2.00}$ |
| Swift's Bright Leaf Tobacco Grower | 8.00 | $\frac{2.06}{1.65}$ | 5.00 |
| Swift's Pioneer Tobacco Grower | 8.00 | 1.65 | 4.00 |
| Swift's Clark's Special Cotton Grower | 8.00 | $\frac{1.65}{1.65}$ | 3.00 |
| Swift's Red Steer | 8.00 | 1.65 | 2.00 |
| Swift's Golden Harvest | 8.00 | 1.65 | 2.00 |
| Swift's Thompson's Special | 8.00 | .82 | 5.00 |
| Swift's Special Peanut Grower | 8.00 | .82 | 4.00 |
| Swift's Golden Grain Grower | 8.00 | .82 | 4.00 |
| Swift's Golden Grain Grower | 8.00 | .82 | 4.00 |
| Swift's Plantation | 8.00 | | 4.00 |
| Swift's Carolina 7 Per Cent Special Trucker. | 7.00 | 5.76 | 7.00 |
| Swift's Special Irish Potato Grower | 7.00 | 4.12 | S.00 |
| Swift's Potato Grower | 7.00 | 4.12 | 7.00 |
| Swift's Early Trucker | 7.00 | 4.12 | 5.00 |
| Swift's Special High Grade | 7.00 | 3.29 | 5.00 |
| Swift's Special Trucker | 6.00 | 5.76 | 5.00 |
| Swift's Favorite Truck Guano | 6.00 | 4.94 | $\frac{6.00}{5.00}$ |
| Swift's Special Potato Grower | 6.00 | 4.12 | 7.00 |
| Swift's Special 10 Per Cont Plead and Pena | 6.00 | 3.29 | 6.00 |
| Swift's Special 10 Per Cent Blood and Bone | 5.00 | 8.23 | 3.00 |
| Trucker Swift's Superior Top Dresser | $\frac{5.00}{5.00}$ | 8.23 | 3.00 3.00 |
| Swift's Plant Bed Tobacco Fertilizer | 5.00 5.00 | 6.58 | $\frac{3.00}{2.00}$ |
| Swift's Fruiter Top Dresser : | 5.00 | 4.94 | $\frac{2.00}{2.50}$ |
| Swift's Special Top Dresser | 4.00 | 8.23 | 4.00 |
| Swift's Excelsior Top Dresser | 4.00 | 6.18 | $\frac{1.00}{2.00}$ |
| | | | |

| Swift's No. 1 Ground Tankage 3.50 9.06 Swift's Pure Nitrate of Soda 14.82 Swift's Ground Dried Blood 13.18 Swift's Special Top Dresser 8.23 4. Cotton-seed Meal 7.50 Swift's Special Top Dresser 7.40 4. | 00 |
|--|-------------------|
| Swift's Everett's Special Formula 4.00 3.29 33 Swift's No. 1 Ground Tankage 3.50 9.06 . Swift's Pure Nitrate of Soda 14.82 . Swift's Ground Dried Blood 13.18 . Swift's Special Top Dresser 8.23 4. Cotton-seed Meal 7.50 . Swift's Special Top Dresser 7.40 4. | |
| Swift's No. 1 Ground Tankage 3.50 9.06 Swift's Pure Nitrate of Soda 14.82 Swift's Ground Dried Blood 13.18 Swift's Special Top Dresser 8.23 4. Cotton-seed Meal 7.50 Swift's Special Top Dresser 7.40 4. | |
| Swift's Pure Nitrate of Soda 14.82 Swift's Ground Dried Blood 13.18 Swift's Special Top Dresser 8.23 4. Cotton-seed Meal 7.50 Swift's Special Top Dresser 7.40 4. | |
| Swift's Ground Dried Blood 13.18 Swift's Special Top Dresser 8.23 4. Cotton-seed Meal 7.50 . Swift's Special Top Dresser 7.40 4. | |
| Swift's Special Top Dresser 8.23 4. Cotton-seed Meal 7.50 . Swift's Special Top Dresser 7.40 4. | |
| Cotton-seed Meal 7.50 Swift's Special Top Dresser 7.40 4. | |
| Swift's Special Top Dresser 7.40 4.9 | 00 |
| Swift's Special Top Dresser 7.40 4. | |
| | .00 |
| Swift's Nitrogen and Potash, No. 1 | 00. |
| Swift's Nitrogen and Potash, No. 2 6.58 4. | 00 |
| | |
| Swift's Muriate of Potash 50. | .00 |
| Swift's Sulphate of Potash | 00 |
| Swift's Pure German Kainit | |
| | |
| Tidewater Guano Co., Norfolk, Va.— | |
| Thomas Phosphate | |
| | .00 |
| B. D. Tellow Tourier Grower. | |
| Tusearora Fertilizer Co., Atlanta, Ga., and Wil- | |
| mington, N. C.— | 50 |
| Tuscarora High Grade Trucker 6.00 4.11 7. | .00 |
| Union Abattoir Co., Norfolk, Va., and New Bern, N. C.— | |
| | |
| | |
| | 00 |
| | 00. |
| 002 | .00 |
| Treat State 11. Gr. State 11. Gr. | .00 |
| COLOM CHARLE THE THE COLOMBIA | .00 |
| | .00 |
| Cotton and Tobacco Guano 8.00 2.46 3. | .00 |
| Standard Guano | 00. |
| Muriate of Potash 50. | 00. |
| | 00. |
| Union Guano Co., Winston-Salem, N. C.— | |
| | |
| Thie Zea in Time Done December 11 in the Control of | • • |
| chich 20 2 ct cent field 2 hour materials | • • |
| | • • |
| | |
| | |
| Chion 12 0 Done and 2 Ganater | .00 |
| c mon 12 o Done and 1 ottomilion | .00 |
| Union 12-4 Bone and Potash | .00 |
| Union 12-3 Bone and Potash | 00. |
| Union 12-2 Bone and Potash | 00. |
| | |
| | .50 |
| | .00 |
| | .00 |
| Chion operat formula for coccontinuity | .00 |
| Chion facto Divine Country, 111111111111111111111111111111111111 | .00 |
| Citati Chemicale | .00 |
| | .00 |
| Children 10 % Done what I other 111111111111111111111111111111111111 | .00 |
| Union 10-5 Bone and Potash | 00 |
| Union 10-5 Bone and Potash 10.00 5. Union 10-4 Bone and Potash 10.00 4. | 00. |
| Union 10-5 Bone and Potash 10.00 5. Union 10-4 Bone and Potash 10.00 4. Quakers Grain Mixture 10.00 4. | 00. 00. 00. |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Finch & Harris's Special Bone and Potash | | | |
| Mixture | 10.00 | | 3.00 |
| Union Bone and Potash | 10.00 | | 2.00 |
| Union Gold Leaf Tobacco Mixture | 9.00 | 3.00 | 6.00 |
| Union Renown Guano | 9,00 | 2.47 | 3.00 |
| Union Complete Cotton Mixture | 9.00 | 1.65 | 3.00 |
| Farmers' Blood and Bone Guano | 9.00 | 1.65 | 3.00 |
| Dixie Cotton Grower | 9.00 | 1.65 | 2.00 |
| Q. and Q. (Quality and Quantity) Guano | 9.00 | 1.65 | 1.00 |
| B. S. Ammoniated Guano | 9.00 | .82 | 3.00 |
| Union Guano for Tobacco | 8.00 | 3.29 | 6.00 |
| Union Premium Guano | 8.00 | 3.29 | 4.00 |
| Bright Leaf Tobacco Compound | 8.00 | 2.75 | 7.00 |
| Union Homestead Guano | 8.00 | 2.47 | 3.00 |
| Victoria High Grade Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Union Water Fowl Guano | 8.00 | 2.06 | 3.00 |
| Union Standard Tobacco Grower | \$.00 | 2.06 | 2.00 |
| Union Potato Mixture | 8.00 | 1.65 | 10.00 |
| Old Honesty Guano | 8.00 | 1.65 | 2.00 |
| Fish Brand Ammoniated Guano for Tobacco | 5.00 | 1.65 | 2.00 |
| Old Honesty Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Fish Brand Ammoniated Guano | 8.00 | 1.65 | 2.00 |
| Union Superlative Guano | 8.00 | .82 | 4.00 |
| Sunrise Ammoniated Guano | 8.00 | .82 | 3.00 |
| Union 8-5 Bone and Potash | 8.00 | | 5.00 |
| Union Wheat Mixture | 8.00 | | 4.00 |
| Union Vegetable Compound | 7.00 | 4.12 | 8.00 |
| Union Truck Guano | 7.00 | 3.29 | 5.00 |
| Complete Mixture for Top Dressing | 4.00 | 6.18 | 4.00 |
| Special 10 Per Cent Top Dresser | 2.00 | 8.24 | 2.50 |
| Nitrate of Soda | | 14.82 | |
| ture | | 7.42 | 3.00 |
| Cotton-seed Meal | | 6.18 | |
| Muriate of Potash | | | 48.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | • • • • | | 12.00 |
| United States Fertilizer Co., Baltimore, Md.— | | | |
| Raw Bone Meal | 22.50 | 3.69 | |
| Farm Bell Acid Phosphate | 16.00 | | |
| Farm Bell Acid Phosphate | 14.00 | | |
| Farm Bell Phospho Potassa | 12.00 | | 5.00 |
| Farm Bell Potash and Acid | 10.00 | | 6.00 |
| Farm Bell 10-5 Mixture | 10.00 | | 5.00 |
| Farm Bell Special Mixture | 10.00 | | 4.00 |
| Farm Bell Alkaline Mixture | 10.00 | | 2.00 |
| Farm Bell Big Yield | 9,00 | 2.47 | 4.00 |
| White Oak Mountain Tobacco Guano | 9,00 | 2.46 | 3.00 |
| Farm Bell Harvest Moon | 9.00 | .82 | 3.00 |
| Farm Bell Buckeye Guano | 9.00 | .82 | 2.00 |
| Farm Bell Blood, Bone and Potash | 8.00 | 4.11 | 7.00 |
| Farm Bell Excelsior Guano | 8.00 | 3.28 | 7.00 |
| Farm Bell Majestic Guano | 8.00 | 3.28 | 4.00 |
| Farm Bell Tobacco Fertilizer | \$.00 | 2.47 | 4.00 |
| Farm Bell Cotton Special | 8.00 | 2.47 | 3,00 |
| Farm Bell Tobacco Special | 8.00 | 2.47 | 3.00 |
| Farm Bell Crop Grower | 5.00 | 2.06 | 3.00 |

| | Arroil | | |
|---|--------------------------|--------------------------|---------|
| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | ${\bf Nitrog} {\bf en}.$ | Potash. |
| Farm Bell Tomato Special | 8.00 | 2.05 | 3.00 |
| Farm Bell Tobacco Grower | 8.00 | 2.05 | 3.00 |
| Farm Bell Fruit and Potato Guano | 8.00 | 1.65 | 10.00 |
| Farm Bell Animal Ammoniated | 8.00 | 1.65 | 5.00 |
| Farm Bell Standard Guano | 8.00 | 1.65 | 2.00 |
| Farm Bell Standard for Tobacco | 8.00 | 1.65 | 2.00 |
| Farm Bell Wheat, Oat, Corn Special | 8.00 | .82 | 6.00 |
| Farm Bell Pennant Winner | 8.00 | .82 | 4.00 |
| Farm Bell Phosphate and Potash | 8.00 | | 5.00 |
| Farm Bell Wheat and Grass Grower | 8.00 | | 4.00 |
| Farm Bell Truckers' Ideal | 7.00 | 4.11 | 8.00 |
| Farm Bell Potato and Tobacco Guano | 7.00 | 2.47 | 10.00 |
| Farm Bell Klimax Kompound | 7.00 | .82 | 4.00 |
| Farm Bell 7 Per Cent Trucker | 6.00 | 5.75 | 5.00 |
| Farm Bell Truckers' Favorite | 6.00 | 3.28 | 8.00 |
| Farm Bell Lightning Topper | 4.00 | 8.20 | 3.00 |
| Farm Bell Top Dresser | 4.00 | 6.58 | 2.00 |
| Sulphate of Ammonia | | 20.50 | |
| Nitrate of Soda | | 15.50 | |
| Sulphate of Potash | | | 50.00 |
| Muriate of Potash | | | 48.00 |
| Kainit | | | 12.00 |
| Vance Guano Co., Henderson, N. C.— | | | |
| | | | |
| Best Grade Acid Phosphate | 16.00 | | |
| Vance High Grade Acid Phosphate | 14.00 | | |
| Vance Corn and Grain Grower | 10.00 | 1.00 | 3.50 |
| Farmers' Union | 9.00 | 3.00 | 3.00 |
| Brodie's Best | 8.00 | 4.00 | 4.00 |
| Fish Brand Tobacco Manure | 8.00 | 3.00 | 3.00 |
| Sterling Cotton Grower | 8.00 | 2.00 | 2.00 |
| Hot Stuff | 8.00 | 2.00 | 2.00 |
| Vance Top Dresser | 3.00 | 10.00 | 5.00 |
| Venuble Fertilizer Co., Richmond, Va.— | | * | |
| Pure Animal BoneTotal | 25.00 | 2.47 | |
| Pure Raw Bone MealTotal | 22.50 | 3.70 | |
| Venable Best Acid Phosphate | 16.00 | | |
| H. G. Acid Phosphate | 14.00 | | |
| Venable's Dissolved Bone | 13.00 | | |
| Venable's Majestic Bone and Potash Mixture. | 12.00 | | 5.00 |
| Venable's Standard Acid Phosphate | 12.00 | | |
| Venable's Corn, Wheat and Grass Fertilizer | 10.00 | .82 | 1.00 |
| High Grade Bone and Potash Mixture | 10.00 | | 4.00 |
| Bone and Potash Mixture | 10.00 | | 2.00 |
| Venable Carolina Favorite | 9.00 | 2.47 | 6.00 |
| Venable's 3-9-3 Tobacco Fertilizer | 9.00 | 2.47 | 3.00 |
| Roanoke Mixture | 9.00 | 2.26 | 2.00 |
| Roanoke Meal Mixture | 9.00 | 2.26 | 2.00 |
| Venable's Majestic Guano | 9.00 | 1.65 | 3.00 |
| Venable's B. B. P. Manure | 9.00 | 1.65 | 1.00 |
| Majestic Grain Guano | 9.00 | .82 | 3.00 |
| Venable's Wheat Grower | 9.00 | .82 | 2.00 |
| Venable's 5 Per Cent Trucker | 8.00 | 4.11 | 5.00 |
| Venable's Special Tobacco Fertilizer | 8.00 | 3.29 | 6.00 |
| Venable's Sovereign Guano | 8.00 | 3.29 | 4.00 |
| Venable's 4 Per Cent Trucker | 8.00 | 3.29 | 4.00 |
| Venable's H. G. Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| Farmers' Union H. G. Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Venable's Choice Fertilizer | 8.00- | 2.47 | 3.00 |
| Venable's H. G. Cotton Guano | 8.00 | 2.47 | 3.00 |
| Venable's Alliance Tobacco Manure, No. 1 | 8.00 | 2.06 | 3.00 |
| Venable's Cotton Grower | 8.00 | 2.06 | 3.00 |
| Venable's Roanoke Special | 8.00 | 2.06 | 3,00 |
| Venable's Ideal Manure | 8.00 | 1.65 | 5.00 |
| Our Union Tobacco Fertilizer | 8.00 | 1.65 | 4.00 |
| Farmers' Union Special Tobacco Fertilizer | 8.00 | 1.65 | -2.00 |
| Venable's Meal Mixture | 8.00 | 1.65 | 2.00 |
| Venable's Alliance Tobacco Manure, No. 2 | 8.00 | 1.65 | 2.00 |
| Our Union Special Fertilizer | 8.00 | 1.65 | 2.00 |
| Planter's Bone Fertilizer | 8.00 | 1.65 | -2.00 |
| Venable's Peanut Special | 8.00 | .82 | 4.00 |
| Venable's Grain Special | 8.00 | .82 | 4.00 |
| Venable's Alliance Bone and Potash Mixture. | 8.00 | | 4.00 |
| Venable's Peanut Grower | 8.00 | | 4.00 |
| Venable's 10 Per Cent Trucker | 6.00 | 8.28 | 2.00 |
| Venable's 6-6-6 Manure | 6.00 | 4.94 | 6.00 |
| Venable's Top Dresser | 4.00 | 8.23 | 4.00 |
| Majestic Top Dresser | 4.00 | 6.17 | 2.50 |
| Sulphate of Ammonia | | 19.75 | |
| Nitrate of Soda | | 15.63 | |
| Special Top Dresser | | 7.40 | 3.00 |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | • • • • | | 48.00 |
| High Grade German Potash | | | 16.00 |
| Pure German Kainit | | | 12.00 |
| Virginia-Carolina Chemical Co., Richmond, Va.— | | | |
| VC. C. Co.'s FloatsTotal | 27.00 | | |
| VC. C. Co.'s Concentrated Acid Phosphate | 24.00 | | |
| VC. C. Co.'s Pure Raw BoneTotal | 20.60 | 3.71 | |
| VC. C. Co.'s Johnson's Best | 20.00 | 4.94 | 6.00 |
| VC. C. Co.'s Concentrated Bone and Potash. | 20.00 | | 4.00 |
| VC. C. Co.'s 17 Per Cent Acid Phosphate | 17.00 | | |
| VC. C. Co.'s Star Brand Ground Slag | 17.00 | | |
| VC. C. Co.'s Concentrated Ammoniated | 16.00 | 3.29 | 4.00 |
| VC. C. Co.'s Climax Potash Mixture | 16.00 | | 2.00 |
| VC. C. Co.'s Alliance Acid Phosphate | 16.00 | | |
| VC. C. Co.'s 16 Per Cent Acid Phosphate | 16.00 | | |
| VC. C. Co.'s Sludge Acid Phosphate | 14.00 | | |
| VC. C. Co.'s 14 Per Cent Acid Phosphate | 14.00 | | |
| VC. C. Co.'s Dissolved Animal BoneTotal | 13.00 | 2.06 | |
| VC. C. Co.'s 13 Per Cent Acid Phosphate | 13.00 | | |
| VC. C. Co.'s Special High Grade Potash Mix- | | | |
| ture | 12.00 | | 6.00 |
| VC. C. Co.'s H. G. Potash Mixture | 12.00 | | 5.00 |
| VC. C. Co.'s Goodman's Special Potash Mix- | | | |
| ture | 12.00 | | 5.00 |
| VC. C. Co.'s 12-4 Grain Grower | 12.00 | | 4.00 |
| VC. C. Co.'s Wythe County Potash Mixture. | 12.00 | | 3,00 |
| VC. C. Co.'s Special Crop Grower | 12.00 | | 3,00 |
| VC. C. Co.'s Battle's Crop Grower | 12.00 | | 3.00 |
| VC. C. Co.'s 12 Per Cent Acid Phosphate | 12.00 | | |
| VC. C. Co.'s Home Comfort Acid Phosphate. | 12.00 | | |
| VC. C. Co.'s Virginia 11-5 Bone and Potash. | 11.00 | | 5.00 |
| VC. C. Co.'s Electric H. G. Special | 10.00 | 3.29 | 4.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| VC. C. Co.'s Ideal Crop Grower | 10.00 | 2.47 | 3.00 |
| VC. C. Co.'s Special Grain Mixture | 10.00 | | |
| | | 1.65 | 5.00 |
| VC. C. Co.'s Sovereign Crop Producer VC. C. Co.'s H. G. Southern Fertilizer Com- | 10.00 | 1.65 | 2.00 |
| panies Scott's Gossypium Phospho | 10.00 | 1.05 | 2.00 |
| VC. C. Co.'s Ford's Wheat and Corn Guano. | 10.00 | .82 | 2.50 |
| VC. C. Co.'s Grain Special | 10.00 | | 6,00 |
| VC. C. Co.'s Standard Bone and Potash | | | |
| | 10.00 | | 5.00 |
| VC. C. Co.'s Crescent Potash Mixture | 10.00 | | 5.00 |
| VC. C. Co.'s Special Potash Mixture | 10.00 | | 4.00 |
| VC. C. Co.'s Dissolved Bone and Potash | 10.00 | | 2.00 |
| VC. C. Co.'s Best's H. G. Tobacco Fertilizer. | 9.00 | 2.47 | 7.00 |
| VC. C. Co.'s Great Texas Cotton Grower Sol- | | | |
| uble Guano | 9.00 | 2.47 | 4.00 |
| VC. C. Co.'s 3-9-3 Tobacco Fertilizer | | | |
| | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s Jeffrey's High Grade Guano | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s N. and R.'s Best | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s Westfield Special H. G. Tobacco | | | |
| Grower | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s Grey Soil Special II, G. Tobacco | | | |
| Grower | 9.00 | 2.47 | 3.00 |
| VC. C. Co.'s Powell's Special H. G. C. S. M | 9.00 | 2.26 | 3.00 |
| VC. C. Co.'s Southern Cotton Grower C. S. M. | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Vececo Cotton Grower C. S. M. | 9.00 | 5.26 | |
| | | | 2.00 |
| VC. C. Co.'s Cotton Grower | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Best's Special Cotton Grower | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Prolific Cotton Grower C. S. M. | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s White Stem C. S. M | 9.00 | 2.26 | -2.00 |
| VC. C. Co.'s Standard Cotton Grower C. S. M. | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Cotton Grower | 9.00 | 2.26 | 2.00 |
| VC. C. Co.'s Bumper Crop Grower | 9.00 | 2.06 | 5.00 |
| VC. C. Co.'s Cuban Special Mixture | 9.00 | 1.85 | 4.00 |
| VC. C. Co.'s Cock's Soluble Guano II. G. Ani- | | | |
| mal Bone | 9.00 | 1.85 | 3.00 |
| VC. C. Co.'s No. 923 Guano | 9.00 | 1.65 | 3.00 |
| VC. C. Co.'s Reliable Cotton Brand Fertilizer | 9.00 | 1.65 | 3.00 |
| VC. C. Co.'s North State Guano C. S. M | 9.00 | 1.65 | 1.00 |
| VC. C. Co.'s Grain Mixture | -9.00 | 1.03 | 2.00 |
| VC. C. Co.'s Bigelow's Crop Guano | 9.00 | .82 | 3.00 |
| VC. C. Co.'s Burnhardt's Grain and Crop | | | |
| Guano | 9.00 | .82 | 3.00 |
| VC. C. Co.'s McCormick's Wheat and Grain | | | |
| Guano | 9.00 | .82 | 3.00 |
| VC. C. Co.'s Baltimore Special Mixture | 9.00 | .82 | 2.00 |
| VC. C. Co.'s Farmer's Friend Favorite Fer- | | | |
| tilizer Special | 8.50 | 1.65 | 2.00 |
| VC. C. Co.'s Powhatan Crop Mixture | 8.50 | 1.65 | 1.50 |
| VC. C. Co.'s Pelican Peruvian Guano (Peli- | | | |
| can Truck Grower and Top Dresser) | 8.00 | 4.12 | 5.00 |
| VC. C. Co.'s Muse's Special | 8.00 | 3.70 | 7.00 |
| VC. C. Co.'s Enterprise High Grade | 8.00 | 3.29 | 11.00 |
| VC. C. Co.'s Long Leaf Tobacco Grower | 8.00 | 3.29 | 5.00 |
| VC. C. Co.'s Old Dominion Special Mixture | 0.00 | 0.00 | 4.00 |
| for Tobacco | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s Alliance H. G. Manure | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s Fish and Meal Mixture | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s Carr's Crop Grower | 8.00 | 3,29 | 4.00 |
| VC. C. Co.'s Farmers' Choice | 8.00 | 3.29 | 4.00 |

THE BULLETIN.

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---------------------|--------------|
| VC. C. Co.'s John F. Croom & Bro. Fish and | | | |
| Meal Mixture | 8.00 | 3.29 | 4,00 |
| VC. C. Co.'s Special | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s Nowell & Richardson's Special VC. C. Co.'s Croom's Crop Grower, Best for | 5.00 | 3.29 | 4.00 |
| All Crops | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s Formula 161 for Tobacco | 8.00 | 3.29 | 4.00 |
| VC. C. Co.'s High Grade Tobacco Fertilizer | 8.00 | 2.47 | 10.00 |
| VC. C. Co.'s Valentine Special | 8.00 | 2.47 | 7.00 |
| VC. C. Co.'s Special Mixture | 8.00 | 2.47 | 6,00 |
| VC. C. Co.'s Excelsior H. G. Special VC. C. Co.'s Lion's High Grade Tobacco Fer- | 8.00 | 2.47_{\circ} | 5.00 |
| tilizer | 8.00 | 2.47 | 4.00 |
| VC. C. Co.'s Farmers' Success | \$.00 | 2.47 | 4,00 |
| VC. C. Co.'s Myatt's Special H. G. Fertilizer. | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Alliance Special Fertilizer | 5.00 | 2.47 | 3.00 |
| VC. C. Co.'s Croom's Special Cotton Ferti- | | | |
| lizer, Fish and Meal Mixture | 8.00 | 2.47 | 3.00 |
| ture | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Best's H. G. Cotton and Tobacco | | | |
| Gnano | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Diamond C. S. M | 5,00 | 2.47 | 3.00 |
| VC. C. Co.'s Jumbo Peruvian Guano, Jumbo | | | |
| Crop Grower | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Oldham's Special Compound for | | | |
| Tobacco, High Grade | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Blake's Best | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Royal High Grade Fertilizer VC. C. Co.'s Special High Grade Tobacco Fer- | \$,00 | 2,47 | 3.00 |
| tilizer C. S. M | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Adams' Special | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| VC. C. Co.'s Peruvian H. G. Tobacco Guano. | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Red Cliff H. G. Cotton Grower VC. C. Co.'s Zeno Special Compound for To- | 8.00 | 2.47 | 3.00 |
| bacco H. G | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| VC. C. Co.'s 3-8-3 Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Gold Medal H. G. Tobacco Guano VC. C. Co.'s Blake's H. G. Cotton and To- | 8.00 | 2.47 | 3.00 |
| bacco Guano | 8.00 | 2.47 | 3.00 |
| VC. C. Co.'s Atlas Guano C. S. M | 8.00 | 2.47 | 2.50 |
| VC. C. Co.'s Admiral C. S. M | 8.00 | 2.47 | 2.50 |
| VC. C. Co.'s Good Luck C. S. M | 8.00 | 2.47 | 2.50 |
| VC. C. Co.'s Split Silk C. S. M | 8.00 | 2.47 | 2.50 |
| VC. C. Co.'s 3 Per Cent Special C. S. M. | | | |
| Guano. No. 3 | 8.00 | 2.47 | 2.00 |
| VC. C. Co.'s Orange Grove Guano | 8.00 | 2.26 | 2.50 |
| VC. C. Co.'s Delta C. S. M. Guano | 8.00 | 2.26 | 2.50 |
| VC. C. Co.'s Royal Crown | 8.00 | 2.26 | 2.00 |
| VC. C. Co.'s Superlative C. S. M. Guano | 8.00 8.00 | $\frac{2.06}{2.06}$ | 3,00 3,00 |
| VC. C. Co.'s Blue Star C. S. M | 8.00 8.00 | $\frac{2.06}{1,65}$ | 10,00 |
| V. C. C. Co.'s Potato and Cabbage Special | S.00 S.00 | 1.65 1.65 | 10.00 |
| VC. C. Co.'s Smith's Irish Potato Guano VC. C. Co.'s Pace's 5 Per Cent Special Potato | 8.00 | 1.65 | 5,00 |
| Guano | 8.00 | $\frac{1.65}{1.65}$ | 5,00 |
| VC. C. Co.'s Bone Favorite | S.00 S.00 | $\frac{1.65}{1.65}$ | 5.00 |
| VC. C. Co.'s Monarch Brand VC. C. Co.'s Boon's Favorite | 5.00 | $\frac{1.65}{1.65}$ | 5,00 |
| 1C. C. Co.S Doom's Tayorne | -5.00 | 1.00 | •9.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|---------------------|-----------------------|
| VC. C. Co.'s Valley Pride | 8.00 | 1.65 | 4.00 |
| VC. C. Co.'s Corn and Peanut Special | 8.00 | 1.65 | 4.00 |
| VC. C. Co.'s Maultsby's Fish Guano | 8.00 | 1.65 | 3.00 |
| | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Alliance Grain Fertilizer | | | |
| VC. C. Co.'s Winston Special for Cotton | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Diamond Dust C. S. M | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Plant Food C. S. M | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Wilson's Standard C. S. M | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Ajax C. S. M. Guano | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Farmers' Favorite Fertilizer | | | |
| C. S. M | 8.00 | 1.65 | 2.00 |
| VC. C. Co.'s Monarch Wheat and Grass | | | |
| Grower | S.00 | 1.00 | 7.00 |
| | S.00 | 1.00 | 4.00 |
| VC. C. Co.'s Special Peanut Grower | | | |
| VC. C. Co.'s Electric Grain and Grass Grower | 8.00 | 1.00 | 4.00 |
| VC. C. Co.'s Peerless Corn, Wheat and Grass | | | |
| Grower | 8.00 | 1.00 | 4.00 |
| VC. C. Co.'s Peanut Grower | 8.00 | .82 | 4.00 |
| VC. C. Co.'s The Harvester | 8.00 | .82 | 3.00 |
| VC. C. Co.'s Pinnacle Grain Grower | 8.00 | .82 | 3.00 |
| VC. C. Co.'s 8-5 Potash Mixture | 8.00 | | 5.00 |
| VC. C. Co.'s Potash Mixture for Peanuts | 8.00 | | 4.00 |
| VC. C. Co.'s Jones' Grain Special | 8.00 | | 4.00 |
| VC. C. Co.'s Special Wheat Compound | 8.00 | | 4.00 |
| | 7.00 | $\frac{4.12}{4.12}$ | 7.00 |
| VC. C. Co.'s Truck Crop Fertilizer | 1.00 | 1.1~ | 1.00 |
| VC. C. Co.'s Konqueror H. G. Truck Fertil- | 7.00 | 4.12 | 5.00 |
| izer | | 3.29 | |
| VC. C. Co.'s Pasquotank Trucker | 7.00 | | 8.00 |
| VC. C. Co.'s Potash Potato Producer | 7.00 | 3.29 | 8.00 |
| VC. C. Co.'s Formula 44 for Bright Wrappers | = 00 | 0 | 9.00 |
| and Smokers | 7.00 | 2.55 | 3.20 |
| VC. C. Co.'s Plant Bed and High Grade To- | = 00 | 0.00 | 0.00 |
| bacco Fertilizer | 7.00 | 2.26 | 6.00 |
| VC. C. Co.'s Invincible High Grade Fertilizer | 6.00 | 4.12 | 7.00 |
| VC. C. Co.'s Kitty Hawk Truck Fertilizer | 6.00 | 4.12 | 7.00 |
| VC. C. Co.'s Special Truck Guano | 6.00 | 4.12 | 7.00 |
| VC. C. Co.'s Money Maker for Cabbage and | | | |
| Potatoes | 6.00 | 1.65 | 10.00 |
| VC. C. Co.'s Clinton Special H. G | 5.00 | 2.47 | 5.00 |
| VC. C. Co.'s 10 Per Cent Top Dresser Extra | | | |
| H. G | 4.00 | 8.24 | 4.00 |
| VC. C. Co.'s Fish Scrap | 4.00 | 8.24 | |
| VC. C. Co.'s Dewberry Special | 4.00 | 6.59 | |
| VC. C. Co.'s Dewberry Special Extra H. G | 4.00 | 6,56 | 4.00 |
| VC. C. Co.'s High Grade Top Dresser | 4.00 | 6.17 | 2.50 |
| VC. C. Co.'s Sulphate of Ammonia | | 20.59 | |
| VC. C. Co.'s Nitrate of Soda | | 14.82 | |
| VC. C. Co.'s Blood | | 13.18 | |
| VC. C. Co.'s Special Top Dresser | | 7.41 | 3.00 |
| VC. C. Co.'s Cotton-seed Meal | | 6.15 | |
| | | 0.10 | 48.00 |
| VC. C. Co.'s Muriate of Potash | | | 48.00 |
| VC. C. Co.'s Sulphate of Potash | | | $\frac{43.00}{20.00}$ |
| VC. C. Co.'s Manure Salts | • • • • | | 12.00 |
| VC. C. Co.'s Kainit | 1.1.00 | | 12.00 |
| Allison & Addison's Fulton Acid Phosphate | 14.00 | | |
| Allison & Addison's I. X. L. Acid Phosphate | 13.00 | | |
| Allison & Addison's Standard Acid Phosphate. | $\frac{12.00}{12.00}$ | | |
| Allison & Addison's Rockets Acid Phosphate | 12.00 | • • • • | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-------------|---------|
| Allison & Addison's McGavock's Special Potash | | | |
| Mixture | 10.00. | | 2.00 |
| Allison & Addison's B. P. Potash Mixture Allison & Addison's Star Brand Special To- | 10.00 | | 2.00 |
| bacco Manure | 9.00 | 2.26 | 2.00 |
| Allison & Addison's Star Brand Special H. G. | 9.00 | 2.06 | 5.00 |
| Allison & Addison's Star Brand Guano | 9.00 | 1.65 | 1.00 |
| Allison & Addison's Little Giant Grain and | | | |
| Grass Grower | 9.00 | 1.00 | 2.00 |
| Fertilizer | 8.50 | 2.26 | 2.00 |
| Guano | 8.00 | 3.75 | 4.00 |
| Allison & Addison's A. A. Guano | 8.00 | 2.47 | 3.00 |
| Allison & Addison's Anchor Brand Fertilizer. | 8.00 | 1.65 | 2.00 |
| Allison & Addison's Old Hickory Guano | 8.00 | 1.65 | 2.00 |
| Allison & Addison's Peanut Grower | 8.00 | 1.00 | 4.00 |
| Atlantic and Virginia Fertilizer Co.'s Eureka | 0.00 | 1.00 | 1.00 |
| Acid Phosphate | 16.00 | | |
| Atlantic and Virginia Fertilizer Co.'s Valley | 10.00 | | |
| of Virginia Phosphate | 14.00 | | |
| Atlantic and Virginia Fertilizer Co.'s Cren- | 14.00 | | |
| shaw Acid Phosphate | 13.00 | | |
| Atlantic and Virginia Fertilizer Co.'s Our Acid | 15.00 | | |
| | 19.00 | | |
| Phosphate | 12.00 | | |
| Atlantic and Virginia Fertilizer Co.'s Eureka | 10.00 | | 0.00 |
| Bone and Potash Compound | 10.00 | | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Eureka | 0.00 | 2.02 | 0.00 |
| Ammoniated Bone Special for Tobacco | 9.00 | 2.06 | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Orient | 0.00 | | 2.00 |
| Complete Manure | 9.00 | 1.65 | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Virginia | 0.00 | | - 00 |
| Truckers | 8.00 | 4.12 | 5.00 |
| Atlantic and Virginia Fertilizer Co.'s Eureka | | | |
| Ammoniated Bone | 8.00 | 1.65 | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Orient | | | |
| Special for Tobacco | 8.00 | 1.65 | 2.00 |
| Atlantic and Virginia Fertilizer Co.'s Peanut | | | |
| Grower | 8.00 | 1.00 | 4.00 |
| Atlantic and Virginia Fertilizer Co.'s Carolina | | | |
| Trucker | 7.00 | 5.76 | 7.00 |
| Charlotte Oil and Fertilizer Co.'s 15 Per Cent | | | |
| Acid Phosphate | 15.00 | | |
| Charlotte Oil and Fertilizer Co.'s Catawba | | | |
| Acid Phosphate | 14.00 | | |
| Charlotte Oil and Fertilizer Co.'s Acid Phos- | | | |
| phate | 13.00 | | |
| Charlotte Oil and Fertilizer Co.'s Dayvault's | | | |
| Special | 12.00 | | 6.00 |
| Charlotte Oil and Fertilizer Co.'s Dissolved | | | 3.00 |
| Bone | 12.00 | | |
| Charlotte Oil and Fertilizer Co.'s Oliver's Per- | 2=.00 | | |
| fect Wheat Grower | 11.00 | 2.47 | 4.00 |
| Charlotte Oil and Fertilizer Co.'s 10-2 Bone | 11.00 | 2.1. | 1.00 |
| and Potash | 10.00 | | 2.00 |
| Charlotte Oil and Fertilizer Co.'s High Grade | 40.00 | | 00 |
| Special Tobacco Fertilizer | 9.00 | 2.06 | 2.00 |
| Charlotte Oil and Fertilizer Co.'s Queen of the | 0.00 | .00 | 2.00 |
| Harvest C. S. M. | 9.00 | 1.65 | 2.00 |
| | 0.00 | 2.00 | 00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------------------|
| Charlotte Oil and Fertilizer Co.'s McCrary's Diamond Bone and Potash | 9.00 | | 3.00 |
| Charlotte Oil and Fertilizer Co.'s Groom's Special Tobacco Fertilizer | 8.00 | 2.47 | 4.00 |
| Guano B. G | 8.00 | 2.47 | 3.00 |
| Per Cent Guano C. S. M | 8.00 | 2.47 | 2.00 |
| Guano B. G | S.00 | 2.06 | 1.50 |
| Guano C. S. M | 8.00 | 2.06 | 1.50 |
| B. G | 8.00 | 1.65 | 2.00 |
| Grower | 8.00 | 1.65 | 2.00 |
| Acid Phosphate | 16.00 | | |
| Dissolved Bone | 14.00 | | |
| Davie & Whittle's Owl Brand Acid Phosphate. | 13.00 | | |
| Davie & Whittle's Owl Brand Dissolved Bone. Davie & Whittle's Owl Brand Acid Phosphate | 12.00 | | • • • • |
| with Potash | 10.00 | | 2.00 |
| Per Cent Soluble Guano | 9.00 | 2.06 | 3.00 |
| Guano | 9.00 | 2.06 | 2.00 |
| Davie & Whittle's Owl Brand Truck Guano Davie & Whittle's Owl Brand Guano for To- | 8.00 | 4.94 | 5.00 |
| bacco | 8.00 | 2.47 | 3.00 |
| Davie & Whittle's Vinco Guano | 8.00 | 1.65 | 3.00 |
| Davie & Whittle's Owl Brand Guano | 8.00 | 1.65 | 2.00 |
| | 8.00 | 1.00 | 4.00 |
| Davie & Whittle's Peanut Grower | | | |
| Durham Fertilizer Co.'s Best Acid Phosphate. Durham Fertilizer Co.'s Standard High Grade | 16.00 | | • • • • |
| Acid Phosphate | 14.00 | | |
| Bone Durham Fertilizer Co.'s Blacksburg Dissolved | 14.00 | | |
| Bone | 13.00 | • • • • | •••• |
| ance Official Acid Phosphate Durham Fertilizer Co.'s Double Bone Phos- | 13.00 | • • • • | |
| phate | 13.00 | | |
| Durham Fertilizer Co.'s Acid Phosphate | 12.00 | | |
| Durham Fertilizer Co.'s Great Wheat and Corn Grower | 10.50 | | 1.50 |
| Durham Fertilizer Co.'s Diamond Wheat Mixture | 10.00 | | 3.00 |
| Corn Grower | 10.00 | | 2.00 |
| Grower | 10.00 | | 2.00 |
| Grower | 10.00 | | 2.00 |
| ture | $\frac{10.00}{9.00}$ | ${2.47}$ | $\frac{2.00}{2.00}$ |
| | | | |

| | Avail. | | |
|--|----------------|-----------|------------------|
| Name and Address of Manufacturer and Name of Brand. | Phos. Acid. | Nitrogen. | Potash. |
| Durham Fertilizer Co.'s Standard Guano Durham Fertilizer Co.'s Ammoniated Fertil- | 9,00 | 1.65 | 2.00 |
| izer Durham Fertilizer Co.'s Special Plant and | 9.00 | 1.65 | 1.00 |
| Truck Fertilizer | 8.00 | 4.12 | 3.00 |
| Durham Fertilizer Co.'s Durham High Grade. Durham Fertilizer Co.'s Gold Medal Brand | 8.00 | 3.29 | 4.00 |
| Guano | 8.00 | 2.47 | 3.00 |
| Guano | \$.00 | 2.47 | 3.00 |
| ance Official | 8.00 | 2.06 | 3.00 |
| bacco Grower | 8.00 | 2.06 | 3.00 |
| phate for Tolacco | 8.00 | 2.06 | 2.00 |
| phate | 8.00 | 2.06 | 1.50 |
| ruvian Guano | 8.00 | 1.65 | 2.00 |
| ruvian Guano for Tobacco | 8.00 | 1.65 | 2.00 |
| Guano | 8.00 | 1.65 | 2.00 |
| Guano | 8,00 | 1.65 | 2.00 |
| | | | |
| Durham Fertilizer Co.'s Peanut Grower Durham Fertilizer Co.'s Carr's Special Wheat | 8.00 | 1.00 | 4.00 |
| Grower | 8.00 | | $\frac{4.00}{1}$ |
| Durham Fertilizer Co.'s Best Potato Manure. Lynchburg Guano Co.'s Ironside Acid Phos- | 7.00 | 5.76 | 7.00 |
| phate Lynchburg Guano Co.'s Lynchburg High Grade | 16.00 | | • • • • |
| Acid Phosphate Lynchburg Guano Co.'s Arvonia Acid Phos- | 14.00 | | |
| phate Lynchburg Guano Co.'s Spartan Acid Phos- | 13.00 | | • • • • |
| phate | 12.00 | | |
| Lynchburg Guano Co.'s Alpine Mixture Lynchburg Guano Co.'s S. W. Special Bone | 10.00 | • • • • | 5.00 |
| and Potash Mixture Lynchburg Guano Co.'s Dissolved Bone and | 10.00 | | 4.00 |
| Potash | 10.00 | | -2.00 |
| Lynchburg Guano Co.'s Independent Standard | 8.50 | 1.65 | 2.00 |
| Lynchburg Guano Co.'s Bright Belt Guano Lynchburg Guano Co.'s Solid Gold Tobacco | . 8.00 | 2.47 | 3.00 |
| Guano | 8.00 | 2.26 | -4.00 |
| Lynchburg Guano Co.'s New Era | 8.00 | 1.65 | 3.00 |
| Lynchburg Guano Co.'s Lynchburg Soluble Lynchburg Guano Co.'s Lynchburg Soluble for | 8.00 | 1.65 | 2.00 |
| Tobacco Norfolk and Carolina Chemical Co.'s Norfolk | 8.00 | 1.65 | 2.00 |
| Reliable Acid Phosphate | 14.00 | •••• | • • • • |
| Best Acid Phosphate | 13.00 | • • • • | |
| Soluble Bone | 12.00 | | |
| Bone and Potash | 10.00 | | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|--------------|--------------|
| Norfolk and Carolina Chemical Co.'s Norfolk Truck and Tomato Grower | 8.00 | 4.12 | 5.00 |
| Norfolk and Carolina Chemical Co.'s Amazon High Grade Manure | 8.00 | 2.47 | 3.00 |
| Norfolk and Carolina Chemical Co.'s Bright Leaf Tobacco Grower | 8.00 | 2.47 | 3.00 |
| Norfolk and Carolina Chemical Co.'s Amazon H. G. Special Tobacco Guano Norfolk and Carolina Chemical Co.'s Cooper's | 8.00 | 2.47 | 3.00 |
| Bright Tobacco Fertilizer | 8.00 | 2.06 | 3.00 |
| Slaughter House Bone Guano, Made Expressly for Tobacco | 8.00 | 2.06 | 2.00 |
| Norfolk and Carolina Chemical Co.'s Crescent Brand Ammoniated Fertilizer | 8.00 | 1.65 | 2.00 |
| Norfolk and Carolina Chemical Co.'s Genuine Slaughter House Bone Guano | 8.00 | 1.65 | 2.00 |
| Norfolk and Carolina Chemical Co.'s Peanut Grower | 8.00 | 1.00 | 4.00 |
| PhosphateOld Dominion Guano Co.'s Bone Phosphate. | $14.00 \\ 13.00$ | | |
| Old Dominion Guano Co.'s Royster's Acid Phosphate | 12.00 | | • • • • |
| Bone and Potash Old Dominion Guano Co.'s Planter's Bone and | 10.00 | | 4.00 |
| Potash MixtureOld Dominion Guano Co.'s Alkaline Bone and | 10.00 | | 3.00 |
| PotashOld Dominion Guano Co.'s Horne's Cotton Fer- | 10.00 | 0.00 | 2.00 3.00 |
| tilizer Old Dominion Guano Co.'s Standard Raw | 9.00 | 2.06 1.65 | 1.00 |
| Bone Soluble Guano Old Dominion Guano Co.'s Farmers' Friend High Grade Fertilizer | 8.00 | 2.47 | 3.00 |
| Old Dominion Guano Co.'s Farmers' Soluble Bone High Grade Special Tobacco Manure. | 8.00 | 2.47 | 3.00 |
| Old Dominion Guano Co.'s Farmers' Friend Special Tobacco Fertilizer | 8.00 | 2.47 | 3.00 |
| Old Dominion Guano Co.'s Osceola Tobacco | 8.00 | 2.06 | 3.00 |
| Old Dominion Guano Co.'s Farmers' Friend Fertilizer | 8.00 | 1.65 | 2.00 |
| cial Wheat Guano | 8.00 | 1.65 | 2.00 |
| uble Tobacco Guano | 8.00 | 1.65 | 2.00 |
| Guano | 8.00 | 1.65 | 2.00 |
| Old Dominion Guano Co.'s Soluble Guano | 8.00 | 1.65 | 2.00 |
| Old Dominion Guano Co.'s Peanut Grower Old Dominion Guano Co.'s Miller's Special | 8.00 | 1.00 | 4.00 |
| Wheat Mixture | 8.00 | | 4.00 |
| Old Dominion Guano Co.'s 7-7-7 Truck Guano. | 7.00 | 5.76 | 7.00 |
| Old Dominion Guano Co.'s Potato Manure | 7.00 | 4.12 | 8.00 |
| Old Dominion Guano Co.'s 7 Per Cent Truck Fertilizer | 6.00 | 5.76 | 6.00 |
| | | | |

| Old Dominion Guano Co.'s 6-7-5 Truck Guano. Old Dominion Guano Co.'s Special Sweet Potato Guano Old Dominion Guano Co.'s 10 Per Cent Truck Fertilizer Powers, Gibbs & Co.'s Almont High Grade Acid Phosphate Powers, Gibbs & Co.'s Fulp's Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate. Powers, Gibbs & Co.'s Almont Acid Phosphate. Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Cotton-seed Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano Powers, Gibbs & Co.'s Cotton Brand Ammoni- | 6.00 6.00 5.00 14.00 13.00 12.00 12.00 10.50 10.00 9.00 8.00 8.00 | 5.76 1.65 8.24 2.47 3.20 3.29 | 5.00 6.00 2.50 1.50 3.00 2.00 5.00 |
|--|--|--|--|
| tato Guano Old Dominion Guano Co.'s 10 Per Cent Truck Fertilizer Powers, Gibbs & Co.'s Almont High Grade Acid Phosphate Powers, Gibbs & Co.'s Fulp's Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate. Powers, Gibbs & Co.'s Almont Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 5.00 14.00 13.00 13.00 12.00 12.00 10.50 10.00 9.00 8.00 | 8.24 2.47 3.20 | 2.50 1.50 3.00 2.00 |
| Fertilizer Powers, Gibbs & Co.'s Almont High Grade Acid Phosphate Powers, Gibbs & Co.'s Fulp's Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 14.00 13.00 13.00 12.00 12.00 10.50 10.00 9.00 8.00 | 2.47 | 1.50 3.00 2.00 |
| Acid Phosphate Powers, Gibbs & Co.'s Fulp's Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 13.00 13.00 12.00 12.00 10.50 10.00 10.00 9.00 8.00 | 2.47 | 1.50 3.00 2.00 |
| Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 13.00 12.00 12.00 10.50 10.00 10.00 9.00 8.00 | 2.47 3.20 | 1.50 3.00 2.00 2.00 |
| Powers, Gibbs & Co.'s Almont Acid Phosphate. Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 12.00 12.00 10.50 10.00 10.00 9.00 8.00 | 2.47 | 1.50 3.00 2.00 2.00 |
| Powers, Gibbs & Co.'s Cotton Brand Acid Phosphate Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 12.00 10.50 10.00 10.00 9.00 8.00 | 2.47 3.20 | 1.50 3.00 2.00 2.00 |
| Powers, Gibbs & Co.'s Almont Acid Phosphate and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 10.50 10.00 10.00 9.00 8.00 | 2.47 3.20 | 1.50 3.00 2.00 2.00 |
| and Potash Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Standard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 10.00 10.00 9.00 8.00 | 2.47 3.20 | 3.00 2.00 2.00 |
| Powers, Gibbs & Co.'s Almont Wheat Mixture. Powers, Gibbs & Co.'s Dissolved Bone and Potash Powers, Gibbs & Co.'s Cotton-seed Meal Stand- ard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 10.00 9.00 8.00 | 2.47 3.20 | 2.00 2.00 |
| Potash Powers, Gibbs & Co.'s Cotton-seed Meal Stand- ard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 9,00 8.00 | 2.47 3.20 | 2.00 |
| Potash Powers, Gibbs & Co.'s Cotton-seed Meal Stand- ard Guano Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 9,00 8.00 | 2.47 3.20 | 2.00 |
| ard Guano | 8.00 | 3.20 | |
| Powers, Gibbs & Co.'s Truck Farmers' Special Ammoniated Guano | 8.00 | 3.20 | |
| Ammoniated Guano | | | 5.00 |
| Powers Gibbs & Co's Cotton Brand Ammoni- | 8.00 | 3.29 | |
| | 8.00 | 3.29 | |
| ated Dissolved Bone | | | 4.00 |
| Powers, Gibbs & Co.'s Old Kentucky High | 0.00 | a 15 | 9.00 |
| Grade Tobacco Manure | 8.00 | 2.47 | 3,00 |
| Powers, Gibbs & Co.'s Cotton Belt Ammoni- | 8.00 | 2.47 | 2.00 |
| ated Guano | 3.00 | ~.41 | 00 |
| Ammoniated Guano for Tobacco | 8.00 | 2.06 | 3.00 |
| Powers, Gibbs & Co,'s Powers' Ammoniated | | | |
| Guano | 8.00 | 2.06 | 2.00 |
| Powers, Gibbs & Co.'s Gibbs' Ammoniated | | | |
| Guano | 8.00 | 2.06 | 1.50 |
| Powers, Gibbs & Co.'s Almont Soluble Am- | | | 2.00 |
| moniated Guano | 8.00 | 1.65 | 2.00 |
| Powers, Gibbs & Co.'s Cotton-seed Meal Solu- | 8.00 | 1.65 | 2.00 |
| ble Ammoniated Guano Powers, Gibbs & Co,'s Eagle Island Ammoni- | 5,00 | 0.00 | 2.00 |
| ated Guano | 8.00 | 1.65 | 2.00 |
| Powers, Gibbs & Co.'s Peanut Grower | 8.00 | 1.00 | 4.00 |
| Southern Chemical Co.'s Comet 16 Per Cent | | 2.00 | |
| Acid Phosphate | 16.00 | | |
| Southern Chemical Co.'s Click's 16 Per Cent | | | |
| Acid Phosphate | 16.00 | | |
| Southern Chemical Co.'s Red Cross 14 Per | | | |
| Cent Acid Phosphate | 14.00 | | |
| Southern Chemical Co.'s Victor Acid Phos- | 13.00 | | |
| phate | 15.00 | | |
| phate | 13.00 | | |
| Southern Chemical Co.'s Reaper Grain Appli- | 10.00 | | |
| cation | 12.00 | | 3.00 |
| Southern Chemical Co.'s Tar Heel Acid Phos- | | | |
| phate | 12.00 | | |
| Southern Chemical Co.'s Horseshoe Acid Phos- | | | |
| phate | 12.00 | | |
| Southern Chemical Co.'s Solid South | 10,00 | | 6.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|-----------|---------|
| Southern Chemical Co.'s Quickstep Bone and | | | |
| Potash | 11.00 | • • • • | 5.00 |
| ture | 10.00 | • • • • | 4.00 |
| and Potash | 10.00 | | 3.00 |
| Potash | 10.00 | • • • • | 2.00 |
| Southern Chemical Co.'s Mammoth Corn Grower | 10.00 | | 2.00 |
| Southern Chemical Co.'s Mammoth Wheat and | 10.00 | | 2.00 |
| Grass Grower | 9.00 | ${2.06}$ | 5.00 |
| Southern Chemical Co.'s George Washington | 5.00 | 2.00 | 9.00 |
| Plant Bed Fertilizer for Tobacco Southern Chemical Co.'s Pilot Ammoniated | \$,00 | 2.47 | 2.50 |
| Guano Special for Tobacco Southern Chemical Co.'s Electric Tobacco | \$.00 | 2.06 | 3.00 |
| Guano | 8.00 | 1.65 | 2.00 |
| Guano | \$.00 | 1.65 | 2.00 |
| tilizer | 8,00 | 1.65 | 2.00 |
| Southern Chemical Co.'s Click's Special Wheat Compound | 8.00 | | 4.00 |
| J. G. Tinsley & Co.'s Powhatan Acid Phos- | 14.00 | | |
| phate | 13.00 | | • • • • |
| J. G. Tinsley & Co.'s Stonewall Brand Acid | | | •••• |
| Phosphate | 12.00 | | 2.00 |
| J. G. Tinsley & Co.'s Bone and Potash Mixture J. G. Tinsley & Co.'s Powhatan Tobacco Fer- | 10,00 | | 2.00 |
| tilizer | 9,00 | 2.47 | 3.00 |
| J. G. Tinsley & Co.'s Tobacco Fertilizer | 8.00 | 3.29 | 2.50 |
| J. G. Tinsley & Co.'s Richmond Brand Guano, J. G. Tinsley & Co.'s Peruvian H. G. Tobacco | 8.00 | 2.47 | 3.00 |
| Guano J. G. Tinsley & Co.'s Killickinick Tobacco Mix- | 8.00 | 2.47 | 3.00 |
| ture | 8.00 | 2.06 | 3.00 |
| Tobacco Grower | 8.00 | 1.65 | 2.00 |
| J. G. Tinsley & Co.'s Lee Brand Guano J. G. Tinsley & Co.'s Stonewall Tobacco | 8.00 | 1.65 | 2.00 |
| Guano | 8.00 | 1.65 | 2.00 |
| J. G. Tinsley & Co.'s Peanut Grower J. G. Tinsley & Co.'s Special Irish Potato | \$.00 | 1.00 | 4.00 |
| Guano | 6.00 | 5.76 | 6.00 |
| Guano for Truck | 6.00 | 5.76 | 6.00 |
| J. G. Tinsley & Co.'s Irish Potato Guano | 6.00 | 4.94 | 6.00 |
| J. G. Tinsley & Co.'s Strawberry Grower | 6.00 | 3.29 | 4.00 |
| J. G. Tinsley & Co.'s Top Dresser | 5.00 | 9.06 | |
| J. G. Tinsley & Co.'s 10 Per Cent Truck Guano S. W. Travers & Co.'s Champion Acid Phos- | 5.00 | 8.24 | 2.50 |
| phate | 16.00 | | |
| S. W. Travers & Co.'s Dissolved Bone Phos- phate | 14.00 | | |
| S. W. Travers & Co.'s Standard Dissolved | | | |
| S. C. Bone | 13.00 | • • • • | • • • • |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|---|--------------------------|-----------|---------|
| S. W. Travers & Co.'s Capital Dissolved Bone, S. W. Travers & Co.'s Capital Bone and Pot- | 12.00 | | |
| ash Compound | 10.00 | | 2.00 |
| tilizer S. W. Travers & Co.'s Capital Truck Fer- | 8.50 | 1.85 | 2.25 |
| tilizer | 8.00 | 3,29 | 3,00 |
| tilizer | 8.00 | 3.20 | 3.00 |
| Grower | 8.00 | 2.47 | 3.00 |
| tilizer | 8.00 | 2.06 | 2.00 |
| S. W. Travers & Co.'s National Fertilizer S. W. Travers & Co.'s National Special To- | 8.00 | 1.65 | 2.00 |
| bacco Fertilizer | 8.00 | 1.65 | 2,00 |
| Fertilizer | 8.00 | 1.65 | 2.00 |
| S. W. Travers & Co.'s Peanut Grower S. W. Travers & Co.'s Special Wheat Com- | 8.00 | 1.00 | 4.00 |
| pound S. W. Travers & Co.'s 7 Per Cent Truck Fer- | 8.00 | • • • • | 4.00 |
| tilizer Virginia State Fertilizer Co.'s Bull Run Acid | 6.00 | 5.76 | 5.00 |
| Phosphate | 16,00 | • • • • | |
| Acid Phosphate Virginia State Fertilizer Co,'s Clipper Brand | 14.00 | • • • • | |
| Acid Phosphate | 13,00 | | |
| Phosphate | 12.00 | | |
| Acid PhosphateVirginia State Fertilizer Co.'s Mountain Top | 12.00 | | |
| Bone and PotashVirginia State Fertilizer Co.'s XX Potash Mix- | 10.00 | | 5,00 |
| ture | 10.00 | | 4.00 |
| and Potash | 10,00 | | 2,00 |
| Soluble Guano | 9,00 | 1.65 | 2.00 |
| Virginia State Fertilizer Co.'s Highland King. Virginia State Fertilizer Co.'s Gamecock Spe- | 9,00 | 1.65 | 1.00 |
| cial for Tobacco | 8,50 | 1.65 | 2.00 |
| bacco Guano | 8.00 | 2.47 | 3.00 |
| ble Guano | 8,00 | 2.47 | 3,00 |
| Special Formula for Tobacco | 8.00 | 2.47 | 3.00 |
| Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Virginia State Fertilizer Co.'s Buffalo Guano, Virginia State Fertilizer Co.'s Austrian To- | 8.00 | 2.06 | 3.00 |
| , bacco Grower | 8.00 | 2.06 | 2,00 |
| cial Tobacco Guano | 8,00 | 2.06 | 2.00 |
| bacco Guano | 8.00 | 1.65 | 2.00 |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash. |
|--|--------------------------|---|---------------------|
| Virginia State Fertilizer Co.'s Virginia State | zieid. | | |
| Guano Virginia State Fertilizer Cō.'s Gilt Edge Brand | 8,00 | 1.65 | 2.00 |
| Dissolved Bone and Potash | 8,00 | | 4.00 |
| Wilson Chemical Co., Wilson, N. C.— | | | |
| 16 Per Cent Acid Phosphate | 16.00 | | |
| 14 Per Cent Acid Phosphate | 14.00 | | |
| Bone and Potash Mixture No. 3 | 10.00 | | 5.00 |
| Bone and Potash Mixture No. 2 | 10.00 | | 4.00 |
| Bone and Potash Mixture No. 1 | 10.00 | | $\frac{1.00}{2.00}$ |
| 8-4.50-7 for Tobacco | 8.00 | 3.70 | 7.00 |
| Wilson Chemical Co.'s Gold Medal Cotton | | 3 | |
| Grower Wilson Chemical Co.'s Gold Medal Tobacco | 8.00 | 3.30 | 4.00 |
| Grower | 8.00 | 3.30 | 4.00 |
| Planters Formula No. 1 | 8.00 | $\begin{array}{c} 3.30 \\ 2.47 \end{array}$ | 10.00 |
| Planters Formula No. 2. | 8.00 | $\frac{2.47}{2.47}$ | 7.00 |
| W. C. Co.'s Gilt Edge Tobacco Grower | 8.00 | $\frac{2.47}{2.47}$ | 5.00 |
| East Carolina Cotton Grower | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| East Carolina Tobacco Grower | 8.00 | $\frac{2.47}{2.47}$ | 3.00 |
| Cotton States Standard | 8.00 | 1.65 | $\frac{3.00}{2.00}$ |
| Nitrate of Soda | 5.00 | $\frac{1.05}{14.00}$ | |
| Muriate of Potash | | 14.00 | 50.00 |
| Sulphate of Potash | | | 50.00 |
| H. G. 16 Per Cent Kainit | | | 16.00 |
| Genuine German Kainit | | | 12.00 |
| comme definition and the contract of the contr | | • • • • | 12.00 |
| Winborne Guano Co., Norfolk, Va | | | |
| High Grade Acid Phosphate | 16.00 | | |
| Standard Acid Phosphate | 14.00 | | |
| Best Bone and Potash | 11.00 | | 4.00 |
| Soluble Bone and Potash | 10.00 | | 2.00 |
| Winborne's Triumph Guano | 8.00 | 3.30 | 4.00 |
| Winborne's King Guano | 8.00 | 2.47 | 3.00 |
| Winborne's Special Tobacco Guano | 8.00 | 2.47 | 3.00 |
| Winborne's Crop Grower | 8.00 | 1.65 | 2.00 |
| Winborne's Excelsior Guano | 8.00 | 1.65 | 2.00 |
| Florodora Eureka Guano | 8.00 | 1.65 | 2.00 |
| Climax Peanut Guano | 8.00 | .82 | 4.00 |
| Premium Top Dresser | 6.00 | 7.40 | 3.00 |
| Special 5-6-7 Truck Guano | 6.00 | 4.10 | 7.00 |
| Winborne's Tip Top Tobacco Guano | 6.00 | 3.30 | , 5.00 |
| Winborne's Sweet Potato Guano | 6.00 | 2.47 | 6.00 |
| Big Crop 7 Per Cent Guano | 5.00 | 5.75 | 5.00 |
| Nitrate of Soda | | 15.00 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Genuine German Kainit | • • • • | • • • • | 12.00 |
| T. W. Wood & Sons, Richmond, Va.— | | | |
| Wood's Pure Animal Bone MealTotal | 25.00 | 2.47 | |
| Ground Basic SlagTotal | 17.00 | | |
| Standard H. G. Acid Phosphate | 16.00 | | |
| Standard High Grade Acid Phosphate | 14.00 | | |
| Standard Bone and Potash Mixture | 10.00 | | 2.00 |
| Standard Corn Fertilizer | 9.00 | 1.23 | 1.00 |
| | | | |

| Name and Address of Manufacturer and Name of Brand. | Avail. Phos. Acid. | Nitrogen. | Potash, |
|---|--------------------------|-----------|---------|
| Standard Wheat Fertilizer | 9,00 | 1.23 | 1.00 |
| Standard High Grade Truck Fertilizer | 8.00 · | 4.93 | 6.00 |
| Standard Market Grower Fertilizer | 8,00 | 3.29 | 4.00 |
| Standard Irish Potato Fertilizer | 8.00 | 2.47 | 10.00 |
| Standard Vegetable Fertilizer | 8.00 | 2.47 | 3.00 |
| Standard Potato Fertilizer | 8.00 | 1.65 | 5.00 |
| Standard Grain and Grass Fertilizer | 8.00 | 1.65 | 2.00 |
| Standard Crop Grower Fertilizer | 8.00 | 1.03 | 2.00 |
| Wood's Lawn Enricher | 6,00 | 2.47 | 3.00 |
| Nitrate of Soda | | 15,63 | |
| Muriate of Potash | | | 50.00 |
| Sulphate of Potash | | | 48.00 |
| Kainit | | | 12.60 |
| The J. R. Young Fertilizer Co., Norfolk, Va | | | |
| J. R. Young's 3-8-3 Guano for Cotton J. R. Young's New Process 2-8-2 Guano for | 8,00 | 2.47 | 3.00 |
| Tobacco | 5,00 | 2.47 | 3.00 |
| Cotton, Corn and Peanuts | 5,00 | 1.65 | 2.00 |




LEAF TOBACCO SALES FOR MARCH, 1914.

| Pounds | sold for producers, first hand | 3,619,001 |
|----------------|--------------------------------|-------------|
| ${\bf Pounds}$ | sold for dealers | 493,814 |
| Pounds | resold for warehouses | $537,\!465$ |
| | | 4,650,280 |

LEAF TOBACCO SALES FOR APRIL, 1914.

| Pounds sold for producers, first hand | ,420,441 |
|---------------------------------------|----------|
| Pounds sold for dealers | 142,127 |
| Pounds resold for warehouses | 190,795 |
| Total1 | ,753,363 |



THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE

RALEIGH

Vol. 35, No[↑] 7.

JULY, 1914

Whole No. 198

ESSEARY MEW YORK WOTANICAL SOMMUKO

Hog Cholera and Its Prevention by the Use of Anti-Hog Cholera Serum

STATE BOARD OF AGRICULTURE

W. A. GRAHAM, Commissioner, ex officio Chairman, Raleigh.

| F. P. LATHAM | Belhaven | First District. |
|-----------------|-----------------|------------------|
| K. W. BARNES | Lucama | Second District. |
| R. L. WOODARD | Pamlico | Third District. |
| CLARENCE POE | . Raleigh | Fourth District. |
| R. W. SCOTT | Haw River | Fifth District. |
| | Red Springs | |
| | . Hunting Creek | |
| WILLIAM BLEDSOE | Gale | Eighth District. |
| W. J. Shuford | Hickory | Ninth District. |
| A. Cannon | Horse Shoe | Tenth District. |

OFFICERS AND STAFF

| 011201100 11112 011111 |
|---|
| W. A. GRAHAM |
| ELIAS CARR Secretary and Purchasing Agent. |
| MISS SARAH D. JONES Bookkeeper. |
| All S SARAH D. JONES. |
| D. G. CONNBulletin Superintendent. |
| B. W. KILGORE |
| J. M. PICKEL |
| W. G. HAYWOOD Fertilizer Chemist. |
| J. Q. Jackson Assistant Chemist. |
| J. Q. JACKSON |
| E. S. Dewar |
| E. B. HART |
| J. R. MULLEN |
| R. W. COLLETT Assistant Director Test Farms. |
| H. H. BRIMLEY Curator of Museum. |
| T. H. BRIMEET. |
| T. W. Adickes |
| FRANKLIN SHERMAN, JR Entomo'ogist. |
| C. L. Metcalf |
| C. L. METCALF. Assistant Entomologist. S. C. CLAPP. Assistant Entomologist in Field Work. |
| B. B. FLOWE |
| H. P. Flowe |
| H. P. FLOWEAssistant Veter marian. |
| C. E. Kord |
| W. N. HUTT |
| S. B. Shaw Assistant Horticulturist. |
| R. G. Hill |
| T. B. PARKER |
| MISS CARRIE HUDGINS Assistant to Director of Farmers' Institutes. |
| MISS CARRIE HUDGINS Assistant to Director of Farmers Institutes. |
| R. L. Scoan Assistant to Director of Farmers' Institutes. |
| W. M. ALLEN |
| E. W. THORNTON Assistant Pure Food Chemist. |
| C. E. Bell |
| C. B. WILLIAMS |
| C. B. WILLIAMS |
| J. K. Plummer Soil Chemist. |
| W. F. Pate |
| R. Y. WINTERS |
| G. M. GARREN |
| *W. E. HEARN State Soil Agent, Soil Survey. |
| L. L. Brinkley |
| Coll Convey |
| S. O. Perkins |
| R. C. JURNEY |
| J. L. BURGESS |
| MISS S. D. ALLEN Assistant to Botanist. |
| C. H. WALDRON Assistant Agronomist and Botanist. |
| DAN T. GRAY |
| DAN 1. GRA1. |
| W. H. EATON |
| †ALVIN J. REED |
| STANLEY COMBS |
| te. H. Mathewson |
| ‡C. R. HUDSON. Farm Demonstration Work. |
| T. E. Browne |
| 41. E. Daummers |
| tA. K. Robertson |
| TMRS, JANE S. MCKIMMON |
| †MISS MARGARET SCOTT |
| |

F. N. McDowell, Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. JOHN H. JEFFERIES, Assistant Director Pender Test Farm, Willard, N. C. F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture. †Assigned by the Bureau of Animal Husbandry, United States Department of Agriculture. ‡In cooperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL.

RALEIGH, N. C.

Hon. W. A. Graham, Commission of Agriculture.

Sir:—I beg to submit herewith manuscript on Hog Cholera and its prevention by the use of anti-hog cholera serum. I recommend that this manuscript be published as the July Bulletin.

B. B. Flowe, State Veterinarian.

Approved for publication. W. A. Graham,

Commissioner of Agriculture.

FIGURE 1.—Group of pure bred Berkshires (immuned).

HOG CHOLERA

BY B. B. FLOWE, STATE VETERINARIAN.

Hog cholera is a highy contagious and infectious disease of hogs. It is characterized by high fever, ranging from 104 to 107 degrees Fahrenheit, loss of appetite, red or purple spots on the belly between the forelegs and on the ears, and a muco-purulent discharge from the nose and eyes. This discharge often pastes the eyelids together, and causes a snuffling sound in breathing. In the last stage of the disease, and just before death, the animal has muscular tremors and wobbling gait.

PERIOD OF INCUBATION.

The period of incubation is the number of days between contracting the germ causing hog cholera, and the manifestation of the first symptoms or evidence of sickness. This time ranges from four to twenty-one days, depending on the susceptibility of the individual hog and the virulence of the infection.

An acute form of hog cholera indicates a virulent form of infection, while a slow or chronic form of hog cholera indicates an infection weak in virulency.

Symptoms.

A post-mortem and anti-mortem study of hog cholera will show a greater variety of symptoms than any other disease affecting hogs. For this reason, it is often hard for the farmer who has not had special training along this line to detect the first sick hog in his herd, and often a large per cent of his hogs are sick before he even suspects they are sick. Then not being able to detect the nature of the disease he does nothing until most of his hogs are sick and the first ones to show any signs of being sick are beginning to die, when it is too late to do anything. So far, we know nothing that will cure an advanced case of hog cholera. Then, again, we see in some herds one or two hogs that contract a mild form of the disease and are off feed for a few days, but soon recover. From these animals the entire herd may become infected, and this before cholera is even suspected.

In the chronic form we are more apt to be deceived, and this is especially so when there has been a previous outbreak of an acute form on the farm. This is so because in the chronic form the affected hogs will linger along for weeks and sometimes for more than a month before they finally die, or recover, as the case may be. But the acute form usually wipes the entire herd out within a short time after it first gains outrones in the head.

entrance in the herd.

Among the first symptoms seen in hogs affected with cholera is a loss of appetite, a tendency to hide in the litter or some secluded place and if forced to get up they show a stiffness in their gait, as if they had tender feet, and the back is usually more or less arched. At first there

is a tendency towards constipation which is followed in a few days by a very fetid diarrhea. In light skin hogs, and at times in dark skin hogs, a red or purple discoloration of the skin can be detected along the belly between the fore legs and at the base of the ears. This symptom is not always present but is frequently seen. When cholera is suspected, it is well to secure a clinical thermometer and take the temperature of a number of those hogs that are eating and apparently well.

We frequently find in a herd where there has been one or more sick hogs for several days a number of the hogs apparently well showing a temperature as high as 104 to 107 degrees Fahrenheit, and even higher. Hogs affected with cholera will often carry these high temperatures from three to five days and appear to be entirely healthy, but are ready to come down with an acute form of cholera. The normal temperature of

a hog is from 101 to 102 degrees Fahrenheit.

Owing to the high temperature, lack of appetite and general depression, vomiting, thumps, quick or jerky breathing is frequent. The muco-purulent secretion from the eyes often becomes so heavy that the

eyelids are adhered together causing the hog to become blind.

The most striking difference between the acute and chronic form of cholera is the duration of the disease. In the chronic form the temperature is not so high. The hog may continue to eat a little every day but becomes unthrifty and emaciated and may linger along in this condition for three or four weeks before dying. The acute form usually terminates in death between the eighth and fourteenth day.

When there is any doubt of the sick hogs being affected with cholera, a post-mortem examination should be made on one of the sick hogs in

order to make an accurate diagnosis.

Post-Mortem Appearances.

Skin.—A close examination of the skin will show red or purple spots along the belly, between the fore and hind legs and at the base of the ears; this is especially so in light skin hogs. In chronic cases the skin may become dry and hard and slough out in places. The ears and tail may also slough off.

Stomach.—The mucous membrane or inner lining of the stomach may be very much inflamed and red, frequently showing evidence of ulcers.

Lymphatic Glands.—Enlarged, congested, showing hemorrhagic spots when cut open. Of these glands receiving special attention in hog cholera are the mesenteric glands, or those along the intestines; lumbar and retroperitoneal are those lying near the back wall of the abdominal cavity; the lymphatic glands found near the angle of the jaw; the mediastinal and bronchial glands in the region of the heart and lungs, and the inguinal glands found beneath the skin high upon the inside of the thigh.

Intestines.—The inner lining, or the mucous membrane of the intestines, especially near the ilco-cecal valve, the place where the small intestine opens into the large intestine, may be congested and covered with small red spots. At this point in the intestine it is not uncommon to see ulcers varying in size and shape. One of the most constant is the somewhat circular button-shaped ulcer standing out from the surround-

ing mucous membrane, with a greenish-yellow center. The outer surface of the large and small intestines may be literally covered with bloody spots. Small greenish-yellow ulcers may be seen on the outer surface of both small and large intestines.

Spleen.—Almost without exception, the spleen or "milt" is enlarged, dark and soft and covered with small red spots and easily ruptured.

Kidneys.—When the capsule, or covering of the kidney is removed, dark red spots are seen. Frequently these hemorrhagic spots are so numerous that it reminds one of the speckling of a turkey's egg. Congestion and hemorrhagic spots are also detected when the kidney is cut open.




FIGURE 2.—Ulcers (large intestine), chronic form.




FIGURE 3 .-- "Button ulcers" (large intestine), chronic form.

Bladder.—The inner lining of the bladder may be found congested with numerous hemorrhagic spots on the surface.

Heart.—Numerous petechiæ and hemmorrhagic spots may be found on the heart.

Lungs.—In well defined cases of cholera small red or hemorrhagic spots may be found on the lungs. Again large, dark, consolidated spots are found, due to congestion and collapse of the lung tissue. In the chronic form pus may be found in the lungs. Sometimes the lungs are adherred to the chest walls and diaphragm.

Symptoms Usually Found in Well Defined Cases of Hog Cholera.

Anti-Mortem.—Lack of appetite, unthrifty, high temperature, emaciation, arched back, wobbling gait, red or purple skin along the belly be-





FIGURE 4 .- Kidney, showing typical lesions of hog cholera (hemorrhagic spots).



tween front and hind legs and base of ears, and constipation followed by diarrhea.

Post-Mortem.—Hemmorrhagic spots on kidney, lung, intestinal lesions and congestion of lymphatic glands. Congested spleen studded with petechiæ spots.

Infected Premises.

The length of time before it is safe to put non-immune hogs on infected premises will depend largely upon the character of the grounds infected. If the grounds are well drained and are not covered with too much litter, so that the rays of the sun will reach all parts of the ground, it would probably be safe to add susceptible hogs to the premises in three months. But, if the grounds are not well drained and have low, wet or marshy places, it would not be safe to add susceptible hogs to the grounds under twelve months, or even longer. When conditions will permit every effort possible should be made to thoroughly disinfect the infected premises before hogs that are susceptible to cholera are added to the premises.

Sanitation.

Under the ordinary farm conditions, it is practically impossible to disinfect thorough enough to kill out all of the hog cholera infection, but where possible all litter should be raked up and burned. This can be done in small lots and should be followed with a spray of a five per cent solution of carbolic acid, lysol, creolin or any other reliable disinfectant, and a liberal application of lime. The pens and houses can be disinfected in a like manner; if they are inexpensive ones it would be better to tear them down and burn them. All mud holes and cesspools should be drained and filled up.

If these measures are followed one would most likely be safe in adding susceptible hogs to the premises. If the hog lots or pastures can be used for any other purpose and new quarters can be found for the hogs, it would be much safer.

Susceptible hogs should be treated with anti-hog cholera serum if they are to be placed on the infected grounds under twelve months. Since it is practically impossible to thoroughly disinfect a large premise, the hogs should be immuned to cholera before they are allowed access to the infected grounds, but bear in mind it is always well to use disinfectants liberally around hog houses.

When cholera has broken out in a herd of hogs in a field, this field should be covered with a heavy application of lime, and a crop grown on it for one year before it is used again, unless the hogs are "immune."

Some of the Ways by Which Hog Cholera is Spread.

It is well to bear in mind that every case of hog cholera comes from a previous case of cholera. It is impossible to produce a case of cholera without having the germs that cause hog cholera. No matter how filthy the lots or pens in which the hogs are kept, they cannot have cholera unless the germs from a previous case of cholera are introduced. The disease cannot arise spontaneously. All secretions and excretions are laden with the infection and if allowed to enter into a susceptible hog's system will produce cholera.



(From group in State Museum—mounted by T. W. Adickes.)
Figure 6.—Buzzards feeding on cholera carcass.

Since hog cholera must come from some previous case of cholera, it behooves us to see that the carcasses of all hogs dying from cholera are properly disposed of. The infected lots and pens should be held under strict quarantine. All cholera carcasses should be burned or buried deep and covered with lime. Cholera may be carried from an infected premise by dogs, cats, rabbits, crows, pigeons, buzzards or any other animal that moves from one place to another.

THE TURKEY BUZZARD.

The turkey buzzard is one of the three worst agents by which hog cholera is disseminated in this State. The other two are free range, and running streams and overflows. Whenever the carcass of an animal is left on top of the ground, no matter what was the cause of death, the buzzards are certain to be attracted to the carcass. If the carcass is one of a cholera hog they feed upon it and fly away to some other farm, at times many miles away and they are certain to carry the hog cholera germs with them. If these germs are deposited in reach of other hogs they are certain to cause an outbreak of cholera. The importance of burying all carcasses, especially all cholera carcasses and carcasses of other infectious diseases, cannot be emphasized too much.*

There is a general impression among all farmers that the buzzards are protected by law. This seems to be an erroneous idea. After a considerable search of the statute, we have been unable to find any law that would protect the buzzard. Since there is no question but what the buzzard disseminates disease germs, especially hog cholera germs, every farmer would be justifiable in killing all the buzzards he possibly can.

RUNNING STREAMS AND OVERFLOWS.

The infection can be carried for miles down a running stream. If infected hogs are allowed access to the stream of water running through the farm, the stream then becomes a source of disseminating the infection over a wide area. So it is not safe to allow hogs to have access to running streams that do not have their origin on the farm.

The overflows in the Eastern part of this State are a source of disseminating the infection over a wide area. Especially is this so where the dead hogs are not properly disposed of, or where the hogs die in the

swamps and no attempt is made to locate and bury them.


Often hogs in the free-range territory die from cholera in a running stream or in large swamps and are never seen by their owners. These hogs serve as centers from which infection is scattered broadcast during overflows.

Public Roads.

The public roads are another source of disseminating the infection. Sick hogs often have access to the public roads and leave them infected. It then becomes dangerous to drive well hogs on the public highway.

Snow Hogs.

Often hogs contract cholera at shows and when brought back to the farm, and turned in the lots with the other hogs, become the agent by



which the entire herd is infected. All hogs coming from the shows or new hogs being added to the herd should be held under quarantine at least three weeks before they are allowed to run with the other hogs.

Public Stock Yards.

All public stock yards are infected with hog cholera germs. It is unsafe to purchase hogs from stock yards for breeding or feeding purposes. Nor should hogs intended for breeding or feeding purposes be unloaded in pens to be fed unless these pens are thoroughly disinfected. The cars in which the hogs are shipped should be thoroughly disinfected before the hogs are loaded. All hogs unloaded in public stock yards, not intended for immediate slaughter, should be treated with anti-hog cholera serum.

INFECTED HOGS RUNNING AT LARGE.

In the territory where live stock run at large, we find a larger per cent of hog cholera. This is due to hogs affected with cholera coming in contact with hogs from adjoining farms. In this way the infection in often spread from farm to farm.

Visitors.—Hog cholera infection can be carried on the shoes and clothes of people. It is unsafe for any one to visit an infected herd and

return to their own or any other herd of hogs.

Garbage.—Uncooked garbage from hotels, restaurants or other sources is dangerous. We know of no instance in this State where uncooked garbage has been fed for any length of time where cholera did not develop. Feed it only to immuned hogs or have it thoroughly cooked.

THE ANNUAL LOSS IN THE UNITED STATES FROM HOG CHOLERA.

The annual loss of hogs in the United States from hog cholera is estimated at the enormous sum of sixty million (\$60,000,000) dollars. If this enormous loss of a preventable disease was checked it would go a long ways in reducing the high cost of pork.


THE ANNUAL LOSS IN NORTH CAROLINA.


According to the best information we have the annual loss from hog cholera in North Carolina, both direct and indirect, is considerably over three quarters of a million dollars (\$750,000). This enormous loss is going on while many thousands of dollars are being sent out of the State annually for pork, lard and other meat products.

Susceptibility.

Young pigs and young shoats are more susceptible than older hogs, but often we find the older hogs the first to succumb to the disease.

As to the susceptibility of the different breeds, we do not believe there is any difference. The "scrub" hog and "mule-footed hog" succumb to the disease as readily as the pure breeds.








FIGURE 10.—Hypermununes being bled by tail.

MORTALITY.

The mortality will vary in different localities and on different farms. When cholera first makes its appearance in a locality the per cent of deaths, as a rule, is higher than it is at the end of the outbreak. The same is also true in communities where cholera has appeared for a number of years in succession. The per cent of losses will range around fifty per cent in some localities; in other as high as ninety-five per cent. This depends on the virulency of infection and the susceptibility of the hogs.

As a rule hogs recovering from cholera are greatly depreciated in value. Unless the hogs are exceptionally valuable ones, it would be more economical to destroy and burn them when they have developed a well defined case of cholera.

Anti-Hog Cholera Serum.

In order to make potent anti-hog cholera serum, it is necessary to select a hog that is "immune" to cholera. This hog is one that has been treated with serum and virus at least twenty-one days, or one that has recovered from an attack of cholera. One attack of cholera confers life immunity. Into this "immune" hog ten cubic centimeters of virus are injected direct or indirect into the circulation for every pound of live weight. This hog is then known as a hyper-immune.

In the course of eight to ten days the hyper-immune is bled by the tail, taking as much blood as the hog will stand. As soon as the hog recovers from the effect of having a large quantity of blood removed from it, which is about a week, the hog is then bled again and this is continued until four bleedings have been made. Then the hog is re-hyperimmunized and bled four more times. This is continued until the tail becomes short, when the final bleeding is made by cutting the throat, and all of the blood is removed.

The blood from the tail and throat of the hyper-immunized hog is defibernated (the clot is removed) leaving the liquid portion of the blood, which is the serum. To this serum is added enough carbolic acid to make one-half of a one per cent solution. The acid is added as a preservative. This serum is a preventive to hog cholera and cannot produce hog cholera because it contains the anti-bodies which are antagonistic to the germs of hog cholera.

VIRUS.

The virus used to hyper-immunize the immune hog is secured by injecting a small amount of virus (the liquid portion of the blood) from an acute case of hog cholera into a susceptible hog, or by exposing a susceptible hog to hog cholera infection. When the hog has developed an acute case of cholera, the hog is bled by the throat and the blood is then defibernated. The virus or liquid portion of the blood is injected direct or indirect into the circulation of the immune hog.




FIGURE 11.—Bleeding by throat for virus.



·Anti-Hog Cholera Serum.

(The only known preventive for hog cholera.)

There are thousands of dollars spent annually for so-called sure hog cholera "cures." Agricultural papers are full of very attractive advertisements of fake remedies. To spend money for such "fakes" is nothing less than throwing it away.

It would be well to bear in mind that all products advertised as "cures" for hog cholera are worthless; also that a large per cent of the serum and

vaccines will not prevent hog cholera.

Anti-hog cholera serum, if properly prepared and administered will, without a doubt, prevent hog cholera but very little is claimed for it as a curative agent.

Ways of Vaccinating.

There are two ways by which hogs may be vaccinated with anti-hog cholera serum, the Serum Alone Method and the Serum Simultaneous Method. The Serum Alone Method consists of injecting the required amount of serum into the tissues of the hogs with a hypodermic syringe. The Serum Simultaneous Method consists of injecting the serum as in the Serum Alone Method, but at the same time a small amount of virus is injected.

The Serum Alone Method only confers immunity for a very short period, varying from four to eight weeks, whereas the Serum Simultaneous Method confers immunity, varying from a few months in very

young pigs to life immunity in older hogs.

As there is considerable danger attached to the Serum Simultaneous Method, it is not safe to put this method of treatment into the hands of persons who have not had special training for this purpose. This is so because a small per cent of the hogs treated by this method develop hog cholera and die. This is so when the method is applied by men who have had long training and wide experience in using the serum and virus. We think it would be a great mistake to distribute the virus with the serum over the State to any one applying for it. If this was done we would expect to see the entire State sooner or later "fired" with hog cholera. There is no danger of producing hog cholera by using the Serum Alone Method, and for this reason we think it is the only method to place in the hands of the untrained.

The serum is sent direct to any one ordering it, with full directions for using. If the directions are followed closely good results will follow. It is always better, whenever possible, to have some one inject the serum who has at least seen it injected, if they have not done so themselves. Our advice would be to employ a graduate veterinarian when possible

and have him inject the serum for you.

How and When to Use Serum.

The Serum Alone Method only gives temporary immunity lasting from four to eight weeks, an average of about six weeks. It is rather expensive to keep a herd of hogs immuned by his method. We believe it would be cheaper where a permanent herd is to be kept for breeding purposes



to use the Simultaneous or Double treatment. This would insure protection at all times to the foundation of the herd.

The owner of a herd of hogs should not delay any longer than possible in securing the serum and injecting his hogs when it becomes known that they have been exposed to cholera, or when it is known that cholera is in his community, if there is any possibility of the infection gaining entrance to his herd through any of the many channels of entrance.

When the serum is used shortly before or very soon after the hogs are exposed to cholera infection the per cent protected is often as high as a hundred, but usually ranges around 95 per cent. After cholera has gained entrance in a herd and a portion of the hogs are showing physical or thermal symptoms of cholera, the per cent saved of the remaining apparently well hogs will not be so high, but a good per cent of those showing no physical or thermal symptoms will be protected.

When a large number of hogs in a herd become sick and begin to die it is pretty safe to say that they are affected with hog cholera. Immediate steps should be taken to secure the serum and inject the remaining well hogs.


To inject the serum one must have a hypodermic syringe (preferably a 20 or 30 c.c. glass barreled one). This syringe should be sterilized by being boiled in water for fifteen or twenty minutes. Before using, the mouth of the serum bottle should be wiped off with a five per cent solution of carbolic acid and the serum then poured into the receptacle with a cover. Both the receptacle and cover should have been boiled in water for fifteen or twenty minutes and allowed to cool before pouring the serum into it. Keep the cover on all the time except when the serum is being poured into or taken from the receptacle. The hands of the person injecting the serum should be washed before beginning and kept clean all the time. Do not allow the syringe or needle to come in contact with soiled objects.

The serum is injected into the tissues either on the inside of the thigh or into the loose tissues between the foreleg and body. The needle is inserted perpendicularly to the depth of one-half or one inch, depending upon the size of the hog. The serum is then injected and the needle withdrawn. Before the needle is inserted the skin at the point selected should be washed with soap and water and then scrubbed with a reliable disinfectant, such as a five per cent solution of carbolic acid, lysol or creolin.

Hogs in infected herds showing a temperature above 104 degrees F. are considered to be affected with cholera. The hogs showing high temperatures should be given a double dose of serum; apparently well hogs in infected herds should be given more serum than hogs in non-infected herds. (See dose table.)

THE SERUM AS A CURE FOR HOG CHOLERA.

No claim is made that the serum will "cure" a well developed case of hog cholera. A small per cent of the hogs showing a temperature above 104 degrees Fahrenheit will, if given a large dose of serum, make



a recovery. We believe the per cent of recoveries will justify the expense of the serum used.

VACCINATING INFECTED HERDS.

Do not fail to take the temperature of all hogs in infected herds. Those showing a temperature of 104 degrees or higher should be given a double dose of serum.

Never use the Simultaneous treatment in infected herds (they already have enough infection). Hogs injected with a protective dose of serum and left in infected lots or pens for three weeks will, in all probability, contract enough infection to produce the same immunity as those treated with the Simultaneous method. However, one can never be sure of this.

THE DOSE OF SERUM.

Care should be used in estimating the weight of every hog injected because the amount of serum to be used will depend on the weight of the hog and not on the age. Always be certain not to underestimate the weight; it is much better to overestimate than to underestimate. If the weight is underestimated and too small a dose of serum is given, the hog will not be protected from cholera. There is no danger in giving an overdose of serum; the larger the dose the more certain the protection.

Avoid turning the hogs into muddy, filthy or dusty lots after they are injected. It is better to keep them in a lot for several days until the puncture wound caused by the needle has had time to heal. If the wound becomes infected abscesses may follow. When abscesses form they

should be opened and washed with an antiseptic solution.

A complete and accurate record should be kept by every farmer using the serum. He should record the number of hogs that have died from hog cholera at the time the serum is injected; also keep a record of the number of sick hogs in the infected lots; how many treated with serum; and the number of both treated and not treated that die. Don't fail to take the temperature of all hogs in an infected herd. Those that show a temperature of 104 degrees Fahrenheit are considered affected with hog cholera.

THE SERUM PLANT.


The North Carolina Department of Agriculture has erected and equipped a modern anti-hog cholera serum plant. It is the Department's purpose to make and distribute a potent serum to the farmers of the State at cost of production.

In 1911 the charge for the serum was two and one-half cents per cubic centimeter. This has been gradually reduced until it is now being distributed for one and one-quarter cents per cubic centimeter, the cost

of production.

Tested Serum.

All serum should be tested for potency before it is used in the field. Serum sent out by this Department is tested in the following manner. The bleedings from the tail and the final bleeding by the throat of a number of hyperimmune hogs are thoroughly mixed, which is then



detre 15.—South side of serum plant.

tested on susceptible pigs. The test is made by injecting two cubic centimeters of virus into each of four susceptible pigs (25 to 35 pounds) preferably from the same litter. These pigs are then injected with different amounts of scrum. No. 1 would get two cubic centimeters of virus and twenty cubic centimeters of scrum; No. 2, fifteen cubic centimeters of scrum and two cubic centimeters of virus. No. 3, ten cubic centimeters of scrum and two cubic centimeters of virus; No. 4 would get two cubic centimeters of virus and no scrum. If No. 4 dies within fifteen days and Nos. 1, 2, and 3 show no signs of sickness, we then know that the virus used was virulent and that the scrum protected Nos. 1, 2, and 3 from what would have been a fatal dose of virus.

DIRECTIONS FOR ORDERING SERUM.

The serum will be shipped, by express, C.O.D., to any one ordering it, unless check or money order accompanies the order. Do not fail to give correct address.

Always state correctly the amount of serum wanted, or give the weight of each hog to be treated. If a hypodermic syringe is desired, state so in your order, otherwise it will not be sent. A twenty cubic centimeter glass barreled syringe will be sent at cost, \$1.75, if ordered.

The serum will be shipped in the following size bottles:

30 c.e., 50 c.e., 100 c.e., 120 c.e., 150 c.e., 180 c.e., 200 c.e., 250 c.e., 500 c.e., 750 c.e., and 1000 c.e.,

The cost of the serum is one and one-quarter cents per cubic centimeter. No serum will be taken back; when the serum is placed in the express office it becomes your serum.

Address all communications for serum to the State Veterinarian, Department of Agriculture, Raleigh, N. C.

VACCINATION DOSES.

It requires more serum per pound of weight to "immunize" young pigs than is required to "immunize" older hogs.

| | Cholera-free | Herds. | Infected Herds. |
|---------------------|--------------|--------|-----------------|
| Suckling pigs | 5 to 10 | c.c. | 10 to 15 c.c. |
| 25 to 50 pounds | | c.c. | 25 c.c. |
| 50 to 100 pounds | 25 | c.c. | 30 c.c. |
| 100 to 150 pounds | 30 | c.c. | 40 c.c. |
| 150 to 200 pounds | 40 | c.c. | 50 c.c. |
| 200 to 250 pounds | 50 | c.c. | 60 c.c. |
| 250 to 300 pounds | 60 | c.c. | 70 c.c. |
| 300 to 350 pounds | 65 | c.c. | 75 c.c. |
| 350 to 400 pounds | 70 | c.c. | 80 c.c. |
| All over 400 pounds | 80 | c.c. | 90 c.c. |

Penalty for Allowing Diseased Hogs to Run at Large.

"If any person having swine affected with the disease known as hog cholera, or any other infectious or contagious disease, and discovering the same, or to whom notice of the fact shall be given, shall fail of neglect for five days to secure the diseased swine from the approach or contact with other hogs not so affected, by penning or otherwise securing and effectually isolating them, so that they shall not have access to any ditch, canal, branch, creek, river, or other watercourse which passes beyond the premises of the owners of such swine, he shall be guilty of a misdemeanor, and upon conviction shall be fined not exceeding fifty dollars or imprisoned not exceeding thirty days."—Section 3297 of the Revisal of 1905 of North Carolina; 1889, ch. 173, sec. 1; 1891, ch. 67, secs. 1, 3; 1903, ch. 106; 1899, ch. 47.

Penalty for Failure to Properly Dispose of Carcasses of Animals Dying from Infectious Diseases.

"If any hog or other animal shall die with the hog cholera or other infectious disease, and the owner thereof shall fail to burn or to so bury the same as to secure it from the reach or contact with other hogs or other domestic animals of value, or if he shall throw or place such hog or other animal in any ditch, canal, branch, creek, river, or other water-courses passing beyond his own premises, he shall be guilty of a misdemeanor and upon conviction shall be fined not more than fifty dollars or imprisoned not more than thirty days."—Section 3298 of the Revisal of 1905 of North Carolina; 1889, ch. 173, sec. 2; 1891, ch. 67, secs 2, 3; 1903, ch. 106; 1899, ch. 47.

LEAF TOBACCO SALES FOR MAY, 1914

| Pounds | sold | for | pro | duce | rs, | firs | t h | and | | | | | | | .174.9 | 981 |
|--------|-----------------------|-------|-------|--------------|----------|------|-----|----------|----|------|--------|----|------|------|-----------|---------|
| Pounds | sold | for | dea. | $_{ m lers}$ | | | | | | | | | | | . 33.3 | 257 |
| Pounds | reso] | ld fo | or wa | areh | ous | ė | | . | ٠. | | ٠. | ٠. | | | . 2, | 360 |
|] | Γotal | | | | . | | | | | | | | | | ${.210.}$ | 598 |



| | | | 0.5 | |
|------|---|--|-----|--|
| (20) | | | | |
| s . | | | | |
| | | | | |
| | | | | |
| | • | | | |
| | | | | |



THE BULLETIN

OF THE

NORTH CAROLINA DEPARTMENT OF AGRICULTURE,


RALEIGH

Vol. 35, No. 8.

AUGUST, 1914.

Whole No. 199.

CORN SILAGE AND COTTON-SEED HULLS FOR FATTENING BEEF CATTLE



Good Steers Properly Fed Bring Permanent Improvement on the Farm.

PUBLISHED MONTHLY AND SENT FREE TO CITIZENS ON APPLICATION.

Entered at the Post-office at Raleigh, N. C., as second-class matter, February 7, 1901, under Act of June 6, 1900.

STATE BOARD OF AGRICULTURE.

W. A. Graham, Commissioner, ex officio Chairman, Raleigh

| | W. 11. GRAHAM, Commissioner, & Optio Chairman, Itale | |
|-----------------|--|-------------------------------------|
| F. P. Latham | Belhaven | First District. |
| K. W. Barnes | Lucama | Second District |
| R. L. WOODARD | Pamlico | Third District. |
| Clarence Poe | Raleigh | Fourth District. |
| R. W. Scott | Haw River | Fifth District. |
| A. T. McCallum | Red Springs | Sixth District. |
| C. C. Wright | Hunting Creek | Seventh District. |
| WILLIAM BLEDSOE | Gale | Eighth District. |
| W. J. Shuford | Hickory | Ninth District. |
| A. Cannon | Horse Shoe | Tenth District. |
| | | |

OFFICERS AND STAFF.

| W. A. CIDATTANS | |
|---|---|
| W. A. GRAHAM ELIAS CARR | Commissioner. |
| ELIAS CARR | Secretary and Purchasing Agent. |
| MISS SARAH D. JONES | Rookkeener |
| D. G. CONN B. W. KILGORE | Bulletin Superintendent. |
| B. W. KILGORE | State Chemist Director Test Farms |
| J. M. Pickel | Food Chomist |
| W. G. HAYWOOD. | Tartilian Chamist. |
| I O I over | Fertilizer Chemist. |
| J. Q. Jackson | Assistant Chemist. |
| E. S. Dewar. | Assistant Chemist. |
| E. B. Hart | Assistant Chemist. |
| J. R. MULLEN | Assistant Chemist. |
| R. W. Collett | Assistant Director Test Farms |
| H. H. BRIMLEY | Curator of Museum |
| T. W. Adickes. | Assistant Curetor |
| FRANKLIN SHERMAN, JR. | Total Culator. |
| C. I. Memorra | Entomologist. |
| C. L. METCALF. S. C. CLAPP. | Assistant Entomologist. |
| D. D. DILONIE | Assistant Entomologist in Field Work. |
| B. B. FLOWE | Veterinarian. |
| H. P. FLOWE | Assistant Veterinarian. |
| C. E. Kord | Assistant Veterinarian. |
| W. N. HUTT | Horticulturist. |
| S. B. Shaw | Assistant Horticulturist |
| R. G. Hnl. | Assistant Horticulturist |
| T. B. PARKER | Director of Corporal Institutes |
| MISS CARRIE HUDGINS | Director of Farmers Institutes. |
| R. L. SLOAN | Assistant to Director of Farmers Institutes. |
| W. M. ALLEN | Assistant to Director of Farmers' Institutes. |
| W. M. ALLEN | Pure Food Chemist. |
| E. W. THORNTON. | Assistant Pure Food Chemist. |
| C. E. Bell | Assistant Pure Food Chemist. |
| C. B. WILLIAMS | Chief in Agronomy. |
| J. A. Plummer | Soil Chemist. |
| W. F. Pate | Agronomist in Soils. |
| R. Y. WINTERS | Plant Breeding |
| G. M. Garren | Assistant Agronomist in Crops |
| *W. E. Hearn | State Soil Agent Soil Survey |
| L. L. Brinkley | Soil Surror |
| S. O. Perkins. | Coil Common |
| R. C. JURNEY | G-1 G |
| I I DUDCEGO | son survey. |
| J. L. BURGESS | Agronomist and Botamst. |
| MISS S. D. ALLEN. C. H. WALDRON. | Assistant to Botamst. |
| C. II, WALDRON | |
| DAN T. GRAY R. S. Curtis Associate Chie W. H. Eaton | |
| R. S. Curtis | of in Animal Industry, Beef Cattle and Sheep. |
| W. H. Eaton | Dairy Experimenter. |
| ALVIN J. REED | Dairy Farming. |
| Stanley Combs | Assistant in Dairy Farming |
| STANLEY COMBS L. W. SHOOK | Assistant in Roof Cottle Shoop and Swine |
| F. T. PEDEN | Assistant in Deer Cattle, bucep, and bwine. |
| C B Poss | Assistant in Deel Cattle. |
| C. B. Ross | Poultry Clubs. |
| J. D. McVean | Pig Clubs. |
| E. H. MATHEWSON | Tobacco Investigations. |
| C. R. Hudson | Farm Demonstration Work. |
| T. E. Browne | |
| IA. K. Robertson | Assistant in Boys' Clubs. |
| IMRS. JANE S. McKimmon | Assistant in Charge of Girls' Clubs. |
| ‡Miss Margaret Scott | Assistant in Girls' Clubs. |
| | |

F. N. McDowell, Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferres, Assistant Director Pender Test Farm, Willard, N. C. F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture.
†Assigned by the Bureau of Animal Industry, United States Department of Agriculture.
†In cooperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL.

Hon. W. A. Graham,

Commissioner of Agriculture,

Raleigh, N. C.

Sir:—I submit herewith manuscript for a bulletin on Corn Silage and Cotton-seed Hulls for Fattening Beef Cattle. This important experiment was made on the Iredell Test Farm during the winter of 1913-1914, and should be considered a report of the progress of the work, as plans are made for continuing these and similar experiments on the Iredell Test Farm until the prominent questions relating to the fattening of beef cattle during the winter months have been thoroughly and carefully studied.

I recommend the publication of this report as the August Bulletin. Very respectfully,

DAN T. GRAY, Chief in Animal Industry.

Approved for printing:

W. A. Graham,

Commissioner of Agriculture.

SUMMARY STATEMENTS.

The lot of cattle fed cotton-seed meal and corn silage made only slightly larger gains than those fed cotton-seed meal and cotton-seed hulls. Lot 1 made an average daily gain of 1.62 pounds and Lot 2 1.63 pounds during the experimental period of 112 days.

The steers in Lot 1 were fed an average of 21.95 pounds of cotton-seed hulls per steer daily during the experimental period. The steers in Lot 2 were fed an average of 42.46 pounds of corn silage per steer daily during the experimental period. According to the gains made, this showed a relative feeding value of approximately one pound of cotton-seed hulls to two pounds of corn silage.

It required 1,352.2 pounds of cotton-seed hulls in conjunction with 458 pounds of cotton-seed meal to make 100 pounds gain, and 2,611.4 pounds of corn silage in conjunction with 458 pounds of cotton-seed meal to make 100 pounds gain. This shows that it takes, on the average, about two pounds of corn silage to replace one pound of cotton-seed hulls under the conditions of this experiment.

It cost \$11.43 to make 100 pounds gain in the lot fed cotton-seed meal and cotton-seed hulls, and \$10.92 in the lot fed cotton-seed meal and corn silage, the difference being 51 cents per hundred pounds in favor of the corn-silage-fed cattle.

When the steers were finished, those fed cotton-seed hulls for roughage were valued at \$7.50 per cwt. and those fed corn silage \$7.70 per cwt. This decision was corroborated by the slaughter data obtained at the abattoir. The silage-fed cattle were thicker and more uniformly covered with fat.

The comparative profit per steer in Lot 1 fed cotton-seed hulls for roughage, eliminating freight, cost of labor, and bedding, was \$8.29 per steer. The comparative profit per steer in Lot 2 fed corn silage for roughage was \$11.36 per steer, showing a difference of \$3.07 in favor of the corn-silage-fed cattle.

The shipping data obtained on these cattle showed that the steers fed corn silage did not shrink any more than steers fed cotton-seed hulls under like conditions otherwise. The average net shrink per steer from Statesville, N. C., to Richmond, Va., was slightly less than 45 pounds.

CORN SILAGE AND COTTON-SEED HULLS FOR FATTENING BEEF CATTLE

WORK CONDUCTED AT

IREDELL TEST FARM, STATESVILLE, N. C.

R. S. CURTIS, L. W. SHOOK, F. T. MEACHAM.

INTRODUCTION.

A great deal of interest has developed recently in the winter feeding of beef cattle. This is due to two conditions: first, because of the desire to incorporate the fertilizing value of cotton-seed meal in the form of manure, and, second, to utilize cheap or unsalable feeds in the roughage part of the ration and in the bedding to add humus to the soil. There is thus a twofold reason for feeding cattle, either of which is of much greater importance than ordinarily considered. Experimental workers and farmers who have had experience will admit that under present conditions there is, many times, no profit in the winter cattle-feeding industry, excluding the value of the manure. The manurial benefit to the land, however, is considered to be of unquestionable value.

This brings up the problem of the most feasible plan to follow in preparing fattening cattle for the market. The southern farmer usually has a number of roughage feeds available, and with comparatively little effort others of value can be provided. Cotton-seed hulls is the standard roughage feed throughout the South, and while acceptable in many respects as a roughage feed, it must be purchased direct from the cotton-seed oil mills. It is generally admitted that the farmer should not purchase roughage feeds, although cotton-seed hulls can sometimes be used to advantage either as a whole or a part of the roughage ration.

One of the principal drawbacks to the use of cotton-seed hulls is the fact that they cannot be used in conjunction with cotton-seed meal for a sufficient length of time to put eattle in prime market condition. For this reason it is an important problem to determine whether a substitute can be profitably used, either as a whole or a part of the roughage ration. The following results were obtained from an experiment designed to determine the feasibility of the plan suggested.

LOCATION OF WORK.

The results of the work herein reported were obtained from two carloads of forty-eight grade Shorthorn steers fed on the Iredell Test Farm at Statesville, N. C. The results were obtained under the best of experimental conditions. The feeding was done by a competent man during the entire feeding period of four and one-half months.

Work of this character in Iredell County is of unusual importance, owing to the natural conditions for cattle feeding and the great interest which was manifested in this experiment. At the close of the experiment a meeting was held to explain the results which had been obtained. Although an inclement day, a very acceptable number of farmers was present to learn the results and see the finished cattle.




Fig. 2. A Group of the Steers Fed Cotton-seed Meal and Cotton-seed Hulls,

The conditions in this and surrounding counties for winter cattle feeding are especially favorable because of the proximity to oil mills and the fact that an unusual amount of roughage feed is produced which is available both for feeding and bedding purposes. While the local markets for cattle are not the most desirable, easy access can be had to the best eastern markets.

OBJECTS OF EXPERIMENT.

The fundamental object of the experiment was to determine the comparative value of corn silage and cotton-seed hulls each in conjunction with a like amount of cotton-seed meal. This problem redivides itself into two sub-problems, the first being to determine the average daily and total gains made, the cost of same, and, second, the market value of the finished animals fed on the two rations in conjunction with cotton-seed meal.

The importance of this problem is not fully recognized by the farmer until his finished animals are offered for sale. The average farmer is usually not fully acquainted with market conditions. He is, therefore, unable to fully appreciate the value of a feed which will finish cattle in prime condition and enable him to command remunerative prices. Sufficient importance is not attached to the difference between producing gain on an animal and obtaining a wide margin, that is, the difference between the buying and selling price. Some feeds make acceptable gains, but do

not produce a desirable finish, upon which the amount of margin depends almost wholly. These factors thus briefly explained are the important objects of the work.

PLAN OF WORK.

The experiment was planned so that every condition would be the same in each lot of cattle except the variation in the roughage rations, which was the real nucleus of the experiment. The eattle were divided into six pens of eight steers each. Three pens of cattle were fed corn silage and three pens cotton-seed hulls, thus making a car-load in each lot. Two pens of the corn-silage-fed cattle and two pens of the cotton-seed-hulls-fed cattle were fed on the south side of the cattle barn. The third pen of corn-silage-fed and cotton-seed-hulls-fed cattle were fed on the north side of the barn. All shelter and exposure conditions were therefore exactly the same.

The cattle were divided into the two lots of twenty-four head each as equally in weight, quality, and condition as possible. The preliminary rations were the same for each lot. This period extended from October 15, 1913, to November 2, 1913, inclusive, the total preliminary period being 19 days. During this time the roughage ration remained the same for all the cattle, and the cotton-seed meal was increased uniformly toward the standard or experimental ration, which was 7.5 pounds per animal daily.

Table 1—KIND AND AVERAGE QUANTITY OF FEEDS GIVEN PER STEER DAILY DURING THE EXPERIMENTAL PERIOD.

| Period. | Lot 1 (24 Steers). | Lot 2 (24 Steers). |
|--|--|--------------------|
| November 3, 1913, to February 22, 1914—112 Days. | 7.45 pounds cotton-seed meal 21.95 pounds cotton-seed hulls | |

The foregoing table brings out clearly the method of comparison. The daily cotton-seed meal ration is the same for each lot, the only variation being in the amount of roughage feeds fed as indicated.

At the beginning of the final or experimental period one lot-of cattle was put on cotton-seed hulls and the other lot on corn silage. This marked the date of comparative results herein given. The increase in cotton-seed meal was continued until November 15, when all the cattle were placed on the standard ration of 7.5 pounds per animal daily. The ration of each lot was increased to 8 pounds on January 26, 1914, just four weeks prior to the close of the experiment. With the exception of the last three days of the feeding period the rations were continued as outlined. On February 23 they were changed somewhat to prepare the steers for shipment. This consisted in a reduction of the cotton-seed meal and the introduction of cotton-seed hulls in the ration of the corn-silage-fed cattle.

The comparative results as given in this bulletin include the data from November 3, 1913, to February 22, 1914, inclusive, making the total experimental period 112 days. The data given in the financial statements




Fig. 3. A Group of the Steers Fed Cotton-seed Meal and Corn Silage.

includes all items of expenditure from the time the cattle were loaded for shipment to the feed lot until they were loaded and turned over to the commission buyer at the local shipping station.

LENGTH OF EXPERIMENT.

The length of the experiment has been treated elsewhere in considerable detail. The preliminary period was 19 days, the experimental period 112 days, and the period preparatory to shipment 3 days, making a total feeding period of 134 days. The most important point to bring out in this connection is the fact that the experimental period was not of sufficient length to bring out the characteristic difference in the value of the two roughage feeds used.

Former experiments* show that for about 100 days the results obtained from using cotton-seed hulls and corn silage in conjunction with cotton-seed meal are not greatly different. It is after the expiration of the one-hundred-day period or thereabouts that marked differences in the value of these feeds usually occur. Even under the conditions of this experiment, however, there was a marked difference in the results. but more especially in the value of the finished animals. The difference in the gains was not as great as would have been likely had the feeding been continued for a longer period. The results under the conditions of the experiment were not materially different than anticipated.

^{*}N. C. Exp. Sta. Bulletins, 218-222.

KIND OF STEERS USED.

The steers used in this work were purchased in the western or beef cattle producing section of this State. They were classed as 900-pound feeders. When taken from the pasture in the mountains they weighed slightly under 920 pounds per head. The steers were an average grade of 900-pound feeders usually secured in this State, there being a moderate variation in weight and quality. When the cattle were divided these qualities were apportioned equally in each of the two lots fed cotton-seed hulls and corn silage. The cattle were dehorned grade Shorthorns, and reasonably uniform in weight, quality, and condition at the beginning of the feeding experiment.

SHELTER AND WATER SUPPLY.

The cattle were fed in a closed barn with a lean-to shed on the south side, as shown in the illustration. Each of the stalls, including both the barn and shed portion, was twenty feet wide and twenty-six feet long. The feed troughs extended entirely across the end of the stalls adjacent to the alleyway, making two and one-half feet of feeding space for each




Fig. 4. Barn in Which Steers Were Fed.

steer. Both the steers and the manure were kept under cover the entire time except during the preliminary period in which the steers were left in the pasture during the daytime. The only exposure was the small amount of open space at each end of the shed and on the south side of same where water was provided.

The water was furnished from that collected from the barn roof and from a well, from which it was pumped by a gasoline engine. The cattle had water before them at all times. This is a very important matter both for the farmer and the experimental worker. Cattle fed cotton-

²—August

seed hulls should have special attention, owing to the dry, undigestible nature of this roughage feed. The writers desire to emphasize the necessity of a plentiful and regular water supply for steers, especially since the idea is prevalent that cattle need only a limited amount of water at certain times in the day. Better gains will always be secured when the steers have free access to water.

BEDDING MATERIAL.

The bedding material used consisted of leaves, wheat straw, and corn stover. A sufficient quantity was used to keep the cattle reasonably clean and conserve the liquid manure. Bedding is rather difficult to obtain in many instances for winter cattle feeding work. For this reason, and the fact that the manure can be so much better saved, it is advisable to feed entirely under cover, with the exceptions following. Work is under way in sandy sections of the State to determine the feasibility of feeding cattle on the land where the manure is to be applied. *A brief summary of this work has just been published. It is impossible to follow this practice in the clay sections, however, because of tramping and puddling the soil.

In this feeding experiment there was no waste roughage, so that the entire amount of bedding was supplied especially for the purpose. When corn stover is fed, a large quantity of the coarser material not eaten by the cattle can be utilized for bedding purposes. These cattle were bedded on the average about once each week. During bad weather material was supplied at shorter intervals. During the first part of the work leaves were used largely. During the last part wheat straw and corn stover were used.

VALUATION OF FEEDS.

A standard market value was placed on each of the feeds used. The valuations given include the cost of delivery to the farm barn. The cotton-seed meal was rated at \$27.75 per ton, the cotton-seed hulls at \$7.50 per ton, and the average valuation of corn silage was placed at \$3.50 per ton. The latter figure fixing the value of corn silage may be too high under some conditions in the State and too low in others. This valuation was fixed as an average for the whole State.

METHOD AND TIME OF WEIGHING CATTLE.

In the financial statements the mountain weights of the cattle are used for making the calculations on the initial cost. The final weight is the same as that used in the discussion of the experimental results.

In the beginning of the experimental period the cattle were weighed on three consecutive mornings before being fed and watered, and the average of these three weights taken for the initial experimental weight.

^{*}N. C. Exp. Sta. Circular-Letter.

The monthly weights and the final experimental weights were made always under normal conditions. The cattle were weighed each morning as nearly the same time as possible before any feed or water had been given.

METHOD OF FEEDING.


When the cattle first arrived at the farm they were turned on a small pasture, where they remained in the daytime during the preliminary period. After this period of nineteen days they were placed in the barn with eight steers in each of six pens and fed two equal feeds regularly each morning and evening. The roughage was given in moderately large quantities and increased gradually until a full feed of corn silage and cotton-seed hulls were being fed. This consisted on the average during the experimental period of 21.95 pounds of cotton-seed hulls and 42.46 pounds of corn silage. This is about the proportion in which these two feeds are usually given in practical feeding work.

Table 2—AVERAGE DAILY AMOUNT OF COTTON-SEED MEAL, COTTON-SEED HULLS AND CORN SILAGE FED PER STEER DAILY BY 28-DAY PERIODS, INCLUDING THE PRELIMINARY AND EXPERIMENTAL PERIOD.

| D . D | Cotton-se | eed Meal. | Cotton-s | seed Hulls. | Corn Silage. | | |
|---------------|-----------|-----------|----------|-------------|--------------|--------|--|
| Date Periods. | Lot 1. | Lot 2. | Lot 1. | Lot 2. | Lot 1. | Lot 2. | |
| 19 days | 2.20 | 2.20 | *11.67 | | †13.01 | 14.80 | |
| 28 days | 6.79 | 6.79 | 22.54 | | | 38.21 | |
| 28 days | 7.50 | 7.50 | 22.47 | | | 41.74 | |
| 28 days | 7.50 | 7.50 | 20.89 | | | 45.00 | |
| 28 days | 8.00 | 8.00 | 20.39 | | | 44.80 | |

^{*}Fed two and one-half days. †Fed sixteen and one-half days.

The cotton-seed meal was fed first at the rate of 1 pound per animal daily, and increased gradually until the standard ration of 7.5 pounds per steer daily was reached. In both cases the cotton-seed meal was fed, mixed with the cotton-seed hulls and corn silage. The roughage feeds were placed in the troughs first, after which the meal was spread over them and mixed evenly and thoroughly. Special attention is called here to the necessity of mixing the cotton-seed meal and roughage feeds thoroughly. This will prevent some steers from getting more than their share of the meal, which may thus cause cotton-seed meal sickness or an uneven finish. Thorough mixing is an inducement for steers to eat all of their roughage, besides furnishing in each case a very desirable dilutent for the cotton-seed meal. Successful feeding of cotton-seed meal depends on two factors: First, the meal must be fed in small quantities in the beginning and gradually increased; second, it must be thoroughly mixed with coarse feeds such as those used in these experiments.







Fig. 5. The Condition of the Round and Rib of a Representative Steer Taken from Lot 1 at Beginning of Experiment.

Ration, Cotton-seed Meal and Cotton-seed Hulls.






Fig. 6. The Condition of the Round and Rib of a Representative Steer Taken from Lot 2 at Beginning of Experiment.

Ration, Cotton-seed Meal and Corn Silage.

DISCUSSION OF RESULTS.

In comparing the figures on the comparative profit per steer in each lot, it should be kept clearly in mind that only the cost of the steers, the cost of feed, and selling price are considered. The freight, labor, bed-




Fig. 7. The Condition of the Loin of a Representative Steer Taken from Lot 1 at Beginning of Experiment. Ration, Cotton-seed Meal and Cotton-seed Hulls.

ding, and manure are all eliminated from this discussion. Since this is a determination of the comparative cost, valuation, and profit of the finished steers, these items are all eliminated to avoid confusion. This is customary in experimental work of this kind. Even though these items




Fig. 8. The Condition of the Loin of a Representative Steer Taken from Lot 2 at Beginning of Experiment. Ration, Cotton-seed Meal and Corn Silage.

were included, the comparative results would be the same. However, the total profit per steer would be reduced. The final results in either case lead to the same conclusions.

In the financial statements all items of expense are included from the time the cattle were loaded in the mountains until they were loaded for shipment to the final consuming market. The only difference in these two statements, that is, the experimental data and the financial statement, is that the first is comparative and the second absolute. The experimental statements show what would result if a certain practice was followed on the farm, while the financial statements show what actually occurred in this particular experiment from a practical standpoint.

All of the fundamental data obtained during the experimental period are summarized in the following table. The value of the cattle at the beginning of the experiment was the same, while at the close there was a difference of 20 cents per cwt. affixed by three parties in close touch with market conditions. The initial weight of the cattle was practically the same, while there was a variation of only three-tenths of a pound in the average total gain per steer.

 $\begin{array}{c} {\rm Table} \; 3{\rm -\!SUMMARY} \; {\rm OF} \; {\rm COMPARATIVE} \; {\rm RESULTS} \; {\rm OBTAINED} \; {\rm FROM} \; {\rm FEEDING} \\ {\rm BEEF} \; {\rm CATTLE}. \end{array}$

| | | 913, to Februar sive—112 Days |
|---|--|---|
| | Lot 1— 24 Steers. | Lot 2— 24 Steers. |
| · | Cotton-seed Meal and Cotton-seed Hulls. | Cotton-seed Meal and Corn Silage. |
| Initial value per cwt | \$ 5.75 | \$ 5.75 |
| Average initial weight, pounds | 882.4 | 883.8 |
| Average final weight, pounds | 1,064.0 | 1,066.0 |
| Total gain per steer, pounds | 181.6 | 182.2 |
| Average daily gain per steer, pounds | 1.62 | 1.63 |
| Average Daily Feed Per Steer in Pou | INDS. | |
| Cotton-seed meal | 7.45 | 7.45 |
| Cotton-seed hulls | 21.95 | |
| Corn silage | | 42.46 |
| Average Amount of Feed Used Per Hundred 1 | Pounds Gain. | |
| Cotton-seed meal | 458.8 | 458.0 |
| Cotton-seed hulls | 1,352.2 | |
| Corn silage | | 2,611.4 |
| Cost of Feed, Valuation of Steers and | Рвогіт. | |
| Cost of feed per cwt. gain | \$ 11.43 | \$ 10.92 |
| Valuation of steers per cwt. | 7.50 | 7.70 |
| Profit per steer (comparative) | 8.29 | 11.36 |
| Profit per steer, all expenses included (per financial statement) | .64 | 3.72 |
| | | 2.19 |
| Average profit per steer, exclusive of manure. | - | W.10 |



Fig. 9. The Interior of a Slaughtered Carcass from Lot 1 at the Close of the Experiment.

Ration, Cotton-seed Meal and Cotton-seed Hulls.



Fig. 10. The Exterior of a Slaughtered Carcass from Lot 1 at the Close of the Experiment.

Ration, Cotton-seed Meal and Cotton-seed Hulls.

One important factor brought out was the relation between cotton-seed hulls and corn silage for steer feeding purposes. From the experiment it is shown that two pounds of corn silage will replace one pound of cotton-seed hulls. From these figures corn silage can be charged at \$4 per ton against steers when cotton-seed hulls sell at \$8 per ton, which was about the average price paid this year by most of the feeders in the State. Under these conditions the feeder would still have the advantage of getting the extra quality and finish obtained from the use of corn silage. A difference of 20 cents per cwt. would mean an approximate increased profit of \$50 per car on every load of steers fed. When cotton-seed hulls can be purchased for less than \$8 per ton these figures would be altered to the extent of the difference in the price of the hulls.

The cost per hundred pounds gain on the corn-silage-fed cattle was 51 cents less than on the cattle fed cotton-seed hulls. The difference in cost is not as great as ordinarily obtained in feeding steers under these conditions. The longer the feeding period in an experiment of this character usually the greater the difference in the average cost per hundred pounds gain. The profit per steer was \$3.07 more on the cattle fed corn silage than those fed cotton-seed hulls. The relative difference only should be considered in studying these latter figures, as freight, labor, and bedding are not charged against the cattle.

AVERAGE DAILY GAINS DURING EXPERIMENTAL PERIOD.

The following table shows the gains by months of the two lots of steers fed cotton-seed hulls and corn silage. The average of one of the three pens of corn-silage-fed cattle was very low the fourth month. This makes the average for the lot during the fourth month less than the average for the lot on cotton-seed hulls. This is an unusual condition. However, the fault was not with the entire lot of corn-silage-fed cattle. The two other pens in this lot made normal gains during the fourth month. The almost inappreciable gain of the one pen reduces the average to .17 pounds less than the average for the lot of cattle fed cotton-seed hulls. The average gain for the whole period of four months is slightly more for the corn-silage-fed steers.

 $T_{\rm ABLE}$ 4—AVERAGE DAILY GAIN PER STEER BY MONTHS DURING THE EXPERIMENTAL PERIOD.

| November 3, 1913, to February 22, 1914, Inclusive—Period of 112 Days. | Average Daily Gain per Steer. | | |
|---|----------------------------------|-------|--|
| | Lot 1. | Lot 2 | |
| First month | 1.86 | 1.73 | |
| econd month | 1.72 | 1.96 | |
| Third month | 1.82 | 1.90 | |
| Fourth month | 1.09 | .92 | |
| Average | 1.62 | 1.63 | |

Former experiments* show that if cattle are fed longer than four months under the conditions which existed in this experiment the cornsilage-fed cattle will continue to gain and increase in value for thirty to sixty days longer, while those fed cotton-seed hulls will decrease materially in gains at this stage, and consequently in market value. Market conditions, however, made it necessary to dispose of these cattle before the expiration of the full experimental period.

VALUATION OF CATTLE.

The entire number of cattle was sold for \$7.60 per cwt. at the farm, weighed up after twelve hours yarding from feed and water. The valuations placed on each lot of twenty-four cattle was \$7.50 per cwt. for the cotton-seed-hulls-fed cattle and \$7.70 per cwt. for the corn-silage-fed



Fig. 11. The Condition of the Rib Cut Taken from a Steer in Lot 1 at Close of Experiment.
Ration, Cotton-seed Meal and Cotton-seed Hulls.

cattle. This difference was clearly apparent to all parties who saw them. The difference in price was established by three parties in close touch with market conditions.

The corn-silage-fed eattle were in better condition at the time they were sold, having a thicker, smoother, and more uniform distribution of fat. All outward indications of condition showed the corn-silage-fed

^{*}N. C. Exp. Sta. Bulletins, 218-222.

cattle to be in much better market condition. The cotton-seed-hulls-fed cattle did not show the sleek, smooth condition of skin and hair characteristic of well-finished animals. The supposition that cattle fed corn silage shrink abnormally in transit was not borne out by the data obtained on these steers. While the cattle were not divided in the cars the same as they were fed in the pens, the average net shrink was only 45 pounds per head between Statesville, N. C., and Richmond, Va. Considering that they were on the road sixty hours, a lighter shrink would not have been anticipated even on cattle fed entirely on dry roughage feed.

COMPARATIVE FINISH OBTAINED.

At the time these cattle were placed on feed one representative steer was taken from each lot and slaughtered to determine the condition of the animals. This was for the purpose of getting photographs and also for making a study of the admixture of flesh and fat. The condition of these two animals in this respect is brought out in the table descriptions and photographs of the cuts herein shown.

INITIAL AND FINAL SLAUGHTER DATA.

The two representative steers used to determine the initial slaughtered condition of the two lots of cattle weighed 1,820 pounds after a drive of 17 miles to Asheville, N. C., where they were slaughtered. After arriving at Asheville, Steer 1 weighed 820 pounds and Steer 2 weighed 890 pounds, or a total of 1,710 pounds. This showed a total shrink of 110 pounds from the farm to the slaughter-pens.

Steer 1 was blocky and in average condition of flesh. The animal was reasonably representative of the steers in Lot 1 fed cotton-seed meal and cotton-seed hulls. Steer 2 was somewhat more rangy, with less condition than Steer 1. This favored condition, however, is always provided in an experiment where it is necessary to deal with comparisons. While an average of these dressing percentages was used, the steer representing the cotton-seed-hulls-fed cattle had the advantage in the beginning over the one representing the corn-silage-fed cattle.

These two steers were slaughtered on November 8, the day following their arrival at the slaughter-house. This was five days later than the inauguration of the experimental work at the State Test Farm. dressing percentages are based on the live weights taken the same morning the steers were slaughtered. Before slaughtering, the judges of these animals made a difference of one-fourth of a cent per pound in favor of After slaughtering, however, there was a greater difference than anticipated, owing to the greater amount of outside and internal fat on Steer 1. The meat of both steers had a bright red color and a good texture. However, Steer 1 was considered to be worth one-half cent per pound more live weight than Steer 2, owing largely to the amount and condition of the fat covering.

The finished cattle when judged alive in the feed lots just prior to shipment showed the corn-silage-fed steers to be fully 20 cents per hundred better than the cotton-seed-hulls-fed steers. This was borne out by the examination made at Jersey City, N. J., where one car-load of the cattle was slaughtered. The other load of steers was sold to local butchers in Richmond, Va., so that accurate slaughter data could not be obtained. The corn-silage-fed cattle were thicker and more uniformly covered than those fed cotton-seed hulls. The illustrations show a more uniform distribution of fat, both on the interior and exterior of the sides. The outside fat is thicker, and there is a better marbled condition.

Table 5—DRESSING PERCENTAGE OF STEERS AT BEGINNING AND ENDING OF EXPERIMENT.

| | Lot 1—Cotte | on-seed-hull | s-fed Cattle. | Lot 2—Corn-silage-fed Cattle. | | | |
|--|-----------------|--------------------|------------------------------------|-------------------------------|--------------------|------------------------------------|--|
| | Live Weight. | Dressed Weight. | Average Dressing Percentage. | Live Weight. | Dressed Weight. | Average Dressing Percentage. | |
| Average dressing percentage of two steers at beginning of experiment | 850 800 | 435 427 | 52.24 | 800 850 | 427 435 | 52.24 | |
| of steers in each lot at close of experiment | 33,310 | 18,164 | 54.53 | 12,700 | 7,164 | 56.41 | |

The average dressing percentage of the twelve cattle fed on cotton-seed hulls was taken with nineteen other steers with which they were shipped from Richmond to Jersey City. These steers were of practically the same grade and quality as the twelve steers with which they were sold and weighed. The twelve steers fed on corn silage were weighed together alive, and when dressed, so that the average dressing percentage given is exact for this lot.

COMPARATIVE PRICES RETURNED FOR FEEDS USED.

It is interesting and instructive information to know the prices returned for certain feedstuffs when marketed through farm animals. The following table shows the prices obtained in this work when feeds are charged at varying prices. The figures written in italics indicate the market prices charged in this work and the prices returned for supplementary feeds under these conditions.

In other sections of the State where the prices of feeds vary somewhat these figures will enable the reader to approximate the results which could be obtained in cattle feeding. In all cases the feeds returned more than their estimated market value. Charging cotton-seed hulls at \$7.50 per ton, the cotton-seed meal returned \$30.34 for each ton fed. When



Fig. 12. The Interior of a Slaughtered Carcass from Lot 2 at Close of Experiment.

Ration, Cotton-seed Meal and Corn Silage.



Fig. 13. The Exterior of a Slaughtered Carcass from Lot 2 at Close of Experiment.
Ration, Cotton-seed Meal and Corn Silage.

cotton-seed meal was charged at \$27.75 per ton, the cotton-seed hulls returned \$8.38 per ton. When corn silage was charged at \$3.50 per ton, the cotton-seed meal returned \$37.71 per ton. Likewise when the cotton-seed meal was charged at \$27.75 per ton, the corn silage returned \$5.25 per ton. All of these figures are exclusive of the manurial value of the feeds.

Table 6—COMPARATIVE PRICES RETURNED FOR EACH TON OF THE VARIOUS FEEDS USED WHEN MARKETED THROUGH STEERS,


| | | Market Price of Feed Per Ton. | Price Returned for Each Ton of Feed. |
|--------|---|---|--|
| | Price returned for each ton of cotton-seed meal when fed with cotton-seed hulls at different market prices. | Cotton-seed hulls— \$ 6.00 7.50 9.00 | Cotton-seed meal— \$ 34.76 \$0.34 29.92 |
| Lot 1. | Price returned for each ton of cotton-seed hulls when fed with cotton-seed meal at different prices. | Cotton-seed meal— 25.00 27.75 30.00 | Cotton-seed hulls— 9.31 8.38 7.61 |
| ot 2. | Price returned for each ton of cotton-seed meal when fed with corn silage at different prices. | Corn silage— 3.00 \$,50 4.00 | Cotton-seed meal—40.56 \$7.71 34.86 |
| Lot 2. | Price returned for each ton of corn silage when fed with cotton-seed meal at different prices. | Cotton-seed meal— 25.00 27.75 30.00 | Corn silage— 5.73 5.25 4.85 |

APPLICATION OF RESULTS.

The results of an experiment of this nature are of great importance to the farmer who expects to cater to a discriminating market. Feeders who handle native cattle, or feed in less than car-load lots, cannot use corn silage as economically as the type of feeder formerly described. This is largely because local markets will not pay for extra quality and finish such as that obtained with corn silage.

Where good, thrifty, high-grade steers are fed, such as those for which a premium is paid on a central market, corn silage from the results of this and other experiments can be used with economy and profit.* This experiment, in conjunction with a number of others carried on by the writers, shows that corn silage is the best supplementary feed to use with cotton-seed meal. The reasons why are explained elsewhere in detail in this bulletin.

^{*}N. C. Exp. Sta. Bulletins, 218-222.






Fig. 14. The Condition of the Rib Cuts Taken from a Steer in Lot 2 at the Close of Experiment.

Ration, Cotton-seed Meal and Corn Silage.

All cattle feeders in the State have access to the best eastern markets, either through buyers or direct shipments. The results of this experiment show that cattle fed a straight cotton-seed meal and hulls ration will not command a premium like those fed cotton-seed meal and corn silage. Steers which are short-fed from ninety to one hundred and twenty days and marketed locally can be fed satisfactorily on a straight cotton-seed meal and hulls ration. The addition of corn silage even during this short period, however, would give more finish than otherwise. The economy of this practice would depend entirely on the relative market value of cotton-seed hulls and corn silage. If cotton-seed hulls are high in price and corn silage is available, it would likely be economy to use corn silage, at least for part of the roughage ration. If cotton-seed hulls are low in price, it would not be economy to use corn silage unless the cattle were to be long-fed and sold on a discriminating market. Otherwise a straight cotton-seed meal and hulls ration would be more practical. These are factors which depend entirely on the kind of cattle used, the length of the feeding period, the relative cost of the roughage feeds and the place where the cattle are marketed.

FINANCIAL STATEMENTS.

The financial statements given herein are furnished entirely for the benefit of the farmer or practical feeder. This data has no relation whatever to the comparative results recorded formerly in the bulletin. These statements following include all items of expense which would naturally be incurred by the practical cattle feeder. Special attention has been given to these statements to bring out in detail the difference between cotton-seed hulls and corn silage for feeding solely with cotton-seed meal. The market value of corn silage is figured at three prices to suit all conditions in the State.

The advisability of using corn silage exclusively with cotton-seed meal has not been fully established. The writers have in mind some extensive experiments to determine the feasibility of feeding cotton-seed hulls with the cotton-seed meal for ninety to one hundred days, after which corn silage will be substituted wholly or in part for the cotton-seed hulls. This is based on the fact that cotton-seed hulls and corn silage will give about the same results for the period above mentioned. After this, however, the corn silage begins to show a decided value. As far as the results herein reported are concerned, the value of corn silage as a sole roughage feed during the entire feeding period is clear.

FINANCIAL STATEMENT.

Lot 1-24 Steers, Fed Cotton-seed Meal and Cotton-seed Hulls.

Cotton-seed Hulls Figured at Standard Price of \$7.50 Per Ton.

| Expenditures: To 24 steers, 22,058.5 pounds, @ \$5.75 per cwt | \$ 1,268.36 33.00 |
|--|---|
| Feed eaten during preliminary period, October 15 to November 2, 1913, inclusive. | |
| To 1,004 pounds cotton-seed meal @ \$27.75 per ton | 13.93 1.57 10.55 3.65 |
| Feed eaten during experimental period, November 3, 1913, to February 22, 1914, inclusive. | |
| To 20,016 pounds cotton-seed meal @ \$27.75 per ton | 277.72 221.23 |
| Feed eaten after close of experiment, February 23 to 25, 1914, inclusive. | |
| To 112.5 pounds cotton-seed meal @ \$27.75 per ton 405 pounds cotton-seed hulls @ \$7.50 per ton 1,620 pounds corn silage @ \$3.50 per ton. 720 pounds crab-grass hay @ \$10.00 per ton. 25 pounds wheat bran* @ \$32.00 per ton. bedding material. 200 hours labor @ 10c. per hour. | 1.56 1.52 2.84 3.60 .40 40.00 20.00 |
| Total expenditures | \$ 1,899.93 |
| Receipts: | |
| By 24 steers, 25,540 pounds, @ \$7.50 per cwt. Total profit Profit per steer By 92.63 tons manure @ \$2.50 per ton Total profit, including manure Average profit per steer, including manure | 1,915.50 15.57 .64 231.57 247.14 10.29 |

^{*}Fed through error.

FINANCIAL STATEMENT.

Lot 2-24 Steers, Fed Cotton-seed Meal and Corn Silage.

| Corn Silage Valued at Various Prices Per Ton. | Valnat | ion of Cor Per Ton. | n Silage |
|--|------------------|------------------------|----------------------|
| | \$3.00. | \$3.50. | \$4.00. |
| Expenditures: | | | |
| To 24 steers, 22,091.5 pounds, @ 55.75 per cwt " freight on above—Clyde to Statesville | | \$1,270.26 33.00 | \$ 1,270.26 33.00 |
| Feed eaten during preliminary period, October 15 to November 2, 1913, inclusive. | | | |
| To 1,004 pounds cotton-seed meal @ \$27.75 per ton | 13.93 | 13,93 | 13.93 |
| " 420 pounds cotton-seed hulls @ \$7.50 per ton | 1.57 | 1.57 | 1.57 |
| " 6,027 pounds corn silage | 9.04 | 10.55 | 12.05 |
| " 1,458 pounds rye straw @ \$5.00 per ton | 3.65 | 3.65 | 3.65 |
| Feed eaten during experimental period, November 3, 1913, to February 22, 1914, inclusive. | | | |
| To 20,016 pounds cotton-seed meal @ \$27.75 per ton | 277.72 | 277.72 | 277.72 |
| " 114,120 pounds corn silage | 171.15 | 199.71 | 228.24 |
| Feed eaten after close of experiment, February 23 to 25, 1914, inclusive. | | | |
| To 112.5 pounds cotton-seed meal @ \$27.75 per ton | 1.56 | 1.56 | 1.56 |
| " 405 pounds cotton-seed hulls @ \$7.50 per ton | 1.52 | 1.52 | 1.52 |
| " 1,620 pounds corn silage | 2.43 | 2.84 | 3.24 |
| " 720 pounds crab-grass hay @ \$10.00 per ton | 3.60 | 3.60 | 3.60 |
| " 25 pounds wheat bran* @ \$32.00 per ton | .40 | .40 | ,40 |
| " bedding material | 40.00 | | 40.00 |
| " 200 hours labor @ 10c. per hour | 20.00 | 20.00 | 20.00 |
| Total expenditures | \$1,849.86 | \$1,880.31 | \$ 1,910.74 |
| RECEIPTS: | | | |
| By 24 steers, 25,580 pounds, @ \$7.70 per cwt | | 1,969.66 | 1,969.66 |
| Total profit | 119.80 | 89.35 | 58.92 |
| Profit per steer | 4.99 | 3.72 231.57 | 2.43 231.57 |
| Total profit, including manure | 231.57 351.37 | 320.92 | 290.49 |
| Average profit per steer, including manure | | 13.37 | 12.10 |
| Average Profit on 48 Steers. | | | |
| Total profit | 135.37 | 104.92 | 74.49 |
| Average profit per steer | 2.82 | 2.19 | 1.55 |
| | | | |
| Total profit, including manure. | 598.51 | 568.06 | 537.63 |

^{*}Fed through error.









OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE

RALEIGH

Vol. 35, No. 9.

SEPTEMBER, 1914

Whole No. 200



Red Clover Field Overrun by Wild Carrots,

REPORT OF SEED TESTS FOR 1914

PUBLISHED MONTHLY AND SENT FREE TO CITIZENS ON APPLICATION Entered at the Postoffice at Raleigh, N. C., as second class matter,

February 7, 1901, under Act of June 6, 1900.

STATE BOARD OF AGRICULTURE

W. A. GRAHAM, Commissioner, ex officio Chairman, Raleigh.

| , | | |
|-----------------|---------------|--------------------|
| F. P. LATHAM | . Belliaven | First District. |
| K. W. BARNES | . Lucama | Second District. |
| R. L. WOODARD | Pamlico | . Third District. |
| CLARENCE POE | Raleigh | Fourth District. |
| R. W. Scott | Haw River | Fifth District. |
| A. T. McCallum | Red Springs | Sixth District. |
| C. C. Wright | Hunting Creek | Seventh District. |
| WILLIAM BLEDSOE | . Gale | . Eighth District. |
| W. J. Shuford | Hickory | Ninth District. |
| A. CANNON | | |

OFFICERS AND STAFF

| W. A. GRAHAMCommissioner. |
|--|
| |
| W. A. GRATIAMCommissioner. |
| ELIAS CARR Secretary and Purchasing Agent. |
| Miss Sarah D. Jones. Bookkeeper. |
| MISS SARAH D. JONESBookkeeper. |
| D. G. CONNBulletin Superintendent. |
| D. G. Delletin Buperintendent. |
| B. W. KILGORE State Chemist. Director Test Farms. |
| J. M. Pickel |
| Technist. |
| W. G. HAYWOODFertilizer Chemist. |
| J. Q. JACKSOX |
| g. Q. Jackson Assistant Chemist. |
| E. S. Dewar |
| D T T |
| E. B. Hart |
| J. R. Mullen |
| The state of the s |
| R. W. Collett Assistant Director Test Farms. |
| H. H. BRIMLEY Curator of Museum. |
| in the Breather |
| T. W. Adickes |
| EDANKIIN CHEDNAY IN |
| FRANKLIN SHERMAN, JR. Entomologist. |
| C. L. Aletcale Assistant Entomologist |
| S. C. CLAPP Assistant Entomologist in Field Work. |
| S. C. CLAPP Assistant Entomologist in Field Work. |
| B. B. FLOWE |
| TT D Transfer of the state of t |
| H. P. Flowe Assistant Veterinarian. |
| C. E. Kord |
| Triving |
| W. N. HUTT |
| S. B. Shaw |
| assistant florificulturist. |
| R. G. Hill |
| T. B. PARKER Director of Farmers' Institutes. |
| T. D. TARKER |
| MISS CARRIE HUDGINS Assistant to Director of Farmers' Institutes. |
| R. L. SLOAN |
| it. E. Sloak Assistant to Director of Farmers Institutes. |
| W. M. ALLENPure Food Chemist. |
| E. W. THORNTON |
| E. W. THORNTON |
| |
| C. E. BELL Assistant Pure Food Chemist |
| C. E. Bell |
| J. K. Plummer |
| J. K. Plummer |
| J. K. Plummer. Soil Chemist. W. F. Pate. Agronomist in Soils. |
| J. K. Plummer. Soil Chemist. W. F. Pare. Agronomist in Soils. R. Y. Winners. Plant Procling |
| J. K. Plummer. Soil Chemist. W. F. Pare. Agronomist in Soils. R. Y. Winners. Plant Procling |
| J. K. Plummer. Soil Chemist. W. F. Pate. Agronomist in Soils. R. Y. Winters. Plant Breeding. G. M. Garren. Assistant Agronomist in Crops. |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent. Soil Survey |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent. Soil Survey |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winners Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winners Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winners Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perrins Soil Survey R. C. Jurney Soil Survey Soil Survey Soil Survey |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winyers Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winyers Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winners Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey P. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winyers Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Junney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist Will Mandron Assistant Vergonomist and Botanist |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winyers Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Junney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist Will Mandron Assistant Vergonomist and Botanist |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Junney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant Agronomist and Botunist C. H. Waldron Assistant Agronomist and Botunist Miss Louise A. Rademacher Assistant agronomist and Botunist |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Junney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant Agronomist and Botunist C. H. Waldron Assistant Agronomist and Botunist Miss Louise A. Rademacher Assistant agronomist and Botunist |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winners Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perrins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant Agronomist and Botanist C. H. Waldbron Assistant Agronomist and Botanist Miss Louise A. Rademacher Assistant to Botanist DAN T. GRAY Chief in Animal Industry |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perrins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist C. H. Waldron Assistant Agronomist and Botanist Miss Louise A. Rademacher Assistant to Botanist DAN T. GRAY Chief in Animal Industry W. H. Latton Daint Experimenter |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perrins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist C. H. Waldron Assistant Agronomist and Botanist Miss Louise A. Rademacher Assistant to Botanist DAN T. GRAY Chief in Animal Industry W. H. Latton Daint Experimenter |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist C. H. Waldron Assistant Agronomist and Botunist Miss Loutse A. Rademacher Assistant to Botanist DAN T. Gray Chief in Animal Industry W. H. Eaton Dairy Experimenter Javin J. Reed Dairy Experimenter |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winners Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perrins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist Miss Louise A. Rademacher Assistant to Botanist Miss Louise A. Rademacher Assistant to Botanist DAN T. GRAY Chief in Animal Industry W. H. Eaton Dairy Experimenter FAUVIN J. Reed Dairy Farming STANLEY COMES Assistant in Dairy Farming |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winners Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perrins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist Miss Louise A. Rademacher Assistant to Botanist Miss Louise A. Rademacher Assistant to Botanist DAN T. GRAY Chief in Animal Industry W. H. Eaton Dairy Experimenter FAUVIN J. Reed Dairy Farming STANLEY COMES Assistant in Dairy Farming |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist C. H. Waldron Assistant Agronomist and Botanist C. H. Waldron Assistant agronomist and Botanist DAN T. GRAY Chief in Animal Industry W. H. Eaton Dairy Experimenter Aburly J. Reed Dairy Experimenter State Soil Survey Dairy Farming State Soil Agent, Soil Survey State Soil Survey J. Dairy Dairy Dairy Farming State Soil Agent, Soil Survey Tobacco Investigations |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winyers Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist C. H. Waldron Assistant Agronomist and Botunist Miss Louise A. Rademacher Assistant to Botanist DAN T. GRAY Chief in Animal Industry W. H. Eaton Dairy Experimenter †Auvin J. Reed Dairy Farming Stanley Combs Assistant in Dairy Farming ‡E. H. Mathewson Tobacco Investigations £C. R. Ruddon Farm Demonstration Work |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winyers Plant Breeding G. M. Garren Assistant Agronomist in Crops *W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist C. H. Waldron Assistant Agronomist and Botunist Miss Louise A. Rademacher Assistant to Botanist DAN T. GRAY Chief in Animal Industry W. H. Eaton Dairy Experimenter †Auvin J. Reed Dairy Farming Stanley Combs Assistant in Dairy Farming ‡E. H. Mathewson Tobacco Investigations £C. R. Ruddon Farm Demonstration Work |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perrins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant Agronomist and Botanist C. H. Waldron Assistant Agronomist and Botunist DAN T. GRAY Chief in Animal Industry W. H. Eaton Dairy Experimenter †ALVIN J. REED Dairy Farming STANLEY COMDS Assistant in Dairy Farming E. H. Mathewson Tobacco Investigations E. R. ROSON Farm Demonstration Work TT. E. Browne Assistant in Charge of Roys' Clubs |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist C. H. Waldron Assistant Agronomist and Botunist Miss Louise A. Rademacher Assistant to Botanist DAN T. Gray Chief in Animal Industry W. H. Eaton Dairy Experimenter Aburly J. Reed Dairy Experimenter Alley Combs Assistant in Dairy Farming ‡E. H. Mathewson Tobacco Investigations ‡C. R. Hedden Assistant in Charge of Boys' Clubs ‡A. K. Robertson Assistant in Roys' Clubs |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist C. H. Waldron Assistant Agronomist and Botunist Miss Louise A. Rademacher Assistant to Botanist DAN T. Gray Chief in Animal Industry W. H. Eaton Dairy Experimenter Aburly J. Reed Dairy Experimenter Alley Combs Assistant in Dairy Farming ‡E. H. Mathewson Tobacco Investigations ‡C. R. Hedden Assistant in Charge of Boys' Clubs ‡A. K. Robertson Assistant in Roys' Clubs |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey R. C. Jurney Soil Survey L. L. Burgess Agronomist and Botanist MISS S. D. Allen Assistant Agronomist and Botanist C. H. Waldron Assistant Agronomist and Botanist DAN T. GRAY Chief in Animal Industry W. H. Eaton Dairy Experimenter JAVIN J. Reed Dairy Experimenter STANLEY COMDS Assistant in Dairy Farming STANLEY COMDS Assistant in Dairy Farming E. H. Mathewson Tobacco Investigations E. R. HUDSON Farm Demonstration Work T. E. Browne Assistant in Charge of Boys' Clubs TAMES JANE S. McKimmon Assistant in Charge of Girls' Clubs |
| J. K. Plummer Soil Chemist W. F. Pate Agronomist in Soils R. Y. Winters Plant Breeding G. M. Garren Assistant Agronomist in Crops W. E. Hearn State Soil Agent, Soil Survey L. L. Brinkley Soil Survey S. O. Perkins Soil Survey R. C. Jurney Soil Survey J. L. Burgess Agronomist and Botanist Miss S. D. Allen Assistant to Botanist C. H. Waldron Assistant Agronomist and Botunist Miss Louise A. Rademacher Assistant to Botanist DAN T. Gray Chief in Animal Industry W. H. Eaton Dairy Experimenter Aburly J. Reed Dairy Experimenter Alley Combs Assistant in Dairy Farming ‡E. H. Mathewson Tobacco Investigations ‡C. R. Hedden Assistant in Charge of Boys' Clubs ‡A. K. Robertson Assistant in Roys' Clubs |

F. N. McDowell. Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferres, Assistant Director Pender Test Farm, Willard, N. C. F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture. †Assigned by the Bureau of Animal Ilusbandry, United States Department of Agriculture. ‡In cooperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL.

Raleigh, August 1, 1914.

Hon. W. A. Graham, Commissioner of Agriculture, Raleigh, N. C.

Sir:—I have the honor to submit herewith the report on the recleaning, analysis, and germination of the agricultural and vegetable seed samples collected and analyzed in accordance with the North Carolina Pure Seed Act; also, samples submitted by interested individuals, from July 15, 1913, to July 15, 1914, and recommend its publication as the September Bulletin of the Division of Agronomy and Botany of this Department.

Respectfully submitted,

J. L. Burgess,

Approved for printing:

W. A. Graham.

1. Burgers,

Agronomist and Botanist.

Commissioner of Agriculture.

REPORT OF THE DIVISION OF AGRONOMY AND BOTANY FOR 1914

By James L. Burgess, Agronomist and Botanist in Charge.

GENERAL REMARKS.

According to the provisions of the North Carolina Pure Seed Act, seed samples have been collected and analyzed since the act went into effect, July 1, 1909. The present publication is the fourth report of seed tests made by this Department, and includes all samples received from July 15, 1913, to July 15, 1914. During that time 1,773 samples in all have been tested; total agricultural seed samples 955, samples from inspectors 727, samples from individuals 228. Total samples for purity was 872, total samples for germination was 948. Germination tests were made of \$18 samples of vegetable seeds. Also 123 samples of tobacco seed were received and cleaned for farmers of the State.

The volume of work in the Seed Laboratory in the handling of agricultural and vegetable seeds, has almost doubled within the past year, as the following tables will show.

TABLE No. 1.

TOTAL NUMBER OF SAMPLES OF AGRICULTURAL SEEDS RECEIVED.

| | | | | | 1913 | 1914 |
|-----------------------|-------|-----|--|------|--------------|------|
| Alfalfa | | | | | 10 | 28 |
| Barley | | | | | 3 | 3 |
| Beans, Soja | | | | | 1 | 4 |
| Beans, Velvet | | | | | \mathbf{s} | 1 |
| Grass, Kentucky Blue. | | | | | 19 | 34 |
| Chufas | | | | | 2 | |
| Clover, Alsike. | | | | | 2 | 12 |
| Clover, Burr | | | | | 1 | 1 |
| Clover, Crimson | | | | | 66 | 131 |
| Clover, Red | | | | | 51 | 98 |
| Clover, Sweet | | | | | 1 | 3 |
| Field Corn | | | | | 73 | 28 |
| Cow Peas | | . ! | | | 14 | 1 |
| Meadow Fescue. | | | | | 1 | 2 |
| Italian Rye Grass | . * . | | | | 1 | 7 |
| Orchard Grass | | | | | 9 | 51 |
| Tall Meadow Oat Grass | | | | | 2 | 14 |
| German Millet | | | | | 12 | 14 |
| Pearl Millet | | | | | 11 | 6 |

TABLE NO. 1—CONTINUED.

| | | 1914 |
|-------------------|-------|------|
| | | |
| Oats | . 142 | 233 |
| Canada Field Peas | . 2 | 2 |
| Rape | . 9 | 49 |
| Red Top. | . 8 | 37 |
| Rye | _ 53 | 64 |
| Timothy | . 12 | 33 |
| Winter Vetch | . 6 | 41 |
| Wheat | . 6 | 26 |

TABLE No 2.

Total Number of Samples of Vegetable Seeds Received.

| Wholesale Dealer | 1913 | 1914 |
|---------------------------------------|------|------|
| W. W. Barnard Co., Chicago, Ill. | 3 | 9 |
| J. Bolgiano & Son, Baltimore, Md. | 3 | 2 |
| Robert Buist Co., Philadelphia, Pa. | 14 | 63 |
| Crosman Bros. Co., Rochester, N. Y. | | 113 |
| Diggs & Beadles, Richmond, Va | 1 | 5 |
| D. M. Ferry & Co., Detroit, Mich. | 64 | 233 |
| Lake Shore Seed Co., Dunkirk, N. Y | 30 | 95 |
| D. Landreth Seed Co., Bristol, Pa. | 18 | 54 |
| Leonard Seed Co., Chicago, Ill. | 2 | 27 |
| L. L. May & Co., St. Paul, Minn. | 7 | 18 |
| J. B. Rice Seed Co., Cambridge, N. Y. | 10 | 73 |
| T. W. Wood & Sons, Richmond, Va. | 14 | 84 |

SEED SHOULD BE TESTED AND THE VALUE KNOWN BEFORE PURCHASING.

The wisdom of having seed tested and of knowing the actual cost and value of the seed to be planted may be illustrated by the following data. These samples were tested in the laboratory, and are fairly typical of the different grades of seed offered on the market at the same price.

TABLE No. 3.

| Laboratory Number | Kind of Seed | Retail Price | Actual Cost | Actual Value |
|----------------------|------------------------------------|---------------|------------------|-----------------|
| 1388 | Crimson Clover | | \$0.16 per pound | 95 per cent. |
| 2232 | Crimson Clover | .15 per pound | 1.30 per pound | 11 per cent. |
| 1427 | Red Clover | .20 per pound | .21 per pound | 96 per cent. |
| 1409 | (No Dodder.) Red Clover. | .20 per pound | .30 per pound | 48 per cent. |
| 2108 | (Dodder present.) Orehard Grass | .20 per pound | .22 per pound | 73 per cent. |
| 2024 | Orchard Grass | .20 per pound | .56 per pound | 25 per cent. |
| 1534 | Redtop | .20 per pound | .22 per pound | 87 per cent. |
| 2157 | Redtop | .20 per pound | .32 per pound | 37 per cent. |
| | | | | |

WEED SEEDS.

The three kinds of weed seeds of most frequent occurrence in the principal kinds of agricultural seeds tested are given below, the one found most frequently being listed first:

Alfalfa—Buckhorn, Green Foxtail, Lamb's Quarters.

Bluegrass, Kentucky—Field Sorrel, Buckhorn, Large Mouse-ear Chickweed.

Clover, Crimson—Black or Hop Medic, Wild Mustard, Slender Foxtail.

Clover Red—Buckhorn, Curled Dock, Green Foxtail.

Clover, White—Field Sorrel, Black or Hop Medic, Large Mouse-ear Chickweed.

Grass, Orchard—Field Sorrel, Buckhorn, Cheat.

Outs—Cheat, Corn Cockle, Darnel.

Redtop—Yarrow, Rugel's Plaintain, Woolly Panicum.

Out of 51 samples of Red Clover seed tested, Dodder was found to occur in 21 samples, and in no samples of Alfalfa out of 8 samples tested.

According to section 5 of the North Carolina Seed Act, the occurrence of the following weed seeds in agricultural seeds to be used for planting is considered unlawful: Wild Onion or Garlie (Allium vincale L. and A. Canadense L.), Wild Mustard (Brassica arrensis (L.) Ktz.), Couch-grass (Agropyron repens (L) Beauv.) Canada Thistle (Carduus arvensis (L.) Robs.), Wild Oat (Arena fatua L.), Clover Dodder (Cuscuta Epithymum Murr), Corn Cockle (Agrostemma Githago L.), Cheat (Bromus secalinus L.), Dog Fennel (Eupatorium capillifolium (Lam.) Small.), Wild Carrot (Daucus Carota L.).

TABLE No. 4.

Showing the Fifty Weed Seeds of Most Common Occurrence, Found in All of the Samples Tested for Purity.

(872 Samples Examined.)

| | Scientific Name | Common Name | Found in |
|----|--------------------------|----------------------------|-----------------------------|
| 1 | Rumex crispus | Curled Dock | 178 samples |
| 2 | Rumex acetosella | Field Sorrel. | 168 samples |
| 3 | Medicago lupulina | Black Medic | 133 samples |
| 4 | Plantago lanceolata | Buckhorn | 110 samples |
| 5 | Plantago Rugelii | Rugel's Plantain | 102 samples |
| 6 | Bromus secalinus | Chess | 99 samples |
| 7 | Chætochloa viridis | Green Foxtail | 98 samples |
| 8 | Alopecurus agrestis | Slender Foxtail | 95 samples |
| 9 | Brassica arvensis | Wild Mustard | 78 samples |
| 10 | Chætochloa glauca | Yellow Foxtail | 66 samples |
| 11 | Lychnis alba | White Campion | 59 samples |
| 12 | Potentilla Monspeliensis | Rough Cinquefoil | 56 samples |
| 13 | Geranium dissectum | Cut-leaved Cranesbill | 53 samples |
| 14 | Chenopodium album | Lamb's Quarters | 49 samples |
| 15 | Cerastium vulgatum | Larger Mouse-ear Chiekweed | 49 samples |
| 16 | Carex spp | Sedges | 46 samples |
| 17 | Achillea Millefolium | Yarrow | 44 samples |
| 18 | Sherardia arvensis | Blue Field-madder | 42 samples |
| 19 | Vicia hirsuta | Hairy Tare | 41 samples |
| 20 | Holcus lanatus | Velvet Grass | 40 samples |
| 21 | Agrostemma Githago | Corn Cockle | 39 samples |
| 22 | Juneus spp | Rushes | 38 samples |
| 23 | Galium Aparine | Cleavers | 37 samples |
| 24 | Lolium temulentum | Darnel | 37 samples |
| 25 | Polygonum Convolvulus | Black Bindweed | 32 samples |
| 26 | Ambrosia artemisiaefolia | Ragweed | 31 samples |
| 27 | Bromus hordeaceus | Soft Chess | 31 samples |
| 28 | Bromus racemosus | Upright Chess | 29 samples |
| 29 | Festuca myuros | Rat's-tail Fescue Grass | 29 samples |
| 30 | Lepidium apetalum | Apetalous Peppergrass | 28 samples |
| 31 | Polygonum Persicaria | Lady's Thumb | $28 \ {\rm sample \dot{s}}$ |
| 32 | Lepidium virginicum | Wild Peppergrass | $26 { m \ samples}$ |
| 33 | Koellia flexuosa | Mountain Mint | 26 samples |
| 34 | Syntherisma sanguinalis | Large Crab-grass | 24 samples |
| 35 | Silene antirrhina | | 23 samples |
| 36 | Vicia sativa | Spring Vetch | 23 samples |

TABLE NO. 4-CONTINUED.

| | Scientific Name | Common Name | Found in |
|----|----------------------|-------------------------|------------|
| 37 | Carex cephalophora | Oval-headed Sedge | 22 samples |
| 38 | Panicum capillare | Witch-grass | 22 samples |
| 39 | Valerianella sp | Corn Salad | 21 samples |
| 40 | Syntherisma linearis | Small Crab-grass | 20 samples |
| 41 | Veronica arvensis | Corn Speedwell | 20 samples |
| 42 | Bursa Bursa-pastoris | Shepherd's Purse | 19 samples |
| 43 | Daucus carota | Wild Carrot | 18 samples |
| 44 | Panicularia nervata | Nerved Manna-grass | 18 samples |
| 45 | Plantago aristata | Large-bracted Plantain. | 16 samples |
| 46 | Conringia orientalis | Hare's-ear Mustard | 16 samples |
| 47 | Prunella vulgaris | Heal-all. | 16 samples |
| 48 | Allium vineale | Wild Onion | 15 samples |
| 49 | Lithospermum arvense | Corn Gromwell | 15 samples |
| 50 | | Kidney Vetch. | 15 samples |
| | | | |

CLEANING TOBACCO SEED.

Two years ago this Division began a new line of work, that of cleaning tobacco seed for farmers of the State. Most gratifying reports have been received from persons for whom seed was cleaned. The following shows the trend of opinion among the tobacco farmers in regard to this new line of work:

"The tobacco seed I had cleaned by the Department of Agriculture last year I gave to one hundred and twenty-five farmers, and find them all pleased with the secd. I want to say that I find a great difference in the results where seeds are cleaned.

"First. I get stronger plants on beds, and have no small, inferior plants. "Second. The tobacco lives better; not having to replant, grows evenly, not having any late, inferior tobacco to contend with.

"Third. It matures uniformly, making the housing of the crop easier. "Fourth. I get a better grade of tobacco, heavier and more uniform.

"Fifth. Better plants, regular growth, uniform maturity, heavier crops, and better pieces I find to be the result of cleaned seed, with which I am much pleased. I am sending you today my seed for this year to be cleaned."

From a very small beginning this work has grown till during the past year we recleaned and returned to the tobacco farmers enough seed to plant over 43,000 acres of tobacco. The farmers are thus appreciating the importance of clean seed for the tobacco crop as well as for other crops.

The planting of clean seed of high vitality is of such importance that it is hoped the tobacco farmers of the State will take advantage of the opportunity the Department offers and have all of their seed cleaned. This work can be done more efficiently by the Department than by the farmers, as the Seed Laboratory has special apparatus for doing this work. Several times the quantity of seed desired for sowing should be

sent to insure a sufficient quantity of cleaned seed. The seed should be sent some time before it is wanted. The Department makes no charge for cleaning tobacco seed.

How to Send Seed Samples for Testing.

Of the smaller seed, such as the grasses and clovers, about three or four tablespoonfuls is a sufficient amount to send for testing. Of the larger seeds, as corn and oats, about a cupful is necessary. The following information should accompany all samples: Name and address of wholesale and retail dealer, retail price, and name and address of sender. Samples should be securely wrapped and addressed to

THE NORTH CAROLINA SEED LABORATORY,
DEPARTMENT OF AGRICULTURE,
RALEIGH, N. C.

TABLE No. 5.

TOBACCO SEEDS RECLEANED FOR THE FARMERS OF THE STATE.

| Laboratory Number | Name and Address of Sender | Amount of Recleaned Seed Returned |
|----------------------|--|--|
| 5136 | J. A. Anderson, R. F. D. No. 6, Oxford, N. C. | 185 e. c. |
| 5165 | A. D. Atkinson, Keuly, N. C. | 110 с. е. |
| 5184 | W. E. Atkinson, Kenly, N. C. | 90 c. c. |
| 5108 | J. B. Atwater, Chapel Hill, N. C | 200 с. с. |
| 5199 | W. R. Badgett, Pilot Mountain, N. C. | 95 с. с. |
| 5118 | E. T. Barkley, Elm City, N. C. | 365 е. е. |
| 5186 | J. D. Barnett, R. F. D. No. 8, Burlington, N. C. | 140 с. с. |
| 5183 | H. E. Beamer, R. F. D. No. 1, Rush, N. C. | 23 с. с. |
| 5151 | T. A. Blackwelder, R. F. D. No. 2, Cana, N. C | 160 с. с. |
| 5126 | A. W. Blalock, Roxboro, N. C. | 130 е. е. |
| 5124 | E. R. Bialock, Roxboro, N. C. | 520 с. е. |
| 5123 | W. R. Blalock, Roxboro, N. C. | 460 c. c. |
| 5096 | D. C. Blue, White Plains, N. C. | 125 e. e. |
| 5092 | G. J. Blue, White Plains, N. C | 120 с. с. |
| 5104 | E. L. Boswell, Union Ridge, N. C | 950 с. с. |
| 5196 | Simeon Bowling, Durham, N. C. | 80 c. c. |
| 5164 | S. H. Brantley, Spring Hope, N. C. | 205 e. e. |
| 5101 | C. A. Bray, Greensboro, N. C. | 50 с. с. |
| 5160 | John L. Bray, Jonesville, N. C. | 100 e. c. |
| 5205 | W. H. Bray, Jonesville, N. C. | 55 с. с. |
| 5170 | Z. B. Britt, Garner, N. C. | 177 c. e |

TABLE NO. 5-CONTINUED.

| Laboratory Number | Name and Address of Sender | Amount of Recleaned Seed Returned |
|----------------------|--|--|
| 5125 | Frank Brooks, Roxboro, N. C. | 260 с. с. |
| 5187 | H. T. Brown, R. F. D. No. 2, Sandy Ridge, N. C. | 45 c. c. |
| 5204 | P. G. Brown, R. F. D. No. 2, Cana, N. C. | 20 c. c. |
| 5198 | S. Browning, R. F. D. No. 1, West Durham, N. C. | 260 с. с. |
| 5192 | A. H. Bryant, R. F. D. No. 1, Jonesville, N. C. | 95 с. с. |
| 5207 | J. O. Burgh, Smith, N. C. | 95 c. c. |
| 5194 | Elias Carr, Raleigh, N. C. | 90 c. c. |
| 5209 | Elias Carr, Raleigh, N. C. | 105 с. с. |
| 5171 | W. J. Cantrell, R. F. D. No. 2, Burlington, N. C. | 130 с. с. |
| 5181 | J. W. Chandler, Ruffin, N. C. | 85 c. c. |
| 5193 | C. R. Christian, R. F. D. No. 1, Westfield, N. C. | 75 c. c. |
| 5140 | S. P. Christian, Westfield, N. C. | 580 c. c. |
| 5197 | S. P. Christian, Westfield, N. C. | 180 с. с. |
| 5175 | T. W. Collins, Elkin, N. C. | 130 с. с. |
| 5142 | W. A. Connell, Warren Plains, N. C. | 290 с. с. |
| 5201 | Scott H. Cox, R. F. D. No. 2, Pinnacle, N. C. | 75 c. c. |
| 5100 | Eddie Cozart, Stems, N. C. | 600 с. с. |
| 5097 | J. H. Craddock, R. F. D. No. 1, Wentworth, N. C. | 92 e. c. |
| 5093 | J. M. Crews, R. F. D. No. 3, Kernersville, N. C. | 100 с. с. |
| 5185 | J. M. Davis, R. F. D. No. 2, Boonville, N. C. | 62 e. c. |
| 5111 | H. C. Denny, R. F. D. No. 3, Pinnaele, N. C. | 240 с. с. |
| 5098 | A. F. Dickinson, R. F. D. No. 3, Oxford, N. C | 56 c. c. |
| 5119 | J. I. Eason, R. F. D. No. 1, Stantonsburg, N. C. | 210 с. с. |
| 5200 | Lee Essie, Pilot Mountain, N. C. | 20 c. c. |
| 5191 | C. L. Essick, R. F. D. No. 2, Pinnacle, N. C. | 85 c. c. |
| 5190 | J. D. Essick, R. F. D. No. 2, Pinnacle, N. C. | 65 c. c. |
| 5128 | Farmers Exchange, Stoneville, N. C. | 180 c. c. |
| 5129 | do | 125 e. c. |
| 5088 | E. M. Fearington, Riggsbee, N. C. | 100 с. с. |
| 5179 | Nathan Fields, Princeton, N. C | 185 c. c. |
| 5090 | H. A. Finch, R. F. D. No. I, Kittrell, N. C. | 150 с. с. |
| 5169 | J. W. Finch, R. F. D. No. 2, Henderson, N. C. | 325 с. с. |
| 5103 | J. H. Foushee, R. F. D. No. 1, Roxboro, N. C. | 840 c. c. |
| 5133 | do | 275 с. е. |
| 5087 | Andrew J. Garm, R. F. D. No. 2, Sandy Rilge, N. C. | 75 c. c. |
| 5182 | J. A. Giles, Durham, N. C. | 98 c. c. |
| 5235 | P. H. Gill, R. F. D. No. 4, Henderson, N. C. | 420 c. c. |
| 5156 | S. M. Gordon, Pinnacle, N. C. | 55 c. c. |
| 5115 | Jas. M. Gray, R. F. D. No. 3, Durham, N. C. | 165 c. c. |

TABLE No. 5-Continued.

| Laboratory Number | Name and Addresss of Sender | Amount o Recleaned Seed Returned |
|----------------------|--|---|
| - 5172 | O. B. Gullie, R. F. D. No. 7, Raleigh, N. C | 0.0 |
| 5141 | | 90 e. c. |
| 5148 | · | 98 c. c. |
| 5149 | F. M. Halland, R. F. D. No. 2, Kernersville, N. C. | 15 с. с. |
| 5094 | C. T. Hamm, Tobaccoville, N. C. | 135 с. с. |
| 5162 | J. W. Hampton, Clemmons, N. C. | 100 e. e. |
| 5102 | do | 145 c. c. |
| | A. A. Harris, Roxboro, N. C. | 475 e. c. |
| 5112 | A. J. Harris, Roxboro, N. C. | 380 е. с. |
| 5114 | G. E. Harris, Roxboro, N. C. | 12249 с. с. |
| 5143 | M. D. Harris, Durham, N. C. | 105 с. с. |
| 5195 | C. F. Helsabeck, Rural Hall, N. C. | 215 с. с. |
| 5180 | H. O. Helsabeck, Rural Hall, N. C. | 200 с. с. |
| 5167 | J. M. Hester, Belew Creek, N. C. | 100 с. с. |
| 5173 | J. L. Hill, R. F. D. No. 2, Mocksville, N. C. | 85 c. c. |
| 5147 | Home Savings Bank, Greensboro, N. C. | 17693 е. с. |
| 5203 | R. A. Hooper, Corbett, N. C | 35 с. с. |
| 5203 | D. R. Hopkins, Brown Summit, N. C. | 85 c. c. |
| 5127 | J. T. Horton, R. F. D. No. 1, Chapel Hill, N. C. | 225 с. с. |
| 5139 | J. L. Jackson, R. F. D. No. 4, Mt. Airy, N. C. | 110 с. с. |
| 5095 | J. M. Jackson, R. F. D. No. 1, Stokesdale, N. C. | 47 c. c. |
| 5165 | J. I. Larimore, R. F. D. No. 3, Winston-Salem, N. C. | 45 c. c. |
| 5120 | C. L. Lasater, R. F. D. No. 4, Apex, N. C. | 230 с. с. |
| 5137 | do | 85 c. c. |
| 5146 | A. B. Lassiter, Smithfield, N. C. | 335 е. с. |
| 5158 | H. L. Leonard, R. F. D. No. 3, Lexington, N. C. | 80 c. c. |
| 5132 | J. C. McCulloch, R. F. D. No. 8, Burlington, N. C. | 70 c. c. |
| 5152 | H. C. Martin, Stoneville, N. C. | 575 с. с. |
| 5102 | J. V. Mitchell, Stoneville, N. C. | 530 с. с. |
| 5176 | E. W. Neel, R. F. D. No. 2, Princeton, N. C. | 52 c. e. |
| 5161 | J. P. Pace, R. F. D. No. 1, Mebane, N. C. | 35 с е |
| 5106 | Jule. Pace, R. F. D. No. 1, Watson, N. C. | 88 c. c. |
| 5159 | N. L. Pace, R. F. D. No. 1, Mebane, N. C. | 50 с. с. |
| 5121 | W. R. Park , White Plains, N. C. | 125 с. с. |
| 5138 | E. H. Parrish, Rougemont, N. C. | 65 c. c. |
| 5144 | do | 68 c. c. |
| 5134 | L. P. Pell, Pilot Mountain, N. C. | 165 с. с. |
| 5122 | M. A. Phelps, Clemmons, N. C. | 140 с. с. |
| 5145 | A. P. Pickett, R. F. D. No. 1, Durham, N. C. | 243 с. с. |
| 5154 | Alfre l Plummer Middleburg N. C. | 250 0 0 |

TABLE No. 5—Continued.

| Laboratory Number | Name and Address of Sender | Amount of Recleaned Seed Returned |
|----------------------|--|--|
| 5202 | W. P. Ray, R. F. D. No. 1, Smith, N. C | 57 e. c. |
| 5163 | J. W. Reece, Mt. Airy, N. C | 100 e. c. |
| 5177 | J. E. Roberts, Stoneville, N. C. | |
| 5206 | W. L. Rudd, Jericho, N. C. | 80 c. c. |
| 5157 | C. F. Shield, R. F. D. No. 1, Kernersville, N. C. | 75 c. e. |
| 5189 | H. D. Shields, R. F. D. No. I, Kernersville, N. C. | 90 с. с. |
| 5130 | W. Ed. Shugart, Yadkinville, N. C | 190 с. с. |
| 1566 | J. R. Smith, Altamahaw, N. C. | 92 c. c. |
| 5131 | J. S. Smith, R. F. D. No. 1, White Plains, N. C. | 115 с. с. |
| 5105 | J. W. Smithwick, Manson, N. C | 445 с. с. |
| 5109 | R. W. Snow, Crutchfield, N. C. | 170 с. с. |
| 5188 | S. J. E. Summers, R. F. D. No. 2, Altamahaw, N. C. | 265 с. с. |
| 5091 | Pervis Tilley, Bahama, N. C. | 38108 е. с. |
| 5155 | Wm. Thomas, Hightowers, N. C. | 110 с. е. |
| 5174 | O. B. Umstead, Stagville, N. C. | 210 е. с. |
| 5110 | L. R. Wellons, Raleigh, N. C. | 205 е. е. |
| 5116 | W. T. White, R. F. D. No. 1, Rusk, N. C | 260 с. с. |
| 5153 | Wm. M. Whitefield, R. F. D. No. 3, Hurdle Mills, N. C. | 135 е. е. |
| 5117 | J. C. Whitsell, R. F. D. No. 4, Burlington, N. C. | 390 с. с. |
| 5178 | E. W. Wilkins, R. F. D. No. 2, Burlington, N. C | 75 e. e. |
| 5150 | Jno. H. Wilkins, R. F. D. No. 2, Burlington, N. C. | 290 с. с. |
| 5107 | J. E. Williams, R. F. D. No. 1, Chapel Hill, N. C. | 275 с. е. |
| 50\9 | J. H. Williams, R. F. D. No. 1, Chapel Hill, N. C. | 100 с. е. |
| 5099 | J. P. Wilson, R. F. D. No. 2, Madison, N. C. | 132 е. е. |
| | Total | 88270 e. c. |

TABLE No. 6.

AGRICULTURAL SEEDS FROM THE FOLLOWING 43 WHOLESALE DEALERS WERE COLLECTED FROM THE NORTH CAROLINA MARKET AND TESTED.

Location.

| 1160161. | Location. |
|------------------------------|-------------------|
| Adams Grain and Provision Co | Asheville, N. C. |
| Adome Crain and Provision Co | Nashville, Tenn. |
| Adoma Crain and Provision Co | Norioik, va. |
| Adams Grain and Provision Co | Richmona, va. |
| Parpard W W & Co | Cmcago, III. |
| Povovidgo S T & Co | Richmona, va. |
| Roleiano I & Son | Battimore, Mu. |
| Puffington I I & Co | Baitimore, Mu. |
| Buist Robert Seed Co | Philadelphia, Pa. |
| Carter Venable & Co | Rienmona, va. |
| Corbott Co. The | Wilmington, N. C. |
| Diggs & Pondles | Richmond, Va. |
| Divon & Ftheridge | Goldsboro, N. C. |
| Gore D. L. & Co | Wilmington, N. C. |
| G-: 8641- C Franco Co | Baltimore, Md. |
| Hackney Broyles & Lackey Co | Knoxville, Tenn. |
| Hall & Pearsall | willington, N. C. |
| Hardin Hamilton & Lewman | Louisville, Ky. |
| Harsh Grain Co | Nashville, Tenn. |
| Hickory Seed Co | Hickory, N. C. |
| Hines E. G. | Goldsboro, N. C. |
| Landreth D. Seed Co | Bristol, Pa. |
| Leonard Seed Co | Chicago, Ill. |
| Lowis & Chambers | Louisville, Ky. |
| Logan & Co | Nashville, Tenn. |
| Louisville Seed Co | Louisville, Ky. |
| Mayo Milling Co | Richmond, Va. |
| Meadows J A | New Bern, N. C. |
| Moose, George | Newton, N. C. |
| National Seed Co | Louisville, Ky. |
| Poid D P & Bro | Norfolk, Va. |
| Rice, J. B., Seed Co | Cambridge, N. Y. |
| Richardson, W. F., Jr., & Co | Richmond, Va. |
| Roper & Co | Petersburg, Va. |
| Savage N R & Son | Richmond, Va. |
| Scarlett, Wm. G., & Co | Baltimore, Md. |
| Simpson, W. A., & Co | Baltimore, Md. |
| Slate Seed Co | South Boston, Va. |
| Smith Seed & Feed Co | Danville, Va. |
| Southern Distributing Co | Norfolk, Va. |
| Tate, W. R | Nashville, Tenn. |
| Tennessee Grain Co | Nashville, Tenn. |
| Wood, T. W., & Sons | Richmond, Va. |
| | |

TABLE No. 7.

Addresses and Names of 288 Retail Dealers in 106 Towns, From Whom Agricultural Seed Samples Were Collected and Tested.

| WHOM TRUNCOLLOWER DEED | DAMPLES WERE COLLECTED A. |
|------------------------|----------------------------|
| Location. | Dealer. |
| Ahoskie | S E Dilday |
| Ahoskie | I T Williams & Pro |
| Ashboro | McCrory Handwone Co |
| Ashboro | I T Turner |
| Asheville | Charte Dhamas |
| Asheville | Grant's Fharmacy. |
| Asheville | T. S. Morrison & Co. |
| Asheville | Slayden, rakes & Co. |
| Ayden | L. K. Stricker. |
| Ayden | R. C. Cannon & Sons. |
| Ponson | H. G. Mumiora. |
| Benson | J. H. Boone & Son. |
| Benson | W. A. Stewart. |
| Brevard | W. S. Ashworth & Sons. |
| Brevard | Brevard Hardware Co. |
| Bryson City | J. H. Ditmore. |
| Burgaw | C. Harrell & Son. |
| Burlington | Coble-Bradshaw Co. |
| Burlington | Holt & May. |
| Cameron | Earman Heir G. & Co. |
| Cameron | rarmers Union Supply Co. |
| Canton | M. MCL. MCKeithen. |
| Canton | C. I. Hompton |
| Chadbourn | Chodhounn Chocony Co |
| Chadbourn | Londonon & Londonon |
| Charlotte | Pridgers & Comenon. |
| Charlotte | Davidson & Walfa |
| Charlotte | Earmers Supply Co |
| Charlotte | W I Fite |
| Charlotte | Johnston Bros |
| Clinton | Aman Grocery Co |
| Clinton | J. G. Hobbs |
| Clinton | J C Peterson |
| Clinton | B. F. Powell |
| Concord | H. M. Blackwelder |
| Ceneord | Cline & Moose. |
| Concord | W. J. Glass |
| Concord | H. L. Parks & Co. |
| Concord | White, Morrison, Flowe Co. |
| Dunn | Hood & Grantham |
| Dunn | Johnson Bros |
| Dunn | James E. Jordan |
| Dunn | I. L. Thompson |
| Durnam | Byrd & Unchurch |
| Durham | Carlton-Hackney Drng Co |
| Durnam | Carpenter Bros |
| Durnam | Five Points Drug Co |
| Durham | Haywood & Boone |
| Durham | C. E. King & Sons. |
| Durnam | J. T. Rogers & Co |
| Edenton | H C Prevett |
| Elizabeth City | T P. Nash |
| Elizabeth City | Spence & Hollowell Co. |
| Elizabeth City | W. S. White & Co |
| Elm City | E. O. McGowan. |
| Elm City | R. S. Wells. |
| Enfield | Bellamy & Co. |

| Deuler. | Location. |
|-----------------|---------------------------------|
| Enfield | Curtis-Parson Co |
| Enfield | Curtis Pierce & Co. |
| Enfield | Lawrence Bros. |
| Enfield | .B. D. Mann. |
| Fairmont | . A. J. Floyd. |
| Farmville | R. L. Davis & Bros. |
| Farmville | .T. L. & W. J. Turnage Co. |
| Favetteville | . A. S. Huske. |
| Favetteville | .A. E. Rankin & Co. |
| Forest City | .Florence Mills. |
| Franklinton | .Franklin Grocery Co. |
| Franklinton | . McGhee-Joyner Co. |
| Franklinton | . Whedbee & Morris. |
| Franklinton | .C. S. Williams. |
| Fremont | Hooks Bellame & Co |
| Fremont | Z. W. L. Peacock |
| Fremont | Velverton & Bros. |
| Gastonia | Gaston Seed & Provision Co. |
| Gastonia | .M. T. Parham & Co. |
| Goldsboro | .M. J. Best & Sons. |
| Goldsboro | .H. L. Bizzell. |
| Goldsboro | .Geo. E. Daniels. |
| Goldsboro | .Deans & Moye Co. |
| Goldsboro | .Z. M. L. Jeffreys. |
| Goldsboro | |
| Goldsboro | .T. N. Waters & Bro. |
| Goldsboro | Williams Drug Store. |
| Goldsboro | Carolina Warehouse |
| Greensboro | |
| Greensboro | |
| Greensboro | |
| Greenville | |
| Greenville | J. R. & J. G. Moyes. |
| Greenville | |
| Gulf | |
| Halifax | |
| Henderson | |
| Henderson | |
| Henderson | |
| Henderson | . Geo. A. Rose & Co. |
| Henderson | Thomas Bros. |
| Henderson | White-Hight Co. |
| Hendersonville | |
| Hendersonville | . Farmers Hardware & Supply Co. |
| Hendersonville | |
| Hendersonville | |
| Hickory | |
| Hickory | |
| Hickory | |
| High Point | . Beeson Hardware Co. |
| High Point | |
| Hillsboro | |
| Hillsboro | H. L. Parrish. |
| Hillsboro Kenly | C C Edgerton & Son |
| Kenly | I. T. Egerton. |
| Kings Mountain | Kiser & Mauney. |
| Kings Mountain | W. A. Mauney & Bro. |
| | |

| Dealer. | Location. |
|---------------------|---|
| Kings Mountain | |
| Kinston | .Ray Dawson. |
| Kinston | Henry Dunn |
| Kinston | .J. E. Hood & Co. |
| Kinston | .T. W. Mewborn & Co. |
| LaGrange | Temple Drug Co. |
| LaGrange | F. S. Mewborn |
| LaGrange | .T. W. Pace. |
| Laurinburg | |
| Lenoir | .Harrison & Co. |
| Lexington Lexington | Robert L. Leonard. |
| Lexington | S. L. Owen & Co. |
| Lincolnton | Lowing & Costner |
| Lincolnton | J. H. Rudisill & Co |
| Littleton | Eugene Johnson. |
| Littleton | Littleton Feed & Grocery Co. |
| Littleton Littleton | Littleton Grocery Co. |
| Littleton | S. I. Stallings |
| Louisburg | Allen Bros. Co. |
| Louisburg | L. P. Hicks. |
| Louisburg | McKinne Bros. |
| Lucama | Lucas & Bass Co. |
| Lucama | W. J. Newsom & Bro. |
| Lumberton | M. W. Floyd |
| Magnolia | George Edwards. |
| Magnolia | Roy Hill Co. |
| Magnolia | J. C. Horne. |
| Magnolia Marion | Theo. Middleton. |
| Marion | J. D. Blanton. Caston & Tato |
| Marshall | W. J. Gudger & Son |
| Marshall | T. N. James & Co |
| Marshall | Madison County Farmore Union |
| Marshall | A. L. Plemmens. |
| Marshall | Tweed & Franklin. |
| Maysville | A. C. Fostor |
| Mocksville | J. T. Angell |
| Mocksville | Walker's Bargain House |
| Monroe | F. B. Asheraft |
| Mooresville | Harris & McNeely. |
| Morganton | W. M. Neel & Co. |
| Morganton | Shuning & Potest |
| Mount Airy | W E. Merritt & Co |
| Mount Airy | Mount Airy Feed Store |
| Mount Gilead | F. L. Smith Hardware Co. |
| Mount Gilead | Bruton & Co. |
| mount Gread | Thomas H. Graham |
| Mount Gilead | Frank McAulon |
| Mount Gilead | I A McAnloy |
| Mount Gilead | Mount Gilead Store Co |
| Mount Olive | Y. H. Knowles. |
| Mount Olive | r. M. Lewis, E. G. Martin, Son & Co. |
| Mount Onve | Mount Olive Grocery & Hardware Co. |
| Murphy | R. H. Hyatt & Co. |
| | |

| Dealer. | Location. |
|---------------|------------------------|
| | |
| Nashville | Arrington-bissett Co. |
| Nashville | Cockeren & Winiams Co. |
| | |
| Nashville | Dientong Supply Co. |
| Nashville | Planters Supply Co. |
| Nashville | J. D. Winstead & Son. |
| New Bern | |
| New Bern | |
| New Bern | |
| Newton | |
| Norwood | nart Drug Co. |
| Oxford | |
| Oxford | |
| Oxford | |
| Oxford | Horner Bros. |
| Oxford | D. C. Montaguo |
| Oxford | |
| Parmele | |
| | |
| Parmele | |
| Plymouth | |
| Reidsville | |
| Reidsville | |
| | |
| Reidsville | |
| Pehevgenville | Dobonson Holiday Co |
| Robersonville | Roberson-Homay (o. |
| Robersonville | |
| | |
| Rockingham | |
| Rocky Mount | Dozier & Griiiii. |
| Rocky Mount | U C Joyney |
| Rocky Mount | T I Warsley |
| Rocky Mount | W T Williford |
| Roxboro | |
| Roxboro | |
| Roxboro | |
| Roxboro | Hugh Woods |
| Rural Hall | F I Kigor & Co |
| Rutherfordton | |
| Rutherfordton | |
| Salisbury | |
| Salisbury | M C Rufty |
| Salisbury | Union Warehouse |
| Sanford | |
| Sanford | Wilkins Ricks & Co |
| Scotland Neck | Edwards & Co |
| Scotland Neck | W T Hancock & Co |
| Scotland Neck | M Hoffman & Bro |
| Selma | |
| Selma | |
| Shelby | |
| Shelby | J. N. Dellinger |
| Shelby | H. E. Kendall |
| Shelby | |
| Shelby | |
| Siler City | |
| Smithfield | Austin-Stephenson Co. |
| Smithfield | Carter-Underwood Co. |

| Dealer. | Location. |
|-------------------|------------------------------|
| Smithfield | W M Sandars |
| Spring Hope | |
| Spring Hope | W H Criffin & Co. |
| Spring Hope | T. C. Moy & Son |
| Statesville | I. C. May & Son. |
| Statesville | Miller-McLean Supply Co. |
| Sulve | J. E. 5100p. |
| Sylva | |
| Sylva | Sylva Cash Store. |
| Sylva | Sylva Supply Co. |
| Tarboro | W. S. Clarke & Sons. |
| Tarboro | R. E. L. Cook. |
| Tarboro | R. B. Peters Grocery Co. |
| Taylorsville | |
| Thomasville | Crutchfield Hardware Co. |
| Thomasville | Thomasville Drug Co. |
| Troy | G. W. Allen & Sons. |
| Troy | A. W. E. Capel. |
| Troy | Saunders & Co. |
| Wadesboro | Parsons Drug Co. |
| Wallace | Duplin Grocery Co. |
| Wallace | Hall Mercantile Co |
| Wallace | |
| Warrenton | Burroughs Grocery Co |
| Warsaw | J. B. Cov |
| Warsaw | |
| Washington | |
| Washington | Hardy Drug Co. |
| Waxhaw | Wolfe Drug Co. |
| Waynesville | Chartenana Dana Co |
| Weldon | Chantauqua Drug Co. |
| Weldon | L. J. Moore, |
| Whitakers | Whitehall Brown |
| Wilkachara | Whitaker's Pharmacy. |
| Wilkesboro | Miller Grocery Co. |
| Wilkesboro, North | X. B. Smyney. |
| Williamston | C. Can. |
| Williamston | Anderson-Crawford Co. |
| Williamston | Harrison Bros. & Co. |
| Wilson | Hadley-Harriss Co. |
| Wilson | Doane Herring. |
| Wilson | Wilson Drug Co. |
| Wilson | Wilson Grocery Co. |
| Windsor | J. P. Freeman. |
| Winston-Salem | J. J. Adams' Sons Co. |
| Winston-Salem | T. M. Benton. |
| Winston-Salem | Farmers Cash and Feed Store. |
| Winston-Salem | Farmers Union Agency Co |
| Winston-Salem | B. A. Poindexter. |
| | |

TABLE No. 8.

VEGETABLE SEEDS FROM THE FOLLOWING 16 WHOLESALE DEALERS WERE COLLECTED FROM THE NORTH CAROLINA MARKET AND TESTED.

| Dealer, | Location. |
|-----------------------------|-------------------|
| Barnard, W. W., & Co | Chicago, Ill. |
| Bolgiano, J., & Son | Baltimore, Md. |
| Buist, Robert, Co | Philadelphia, Pa. |
| Burpee, W. Atlee, & Co | Philadelphia, Pa. |
| Clarke, Everett B., Seed Co | Milford, Conn. |
| Crosman Bros. Co | Rochester, N. Y. |
| Diggs & Beadles | Richmond, Va. |
| Ferry, D. M., & Co | Detroit, Mich. |
| Griffith & Turner | Baltimore, Md. |
| Lake Shore Seed Co | Dunkirk, N. Y. |
| Landreth, D., Seed Co | Bristol, Pa. |
| Leonard Seed Co | Chicago, Ill. |
| May, L. L., & Co | St. Paul, Minn. |
| Rice, J. B., Seed Co | Cambridge, N. Y. |
| Wood, Stubbs & Co | Louisville, Ky. |
| Wood, T. W., & Sons | Richmond, Va. |

TABLE No. 9.

Addresses and Names of 218 Retail Dealers in 97 Towns From Whom Vegetable Seed Samples Were Collected and Tested.

| THE RESIDENCE OF THE PERSON OF | MALIBES WERE COLLECTED AND |
|--|----------------------------|
| Location, | Dealer. |
| Aberdeen | Standard Store Co. |
| Ahoskie | |
| Albemarle | E. C. Kirk. |
| Albemarle | Morrow Bros. & Heath Co. |
| Albemarle | |
| Asheville | |
| Beaufort | |
| Beaufort | |
| Beaufort | |
| Belhaven | |
| Benson | |
| Boardman | Buthers Lumber Co |
| Brevard | Brevard Hardware Co |
| Burgaw | C. Harrell & Son. |
| Burgaw | Singestory Drug Co. |
| Canton | W. G. Cole. |
| Chadbourn | Brown Mercantile Co. |
| Charlotte | |
| Charlotte | |
| Charlotte | Reese & Alexander, Inc. |
| Charlotte | Woodall & Sheppard. |
| Clinton | D. M. Patrick & Co. |
| Clinton | J. C. Peterson. |
| Clinton | B. F. Powell. |
| Clinton | |
| Cofield | Hill Bros. |
| Concord | Cabarrus Drug Co. |
| Concord | Cook & Harris. |
| Concord | |
| Concord | |
| Concord | Gibson Drug Co. |
| Davidson | Armour Bros. & Thompson. |
| Dover | |

| Location. | Dealer. |
|--------------------------|-----------------------------|
| Dunn | N. A. Bell & Co. |
| Dunn | Hood & Grantham. |
| Dunn | Robinson Bros. |
| Edenton | W. R. Brothers. |
| Edenton | W. A. Leggett. |
| Edenton | J. A. Milchener. |
| Edenton | W S White |
| Elizabeth City | Spence & Hollowell |
| Elizabeth City | W. S. White & Co. |
| Elm City | J. L. Bailey |
| Elm City | J. W. Sharp. |
| Enneld | Harrison & Hill Drug Co. |
| Fayetteville | T. L. & W. J. Turnage Co. |
| Fayetteville | I P Fields |
| Fayetteville | A S Huske |
| Franklinton | Franklin Grocery Co |
| Franklinton | T. L. Joyner. |
| Gastonia | Adams Drug Co |
| Gastonia | Gaston Seed & Provision Co. |
| Gastonia | Kennedy's Drug Co. |
| Gastonia Goldsboro | |
| Goldsboro | Coorne H. Deniele |
| Goldsboro | Deans & Move Co |
| Goldsboro | Z. M. L. Loffroys |
| Goldsboro | B. G. Thompson & Son |
| Guldsporo | T. N. Waters & Bro |
| Greensboro | J. F. Fulton. |
| Greensboro Greenville | C. Scott & Co. |
| Greenville | I I. Stachov |
| Greenville | John L. Wooten Drug Co. |
| Hallfax | Furgerson Drug Co |
| Hamlet | Hamlet Pharmacy |
| Hamlet | Earle Morrow Drug Store. |
| Hamlet | E. L. Rhodes. |
| Henderson | Thomas Proc |
| Hendersonville | Bradsher's Pharmacy |
| Hendersonville | T. B. Carson. |
| nertiord | W S Blanchard & Son |
| Hertford | Divers & Roper. |
| Hertford | Watson & Winslow. |
| High Point | Mann Drug Co. |
| Jackson | E. S. Barrett & Co. |
| Jackson | Taylor & Cowan |
| Jacksonville | G. T. Walton & Co |
| Kings Mountain | Barnes-Finger Drug Co. |
| Kings Mountain | Kiser & Mauney. |
| Kinston | J. E. Hood & Co. |
| Kinston | Lenoir Drug Co |
| Kinston | E. B. Marston Drug Co |
| Kinston | Temple Drug Co |
| LaGrange | F. Barwick |
| LaGrange LaGrange | E. E. Deuge & C. |
| Laurinburg | E. E. Rouse & Co. |
| Laurinburg | R. G. Stone. |
| - | |

| | Dealer, |
|-----------------------|--------------------------------------|
| Location. | |
| Lincolnton | . W. C. Asbury. |
| Lincolnton | Lawings Drug Store. |
| Lincolnton Lincolnton | LOWING & Costner. |
| Littleton | Horbort Smith |
| Louisburg | Avecek Drug Co |
| Louisburg | Reasley-Austin Drug Co. |
| Louisburg | F R Pleasants. |
| Madison | . Madison Grocery Co. |
| Magnolia | J. C. Horne. |
| Magnolia | . F. D. Scott & Co. |
| Marion | Davis Pharmacy. |
| Maxton | , , E. L. Burns. |
| Maxton | A. L. Jones. |
| Monroe | English Drug Co. |
| Monroe | Latham & Richardson. |
| Monroo | . C. N. Simpson, Jr. |
| Monroe | Dr. S. J. Welsh & Son. |
| Morehead City | J. B. Morton. |
| Morganton | L. A. Kincaid. |
| Morganton | Lesne Drug Store. |
| Mount Airy | W. F. MICKIII. |
| Mount Airy | The Peoples Drug Store |
| Mount Airy | I W West Drug Co |
| Mount Gilead | Reuton & Co |
| Mount Olive | M. R. Jennett. |
| Mount Olive | Y H Knowles. |
| Mount Olive | .J. M. Lewis. |
| Mount Olive | Martin & Price Co. |
| Mount Olive | Mount Olive Grocery and Hardware Co. |
| Mount Olive | M. W. Pope. |
| Nashville | Nash Supply Co. |
| Nashville | J. D. Winstead & Son. · |
| New Bern | J. F. Clarke. |
| New Bern | B. B. Davenport. |
| New Bern | |
| New Bern | C. L. Spencer. |
| New Bern | S. W. WIIIIS. |
| Newton | |
| Norwood | |
| Oriental | Hamilton Drug Co |
| Oxford | I T Sizemore |
| Oxford | L. Thomas. |
| Plymouth | Alexander & Blount. |
| Plymouth | Tom L. Smith. |
| Plymouth | Henry L. Spruill. |
| Polloksville | H, A. Chadwick. |
| Proctorville | Barnes Bros. |
| Raeford | Raeford Hardware Co. |
| Red Springs | Red Springs Drug Co. |
| Red Springs | John J. Steward Co. |
| Red Springs | John J. Thrower Co. |
| Reidsville | w. S. Allell. Fotgor & Tucker |
| Reidsville | retzer & Thuker. Ha wie & Hubbard |
| Roanoke Rapids | Wells Dilery |
| Robersonville | Roberson, Corv & Co. |
| Robersonville | J. H. Roberson & Co. |
| Rockingham | E. N. Covington & Co. |
| Rockingham | Eagle Pharmacy. |
| | |

| Location. | Dealer, |
|----------------------------------|---|
| Rockingham | L. G. Fox. |
| Rockingham | E. D. Whitelock |
| Rocky Mount | Fitzgerald Drug Co |
| Rocky Mount | H. C. Joyner. |
| Rocky Mount | Kyser's Drug Store. |
| Rocky Mount | C. R. L. Matthews |
| Recky Mount | May & Gorman. |
| Roseboro | D. W. Tart. |
| Salisbury | J. W. McPherson & Co M. C. Rufty. |
| Santland Nock | |
| Selma | G. T. Whitehead & Co. |
| Selma | Selma Drug Co. |
| Shelby | H F Kondoll |
| Smithfield | W M Sandars |
| Star | Mitchell & Barrow |
| Tarboro | R E L Cook |
| Tarboro | Robinson-Ruffin Co |
| Tarboro | Tarboro Grocery Co |
| Vanceboro | H. L. Arnold |
| Wadesboro | Fox & Lyon |
| Wadesboro | Parson Drug Co |
| Wadeshoro | V F Toulton |
| Wallace | |
| Walnut Cove | Golden Rule Drug Store. |
| mairentun | Eurpoughe Crossny Co |
| Warremon . | Hunton Dance Cla |
| Warsaw | W. D. Thomas & Co. |
| Washington | Blount Pharmacy. |
| Washington | A. A. & J. G. Blount. |
| Washington | Welton Chadle 6 Co. |
| Washington Washington Washington | Hardy Drug Co. |
| Washington | E K Willie |
| Washington | Worthy 0 Dill |
| waxnaw | Harris Dros |
| waynesvine | Chautanana Dana Ca |
| waynesvine | Miller Proc |
| Weldon | E Claules |
| Wilkesboro | Millon Onecons Cla |
| Williamston | Theo Roberson & Co |
| Williamston | Saundare & Foundan |
| Wilmington | R. R. Bellamy. |
| Wilmington | J. H. Hardin. |
| Wilmington | W. J. Kirkman & Co. |
| Wilson | Doane Herring. |
| Wilson | Ruinn-High Co. |
| WHSON | Wilcon Dans Ca |
| Willusor | I I Madra & Dua |
| winston-Satem | I I Adama' Cona Co |
| winston-Satem | I Emra Cov |
| Winston-Salem | Eford Bros |
| Winston-Salem | Farmore Trade House Co |
| winston-satem | I C Messiels |
| winston-Salem | F W O'Haulan & Ca |
| Winston-Salem | Owong Drug Co |
| Winter | P. A. Thompson. W. P. Shaw, Jr., & Bro. E. T. Alford. |
| William Voungeville | W. P. Shaw, Jr., & Bro. |
| Youngsville | E. T. Alford. |
| roungsville | Winston-Blanks Drug Co. |

TABLE No. 10.

VEGETABLE SEED SAMPLES WERE COLLECTED IN THE FOLLOWING 60 COUNTIES.

Halifax. Pender. Anson. Beaufort Harnett. Perquimans. Bertie. Haywood. Pitt. Buncombe. Richmond. Henderson. Hertford. Robeson. Burke. Cabarrus. Johnston. Rockingham. Carteret. Jones. Rowan. Catawba. Lenoir. Sampson. Chowan. Lincoln. Scotland. Cleveland. McDowell. Stanly. Martin. Stokes. Columbus. Craven. Mecklenburg. Surry. Transylvania. Cumberland. Montgomery. Duplin. Moore. Union. Vance. Edgecombe. Nash. Forsyth. New Hanover. Warren. Franklin. Northampton. Washington. Wayne. Gaston. On slow. Wilkes. Granville Pamlico. Guilford. Pasauotank. Wilson.

TABLE No. 11.

Agricultural Seed Samples Were Collected in the Following 70 Counties.

Granville. Alamance. Alexander. Guilford. Anson. Halifax. Beaufort. Harnett. Buncombe. Haywood. Henderson. Burke. Cabarrus. Hertford. Caldwell Iredell. Catawba. Jackson. Chatham. Johnston. Cherokee. Jones. Chowan. Lee. Cleveland. Lenoir. Columbus. Lincoln. Craven. McDowell. Cumberland. Madison. Davidson. Martin. Davie. Mecklenburg. Duplin. Montgomery. Durham. Moore. Edgecombe. Nash. Forsyth. Orange. Franklin. Pasquotank. Gaston.

Pender.
Person.
Pitt.
Randolph.
Richmond.
Robeson.
Rockingham.
Rowan.
Rutherford.
Sampson.
Scotland.
Stanly.
Surry.
Swain.

Swain.
Transylvania.
Union.
Vance.
Warren.
Washington.
Wayne.
Wilkes.
Wilson.

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1914.

| Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
|---|---|---|--------------------------|-----------------------------|---|----------------------------|
| | J. Bolgiano & Son, Baltimore, Md. | Hickory Seed Co., Hickory, N. C | 99.23 | .25 | : :: ::::::::::::::::::::::::::::::::: | 86.5 |
| | Diggs & Beadles, Richmond, Va | Farmers Cash and Feed Store, Winston-Salem, N. C. | 99.48 | 91. | - 98. | 91.0 |
| | op | C. E. King & Sons, Durham, N. C. | *94.15 | 89 | 5.52 | 141.0 |
| | Hardin, Hamilton & Lewman, Louisv., Ky. | . Gaston & Tate, Marion, N. C. | 98.36 | 25. | .36 | 91.5 |
| | N. R. Savage & Son, Richmond, Va | George Moose, Newton, N. C | 14.06 | Si. | .31 | 91.0 |
| | T. W. Wood & Sons, Richmond, Va | A. W. E. Capel, Troy, N. C | 99.59 | 5,5 | .04 | 86.0 |
| | do | Cline & Moose, Concord, N. C | 88.38 | .57 | 1.05 | 80.0 |
| | op- | Farmers Union Agency Co., Winston-Salem, N. C | 98.92 | 33 | .73 | 178.0 |
| | do | J. F. Fulton, Greensboro, N. C | 99.70 | 28 | .02 | 88.0 |
| | do | A. S. Huske, Fayetteville, N. C | 99.63 | £. | .11 | 95.0 |
| | op | II. E. Kendall, Shelby, N. C | 99.54 | 5.5 | .19 | 93.0 |
| | op | W. A. Leslie, Morganton, N. C | 99.66 | :3: | .05 | 88.5 |
| | op | W. S. Rassell, Gulf, N. C | \$6°86 | .41 | .65 | 177.0 |
| | op | Saunders & Company, Troy, N. C | 68.96 | 9.75 | .39 | 159.5 |
| | S. T. Beveridge & Co., Richmond, Va | C. Scott & Co., Greensboro, N. C. | 96.76 | 1.42 | .62 | 3.96 |
| (Cheat.) | Wm. G. Scarlett & Co., Baltimore, Md | Farmers Union Agency Winston-Salem, N. C. | 99.37 | .63 | 00. | 99.5 |
| | T. W. Wood & Sons, Richmond, Va | E. O. McGowan, Elm City, N. C. | 98.30 | 1.33 | .48 | 98.0 |
| (Cheat.) Bluegrass, Kentucky | S. T. Beveridge & Co., Richmond, Va | J. H. Ditmore, Bryson City, N. C. | *65.19 | 34.24 | .57 | 61.0 |

| 6501 | op | Robert Buist Co., Philadelphia, Pa | Boyd Feed Co., Hickory, N. C | 83.40 | 16.23 | .37 | 57.0 |
|------|------------------|--|---|--------|-------|-------|----------------|
| 6809 | $^{\mathrm{qo}}$ | Carter, Venable & Co., Richmond, Va | Harrison & Company, Lenoir, N. C | 81.67 | 18.14 | -19 | 135.5 |
| 5966 | | Diggs & Beadles, Richmond, Va | C. E. King & Sons, Durham, N. C | *78.23 | 21.10 | .67 | 96.0 |
| 6161 | op | Hardin, Hamilton & Lewman, Louisv., Ky. Davidson & Wolfe, Charlotte, N. C. | Davidson & Wolfe, Charlotte, N. C | 85.17 | 14.74 | 60: | 55.0 |
| 6092 | ор | op | Gaston & Tate, Marion, N. C | 11.47* | 25.14 | .00 | 52.5 |
| 6091 | op | | C. Scott & Co., Greensboro, N. C | 80.27 | 19.44 | - 65 | 61.5 |
| 6542 | do | Lewis & Chambers, Louisville, Ky | G. L. Hampton, Canton, N. C | 81.43 | 17.43 | 1.14 | 126.0 |
| 6389 | do | N. R. Savage & Son, Richmond, Va | Gaston Seed & Provision Co., Gastonia, N.C. | 85.69 | 14.02 | 65. | 52.0 |
| 6275 | -qo | | Hazel & Mimes, Reidsville, N. C | 86.42 | 12.81 | 17 | † 41 .0 |
| 9229 | ор | op | W. E. Merritt & Co., Mount Airy, N. C | 90.04 | 9.58 | .38 | 0.96 |
| 6390 | -op | op | George Moose, Newton, N. C | 58.97 | 10.35 | 89. | 50.0 |
| 6499 | qo | Wm. G. Searlett & Co., Baltimore, Md | Shuping & Poteat, Morganton, N. C | 18.18 | 15.14 | 64. | 143.0 |
| 6203 | op | T. W. Wood & Sons, Richmond, Va | Cline & Moose, Concord, N. C | 80.65 | 17.52 | 1.83 | 62.5 |
| 6237 | 0p | do | p | 79.61 | 20.03 | .36 | 44.5 |
| 6238 | qo | do | Farmers Supply Co., Charlotte, N. C | *73.34 | 15.64 | 11,02 | 54.0 |
| 6302 | do. | | Gaston Seed & Prov. Co., Gastonia, N. C | 81.10 | 16.89 | 2.01 | 60.5 |
| 6391 | do | | II. E. Kendall, Shelby, N. C | 82.25 | 1.46 | 1.15 | 138.5 |
| 0609 | do | do | S. L. Owen & Co., Lexington, N. C | *79.30 | 18.81 | 1.89 | 64.0 |
| 0919 | | do | Wilkins, Rieks & Co., Sanford, N. C | 80.63 | 17.32 | 2.05 | 65.59 |
| 0029 | op | op | Slayden, Fakes & Co., Asheville, N. C | *69,39 | 30.14 | 17: | 52.5 |
| 3996 | CANE. | (do | A. S. Huske, Fayetteville, N. C. | 98.74 | :93 | .33 | †62.5 |
| 2997 | dodo | q | op | 98.76 | 1.07 | .17 | 120.0 |
| 6093 | Clover, Alsike | S. T. Beveridge & Co., Richmond, Va | Harrison & Co., Lenoir, N. C | 89.30 | 1.83 | S.97 | t67.3 |
| 6127 | op | N. R. Savage & Son, Richmond, Va | Farmers Supply Co., Charlotte, N. C | 96.30 | 46. | 3.46 | 77.3 |
| 6280 | op | p | J. F. Fulton, Greensboro, N. C | 69, 69 | .25 | 4.10 | 82.3 |
| 6126 | op | T. W. Wood & Sons, Richmond, Va | A. W. E. Capel, Troy, N. C | 86.86 | .63 | .39 | 156.8 |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JULY 15, 1914—CONTINUED.

| Kind of Seed and Name of Unlawful Seed Present | Wholesale Deader | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
|--|---|---|--------------------------|-----------------------------|-----------------------------|----------------------------|
| CE :VER, ALSIKE | T. W. Wood & Sons, Richmond, Va. | Gaston Seed & Prov. Co., Gastonia, N. C., | 99.55 | 25. | .20 | 171.0 |
| op | op | W. A. Leslie, Morganton, N. C | 97.20 | 25.5 | .53 | †62.3 |
| CLOVER, BUR | Diggs & Beadles, Richmond, Va | Farmers Cash & Feed Store, Winston-Salem, N. C | 94.74 | 3.96 | 1.30 | 32.5 |
| CLOVER, CRIMSON | S. T. Beveridge & Co., Richmond, Va | Anderson, Crawford Co., Williamston, N. C. | *96.42 | 2.52 | 1.06 | 0.06 |
| do | | Farmers Supply-Co., Charlotte, N. C | *96.66 | 1.45 | 1.89 | 95.5 |
| do mastara.) | | Farmers Union Supply Co., Cameron, N. C. | 76.76 | 1.62 | .41 | 93.0 |
| (In the must true.) | | W. J. Fite, Charlotte, N. C | *96.88 | 1.28 | 1.84 | 94.5 |
| ор | | Franklin Grocery Co., Franklinton, N. C | *97.36 | 2.11 | .53 | 94.5 |
| do. | do | Z. M. L. Jeffreys, Goldsboro, N. C | *97.04 | 1.61 | 1.35 | †69.5 |
| do mastard) | op | Johnston Brothers, Charlotte, N. C. | 97.54 | 1.71 | 53 | 88.0 |
| dodo | op | H. L. Parrish, Hillsboro, N. C | 99.33 | .49 | .18 | 91.0 |
| do | | Paul Webb, Shelby, N. C | 76.76 | 1.66 | .37 | 95.5 |
| dodo | J. Bolgiano & Son, Baltimore, Md | Dozier & Griffin, Rocky Mount, N. C | *96.31 | 2.65 | 1.04 | †73.0 |
| dodo | | Hart Drug Co., Norwood, N. C | 98.53 | 1.08 | .39 | 88.5 |
| do (H'all waterwal) | | Holt & May, Burlington, N. C | 66.76 | 7.4 | 1.27 | 91.5 |
| dododo | op | H. W. and J. C. Webb, Hillsboro, N. C | *97.40 | 2.58 | .02 | †82.0 |
| op | John J. Buffington & Co., Baltimore, Md | Davidson & Wolfe, Charlotte, N. Cdodo. | 97.73 98.06 | 1.54 | .73 | 91.5 91.0 |
| do (Will am to week) | Carter, Venable & Co., Richmond, Va | Coble-Bradshaw Co., Burlington, N. C | *96.93 | 1.48 | 1.60 | 93.0 |
| do | | 100 | *07 06 | 02 0 | 96 | 5,5 |

| 2878 | (Wild mustered Will Onion) | -dp | Deans & Moye Co., Goldsboro, N. C | *97.30 | 2] 2] | \$ | 177.5 |
|------|---|-------------------------------|---|---------|---|---------------|-------|
| 2928 | do- | op. | Geo. A. Durham, Hillsboro, N. C. | 97.74 | 1.97 | 65 | 93.0 |
| 2929 | φ | do | | *96.92 | 2.60 | .48 | 481.5 |
| 6016 | op | | Harrison & Co., Lenoir, N. C | *97.03 | 2.34 | .63 | 97.0 |
| 6110 | op | do | M. MeL. McKeithen, Cameron, N. C | *97.45 | 1.56 | 66: | 96.5 |
| 2891 | do draid watered Corn south | qo | Parham Supply Co., Henderson, N. C | *96.68 | 2.68 | .64 | 182.5 |
| 2930 | do an masina, con conte.) | | Winston-Long Co., Oxford, N. C | *94.82 | 4.19 | 66: | 0.13 |
| 2931 | do. | qo | $-\alpha p$ | 98.40 | 1.37 | | 91.5 |
| 2892 | (a tea meastara.) | Diggs & Beadles, Richmond, Va | The Beacom Supply Co., Henderson, N. C. | *96.27 | 2.43 | 1.31 | 94.5 |
| 6109 | do | qo | T. M. Benton, Winston-Salem, N. C | 19.66 | 12.00 | 27 | 183.0 |
| 6297 | op | p | | 09.76 | 1.99 | Ξ. | 92.5 |
| 6170 | op | op | Cline & Moose, Concord, N. C | 26, 76* | 1.41 | 1.37 | 91.5 |
| 6171 | -do | op | -do | 495.94 | 2.43 | 1.64 | 91.0 |
| 2974 | ор | op | A. S. Huske, Fayetteville, N. C | *97.04 | 1.25 | 1.71 | 0.86 |
| 2975 | | | A. S. Huske, Fayetteville, N. C | *96.57 | 2.58 | .85 | 98.0 |
| 8109 | do (11.37) | qo | Robt. L. Leonard, Lexington, N. C | *97.32 | 2.27 | 14. | 0.86 |
| 2915 | do- | do | Geo. A. Rose, Henderson, N. C | 98.02 | 1.27 | .71 | 0.86 |
| 2877 | op | Roper & Co., Petersburg, Va | Allen Bros. Co., Louisburg, N. C | 99.73 | 1 | çi | 151.5 |
| 2926 | do. | op | Breedlove & McFarland, Oxford, N. C | *96.87 | 61 61 | .91 | 5.16 |
| 2927 | (D the mester) | do | do | 98.10 | 1.89 | 80. | 0.06 |
| 2925 | do | qo | L. P. Hicks, Louisburg, N. C | *97.28 | 2.01 | .71 | 95.0 |
| 2882 | op | op | E. Johnson, Littleton, N. C. | 80.89 | 1.15 | .77 | 97.0 |
| 2923 | do do do de | do | McGhee-Joyner Co., Franklinton, N. C | *96.91 | 2.21 | .88 | 88.5 |
| 2883 | dodo | op | S. J. Stallings, Littleton, N. C. | 97.81 | 1.32 | .87 | 95.5 |
| 2922 | do harten milli | do | Whedbee & Morris, Franklinton, N. C | 98.18 | 1.18 | .64 | 86.5 |
| 2924 | do (H'ild mustard.) | op | White-Hight Co., Henderson, N. C | *95.98 | 3.71 | .31 | 173.5 |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 72; SAMPLES IN ALL, COLLECTED BY INSPECTORS PROM JULY 15, 1913 TO JULY 15, 1914—CONTINUED.

| Unlawful Seed Present Wholesale Dealer Retail Dealer Retail Dealer Covers, Canasos Covers, | | | 17. 10.11 (19.140) | 10, 1010 IV OV III 10, 1017 V ONLYCED. | | | | |
|--|----------------------|----------------------------------|---------------------------------------|--|--------------------------|-----------------------------|-----------------------------|----------------------------|
| CroyEn, Catasoox Roper & Co., Petersburg, Va. C. S. Milliams, Franklinton, N. C. 156 36 abo Wild mustered. Abo L. D. Brooks, Oxiord, N. C. 17.0 15.0 abo Wild mestered. Abo Abo 11.00 17.4 17.0 do Wild mestered. Abo Abo 11.0 17.4 17.0 divid mestered. Abo Abo Abo 11.0 17.4 17.0 divid mestered. Abo Abo Abo Abo 11.0 17.0 divid mestered. Abo Abo Abo Abo 11.2 17.0 divid mestered. Abo Abo Abo Abo 11.2 17.0 divid mestered. Abo Abo W. E. Merint & Co., Louisburg, N. C 18.3 14.7 36 divid mestered. Abo Abo Abo 11.2 18 17.0 divid mestered. Abo Abo Abo <th>Laboratory Number</th> <th></th> <th>Wholesale Deuler</th> <th>Retail Dealer</th> <th>Per Cent of Pure Seed</th> <th>Per Cent of Inert Matter</th> <th>Per Cent of Foreign Seed</th> <th>Per Cent of Germination</th> | Laboratory Number | | Wholesale Deuler | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
| 1.00 Hrooks, Oxford, N. C. 1.00 Hrooks, Oxford, N. C. 1.00 1 | 881 | CLOVER, CRIMSON | Roper & Co., Petersburg, Va | C. S. Williams, Franklinton, N. C | 80.88 | 1.56 | .36 | 93.0 |
| Git Invastract Act Act | 2918 | (Wild mustard.) | N. R. Savage & Son, Richmond, Va. | J. D. Brooks, Oxford, N. C. | *96.87 | 2.48 | .65 | 85.0 |
| Unital mustered. | 504 | op- | | City Feed Co., Hickory, N. C | 86.29 | 17: | 1.00 | 95.5 |
| Horner Bros., Oxford, N. C. 98.48 1.15 37 | 2921 | (h ud mustara.) | qo | Holt & May, Burlington, N. C | *97.42 | 3. | 75 | 0.06 |
| Ukid mustard. | 6163 | (Wild mustard.) | | Horner Bros., Oxford, N. C | 98.48 | 1.15 | .37 | 87.0 |
| Ulitud mustard. John Color Lexington Hardware Co., Lexington, N. C. 26.59 2.87 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .46 .47 .46 .46 .47 .46 .47 .46 .47 .46 .47 .46 .47 .46 .47 .46 .47 .46 .47 | 6113 | (Wild mustard.) | op | Johnston Bros., Charlotte, N. C | *97.45 | 1.76 | 67. | 93.0 |
| at mussiard) do | 6011 | (Butd mustard.) | | Lexington Hardware Co., Lexington, N. C. | 69.96* | 2.87 | 94. | 98.5 |
| W. E. Mount Airy, N. C. 98.81 .96 .33 .96 .36 .96 .36 .96 .36 .96 .36 .96 .36 .96 .36 .96 | 9282 | (H ttd mustard.) | op | McKinne Bros. Co., Louisburg, N. C | 98.40 | 1.42 | SI. | 0.98 |
| Mount Airy Feed Store, Mount Airy, N. C. *95.13 4.47 3.6 Gift mustard. | 3013 | ор | op | W. E. Merritt & Co., Mount Airy, N. C | 98.81 | 96. | .23 | 90.5 |
| W. M. Sanders, Smithfield, N. C. *97.34 2.35 31 2.35 31 2.35 31 2.35 31 2.35 31 31 32 32 32 32 32 32 | 2015 | do | ор | Mount Airy Peed Store, Mount Airy, N. C | *95.13 | 4.47 | .36 | 97.0 |
| High Woods, Roxboro, N. C. *96.91 2.55 54 | 3112 | (I) ild mustard.) | op | W. M. Sanders, Smithfield, N. C | *97.34 | 2.35 | .31 | 86.5 |
| Green the Clayton, Roxboro, N. C. 1.69 23 1.69 23 240 | 3920 | do | | Hugh Woods, Roxboro, N. C | *96.91 | 2.55 | £Ç. | 84.5 |
| do. | 916 | (I) tid mustara.) | Slate Seed Co., South Boston, Va | Sergeant & Clayton, Roxboro, N. C | 80.86 | 1.69 | £. | 88.5 |
| do | 2917 | op | q ₀ | Hugh Woods, Roxboro, N. C | 496.97 | 1.89 | 1.14 | 88.0 |
| .do | 3015 | do | - Smith Seed & Feed Co., Danville, Va | J. H. Burton, Reidsville, N. C | 98.79 | 92. | .45 | 98.5 |
| do | 9014 | dp | dodo | Harris & Hubbard, Reidsville, N. C | *96.24 | 3.47 | 8 | 98.5 |
| do. Breson Hardware Co., Uigh Point, N. C *96.46 1.77 1.77 | 120 | qo | T. W. Wood & Sons, Richmond, Va | G. W. Allen & Son, Troy, N. C | 69.86 | F 6: | .37 | 95.0 |
| (1) the musical.) | 0000 | op | qυ | Beeson Hardware Co., High Point, N. C | *96.46 | 1.77 | 1.77 | 0.96 |
| | 3001 | (H nd mushaa.) (Wild mushad.) | op | do | *96.92 | 2.64 | #: | 97.0 |

| (Wild meterd) | 0.00 | Byrd & Upehureh, Durham, N. C. | . 56.95 | 81.1 | 6. |
|--|------|--|---------|--------------|---------|
| do | do | R. E. Campbell, Shelby, N. C | 97.63 | 1.58 | 67. |
| | -do | A. W. E. Capel, Troy, N. C | 17.79 | 17. | 1.58 |
| op | | Carlton-Hackney Drug Co., Durham, N. C. | 75.76 | 2.06 | 757 |
| do | op | Carpenter Bros., Durham, N. C | 98.23 | 1.46 | .31 |
| do do mustard.) (Wild mustard.) | do | Crutchfield Hardware Co., Thomasville, N. C | 98.05 | GF | 133 |
| op | do | Curtis, Parson Co., Enfield, N. C | \$2.96* | 5.40 5.40 | 98. |
| (h tra mastara.) | do | Farmers Cash & Feed Store, Winston-Salem, N. C | 97.62 | 1,49 | . 68 |
| do | do | Farmers Supply Co., Mount Gilead, N. C | 58.47 | 1.05 | ±. ∞ |
| do mastara.) | do | Five Points Drng Co., Durham, N. C | 71.76* | 2.55 | 81 |
| dodo | do | J. W. & D. S. Fuller, Oxford, N. C | *96.17 | 3.06 | 17. |
| do | ор. | Thomas H. Graham, Mount Gilead, N. C | 06.86 | <i>\$</i> . | 94. |
| do | do | Hardy Drug Co., Washington, N. C. | 98.06 | 1.01 | .93 |
| -do | do | Harris & McNeely, Morrisville, N. C | *95.21 | 3.84 | .95 |
| do | qo | Haywood & Boone, Durham, N. C | 98.26 | 1.37 | 15. |
| -do- | do | Hazel & Minis, Reidsville, N. C | 02.96* | 2,93 | 5.5 |
| do ob | do | . R. G. Hiatt & Co., Greensboro, N. C | *97.09 | 3.17 | 9. |
| do(Wild mustard.) | do | High Point Hardware Co., High Point, N. C | *96.19 | 8.2 | 76. |
| do | dodo | Jos. A. Iseley, Bros. & Co., Burlington, N. C | 16.76 | 1.85 | . 121 |
| do do de | do | J. N. James & Co., Marshall, N. C | 00.76* | 2.01 | 6. |
| do | do | . II. E. Kendall, Shelby, N. C | 85, 99 | 99° | 90" |
| do | do | Kiser & Mauney, Kings Mountain, N. C | 98.22 | 1.17 | .61 |
| op op | do | Lexington Hardware Co., Lexington, N. C. | 98.36 | 16. | £3 |
| do mustara.) | do | - Littleton Grocery Co., Littleton, N. C. | 20.96* | 2.95 | 86 |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JULY 15, 1914—Continued.

| Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
|---|---------------------------------|---|--------------------------|-----------------------------|-----------------------------|----------------------------|
| CLOVER, CRIMSON | T. W. Wood & Sons, Richmond, Va | Lucas & Bass Co., Lucuma, N. C | 10.86 | 1.70 | .29 | 92.0 |
| op | -do | E. O. McGowan, Elm City, N. C | 99.10 | 92. | .14 | 93.0 |
| (Wild mustard.) | -do | B. D. Mann, Enfield, N. C | *95.62 | 5.49 | 1.89 | |
| (Wild mustard.) | -do | W. A. Mauncy & Bro., Kings Mountain, N. C. | *97.30 | 1.86 | .84 | |
| op | op | Miller-McLean Supply Co., Statesville, N.C. | 97.94 | 1.57 | 67. | |
| op | op | W. M. Neel & Co., Mooresville, N. C | *95.51 | £. | 2.08 | |
| (Wald mustard.) | op | J. H. Newsom, Littleton, N. C. | *96.82 | 2.71 | .47 | |
| op | -do | 2. S. L. Owen & Co., Lexington, N. C | *97.46 | 1.68 | .86 | |
| op | -do | M. T. Parham, Gastonia, N. C | *96.53 | 7. | 2.76 | |
| op | ор | op- | 97.75 | 1.62 | .63 | |
| (H 1td mustard.) | | Parham Supply Co., Henderson, N. C | *96.88 | 2.87 | .25 | |
| op | · p | W. T. Parker, Weldon, N. C | *95.45 | 3.35 | 1.20 | |
| op | ор | W. W. Parker, Henderson, N. C. | *96.66 | .59 | .75 | |
| (b) and mustara.) | -do | Patterson Grocery Co., Kings Mtn., N. C | *97.18 | 1.76 | 1.06 | |
| op | | W. S. Russell, Gulf, N. C. | *97.18 | .73 | 2.09 | |
| op | ор- | Saunders & Co., Troy, N. C | 98.89 | .78 | .33 | |
| do | do | F. L. Smith Hardware Co., Mount Airy, N. C | *96.67 | 61 | 1.11 | |
| op- | $^{\mathrm{op}}$ | N. B. Smyhey, Wilkesboro, N. C | 97.70 | 1.51 | .79 | |
| do do museuna.) | op | Thomas Bros., Henderson, N. C | *97.26 | 2.31 | .43 | 178.0 |

| 6169do | op | . White-Morrison-Flowe Co., Concord, N. C. | 98.81 | 7 6: | .25 | 88.5 |
|---|---|---|--------|-------------|-------|--------|
| 6125 do | p | - Wilkins, Ricks Co., Sanford, N. C | *96.11 | 3.33 | 99. | 89.5 |
| 6020 do | Imported seed | Hickory Seed Co., Hickory, N. C | *95.55 | 1.55 | 2.90 | 93.0 |
| 6573 CLOVER, JAPAN | T. W. Wood & Sons, Richmond, Va | A. S. Huske, Fayetteville, N. C | 78.06 | 1.74 | 7.39 | 48.0 |
| 6288 CLOVER, RED | S. T. Beveridge & Co., Richmond, Va | J. J. Adams & Sons Co., Winston-Salem, N. C. | 99. 60 | . 20 | . 20 | 85.0 |
| 2992 | do | Anderson Crawford & Co., Williamston, N. C. | 99.50 | . 48 | . 03 | 91.5 |
| 6467 do | do | Boyd Feed Co., Hickory, N. C | 97.84 | 1.36 | . 80 | 87.5 |
| 6525 dodo | | J. H. Ditmore, Bryson City, N. C. | 99.37 | .30 | .33 | 91.5 |
| obdo | -do | Farmers Supply Co., Charlotte, N. C | 29.66 | 12. | . 13 | 83.5 |
| 6370 dodo | do | Lowing & Costner, Lincolnton, N. C | 95.66 | 1.33 | 1.11 | 89.5 |
| 6129 do | op | . Mt. Gilead Store Co., Mt. Gilead, N. C | 93,94 | ÷. | . 61 | 91.5 |
| 6524 dodo | J. Bolgiano & Son, Baltimore, Md | . Chautauqua Drug Co., Waynesville, N. C | 93.38 | 8. | .80 | . 46 |
| 2960 do do | ор- | . H. W. & J. C. Webb, Hillshoro, N. C | 93.03 | . 64 | ÷; | ÷10, 5 |
| 6465 do (11.00 correct) | J. J. Buffington & Co., Baltimore, Md | J. D. Blanton, Marion, N. C. | 97.87 | . 90 | 1.23 | 96.0 |
| 6466 do do | op | op | 97.70 | 1.63 | . 67 | 95.5 |
| 6351 (II an currot.) | | T. P. Nash, Elizabeth City, N. C. | 97.93 | 1.56 | . 51 | 477.5 |
| 2963 do | Carter, Venable & Co., Richmond, Va. | C. H. Hunter, Roxboro, N. C. | 94.73 | 1.13 | 4, 14 | 79.5 |
| 6291 (Donaer.) | Diggs & Beadles, Richmond, Va. | T. M. Benton, Winston-Salem, N. C. | 96.22 | 1.29 | 2.49 | 79.5 |
| 2991 dodo | op | A. S. Huske, Fayetteville, N. C | 99.01 | 94. | 6.5 | 80.5 |
| 2959 do. | op | C. E. King & Sons, Durham, N. C. | 93.63 | 6.07 | .30 | 80.5 |
| 6038 do do | -do | Thomasville Drug Co., Thomasville, N. C | 93.27 | .71 | 1.02 | 82.5 |
| 6526do | Hackney, Broyles & Lackey Co., Knoxville, Tenn. | R. H. Hiatt, Murphy, N. C | 96.76 | 17 | 1.57 | 97.0 |
| 6036 do | Hardin, Hamilton & Lewman, Louisv., Ky. City Feed Co., Hickory, N. C. | . City Feed Co., Hiekory, N. C. | 94.38 | 3.11 | 3.51 | 83.0 |
| 6520do | ol | . W. J. Gudger & Son, Marshall, N. C | 94.23 | 1.65 | 4, 12 | 90.5 |
| 6521 do | 01) | G. L. Hampton, Canton, N. C. | 96, 30 | 2.14 | 1.56 | S |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEDSE, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15 1012 PO HH V 15 1011 Covers

| | | 15, 1913 TO JULY 15, 1914—Confinued | 1914—Continued. | | | | |
|----------------------|---|---|--|--------------------------|-----------------------------|-----------------------------|----------------------------|
| Laboratory Yumber | Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
| 6208 | CLOVER, RED. | Hardin, Hamilton& Lewman, Louisville, Ky. | W. M. Neel & Co., Mooresville, N. C. | 99, 80 | 13 | SO. | 175.0 |
| 6500 | op | do | do. | 99.63 | .37 | 1 | 84.5 |
| 6522 | do | Lewis & Chambers, Louisville, Ky | C. L. Hampton, Canton, N. C. | 99.47 | .31 | 81 | 94.0 |
| 6523 | do | οp | | 98,83 | . 37 | <u>s</u> . | 95.0 |
| 6518 | do | Louisville Seed Co., Louisville, Ky. | B. II. Cathey & Co., Sylva, N. C | 96, 96 | 1.16 | . S. | 88.5 |
| 6219 | do | -do- | op | 93, 22 | #. | 1.34 | 92.5 |
| 2809 | op. | | Hickory Seed Co., Hickory, N. C | 89.97 | 4.52 | 5.51 | 84.0 |
| 6043 | (Weld mustard.) | N. R. Savage & Son, Richmond, Va. | C. Call, N. Wilkesboro, N. C | 95.34 | 1,27 | .39 | 88.5 |
| 6044 | op | op | ol | 98.70 | .63 | 29. | 83.0 |
| 6292 | op | do | do | 99.00 | . 43 | .57 | 97.0 |
| 6234 | op | do | Davidson & Wolfe, Charlotte, N. C | 99.03 | .54 | 77. | 93.5 |
| 6040 | | ф. | Harris & Hubbard, Reidsville, N. C | 99.51 | 55 | .27 | 88.5 |
| 6041 | do | | Hazel & Mims, Reidsville, N. C | 99,35 | | .33 | 92.5 |
| 6042 | op | op | | 99.56 | .39 | .35 | 89.5 |
| 6262 | do | op | -op | 89.68 | .14 | .18 | 92.0 |
| 6039 | op | -do | Lexington Hardware Co., Lexington, N. C. | 99.74 | 90. | . 30 | 83.5 |
| 6373 | op | do | Miller Grocery Co., Wilkeshoro, N. C | 99.05 | .55 | 27 | 97.0 |
| 6371 | op | op | George Moose, Newton, N. C | 99.65 | .16 | . 19 | 92.5 |
| 6372 | op | op | | 99. 12 | 44. | .41 | 96.5 |
| 6263 | (Wild carrot.) | op | Mt. Airy Feed Store, Mt. Airy, N. C | 98.90 | . 63 | .47 | 92.5 |

| 6264 | op | | op | 98.87 | .73 | .40 | 95.0 - |
|--------|------------------------|-------------------------------------|--|--------|------|------------|--------|
| 6235 | do | | H. L. Parks & Co., Concord, N. C. | 99.17 | . 65 | .18 | 93.5 |
| 9 6269 | do | W. G. Scarlett & Co., Baltimore, Md | E. L. Kiser & Co., Rural Hall, N. C | 98.87 | 6. | .21 | 96.0 |
| 6375 | do | qo | W. M. Neel & Co., Mooresville, N. C | 98.74 | 66. | . 27 | 97.0 |
| 6374 | - ' | op | J. H. Rudisill & Co., Lincolnton, N. C. | 99.42 | 63 | | 89.0 |
| 8949 | do | | Shuping & Poteat, Morganton, N. C | 95.25 | 1.50 | . 25 | 96.5 |
| 6236 | do | T. W. Wood & Sons, Richmond, Va | F. B. Ashcraft, Monroe, N. C | 98.84 | . 99 | 00. | 90.0 |
| 6366 | dodo | | J. B. Barnes, Fayetteville, N. C | 99, 67 | .17 | 91. | 95.0 |
| 8979 | do | | Bruton & Co., Mt. Gilead, N. C | 99.70 | £2. | 90. | 84.5 |
| 2961 | op | do | Carlton-Hackney Drug Co., Durham, N. C | 99.00 | 55. | - +1 | 6.76 |
| 6289 | op | do | Farmers Union Agency Co., Winston-Salem, N. C | 99.44 | ē: | : ? | 54.5 |
| 6265 | do | ор | J. F. Fulton, Greensboro, N. C | 99.32 | . 16 | . 52 | 86.5 |
| 2962 | do | op | Garrett & Stanfield Co., Roxboro, N. C. | 99.41 | 04. | - 5 | 91.0 |
| 6197 | do | op | Gaston Sced & Prov. Co., Gastonia, N. C | 99.49 | £6. | .15 | 83.5 |
| 6201 | (10 | do, | do | 98,46 | .31 | 1.25 | 87.5 |
| 6367 | dp | do | do | 99.00 | - 22 | 17 | 87.5 |
| 6034 | dollar Carrier Carrier | do | R. G. Hiatt & Co., Greensboro, N. C | 91.94 | 3.50 | 4.56 | į71.0 |
| 6463 | p | -do | F. V. Hunter, Hendersonville, N. C | 95,26 | 7 | 1.33 | 85.5 |
| 6200 | qo | op | Kiser & Mauney, Kings Mountain, N. C | 98.17 | 1.17 | . 3. | 91.5 |
| 8619 | -do |) | W. L. Khutz, Sadisbury, N. C | 99.55 | 10. | - X | 172.0 |
| 6032 | dodo. | op | W. A. Leslie, Morganton, N. C | 95.46 | 55 | 25. | 111.0 |
| 6368 | op | (lo | Lowing & Costner, Lincoluton, N. C | 99.72 | Ē. | .16 | 93.5 |
| 6989 | do | -do | op | 99.67 | Ξ. | £. | 97.0 |
| 6130 | op | do | Frank McAuley, Mt. Gilead, N. C | 98.96 | 56. | 55. | 89.0 |

THE BULLETIN

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS.FROMJULY 15 1913 TO IIIX 15 1014 Common and

| | | 15, 1913 TO JULY I. | 15, 1913 TO JULY 15, 1914—CONTINUED. | | | | |
|----------------------|---|----------------------------------|--|--------------------------|-----------------------------|-----------------------------|----------------------------|
| Гарогаtогу Хитрег | Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
| 6267 | CLOVER, RED | T. W. Wood & Sons, Richmond, Va. | McCrary Har-Iware Co., Asheboro, N. C | 99, 70 | ê! | 0. | 89.5 |
| 6364 | Canada Thisda | op | Miller-MeLean Supply Co., Statesville, N. C | 97,72 | :63 | 1.63 | 89.3 |
| 6033 |) | do | S. L. Owen & Co., Lexington, N. C., | 90,36 | ŝ. | 100 | 98.0 |
| 0659 | . do | op . | B. A. Poindexter, Winston-Salem, N. C | 99, 52 | 17. | 13. | 96, 0 |
| 6190 | - do - | op | M. C. Rufty, Salisbury, N. C. | 99, 16 | 7 | :43 | 87.0 |
| 517 | न | ор | Sylva Supply Co., Sylva, N. C. | 99. SS | 27. | .10 | 96.5 |
| 1919 | de | ор | Thompson & Watkins, Rutherfordton, N. C. | 99, 39 | .30 | FF. | 95.5 |
| 9939 | op | ор | J. T. Turner, Asheboro, N. C. | 99, 49 | . 45 | 90. | 96, 0 |
| 6035 | do | do | W. P. Ware, Reidsville, N. C. | 99,34 | £6. | Ξ. | 87.5 |
| 603 | described and a second | op | Paul Webb, Shelby, N. C. | (40, 43 | £4. | <u>21</u> | 96, 5 |
| 6365 | do | dlo | ор- | 99.43 | . 30 | .37 | 85.5 |
| 6572 | (Wild carrot, Dodder.) | qo | A.W. S. White & Co., Elizabeth City, N. C., | 94.30 | 2.97 | 23 21 | 90,5 |
| 0249 | | olo | Grant's Pharmacy, Asheville, N. C. | 99.05 | .65 | 08. | 94.5 |
| 1219 | do | | Grant's Pharmacy, Asheville, N. C. | 97.98 | 1.72 | .30 | 95.0 |
| 6469 | do (Hild carrot.) | | T. S. Morrison & Co., Asheville, N. C | 98.57 | 98. | . 57 | 90.0 |
| 6473 | do | | - Slayden, Fakes & Co., Asheville, N. C | 98, 83 | 12. | 1 9. | 85.0 |
| 6473 | do | | L. R. Strieker, Asheville, N. C | 96.33 | 1.04 | 2.63 | 89.0 |
| 6502 | CLOVER, SWEET | do. | Boyd Feed Co., Hickory, N. C. | 95.79 | 3.90 | E: | 44.5 |
| 9649 | CLOVER, WHITE | do. | Farmers Hardware & Supply Co., Hendersonville, N. C | 99,09 | 60. | 8. | 86. 6. |

| 6095 | | op" | W. A. Leslie, Morganton, N. C. | 99, 19 | 89. | <u>s</u> | 79.5 |
|------|---------------|--|--|--------|-----|----------|-------|
| 6254 | | olo. | W. S. White & Co., Elizabeth City, N. C | 98.08 | £6. | 1.58 | 98.0 |
| 6571 | do | ob | | 98,38 | 6. | 1.39 | 83.0 |
| 6239 | CORN, FIELD I | Barnard Seed Co., Chicago, Ill | T. N. Waters & Bro., Goldshoro, N. C | | | | 192.0 |
| 6162 | 1 1 | Robert Buist Co., Philadelphia, Pa. | R. E. L. Cook, Tarboro, N. C. | | | | 96.0 |
| 6563 | do | op- | Hood & Grantham, Dumi, N. C | | | | 94.0 |
| 6377 | do. | do. | Lowing & Costner, Lincolnton, N. C | | | | 94.0 |
| 9929 |)op | Criffith & Turner Co., Baltimore, Md. | A. S. Huske, Fayetteville, N. C | | | | 9,0 |
| 6193 | 1do | D. Landreth Seed Co., Bristol, Pa. | Brevard Hardware Co., Brevard, N. C. | | | 1 | 94.0 |
| 6376 | do | do | J. H. Rudisill & Co., Lincolnton, N. C. | | | | 190.0 |
| 6460 | | J. B. Rice Seed Co., Cambridge, N. Y. | W. W. Parker, Henderson, N. C. | | | | į81.0 |
| 6461 | | do | | | | | 94.0 |
| 2889 | do | N. R. Savage & Son, Richmond, Va | Y. H. Knowles, Mt. Olive, N. C. | | | | 190.0 |
| 6338 | do. | ор | do | | | | 100.0 |
| 6378 | do. | do. | J. E. Sloop, Statesville, N. C. | | | | 0.76 |
| 6379 | do | do e e e e e e e e e e e e e e e e e e e | - do - | | | | 95.0 |
| 6564 | do - ob. | Slate Seed Co., South Boston, Va. | A. S. Huske, Fayetteville, N. C | | | | 93,0 |
| 6969 | do | ob. | do | | | | 0.96 |
| 1649 | .do. | T. W. Wood & Sons, Richmond, Va. | Brevard Hardware Co., Brevard, N. C. | | | | S. S. |
| 2619 | | op | op | | | | 191.0 |
| 1889 | do | do. | J. C. Horne, Magnolia, N. C | | | | 0.90 |
| 0889 | do. | do | H. E. Kendall, Shelby, N. C | | | | 0.96 |
| 6381 | do | olo | do | | | | 95.0 |
| 6335 | do. | . do | B. F. Powell, Clinton, N. C. | | | | 95.0 |
| 6836 | d. | do | do | | | | 94.0 |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JULY 15, 1914—CONTINUED.

| | Per Cent of Foreign Seec Per Cent of Germination | .16 84.5 | .54 †46.0 | 1.54 145.5 | .52 †53.0 | .77 †15.0 | .76 †30.5 | | 1.84 69.5 | | | | | | | | | | - |
|---|---|--|---|-----------------------------------|--|-------------------------------|---------------------------------|-----------------------------------|--|--|---|--|---|--|--|--|--|--|--|
| | Per Cent of Inert Matter | 1.07 | 1.47 | . 62 | 76. | .61 | 2.02 | | 25.81 | 25.81 14.69 | 25. S1 14. 69 9. S6 | 25. S1 14. 69 9. 86 17. 88 | 25. 81 14. 69 9. 86 17. 88 21. 10 | | | | | | |
| | Per Cent of Pure Seed | 98.77 | 97.99 | 97.84 | 98.51 | 98,59 | 97.19 | | 72.35 | | | | | | | | | | |
| | Retail Dealer | Farmers Union Agency Co., Winston-Salem, N. C | Gaston Seed & Prov. Co., Gastonia, N. C | Davidson & Wolfe, Charlotte, N. C | Farmers Union Agency Co., Winston-Salem, N. C | W. A. Leslie, Morganton, N. C | L. R. Stricker, Asheville, N. C | | J. H. Ditmore, Bryson City, N. C. | J. H. Ditmore, Bryson City, N. C. Farmers Supply Co., Charlotte, N. C. | J. H. Ditmore, Bryson City, N. C. Farmers Supply Co., Charlotte, N. C. Beeson Hardware Co., High Point, N. C. | J. H. Ditmore, Bryson City, N. C Farmers Supply Co., Charlotte, N. C Beeson Hardware Co., High Point, N. C H. W. & J. C. Webb, Hillsboro, N. C | J. H. Ditmore, Bryson City, N. C. Farmers Supply Co., Charlotte, N. C. Beeson Hardware Co., High Point, N. C. H. W. & J. C. Webb, Hillsbore, N. C. J. D. Blanton, Marion, N. C. | J. H. Ditmore, Bryson City, N. C. Farmers Supply Co., Charlotte, N. C. Beeson Harlware Co., High Point, N. C. H. W. & J. C. Webb, Hillsboro, N. C. J. D. Blanton, Marion, N. C. R. H. Hyatt, Murphy, N. C. | J. H. Ditmore, Bryson City, N. C. Farmers Supply Co., Charlotte, N. C. Beeson Hardware Co., High Point, N. C. H. W. & J. C. Webb, Hillsboro, N. C. J. D. Blanton, Marion, N. C. R. H. Hyatt, Murphy, N. C. Tweed & Franklin, Marshall, N. C. | | | | |
| i | Wholesule Dealer | T. W. Wood & Sons, Richmond, Va | ob | do. | do. | do | | S. T. Boveridee & Co. Rielmann V. | 13. L. Develler & Committee of the commi | do | . do | do do | J. Bolgiano & Son, Baltimore, Mddo | do J. Bolgiano & Son, Baltimore, Md J. J. Buffington & Co., Baltimore, Md Hackney, Brogles & Lackey Co., Knoxville, Toun. | do J. Bolgiano & Son, Baltimore, Md J. J. Burlington & Co., Baltimore, Md Hackney, Broyles & Lackey Co., Knoxville, Tenn | J. Bolgiano & Son, Baltimore, Md J. J. Bulington & Co., Baltimore, Md Hackney, Broyles & Lackey Co., Knoxville, Tenn do Hardin, Hamilton & Levenan, Louisv., Ky. | J. Bolgiano & Son, Baltimore, Md J. J. Buffington & Co., Baltimore, Md Hackney, Broyles & Lackey Co., Knoxville, Tenn do do do do do | do J. Bolgiano & Son, Baltimore, Md J. J. Buffington & Co., Baltimore, Md Hackney, Broyles & Lackey Co., Knoxville, Yenn do do do do | do J. Buffington & Co., Baltimore, Md J. Juffington & Co., Baltimore, Md Hackney, Broyles & Lackey Co., Knoxville, Your do |
| | Kind of Seed and Name of Unlawful Seed Present | Fescue, Meadow | do | Ryegrass, Italian | | do | do | Grass, Orchard | | ор | do. | ob | dodododododododo. | do(Wild onion.) | do(Wild onion) do(Wild onion) do(d.idd onion) dododododododod | dodododododododo. | dodododododododo. | dodododododododo. | do(Wild onion.) (Wild onion.) (Wild onion.) do d |
| | Laboratory Number | 6103 | 1019 | 6162 | 1019 | 0019 | 6507 | 6532 | | 6153 | | | | | | | | | · · · · · · · · · · · · · · · · · · · |

THE BULLETIN

| 6531do | | Lewis & Chambers, Louisville, Ky | G. L. Hampton, Canton, N. C | 82.61 | 17.17 | 61 | 95.0 |
|-----------|-----------------|--------------------------------------|---|--------|--------|-----------------|-------|
| 6530 | -do | Louisville Seed Co., Louisville, Ky | B. H. Cathey & Co., Sylva, N. C | *51.08 | 48, 14 | - 28 | 84.0 |
| 2797 | op. | do | Grant's Pharmacy, Asheville, N. C. | *59.30 | 39. se | * 8. | 83.5 |
| 2796 | (Cheat.) | do | R. H. Hyatt & Co., Murphy, N. C | 79.16 | 19.66 | F. 18 | 84.0 |
| 2798 dodo | 10 | National Seed Co., Louisville, Ky | Slayden, Fakes & Co., Asheville, N. C | 85.25 | 14.66 | 60. | 82.0 |
| 6295do_ | op | N. R. Savage & Son, Richmond, Va | Farmers Cash Feed Store, Winston-Salem, N. C | 81.71 | 14.84 | 3.45 | 70.5 |
| dodo | η. | op | Hazell & Mims, Reidsville, N. C | 80.39 | 17.07 | 2.54 | 88.0 |
| 6271do. | 10 | | op | 85, 25 | 7.86 | 68.9 | 86.5 |
| 6294do | | op | Miller Grocery Co., Wilkesboro, N. C | 78.20 | 16.21 | 5.56 | 69.5 |
| 6272 | op- | do | Mt. Airy Feed Store, Mt. Airy, N. C | 73.92 | 23.63 | 2.45 | 71.5 |
| |]0 | do | Hugh Woods, Roxboro, N. C | 69.86 | 20.01 | 10.13 | 78.0 |
| 6385d | (Jv ild onion.) | Wm. G. Scarlett & Co., Baltimore, Md | W. M. Neel & Co., Mooresville, N. C | 90.04 | 9.24 | 51 | 96.0 |
| 6481d | op | | Shuping & Poteat, Morganton, N. C | \$5,39 | 13.83 | .78 | 0.06 |
| do | 10 | T. W. Wood & Sons, Richmond, Va | Beeson Hardware Co., High Point, N. C | 54.74 | 14.01 | 1.25 | 91.5 |
| 6193 |]0 | | Cline & Moose, Concord, N. C | 88.46 | 8.58 | 2.96 | 85.5 |
| 6084d | (Quack grass.) | op | Crutchfield Hardware Co., Thomasville, N. C | *68.15 | 28, 63 | 3, 52 | 74.0 |
| 6383do | 10 | · do | Gaston Seed & Prov. Co., Gastonia, N. C. | 83.90 | 9.63 | 6.48 | 90.5 |
| 6154do. | 10. | op | The Hardware Store, Siler City, N. C | 70.99 | 25.57 | 3.14 | 167.0 |
| 2964do. | 10 | do | Haywood & Boone, Durham, N. C | 79.33 | 20.58 | .10 | 92.0 |
| 6086do. | 10, | | II. E. Kendall, Shelby, N. C | 89.30 | 7.63 | 3.04 | 86.5 |
| 6382do. | 10 | op | do | 80.65 | 17.79 | 1.56 | 83.0 |
| 6194do- | 10 | | W. L. Klutz, Salisbury, N. C | 90,59 | 7.03 | 2,39 | 89.0 |
| 6085do. | 10 | do | W. A. Leslie, Morganton, N. C. | 69.83 | 29.64 | . 53 | 78.5 |
| 6384 do. | lo | | Lowing & Costner, Lincolnton, N. C | 88, 16 | 9.13 | E ei | 86.5 |
| 6212 do | 10 | · op | Miller-McLean Supply Co., Statesville, N C. | 85,90 | 13, 23 | . X | 93.5 |

TABLE MILAREST LTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1914—CONTRUDE.

| Per Cent of Germination | 0.15 | 79.0 | 169,0 | 5. 25 | 0.77 | 74.5 | 92.0 | 162.0 | 142.5 | 150.0 | 159.0 | | 154.5 | 166.0 | †63.5 | †10.5 | 74.0 |
|---|----------------------------------|---|-------------------------------|--|---|--|----------------------------------|---------------------------------|---|-------------------------------|--------------------------------------|----------------------------------|---------------------------------|---|---------------------------------|--|----------|
| Per Cent of Foreign Seed | 1,46 | 5.0 | 1.60 | 6.21 | 6, 17 | 5,50 | 1.21 | 3.79 | 3, 17 | 1.82 | 2.31 | | 2.51 | ×. 46 | 4.15 | 11.71 | 14.51 |
| Per Cent of Inert Matter | 21.56 | 27. 57 | 26.91 | 34.77 | 9.97 | 17.65 | 6, 41 | 1.57 | 3. | 97. | 23.33 | | 9.84 | 13.11 | 12.43 | 15,73 | 21.21 |
| Per Cent of Pure Seed | 76.93 | 69, 85 | 71.46 | *59,02 | 83,86 | 76,85 | 62,38 | 194.61 | 96.01 | 97.32 | 74.36 | | 87, 65 | 79.43 | 83. 43 | 72.56 | *61.28 |
| Retail Dealer | Sylva Supply Co., Sylva, N. C. | Thomasville Hardware Co., Thomasville, N. C | Wolfe Drug Co., Waxhaw, N. C. | Farmers Union Agency Co., Winston-Salem, N. C. | T. S. Morrison & Co., Asheville, N. C., | Slayden, Fakes & Co., Asheville, N. C. | E. R. Stricker, Asheville, N. C. | Boyd Feed Co., Hickory, N. C., | Farmers Union Agency Co., Winston-Salem, N. C | J. T. Turner, Asheboro, N. C. | J. H. Ditmore, Bryson City, N. C. | J. E. Sloop, Statesville, N. C. | Cline & Moose, Concord, N. C. | Farmers Cash & Feed Store, Winston-Salem, N. C. | J. F. Fulton, Greensboro, N. C. | Gaston Seed & Prov. Co., Gastonia, N. C. | |
| Wholesale Dealer | T. W. Wood & Sons, Richmond, Va. | | , do | | | | | T. W. Wood & Sons, Richmond, Va | do | op | S. T. Beveridge & Co., Richmond, Va. | N. R. Savage & Son, Richmond, Va | T. W. Wood & Sons, Richmond, Va | do | op | do | op |
| Kind of Seed and Name of Unlawful Seed Present. | 6529 GRASS, ORCHARD | 6087 do do (IFtd carrat | 2872do | 2774 (Wild onion.) | 6484do. | 6485 do., | 6183 do. | 6503 Ryphramss, Perennial | 6H02do | 6281 do | 6540 Oatgrass, Tall | 6395‡do | 6204 do do (Ouack arres) | 6295 dodo | 6277do | 6205 dodo | 6394 do |

| 5807 | do | ob. | Grant's Pharmacy, Asheville, N. C | 5.54 | 9, 39 | 7.07 | 43,5 |
|--------|----------------|--|--|---------|---------|----------|-------|
| 6609 | - 1 | do. | W. A. Leslie, Morganton, N. C | 83, 53 | 13, 29 | 3.18 | 135.0 |
| 8609 | , | ор- | S. L. Owen & Co., Lexington, N. C | 92, 72 | 7.08 | . 20 | 159.5 |
| 6223 | op. | op | Sylva Supply Co., Sylva, N. C. | 87.37 | 11.64 | 66. | 79.5 |
| 89c9 | MILLET, GERMAN | J. J. Buffington & Co., Baltimore, Md | W. S. White & Co., Elizabeth City, N. C | 99.08 | .52 | 04. | 86.0 |
| 2910 | dodo | - Carter, Venable & Co., Richmond, Va., | E. O. McGowan, Elm City, N. C | 96.35 | 2.33 | 1.33 | †52.5 |
| 6105 | do | Diggs & Beadles, Richmond, Va | Thomasville Drug Co., Thomasville, N. C | 95.07 | .3 8 | .55 | 93, 5 |
| 6505 | op | N. R. Savage & Son, Richmond, Va | City Feed Co., Hickory, N. C. | 99, 10 | . 63 | 27 | 179.0 |
| 6103 | op | do | Geo. Moose, Newton, N. C. | 97.90 | 1.92 | <u>«</u> | †55.0 |
| 9019 | | T. W. Wood & Sons, Richmond, Va | Carolina Warehouse, Greensboro, N. C | 95,83 | £. | 3 | 158.0 |
| 6157 | -do | op | S. E. Dilday, Aboskie, N. C. | 96. 18 | 3.11 | %; | 169.5 |
| 2929 | фо | ор. | Wilson Drug Co., Wilson, N. C. | 98,81 | 90. | 88 | 9,0 |
| 9069 | op. | | b. R. Stricker, Asheville, N. C. | 98, 65 | œ. | 3. | 126.0 |
| 6229 | Milder, Pearl | Robert Buist & Co., Philadelphia, Pa. | Doane Herring, Wilson, N. C. | 78.76 | 1.16 | 1 | 0.73 |
| 6560 | do. | do | Hood & Grantham, Dunn, N. C. | 497, 90 | 21 | 1 | 89.0 |
| 6561 | ор | D. Landreth Seed Co., Bristol, Pu | Henry Dunn, Kinston, N. C. | 495, 33 | 1.67 | | 91.0 |
| \$8668 | op- | T. W. Wood & Sons, Richmond, Va. | Hardy Drug Co., Washington, N. C. | | | | 1 |
| 6350 | do | | T. N. Waters & Bro., Goldshoro, N. C | *95, 25 | 1.75 | 1 | 88.5 |
| 6562 | op | do | Williams Drug Store, Goldshoro, N. C | *97.91 | 2.06 | 1 | 88.5 |
| 6510 | ()ATS. | Adams Grain & Prov. Co., Asheville, N. C. J. H. Ditmore, Bryson City, N. C. | J. H. Ditmore, Bryson City, N. C. | *96.54 | 2.43 | 1.03 | 95.0 |
| 6511 | op | do | Sylva Cash Store, Sylva, N. C. | 97.61 | 2.39 | 1 | 95.0 |
| 25 | ор | , Adams Grain & Prov. Co., Nashville, Tenn. W. S. Ashworth & Sons, Brevard, N. | . W. S. Ashworth & Sons, Brevard, N. C | *95.27 | 3,45 | 8 | 95.0 |
| 6516 | dodo | αρ | J. C. Cole, Canton, N. C. | *96.63 | 2,89 | ₹. | 92.0 |
| 6434 | op | . Adams Grain & Prov. Co., Norfolk, Va., | Bellamy & Co., Enfield, N. C | *92.76 | 6.60 | 19. | 98.5 |
| 6435 | ор | do. | | *97.33 | 3 | 58. | 126.0 |
| | | | | | | | |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JULY 15, 1914—CONTINUED.

| | | 19, 1913 IO JULY 19, 1914—CONTINUED | 1914—Continued. | | | | |
|----------------------|---|--|---|--------------------------|-----------------------------|-----------------------------|----------------------------|
| Laboratory Number | Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
| 6333 | Midley, Pearl | Adams Grain and Prov. Co., Norfolk, Va | R. C. Carmon & Son, Ayden, N. C | *95.65 | 2. ± | 1.94 | 167.0 |
| 6247 | (Wild mustard.) | op | Chadbourn Grocery Co., Chadbourn, N. C. | *95.94 | 1.27 | 2.79 | 179.5 |
| 6436 | op**** | do | W. S. Clarke & Sons, Tarboro, N. C | *90.47 | 7.45 | 2.08 | 178.0 |
| 6437 | | do | -p- | *96.58 | 3.24 | .18 | 97.5 |
| 8219 | op | | Geo. S. Edwards, Roeky Mount, N. C | *90.98 | 8.11 | .91 | 97.5 |
| 6178 | op**** | | Florence Mills, Forest City, N. C | 98.19 | 1.04 | - 77 | †81.5 |
| 6439 | ор | | McKinue Bros. & Co., Louisburg, N. C | *97.02 | 1.10 | 1.88 | 179.0 |
| 6440 | ор | do | -do | 98.13 | 1.51 | .36 | 99.5 |
| 6441 | do | do | T. C. May & Son, Spring Hope, N. C | *87.79 | 10.30 | 1.91 | 97.5 |
| 6332 | | ol | H. G. Munford, Ayden, N. C | *96.03 | 3.60 | .37 | 98.5 |
| 6248 | do. | -do | C. L. Spencer, New Bern, N. C. | *96.12 | 2.36 | 1.52 | 98.0 |
| 9109 | (Wild mustard.) | Adams Grain & Prov. Co., Richmond, Va | Farmers Union Agency Co., Winston-Salem, N. C. | *96.84 | 1.92 | 1.94 | 170.5 |
| 2958 | qo | do | Parham Supply Co., Henderson, N. C | *94.96 | 4,45 | . 66. | †6.5 |
| 6305 | ор- | S. T. Beveridge & Co., Richmond, Va. | J. B. Cox, Warsaw, N. C | 98.16 | 1.56 | . 28 | 99.5 |
| 9089 | OATS | ф | J. B. Cox, Warsaw. N. C | *96.87 | 2. 92 | . 21 | 98.5 |
| 6329 | | | J. N. Dellinger, Shelby, N. C | 97.65 | 2.03 | .33 | 98.0 |
| 6203 | (Corn cockle Wild mustard) | op | J. II. Ditmore, Bryson City, N. C. | *91.21 | 8.43 | .36 | 6.5 |
| 6047 | dodo | op | Farmers Cash & Feed Store, Winston-Salem, N. C | 99.34 | 99. | | 98.0 |
| 6330 | do(Cheat.) | do | Hall Mercantile Co., Wallace, N. C | 98.98 | .41 | .61 | 97.0 |

THE BULLETIN

| 2019 | do | | W. T. Hancoek & Co., Seotland Neek, N. C | 98.00 | 1.82 | | 100.0 |
|-------|------------------------------|--------------------------------------|---|---------|--------------|------------------|-------|
| 9419 | do | do | Harrison & Co., Lenoir, N. C | *96.62 | 2.91 | 17 | 96.5 |
| 6477 | op | ψ | do | *96, 69 | - 1. - 1. | 1.52 | 98.5 |
| 6544 | op | do | Harrison Bros. & Co., Williamston, N. C | *94.36 | 5, 49 | .15 | 98.0 |
| 6222 | -do | ор | Jas. E. Jordan, Dunn, N. C | *97.35 | 2.18 | 14. | 95.0 |
| 6545 | op | do | C. E. Kornegay, Selma, N. C | *90.46 | 99.2 | 3. | †64.5 |
| 6409 | op | do | Lawrence Bros., Enfield, N. C | *96.55 | 3, 45 | | 98.0 |
| 6307 | op | dodo | Theo. Middleton, Magnolia, N. C | *93, 95 | 5.54 | . 4 S | 89.5 |
| 6410 | do | do | Parham Supply Co., Henderson, N. C | *97.27 | 2,59 | - 11 | 98.5 |
| 8045 | do | op | R. B. Peters Grocery Co., Tarboro, N. C | *97.00 | 2.85 | . 15 | 97.0 |
| 1149 | op | -do | N. L. Stedman & Co., Hahfax, N. C. | +96.54 | 3, 20 | . 26 | 99.5 |
| 6453 | (Cheat.) | Carter, Venable & Co., Richmond, Va. | Lynn-Winston Co., Oxford, N. C | 97.57 | .: [7] | . 26 | 95.5 |
| F2+9 | (Corn cockle, Cheat.) | do | 010 | +96.42 | 3, 26 | .32 | 95.0 |
| 6455 | op | do | op | *97.38 | 2.59 | .03 | 90.5 |
| 92+9 | (Cheat.) | do | op | +94,50 | 3,36 | 2.14 | 96.5 |
| 6452 | (Corn cockle, Cheat.) | do | S. J. Stallings, Littleton, N. C. | *95.50 | 4.50 | | 97.5 |
| 635.8 | do | | . Walker's Bargain House, Mocksville, N. C. | *97.41 | 9] 01 | 11. | 96, 5 |
| 2954 | do | do | Winston-Long Co., Oxford, N. C | *97.39 | 2.61 | | 95.0 |
| 6223 | do | The Corbett Co., Wilmington, N C | J. W. Carter, Maxton, N. C | *97.34 | 1.83 | Ž, | 93.0 |
| 6172 | do | Diggs & Beadles, Richmond, Va | H. M. Blackwelder, Concord, N. C. | *96.51 | 4: | 1.01 | 458.5 |
| 6256 | (Cheat.) | • op | J. H. Burton, Reidsville, N. C | \$ | 13, 89 | 4.39 | 135.0 |
| 6413 | do | op | Franklin Groeery Co., Franklinton, N. C. | *96, 69 | 3.11 | . 17 | 99.5 |
| 6414 | do- | op | op | *93,58 | 3,73 | 2, 67 | 149.5 |
| 6257 | (Corn cockle, Wild mustard.) | ор | J. F. Fulton, Greensboro, N. C. | *85. 11 | 11.46 | 3, 13 | 447.5 |
| 6224 | do | do | W. J. Glass, Concord, N. C | *96, 57 | 2.09 | 1.34 | 96.0 |
| 6225 | ор | do | op. | *84. 83 | 12.24 | 2.93 | 134.0 |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JULY 15, 1914—Continued.

| | | 15, 1913 TO JULY 15, 1914—CONTINUED. | 1914 —Continued. | | | | |
|----------------------|---|---|--|--------------------------|-----------------------------|-----------------------------|----------------------------|
| Laboratory Number | Kind of Seed and Name of Unlawful Seed Present | Wholesale Deuter | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent to Germination |
| 6415 | OATS (High mandard Chant) | Diggs & Beatles, Richmond, Va | Horner Bros., Oxford, N. C. | *4.11 | 15.27 | 4, 59 | 42.5 |
| 91+9 | dodo | op | ор | *96. 19 | 3.56 | · 6. | 96,5 |
| 6305 | do | .' Dixon & Etheridge, Goldsboro, N. C. | M. J. Bost & Son. Goldsboro, N. C. | *94.76 | 4.29 | 76. | 97.0 |
| 9189 | do | · · · · · · · · · · · · · · · · · · · | Ray Dawson, Kinston, N. C. | 98,51 | 1.32 | 11 | 99.0 |
| 6317 | do (Chant) | ob. | op | *95. 19 | 4.51 | .03 | 96, 0 |
| 6546 | op | do | op | 98, 12 | 3. | | 99.0 |
| 6300 | | .do. | Deans & Moye Co., Goldsboro, N. C. | *97.38 | Si si | # | 97.5 |
| 6301 | do | ф | Z. M. L. Jeffreys, Goldsboro, N. C. | *95, 90 | 3, 43 | . 67 | 90.0 |
| 6315 | do | op | E. S. Mewborn, La Grange, N. C. | *93. H | 5, 61 | 86. | 165.5 |
| 6327 | do | do, | Mt. Olive Grocery and Hardware Co., Mt. Olive, N. C. | 15.76 | . 25 | £5: | 97.5 |
| 6530 | do | .db | Thompson & Sons, Coldsboro, N. C. | *91.97 | 7.86 | . 17 | 95.5 |
| 6250 | do | D. L. Gore, Wilmington, N. C. | Loulenon & Loulenon, Chadbourn, N. C. | *97.29 | ÷ 10 | 19: | 93.0 |
| 6328 | do (Cheat) | Hall & Pearsall, Wilmington, N. C. | C. Harrell & Son, Burgaw, N. C. | *95.96 | 3.51 | 16. | 98,5 |
| 6329 | dodo | | Wallace Grocery Co., Wallace, N. C | *96, 43 | 3, 57 | 1 | 93.5 |
| 6514 | do | Hardin, Hamilton & Lewman, Louisy , Ky. | Madison County Farmers Union. Marshall, N. C | *95.41 | 4, 57 | .02 | 96.5 |
| 8559 | do Wild anion | Harsh Grain Co., Nashville, Tenn | MeRae Grocery Co., Rockingham, N. C. | , 86, 38 | 3.50 | . 12 | 93.5 |
| 6312 | do | E. G. Hines, Goldsboro, N. C | Aman Grocery Co., Clinton, N. C. | 97.87 | 5.04 | 60. | 98.0 |
| 6303 | do | ··· do | M. J. Best & Son, Goldsboro, N. C. | *95.91 | 2,68 | 1.41 | 95.0 |
| 6304 | do. | ор | Hobbs & Russ, Warsaw, N. C | *94.43 | 4.26 | 1.31 | 98.5 |

| 6314 | 6314 :do | do | T. W. Pace, La Grange, N. C | 121.86 | 1.83 | | 95.5 |
|-------|---|---|---|-----------|-------------------|-----------|---------|
| 6311 | -do- | do | J. C. Peterson, Clinton, N. C. | 89.78 | 2, 19 | z. | 95.0 |
| 6313 | ор- | do. | B. F. Powell, Clinton, N. C | 93,63 | 1.36 | | 100.0 |
| 6221 | | do | Selma Supply Co., Selma, N. C. | *91.04 | 6.0 | .9. | 94.5 |
| 6231 | dodo | Logan & Co., Nashville, Tenn | W. M. Sanders, Smithfield, N. C. | *95.28 | 98.5 | 1.85 | 93.0 |
| 6425 | (10) (10) (10) (10) (10) (10) (10) (10) | Mayo Milling Co., Richmond, Va. | Arrington-Bissett Co., Nashville, N. C. | *96.72 | 1.77 | 1.51 | 89.5 |
| 6323 | | do | Geo. D. Best & Sons, Fremont, N. C | *91.71 | 7.54 | 13 | 95.0 |
| 6427 | do. | ob | Cockerell & Williams Co., Nashville, N. C., | *92.12 | 6, 22 | 1.66 | 5.99 |
| 6321 | op | op | R. L. Davis & Bros., Farmville, N. C | 147.62 | 12.05 | F. | 0.29 |
| 6123 | т. фо. | op* | N. B. Finch & Co., Spring Hope, N. C. | *95.86 | - 65.5 | :3 :3: | 93.0 |
| 6424 | do. | op | do | 191, 85 | 6,21 | 16.1 | 0.26 |
| 6155 | op | do | W. H. Griffen & Co., Spring Hope, N. C. | 97.93 | . Se . T | 9. | ÷7.5 |
| 6322 | op | op | I Hooks, Ballance & Co., Fremont, N. C. | *9.16* | 6, 45 | 17.7 | 6.5 |
| 6319 | do | ор | J. B. Johnston, Greenville, N. C. | 59.195 | 2 | . 17 | 89.5 |
| 612s | do | ob. | . King Cooperative Co., Nashville, N. C. | 195,92 | 51.13 | 1.95 | ÷ 11. 0 |
| 6450 | | do | Littleton Peerl & Grovery Co., Littleton, N. C | *91.13 | 7. 64 | 89 | į81.5 |
| 975 | 40 | | Nash Supply Co., Nashville, N. C | 495.82 | 3, 12 | 1.06 | 99.5 |
| 6324 | apdo | do | Z. M. L. Peacock, Fremont, N. C | 98.88* | 96.6 | 1.15 | 136.0 |
| 6320 | do 11.71 montand Chart | do | L. M. Savage, Greenville, N. C. | +49.45 | 6.62 | (6) | 1.35.0 |
| 6421 | do | do | T. L. Warsley, Rocky Mount, N. C., | 190,007 | 5.07 | 1.56 | 0.96 |
| 6480 | do | 000 | Williams & Erwin, Rutherfordton, N. C | 49.1.22 | 6, 57 | 71 | 50,5 |
| 6549 | dodo | J. A. Meadows, New Bern, N. C | Chas. B. Hill, New Bern, N. C. | *96, 19 | 2.1 2.5 2.5 | - 61 | 96,0 |
| 6318 |) | op | T. W. Mewborn & Co., Kinston, N. C. | 196,39 | 3.51 | €. | 98.0 |
| 21-60 | do | D. P. Reid & Bro., Norfolk, Va. | . A. L. Owen, Plymouth, N. C. | *95.20 | 1,66 | 11. | 5 76 |
| 6548 | 0) | qo | H. C. Prevatt, Edenton, N. C | *91.46 | 5, 99 | 2.55 | 89.5 |
| 6420 | op | W. F. Richardson, Jr., & Co., Richm, Va' Bellamy Co., Enfield, N. C | Va Bellamy Co., Enfield, N. C. | +96, 89 . | 25.0 | 7. | 5.76 |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF ACRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1914—CONTINUED.

| Laboratory | Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
|------------|---|--|--|--------------------------|-----------------------------|-----------------------------|----------------------------|
| 6419 | ОАТВ | W. F. Richardson, Jr., & Co., Richmond, Va., Curtis Pierce & Co., Enfield, N. C. | Curtis Pierce & Co., Enfield, N. C. | +96, 33 | 2.50 | 1.17 | 99.5 |
| 6433 | op | Roper & Co., Petersburg, Va | J. W. & D. S. Fuller, Oxford, N. C | *87.45 | - 5 6 | 6.68 | 92.0 |
| 6430 | op | -do | Eugene Johnson, Littleton, N. C | *97.17 | .95 | 3.58 | 97.5 |
| 6432 | (Cheat.) | op. | R. S. Montague, Oxford, N. C | *88,55 | 11.13 | 50 | †75.5 |
| 6431 | op | op | L. J. Moore, Weldon, N. C. | +95, 73 | 4.17 | .10 | 98.5 |
| 6286 | op | N. R. Savage & Son, Richmond, Va | J. J. Adams Sons Co., Winston-Salem, N. C | *96.03 | 3.80 | .17 | 100.0 |
| 6287 | op | op. | ор- | *96.89 | 2, 71 | 9F. | 97.0 |
| 6218 | -do | ор- | Austin-Stephens Co., Smithfield, N. C | *95.26 | 2, 45 | 9.29 | 90.5 |
| 64-12 | do | do | Beacom Supply Co., Henderson, N. C | *96.28 | 3, 50 | 65 | 98.0 |
| 2956 | qo | | J. D. Brooks, Oxford, N. C | 98.71 | 1.26 | | 181.5 |
| 2957 | d0 | op | Carlton-Hackney Drug Co., Durham, N. C. | 99.30 | 07. | | 92.0 |
| 6419 | 0 p | do | City Feed Co., Hiekory, N. C | 97.89 | 2.03 | 60. | 99.5 |
| 6445 | 010 | do | Edwards & Co., Scotland Neck, N. C | *96.47 | 3,38 | .15 | 98,5 |
| 9449 | 00 | | op | 98.48 | 1.35 | .17 | 98.0 |
| 6284 | . do. | -do | Farmers Union Agency Co., Winston-Salem, N. C | +96, 92 | 2.93 | .15 | 100.0 |
| 6285 | op | op | | *96. 11 | - 06 . | 2,69 | 91.0 |
| 0219 | (Cheat, Corn cockle, Wild onion.) | op | J. W. & D. S. Fuller, Oxford, N. C | 98.57 | 1.10 | .33 | 99.0 |
| 6451 | op | | | 98.06 | 1.85 | 60. | 100.0 |
| 6258 | op. | | J. F. Fulton, Greensboro, N. C | 98, 48 | 1.33 | . 19 | 98.5 |

| 6229 | -op | -op- | op- | 97.82 | 1.93 | . 25 | 92.0 |
|------|-----------------------|---|--|--------|-------|------|-------|
| 6360 | op | ор- | Harris & McNeely, Mooresville, N. C. | *94.17 | 3,49 | | 95.5 |
| 6361 | -do | | op | 98.60 | 1.32 | S0. | 100.0 |
| 6362 | op | | op | 98, 21 | 1.79 | 1 | 95.0 |
| 6216 | op | | Hazell & Mims, Reidsville, N. C., | 98.36 | 1.04 | 1 | 97.0 |
| 6261 | op | | | *96.31 | 3.69 | | 89.5 |
| 6447 | op | op | M. Hoffman & Bro., Scotland Neck, N. C. | *97.09 | 09.1 | 1.31 | 99.0 |
| 6448 | ф. | do | do | 11.76, | 2, 19 | . 10 | 100.0 |
| 2955 | do | op | Horner Bros., Oxford, N. C | 97.55 | 다. | 1 | 97.5 |
| 6449 | do | ор- | Horner Bros., Oxford, N. C | 76.76 | 1.97 | 90. | 99.2 |
| 6217 | do | | W. L. Klutz, Salisbury, N. C | 97.52 | 1.92 | .56 | 156.5 |
| 9789 | (Cheat.) | | E. G. Martin, Son & Co., Mt. Olive, N. C. | *95.S2 | 1.65 | . 33 | 99.5 |
| 6260 | op | | W. E. Merritt & Co., Mt. Airy, N. C | 94.96* | 3.40 | 114 | 98.5 |
| 6282 | - | ор- | Miller Groeery Co., Wilkesboro, N. C | 89.76 | 2.09 | .23 | 92.2 |
| 6283 | (It it mustard.) | op | op | 196.92 | 3.00 | 80. | 96.5 |
| 6045 | op | | Mt. Airy Feed Store, Mt. Airy, N. C | 98.54 | 1.46 | | 0.621 |
| 6443 | , q | op | Parham Supply Co., Henderson, N. C | *96.31 | .93 | 2.76 | 91.0 |
| 6444 | (Cheat, Corn cockle.) | -do | ор. | *96.77 | 3.06 | .17 | 0.88 |
| 6141 | pq | op | W. M. Sanders, Smithfield, N. C | 98.86 | .19 | .95 | 93.0 |
| 6142 | p | | Selma Supply Co., Selma, N. C | 99.35 | 77 | ēi. | 95.0 |
| 6220 | (Cheat.) | • · · · · · · · · · · · · · · · · · · · | | 98.26 | 1.37 | .37 | 95.5 |
| 6363 | do | | J. E. Sloop, Statesville, N. C | *96.73 | 3.26 | 10. | 6.99 |
| 2907 | do | op | R. S. Wells, Elm City, N. C | 99.00 | .62 | .38 | 0.78† |
| 6325 | do | op | Yelverton & Bros., Fremont, N. C | *97.36 | 2.24 | 0.1 | 100.0 |
| 6418 | do. | Southern Distributing Co., Norfolk, Va | J. P. Freeman, Windsor, N. C | *97.36 | 2.64 | | 97.5 |
| 6549 | op**** | op. | W. A. Roberson & Co., Robersonville, N. C. | *96 45 | 2 16 | 1 39 | 95.5 |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JULY 15, 1911 - CONFINUED.

| Гарога (оту Учинбет | Kind of Seed and Name of Unlawful Seed Present | Wholesule Dealer | Retail Desler | Per Cent of Pure Seed | Per Cent of Inert Matter | to tent to Per Cent to Perd Indianal | Per Cent of dernination |
|------------------------|---|---|---|--------------------------|-----------------------------|---|----------------------------|
| 6417 0 | OAT ; | Southern Distributing Co., N. rf 5k. Va | J. P. Williams & Bros., Aboskie, N. C. | 495 65 | 10.8 | - | 0.76 |
| 6513 | do. | W. R. Tate, Nashville, Tena. | A. L. Plemmons, Marshall, N. C. | *94.84 | 2 2 2 1 | 51 | 5.18 |
| 6512 | (Water mustard.) | фо | Sylva Supply Co., Sylva, N. C. | *96.32 | 3.0 | 19. | 0.16 |
| 6229 | do | do | A. L. Thompson, Dunn, N. C. | 897.68 | 25.33 | | 55.5 |
| 6219 | db | Tennessee Grain Co., Nashville, Tenn | Johnson Bros., Dunn, N. C. | 99,06* | 9.43 | 107 | 6.17 |
| 6356 | do | T. W. Wood & Sons, Richmond, Va. | J. T. Angell, Mocksville, N. C. | 98.38 | 987 | - 557 | 5.17 |
| 6357 | do | do- | | 98.11 | 7 | 90 | £.96 |
| 6353 | (Cheat) | - do - | J. B. Barnes, Taylorsville, N. C. | *95.94 | 3.57 | 9 . | 688.0 |
| 9019 | | . do. | Burroughs Grocery Co., Warrenton, N. C., | 99.23 | 5. | 55 | 59.5 |
| 6143 | (Chemt) | do. | A. W. E. Capel, Troy, N. C | 99.15 | 64. | . 36 | 95.0 |
| 6226 | op- | do | Cline & Moose, Concord, N. C | *97.21 | 2.05 | 17. | 0.86 |
| 6246 | op | do | Walter Credle & Co., Washington, N. C | 98.12 | 1.64 | 5. | 95.5 |
| 6331 | | do | Duplin Grocery Co., Wallace, N. C. | 77.76 | 2.09 | .11 | 0.66 |
| 6309 | | do., | Geo. Edwards, Magnolia, N. C. | 97.94 | 1.95 | Ξ | £. 88 |
| 6242 | op Production | do | A. C. Foster, Maysville, N. C | 98.28 | 1.46 | - 95 | 0.86 |
| 6354 | do mascara, r arac.) | do | Gaston Seed & Prov. Co., Gastonia, N. C., | 98.82 | 1.03 | .15 | 0.66 |
| 6355 | do | do | | *96.19 | 3.08 | .73 | 6.78 |
| 8089 | (c acac.) | do. | Roy Hill & Co., Magnolia, N. C | 66, 76 | 1.95 | 90. | 6.86 |
| 6310 | do | | J. G. Hobbs, Clinton, N. C | 10.76* | 09. | 2.39 | 0. F8† |
| 6227 | ion.) | do. | A. S. Huske, Fayetteville, N. C | 78, 80, 87 | 9.03 | 1.10 | 95.0 |

| 6048 | | | H. E. Kendall, Shelby, N. C | 68°96* | 3.10 | .01 | 5.66 |
|------|---------------------------------|---------------|---|---------|----------------|---|-------|
| 6049 | (Cheat Corn cookle Wild amon) | op | | *93.75 | 1.17 | 5.08 | 5. 68 |
| 6050 | (Creat, Corn count, Hate order) | op | | 99.34 | 99. | - | 0.96 |
| 6175 | dodo | op | W. L. Klutz, Salisbury, N. C | *97.03 | 2.97 | 1 | 0.86 |
| 6175 | do (tool) ofdoor (and) | | qo | 98.01 | .21 | 1.78 | 5.89 |
| 6177 | domestic man.) | op | - op | 99.30 | .70 | : | 5.68 |
| 6412 | do | qo | McGhee-Joyner Co., Franklinton, N. C | 98.20 | 67. | 10. | 0.001 |
| 2908 | (Cheat Will min) | op | E. O. McGowan, Elm City, N. C | 98.06 | Ξ. | .55.1 | 5. 89 |
| 6515 | do-mark a controllar | | Madison County Farmers Union, Marshall, N. C | *97.17 | 97.5 | 70 | 9, 66 |
| 6345 | do | | T. P. Nash, Elizabeth City, N. C | 98.71 | 1.99 | is. | 0.001 |
| 6551 | op | do | Roberson-Holiday Co., Robersonville, N. C. | *97.13 | 9 1 | = | 0.88 |
| 6550 | db. | ор. | J. H. Roberson & Co., Robersonville, N. C. | 98 45 | 1.15 | ; | 5, 79 |
| 6144 | do | | Saunders & Co., Troy, N. C. | 88,88 | 3 | | 61.5 |
| 6051 | -do | op | C. Scott & Co., Greensboro, N. C. | 15,70 | FG 21 | <u></u> | 0.86 |
| 6052 | do (Thead) | op | op | 167.91 | 1.49 | 091 | 166.0 |
| 6255 | do | do | C. Scott & Co., Greensboro, N. C. | 98.92 | Š. | Ξ. | 5,00 |
| 6053 | φ | | W. P. Ware, Reidsville, N. C. | 94, 86 | 76 | | 0.26 |
| 6173 | do | do | White, Morrison, Flowe Co., Concord, N. C. | 97.78 | 55 | 95.7 | 6.89 |
| 6174 | do-mari | do | do do | 97.58 | 1 66 | 9: | 631.0 |
| 6243 | op | op | W. S. White & Co., Elizabeth City, N. C. | 99 05 | 56. | - ; | 0.70 |
| 6244 | op | do. | do | 28. 96* | 961 | - | 0.76 |
| 6552 | | | do- | 57 S. | 51.13 | | 95.0 |
| 6054 | do (hod) | Locally grown | Hickory Seed Co., Hickory, N. C | 11.76. | 10.5 | £ | 95.0 |
| 6231 | do | op | Jao, F. McNair, Laurinburg, N. C. | 197.164 | 1.85 | 5.1 | 0 23 |
| 6474 | (L) (10 mm.) | do | L. R. Stricker, Asheville, N. C. | 191,71 | 2675 | 1 3 4 | 0 75 |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL. COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JULY 15, 1914—CONTINUED.

| Laboratory Number | Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealer | Per Cent of Pure Seed | Per Cent of Incrt Matter | to dan Per Foreign Seed | Per Cent of Germination |
|----------------------|---|--|---|--------------------------|-----------------------------|----------------------------|----------------------------|
| 6475 | OATS | Locally grown | L. R. Stricker, Asheville, N. C | .95.20 | 4.11 | 69. | 92.0 |
| 6405 | (H tld mustard.) PEA, FIELD. | J. J. Buffington & Co., Baltimore, Md. | N. S. White & Co., Elizabeth City, N. C. | | | | 55.5 |
| 6569 | | op | op | | | 1 1 1 1 1 1 | 0.99 |
| 2609 | Каре | S. T. Beveridge & Co., Richmond, Va | Harrison & Co., Lenoir, N. C. | 99°64 | .93 | .03 | 92.5 |
| 2788 | · do | do | Planters Supply Co., Nashville, N. C | 98.85 | .52 | .63 | 94.0 |
| 6347 | -do | op | T. L. & W. J. Turnage Co., Farmville, N. C. | 75.86 | 1 | | 95.5 |
| 2789 | do. | do | J. D. Winstead & Son, Nashville, N. C | 99,59 | 7 | | 93.5 |
| 6458 | do | Robert Buist Co., Philadelphia, Pa | R. E. L. Cook, Tarboro, N. C | 99.19 | .80 | 0. | 0.86 |
| 8229 | op. | | Doane Herring, Wilson, N. C | 99,27 | .63 | .10 | 94.0 |
| 6252 | -do | J. J. Buffington & Co., Baltimore, Md | T. P. Nash, Elizabeth City, N. C | 99.41 | .59 | | 98.5 |
| 1619 | do | Carter, Venable & Co., Richmond, Va | Houston & Sons, Hendersonville, N. C | 99,64 | .36 | 1 | 185.5 |
| 2970 | do | op | C. E. King & Sons, Durham, N. C | 99.54 | .35 | F. | 80.5 |
| 2783 | do | Diggs & Beadles, Richmond, Va | Deans & Moyeler, Goldsboro, N. C | 99.43 | .54 | .03 | 93.0 |
| 2825 | do | op | Z. M. L. Jeffreys, Goldsboro, N. C. | 99.19 | .81 | 1 | 0.86 |
| 6345 | dodo | D. Landreth Seed Co., Bristol, Pa | Temple Drug Co., Kinston, N. C | 98.41 | 1.54 | 80. | 0.06 |
| 6346 | do | Leonard Seed Co., Chicago, Ill | J. E. Hood & Co., Kinston, N. C | 82.86 | 1.18 | 70. | 91.5 |
| 6556 | do | J. B. Rice Seed Co., Cambridge, N. Y | J. F. Clarke, New Bern, N. C | 99.41 | .59 | | 89.5 |
| 6241 | op | op | A. S. Huske, Fayetteville, N. C | 99.70 | .30 | | 92.0 |
| 6557 | do | | op | 99.65 | .32 | .03 | 187.5 |
| 6348 | op | qo | J. M. Lewis, Mt. Olive, N. C | *98.47 | .46 | 20. | 0.96 |

| 6459 | - op | op | W. W. Parker, Henderson, N. C | 99.39 | .61 | | 5.06 |
|------|------|-----------------------------------|--|--------|------|-------------|--------------|
| 6349 | op | | T. N. Waters & Bro., Goldsboro, N. C. | 98.65 | .35 |)) ! | 91.5 |
| 6388 | -do | N. R. Savage & Son, Richmond, Va. | Gaston Seed & Prov. Co., Gastonia, N. C. | 99.15 | .S. | 10. | 97.0 |
| 2860 | op | ор | Parson Drug Co., Wadesboro, N. C | 16.99 | 70. | 60. | *20.0 |
| 6387 | ор | op | J. E. Sloop, Statesville, N. C | 75.86 | 1.43 | - | 97.0 |
| 2822 | ф | T. W. Wood & Sons, Richmond, Va | L. H. Caldwell, Lumberton, N. C | 99.51 | 64. | 1 | 93.5 |
| 2988 | do. | ďο | R. E. L. Cook, Tarboro, N. C | 12.00 | -1.0 | | 5, 66 |
| 2781 | - op | op | Geo. E. Daniels, Goldsboro, N. C | 99.16 | 97: | .08 | 92.0 |
| 2824 | op | | A. J. Floyd, Fairmont, N. C | 99.65 | .35 | 1 | 93.0 |
| 2823 | op | | M. W. Floyd, Lumberton, N. C | 66.45 | .52 | 90' | 0.96 |
| 8228 | do | do. | J. F. Fulton, Greensboro, N. C | 99.44 | .52 | ÷0. | 96.5 |
| 9619 | qυ | ор | . Gaston Seed & Prov. Co., Gastonia, N. C | 08' 66 | 8 | | 181.5 H.F |
| 5989 | -do | | J. E. Hood & Co., Kinston, N. C | 09.80 | 1.05 | .35 | D 0.89 |
| 2990 | do | dn | A. S. Huske, Fayetteville, N. C | 99.57 | .43 | | 5.19 |
| 6342 | qo | | . Isbel & Peele, La Grange, N. C | *98.47 | .53 | 1 | 95.0 |
| 6341 | do | do | J. B. Johnston, Greenville, N. C | 98.75 | 1.25 | , | 93.0 |
| 6555 | do | do | . H. C. Joyner, Rocky Mount, N. C. | 99.32 | 89 | | 6.99 |
| 6195 | do | do | . W. L. Klutz, Salisbury, N. C | 91.66 | \$ | | 95.0 |
| 2987 | op | | Lucas & Bass Co., Lucama, N. C. | 99.10 | 06: | 1 | 97.5 |
| 6214 | ор | -do | Miller-McLean Supply Co., Statesville, N. C | 86.38 | .62 | . ! | 0.86 |
| 6386 | -do | υp | | *98.30 | .67 | .03 | 67.5 |
| 6343 | do | -do | B. F. Powell, Clinton, N. C | 98.54 | .46 | | 94.0 |
| 9609 | op | do. | C. Scott & Co., Greensboro, N. C. | 99.55 | .45 | | 0.68† |
| 6344 | op | | . Wallace Grocery Co., Wallace, N. C. | 99.70 | .30 | | 95.0 |
| 2782 | do | -do | T. W. Waters & Bro., Goldsboro, N. C | 24.00 | .533 | | 5, 19 |
| 2821 | do | op | . Whitakers Pharmacy, Whitakers, N. C | 99.64 | .34 | 20: | 0.96 |

TABLE VII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS PROMJULY 15, 1913 TO JULY 15, 1914 -CONTINUED.

І,арогатогу Уитрег

| | | | | | 1 | HE I | 3UI | ЛE | TIN | · · | | | | | | | | | |
|---|---|-------------------------------------|---------------------------------|-------------------------------|----------------------------------|--|------------------------------|---------------------------------------|--------|---------------------------------|---|---|---------------------------------------|----------------------------------|--------------------------------------|---------------------------------|-----------------------------------|---------------------------------|-----------------------------|
| Per Cent of Germination | 5.68 | 93 5 | 0.96 | 0.26 | 0° IS, | 5, 78 | 85.5 | 8.68 | 8.68 | 8.08 | 51.5 | č. 0 <i>7</i> | 74.3 | 0.06 | 0.48 | 0. 18 | 5,16 | 93.3 | 5.06 |
| Per Cent of Foreign Seed | 91. | 20. | | Ŧ, | 95 | 1.82 | 69. | 31.79 | 33,27 | S. | 27. X | 1.13 | 1.20 | 5.47 | 12 | -19 | 4.59 | 9 | 12. |
| Per Cent of Inert Matter | 67.00 | ź | 1.01 | _ [6] | 55. | | 97.9 | 21.75 | 20.56 | 5.91 | 21.61 | 9.25 | 6.63 | 13.02 | . 68. 2 | 4.68 | 1.1 | 8,05 | 9.75 |
| Per Cent of Pure Seed | 497.49 | 66.45 | 98.99 | 99.45 | 35, 99 | F6. 88* | 92.55 | 94.94 | *46.17 | 98.21 | 29' 69+ | 89.62 | 92.17 | ⁴ S1.51 | 91.39 | 95.13 | *84.27 | 91.75 | 86.68 |
| Retail Dealer | W. S. White & Co., Elizabeth City, N. C | Williams Drug Co., Goldsboro, N. C. | W. V. Williams, Goldsboro, N. C | Wolfe Drug Co., Waxhaw, N. C. | L. R. Stricker, Asheville, N. C. | J. J. Adams Sons Co., Winston-Salem, N. C | Harrison & Co., Lenoir, N. C | T. P. Nash, Elizabeth City, N. C | ор | A. S. Huske, Fayetteville, N. C | R. H. Hyatt & Co., Murphy, N. C | Byers Bros., Hendersonville, N. C | Hunter Pharmacy, Hendersonville, N. C | C. Scott & Co., Greensboro, N. C | Grant's Pharmacy, Asheville, N. C. | R. H. Hyatt & Co., Murphy, N. C | C. Call, N. Wilkesboro, N. C. | Hazell & Mims, Reidsville, N. C | George Moose, Newton, N. C. |
| Wholesale Dealer | T. W. Wood & Sons, Richmond, Va. | op | dp | op | | S. T. Beveridge & Co., Richmond, Va | op | J. J. Buffington & Co., Baltimore, Md | do | Diggs & Beadles, Richmond, Va. | Haekney, Broyles & Laekey Co., Knoxville, Tenn | . Hardin, Hamilton & Lewman, Louisv., Ky. Byers Bros., Hendersonville, N. C., | φο | | Louisville Seed Co., Louisville, Ky. | do. | N. R. Savage & Co., Richmond, Va. | op- | -do |
| Kind of Seed and Name of Unlawful Seed Present | RAPE | -do- | do | -do | do | Кертор | -do | op | | dn. | -ф- | do | do | .do. | do | do | do | ор. | -do |

| 2786 'do | op | Mt. Airy Feed Store, Mt. Airy, N. C | *83.69 | 11.49 | 4.82 | 5.67 |
|--------------------------------|---|--|---------|--------|-----------------|-------------------|
| 6062do | do | do | *79.18 | 14.87 | 5.95 | 0.08 |
| 6273do. | do | do | 86.98 | 18.26 | 12.46 | 93.0 |
| 6498do | Wm. G. Scarlett & Co., Baltimore, Md | Shuping & Poteat, Morganton, N. C | *83.15 | 16.12 | 13 | 87.5 |
| 2868do | T. W. Wood & Sons, Richmond, Va | F. B. Asheraft, Monroe, N. C | 95.74 | S. S. | £4. | 76.3 |
| 6058do | op | Carolina Marehouse, Greensboro, N. C | 93,80 | 4.26 | 1.94 | 8.3 |
| 6191do | op | Cline & Moose, Concord, N. C | 95.25 | 4.28 | 17 | 80.3 |
| 6495do | do | Farmers Hardware & Supply Co., Hendersonville, N. C | *82.59 | 16.54 | 58 | 5.78 |
| dodo | do | Farmers Union Agency Co., Winston-Salem, N. C | 95.09 | 67.4 | 61. | 8.78 |
| 6090do | do | Gaston Seed and Prov. Co., Gastonia, N. C. | 95.28 | 4.13 | .59 | 85.0 |
| 6393do | do | do | *78.20 | 18.92 | 2.88 | 6, 08 |
| 6056do | op | W. A. Leslie, Morganton, N. C | 95.44 | 4.00 | 96. | 8. S. |
| 6207do | op | W. M. Neel & Co., Mooresville, N. C. | 95 NS | 3 61 | .56 | 6.65 |
| 6059 do- | do. | S. L. Owen & Co., Lexington, N. C. | 95.72 | 9. | ×6. | 88.3 |
| 6538 do. | do. | Sylva Supply Co., Sylva, N. C | 90.28 | 9.53 | Ē, | 95.0 |
| 6192do | do | Union Warehouse, Salisbury, N. C. | 95,94 | 8 7 | S.G. | 0.98 |
| 6163do | ob | Wilkins, Rieks & Co., Sanford, N. C | 95.30 | 1.4 | \$ 1 | 10,000 |
| 6496 do. | | T. S. Morrison & Co., Asheville, N. C. | 51, 87* | 7.55 | 14.00 | 0.06 |
| 6497do | | Slayden, Fakes & Co., Asheville, N. C | %71.60 | 13.50 | 14.60 | 10. 10. 10. |
| 6030 RyE | Adams Grain & Prov. Co., Norfolk, Va | R. E. Campbell, Shelby, N. C | *95,65 | (A) | 1.55 | 162.5 |
| 6029 do (Cheut) | do | W. B. Palmers' Sons, Shelby, N. C. | *95.18 | 16. 6 | 1.45 | 0.474 |
| 6135 do (Cheat) | Adams Grain & Prov. Co., Richmond, Va., | J. H. Boone & Son, Benson, N. C. | *95,36 | 9.96 | 1.68 | 5. 0. 1. |
| 6028‡ do (Cheat, Corn cockle.) | do | Farmers Union Agency Co., Winston-Salem, N. C | | | | |
| 6136do (Cheat.) | ор | Mt. Gilead Store Co., Mt. Gilead, N. C | 2 86* | 4.34 | 1.91 | 0.22 |
| | | | | | | |

TABLE XII.—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1914—CONTINUED.

| Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealor | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
|---|---------------------------------------|---|--------------------------|-----------------------------|-----------------------------|----------------------------|
| RYE (Cheat. Wild mustard) | . S. T. Beveridge & Co., Richmond, Va | Austin-Stephens Co., Smithfield, N. C | *95.88 | 3.31 | .81 | t71.5 |
| do. | | Bellamy & Co., Enfield, N. C | *93.04 | 6.79 | .17 | †87.5 |
| do (Cheat) | qo | H. L. Bizzell, Goldsboro, N. C | 10.79* | 1.97 | 1.02 | †69.5 |
| dodo. | op | N. S. Blue & Co., Racford, N. C | 60'26* - | 3.24 | 1.67 | 179.0 |
| do (Cheat Corn cockle) | op | R. E. Campbell, Shelby, N. C. | 77.96* - | 1.67 | 1.56 | 165.0 |
| (do. | op | Cline & Moose, Concord. N. C | *96.03 | SS 6 | 1.07 | 155.5 |
| (Wild mustord, Cheat.) | ор | J. T. Edgerton, Kenly, N. C | *94.97 | 4.83 | . 21 | 173.0 |
| (Cheat.) | ор- | Z. M. L. Jeffreys, Goldsboro, N. C. | *96.10 | 3,44 | 94. | 173.5 |
| do (Cheat.) | do | H. E. Kendall, Shelby, N. C. | *97.28 | 1.97 | .75 | 158.5 |
| do | op | Parham Supply Co., Henderson, N. C | *94.76 | 1.16 | Ŧ. | 488.0 |
| (Cheat) | op | C. Scott & Co., Greensboro, N. C. | *95.26 | 1.3 | .43 | 18. O |
| do (Cheat) | op | Wallace Grocery Co., Wallace, N. C | *95.32 | 4.36 | 65. | 91.0 |
| do | op. | W. T. Williford, Rocky Mount, N. C | . *95.01 | 4.31 | ·9· | f73.0 |
| do (Cheat. Corn cackle) | Carter, Venable & Co., Richmond, Va | J. C. Bryan & Co., Parmele, N. C. | 191.81 | 다 6 | 0.77 | 486.0 |
| (do) | op | Gray & Roebuck, Parmele, N. C. | • •91.60 | 4.14 | 1.26 | 189.0 |
| do (Cheat) | do | H. W. & J. C. Webb, Hillsboro, N. C. | +96,00 | 3, 52 | Sŧ. | 185.5 |
| do (AVild munitand Choot) | do | Winston-Long Co., Oxford, N. C | *95.38 | 3,59 | 1.03 | 184.0 |
| do. | . Diggs & Beadles, Richmond, Va | The Beacom Supply Co., Henderson, N. C. | *96.21 | 3.04 | .75 | †72. 0 |
| do | op | Byrd & Upchurch, Durham, N. C. | *95.33 | 3.78 | 68. | 182.0 |

| 2947 Teg | op | Horner Bros., Oxford, N. C | *93.79 | 3.55 | 2.66 | 175.0 |
|---|---|--|--------|-------|------|--------|
| 2902do | -do- | Wilson Grocery Co., Wilson, N. C | *92.73 | 3.31 | 3.96 | 187.0 |
| 2894 (Cheat.) | Mayo Milling Co., Richmond, Va | Dozier & Griffin, Rocky Mount, N. C | *95.87 | 3.36 | .77 | 188.5 |
| 2980 (Cheat.) | op | J. R. & J. G. Moyes, Greenville, N. C | *94.01 | 3.87 | 2.12 | 170.0 |
| 6134‡ (Wild mustard, Ouack grass. | dod | W. N. Stewart, Benson, N. C. | | | | |
| 1895 dog | do | W. T. Williford, Rocky Mount, N. C | *96.57 | 2,82 | .61 | 93.5 |
| 2979 (Cheat.) | Geo. Moose, Newton, N. C. | A. E. Rankin & Co., Fayetteville, N. C | *97.27 | 2.34 | .39 | 93.0 |
| 6131 do. (Cheat.) | W. F. Richardson, Jr., & Co., Richmond, Va | Johnston Brothers, Charlotte, N. C | *95.66 | 2.36 | 1.98 | 188.5 |
| 2944 do. | -do | McKinne Bros. Co., Louisburg, N. C. | *92.46 | 6.35 | 1.19 | †84.0 |
| 2945 (Cheat.) | -do- | J. T. Rogers & Co., Durham, N. C | *93.13 | 5.97 | 06. | 89.5 |
| 2905 (Cheat.) | Roper & Co., Petersburg, Va | W. T. Parker, Weldon, N. C | *94.84 | 4, 73 | . 43 | \$86.5 |
| 2949 do | N. R. Savage & Son, Richmond, Va | J. D. Brooks, Oxford, N. C | *89.03 | 2.91 | 8.06 | †59.5 |
| 2950do | ор- | Carlton-Hackney Drug Co., Durham, N. C. | 195.42 | 4.11 | . 47 | 486.0 |
| 6140 do. | | Carter-Underwood Co., Smithfield, N. C | *95.21 | 4.17 | . 62 | 176.0 |
| 2982 do | | Ray Dawson, Kinston, N. C | *95.25 | 3.23 | 1.52 | 124.5 |
| 2981 do | | . G. G. Edgerton & Son, Kenly, N. C | *94,48 | 5, 29 | . 23 | 89.5 |
| 2948 do | | J. W. & D. S. Fuller, Oxford, N. C | *96.45 | 2,83 | . 73 | †83.0 |
| 6187 do | op | II. L. Parks & Co., Concord, N. C | *95.93 | 3, 32 | .75 | 89.5 |
| 2951 do | op | Geo. A. Rose & Co., Henderson, N. C | 98.61 | 88. | .51 | 165.5 |
| 6139 do | | W. M. Sanders, Smithfield, N. C | *90.37 | 3.92 | 5.71 | 129.5 |
| 2986 do do | W. A. Simpson & Co., Baltimore, Md | W. J. Newsom & Bro., Lucama, N. C | 98.17 | 1.19 | .64 | 94.5 |
| 6027 (Cheat.) | W. R. Tate, Nashville, Tenn | Paul Webb, Shelby, N. C. | 95.96 | 88. | 1.16 | 91.0 |
| 6189do | T. W. Wood & Sons, Richmond, Va | Gaston Seed & Prov. Co., Gastonia, N. C. | *94.82 | 4,34 | . S. | 187.5 |
| 2943 Chear.) | | Haywood & Boone, Durham, N. C | *96.39 | 2.14 | 1.47 | +19.0 |
| 2978‡do. (Cheat.) | | A. S. Hnske, Fayetteville, N. C. | | | | |
| | | | | | | |

TABLE XII.- RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 22 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JELY 15, 1914—Countern.

\$1.0 159.0 4.1.0 186.5 is S 169.3 91.5 8 18 ×. 8.5 93, 5 ×. 7 3 Per Cent of Germination 6; ;1 3 65 = = \$ 2 3 65 1.09 7 7 :: 7 77 Per Cent of Foreign Seed 90 5. 5 6.1 3.66 8 5.99 6 ŝ Š 6 Z 5.45 96 1.5 3 7 Per Cent of Inert Matter *93.87 *95, 70 95, 43 99,36 97, 10 *93, 77 98, 67 99, 23 93,95 93, 53 94, 32 95,86 493, 74 95.88 95,99 98, 61 99.31 93,90 Per Cent of Pure Seed W. S. White & Co., Elizabeth City, N. C. Thautauqua Drug Co., Waynesville, N Mt. Airy Feed Store, Mt. Airy, N. C. T. P. Nash, Elizabeth City, N. C.... S. L. Owen & Co., Lexington, N. C. R. H. Hyatt & Co., Murphy, N. C. J. II. Ditmore, Bryson City, N. C. Miller Grovery Co., Wilkesboro, N. Lee Stone & Co., Sanford, N. C. Hardin, Hamilton & Lewman, Louisv., Ky. C. Scott & Co., Greensboro, N. M. C. Rufty, Salisbury, N. C. C. Call, N. Wilkesboro, N. C. W. P. Ware, Rei Isville, N. C. B. D. Mann, Enfield, N. C. Retail Dealer S. Wells, Elm City, N. C. Geo. Moose, Newton, N. C. Paul Webb, Shelby, N. C. W. S. Russell, Gulf, N. C.do... T. W. Wood & Sons, Richmond, Va. J. J. Buffington & Co., Baltimore, Md. S. T. Beveridge & Co., Richmond, Va. N. R. Savage & Son, Richmond, Va. J. Bolgiano & Son, Baltimore, Md. Hackney, Broyles & Luckey Co., Knoxville, Tenn. Wholesale Dealer ----op ----do---ob....do... do op 010 do Ę op. ...do 9 Kind of Seed and Name of Unlawful Seed Present (Corn cockle. do..... do.....(Cheat.) (Cheat.) (Cheat.) (Cheat.) (Cheat.) (Cheat.) TIMOTHY 9 9 -do---9 9 5 0 do... ...do... 0 op ol J 0 1 RYE. Гарога tоту Митрет 6570 6132 6022 8819 9509 6533 6535 6536 6072 6293 6402 6021 2901 6251

| 6240 | -do | Slate Seed Co., South Boston, Va | A. S. Huske, Fayetteville, N. C | 99.03 | . 37 | 99. | 95. S |
|--------|----------------|--------------------------------------|--|--------|---------------------|------------------|-------|
| 2209 | | T. W. Wood & Sons, Richmond, Va | Beeson Hardware Co., High Point, N. C. | 98, 42 | . 59 | 66. | 94.0 |
| 2972 | do_ | do | Carlton-Hackney Drug Co., Durham, N. C. | 99. 63 | 5. S. | 90, | 88.3 |
| 6074 | (10) | do | Carolina Warehouse, Greensboro, N. C | 99, 37 | - 28 | Ξ. | 93.3 |
| 6485 | do | do | Cline & Moose, Concord, N. C. | 99.17 | . 19 | - 1 9 | 91.8 |
| 6158 | do | do | Davidson & Wolfe, Charlotte, N. C | 95.74 | .34 | . 95 26 | 86.3 |
| 6489 | | op | Farmers Hardware & Supply Co Hendersonville, N. C | 99, 53 | | - 1# | × |
| 6075 | .do. | do. | Farmers Union Agency Co Winston-Salem, N. C | 99, 08 | 1 6, | S.G. | 94.0 |
| 6183 | op | do. | Gaston Seed & Prov. Co., Gastonia, N. C. | 95.59 | 1.16 | 3, 25 | 1×4.3 |
| 6213 | do | qo | Miller, McLean Supply Co., Statesville, N. C | 99.19 | - | . 5 <u>7</u> | 95.5 |
| 9209 | ηp | db | S. L. Owen & Co., Lexington, N. C. | 99, 37 | <u><</u> . | . 15 | 94.5 |
| 6534 | do | db | Sylva Supply Co., Sylva, N. C | 99.34 | 7 | 77 | 90.5 |
| 6184 | -do | do | Union Warehouse, Salisbury, N. C. | 99, 13 | 71 | . 64 | 93.0 |
| 6199 | -do | | Wilkins, Ricks & Co., Sanford, N. C. | 98.89 | . 53 | .5. | 96.3 |
| 6487 | .db. | | Grant Pharmacy, Asheville, N. C. | 99, 21 | .51 | ź1 | 183.5 |
| 8819 | | | T. S. Morrison & Co., Asheville, N. C., | 98.06 | 1.26 | 4 | 89,5 |
| 9819 | op | | . Slayden, Fakes & Co., Asheville, N. C | 98.95 | 4 | 170 | 90, 5 |
| V 5909 | VETCH, WINTER | S. T. Beveridge & Co., Richmond, Va. | Harrison & Co., Lenoir, N. C. | 98,80 | 06 | Fi. | 65, 5 |
| 2965 | do do | J. Bolgiano & Son, Baltimore, Md. | II. W & J. C. Webb, Hillshoro, N. C., | 92.43 | 21 | 7. 45 | 33.0 |
| 2941 | (Corn cockte.) | Diggs & Beadles, Richmond, Va. | Hadley-Harris Co., Wilson, N. C., | 93,89 | 51. | 1.16 | 66.0 |
| 2994 | (Corn cockte.) | qo | A. S. Huske, Fayetteville, N. C. | 99, 58 | 7 | | 37.5 |
| 1909 | do | N. R. Savage & Son. Richmond, Va. | Carolina Warchouse, Greensboro, N. C. | 99, 21 | 15. | <u> </u> | 69.5 |
| 2909 | dodo | op | City Feed Co., Hickory, N. C. | 99.30 | .68 | 3 | ÷ ; ; |
| 6151 | do. | | Parson Drug Co , Wadeshoro, N. C | 99.51 | £. | 2 | 78.0 |
| 6145 | do. | T. W. Wood & Sons, Richmond, Va | G. W. Allen & Son, Troy, N. C | 99.59 | - : | = | 17.0 |
| | | | | | | | |

56

TABLE XII—RESULTS OF TESTS OF 28 KINDS OF AGRICULTURAL SEEDS, 727 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913 TO JULY 15, 1914—Continued.

| | | or 1000 O 1000 (6) | , | | | | |
|----------------------|---|---------------------------------|--|--------------------------|-----------------------------|-----------------------------|----------------------------|
| Laboratory Number | Kind of Seed and Name of Unlawful Seed Present | Wholesale Dealer | Retail Dealer | Per Cent of Pure Seed | Per Cent of Inert Matter | Per Cent of Foreign Seed | Per Cent of Germination |
| 1 01-9 | Vetch, Winter | T. W. Wood & Sons, Richmond, Va | J. B. Barnes, Taylorsville, N. C | 98, 23 | . 10 | 1.67 | 40.5 |
| 2909 | do (Corn cockle.) | op , | Beeson Hardware Co., High Point, N. C | 99.36 | 8 | . 39 | 39.0 |
| 6148 | 01) | op | Bridgers & Co., Charlotte, N. C | 100.00 | | - | 21.5 |
| 6146 | 01) | op | . A. W. E. Capel, Troy, N. C | 99.72 | . 13 | 91. | 36.0 |
| 2419 | op | op. | Farmers Supply Co., Charlotte, N. C | 80.66 | .13 | 98. - | 37.5 |
| 6182 | op | | . Gaston Seed & Prov. Co., Gastonia, N. C | 99.00 | .15 | æ. | 26.5 |
| 2968 | op | op | Jos. A. Iseley & Bro., Burlington, N. C. | 99.05 | . 07 | S. | 28.5 |
| 2993 | op | ор. | Lucas & Bass Co., Lucama, N. C | 99.94 | | 90. | 27.0 |
| 6149 | 00 | op | J. A. McAuley, Mt. Gilead, N. C | 98.58 | . 33 | 1.10 | 48.0 |
| 6180 | (Corn cockle.) do(Corn cockle.) | op | . W. A. Manney & Bro., Kings Mountain, N. C | 96,58 | .41 | 3.01 | 26.5 |
| 6215 | do(Corn_cockle.) | op | . Miller-McLean Supply Co., Statesville, N. C | 98.94 | | 1.06 | 31.0 |
| 9909 | -do | op | . S. L. Owen & Co., Lexington, N. C | 99.23 | .07 | 02. | 31.0 |
| 6181 | do (Corn cockle.) | op. | Patterson Grocery Co., Kings Mountain, N. C | 97.84 | .08 | 2.08 | 40.0 |
| 6179 | op | | M. C. Rufty, Salisbury, N. C | 99.84 | . 10 | 90. | 33.0 |
| 909 | op | | . C. Scott & Co., Greensboro, N. C | 99,54 | 60. | .37 | 37.5 |
| 2772 | do (Corn cockle.) | do | Spence & Hollowell, Elizabeth City, N. C | 97.13 | .07 | 2.63 | 30.0 |
| 6150 | do | do | Wilkins, Ricks & Co., Sanford, N. C | 99, 54 | .10 | .36 | 38.0 |

| | x | | | | | | |
|----|----------------------|----------------------------------|---|--------|-----|------|-------|
| 69 | op- | Imported seed | Hickory Seed Co., Hickory, N. C 9: | 93. 04 | .52 | 6.39 | 57.5 |
| 90 | (Corn cockle.) Wheat | N. R. Savage & Son, Richmond, Va | N. R. Savage & Son, Richmond, Va E. G. Davis Son & Co., Henderson, N. C 98,65 1, 28 .07 †77.0 | 98. 65 | 35 | .07 | †77.0 |
| 60 | -do | ally grown | Hickory Seed Co., Hickory, N. C 99 | 99.56 | .39 | .05 | 180.5 |
| | (Corn cockle.) | | | | | |] |

*Below standard for purity. †Below standard for germination. †Sample examined for unlawful seeds; too weevil-caten to make regular test.

TABLE VHI. SCHMARY OF RESULTS OF TESTS OF SKINDS OF AGRICULTINEAD SEEDS, 955 SAMPLES IN ALL, SUBMITTED BY INSPECTORS AND INDIVIDUALS FROM JULY 15, 1913, TO JULY 15, 1914

41.25 73.13 62.5055,50 90.62 95,13 5 3 3 2 57.97 さラ Per Cent 52 17 5 AVETURE Germination Test 90.0 35.0 56.8 9.02). Ž Per Cent ž ó # Lowest 7 10 2 C 0.001 Per Cent 10 ı. 9 0 92 96 5 4 55 3 5 62 50 56 66 8 9 8 Righest 9 Ξ. C, :0 2 F. E ŧ Per Cent 3 4 9 brahmars -waln'l gainiat sheek beew lui 22 Samples Con-Foreign Seed 3 03 50 8 13 5.1 55 ~ ; E Per Cent LLGEBEG ci. Per Cent 3 8 3 8 4 Lowest 22,35 15 x 1.30 5.76 7.39 길 24,65 9.81 Per Cent Highest -18.97 35 67. 3 7 5 5 Š. Per Cent Average Inert Matter Purity Test Per Cent 3 0 9 90 3 3 33 Fonest :2 7 9 000 0.7 96 8 9. Per Cent 33 Best 87.78 90.58 10 9 13 3 3 Ауетаgе Рет Сепt ÷ 9 S. 3 5 3 176 Pure Seed 96 3 .37 Per Cent ij 4 Fowest 7 6 3 5 # 9 8 5 27 40.06 17.10 23 3 ž Per Cent ोश्योज्ञ्य 9 3 Ξ 3 2 £ 2 9 9 8 8 8 Вет Септ 9 ž brahands ž 9 33 5 For Germination 3 67 Z Ξ TiruT 103 C.1 S. 2 8 Ħ 31 Total Samples Received :0 9 0 Samples from Individuals d 80 Samples from Inspectors KIND OF SEED CLOVER, CRIMSON ('LOVER, ALSIKE. Blue Grass, Ky CLOVER, SWEET. CLOVER, WHITE. BEANS, VELVET. CLOVER, JAPAN. CLOVER, BUR. CLOVER, RED. CORN, BROOM CORN, FIELD. Beans, Soy BARLEY ... ALFALFA. CHUFAS. CANE

| 1 1 2 2 2 2 6 6 6 6 6 6 | 1 | - | ıs | 50 | - | • • • | | | | | | | | | | | | - | 85.0 | 51.0 | 71.30 |
|--|-----|-----|------|---------------|------|-------|----------|--------|-------|-------|-------|---|---------|-------|------|------|---|-----|--------|------|-------|
| 1 1 1 1 1 1 1 1 1 1 | - 1 | | - | | | _ | | 1 | | | | | | | | | | 1 | | | |
| 1 2 2 2 9 9 7 9 7 9 7 1 1 2 4 4 9 7 9 7 9 7 1 1 2 4 1 2 4 3 4 | - 1 | ; | - | 1 | | 1 | | | | | | | | | | | | | | | 1 |
| 1 2 1 2 1 2 1 2 1 3 1 4 | | _ | - | C1 | ¢1 | ¢ί | 98 | 98.77 | 98.74 | 92.36 | | 1.07 | 1.12 | .16 | 60. | | | | | | 00.68 |
| 1 1 1 1 1 1 1 1 1 1 | | _ | _ | ©1 | _ | en | 1 | 97.99 | | | 1.47 | | | Ŧ0: | | | | | | | 44.50 |
| 3 7 7 95 99.37 85.35 96.79 3.67 10.1 1.23 10.84 0.92 2.13 10.84 0.92 2.13 10.84 0.92 2.13 10.84 0.92 2.13 10.84 0.92 10.84 0.92 10.84 0.92 10.84 0.92 10.84 0.92 10.84 0.92 10.84 0.92 10.84 0.92 10.84 0.92 | 1 | 1 | _ | | _ | - | | 26:06 | | | .01 | | | .02 | - | | | | 71.0 | | : |
| 3 6 6 96 97 35 75 10 15 10 15 10 15 15 15 15 16 96 16 15 15 15 16 16 96 16 16 96 96 16 16 96 96 16 15 16 15 16 16 16 96 96 16 16 16 96 17 17 17 17 17 17 17 17 17 17 17 17 17 17 18 18 18 18 18 <td></td> <td>**</td> <td>00</td> <td>l~</td> <td>-1</td> <td>t -</td> <td></td> <td>56, 99</td> <td>85.35</td> <td>96.39</td> <td>3.67</td> <td>.01</td> <td>1.33</td> <td>10.98</td> <td>20.</td> <td>2.18</td> <td>1</td> <td>80</td> <td>0.62</td> <td></td> <td>11.00</td> | | ** | 00 | l~ | -1 | t - | | 56, 99 | 85.35 | 96.39 | 3.67 | .01 | 1.33 | 10.98 | 20. | 2.18 | 1 | 80 | 0.62 | | 11.00 |
| 3 6 6 6 96 99.36 94.64 97.61 1.57 01 67 3.79 0.03 1.73 01 67.70 0.03 | - | # | 1~ | 51 | 51 | 51 | | 97.27 | 35,65 | 74.66 | 59.79 | 2.34 | 20.63 | 10.84 | 60. | 2.75 | 10 | | | | 77.88 |
| 3 14 13 13 72 92.72 61.28 82.34 12.05 14.51 20 5.50 6.50 <td></td> <td>20</td> <td>00</td> <td>9</td> <td>9</td> <td>9</td> <td>96</td> <td>96.96</td> <td>94.64</td> <td>19.76</td> <td>1.57</td> <td>.01</td> <td>79.</td> <td>3.79</td> <td>.03</td> <td>1.73</td> <td>1</td> <td></td> <td></td> <td></td> <td>65,42</td> | | 20 | 00 | 9 | 9 | 9 | 96 | 96.96 | 94.64 | 19.76 | 1.57 | .01 | 79. | 3.79 | .03 | 1.73 | 1 | | | | 65,42 |
| 5 14 14 14 96 99.17 95.07 98.15 4.38 16 1.23 16 6.6 1.39 1.6 1.33 16 1.33 16 1.33 16 1.33 16 1.33 16 1.33 16 1.33 16 1.34 1.35 1.36< | | = | ಣ | 14 | 13 | 13 | ?1 !~ | 92.72 | 61.28 | 82.45 | 23.33 | 2.31 | 12.05 | 14.51 | 50 | 5.50 | 9 | 9, | | | 16,16 |
| 6 6 6 95.84 97.90 98.35 97.90 98.35 97.90 98.35 97.90 98.35 97.90 98.35 99.40 97.80 97.90 98.35 99.90 99.90 99.80 99.80 99.90 | | 6 | 5 | 11 | 14 | 14 | 06 | 99.17 | 20.38 | 98.15 | 4.38 | .16 | (5) | 1.33 | .16 | .56 | - | | | | 67.68 |
| 46 233 228 238 92 95.60 79.87 96.13 19.83 19 3.09 8.17 7.00 9.17 7.00 9.10 | | | - | 9 | 9 | c | 8 | 98.84 | 06726 | 98.25 | 2.10 | 1.16 | 1.1 | | | | | | 91.0 | | 88.30 |
| 4 57 64 65 64 65 67 67 64 65 67 </td <td></td> <td></td> <td>91</td> <td>1333</td> <td>228</td> <td>533</td> <td>86</td> <td>99.60</td> <td>78.67</td> <td>96.13</td> <td>19.83</td> <td>.19</td> <td>3.09</td> <td></td> <td></td> <td>Ĉ.</td> <td>52</td> <td></td> <td>0.00</td> <td></td> <td>91.76</td> | | | 91 | 1333 | 228 | 533 | 86 | 99.60 | 78.67 | 96.13 | 19.83 | .19 | 3.09 | | | Ĉ. | 52 | | 0.00 | | 91.76 |
| 1 49 49 49 99 </td <td></td> <td></td> <td>-</td> <td>¢1</td> <td>1</td> <td>្នា</td> <td>- [</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</td> <td></td> <td></td> <td></td> <td>60.75</td> | | | - | ¢1 | 1 | ្នា | - [| | | | | | | | | | 1 | | | | 60.75 |
| 4 37 37 37 39 46.17 85.33 21.75 3.48 9.99 33.27 19 4.56 70 50.70 70 50.70 70 50.70 70 50.70 70 50.70 70 50.70 | | × + | - | 49 | 46 | 49 | 66 | 16, 69 | 97.19 | 99.19 | 6.50 | 70. | .64 | | | | | | . 2166 | | 91.52 |
| 7 64 61 60 98 99,318 99,038 95,22 6,79 52 3.59 8.06 17 1.1x 55 90 96.3 21.53 90.53 1.51 1.9 64 3.25 0.05 1.51 1.9 64 3.25 0.05 51 20 96.3 <th< td=""><td></td><td>55</td><td>+</td><td>57</td><td>17</td><td>55</td><td>95</td><td>167.26</td><td>46.17</td><td>85.53</td><td>21.75</td><td>55 1 1 1 1 1 1 1 1 1 1</td><td>9616</td><td>6.00</td><td>- FT</td><td></td><td></td><td></td><td></td><td></td><td>86.30</td></th<> | | 55 | + | 57 | 17 | 55 | 95 | 167.26 | 46.17 | 85.53 | 21.75 | 55 1 1 1 1 1 1 1 1 1 1 | 9616 | 6.00 | - FT | | | | | | 86.30 |
| 5 33 33 96 90.71 95.59 98.82 1.81 19 64 3.25 05 .54 85 96.58 96.38 15 41 40 41 100.00 50.08 96.55 1.39 20 48.53 87.5 87.0 17.0 17.0 24 26 6 38 99.86 98.18 99.25 1.58 20 48.53 87.0 77.0 17.0 24 26 96 36 98.18 99.86 99.18 99.25 1.58 24 87 2 90 97.5 71 5 | | 22 | - 1 | 19 | . 13 | 09 | 88 | 99.18 | S9.03 | 95.22 | 67.9 | 35 | 3.59 | 8.06 | .17 | 1.1 | | 96 | | | 82.16 |
| 15 41 40 41 24 26 6 26 98 99.86 98.48 1.39 24 26 6 26 98 99.86 98.48 11 68 24 24 26 6 26 98 99.86 98.48 1.58 11 68 24 | | S. | i.c. | - 50 50 | 000 | 55 | 96 | 12.06 | 95,59 | 58,83 | 1.81 | .19 | 197 | 3.25 | .05 | | | 192 | | | 90.11 |
| 24 26 6 26 98 99.86 98.15 99.25 1.58 .11 .68 .2407 2 99.75 71.5 | | 56 | 15 | 41 | 40 | | | 00.001 | 50.08 | 96.55 | 1.39 | | 077 | | | 3.25 | ~~ ~1 | | | | 48.17 |
| | | cı | ÷. | 56 | 9 | 90 | 86 | 98' 66 | 98.15 | 99.25 | 1.58 | 111 | \$9. | | | 70. | ¢ι | | | 71.5 | 09728 |

Noru,—Eleven samples of Vegetable Seeds were tested for individuals, but are not included in any of the charts.

TABLE MIV.—THE ADULTERATION OF AGRICULTURAL SEEDS.

| Laboratory Tamber | Kind of Seed and Number of Samples Tested | Wholesale Dealer | , Retail Dealer | Adulterant | Per Cent of Adulteration |
|----------------------|--|--|--|-------------------|-----------------------------|
| | | | | | |
| 2971 | ALFALFA, 14 | Diggs & Beadles, Riehmond, Va | C. E. King & Sons, Durham, N. C | Red elover | 5 |
| 6238 | BLUE GRASS, KY., 21 | T. W. Wood & Sons, Richmond, Va | Farmers Supply Co., Charlotte, N. C | Canada bluegrass | Ξ |
| 6527 | Grass, Orchard, 44 | Hackney, Broyles & Lackey Co., Knoxville, Tenn. | R. H. Hyatt & Co., Murphy, N. C | Italian rye grass | œ |
| 6205 | OATGRASS, TALL, Il | T. W. Wood & Sons, Richmond, Va | Gaston Seed & Provision Co, Gastonia, N, C | Orchard grass | œ |
| 6394 | do | -do- | | | 13 |
| 6433 | Олтв, 187 | Roper & Co., Petersburg, Va | J. W. & D. S. Fuller, Oxford, N. C | Rye | 9 |
| 6253 | Redtop, 33 | J. J. Buffington & Co., Baltimore, Md | T. P. Nash, Elizabeth City, N. C | Timothy | 31 |
| 6574 | op | | -do | do | 32 |
| 6537 | op- | Hackney, Broyles & Lackey Co., Knoxville, Tenn | R. H. Hyatt & Co., Murphy, N. C | op | 2 |
| 6062 | op | N. R. Savage & Son, Riehmond, Va | Mt. Airy Feed Store, Mt. Airy, N. C | ор | 5 |
| 6273 | op | ob | p | ф | 11 |
| 96499 | op | -do | T. S. Morrison & Co., Asheville, N. C | do | 17 |
| 6497 | do | .do | Slayden, Fakes & Co., Asheville, N. C | ор | 14 |
| 2949 | RXE, 57 | -do | J. D. Brooks, Oxford, N. C. | Wheat | 1- |
| 6139 | do | | W. M. Sanders, Smithfield, N. C. | ор | 5 |
| 2967 | VETCH, WINTER, 26 | J. Bolgiano & Son, Baltimore, Md | H. W. & J. C. Webb, Hillsboro, N. C | Spring Vetch | 1 |
| 6909 | | Imported Seed | Hickory Seed Co., Hickory, N. C. | ор | 9 |
| | 1 0 0 | | | | į. |

Nore.—The above table shows 17 cases of adulteration which were found in the 727 agricultural seed samples collected by inspectors. No case is reported where an adulterant was not present to the amount of five (5) per cent.

TABLE NV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.

TABLE XV.--RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| Per Cent of Germination | 98.0 | 0.88 | 5.58 | 0,88 | 98 | 0.86 | 0.57 | 0.98 | 0,340 | 0.62 | 93.0 | 0.48 | 0.69 | 0.76 | 0' 66 | 9.6 | 0.001 | ୍ <u>୪</u> . | 0.89 |
|----------------------------|--|----------------------------------|-----------------------------------|------|--------------------------------|---------------------------------------|----------|--------------------------------|-------|--|--|------|------|------------------------------|------------------------------------|-----------------------------------|----------------------------|--------------------------|------------------------------------|
| Retail Dealer | W. A. Leggett, Edenton, N. C. | May & Gorman, Rocky Mount, N. C. | Parson Drug Co., Wadesboro, N. C. | do | J. C. Peterson, Clinton, N. C. | Saunders & Fowden, Williamston, N. C. | ob | Temple Drug Co., Kinston, N. C | do | Hunter Drug Co., Warrenton, N. C | R. R. Bellamy, Wilmington, N. C | ар | op. | S. W. Willis, New Bern, N. C | E. T. Alford, Youngsville, N. C. | Barnes Bros., Proctorville, N. C. | E. L. Burns, Maxton, N. C. | E. Clarke, Weldon, N. C. | Wells Dilety, Roanoke Rapids, N. C |
| Wholesale Dealer | Robert Buist & Co., Philadelphia, P.a. | op. | | do | | dρ | do | op | .do | W. Athe Burper & Co., Philadelphia, Pa | Everett B. Clark Seed Co., Milford, Conn | do | do | do | Crosman Bros. Co., Rochester, N. Y | do | ор | do | do |
| Kind of Seed | 1209 BEANS | do. | do | do | do | ор | 3482 do | do | do | do | op | do | op | οp | do | do | qo | do | do |
| Гарогаtогу Хишрег | 1309 | 3599 | 3894 | 3895 | 1060 | 3481 | 3482 | 3603 | 3607 | 3725 | 3932 | 3933 | 3934 | 3935 | 3717 | 3778 | 3852 | 3679 | 3723 |

| Harris & Hubbard, Reads; N. C. 1005 | op | op | op | 07.0 |
|--|----|----------------------------------|---|-------|
| E. C. Kirk, Albomarle, N. C. W. F. Midklif, Mount Airy, N. C. W. F. Midklif, Mount Airy, N. C. Taylor & Cowan, Jackson, N. C. I. Thomas, Oxford, N. C. II. L. Arnold, Vanceboro, N. C. Butroughs Grocery Co., Warrenton, N. C. N. G. Cole, Canton, N. C. N. G. Cole, Canton, N. C. N. G. Cole, Canton, N. C. Buthers Lumber Co., Boardman, N. C. N. G. Low & Co., Fayetteville, N. C. A. J. Cook & Co., Fayetteville, N. C. B. B. Davenport, New Born, N. C. Fitzgerald Drug Co., Rocky Mount, N. C. Fitzgerald Drug Co., Rocky Mount, N. C. Harrison & Hill Drug Co., Enfield, N. C. Kiser & Mauney, Kings Mountain, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morchead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Rillianston, N. C. Theo. Robinson Bros., Dunn, N. C. | | op | Harris & Hubbard, Reidsville, N. C | 100.0 |
| C. R. L. Matthews, Rocky Mount, N. C. W. F. Midkiff, Mount Airy, N. C. Taylor & Covan, Jackson, N. C. G. T. Whitehead & Co., Scotland Neck, N. C. H. L. Arnold, Vanceboro, N. C. Butroughs Grocery Co., Warrenton, N. C. W. G. Cole, Canton, N. C. N. G. Cole, Canton, N. C. N. J. Cook & Co., Fayetteville, N. C. N. J. Cook & Co., Fayetteville, N. C. Nalter Credle & Co., Washington, N. C. B. B. Davenport, New Bern, N. C. Fitzgerald Drug Co., Rucky Mount, N. C. Fitzgerald Drug Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morchead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Rullianston, N. C. Theo. Robinson Bros., Dunn, N. C. | | dodo | E. C. Kirk, Albemarle, N. C. | 100.0 |
| W. F. Midkiff, Mount Airy, N. C. Taylor & Cowan, Jackson, N. C. G. T. Whitehead & Co., Scotland Neck, N. C. I. L. Arnold, Vanceboro, N. C. Buthers Lumber Co., Boardman, N. C. W. G. Cole, Canton, N. C. W. G. Cole, Canton, N. C. W. J. Cook & Co., Payetteville, N. C. A. J. Cook & Co., Payetteville, N. C. S. J. Dilday, Ahoskie, N. C. Eitzgerald Drug Co., Rocky Mount, N. C. Harrison & Hill Drug Co., Enfield, N. C. Franklin Grocery Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. J. B. Morton, Morchead City, N. C. J. B. Morton, Morchead City, N. C. J. H. Roberson & Co., Robersonville, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Ribianston, N. C. Robinson Bros, Dunn, N. C. | | do. | C. R. L. Matthews, Rocky Mount, N. C. | 07.86 |
| Taylor & Cowan, Jackson, N. C. G. T. Whitebrad & Co., Scotland Neck, N. C. II. L. Arnold, Nanceboro, N. C. Butroughs Grovery Co., Warrenton, N. C. W. G. Cole, Canton, N. C. N. J. Cook & Co., Fayetteville, N. C. Walter Credle & Co., Payetteville, N. C. B. B. Davenport, New Bern, N. C. S. J. Dilday, Ahoskie, N. C. Franklin Grocety Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. Exanklin Grocety Co., Eranklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. J. B. Morton, Morehead City, N. C. J. B. Morton, Morehead City, N. C. J. H. Roberson & Co., Robersonville, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Rilianston, N. C. Robinson Bros., Dunn, N. C. | | · · · · · · · · · · · · · do. | W. F. Midkiff, Mount Airy, N. C | 100.0 |
| G. T. Whitehead & Co., Scotland Neck, N. C. H. L. Arnold, Vanceboro, N. C. Butters Lumber Co., Boardman, N. C. N. G. Cole, Canton, N. C. A. J. Cook & Co., Payetteville, N. C. Walter Credle & Co., Washington, N. C. B. B. Davenport, New Bern, N. C. S. J. Dilday, Ahoskir, N. C. Fitzgerald Drug Co., Rocky Mount, N. C. Harrison & Hill Drug Co., Entaklinton, N. C. F. V. Johnston, Greenville, N. C. Kiser & Mauney, Kings Mountain, N. C. Niser & Mauney, Kings Mountain, N. C. J. B. Morton, Morchead City, N. C. Niser & Baufort, N. C. Rotter Bros, Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Ribianston, N. C. Robinson Bros, Dunn, N. C. | | | Taylor & Cowan, Jackson, N. C. | 3.77 |
| 11. L. Arnold, Vanceboro, N. C. 12. Arnold, Vanceboro, N. C. Buthers Lumber Co., Boardman, N. C. W. G. Cole, Canton, N. C. N. J. Cook & Co., Fayerteville, N. C. Walter Credle & Co., Washington, N. C. B. B. Davenport, New Bern, N. C. S. J. Dilday, Aluskie, N. C. Fitzgerald Drug Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. Kiser & Mauney, Kings Mountain, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. S. J. H. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Willianston, N. C. Robinson Bros., Dunn, N. C. | | do. | G. T. Whitehead & Co., Scotland Neck, N. C. | 100.0 |
| H. L. Arnold, Yanceboro, N. C. Butters Lumber Co., Boardman, N. C. W. G. Cole, Canton, N. C. A. J. Cook & Co., Fayetteville, N. C. A. J. Cook & Co., Payetteville, N. C. B. B. Davenport, New Bern, N. C. S. J. Dilday, Ahoskie, N. C. Fitzgerald Drug Co., Rocky Mount, N. C. Franklin Grocery Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. Kiser & Manney, Kings Mountain, N. C. Kiser & Manney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Dotter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersouville, N. C. Theo. Roberson & Co., Robersouville, N. C. Theo. Roberson & Co., Rillanston, N. C. Theo. Roberson & Co., Williamston, N. C. Robinson Bros., Dunn, N. C. | | Diggs & Beadles, Richmond, Va | L. Thomas, Oxford, N. C. | 13.0 |
| Buthers Lamber Co., Boardman, N. C. W. G. Cole, Canton, N. C. A. J. Cook & Co., Payetteville, N. C. Nater Credle & Co., Washington, N. C. S. J. Dilday, Ahoskie, N. C. Ettzgerald Drug Co., Franklinton, N. C. Franklin Grocery Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morelead City, N. C. J. B. Morton, Morelead City, N. C. J. H. Roberson & Co., Robersonville, N. C. J. H. Roberson & Co., Robersonville, N. C. Botter Bros., Beaufort, N. C. Theo. Roberson & Co., Williamston, N. C. Theo. Roberson & Co., Williamston, N. C. | | D. M. Ferry & Co., Detroit, Mich | H. L. Arnold, Vanceboro, N. C. | 82.0 |
| Buthers Lumber Co., Boardman, N. C. M. G. Cele, Canton, N. C. A. J. Cook & Co., Payetteville, N. C. Walter Credle & Co., Washington, N. C. B. B. Davenport, New Bern, N. C. S. J. Dilday, Ahoskie, N. C. Fitzgerald Drug Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. F. Y. Johnston, Greenville, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. J. H. Roberson & Co., Robersonville, N. C. J. H. Roberson & Co., Robersonville, N. C. Botter Bres, Beaufort, N. C. J. H. Roberson & Co., Williamston, N. C. Robinson Bres, Dunn, N. C. | | -do | Burroughs Grocery Co., Warrenton, N. C | 8.0 |
| W. G. Cole, Canton, N. C. A. J. Cook & Co., Fayerteville, N. C. Walter Credle & Co., Washington, N. C. B. B. Davenport, New Bern, N. C. S. J. Dilday, Aboskie, N. C. Fitzgerald Drug Co., Rocky Mount, N. C. Harrison & Hill Drug Co., Einklinton, N. C. E. Y. Johnston, Greenville, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Potter Bres, Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Botter Bres, Beaufort, N. C. Theo. Roberson & Co., Williamston, N. C. Robinson Bres, Dunn, N. C. | | op | Buthers Lumber Co., Boardman, N. C | 63.0 |
| A. J. Cook & Co., Fayetteville, N. C. Walter Credle & Co., Washington, N. C. B. B. Davenport, New Bern, N. C. S. J. Dilday, Ahoskir, N. C. Fizgerald Drng Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. F. V. Johnston, Greenville, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morebead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo, Roberson & Co., Robersonville, N. C. Robinson Bros., Dunn, N. C. | | do | W. G. Cole, Canton, N. C. | 0.001 |
| Walter Credle & Co., Washington, N. C. 8. J. Dilday, Ahoskie, N. C. Fitzgerald Drug Co., Rocky Mount, N. C. Harrison & Hill Drug Co., Eranklinton, N. C. Harrison & Hill Drug Co., Efficht, N. C. Kiser & Mauney, Kings Mountain, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Potter Bres., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo, Roberson & Co., Robersonville, N. C. Robinson Bros., Dunn, N. C. | | do. | A. J. Cook & Co., Fayetteville, N. C. | 46.0 |
| 8. J. Dilday, Aboskie, N. C. Fitzgerald Drug Co., Rocky Mount, N. C. Fitzgerald Drug Co., Enaklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. F. V. Johnston, Greenville, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo, Roberson & Co., Robersonville, N. C. Robinson Bros., Dunn, N. C. | | do | Walter Credle & Co., Washington, N. C. | 79.5 |
| S. J. Dilday, Ahoskie, N. C. Fitzgerald Drug Co., Rocky Mount, N. C. Franklin Grocety Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. F. V. Johnston, Greenville, N. C. Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Williamston, N. C. Robinson Bros., Dunn, N. C. | | | B. B. Davenport, New Bern, N. C. | 0.88 |
| Fitzgerald Drug Co., Rocky Mount, N. C. Franklin Grocery Co., Franklinton, N. C. Harrison & Hill Drug Co., Enfield, N. C. Kiscr & Mauncy, Kings Mountain, N. C. Niscr & Mauncy, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Robinson Bros., Dunn, N. C. | | do. | S. J. Dilday, Aboskie, N. C. | I. 66 |
| Harrison & Hill Drug Co., Enfield, N. C. Harrison & Hill Drug Co., Enfield, N. C. F. V. Johnston, Greenville, N. C. Kiser & Manney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo. Roberson & Co., Williamston, N. C. Robinson Bros., Dunn, N. C. | | do | Fitzgerald Drug Co., Rocky Mount, N. C | 100.0 |
| Harrison & Hill Drug Co., Enfield, N. C., F. V. Johnston, Greenville, N. C., Kiser & Mauney, Kings Mountain, N. C., J. B. Morton, Morehead City, N. C., Potter Bres., Beaufort, N. C., J. H. Roberson & Co., Robersonville, N. C., Theo, Roberson & Co., Williamston, N. C., Theo, Roberson & Co., Williamston, N. C., Roberson & Co., Roberson & Co., Williamston, N. C., Roberson & Co., Williamston, N. C., Roberson & Co., Roberso | | op | . Franklin Grocety Co., Franklinton, N. C. | 0' 69 |
| Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo, Roberson & Co., Williamston, N. C. Robinson Bros., Dunn, N. C. | | | . Harrison & Hill Drug Co., Enfield, N. C | 100.0 |
| Kiser & Mauney, Kings Mountain, N. C. J. B. Morton, Morehead City, N. C. Potter Bros., Beaufort, N. C. J. H. Roberson & Co., Robersonville, N. C. Theo, Roberson & Co., Williamston, N. C. Robinson Bros., Dunn, N. C. | | op | F. V. Johnston, Greenville, N. C | 0° F9 |
| J. B. Morton, Morehead City, N. C Potter Bros., Beaufort, N. C J. H. Roberson & Co., Robersonville, N. C Theo. Roberson & Co., Williamston, N. C Robinson Bros., Dunn, N. C | | | Kiser & Manney, Kings Mountain, N. C. | 0' 66 |
| | | ор | . J. B. Morton, Morehead City, N. C | 0.67 |
| | | | Potter Bros., Beaufort, N. C | 0.79 |
| | | do. | J. H. Roberson & Co., Robersonville, N. C. | 84.0 |
| | | do | Theo. Roberson & Co., Williamston, N. C. | 0.99 |
| | | | Robinson Bros., Dunn, N. C | 0.67 |

THE BULLETIN

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913,—CONTINUED.

| Per Cent of Germination | 37.0 | 59.0 | 58.0 | 12.0 | 75.0 | 99.0 | 54.0 | 55.0 | 99.0 | 92.0 | 0.001 | 83.0 | 0.99 | 56.0 | 77.5 | 0.96 | 67.2 | 92.5 | 97.5 |
|----------------------------|------------------------------------|---------------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------------|-----------------------------|----------------------------------|--|-----------------------------------|--------------------------------|---------------------------------------|---|------|-------------------------------------|---------------------------------|-------------------------------|--------------------------------|-----------------------------------|
| Retail Dealer | Robinson-Ruffin Co., Tarboro, N. C | W. M. Sanders, Smithfield, N. C | Selma Drug Co., Selma, N. C | J. T. Sizemore, Oxford, N. C. | W. F. Smith, Benson, N. C | . Henry L. Spruill, Plymouth, N. C | D. W. Forb, Roseboro, N. C. | G. T. Walton, Jacksonville, N. C | T. N. Waters & Bros., Goldsboro, N. C | Watson & Winslow, Hertford, N. C. | E. K. Willis, Washington, N. C | J. D. Winstead & Son, Nashville, N. C | Red Springs Drug Co., Red Springs, N. C | -do | Adams Drug Co., Gastonia, N. C. | W. C. Asbury, Lincolnton, N. C. | J. F. Clarke, New Bern, N. C. | Divers & Roper, Hertford, N. C | J. B. Fields, Fayetteville, N. C. |
| Wholesale Dealer | D. M. Ferry & Co., Detroit, Mich | do | do | .do | | ob | do | do | do | do | op | qo | Griffith & Turner, Baltimore, Md | op | Lake Shore Seed Co., Dunkirk, N. Y. | op | | do | do |
| Kind of Seed | BEANS | do. | do | do | do | op | - redo- | qo | - real property of the propert | | p | | | | φυ | do | do | qo | qo |
| Laboratory $Xumber$ | 3394 | 3243 | 3249 | 3744 | 3237 | 3412 | 3456 | 3450 | 4074 | 3382 | 3423 | 3673 | 3801 | 3803 | 3833 | 4106 | 3345 | 3510 | 3266 |

| 3828 | op | -qo | Hamlet Pharmacy, Hamlet, N. C | 62.0 |
|------|-----------|-----------------------------------|--|-------|
| 3858 | 3858 do | op | A. L. Jones, Maxton, N. C | 92.5 |
| 3634 | 3634 dodo | -do | Martin & Price Co., Mt. Olive, N. C | 95.0 |
| 3629 | - σρ | -ор- | E. S. Mewborn, La Grange, N. C | 65.0 |
| 1040 | op | -do- | Murray & Armstrong, Wallace, N. C | 44.0 |
| 4035 | p | -dυ- | E. E. Rouse & Co., La Grange, N. C | 0.86 |
| 1050 | | op | Sing story Drug Co., Burgaw, N. C. | 0.09 |
| 3370 | ор. | -do- | Tom L. Smith, Plymouth, N. C | 94.0 |
| 3624 | op | | II. S. Southerland, Clinton, N. C | 0.06 |
| 3505 | -do | ор. | J. L. Stashey, Greenville, N. C | 27.5 |
| 3799 | op | -do | W. F. Tarlton, Wadesboro, N. C. | 0.66 |
| 3339 | ф | -do_ | D. W. Tart, Roseboro, N. C | 0.07 |
| 4046 | -do | -do | W. D. Thomas & Co., Warsaw, N. C | 71.0 |
| 3500 | do | -do | W. S. White, Edenton, N. C. | 6.78 |
| 3353 | do | D. Landreth Seed Co., Bristol, Pa | Beaufort Drug Co., Beaufort, N. C | 0.09 |
| 3429 | op | -do | | 0.98 |
| 4187 | op | .do | Brevard Hardware Co., Brevard, N. C | 0.66 |
| 3643 | | -do | Henry Dunn, Kinston, N. C | 100.0 |
| 3614 | do | do | op | 100.0 |
| 4188 | op | | Grant's Pharmacy, Asheville, N. C. | 0.001 |
| 3618 | op | | D. M. Partrick & Co., Clinton, N. C | 0.89 |
| 4110 | op | op- | J. H. Rudisill & Co., Lincolnton, N. C | 100.0 |
| 4111 | op | op* | op | 66.9 |
| 3800 | ор | -do | C. N. Simpson, Jr., Monroe, N. C. | 95.0 |
| 4075 | ор | | Temple Drug Co., Kinston, N. C | 0.96 |
| 3696 | ор | .do | Thomas Bros., Henderson. N. C | 78.0 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1914.—CONTINUED.

| Laboratory Nind of Seed | Wholesale Dealer | Retail Dealer | Per Cent of Germination |
|-------------------------------|------------------------------------|--|----------------------------|
| 4165 Beans × | D. Landreth Sord Co., Bristol, Pa. | Thomas Bros., Henderson, N. C | 0.99 |
| 4166do. | -do. | do | 78.0 |
| 4164do. | oh | Wilson Drug Co., Wilson, N. C. | 92.0 |
| 3360do. | Leonard Seed Co., Chicago, III. | R. R. Bellany, Wilmington, N. C | 0.07 |
| 4071do | ob | M. J. Best & Son, Goldsboro, N. C. | 0.79 |
| 3786do | do | Charlotte Drug Co., Charlotte, N. C | 0.89 |
| 3787do | do. | do. | 0.67 |
| 3788do | ор | do. | 6.51 |
| 3608do | do | I. E. Hood & Co., Kinston, N. C | 43.0 |
| t068do | op | op | 0.86 |
| 4069do | ор | | 0.96 |
| 3270do | op- | A. S. Huske, Fayetteville, N. C | 25.0 |
| 3359do | op- | W. J. Kirkham & Co., Wilmington, N. C | 0.97 |
| 4072 do | op | T. H. Knowles & Co., Mt. Olive, N. C | 0.001 |
| 3636 do | op | . Mt. Olive Grocery & Hardware Co., Mt. Olive, N. C. | 0. 67 |
| 4210do | | Ruffin-High Co., Wilson, N. C | 82.0 |
| 3997do | -do. | C. Scott & Co., Greensboro, N. C. | 0.001 |
| 4070 do | do. | B. G. Thompson & Son, Goldsboro, N. C | 0.06 |
| 4073do | -op | T. N. Waters & Bros., Goldsboro, N. C | 100.0 |

| | Θ. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - 1 - 0 | | | | LLE e | | | 0 | 0 | o | 0 | 0 | 0 | 0 | 0 | 6 |
|------|---|--------------------------------------|---------------------------------------|---------------------------------|------------------------------|----------|---------------------------------|-----------------------------------|-----------------------------------|--------------------------------------|-------------------------------|----------|------------|---------|----------------------------------|-------------|----------|----------------------------|-------------|----------|--------------------------------|----------|-----------|---------|--------|--------------------------------|
| | 23.0 | 73.0 | 75.0 | 73.0 | 62.0 | 54.0 | 13.0 | 93.0 | 54.0 | 76.0 | 81.0 | 97.0 | 0.78 | 0.48 | 95.0 | 0.96 | 100.0 | 0.99.0 | 82.0 | 79.0 | 0.86 | 0.66 | 82.0 | 0.66 | 0.66 | 81.0 |
| | W. S. White & Co., Edzabeth City, N. C. | Worthy & Etheridge, Washington, N. C | Worthy & Etheridge, Washington, N. C. | W. C. Asbury, Lincoluten, N. C. | Clarence Clapp, Newton, N. C | do | Divers & Roper, Hertford, N. C. | F. R. Pleasants, Louisburg, N. C. | E. D. Whitlocke, Rockingham, N. C | Blount Pharmacy, Washington N. C | J. F. Clarke, New Bern, N. C. | op | op | -do | Geo. E. Daniels, Goldsboro, N. C | (10 | qo | F. S. Duffy, New Bern N. C | -do | -ор- | J. H. Hardin, Wilmington, N. C | do. | -do | op | op | C. Harrell & Son, Burgaw, N. C |
| | 0.1 | op | op- | L. L. May & Co., St. Paul, Minn | op | -qo | op. | op | | J. B. Rice Seed Co., Cambridge, N. Y | . do. | | lolo | | .do | do | op | | [a] | | -do | op- | | lo | ol | do |
| 9890 |) | 3358 dodododo | 3361dodo. | 4107do L. I | 4108dodo | 4109dodo | 3375dodo | 3703dodo | 3815dodo | 3940do J. B | 3356 do | 3945dodo | 3946dododo | 3947 do | 3582 dodo | 4203 dododo | 4204dodo | 3355dodo. | 3941 do do. | 3942dodo | 8929do | 3936 do | 3937 dodo | 3938 do | 3939do | 4063dod |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 307 SAMPLES IN ALL, COLLECTED BY INSPECTORS

| | | FROM JULY 15, 1913, TO JULY 15, 19 | 15, 1914.—Continues. | NSFECTORS |
|----------------------|--------------|---------------------------------------|--|--------------------|
| Гарогатогу ТэфшиМ | Kind of Seed | Wholesale Dealer | Retail Dealer | Per Cent of notion |
| 4064 | Beans | J. B. Rice Seed Co., Cambridge, N. Y. | C. Harrell & Son, Burgaw, N. C. | 81.0 |
| 3896 | op | -do | A. S. Huske, Fayetteville, N. C. | 0.89 |
| 3897 | op | -op | A. S. Huske, Fayetteville, N. C. | 91.0 |
| 4205 | qo | op | op | 97.0 |
| 4062 | do | -do | Z. M. L. Jeffreys, Goldsboro, N. C. | 96.0 |
| 3635 | do | do | Y. H. Knowles & Co., Mt. Olive, N. C. | 51.0 |
| 4182 | do | qp | Leslie Drug Store, Morganton, N. C. | 100.0 |
| 4183 | do | do | op | 86.0 |
| 3691 | do | do | W. W. Parker, Henderson, N. C. | 94.0 |
| 4156 | do. | ομ | op. | 93.0 |
| 4157 | op | -do | op. | 0.06 |
| 4160 | do | ηo | J. C. Peterson, Clinton, N. C. | 100.0 |
| 4001 | do | -ф | C. Seott & Co., Greensboro, N. C. | 84.5 |
| 3585 | op | op | T. N. Waters & Bro., Goldsboro, N. C. | 95.0 |
| 3523 | do | do | W. S. White & Co., Elizabeth City, N. C. | 96.0 |
| 3930 | do | -do | op | 100.0 |
| 3943 | do. | op | -do | 95.0 |
| 3944 | | | op. | 75.0 |

| 2040 | Mood Stubbe & Co. Louissille Kv | Brown Moreontile Co. Chadlaning N. C. | 0.80 |
|------------|---|--|-------|
| 9340 | 1 | Digital included on the control of t | |
| 3949do. | | op. | 96.0 |
| 4206 do. | do | A J. Cox & Co., Washington, N. C | 94.0 |
| 4207 do | do | H. C. Joyner, Rocky Mount, N. C. | 100.0 |
| 4076do | ქი | M. W. Pope, Mt. Olive, N. C. | 100.0 |
| 4077do | dodo | op | 100.0 |
| 4162 do. | do | Tarboro Grocery Co., Tarboro, N. C | 97.0 |
| 3805do. | do T. W. Wood & Sons, Richmond, Va | Barnes-Finger Drug Co., Kings Mountain, N. C. | 39.0 |
| 3907 do | do | W. H. Bowen & Son, Belhaven, N. C | 96.0 |
| 4185do. | ქი. | Bradsher's Pharmacy, Hendersonville, N. C | 92.5 |
| 3953do. | dodo. | H. A. Chadwick, Pollocksville, N. C | 87.0 |
| 4194do | -do | Chautauqua Drug Co., Waynesville, N. C | 33.0 |
| 3816do. | Jo | E. N. Covington & Co., Rockingham, N. C | 100.0 |
| 3817do | Jo | op. | 94.0 |
| 3685do. | ეიებ | Furgerson Drug Co., Halifax, N. C | 15.0 |
| 3863do. | dodo. | Harris Bros., Waxhaw, N. C | 93.0 |
| 4065do. | . do. | J. C. Horne, Magnolia, N. C. | 40.0 |
| 3271 do. | do | A. S. Huske, Fayetteville, N. C. | 19.0 |
| 4066 do | Jodo | J. B. Johnston, Greenville, N. C. | 95.0 |
| 4067do | dodo. | op | 84.0 |
| 4112do | dodo. | H. E. Kendall, Shelby, N. C. | 100.0 |
| 4184do | dodo. | L. A. Kincaid, Morganton, N. C. | 95.0 |
| 3952do_ | dodo. | W. J. Kirkham & Co., Wilmington, N. C. | 92.0 |
| 3615do. | -do- | Lenoir Drug Co., Kinston, N. C | 28.5 |
| 4007do. | dodo. | Mann Drug Co., High Point, N. C | 41.5 |
| 4008do | dodo. | Miller Grocery Co., Wilkesboro, N. C. | 42.5 |
| | | | |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 867 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| Laboratory Number | Kind of Seed | Wholesale Dealer | Retail Dealer | Per Cent of Germination |
|----------------------|--------------|---|---|----------------------------|
| 3996 Beans | NS | T. W. Wood & Sons, Richmond, Va. | Mitchell & Barrow, Star, N. C. | 94.5 |
| 3494do. | 0 | -do | J. A. Mitchener, Edenton, N. C. | 10.0 |
| 3495do | 0 | do. | do | 90.0 |
| 3823do. | | | E. L. Rhodes, Hamlet, N. C. | 100.0 |
| 3351do | | ob | M. R. Springle, Beaufort, N. C. | 23.0 |
| 3352 Lde | do | do | 40. | 73.0 |
| 381sdo | 0 | op | R. G. Stone, Laurinburg, N. C. | |
| 3616do. | 0 | | J. D. Williams, Wilson, N. C. | 35.0 |
| H63do | | do | Wilson Drug Co., Wilson, N. C. | 58, 0 |
| 3975 BEETS. | IS | W. W. Barnard & Co., Chicago, Ill | W. J. Kirkham & Co., Wilmington, N. C. | 64.0 |
| -op 930F | | $^{\mathrm{qo}}$ | T. W. Waters & Bro., Goldsboro, N. C | 81.0 |
| f004 do. | c | Robert Baist Co., Philadelphia, Pa | . S. F. Brown & Co., High Point, N. C | 63.0 |
| 4189do. | c | · do | Davis Pharmacy Marion, N. C. | 64.5 |
| 4190do | 0 | -do | - do | 72.5 |
| 4056 do | | -do | E. B. Marston Drug Co., Kinston, N. C | 85.0 |
| 4130do. | | W. Athee Burpee & Co., Philadelphia, Pa | Hunter Drug Co., Warrenton, N. C. | 87.5 |
| 4010do | | Crosman Bros. Co., Rochester, N. Y. | J. J. Adams Sons & Co., Winston-Salem, N. C | 78.0 |
| 3713do. |) | | E. T. Alford, Youngsville, N. C | 92.0 |
| 4149 Judo |)(| do. | E. S. Barrett & Co., Jackson, N. C. | 87.0 |

| Hart Drug Co., Norwood, N. C. | 4027 do | | F. Barwick, La Grange, N. C. | 83.5 |
|---|---------|-----------------------------------|--|-------|
| -do -do -do -do | '- | op | Hart Drug Co., Norwood, N. C. | 43.5 |
| -do -do | | op | Kennedy's Drug Store, Gastonia, N. C. | 28.0 |
| - do | | op- | Kiser & Mauney, Kings Mountain, N. C. | 24.5 |
| do do | | op | W. W. Parker, Henderson, N. C. | 77.5 |
| - do | | op | F. D. Scott & Son, Magnolia, N. C | 89.5 |
| - do | , | op | Shankle, Snuggs Co., Albemarle, N. C. | 69.5 |
| - do | | op | Herbert Smith, Littleton, N. C. | 85, 5 |
| - do | | do | G. T. Whitehead & Co., Scotland Neck, N. C | 8.5 |
| -do | - 1 | op | J. D. Williams, Wilson, N. C. | 90.0 |
| - do | _ '_ | op. | W. A. Wilson, Dover, N. C. | 75.5 |
| - do | | D. M. Ferry & Co., Detroit, Mich. | Armour Bros. & Thompson, Davidson, N. C | 79.5 |
| | | op. | H. L. Arnold, Vanceboro, N. C. | 79.0 |
| -do | | op | U. A. Bell & Co., Dunn, N. C | 84.0 |
| do d | | op | Bruton & Co., Mt. Gilead, N. C. | 75.5 |
| ob | | op | Burroughs Grocery Co., Warrenton, N. C. | 80.5 |
| - do | 3759do | op | Buthers Lumber Co., Boardman, N. C. | 71.5 |
| - do | | op | H. A. Chadwick, Pollocksville, N. C | 71.5 |
| - do | | op | B. B. Davenport, New Bern, N. C | 78.5 |
| | 3590do | op | Fitzgerald Drug Co., Rocky Mount, N. C. | 77.0 |
| ob | | op | Hill Bros., Cofield, N. C. | 74.0 |
| | | op | J. J. Madre & Bros., Windsor, N. C. | 73.5 |
| -dododododo | | do | W. J. Morgan, Oriental, N. C. | 80.5 |
| dododo. | | op | Morrow Bros. & Heath Co., Albemarle, N. C | 64.5 |
| . do. | _ '_ | op, | Selma Supply Co., Selma, N. C | 66.0 |
| | | do | W. P. Shaw, Jr. & Bros., Winton, N. C | 65.5 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 46 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| Per Cent of Germination | 70.5 | 86.0 | 57.5 | 87.0 | 62.5 | 50.5 | 83.5 | 81.0 | 81.5 | 85.0 | 54.5 | 91.5 | 73.0 | 80.0 | 91.0 | 76.5 | 81.5 | 76.0 | 88.5 |
|----------------------------|---|------------------------------------|------------------------------|-------------------------------------|----------------------------------|-----------------------------|------------------------------------|---------------------------------|--|----------------------------------|---------------------------------------|-------------------------------|-------------------------------|-----------------------------------|--------------------------------------|------|------------------------------------|--------------------------------|-----------------------------------|
| Retail Dealer | T. L. & W. J. Turnage Co., Farmville, N. C. | W. C. Asbury, Lincolnton, N. C. | J. F. Clarke, New Bern, N. C | E. E. Rouse & Co., La Grange, N. C. | W. D. Thomas & Co., Warsaw, N. C | W. S. White, Edenton, N. C. | Beaufort Drug Co., Beaufort, N. C | Hamilton Drug Co., Oxford, N. C | Beasley-Austin Drug Co., Louisburg, N. C | Nash Supply Co., Nashville, N. C | A. S. Huske, Fayetteville, N. C | J. M. Lewis, Mt. Olive, N. C. | W. W. Parker, Henderson, N. C | C. Scott & Co., Greensboro, N. C. | Worthy & Etheridge, Washington, N. C | do | Alexander & Blount, Plymouth, N. C | W. S. Allen, Reidsville, N. C. | W. H. Bowen & Son, Belhaven, N. C |
| Wholesale Dealer | D. M. Ferry & Co., Detroit, Mich | Lake Shore Seed Co., Dunkirk, N. Y | do | db | | do | D. Landreth Seed Co., Bristol, Pa. | -do | L. L. May & Co., St. Paul, Minn | | J. B. Rice Seed Co., Cambridge, N. Y. | do | ор- | ф. | qo | | T. W. Wood & Sons, Richmond, Va | op | qo |
| Kind of Seed | Вевтв | do | op | op | | op | op | do | op | do | do | do | do | do | op | do | op | do | op |
| Гарогаtогу Иптрег | 4053 | 4103 | 3342 | 4032 | 4042 | 3497 | 4202 | 3745 | 3704 | 4134 | 3258 | 4095 | 4155 | 4005 | 3347 | 3976 | 3514 | 4003 | 3906 |

| 3905 | * °C | o (b | M C Rufty Salisbury N C | 288 |
|--------|---------|-------------------------------------|--|------|
| | Cabbage | Robert Buist Co., Philadelphia, Pa. | R. E. L. Cook, Tarboro, N. C. | 74.0 |
| 3561 | | ф | Parson Drug Co., Wadeshoro, N. C | 56.5 |
| 3477 | ор | op | Reese & Alexander Inc., Charlotte, N. C | 62.5 |
| 3278 | -ф | op | P. A. Thompson, Winston-Salem, N. C | 54.5 |
| 3652 | do | op | I. W. West Drug Co., Mt. Airy, N. C | 28.5 |
| 4192 | do | Crosman Bros. Co., Rochester, N. Y. | T. B. Carson, Hendersonville, N. C | 96.0 |
| 3288 | op | do | J. Emra Cox, Winston-Salem, N. C | 25.0 |
| 3282 | do | -do | Eford Bros., Winston-Salem, N. C | 33.0 |
| 3556 | 3556do | -do | Fox & Lyon, Wadeshoro, N. C | 22.0 |
| 3642 | do | do | Golden Rule Drug Co., Wahnut Cove, N. C | 2.5 |
| 3843 | do | ob | Hart Drug Co., Norwood, N. C | 27.5 |
| 3754 | ор- | do | Lawnings Drug Store, Lincolnton, N. C | 17.0 |
| 3637 | op | do | Madison Grocery Co., Madison, N. C | 40.0 |
| 3293 | -do | -do | J. G. Messick, Winston-Salem, N. C | 16.5 |
| 3695 | do | do | W. W. Parker, Henderson, N. C | 87.0 |
| 3647 | -do | do | The Peoples Drug Store, Mt. Airy, N. C | 7.0 |
| 4097 | do | D. M. Ferry & Co., Detroit, Mich. | Armour Bros. & Thompson, Davidson, N. C | 97.0 |
| 3878 | qo | do | N. A. Bell & Co., Dunn, N. C. | 83.0 |
| 3981 | do | do | Bruton & Co., Mt. Gilead, N. C | 86.0 |
| 3322 | do | do | Cabarrus Drug Co., Concord, N. C | 83.0 |
| 3467 | qo | do | Charlotte Drug Co., Charlotte, N. C | 96.0 |
| 3318 | qo | op | Cook & Harris, Concord, N. C | 40.0 |
| 3325 | do | | Dove-Bost Co., Concord, N. C | 98.0 |
| 3530 - | op | op | English Drug Co., Monroe, N. C | 61.0 |
| 3273 | ol) | do | Farmers Trade House Co., Winston-Salem, N. C | 70.5 |
| | | | | |

TABLE XY.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 867 SAMPLES IN ALL, COLLECTED BY INSPECTORS

68.0 93.0 52.0 66.5 68,5 80.5 55.5 93.5 66.0 91.5 30.5 89.0 6.5 66.5 0.38 65.5 Germination Per Cent of Morrow Bros. & Heath Co., Albemarle, N. C., W. McPherson & Co., Salisbury, N. C. Lawnings Drug Store, Lincolnton, N. C... Owens Drug Co., Winston-Salem, N. C. Dr. S. J. Welsh & Son, Monroe, N. C... Latham & Richardson, Monroe, N. C. Eagle Pharmacy, Rockingham, N. C... Woodall & Sheppard, Charlotte, N. C. Mt. Airy Feed Store, Mt. Airy, N. C... Torrence Drug Co., Gastonia, N. C.... Earle Morrow Drug Store, Hamlet, N. Parson Drug Co., Wadeshoro, N. C. Latham Richardson, Monroe, N. C. Fetzer & Tucker, Reidsville, N. C. W. C. Asbury, Lincolnton, N. C. English Drug Co., Monroe, N. C. Retail Dealer Selma Supply Co., Selma, N. C. L. G. Fox, Rockingham, N. C. FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED Lake Shore Seed Co., Dunkirk, N. Y.. Wholesale Dealer D. Landreth Seed Co., Bristol, Pa. D. M. Ferry & Co., Detroit, Mich. dodo-------do-----lo ...do---do op----Kind of Seed CABBAGE ---do---...do... ---do---....do.do. do, .do. do.... op. -do.do. do... do... op.do. 00 3330 3884 3749 3525 Гарогатогу Мишрег 3301 3566 3535 1011 3546 34623551

| 385 do do Grant's Phiarmacy, Asheville, N. C. 389 do Louard Seed Co., Chicago, Hl. E. W. O'Hauben, Winstonn-Salem, N. C. 389 do Louard Seed Co., Chicago, Hl. E. W. O'Hauben, Winstonn-Salem, N. C. 3815 do Louard Seed Co., Chicago, Hl. N. S. Allen, Britsville, N. C. 3815 do do Gaston Seed & Provision Co., Gastonin, N. C. 3816 do Alo Alo 3817 do Alo Alo 3818 do Alo Alo 3819 do Alo Alo 382 do Alo Alimenda & Provision Co., Gastonin, N. C. 383 do Alo Alimenda & Provision Co., Gastonin, N. C. 384 Swear Cons. W. W. Barnara & Co., Rochester, N. Y. J. J. Adams Sons & Co., Winston-Salem, N. C. 385 do do do J. J. Adams Sons & Co., Winston-Salem, N. C. 385 do do J. M. W. Barnara, W. Y. J. M. Alams Sons & Co., Winston-Salem, N. C. 419 do J. | 3888do | do | J. T. Fields, Laurinburg, N. C. | 89.0 |
|--|--------|---------------------------------------|--|------|
| do do Leonard Seed Co., Chicago, III. | | | Grant's Pharmacy, Asheville, N. C. | 86.5 |
| Jeonard Seed Co., Chirago, Ill. 1. W. Wood & Sons, Richmond, Va. do. d | - | op | E. W. O'Hanlon, Winston-Salem, N. C. | |
| do do do do do do do do | | Leonard Seed Co., Chicago, Ill | W. J. Kirkham & Co., Wilmington, N. C. | 86.0 |
| do do do do do do do do | | T. W. Wood & Sons, Richmond, Va | W. S. Allen, Reidsville, N. C. | 0.69 |
| do do do do do do do do | | op | Davis Drug Co., Concord, N. C. | 67.5 |
| do do do do do do SWEET CORN Crosman Bros. Co., Rochester, N. Y. | | olo | Gaston Seed & Provision Co., Gastonia, N. C | 0.66 |
| CELERY Crosman Bros. Co., Rochester, N. Y. Sweet Corn. W. W. Barnard & Co., Chicago, Ill | - 1 | op | Gibson Drug Co., Concord, N. C | 89.5 |
| Sweet Corn. W. W. Barmard & Co., Rochester, N. Y. | | do | Mitchell & Barrow, Star, N. C. | 0.69 |
| Sweet Corn W. W. Barnard & Co., Chicago, Ill .do .do | | Crosman Bros. Co., Rochester, N. Y. | J. J. Adams Sons & Co., Winston-Salem, N. C | 58.3 |
| do Crosman Bros. Co., Rochester, N. Y. do do do do do do do | | W. W. Barnard & Co., Chicago, Ill | W. J. Kirkham & Co., Wilmington, N. C. | 87.0 |
| do do do do do D. M. Ferry & Co., Detroit, Mich. do | - | Crosman Bros. Co., Rochester, N. Y. | J. Emra Cox, Winston-Salem, N. C | 0.79 |
| do d | - ' | | Eford Bros., Winston-Salem, N. C | 94.0 |
| do do do do do do do do do do do do do do do do do do do do do do do do | | op | Miller Bros., Waynesville, N. C | 0.06 |
| do do D. M. Ferry & Co., Detroit, Mich. do do D. Landreth Seed Co., Bristol, Pa. do d | | do | | 55.0 |
| do | | D. M. Ferry & Co., Detroit, Mich | Farmers Trade House Co., Winston-Salem, N. C | 0.92 |
| do D. Landreth Seed Co., Bristol, Pa. do do do do do do do d | | op | J. W. McPherson & Co., Salisbury, N. C | 0.77 |
| dododododododo | | D. Landreth Seed Co., Bristol, Pa | Grant's Pharmacy, Asheville, N. C | 6.87 |
| dododododododo | | do | J. H. Rudisill & Co., Lincolnton, N. C | 84.0 |
| do | | J. B. Rice Secd Co., Cambridge, N. Y. | Z. M. L. Jeffreys, Goldsboro, N. C | 0.86 |
| do | | op | op | 93.0 |
| do | | op | Leslie Drug Store, Morganton, N. C | 89.5 |
| do | | ор | W. S. White & Co., Elizabeth City, N. C | 84.0 |
| dodo | | op | op- | 0.40 |
| op | - | Wood-Stubbs Co., Louisville, Ky | Brown Mercantile Co., Chadbourn, N. C | 83.0 |
| | | op | M. W. Pope, Mt. Olive, N. C | 0.96 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTOR FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| - Per Cent of Germination | 82.5 | 0.16 | 6.86 | 88.0 | 0.40 | 0.88 | 0.98 | 88.0 | 92.0 | 0.69 | 0.89 | 70.0 | 83.0 | 72.0 | 88.5 | 79.5 | 0.88 | 3.0 | 95.0 |
|--------------------------------------|---|--|---|--------|------------------------------|-----------------------------------|------------------------------|-------------------------------|----------|------------------------------------|---|---|---------------------------------|---|-------------------------------|-----------------------------------|---------------------------------|----------------------------------|------------------------------------|
| Retail Dealer | Bradsher's Pharmacy, Hendersonville, N. C | Chautauqua Drug Co., Waynesville, N. C | . Gaston Seed & Provision Co., Gastonia, N. C | op | J. C. Horne, Magnolia, N. C. | J. B. Johnston, Greenville, N. C. | B. F. Powell, Clinton, N. C. | Wilson Drug Co., Wilson, N. C | op- | . Parson Drug Co., Wadesboro, N. C | J. J. Adams Sons & Co., Winston-Salem, N. C | - Armour Bros. & Thompsou, Davidson, N. C | Bruton & Co., Mt. Gilead, N. C. | Morrow Bros. & Heath Co., Albemarle, N. C | Selma Supply Co., Selma, N. C | J. T. Fields, Laurinburg, N. C | Mitchell & Barrow, Star, N. C | E. Clarke, Weldon, N. C | R. E. L. Cook, Tarboro, N. C. |
| Wholesale Dealer | T. W. Wood & Sons, Richmond, Va | -dp | | | qo | | | do | do | Robert Buist Co., Philadelphia, Pa | Crosman Bros. Co., Rochester, N. Y. | D. M. Ferry & Co., Detroit, Mich | qo | op | op | D. Landreth Seed Co., Bristol, Pa | T. W. Wood & Sons, Richmond, Va | J. Bolgiano & Son, Baltimore, Md | Robert Buist Co., Philadelphia, Pa |
| Laboratory Number Kind of Seed | 4176 SWEET CORN | 4195do | 4126do | 4127do | 4089 | 4088 | 4090 do | 4172 dodo | 4173 do | 3563 Cucumbers | 4011 dodo | 4100 | 3984do | 3875do | 3886do | 3891do | 3995 dodo. | 3683 Lettuce | 3488 do |

| 4057 | op | ор- | E. B. Marston Drug Co., Kinston, N. C | 89.5 |
|------|-----|---|--|------|
| 3601 | -op | | Temple Drug Co., Kinston, N. C | 0.76 |
| 4131 | op | W. Atlee Burpee & Co., Philadelphia, Pa | Hunter Drug Co., Warrenton, N. C | 96.5 |
| 4009 | op | Crosman Bros. Co., Rochester, N. Y | J. J. Adams Sons & Co., Winston-Salem, N. C | 48.0 |
| 3714 | | | E. T. Alford, Youngsville, N. C | 68.5 |
| 3781 | | -do | J. L. Bailey, Elm City, N. C | 99.5 |
| 3776 | | | Barnes Bros., Proetorville, N. C | 98.5 |
| 4150 | -ор | op | E. S. Barrett & Co., Jackson, N. C. | 5.5 |
| 4028 | -do | op | F. Barwick, LaGrange, N. C | 56.5 |
| 3849 | op | | E. L. Burns, Maxton, N. C | 65.5 |
| 3720 | | | . Wells Dilery, Roanoke Rapids, N. C | 34.5 |
| 3836 | -do | do | . Kennedy's Drug Store, Gastonia, N. C | 0.86 |
| 3812 | | op | . Kiser & Mauney, Kings Mountain, N. C | 95.0 |
| 3694 | ор | ор- | W. W. Parker, Henderson, N. C | 35.5 |
| 4016 | op | op- | F. D. Scott & Son, Magnolia, N. C | 3.5 |
| 3841 | -do | op | Shankle, Snuggs Co., Albemarle, N. C | 0.11 |
| 4153 | op | do | Herbert Smith, Littleton, N. C | 96.5 |
| 3676 | do | | G. T. Whitehead & Co., Scotland Neek, N. C | 32.5 |
| 4024 | do | op | J. D. Williams, Wilson, N. C. | 25.5 |
| 4020 | op | op | W. A. Wilson, Dover, N. C. | 53.0 |
| 3925 | | D. M. Ferry & Co., Detroit, Mich | H. L. Arnold, Vanechoro, N. C | 0.97 |
| 3808 | | | Barnes-Finger Drug Co., Kings Mountain, N. C | 74.5 |
| 3880 | -ор | op | W. A. Bell & Co., Dunn, N. C. | 0.66 |
| 3983 | op | | Bruton & Co., Mt. Gilead, N. C | 0.86 |
| 3729 | | | Burroughs Groeery Co., Warrenton, N. C. | 52.5 |
| 3760 | op | q ₀ | Buthers Lumber Co., Boardman, N. C. | 0 66 |

TABLE NV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS PROM JULY 15, 1913.—CONTINUED.

| Kind of Seed | Wholesale Dealer | Retail Dealer | Per Cent of Germination |
|--|--|---|---|
| Lerruce | D. M. Ferry & Co., Detroit, Mich. | H. A. Chadwick, Polloeksville, N. C | 98.0 |
| op | -do | A. J. Cook & Co., Fayetteville, N. C | 96.5 |
| do | - ορ | Walter Credle & Co., Washington, N. C. | 70.5 |
| ор | ор. | B. B. Davenport, New Bern, N. C. | 86.0 |
| ор- | ор. | S. J. Dilday, Ahoskie, N. C. | 56.0 |
| op | -ор | Fitzgerald Drug Co., Rocky Mount, N. C | 0.86 |
| op | | Franklin Grocery Co., Franklinton, N. C | 37.76 |
| op | do | Rarrison & Hill Drug Co., Enfield, N. C. | 77.5 |
| op | | Hill Bros., Cofield, N. C | 93.5 |
| do | op | F. V. Johnston, Greenville, N. C | 0.96 |
| op | op | J. J. Madro & Bro., Windsor, N. C | 86.0 |
| do | op | W. J. Morgan, Oriental, N. C | 99.0 |
| op | op | J. B. Morton, Morehead City, N. C | 77.5 |
| op | op | Potter Bros., Beaufort, N. C | 58.0 |
| op | op | J. H. Roberson & Co., Robersonville, N. C. | 98.0 |
| op | qo | Theo. Roberson & Co., Williamston, N. C | 92.0 |
| op | do | Robinson Bros., Dunn, N. C | 90.5 |
| op | do | Robinson-Ruffin Co., Tarboro, N. C. | 34.5 |
| do | | W. M. Sanders, Smithfield, N. C. | 94.0 |
| 33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | do d | Nind of Steed Wholesale Dealer D. M. Ferry & Co., Detroit, Miel. do do do do do do do do do d | Nind of Seed D. M. Ferry & Co., Detroit, Mich. do. do. do. do. do. do. do. d |

THE BULLETIN

| 4142 dodododo. | | |
|------------------|---|-------|
| | W. P. Shaw, Jr. & Bro., Winton, N. C. | 100.0 |
| • | J. T. Sizemore, Oxford, N. C. | 93.5 |
| 3335 do. | W. F. Smith, Benson, N. C | 95.0 |
| 3414 dodo. | Henry L. Spruill, Plymouth, N. C. | 97.5 |
| 3861do | Standard Store Co., Aberdeen, N. C. | 90.5 |
| 3453 do | D. W. Tart, Roseboro, N. C. | 97.5 |
| - ob do. | T. L. & W. J. Turnage Co., Farmville, N. C. | 0.86 |
| dodododododododo | G. T. Walton & Son, Jacksonville, N. C. | 98.5 |
| 3386 do. | Watson & Winslow, Hertford, N. C.' | 41.5 |
| 3426 do. | E. K. Willis, Washington, N. C. | 79.5 |
| op: op: op: | J. D. Winstead & Son, Nashville, N. C. | 64.0 |
| 3831do | nkirk, N. V Adams Drug Co., Gastonia, N. C. | 55.0 |
| 3343do | J. F. Clarke, New Bern, N. C. | 58.0 |
| 3508do | Divers & Roper, Hertford, N. C. | 95.5 |
| 3264do | J. B. Fields, Fayetteville, X. C. | 17.5 |
| 3826do | Hamlet Pharmacy, Hamlet, N. C | 40.5 |
| 3855 do | A. L. Jones, Maxton, N. C. | 0.78 |
| 3632 dodo | Martin & Price Co., Mt. Olive, N. C. | 43.5 |
| 3627 do. | E. S. Mewborn, La Grange, N. C. | 85.0 |
| | Murray & Armstrong, Wallace, N. C. | 5.06 |
| 4031dodo | E. E. Rouse & Co., La Grange, N. C. | 96.5 |
| | Singletary Drug Co., Burgaw, N. C. | 75.0 |
| 3372 do | Tom L. Smith, Plymouth, N. C | 51.5 |
| 3621 მი | H. S. Southerland, Clinton, N. C. | 0.11 |
| 3503do. | J. L. Stashey, Greenville, N. C. | 51.0 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| Laboratory Number | Kind of Seed | Wholesale Dealer | - Retail Dealer | Per Cent of Germination |
|----------------------|-----------------|---|---|----------------------------|
| 3796 | 3796 Lettuce | Lake Shore Seed Co., Dunkirk, N. Y. | V. F. Tarlton, Wadesboro, N. C | 25.0 |
| 3337 | op | -do | D. W. Tart, Roseboro, N. C. | 99.0 |
| 4043 | op | -do | W. D. Thomas & Co., Warsaw, N. C | 98.0 |
| 349S | op | do | W. S. White, Edenton, N. C. | 18.0 |
| 3708 | op | D. Landreth Seed Co., Bristol, Pa | Ayeoek Drug Co., Louisburg, N. C | 94.0 |
| 4500 | op | do | Beaufort Drug Co., Beaufort, N. C | 98.0 |
| 3611 | op | op- | Henry Dunn, Kinston, N. C | 97.0 |
| 3821 | do | op | J. T. Fields, Laurinburg, N. C | 77.0 |
| 3746 | op | , do | Hamilton Drug Co., Oxford, N. C | 92.5 |
| 3517 | op | do. | Roberson, Cory & Co., Robersonville, N. C | 1 |
| 3520 | | op | W. S. White & Co., Elizabeth City, N. C | 70.0 |
| 3705 | op | L. L. May & Co., St. Paul, Minu. | Beasley-Austin Drug Co., Louisburg, N. C | 93.5 |
| 3377 | | · op | Divers & Roper, Hertford, N. C | 85.0 |
| 3597 | | op | Kyser's Drug Store, Rocky Mount, N. C | 93.5 |
| 3259 | | Jerome B. Rice Seed Co., Cambridge, N. Y. | A. S. Huske, Payetteville, N. C | 89.0 |
| 3512 | op | T. W. Wood & Sous, Richmond, Va | N. S. Blanchard & Son, Hertford, N. C | 95.0 |
| 3491 | | op | J. A. Mitchener, Edenton, N. C | 97.5 |
| 3362 | 3362 MUSKMELON. | Robert Buist Co., Philadelphia, Pa | R. R. Bellanny, Wilmington, N. C | 78.5 |
| 3480 | 3480do | | Reese & Alexander, Inc., Charlotte, N. C | 81.0 |

| dodo | | 00) |
|------|-------------------------------------|--|
| | Crosman Bros. Co., Rochester, N. Y | J. Entra Cox, Winston-Salem, N. C |
| op | op | Eford Bros., Winston-Salem, N. C |
| | op | Fox & Lyon, Wadesboro, N. C |
| do | op- | Golden Rule Drug Co., Walnut Cove, N. C |
| op | | Lawnings Drng Store, Lincolnton, N. C |
| -op | ob | Madison Grocery Co., Madison, N. C |
| ф | op | J. G. Messick, Winston-Salem, N. C. |
| op | op | The Peoples Drug Store, Mt. Airy, N. C |
| d | D. M. Ferry & Co., Detroit, Mich | Charlotte Drug Co., Charlotte, N. C |
| do. | do. | Cook & Harris, Concord, N. C |
| op | op | Dove-Bost Co., Concord, N. C. |
| -do | op | English Drug Co., Monroe, N. C |
| op | do | Farmers Trade House Co., Winston-Salem, N. C |
| -do- | op | L. G. Fox, Rockingham, N. C. |
| op | ор- | Latham & Richardson, Monroe, N. C |
| op. | do | J. W. McPherson & Co., Salisbury, N. C. |
| do | do | ., Mt. Airy Feed Store, Mt. Airy, N. C. |
| | op | Owens Drug Store Co., Winston-Salem, N. C. |
| op | | . Parson Drug Co., Wadesboro, N. C |
| -op | -do | Torrence Drug Co., Gastonia, N. C |
| | -do. | Dr. S. J. Welsh & Son, Mouroe, N. C. |
| -do | op. | Woodall & Sheppard, Charlotte, N. C |
| do | Lake Shore Seed Co., Dunkirk, N. Y. | Eagle Pharmacy, Rockingham, N. C. |

TABLE XY.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—Continued.

| | | | | | • | | - | | | | | | | | | | | | | |
|---|----------------------------|--|---|------------------------------------|-----------------------------------|--|---------------------------------|---|---------------------------------|-------------------------------------|-----------------------------------|---|------|--------------------------------|---|------------------------------------|--|--|---------------------------------------|--|
| τ | Per Cent of Germination | 76.0 | <u>8</u> | <u>8</u> | 96.0 | 94.0 | 70.5 | 84.5 | 94.5 | X.1.3. | 93.5 | 91.5 | 62.0 | 61.5 | 66.5 | 97.0 | 61.0 | 89.5 | f. 0 | 77.0 |
| | Retail Deabr | Lawnings Drug Store, Lincolnton, N. C. | . Farle Morrow Drug Store, Hamlet, N. C | . Buglish Drug Co., Monroe, N. C | Fetzer & Tucker, Reidsville, N. C | J. H. Rudisill & Co., Lincolnton, N. C | W. C. Asbury, Lincolnton, N. C. | J. F. Clarke, New Bern, N. C. | A. S. Huske, Fayetteville, N. C | Loslie Drug Store, Morganton, N. C. | C. Scott & Co., Greensboro, N. C. | . Gaston Seed & Provision Co., Gastonia, N. C | | . H. B. Kendall, Shelby, N. C. | . Ino. J. Thrower Co., Red Springs, N. C. | J. T. Fields, Laurinburg, N. C. | J. J. Adams Sons & Co., Winston-Salem, N. C. | Walter Credle & Co., Washington, N. C. | W. C. Asbury, Lincolnton, N. C. | W. J. Kirkham & Co., Wilmington, N. C. |
| - | Wholesale Dealer | Lake Shore Seed Co., Dunkirk, N. Y. | | D. Landreth Seed Co., Bristol, Pa. | do | | L. L. May & Co., St. Paul, Minn | Jerome B. Rice Seed Co., Cambridge, N. Y. | op | αp | | T. W. Wood & Sons, Richmond, Va | qo | ob. 1 | do. | D. Landreth Seed Co., Bristol, Pa. | Crosman Bros. Co., Rochester, N. Y | D. M. Ferry & Co., Detroit, Mich | . Lake Shore Seed Co., Dunkirk, N. Y. | W. W. Barnard & Co., Chicago, fll. |
| | Kind of Seed | MUSKMELON. | do | ор | do | dodo | do | do | do | dodo | do | do | do | op | doe | 3889 OKRA | Onlows | ,do | qo | 3954 Peas |
| | Laboratory | 3752 | 3554 | 3528 | 3333 | 4122 | 4121 | 3363 | 3905 | 4181 | 3988 | 3460 | 1124 | 4123 | 3803 | 388 | 4012 | 3920 | 4105 | 39. |

| 3955 | 3955 do | .do | op | 95.0 |
|-------|----------|---|---|------|
| 3587 | do | ob. | T. N. Waters & Bro., Goldsboro, N. C | 84.0 |
| 4213 | op | J. Bolgiano & Son, Baltimore, Md. | Mitchener Pharmacy, Edenton, N. C | 99.0 |
| 9848 | op | Robert Buist Co., Philadelphia, Pa. | R. E. L. Cook, Tarboro, N. C. | 51.5 |
| 4168 | -do | op | op | 95.0 |
| 4169 | ф | op | op | 95.0 |
| 4080 | -do | do | J. M. Lewis, Mt. Olive, N. C. | 99.0 |
| 4079 | do | do | B. F. Powell, Clinton, N. C. | 96.0 |
| 3483 | -ф | op | Saunders & Fowler, Williamston, N. C. | 92.0 |
| 3711 | - to | do. | Winston-Blanks Drug Co., Youngsville, N. C. | 94.5 |
| 3726 | do | W. Atlee Burpee & Co., Philadelphia, Pa | Hunter Drug Co., Warrenton, N. C | 75.5 |
| 3957 | p | Everett B. Clarke Seed Co., Millord, Conn | Robert R. Bellamy, Wilmington, N. C. | 92.0 |
| 3958 | do | op | do | 71.0 |
| 3959 | -do | do. | do | 99.5 |
| 4211 | .do | -do | W. R. Brothers, Edenton, N. C. | 91.0 |
| 3960 | do | - op | S. W. Willis, New Bern, N. C. | 99.0 |
| 3716 | qo | Crosman Bros. Co., Rochester, N. Y | E. T. Alford, Youngsville, N. C | 18.5 |
| 3777 | do. | ор | Barnes Bros., Proctorville, N. C. | 9.9 |
| 3851 | op | op | E. L. Burns, Maxton, N. C. | N |
| 3722 | op | | Wells Dilery, Roanoke Rapids, N. C | 59.0 |
| 27.15 | do | ор | Taylor & Cowan, Jackson, N. C. | 91.0 |
| 3710 | op- | Diggs & Beaches, Richmond, Vo | Ayeock Drug Co., Louisburg, N. C. | 69.0 |
| 3265 | op | ор | A. S. Huske, Fayetteville, N. C. | 78.5 |
| 3888 | op | olı | op | 99.5 |
| 3927 | ф | D. M. Ferry & Co., Detroit, Mich. | H. L. Arnold, Vaneeboro, N. C. | 90.0 |
| 3731 | -do | op. | Burroughs Grocery Co., Warrenton, N. C | 56.5 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| | i | | | ło aoi |
|----------------------|--------------|----------------------------------|--|-----------|
| Гарогаtогу Митрег | Kind of Seed | Wholesale Peater | Retail Dealer | Per Cent |
| 3762 PEAS | Peas | D. M. Ferry & Co., Detroit, Mich | Buthers Lumber Co., Boardman, N. C | 85.0 |
| 3232 | - op | do | A. J. Cook & Co., Fayetteville, N. C | 97.0 |
| _ | op | do | Walter Credle & Co., Washington, N. C | 71.5 |
| 3443 | | do | B. B. Davenport, New Bern, N. C. | 87.5 |
| 3737 | qo | do | S. J. Dilday, Ahoskie, N. C. | 91.0 |
| | op | do | Fitzgerald Drug Co., Rocky Mount, N. C | 85.0 |
| | do | op | Franklin Grocery Co., Franklinton, N. C | 54.0 |
| | 0) | op | Harrison & Hill Drug Co., Enfield, N. C | 70.5 |
| | op | op | F. V. Johnston, Greenville, N. C. | 86.5 |
| | 0 | do | W. J. Kirkham & Co., Wilmington, N. C. | 94.0 |
| | 00 | op | J. B. Morton, Morehead City, N. C | 83.5 |
| | 0 | -do | Potter Bros., Beaufort, N. C | 54.5 |
| 3396 | 01) | do | J. II. Roberson & Co., Robersonville, N. C | 36.5 |
| 3405 | op. | ob | Theo. Roberson & Co., Williamston, N. C | 93.0 |
| 3256 | γop | -ch | Robinson Bros., Dunn, N. C | 74.5 |
| | op- | -do | Robinson-Ruffin Co., Tarboro, N. C | 41.0 |
| | op | op | W. M. Sanders, Smithfield, N. C. | 42.5 |
| 3250 | op | op | Selma Drug Co., Selma, N. C | 94.0 |
| 3743 | -do | do | J. T. Sizemore, Oxford, N. C | 87.0 |

| 3238 | 3238 do | op- | W. F. Smith, Benson, N. C. | 79.5 |
|------|----------|------------------------------------|--|------|
| 3411 | -do | op | Henry L. Spruill, Plymouth, N. C | 64.5 |
| 3455 | -op | op | D. W. Tart, Roseboro, N. C | 51.5 |
| 3449 | op | ob. | G. T. Walton & Son, Jacksonville, N. C | 63.0 |
| 3381 | | op | Watson & Winslow, Hertford, N. C | 89.0 |
| 3422 | -do | | E. K. Willis, Washington, N. C. | 96.5 |
| 3672 | do. | | J. D. Winstead & Son, Nashville, N. C | 92.5 |
| 3267 | op | Lake Shore Seed Co., Dunkirk, N. Y | J. B. Fields, Fayetteville, N. C | 47.5 |
| 3857 | do. | | A. L. Jones, Maxton, N. C. | 85.0 |
| 4039 | op | op | Murray & Armstrong, Wallace, N. C | 81.0 |
| 4034 | op- | | E. E. Rouse & Co., La Grange, N. C | 79.0 |
| 1021 | -do | -do | Singestory Drug Co., Burgaw, N. C | 90.0 |
| 3368 | -op | | Tom L. Smith, Plymouth, N. C | 88.5 |
| 3623 | do | | II. S. Southerland, Clinton, N. C | 52.5 |
| 3798 | op- | | V. F. Tarlton, Wadesboro, N. C | 72.5 |
| 3340 | op | op | D. W. Tart, Roseboro, N. C | 36.0 |
| 4045 | -do | op. | W. D. Thomas & Co., Warsaw, N. C | 96.0 |
| 3428 | op | D. Landreth Seed Co., Bristol, Pa. | Beaufort Drug Co., Beaufort, N. C | 43.0 |
| 3969 | do | op | Spence & Hollowell, Elizabeth City, N. C | 98.0 |
| 4170 | op | | Thomas Bros., Henderson, N. C | 98.0 |
| 3789 | do. | Leonard Seed Co., Chicago, Ill. | Charlotte Drug Co., Charlotte, N. C | 39.0 |
| 3609 | op | op | J. E. Hood & Co., Kinston, N. C. | 83.0 |
| 4086 | do. | ·qo | op | 0.76 |
| 3269 | op | do. | A. S. Huske, Fayetteville, N. C | 92.0 |
| 3380 | op | op | W. S. White & Co., Elizabeth City, N. C | 12.0 |
| 3374 | 3374 do | L. L. May & Co., St. Paul, Minn | Divers & Roper, Hertford, N. C. | 74.5 |

TABLE NY.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| Laborator Number | Kind of Seed | Wholesale Dealer | Retail Dealer | Per Cent of Germination |
|---------------------|--------------|---------------------------------------|--|----------------------------|
| 3961 | PEAS | J. B. Rice Seed Co., Cambridge, N. Y. | Bloamt Pharmacy, Washington, N. C., | 97.5 |
| 3965 | do | op | J. F. Clarke, New Bern, N. C. | 100.0 |
| 3966 | oh | do | ор | 95.0 |
| 3967 | do | do | F. S. Duffy, New Bern, N. C. | 98.0 |
| 3963 | do | -do | J. H. Hardin, Wilmington, N. C | 98.0 |
| 3964 | ob. | do. | op. | 90.0 |
| 3261 | do | do. | A. S. Huske, Fayetteville, N. C | 98.0 |
| 3899 | -do | ор | qω | 62.0 |
| 35 14 | op | -op | Z. M. L. Jeffreys, Goldsboro, N. C. | 82.5 |
| 180F | op. | op | do | 97.0 |
| 4082 | ορ- | op | do | 90.0 |
| 3968 | do. | op | Spence & Hollowell, Elizabeth City, N. C | 64.0 |
| 3367 | op- | op | C. L. Spencer, New Bern, N. C. | 69.0 |
| 180 | -do | op | T. N. Waters & Bro., Goldshoro, N. C | 93.0 |
| 4085 | op | op | 10 | 94.0 |
| 3965 | op | op | W. S. White & Co., Elizabeth City, N. C | 95.5 |
| 4083 | op | oh | , clo | 98.0 |
| 3970 | | Wood, Stubbs & Co., Louisville, Ky | Brown Mercantile Co., Chadbourn, N. C | 92.0 |
| 4212 | ор | op | II. C. Joyner, Rocky Mount, N. C. | 99.0 |

| 4078 | op | do. | M. W. Pope, Mt. Olive, N. C. | 96.0 |
|------|--------|---|--|-------|
| 3991 | op | T. W. Wood & Sons, Richmond, Va | W. S. Allen, Reidsville, N. C. | 84.0 |
| 3908 | do. | | W. II. Bowen & Son, Belhaven, N. C. | 96.0 |
| 4177 | do | do | Bradsher's Pharmacy, Hendersonville, N. C | 91.0 |
| 3900 | op | do. | English Drug Co., Monroe, N. C | 0.78 |
| 3686 | op | do | Furgerson Drug Co., Halifax, N. C | 50.0 |
| 4125 | op | do. | (faston Seed & Provision Co., Gastonia, N. C | 61.0 |
| 3990 | do | do | Mann Drug Co., High Point, N. C | 97.0 |
| 3493 | do. | op | J. A. Mitchener, Edenton. N. C | £2.5 |
| 3901 | do | dρ | M. C. Rufty, Salisbury, N. C. | 67.5 |
| 3617 | do | do | J. D. Williams, Wilson, N. C. | 95.0 |
| 4171 | op | | Wilson Drug Co., Wilson, N. C | 97.0 |
| 4058 | Radish | Robert Buist Co., Philadelphia, Pa | E. B. Marston Drug Co., Kinston, N. C | 66.0 |
| 4132 | do | W. Atlee Burpee & Co., Phikadelphia, Pa | Hunter Drug Co., Warrenton, N. C | 85.0 |
| 3979 | op | Everett B. Clarke Seed Co., Milford, Conn | R. R. Bellamy, Wilmington, N. C | 73.5 |
| 4029 | op | Crosman Bros, Co., Rochester, N. Y | F. Barwick, La Grange, N. C | 61.5 |
| 4017 | do | do | F. D. Scott & Son, Magnoha, N. C. | 48.0 |
| 1154 | do | do | Herbert Smith, Littleton, N. C | 28, 0 |
| 4025 | do | op | J. D. Williams, Wilson, N. C | 75.0 |
| 1021 | do | -do | W. A. Wilson, Dover, N. C. | 62.5 |
| 4098 | do | D. M. Ferry & Co., Detroit, Mich. | Armour Bros., & Thompson. Davidson, N. C. | 95.0 |
| 3926 | op | φρ | H. L. Arnold, Vanceboro, N. C. | 94.0 |
| 3881 | op | | N. A. Bell & Co., Dunn, N. C. | 90.5 |
| 3986 | op | do | Bruton & Co., Mt. Gilead, N. C | 83.5 |
| 3912 | op | op | II. A. Chadwick, Pollocksville, N. C | 95.0 |
| 3919 | do. | do | Walter Credle & Co., Washington, N. C. | 92.5 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 307 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| | į | | | |
|----------------------|--------------|--------------------------------------|--|----------------------------|
| Гарогаtогу Литрег | Kind of Seed | Wholesale Deater | Retail Dealer | Per Cent of Germination |
| 4139 | Radish | D. M. Ferry & Co., Detroit, Mich. | Hill Bros., Cofield, N. C. | 93.0 |
| 4147 | | op | J. J. Madre & Bro., Windsor, N. C | 98.0 |
| 3916 | op | op | W. J. Morgan, Oriental, N. C. | 97.0 |
| 4143 | -do | op | W. P. Shaw, Jr. & Bro., Winton, N. C. | 89.0 |
| 4055 | do | op | T. L. & W. J. Turnage Co., Farmville, N. C | 98, 5 |
| 4038 | -do | Lake Shore Seed Co., Dunkirk, N. Y. | Murray & Armstrong, Wallace, N. C | 92.0 |
| 4033 | do | | E. E. Rouse & Co., La Grange, N. C. | 90.0 |
| 4099 | -do | -d ₀ - | Singestory Drug Co., Burgaw, N. C | 53.0 |
| 4044 | do | -do | W. D. Thomas & Co., Warsaw, N. C | 76.5 |
| 4201 | -do | D. Landreth Seed Co., Bristol, Pu | Beaufort Drug Co., Beaufort, N. C | 72.5 |
| 3890 | do | op | J. T. Fields, Laurinburg, N. C. | 97.5 |
| 4135 | op | L. L. May & Co., St. Paul, Minn. | Nash Supply Co., Nashville, N. C. | 56.0 |
| 4191 | Squash | Robert Buist Co., Philadelphia, Pa | Davis Pharmacy, Marion, N. C. | 75.0 |
| 3479 | op | op | Reese & Alexander, Inc., Charlotte, N. C. | 82.0 |
| 3280 | op- | op | P. A. Thompson, Winston-Salem, N. C | 80.0 |
| 3654 | do | do | I. W. West Drug Co., Mt. Airy, N. C. | 92.0 |
| 3290 | op | Crosman Bros. & Co., Rochester, N. Y | J. Emra Cox, Winstou-Salem, N. C | 37.0 |
| 3284 | op | -do | Eford Bros., Winston-Salem, N. C. | 73.0 |
| 3558 | | do. | Fox & Lyon, Wadesboro, N. C. | 0.4% |

| 3644 | | op. | Golden Rule Drug Store, Walnut Cove, N. C. | 56.0 |
|------|-----------------|------------------------------------|--|------|
| 3755 | ор- | ор | Lawnings Drug Store, Lincolnton, N. C | 50.0 |
| 3639 | -do | op- | Madison Groeery Co., Madison, N. C | 20.0 |
| 3295 | | | J. G. Messick. Winston-Salem, N. C. | 52.0 |
| 3649 | -do | do | The Peoples Drug Store, Mt. Airy, N. C | 0.02 |
| 3469 | Iob | D. M. Ferry & Co., Detroit, Mich | Charlotte Drug Co., Charlotte, N. C | 54.0 |
| 3327 | | do, | Dove-Bost Co., Coneord, N. C | 0.09 |
| 3532 | | | English Drug Co., Monroe, N. C. | 60.0 |
| 3275 | -do | do | Farmers Trade House Co., Winston-Salem, N. C | 62.0 |
| 3573 | ор- | - ор | L. G. Fox, Rockingham, N. C | 54.0 |
| 3542 | ₁ op | | Latham & Richardson, Monroc, N. C | 63.0 |
| 3308 | op | op | J. W. McPherson & Co., Salisbury, N. C | 25.0 |
| 3654 | op | op | Mt. Airy Feed Store, Mt. Airy, N. C. | 46.0 |
| 3303 | op | -do | Owens Drug Co., Winston-Salem, N. C | 62.0 |
| 3568 | op | | Parson Drug Co., Wadeshoro, N. C | 48.0 |
| 3464 | do | | Torrence Drug Co., Gastonia, N. C | 66.0 |
| 3537 | op | -do | Dr. S. J. Welsh & Son, Monroe, N. C | 42.5 |
| 3474 | | op | Woodall & Sheppard, Charlotte, N. C. | 55.0 |
| 3578 | Iob | Lake Shore Seed Co., Dunkirk, N. Y | Eagle Pharmacy, Rockingham, N. C | 74.0 |
| 3548 | op | op | Latham & Richardson, Monroe, N. C. | 26.0 |
| 3750 | | | Lawnings Drug Store, Lincolnton, N. C. | 56.0 |
| 3553 | do | op | Earle Morrow Drug Store, Hamlet, N. C | 93.0 |
| 3527 | I | D. Landreth Seed Co., Bristol, Pa | English Drug Co., Monroe, N. C | 0.09 |
| 3893 | do | -do | J. T. Fields, Laurinburg, N. C | 64.0 |
| 3689 | op | op | Grant's Pharmacy, Asheville, N. C | 76.0 |
| 3300 | | - ф | E. W. O'Handon, Winston-Salem, N. C. | 60.0 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| Per Cent of Germination | 86.0 | 92.0 | 76.0 | 97.0 | 80.0 | S | 81.0 | 89.0 | 90.0 | 81.5 | 91.0 | 92.5 | 53.5 | 32.0 | 32.5 | 85.0 | 78.5 | | 86.5 |
|----------------------------|------------------------------------|---|---------------------------------|-------------------------------------|----------------------------------|---------------------------------|---|--------------------------------|------------------------------------|------------------------------------|---------------------------------|--------------------------------|-------------------------------------|------|---|-------------------------------------|-------------------------------|-----------------------------------|------------------------------------|
| Retail Dealer | Davis Drug Co., Concord, N. C | Gaston Seed & Provision Co., Gastonia, N. C | Gibson Drug Co., Concord, N. C. | R. R. Bellanny, Wilmington, N. C. | N. A. Bell & Co., Dunn, N. C. | Bruton & Co., Mt. Gilead, N. C. | Morrow Bros. & Heath Co., Albemarle, N. C | Selma Supply Co., Selma, N. C. | W. C. Asbury, Lincolnton, N. C. | J. T. Fields, Laurinburg, N. C. | J. F. Fulton, Greenshoro, N. C. | Mitchell & Barrow, Star, N. C. | Doane Herring, Wilson, N. C. | -op | Hunter Drug Co., Warrenton, N. C. | E. T. Alford, Youngsville, N. C. | J. L. Bailey, Elm City, N. C. | Barnes Bros., Proctorville, N. C. | E. S. Barrett & Co., Jackson, N. C |
| Wholesale Dealer | . T. W. Wood & Sons, Richmond, Va. | -do | do | Robert Buist Co., Philadelphia, Pa. | D. M. Ferry & Co., Detroit, Mich | do | op | do | Lake Shore Seed Co., Dankirk, N. Y | D. Landreth Seed Co., Bristol, Pa. | T. W. Wood & Sons, Richmond, Va | - do | Robert Buist Co., Philadelphia, Pa. | do. | W. Atlee Burpec & Co., Philadelphia, Pa | Crosman Bros. Co., Rochester, N. V. | op | -do. | op |
| Kind of Seed | Sourash | φ | do | Tomatoes | do | dodo | do | do | 4101do | dodo | do | do | Turnb | do | do | do. | do | do | do |
| Laboratory $Number$ | 3317 | 3459 | 3314 | 3980 | 3888 0 | 3985 | 3876 | 3887 | 4101 | 3892 | 3989 | 3994 | 3867 | 3868 | 4129 | 3712 | 3779 | 3774 | 4148 |

| 4026do. | do | F. Barwiek, La Grange, N. C. | 71.0 |
|----------|--|---|-------|
| 3847do | do. | E. L. Burns, Maxton, N. C | 14.0 |
| 37J8do | do | Wells Dilery, Roanoke Rapids, N. C | 27.0 |
| 3844do | do | Hart Drug Co., Norwood, N. C | 19.0 |
| ·3834 do | do | Kennedy's Drug Store, Gastonia, N. C. | 25.0 |
| 3810do | do | Kiser & Mauney, Kings Mountain, N. C. | 12.5 |
| 3766do | (10 | Ruffin-High Co., Wilson, N. C | 6.6 |
| 4014do | do | F. D. Scott & Son. Magnolia, N. C. | 75.0 |
| 3839do | | Shankle, Snuggs Co., Albemarle, N. C | 3.0 |
| 4151do | do | Herbert Smith, Littleton, N. C | 91.0 |
| 3769do | (lo | Taylor & Cowan, Jackson, N. C | 76.0 |
| 3674do | ٠٠٠٠٠٠١٥٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠ | G. T. Whitehead & Co., Scotland Neck, N. C | 95.0 |
| 4.022do | | J. D. Williams, Wilson, N. C. | 86.0 |
| 1018do | do | W. A. Wilson, Dover, N. C. | 82.0 |
| 3923do | D. M. Ferry & Co., Detroit, Mich. | H. L. Arneld, Vanceboro, N. C | 95.5 |
| 3806do | do | Barnes-Finger Drug Co., Kings Mountain, N. C. | 99,0 |
| 3877do | | N. A. Bell & Co., Dunn, N. C | 96.0 |
| 8727do | dodo | Burroughs Groeery Co., Warrenton, N. C. | 90.0 |
| 3758 do. | do | Buthers Lumber Co., Boardman, N. C | 93.0 |
| 3909do | op | H. A. Chadwick, Pollocksville, N. C. | 96.5 |
| 3227do | do. | A. J. Cook & Co., Fayetteville, N. C | 82.5 |
| 3917do | do. | Walter Credle & Co., Washington, N. C | 90.5 |
| 3439do. | | B. B. Davenport, New Bern, N. C | 81.5 |
| 3733do | rd0 | S. J. Dibday, Ahoskie, N. C | 99, 5 |
| 35S9do | do | Fitzgerald Drug Co., Rocky Mount, N. C. | 85.5 |
| 3696 Ldo | op. | Franklin Groeety Co., Frankli 105a, N. C | 0.76 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| Per Cent of Germination | 91.0 | 85.0 | | 0.96 | 89.5 | 83.5 | 88.5 | 70.0 | 87.5 | 97.5 | 73.0 | . 100.0 | 75.5 | 97.5 | 96.5 | 100.0 | 95.0 | 83.0 | . 93.5 |
|----------------------------|---|---------------------------|-----------------------------------|------------------------------------|-------------------------------|-----------------------------------|------------------------------|--|--|-----------------------------|-------------------------------------|----------------------------------|------------------------------|-------------------------------|------------------------------------|-------------------------------|----------------------------|----------------------------------|-------------------------------------|
| Retail Dealer | Harrison & Hill Drug Co., Enfield, N. C | Hill Bros., Coffeld, N. C | F. V. Johnston, Greenville, N. C. | J. J. Madre & Bro., Windsor, N. C. | W. J. Morgan, Oriental, N. C. | J. B. Morton, Morehead City, N. C | Potter Bros., Beaufort, N. C | J. H. Roberson & Co., Robersonville, N. C. | Theo, Roberson & Co., Williamston, N. C. | Robinson Bros., Dunn, N. C. | Robinson-Ruffin Co., Tarboro, N. C. | W. M. Sanders, Smithfield, N. C. | Selma Drug Co., Selma, N. C. | Selma Supply Co., Selma, N. C | W. P. Shaw, Jr. & Bro Winton, N. C | J. T. Sizemore, Oxford, N. C. | W. F. Smith, Benson, N. C. | Henry L. Spruill, Plymouth, N. C | Standard Store Co., Aberdeen, N. C. |
| Wholesale Dealer | D. M. Ferry & Co., Detroit, Mich | | ob | do. | do | do. | do. | do- | , | op | do- | φο | do | do. | do. | do | do | .do. | op |
| Kind of Seed | TURNIPS | ob | -do | -do | do. | do | dp | do | do | -do- | -do- | do | op | do | ор | -do | -по | op | op |
| Гарога гот Тэфтир | 3662 | 4136 | 3389 | 1144 | 3913 | 3421 | 3433 | 3.401 | 3407 | 3251 | 3395 | 3239 | 3245 | 3883 | 4140 | 3739 | 3233 | 3413 | 3859 |

THE BULLETIA

| 3451 | op | | D. W. Tart, Roseboro, N. C. | 90.5 |
|------|-----|------------------------------------|--|-----------|
| 4052 | do | do | T. L. & W. J. Turnage Co., Farmville, N. C | 79.0 |
| 3445 | -do | op | G. T. Walton & Son, Jacksonville, N. C | 73.5 |
| 3384 | .do | -do | Watson & Winslow, Hertford, N. C. | 84.5 |
| 3425 | -do | | E. K. Willis, Washington, N. C. | 71.5 |
| 3998 | -do | | J. D. Winstead & Son, Nashville, N. C | 78.0 |
| 3829 | do | Lake Shore Seed Co., Dunkirk, N. Y | Adams Drng Co., Gastonia, N. C | 43.0 |
| 4102 | | do. | W. C. Asbury, Lincolnton, N. C | 91.0 |
| 3341 | do | op | J. F. Clarke, New Bern, N. C | 39.5 |
| 3506 | | op | Divers & Roper, Hertford, N. C | 95.5 |
| 3262 | -do | do. | J. B. Fields, Fayetteville, N. C | 56.5 |
| 3824 | do | do | Hamlet Pharmacy, Hamlet, N. C | 9.0 |
| 3853 | ob. | op | A. L. Jones, Maxton, N. C. | £.0 |
| 3545 | | do | Latham & Richardson, Monroe, N. C | 67.2 |
| 3630 | do | op | Martin & Price Co., Mt. Olive, N. C | 91.0 |
| 3625 | | ор | E. S. Mewborn, La Grange, N. C | 9.0 |
| 4036 | do | do | Murray & Armstrong, Wallace, N. C | 91.5 |
| 1030 | op | op. | E. E. Rouse & Co., La Grange, N. C. | 20.5 |
| 4047 | do | do | Singestory Drug Co., Burgaw, N. C. | 93,0 |
| 3371 | -do | ор | T. L. Smith. Plymouth, N. C | 3.0 |
| 3619 | do | | II. S. Sontherland, Clinton, N. C | 95.0 0 |
| 3501 | do | | J. L. Stashey, Greenville, N. C. | 5.0 |
| 3794 | -do | фо | V. F. Tarlton, Wadesboro, N. C. | 17.5 |
| 3335 | -do | do | D. W. Tart, Roseboro, N. C | 8.5 |
| 4041 | -do | | W. D. Thomas Co., Warsaw, N. C. | 79.0 |
| 3496 | op | do | W. S. White, Edenton, N. C. | 25.5 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 867 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1914.—CONTINUED.

| Per Cent of Germination | 91.5 | 7.6,0 | 98.0 | 31 | 36.0 | 97.5 | 900.5 | 0.56 | 12. | 90.3 | 90.0 | | 86.5 | 54.3 | 30.5 | 71.5 | -1. 0.1.0 | 70.0 | 90.5 |
|--|-----------------------------------|--------|--------------------------------|---|--|--------------------------------|--------------------------------------|----------------------------------|--|------------------------------------|-------------------------------------|-------------------------------------|------------------------------|-----------------------------|--------|--|------------------------------------|--------|-------------------------------------|
| Retail Dealer | Beaufort Drug Co , Beaufort, N. C | ob | J. T. Fields, Laurinburg, N. C | Roberson, Cory & Co., Robersonville, N. C | . W. J. Kirkham & Co., Wilmington, N. C. | J. M. Lewis, Mt. Olive, N. C., | Kyser's Drug Co., Rocky Mount, N. C. | Nash Supply Co., Nashville, N. C | A. S. Huske, Payetteville, N. C | . C Scott & Co., Greensboro, N. C. | . Hardy Drug Co., Washington, N. C. | Raeford Hardware Co., Raeford, N. C | J. W. Sharp, Elm City, N. C. | D. W. Tart, Roschoro, N. C. | do | John L. Wooten Drug Co., Greenville, N. C. | R. R. Bellamy, Wilmington, N. C | do | S. F. Brown & Co., High Point, N. C |
| Wholesale Dealer | D. Landreth Seed Co., Bristol, Pa | | op | op- | beonard Seed Co., Chicago, III. | . do ob . | L. L. May & Co., St. Paul, Minn | . do | Jerome B. Rice Seed Co., Cambridge, N.A. | op | T. W. Wood & Sons, Richmond, Va. | | do | do | | do | Robert Buist Co., Philadelphia, Pa | | do |
| Naboratory Number Significations of Name of Na | 3431 TURNIPS. | 4199do | 3819do | 3516do | 3×64 do | 4094do. | 3595do | 4133 do | 3257 do | 3987 do | 3869do | 9872do | 3865do | 3870do | 3871do | 9866 Judo | 3350 Watermelons | 3977do | £005do |

| 4118 do | do | Lowing & Costner, Lincolnton, N. C | 84.0 |
|-----------|---|---|-------|
| 3604do | op | Temple Drug Co., Kinston, N. C | 74.0 |
| 3605do. | - oh | op | 86.5 |
| 3979do | Everett B. Clarke Sood Co., Millord, Conn | R. R. Bellamy, Wilmington, N. C | 80.0 |
| 3292 do. | Crosman Bros Co., Rochester, N. Y., | J. Emra Cox, Winston-Salem, N. C | 54.0 |
| 3286do. | op | Eford Bros., Winston-Salem, N. C | 67.5 |
| 3560 do | do | Fox & Lyon, Wadeshoro, N. C | 57.5 |
| 3646do | do. | Golden Rule Drng Co., Walnut Cove, N. C | 57.5 |
| 3757do | do | Lawnings Drug Store, Lincolnton, N. C. | 60.09 |
| 3641do | do | Madison Grocery Co., Madison, N. C | 64.0 |
| 3297do | op | J. G. Messick, Winston-Salem, N. C | 50.0 |
| 3651 \do | · · · · · · · · · · · · · · · · · · · | The Peoples Drug Store, Mt. Airy, N. C. | 56.0 |
| 3581do | Diggs & Beudles, Richmond, Va. | Deans & Moye Co., Goldsboro, N. C. | 43.5 |
| 3324do | D. M. Ferry & Co., Detroit, Mich | Cabarrus Drug Co., Concord, N. C | 73.0 |
| 3471do | do | Charlotte Drug Co., Charlotte, N. C. | 60.0 |
| 3321do | ob | Cook & Harris, Concord, N. C. | 0.07 |
| 3329 do | do. | Dove-Bost Co., Concord, N. C. | 58.0 |
| 3534do | dn. | English Drug Co., Monroe, N. C. | 65.0 |
| 3277do | . do. | Farmers Trade House Co., Winston-Salem, N. C. | S. O. |
| 3575do | do. | L. G. Fox, Rockingham, N. C. | 62.5 |
| 3544 do | do | - Lathan & Richardson, Monroe, N. C. | 67.5 |
| 3310 do | do | J. W. McPherson & Co., Salisbury, N. C. | 46.0 |
| 3661do | e | Mt. Airy Feed Store, Mt. Airy, N. C | 58.0 |
| 3305do. | do. | Owens Drug Co., Winston-Salem, N. C | 8.5 |
| 3570do | do | Parson Drug Co., Wadeshoro, N. C | 55.0 |
| 3466 Ldo | do | Torrence Drug Co., Gastonia, N. C | 52.5 |

TABLE XV.—RESULTS OF GERMINATION TESTS OF 16 KINDS OF VEGETABLE SEEDS, 807 SAMPLES IN ALL, COLLECTED BY INSPECTORS FROM JULY 15, 1913, TO JULY 15, 1914.—CONTINUED.

| lo noi | Per Cent Germinat | 33.0 | 70.0 | 82.5 | 35.0 | 26.0 | 42.5 | 92.5 | 77.5 | . 66.0 | 80.0 | 71.5 | 0.69 | 0.10 | 78.0 | 94.0 | . 76.0 | 89.5 | 8.5 | 67.0 |
|-----------|----------------------|--|--------------------------------------|-------------------------------------|--------------------------------------|-----------------------------------|---------------------------------------|---------------------------------------|------------------------------------|-----------------------------------|---|----------|---------------------------------|------------------------------|---------------------------------------|------------------------------------|------------------------------------|---|--------------------------------|---|
| | Retail Dealer | T. N. Waters & Bros., Goldsboro, N. C. | Dr. S. J. Welsh & Son, Monroe, N. C. | Woodall & Sheppard, Charlotte, N. C | Eagle Pharmaey, Rockingham, N. C | Latham & Richardson, Monroe, N. C | Lawnings Drug Store, Lincolnton, N. C | Earle Morrow Drug Store, Hamlet, N. C | English Drug Co., Monroe, N. C. | Fetzer & Tucker, Reidsville, N. C | J. H. Rudisill & Co., Lincolnton, N. C. | | W. C. Asbury, Lincolnton, N. C | Clarence Clapp, Newton, N. C | A. S. Huske, Fayetteville, N. C. | Z. M. L. Jeffreys, Goldsboro, N. C | Leslie Drug Store, Morganton, N. C | Bradsher's Pharmaey, Hendersonville, N. C | J. F. Fulton, Greensboro, N. C | Gaston Seed & Provision Co., Gastonia, N. C |
| | Wholesale Dealer | D. M. Ferry & Co., Detroit, Mich | do | ob | Lake Shore Seed Co., Dunkirk, N. Y., | do | do | olb. | D. Landreth Scal Co., Bristol, Pa. | op | do | -do | L. L. May & Co., St. Paul, Minn | op | J. B. Rice Seed Co., Cambridge, N. Y. | op | op | T. W. Wood & Sons, Richmond, Va | op | do |
| 6 | Kind of Seed | 3588 WATERMELONS | 8539do | 3176do | 3580do. | 3550do | 3753do | 3555 do | 3529do | 3334do | 4116do. | 4117 do. | 4120do | 4119 do- | 3904do | 4093do | 4180do | 4178 do | 4006do | 3461 do |

| 66.0 | 77.0 | 78.0 | 0. 98 | . S. S. | 40.0 |
|------|-------------------------------------|-----------|----------|-----------------------------------|--|
| | 4113do H. E. Kendall, Shelby, N. C. | dododo | 4179dodo | do. M. C. Rufty, Salisbury, N. C. | 3804do Jno, J. Steward Co., Red Springs, N. C. |
| 4115 | | #11# 4 | 4179 | 3903 | 3804 |
| | | _ | | | |

TABLE NO. 16.

Showing Number and Average Per Cent of Germination of Vegetable Seed Samples
Tested, According to Wholesale Dealers.

| Wholesale Dealer | Number of Samples Tested | Average Per Cent of Germination |
|---|--------------------------------|---------------------------------------|
| W. W. Barnard & Co., Chicago, Ill | 9 | 87.00 |
| J. Bolgiano & Son, Baltimore, Md | 2 | 51.00 |
| Robert Buist Co., Philadelphia, Pa. | 63 | 78.12 |
| W. Atlee Burpee & Co., Philadelphia, Pa | 6 | 76, 50 |
| Everett B. Clarke Seed Co., Milford, Conn | 11 | 90, 45 |
| Crosman Bros. Co., Rochester, N. Y | 113 | 60.56 |
| Diggs & Beadles, Richmond, Va. | * 5 | 60.70 |
| D. M. Ferry & Co., Detroit, Mich. | 233 | 77.64 |
| Griffith & Turner, Baltimore, Md. | 2 | 61.00 |
| Lake Shore Seed Co., Dunkirk, N. Y | 95 | 64.04 |
| D. Landreth Seed Co., Bristol, Pa | 54 | 80.21 |
| Leonard Seed Co., Chicago, Ill | 27 | 72.19 |
| L. L. May & Co., St. Paul, Minn | 18 | 68.36 |
| J. B. Rice Seed Co., Cambridge, N. Y | 73 | 88.30 |
| Wood, Stubbs & Co., Louisville, Ky | 12 | 95.75 |
| T. W. Wood & Sons, Richmond, Va | 84 | 73.88 |
| | | |

SEED THOUGHTS FOR NORTH CAROLINA FARMERS.

- 1. Send samples of your seed to the North Carolina Seed Laboratory for examination and test before you buy. It will pay you; there is no charge.
- 2. The North Carolina Seed Laboratory is all yours. Use it for your own personal gain. Five cents will bring it right to your door, where it will solve your seed problems, free of charge.
- 3. Know what you are about to buy before you get it—you can't take seeds out of the ground after they have been sown.
- 4. Send your tobacco seeds to the North Carolina Seed Laboratory and have them recleaned—it will pay you, and we bear the expense.
- 5. Ask your seedsman why he refuses to guarantee the purity or the germination of his seed. If he will not guarantee his goods, send us a sample before you buy and find the reason—you may decide to let them remain HIS goods.
- 6. Send three or four tablespoonfuls of your grass, clover and other small seeds and about a cupful of corn, wheat, oats, peas and other seeds of this size when submitting a sample to the Laboratory for examination. Write your name and address plainly on the package and address it to the "North Carolina Seed Laboratory, Department of Agriculture, Raleigh, N. C." State whether you want us to examine it for PURITY or GERMINATION.
- 7. Do not buy or use "feed" oats for seed oats—they may have been heated in the bin and may fail to come up.
- 8. Seeds containing wild onions, wild mustard, couch grass, Canada thistle, wild oats, clover or alfalfa dodder, corn cockle, dog fennel, cheat, or wild carrot are unlawful for sale, for seeding purposes, in North Carolina.
- 9. Would you sell your neighbor seed too impure and dirty to sow on your own land? Then do not sell such seed to the seed dealer—your neighbor or some other man's might get them from the seedsman.
- 10. It is an agricultural sin, if not a moral crime, to sell clover seed containing dodder or seed wheat containing onions or cockle from your farm to a seedsman. Better sell such seed to your neighbor, who will then know whom to sue for damages.
- 11. All legitimate seed dealers in North Carolina have a liceuse. Beware of the seed fakir who asks fabulous prices for ordinary seeds. Buy from honest seedsmen and leave the seed peddlers alone.
- 12. Watch the man who is willing to sell you seed without having a license. If he is willing to break the law for YOUR benefit, he might be willing to sell you inferior seeds for HIS benefit.
 - 13. How many of your clover seed will come up from every hundred planted?
 - 14. When your seed fail to come up you lose doubly.

15. The North Carolina Seed Act fixes the standards of germination and purity for the following agricultural seeds. Purity means freedom from weed seeds and other foreign seeds; viability means germinating power or the ability to come up when planted.

| | Per Cent of | Per Cent of |
|----------------------|-------------|-------------|
| Name of Seed | Purity | Viable Seed |
| Alfalfa | . 96 | 80 |
| Barley | . 98 | 90 |
| Blue grass, Canada | . 90 | 45 |
| Blue Grass, Kentucky | . 80 | 45 |
| Brome, awnless | | 75 |
| Clover, alsike | . 96 | 75 |
| Buckwheat | . 96 | 90 |
| Clover, crimson | | 85 |
| Clover, red | . 92 | 80 |
| Clover, white | | 75 |
| Corn, field | . 99 | 94 |
| Corn, sweet | | 75 |
| Fescue, meadow | . 95 | 85 |
| Flax | . 96 | 89 |
| Millet, Pearl | . 99 | 65 |
| Millet, common | . 90 | 85 |
| Millet, hog | | 85 |
| Oats | . 98 | 90 |
| Oat grass, tall | . 72 | 70 |
| Orchard grass | . 70 | 70 |
| Rape | . 99 | 90 |
| Redtop | . 90 | 70 . |
| Rye | . 98 | 90 |
| Rye grass, perennial | . 96 | 90 |
| Rye grass, Italian | . 95 | 80 |
| Sorghum | . 96 | 80 |
| Sorghum for fodder | . 90 | 60 |
| Timothy | . 96 | 85 |
| Wheat | . 98 | 90 |

16. Wheat does not "turn to cheat," but seed wheat containing onions and cockle will cheat you out of a first-class crop.

17. Pestiferous weeds, like other troubles, are generally imported. See that you do not "import" weed seeds along with your other seeds

from your seed dealer.

- 18. Dodder, wild carrot, cheat, wild onions, wild mustard, ox-eye daisy, bristly buckhorn, bracted plantain, Canada thistle, Russian thistle, nut grass, knawel, spiny pigweed, crab grass, sheep sorrel, smart weed, Spanish needles, dog fennel, and most other bad weeds are all imported into this country from Europe, or some other country, in impure seeds.
- 19. How long did it take you to rid your wheat fields and pastures of wild carrots and wild onions? These pests were imported from Europe in impure seeds.

20. Sow only good, clean seed.

- 21. Are your seed oats and seed wheat clean, or, are they full of dirt, cheat, and onions?
- 22. Any plant in your field different from the crop you are trying to grow is a weed.

23. Reclean your wheat before sowing—it will pay you.

24. Treat your wheat and oats for smut by immersing the seed for thirty minutes in a solution of a pint of formalin in fifty gallons of water.

25. What is your method of ridding your fields of dodder, or the yellow "love vine?" This pest was also imported from Europe.

26. Those yellow spots of dodder in your clover fields are cancers that eat the vitals out of your clover crop. Quarantine this pest as you would smallpox.



LEAF TOBACCO SALES FOR JUNE, 1914.

| Pounds sold for producers, first hand | 37,752 |
|---------------------------------------|--------|
| Pounds sold for dealers | 16,128 |
| Pounds resold for warehouse | 18,018 |
| - | |
| Total $1'$ | 71,898 |

LEAF TOBACCO SALES FOR JULY, 1914.

| Pounds sold for producers, first hand | |
|---------------------------------------|---------|
| Pounds sold for dealers | 1,192 |
| Pounds resold for warehouse | 8,558 |
| Total | 121.662 |



THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE

RALEIGH

Vol. 35, No. 10.

OCTOBER, 1914

Whole No. 201

COMMERCIAL FEEDS



PUBLISHED MONTHLY AND SENT FREE TO CITIZENS ON APPLICATION.

Entered at the Postoffice at Raleigh, N. C., as second class matter, February 7, 1901, under Act of June 6, 1900.

EDWARDS & BROUGHTON PRINTING CO.
STATE PRINTERS

STATE BOARD OF AGRICULTURE

W. A. GRAHAM, Commissioner, ex officio Chairman, Raleigh.

| F. P. LATHAM | | |
|-----------------|---------------|-------------------------|
| K. W. Barnes | | |
| R. L. WOODARD | Pamlico | Third District. |
| CLARENCE POE | Raleigh | . Fourth District. |
| R. W. Scott | Haw River | Fifth District. |
| A. T. McCallum | Red Springs | Sixth District. |
| C. C. Wright | Hunting Creek | . Seventh District. |
| WILLIAM BLEDSOE | . Gale | Eighth District. |
| W. J. Shuford | Hickory | . Ninth District. |
| A. CANNON | | |

OFFICERS AND STAFF

| W. A. GRAHAMComm | iccionar |
|--|------------|
| ELIAS CARR Secretary and Purchasing | issioner. |
| ELIAS CARR Secretary and Purchasing | g Agent. |
| MISS SARAH D. JONESBoo | kkeeper. |
| D. G. CONNBulletin Superin | tendent. |
| B. W. KILGOREState Chemist. Director Test | Farms |
| J. M. PICKELFeed | Chamiet. |
| W. G. HAYWOOD | Chemist. |
| | |
| J. Q. Jackson | Chemist. |
| E. Š. Dewar | Chemist. |
| E. B. HartAssistant | Chemist |
| J. R. MULLEN | Chomiet |
| R. W. COLLETT | Eommo. |
| | |
| H. H. BRIMLEYCurator of I | Museum. |
| T. W. Adickes | Curator. |
| FRANKLIN SHERMAN, JREntor | mologist. |
| C. L. Metcalf Assistant Ento | mologist |
| S. C. CLAPP Assistant Entomologist in Fiel | d Work |
| B. B. FLOWE | d WOIR. |
| B. B. FLOWEveter | rinarian. |
| H. P. Flowe | rinarian. |
| E. G. HARGETT | rinarian. |
| W. N. HUTTHortic | mlturist |
| S. B. Shaw | ulturiet |
| R. G. Hill Assistant Hortic | oulturist. |
| T. B. PARKER | diturist. |
| 1. D. PARKER | istitutes. |
| MISS CARRIE HUDGINS Assistant to Director of Farmers' In | astitutes. |
| R. L. SLOAN Assistant to Director of Farmers' In | astitutes. |
| W. M. ALLENPure Food | Chemist. |
| E. W. THORNTON | Chemist. |
| C. E. Bell Assistant Pure Food | |
| J. K. Plummer | Chemist |
| W. F. PATE | in Coile |
| R. Y. WINTERS | in Sons. |
| | |
| G. M. Garren | n_Crops. |
| *W. E. HEARN State Soil Agent, Soil | Survey. |
| L. L. BrinkleySoil | Survey. |
| S. O. Perkins | Survey. |
| R. C. Jurney | Survey. |
| J. L. BURGESS | Botanist |
| MISS S. D. ALLEN | Potanist. |
| C. H. WALDRON | Dotanist. |
| C. II. WALDRONAssistant Agronomist and | Botanist. |
| MISS LOUISE A. RADEMACHERAssistant to | Botanist. |
| DAN T. GRAY | ndustry. |
| W. H. EATON | rimenter. |
| †ALVIN J. REED | Farming |
| STANLEY COMES | Farming |
| ‡E. H. MATHEWSON | tigations. |
| ‡C. R. Hudson | |
| +U. II. HUDSON | m Work. |
| T. E. Browne | s Clubs. |
| ‡A. K. Robertson | s' Clubs. |
| MRS. JANE S. McKimmon Assistant in Charge of Girl | s' Clubs. |
| ‡Miss Margaret ScottAssistant in Girl | s' Clubs. |
| , | |

F. N. McDowell. Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John II. Jeffernes, Assistant Director Pender Test Farm, Willard, N. C. F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture. †Assigned by the Bureau of Animal Husbandry, United States Department of Agriculture. ‡In coöperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL.

HON. W. A. GRAHAM,

Commissioner of Agriculture.

Sir:—I submit herewith manuscript covering the inspection and analysis of concentrated stock feeds during the past year. I recommend its publication as the October Bulletin.

Very respectfully,

B. W. KILGORE,

State Chemist.

Approved for printing:

W. A. GRAHAM, Commissioner.



COMMERCIAL FEEDS

J. M. PICKEL, FEED CHEMIST.*

The analyses of concentrated commercial Feeding Stuffs published in this Bulletin comprise all those made during the year ending midsummer, 1914. The total number of samples analyzed is 375, of which 287 samples are official, that is, were drawn by our official inspector; the remainder, 88, are unofficial, that is, were sent in by citizens of the State.

There were in all 954 guarantees; in 270 cases (28 per cent) the feeds were below guarantee; the remainder (72 per cent) up to, or above guarantee. The discrepancy below or above guarantee was usually insignificant. If only cases in which protein and fat were respectively 1 or more per cent and 0.5 or more per cent below guaranteed, and fiber 1 or more per cent above, or taken into account, then of the total 954 guarantees only 11 per cent were not as good as guaranteed.

The following table gives a general summary of the different classes of feeds analyzed, the number of each, the number of guarantees on protein, fat and fiber; the number of cases, and their percentage, that

fell below guarantee:

^{*}Assisted by J. Q. Jackson, E. S. Dewar, W. H. Stroud. Only a small fraction of the time—as much as is implied by the making of the protein determinations—of these gentlemen was given to the work of this bulletin. In addition to the duties of feed chemist, Dr. Pickel has charge of the toxicological and water work of the Department.

| | | | | | _ | | _ | | | | | _ | _ | _ | | | |
|---------|-----------------|--|-------------------------|------------|--|---|---|-----------|-----------------------------------|------------------------------|---------------|-------------------------------------|--------------------------------------|----------------------|--|----------------|----------------|
| | 10 | More Per Cent Above Guaran- tee | Per Cent | 9 | <u>≓</u> ' | _ | | ٔ ب | ÷ ; | 91 | - | 0 | 0 | 0 | | ~ | |
| | One | More Ce Gua Gua Fe | тэфши И | ಣ | r.C | 0 | 0 | ಣ | οο · | ∞ c | · • | 0 | 0 | 0 | | 27 | |
| Гівви | | Below Guaran- tee in Any De- gree | Per Cent | 08 | \$ | 100 | 100 | 73 | 63 | 20 | 9 0 | 100 | 100 | 100 | | 83 | |
| | å | Gua Gua tee Any gr | Number | 39 | 23 | 11 | 15 | 19 | 37 | 96 | 3 1- | - 4 | 4 | നാ | | 262 193 | |
| | | Guaranteed | Number | 49 | 63 | = | 15 | 56 | 47 | 63 | # 1- | . 7 | 4 | က | | 316 | |
| | ee | or Per Be- huar- ee | Per Cent | 10 | = | 18 | 7 | œ | 34 | 32 | 71 | 3 13 | 0 | 0 | | 13 | |
| | arant | One or More Per Cent Be- low Guar- antee | Number | 10 | 7 | 2 | 1 | 2 | 16 | 20 | 4 c | a co | 0 | 0 | | 62 | - |
| FAT | Below Guarantee | n y ree | Per Cent | 61 | 50 | 45 | 40 | 43 | 55 | 46 | S 5 | 2 13 | 0 | 0 | | 36 | 1 |
| | Be | InAny Degree | Number | == | 13 | ī. | 9 | Π | 26 | 53 | - 6 | ° 00 | 0 | 0 | | 114 | ; |
| | | Guaranteed | Number | 49 | . 63 | 11 | 15 | 26 | 47 | 63 | 53 E | - 7 | . 10 | က | | 317 | ; |
| | ٥ | or Per Be- luar- | Per Cent | 14 | 11 | 55 | 7 | 0 | 00 | Ç | 0 5 | i c | 0 | 0 | | 10 | |
| 7 | Below guarantee | One or More Per Cent Be- Iow Guar- antee | Number | t- | 7 | 9 | - | 0 | 7 | 9 | 0 0 | ° C | 0 0 | 0 | | 34 | |
| PROTEIN | ROTEL | ny ree | Per Cent | 3 | 17 | 55 | 47 | 23 | 36 | 33 | 17 | 00.00 | 000 | 33 | | 32 | 2 |
| д | ğ | In Any Degree | Number | 21 | 11 | 9 | 7 | 9 | 17 | 21 | 4 - | # C | ı | - | | 102 | 2 |
| | | Guaranteed | Number | 49 | 63 | Ξ | 15 | 56 | 14 | 63 | 77 : | = - | H AC | ന | | 321 | ; |
| | - | Samples | Number | 22 | 20 | 17 | 15 | 30 | 59 | 69 | 5 26 | 2 5 | 4 9 | ന | · · · · | 375 | ore |
| | | 5161 | NAMES OF FEEDING STUFFS | Wheat Bran | Wheat Middlings, or Shorts, and Red Dog. | Mixtures of Middlings, or Shorts, and Screenings. | Mixtures of Middlings, or Shorts, and Screenings* | Shipstuff | Mixtures not containing Molasses. | Mixtures containing Molasses | Poultry Feeds | Cottonseed Meal and Cottonseed Feed | Corn, Cracked Corn, Chops, Corn Bran | Ginen rea, beet 1 mp | Wheat, Oats, Screenings, Sweepings. Poultry and Stock Tonies | Totals (1914). | 1 Otals (1915) |

*Bearing trade names.

REQUIREMENTS OF THE STATE FEED LAW.

The following ruling and regulations adopted by the Board of Agriculture under authority of Section 9 of the State Feed Law gives the chief points of the law with which every manufacturer must comply before offering feeds for sale in this State, also the rulings and definitions which have been adopted for the enforcement of the law.

All manufacturers, agents, or dealers who propose to sell or offer for sale any commercial feed in this State must apply to the Commissioner of Agriculture for blank forms on which they will be required to register the name or brand of the feed which they propose to sell, their own names and addresses, and also the places where their goods are manufactured: Provided, if a person desiring to so register is not the actual manufacturer, he may be permitted to register and guarantee the product, using the words "manufactured for and guaranteed by." They must also give the guaranteed analysis of their goods, stating the minimum percentage of protein and fat which they contain and the maximum percentage of crude fiber. They must also register the various ingredients of which their feeds are composed.

Second. All feeds must be offered for sale in sacks or packages of uniform capacity, as prescribed in Section 1 of the Act; that is, bags or packages must contain 25, 50, 75, 100, 125, 150, 175, or 200 pounds each. Manufacturers or dealers will be required to furnish the analysis tags which must be attached to these sacks or packages. On these tags must be clearly printed all the essential information given in the registration above, as illustrated below. Said tags must measure not less than $4\frac{1}{2} \times 2\frac{1}{2}$ inches. Guarantee tags must be printed in plain type with black ink. Rubber stamps will not be recognized on guarantee tags.*

Third. Three guarantees are required, viz.: the minimum percentage of crude protein and crude fat and the maximum percentage of crude fiber. In other words, the crude protein and crude fat in a manufacturer's goods must not be less than his guarantee, and the fiber must not be above his guarantee. The percentage of carbohydrates may be stated, but this is not required. The names of the ingredients of which

the feed is composed must be plainly printed on the tag.

Fourth. Definitions have been adopted for a number of feeds. In such cases where a feed or feed material is covered by a definition the feed must correspond within reasonable limits to the definition which has been adopted for it. With all feeds covered by definitions and all other feeds or mixtures of feeds the manufacturer is required to make his own minimum guarantee of protein and fat and his maximum guarantee of fiber: Provided, that no mixed feeds will be accepted for registration or allowed to be offered for sale in this State that contain less than 9 per cent crude protein, except mixtures of whole or partially ground grains.

When grain screenings containing weed seeds which have feeding value are used in mixed feeds such screenings and seeds must be ground in such manner as to destroy the viability of the seeds.

Sixth. It is optional with manufacturers or sellers whether the sack be branded, although that is always desired; but the required items

^{*}See page 23 for requirements when poultry feeds are put up in smaller packages than 25 lbs.

must always be printed on the tag in black-colored ink, but not printed with a rubber stamp. The tax stamp must be affixed to the tag, preferably alongside the printed matter, but in case of necessity may be

attached to the back of the tag.

Seventh. Feeds may be shipped in bulk from one manufacturer direct to another manufacturer who expects to subsequently sack and tag the same; but in this case the shipper, in consideration of this permission, must notify this Department at the time of the shipment of the name and consignee and the tonnage shipped; otherwise, the whole shipment will be subject to seizure as being untagged and unstamped.

Eighth. The principal adulterants employed in the feed trade are out hulls, barley hulls, rice hulls, corncobs, peanut shells, screenings, corn bran, and cotton-seed hulls. Some of the above may be found legitimately in a feed consequent to the grinding of the whole seed, but when used out of proper proportion or in excess of the amount obtained in grinding the whole seed, or when foreign to the product, or if injurious to the health of domestic animals, will be considered an adulteration.

Ninth. If any substance, such as chaff, screenings, damaged, faulty, or unlike seeds or grains or foreign materials be mixed with or added to feeds as an adulterant and not plainly marked on the package containing it or in which it is offered for sale, showing the true composition of the mixture, it will be considered a violation of the law; e. g., if oats be mixed with screenings and shrunken seeds or barley, the proper method of branding would be "Oats and Screenings," "Oats and Barley."

Tenth. When wheat bran and screenings are mixed, the mixture shall be branded "Wheat Bran and Screenings," and the word "Screenings" shall appear in the same size type as the words "Wheat Bran."

Eleventh. The sale of poultry and cattle feed which contain poisonous weed seeds in appreciable quantities, such as corn cockle and jimson weed (Jamestown weed), are forbidden.

Twelfth. When corn bran is mixed with wheat bran, the mixture shall not be branded "Bran," but shall be branded "Mixed Bran," or

be sold under a trade name, and be so registered.

Thirteenth. When corn bran is mixed with wheat bran and wheat middlings, the mixture shall not be branded "Bran and Middlings," or "Bran and Middlings Mixed," but shall be branded "Mixed Feed" or "Feed" or be sold under a trade name, and be so registered.

Fourteenth. When corn bran is mixed with wheat middlings, the mixture shall not be branded "Middlings" or "Middlings and Bran," but shall be branded "Mixed Feed" or "Feed," or be sold under some trade name, and be so registered.

Fifteenth. No feed shall be registered or allowed on sale in this State under a name that is misleading as to its quality.

Sixteenth. The Commissioner shall have the power to require registration annually of any or all commercial feeds sold, offered or exposed for sale in this State.

Seventeenth. The Commissioner shall have the power to refuse to allow any manufacturer, importer, jobber, broker, agent, dealer, or any person or persons to lower the registration or guaranteed analysis of his or their product or products during the calendar year, unless satisfactory reasons are presented for making such change or changes.

Eighteenth. All cracked corn sold, offered or exposed for sale in this State made from damaged corn shall be branded "Damaged Cracked

Corn" or "Cracked Corn Made from Damaged Corn."

The following definitions for commercial feeds have been adopted by the Association of Feed Control Officials of the United States. Before these definitions were adopted by this Association the manufacturers affected were given hearings and every effort made to make the definitions accurate and fair. Definitions for products not included in this list will be added as soon as adopted by the Association:

DEFINITIONS

Adopted by Feed Control Officials of the United States.

Meal is the clean, sound, ground product of the entire grain, cereal or

seed which it purports to represent.

Chop is a ground or chop feed composed of one or more different cereals or by-products thereof. If it bears a name descriptive of the kind of cereals, it must be made exclusively of the entire grains of those cereals.

Screenings are the smaller imperfect grains, weed seeds and other foreign material having feeding value, separated in cleaning the grain.

Flax Plant By-Product is that portion of the flax plant remaining after the separation of the seed, the baste fiber and a portion of the shives, and consists of flax shives, flax pods, broken and immature flax seeds and the corticle tissue of the stem.

Alfalfa Meal is the entire alfalfa hay ground, and doe's not contain an admixture of ground alfalfa straw or other foreign materials.

Linseed Meal is the ground residue after extraction of part of the oil from ground flaxseed.

Blood Meal is ground dried blood.

Meat Scrap and Meat Meal are the ground residues from animal tissue exclusive of hoof and bone. If they contain any considerable amount of bone, they must be designated Meat and Bone Scrap, or Meat and Bone Meal. If they bear a name descriptive of their kind, composition or origin, they must correspond thereto.

Digester Tankage is the residue from animal tissue exclusive of hoof and horn specially prepared for feeding purposes by tanking under live steam, drying under high heat, and suitable grinding. If it contains any considerable amount of bone, it must be designated Digester Meat

and Bone Tankage.

Cracklings are the residue after partially extracting the fats and oils from the animal tissue. If they bear a name descriptive of their kind, composition or origin, they must correspond thereto.

Brewers' Dried Grains are the properly dried residue from cereals

obtained in the manufacture of beer.

Distillers' Dried Grains are the dried residue from cereals obtained in the manufacture of alcohol and distilled liquors. The product shall bear the designation indicating the cereal predominating.

Malt Sprouts are the sprouts of the barley grain. If the sprouts are derived from any other malted cereal, the source must be designated.

Buckwheat Shorts or Buckwheat Middlings are that portion of the buckwheat grain immediately inside of the hull after separation from the flour.

Rice Bran is the enticle beneath the hull.

Rice Hulls-are the outer chaffy coverings of the rice grain.

Rice Polish is the finely powdered material obtained in polishing the kernel.

Oat Groats are the kernels of the oat berry with the hulls removed.

Out Hulls are the outer chaffy coverings of the out grain.

Out Middlings are the floury portion of the out groat obtained in the milling of rolled outs.

Out Shorts are the covering of the out grain lying immediately inside the hull, being a fuzzy material carrying with it considerable portions of the fine floury part of the groat obtained in the milling of rolled oats.

Clipped Out By-Product (term out clippings not recognized) is the resultant by-product obtained in the manufacture of clipped outs. It may contain light, chaffy material broken from the ends of the hulls, empty hulls, light, immature outs and dust. It must not contain an excessive amount of out hulls.

Corn Bran is the outer coating of the corn kernel.

Corn Feed Meal is the sifting obtained in the manufacture of cracked

corn and table meal made from the whole grain.

Corn Germ Meal is a product in the manufacture of starch, glucose and other corn products and is the germ layer from which a part of the corn oil has been extracted.

Grits are the hard, flinty portions of Indian corn without hulls and

gern

Hominy Meal, Hominy Feed, or Hominy Chop is a mixture of the bran coating, the germ and a part of the starchy portion of the corn kernel obtained in the manufacture of hominy grits for human consumption.

*Corn Gluten Meal is that part of commercial shelled corn that remains after the separation of the larger part of the starch, the germ and the bran by the processes employed in the manufacture of cornstarch and glucose. It may or may not contain corn solubles.

*Corn Gluten Feed is that portion of commercial shelled corn that remains after the separation of the larger part of the starch and the germ by the processes employed in the manufacture of cornstarch and

glucose. It may or may not contain corn solubles.

*Cottonseed Meal is a product of the cottonseed only, composed principally of the kernel with such portion of the hull as is necessary in the manufacture of oil: Provided that nothing shall be recognized as cottonseed meal that does not conform to the foregoing definition and that does not contain at least 36 per cent of protein.

*Choice Cottonseed Meal must be finely ground, not necessarily bolted, perfectly sound and sweet in odor, vellow, free from excess of

lint, and must contain at least 41 per cent of protein.

*Prime Cottonseed Meal must be finely ground, not necessarily bolted, of sweet odor, reasonably bright in color, yellow, not brown or reddish, free from excess of lint, and must contain at least 38.6 per cent protein.

Those marked thus* have not been considered or accepted by the N. C. Board of Agriculture.

*Good Cottonseed Meal must be finely ground, not necessarily bolted, of sweet odor, reasonably bright in color and must contain at least 36 per cent of protein.

*Cottonseed Feed is a mixture of cottonseed meal and cottonseed

hulls, containing less than 36 per cent of protein.

*Cold Pressed Cottonseed is the product resulting from subjecting the whole undecorticated cottonseed to the cold pressure process for the extraction of oil, and includes the entire cottonseed less the oil extracted.

*Ground Cold Pressed Cottonsced is the ground produce resulting from subjecting the whole undecorticated cottonseed to the cold pressure process for the extraction of oil, and includes the entire ground cotton-seed less the oil extracted.

Wheat Bran is the coarse outer coatings of the wheat berry obtained in the usual commercial milling process from wheat that has been cleaned and scoured.

Shorts or Standard Middlings are the fine particles of the outer and

inner bran separated from bran and white middlings.

*Wheat White Middlings or White Middlings are that part of the offal of wheat intermediate between shorts or standard middlings and red dog.

Shipstuff or Wheat Mixed Feed is a mixture of the products other

than the flour obtained from the milling of the wheat berry.

Red Dog is a low grade wheat flour containing the finer particles of bran.

*Wheat Bran with Mill Run Screenings is pure wheat bran plus the screenings which were separated from the wheat used in preparing said bran.

*Wheat Bran with Screenings not Exceeding Mill Run is either wheat bran with the whole mill run of screenings or wheat bran with a portion of the mill run of screenings, provided that such portion is not an inferior portion thereof.

Cottonseed Feed.—All mixtures of cottonseed meal and hulls containing less than 38.62 per cent protein shall be branded Cottonseed Feed, or a name may be given which does not contain the word "meal" or any

other word that might be misleading.

[Note.—This definition of cottonseed feed, and not that of the Feed Control officials, is in force in this State.]

HEARINGS.

When a sample of commercial feed examined shows variation from the guarantees, the dealer or manufacturer from whom the sample was taken shall be given an opportunity to be heard in his defense by the Commissioner before the facts may be certified to the proper prosecuting attorney.

It is the duty of the Department of Agriculture to regularly inspect the feeds offered for sale in the State and to see that all feeds bear the tax stamp and are properly labeled. The Department is required to collect and analyze at least one sample of every brand of feed found on sale in the State during the year and to publish the results for the benefit of those interested in this class of goods.

The Department will be glad, at any time, to furnish information re-

garding the character and value of any class of feed.

TERMS USED IN ANALYSIS.

Ash. This is the incombustible part of the plant, earthy matter drawn from the soil by the plant, and taken over into the animal organism from plants.

Protein. This is the nitrogenous portion of the plant. Lean meat,

white of eggs, curd of milk, gluten of grain are examples.

Fiber. The frame-work of the plant; trunk and stem are hardened fiber mixed with mineral and other matter; cotton is almost pure fiber.

Fat. The portion of plant soluble in ether is classed as fat, but includes small quantity of substances other than fats. Cotton-seed oil, olive oil, peanut oil, the oils of cereals are examples. Tallow, lard, butter and the various animal oils and fats fall into this class.

Nitrogen-free Extract. Starch, the various sugars, gums are examples. Carbehydrates. This is a general term, including fiber and nitrogen-free extract.

ANIMAL FEEDING AND NUTRITION.

A fundamental distinction between plants and animals is this: Plants manufacture, so to speak, foods; animals consume, but cannot manufacture, food. They merely transform—more or less modify—the food they get from plants, utilize it for their own growth and maintenance and for doing work, or else store it up in their bodies or, as in the case of milk, excrete it.

Animals get the mineral matter for forming bone from plants, a small portion also from water. The function of the carbohydrates and fats in animal nutrition is the production of warmth and energy; for this purpose fat has two and four-tenths the value of carbohydrate pound for pound. The function of protein is to build up, repair and sustain the vital portions of the animal organism,—blood, muscle, nerve, brain; the fats and carbohydrates cannot do this. Protein is capable also of being oxidized, or burned, in the body and producing warmth and energy; and in the absence of adequate fats and carbohydrates is thus utilized; but this is, beside being extravagant, unwholesome. A well balanced ration is one that contains protein, fat, carbohydrate in proper proportion to meet the needs of the animal. These needs vary with the kind of animal, its age and uses.

The following are excellent hand-books on animal feeding and nutri-

tion:-

"Feeds and Feeding" by Prof. W. A. Henry; "Profitable Stock Feeding" by Prof. H. W. Smith; "Manual of Cattle Feeding" by Prof. H. P. Anusby; "The Feeding of Animals" by W. H. Jordan.

COMPOSITION OF SOME PURE UNADULTERATED FEEDING STUFFS.

Compiled from "Henry's Feeds and Feeding," whose tables are taken mainly from Farmers' Bulletin 22, U. S. Dept. of Agriculture

By comparing the analyses in this table with the analyses of feeding stuffs, collected in this State, whose analyses are published in this Bulletin, one may gain an idea of the purity and worth of these feeding stuffs.

UNADULTERATED FEEDING STUFFS

| | Percentage Composition | | |
|-----------------------------|------------------------|------|-------|
| | Protein | Fat | Fiber |
| | | | |
| Corn, dent | 10.3 | 5.0 | 2.2 |
| Flint | 10.5 | 5.0 | 1.7 |
| Meal | 9.2 | 3.8 | 1.9 |
| Cob | 2.4 | 0.5 | 30.1 |
| Bran | 9.0 | 5.8 | 12.7 |
| Wheat | 11.9 | 2.1 | 1.8 |
| Bran | 15.4 | 4.0 | 9.0 |
| Middlings | 15.6 | 4.0 | 4.6 |
| Shorts | 14.9 | 4.5 | 7.4 |
| Screenings | 12.5 | 3.0 | 4.9 |
| Oats | 11.8 | 5.0 | 9.5 |
| Hulls | 3.3 | 1.0 | 29.7 |
| Rice | 7.4 | 0.4 | 0.2 |
| Hulls | 3.0 | 0.7 | 35.7 |
| Bran | 12.1 | 8.8 | 9.5 |
| Polish | 11.7 | 7.3 | 6.3 |
| Cotton-seed Meal. | 42.3 | 13.1 | 5.6 |
| Hulls_ | 4.2 | 2.2 | 46.3 |
| Cowpea | 20.8 | 1.4 | 4.1 |
| Fodder eorn, field cured | 4.5 | 1.6 | 14.3 |
| Green | 1.8 | 0.5 | 5.0 |
| Corn stover, field eured- | 3.8 | 1.1 | 19.7 |
| Husks, field eured | 2.5 | 0.7 | 15.8 |
| Leaves, field cured | 6.0 | 1.4 | 21.4 |
| Hay from mixed grasses. | 7.4 | 2.5 | 27.2 |
| Kentucky blue grass | 7.8 | 3.9 | 23.0 |
| Red clover | 12.0 | 3.3 | 24.0 |
| In bloom | 12.4 | 4.5 | 33.8 |
| Alfalfa | 14.3 | 2.2 | 25.0 |
| Pea vine | 13.7 | 2.3 | 24.7 |
| Peanut vines (without nuts) | 10.7 | 4.6 | 23.6 |
| Wheat straw | 3.4 | 1.3 | 38.1 |
| Oat straw | 4.0 | 2.3 | 37.0 |
| Chaff | 4.0 | 1.5 | 34.0 |
| Wheat chaff | 4.5 | 1.4 | 36.0 |
| Corn silage | 1.7 | 0.8 | 6.0 |
| COLII Stratge | 1.4 | 0.0 | 0.0 |

| | | Percentage Composition | | | | | |
|--------------|-------|------------------------|-----|-------|--|--|--|
| | Water | Protein | Fat | Fiber | | | |
| Potato | 78.9 | 2.1 | 0.1 | 0.6 | | | |
| Sweet potato | 71.0 | 1.5 | 1.3 | 0.4 | | | |
| Beets | | 1.5 | 0.1 | 0.9 | | | |
| Гurnip | 90.5 | 1.1 | 0.2 | 1.2 | | | |
| Carrots | | 1.1 | 0.4 | 1.3 | | | |
| Cabbage | 90.5 | 2.4 | 0.4 | 1.5 | | | |
| | | 0.9 | | 2.4 | | | |

ADULTERANTS.*

The following materials, when mixed with feeds without sufficient labeling to indicate their presence are considered adulterants: corn bran, rice hulls, ground corncobs, peanut hulls, peanut middlings, oat hulls, mill sweepings, screenings, cotton-seed hulls, and similar products.

| | ADULTERANTS |
|--|-------------|
| | |
| | |

| | Protein (N x 6.25) | Fat (Ether Extract) | Fiber | Nitrogen- free Extract % | Water % | $_{\%}^{\mathrm{Ash}}$ |
|----------------------------|-----------------------|---------------------------|-------|-----------------------------------|------------|------------------------|
| | | | | | | |
| Corn bran | 7.00 | 2.82 | 11.89 | 65.44 | 11.08 | 1.77 |
| Rice hulls | 3.60 | 0.70 | 35.70 | 38.60 | 8.20 | † 13.20 |
| Corn cobs | 2.40 | 0.50 | 30.10 | 54.90 | 10.70 | † 1.40 |
| Peanut hulls | 4.56 | 0.81 | 67.31 | | | 2.17 |
| Spanish peanut hulls | 10.12 | 2.70 | 31.33 | 29.98 | 5.89 | 19.98 |
| Peanut middlings | 8.75 | 0.88 | 40.75 | | | 16.75 |
| Oat hulls | 2.63 | 1.08 | 31.49 | 53.83 | 5.64 | 5 .33 |
| Wheat screenings | 13.88 | 2.80 | 3.49 | 64.71 | 10.75 | 4.37 |
| Cottonseed hulls with lint | 3.25 | 1.12 | 46.92 | 40.11 | 6.05 | 2.55 |
| Cottonseed hulls, delinted | 2.40 | 0.31 | 36.49 | 50.22 | 8.20 | 2.38 |

WHEAT BRAN.

(Analyses on pages 24-29.)

Fifty-seven samples of wheat bran were analyzed, of which 49, or 86 per cent, were official. The following tabulation will give at a glance the results of the analyses:

| | Percentage Composition | | | | | |
|---------------------|------------------------|--------------|---------------|--|--|--|
| | Protein | Fat | Fiber | | | |
| | | | | | | |
| Guarantee | 13.75 to 17.13 | 3.00 to 5.35 | 4.71 to 11.00 | | | |
| Found | 12.50 to 16.38 | 2.66 to 6.12 | 4.86 to 10.58 | | | |
| Deficient† | 21 or 43.00 | 11 or 22 | 39 or 80 | | | |
| Range of deficiency | 0.07 to 3.76 | 0.06 to 1.34 | 0.05 to 3.42 | | | |
| Range of excess | 0.06 to 3.63 | 0.01 to 1.95 | 0.50 to 1.55 | | | |
| Average deficiency | | | | | | |
| Average excess | | | | | | |

It will thus be seen that the article sold as wheat bran varies greatly in feeding value—as much as 30 per cent in protein and 100 per cent in fat. This variation is not due, except in rare cases, to adulteration. There is, however, no adequate variation in price to correspond with greater or less feeding value. The price of wheat bran throughout the State the past year was \$1.60, \$1.65, \$1.70, and \$1.75 per 100 lbs. The same dealer, in the same town, on the same day, quoted bran:

^{*}Reprinted from Bulletin of November, 1912.

[†]Deficient here, and throughout this bulletin, means below guarantee; and note that to be below guarantee in the case of fiber is to be better than guarantee.

| | Percen | tage Compo | sition | |
|-----------------------|------------|------------|--------|-------|
| | | Protein | Fat | Fiber |
| \$1.75 per 100 pounds | Guaranteed | 16.00 | 5.00 | 6.00 |
| \$1.75 per 100 pounds | \ Found | 16.37 | 4.65 | 4.86 |
| \$1.60 per 100 pounds | Guaranteed | 17.13 | 4.09 | 6.50 |
| \$1.00 per 100 pounds | Found | 13.50 | 4.19 | 6.82 |

In the first case, a dollar would buy 9.3 pounds of protein and 2.6 pounds of fat; whereas in the case of the lower-priced article, owing to its inferior quality, a dollar would buy 8.4 pounds of protein and 2.6 pounds of fat. If the first, or higher priced, goods was worth \$1.75 per 100 pounds, the lower priced goods was worth not \$1.60 but \$1.44 per 100 pounds. It must not be inferred that the inferiority of the latter was due to adulteration; it was not; the goods was what is claimed to be, pure wheat bran. A compilation by the U. S. Dept. of Agriculture of 88 analyses of wheat bran gives the following range of constituents.*

| | Percentage Composition | | | | |
|--------|------------------------|-------------------|--------------------|--|--|
| | Protein | Fat | Fiber | | |
| verage | 12.1 to 18.9 15.4 | 1.5 to 7.0 4.0 | 2.4 to 15.5 9.0 | | |

WHEAT MIDDLINGS, SHORTS, RED DOG.

(Analyses, pages 30-35.)

Seventy samples, of which sixty-three are official, are reported here. Their range of composition is shown in the following tabulation:

| | Pe | Percentage Composition | | | |
|---------------------|----------------|------------------------|---------------|--|--|
| | Protein | Fat | Fiber | | |
| Guaranteed | 10.00 to 19.00 | 3.00 to 6.00 | 2.13 to 11.00 | | |
| Found | 13.00 to 19.50 | 2.35 to 6.83 | 1.20 to 9.02 | | |
| Deficient | 11 or 17 | 13 or 20.5 | 53 or 84 | | |
| Range of deficiency | 0.02 to 2.12 | 0.01 to 2.15 | 0.08 to 5.61 | | |
| Range of excess | 0.25 to 5.00 | 0.02 to 2.00 | 0.10 to 1.98 | | |
| | | | | | |

Here, also, is a wide range of feeding value: but prices do not vary according to feed value. The following tabulation will show this discrepancy between price and feeding value:

^{*}Bulletin No. 11; 1892.

| | | Percentage Compositi | | |
|--------------------------------------|-------------|----------------------|------|-------|
| | | Protein | Fat | Fiber |
| A -: 110 1014 | (Guaranteed | 19.02 | 5.33 | 4.38 |
| April 16, 1914 \$1.80 per 100 pounds | (I ound | 19.50 | 5.58 | 3.90 |
| March 31, 1914 2.00 per 100 pounds | Guaranteed | 16.00 | 4,50 | 7.00 |
| | { Found | 17.75 | 4.65 | 1.39 |

Both these samples are *Red Dog* (Minnesota goods); each is high grade, better than it is guaranteed to be. The first, quoted at \$1.80 per hundred pounds, is quite appreciably better than the latter, although it was quoted 20 cents higher.

Red Dog was quoted the past year at \$1.80, \$1.90, \$1.95, \$2.00 per

100 pounds.

Shorts or middlings were quoted at \$1.60 by leaps of 5 cents all the way up to \$2 per 100 pounds. Here also prices do not vary with feeding value, as witness the following:

| | | Percentage Composition | | |
|--|------------------|------------------------|------|-------|
| | | Protein | Fat | Fiber |
| • | | | | |
| I 20 1014 21 20 100 1 | Guaranteed | 16.00 | 4.50 | 4.00 |
| January 20, 1914 \$1.60 per 100 pounds | Found | 18.00 | 4.80 | 2.27 |
| I 10 1014 | Guaranteed | 15.00 | 4.00 | 4.00 |
| June 16, 1914 2.00 per 100 pounds | Found | 15.50 | 3.78 | 2.73 |
| T. 10 1014 1 00 100 1 | Guaranteed | 15.00 | 5.00 | 9.00 |
| June 16, 1914 1.60 per 100 pounds | Guaranteed Found | 16.88 | 5.60 | 6.57 |

Here are two quotations on the same day, June 16, and they were made in the same town. This indicates that the man who on that day paid \$2 per 100 pounds for his middlings could have gotten a better article "just around the corner" for \$1.60.

MIXTURES OF BRAN, SHORTS AND SCREENINGS.

(Analyses, pages 36, 37.)

The number analyzed is seventeen, eleven being official. The variation in composition is indicated below:

| | Pe | Percentage Composition | | | | |
|---------------------|----------------|------------------------|---------------|--|--|--|
| | Protein | Fat | Fiber | | | |
| Guaranteed | 14 50 to 17.50 | 4.00 to 5.02 | 6.00 to 12.00 | | | |
| Found | | 3.50 to 5.32 | 4.43 to 9.08 | | | |
| Deficient | . 6 or 55 | 5 or 45 | 11 or 100 | | | |
| Range of deficiency | · 1.12 to 3.12 | 0.06 to 0.76 | 0.45 to 3 14 | | | |
| Range of excess | 0.06 to 2.30 | 0.05 to 0.90 | | | | |

TRADE-NAME MIXTURES OF WHEAT BRAN, MIDDLINGS AND SCREENINGS.

(Analyses, page 38, 39.)

Fifteen samples, all official, were analyzed.

| | Percentage Composition | | | |
|---------------------|------------------------|--------------|--------------|--|
| | Protein | Fat | Fiber | |
| | | | Į. | |
| Guarantee | 14.00 to 16.00 | 3.83 to 4.50 | 7.00 to 9.10 | |
| Found | | 3.27 to 5.42 | 3.82 to 7.08 | |
| Deficient | 7 or 46.6 | 6 or 40 | 15 or 100 | |
| Range of deficiency | 0.12 to 1.38 | 0.02 to 0.73 | 0.74 to 4.18 | |
| Range of excess | | 0.05 to 1.42 | 0.00 to 0.00 | |

SHIPSTUFF.

(Analyses, pages 40-43.)

Twenty-six official and four unofficial samples are reported. The range in composition summarizes as follows:

| | Percentage Composition | | | |
|---------------------|------------------------|--------------|--------------|--|
| | Protein | Fat | Fiber | |
| | | | | |
| Guaranteed | 14.00 to 16.00 | 4.00 to 5.00 | 2.57 to 7.00 | |
| Found | 14.12 to 17.38 | 3.55 to 5.90 | 4.14 to 7.13 | |
| Deficient | 6 or 23 | 11 or 42 | 19 or 73 | |
| Range of deficiency | 0.25 to 0.75 | 0.03 to 1.12 | 0.14 to 1.62 | |
| Range of exeess | 0.13 to 1.76 | 0.03 to 1.54 | 0.04 to 2.88 | |
| | | | | |

The prices quoted on Shipstuff the past year were \$1.70, \$1.75, \$1.80, \$1.85, \$2.

The following quotations were given in the same town on two consecutive days by different firms:

| | | Percentage Composition | | |
|--------------------------------------|------------|------------------------|--------------|-------|
| | | Protein | Fat | Fiber |
| March 30, 1914 \$1.70 per 100 pounds | Guaranteed | 15.00 | 4.00 | 6.00 |
| March 31, 1914 2.00 per 100 pounds | | 16.00 16.50 | 4.00 4.65 | 5.00 |
| | , | | | |

If the first was worth only \$1.70, the second should have sold not for \$2, but for \$1.61 or thereabout.

MIXED FEEDS NOT CONTAINING MOLASSES.

(Analyses, pages 44-49.)

Forty-seven official and twelve unofficial samples were analyzed, These feeds vary greatly in value.

| | Percentage Composition | | | |
|---------------------|------------------------|--------------|---------------|--|
| | Protein | Fat | Fiber | |
| | | | | |
| Guaranteed | 8.75 to 19.00 | 2.00 to 8.00 | 1.75 to 15.00 | |
| Found | 7.50 to 19.00 | 1.22 to 8.02 | 1.05 to 18.97 | |
| Deficient | 17 or 36 | 26 or 55 | 34 or 72 | |
| Range of deficiency | 0.12 to 3.37 | 0.03 to 1.77 | 0.05 to 4.53 | |
| Range of excess | 0.11 to 2.88 | 0.02 to 1.02 | 0.16 to 3.97 | |

The prices asked for these feeds range from \$1.65 to \$2 per 100 pounds. In as much as they are compounded, it is to be expected that their prices will be fixed according to their feeding value. The following two feeds carry out this idea in a measure. The first consisted of crushed oats and cracked corn. The second of oats and cracked corn:

| | | Percentage Composition | | |
|---|-------------|------------------------|------|-------|
| | | Protein | Fat | Fiber |
| January 12, 1914 \$2.00 per 100 pounds_ | (Guarantecd | 10.00 | 4.50 | 6.50 |
| \$2.00 per 100 pounds. | Found | 10.88 | 3.80 | 4.76 |
| January 14, 1914 1.85 per 100 pounds | Guaranteed | 9.38 | 4.38 | 3.25 |
| January 14, 1914 1.05 per 100 pounds | Found | 9.50 | 3.32 | 3,20 |

If the last is worth \$1.85, the first should be worth about \$2.12. The following two quotations illustrate the great difference in feeding value between goods that sell sometimes at the same price.

| | Perce | Percentage Composition | | |
|--|------------|------------------------|-------|--|
| | Protein | Fat | Fiber | |
| June 16, 1914 \$1.75 per 100 pounds Guara: | nteed 8.75 | 2.75 | 1 .75 | |
| Found | 7.50 | 1.22 | 1.05 | |
| June 18, 1914 1.75 per 100 pounds { E } | nteed | 3.50 | 14.00 | |
| Found | 15.63 | 3.07 | 9.75 | |

The first claimed to be "corn goods," and consisted mainly of corn meal. The latter consisted of corn, cotton-seed meal, alfalfa, and oat clips. On the face of the analysis, the last should have about twice the feeding value of the first named; but difference in digestibility would reduce it to much less than that, possibly to one and a half. The dry matter in corn meal is stated to be 88 per cent digestible; that in cotton-seed meal, alfalfa and oat chaff 76 per cent., 60 per cent., and 42 per cent, respectively.

MIXED FEEDS CONTAINING MOLASSES.

(Analyses, pages 50-57.)

Sixty-nine samples are reported, of these sixty-three were collected by the official inspector. The guarantees and analyses range as follows:

| Percentage Composition | | | |
|--|--|--|--|
| Protein | Fat | Fiber • | |
| 8.00 to 16.50 8.12 to 17.81 21 or 33 0.25 to 1.75 0.13 to 4.50 | 0.50 to 4.00 0.87 to 7.28 29 or 46 0.08 to 1.42 0.07 to 3.78 | 10.00 to 26.00 5.22 to 16.60 50 or 79 0.16 to 11.00 0.05 to 3.60 | |
| | 8.00 to 16.50 8.12 to 17.81 21 or 33 0.25 to 1.75 | 8.00 to 16.50 | |

The price of these goods ranged from \$1.60 to \$2 per 100 pounds; in one case \$2.25 was asked. Note the following quotations as compared to feeding value:

| | Percen | Percentage Composition | |
|---|---------|------------------------|-------|
| | Protein | Fat | Fiber |
| | | | |
| . (Guaranteed | 10.00 | 3.00 | 12.50 |
| March 30, 1914 \$2.00 per 100 pounds | 9.50 | 2.32 | 10.31 |
| (Guaranteed | 10.00 | 2.00 | 12.00 |
| March 31, 1914 2.00 per 100 pounds { Guaranteed Found | 12.38 | 2.56 | 13.17 |

The ingredients, except a little salt in the first, are the same, namely, alfalfa, cracked corn, oats, molasses; the guarantees are about the same, except as to fat. But the analysis indicates the last to be of appreciably greater feed value than the first. The foregoing quotations were in the same town. Take two other illustrations in the same town at about the same date as the foregoing:

| | | Percentage Composition | | |
|--------------------------------|------------------|------------------------|-------|--|
| | Prote | in Fat | Fiber | |
| | Guaranteed 10.00 | 2.50 | 12.00 | |
| March 30 \$1.75 per 100 pounds | Found 11.50 | 1.68 | 11.25 | |
| | Guaranteed 15.00 | 3.00 | 12.00 | |
| March 30 1.90 per 100 pounds | Found 15.38 | 3.12 | 13.51 | |

If the first was worth \$1.75 per 100 pounds, the latter should, on the face of the analysis, be worth about \$2.35 or \$2.40. In the first case a dollar bought 6.6 pounds of protein and supposedly 1.4 pounds of fat, but actually barely 1 pound; in the latter case 8.7 pounds of protein and 1.6 pounds of fat. The ingredients of the first were alfalfa, cotton-seed meal, corn, molasses, oats: the ingredients of the last were the same

except rice straw instead of oats. There could, however, have been but little rice straw present, else the protein content would have been less and the fiber content greater; rice straw contains but little protein (4.7%), much fiber (3%) and little fat (2%).

POULTRY FEEDS.

Analyses, pages 58-61.)

* Twenty-six samples were analyzed. The range of guarantee and analysis stood thus:

| | Percentage Composition | | | | |
|----------------------------------|------------------------------|------------------------------|--------------------------|--|--|
| | Protein | Fat | Fiber | | |
| Guaranteed | 9.00 to 19.57 | 2.50 to 5.00 | 3.00 to 9.00 | | |
| Found Deficient | 9.25 to 19.63 4 or 16 | 1.99 to 5.33 7 or 29 | 1.80 to 6.62 23 or 96 | | |
| ange of deficiencyange of excess | 0.25 to 0.87 0.06 to 2.25 | 0.15 to 1.51 0.01 to 1.89 | 0.09 to 6.21 | | |

The prices asked for poultry feed ranged from \$2 to \$3 per 100 pounds. The following quotations will indicate that this difference in price is not always justified by difference in feed value:

| | | | Percentage Composition | | |
|----------------|-----------------------|------------|-------------------------|--------------|--------------|
| | | | Protein | Fat | Fiber |
| March 30, 1914 | \$2.00 per 100 pounds | Guaranteed | 10.00 12.25 | 3.00 3.31 | 5.00 2.57 |
| May 25, 1914 | 3.00 per 100 pounds | | 12.23 12.00 12.00 | 3.00 | 4.00 |
| June 16, 1914 | 2.50 per 100 pounds | | 10.00 | 3.50 2.82 | 4.00 |

Ingredients of the first: cracked corn, kafir corn, wheat, buckwheat. Ingredients of the second: corn meal, gluten, middlings, bran, oatmeal, hen-e-ta.

Ingredients of the third: cracked corn, kaffir corn, wheat, shells.

The two dollar stuff is undoubtedly better than the two-fifty stuff, and probably little inferior to the three-dollar stuff. Hen-e-ta is a phosphatic grit, for which great claims are made.

COTTON-SEED MEAL AND COTTON-SEED FEED.

(Analyses, pages 62-65.)

The official samples of cotton-seed meal are collected mainly by the inspectors of fertilizers, and the analyses are published in the fertilizer bulletins, hence only very few are reported here. Standard cotton-seed meal is defined by our cotton-seed meal law to be one that contains

7.5% of ammonia, equivalent to 6.18% nitrogen, and 38.62% protein. If the goods contain less than 38.62% of protein, it must be branded "Cotton-seed Feed," or be designated by a name that does not contain the word "meal."

Two of the three official samples of meal reported here were 1.07% and 2.25% below guarantee (38.56%).

Five unofficial samples, sent in for analysis by private citizens, ranged from 31.88% to 39.8% protein, one only being above guarantee.

Six official samples of cotton-seed feed were guaranteed to contain 20 to 25% protein and were found to contain 20.63% to 27.76% of protein.

Lumping the cotton-seed meals and cotton-seed feeds together, they range as follows in guarantee and analysis:

| | Percentage Composition | | | | |
|---------------------|------------------------|--------------|----------------|--|--|
| | Protein | Fat | Fiber | | |
| | | | | | |
| Guaranteed | 20.00 to 38.56 | 3.00 to 6.00 | 12.00 to 23.00 | | |
| Found | 16.87 to 39.87 | 3.83 to 9.49 | 7.78 to 24.80 | | |
| Deficient | 4 or 36 | 3 or 43 | 7 or 100 | | |
| Range of deficinecy | 0.75 to 3.94 | 0.25 to 0.59 | 1.50 to 4.73 | | |
| Range of excess. | 0.56 to 4.50 | 0.65 to 3.25 | | | |

CORN, CRACKED CORN, CORN CHOPS, CORN BRAN.

(Analyses, pages 66, 67.)

Whole corn, or other grains, when unmixed, are not subject to the feed control law; one analysis (corn), however, is given here. Thirteen other analyses are reported, seven being of official samples. The cracked corn, imported into the State, was properly guaranteed; but there seems to be a tendency on the part of some manufacturers in the State to neglect this. However, the unguaranteed samples were of rather higher grade than the guaranteed. The range of guarantee and analysis (cracked corn) is as follows:

| | Percentage Composition | | | | | | |
|---------------------|------------------------|--------------|--------------|--|--|--|--|
| | Protein | Fat | Fiber | | | | |
| | | | | | | | |
| Guaranteed | 8.00 to 8.75 | 3.00 to 4.53 | 1.99 to 6.00 | | | | |
| Found | 7.38 to 8.75 | 2.46 to 3.84 | 1.64 to 2.06 | | | | |
| Deficient | 2 or 50 | 3 or 75 | 4 or 100 | | | | |
| Range of deficiency | 0.62 to 0.75 | 0.54 to 1.01 | 0.04 to 3.98 | | | | |
| Range of excess | 0.50 to 0.75 | 0.00 to 0.26 | 0.00 to 0.00 | | | | |

One sample, corn chops (133), was found to be abnormally high in fat (7.20 per cent).

GLUTEN FEED, DRIED BEET PULP.

(Analyses, pages 68, 69.)

Only one analysis of gluten feed is recorded. This feed is rich in

protein, guaranteed 23 per cent, found 27 per cent.

Dried beet pulp, on the other hand, is low in protein and fat, high in fiber. The price asked for it—\$1.75 to \$2 per 100 pounds—would seem to be entirely too much for its feed value.

| | Percentage Composition | | | | |
|----------------------|------------------------|--------------|----------------|--|--|
| | Protein | Fat | Fiber | | |
| Guaranteed | 8.00 | 0.50 | 20.00 | | |
| Found | 7.25 to 8.94 | 0.57 to 1.00 | 17.18 to 19.10 | | |
| Deficient | 1 or 80 | | 4 or 100 | | |
| Range of deficiency. | 0.25 | | 0.90 to 2.53 | | |
| Range of excess | 1.63 to 94 | 0.07 to 0.05 | 0.00 to 0.00 | | |

RICE PRODUCTS.

(Analyses, page 70.)

Three samples, unofficial, sent by the manufacturer, were analyzed. Except a trivial deficiency (0.13 per cent) in protein, these feeds are all above guarantee. They are notably rich in fats.

POULTRY AND STOCK TONICS.

(Analyses, pages 70, 71.)

Four samples were analyzed. We get a good many enquiries as to the value of these stuffs. We cannot do better than repeat the advice given by Professor Henry of the Agricultural Department of the University of Wisconsin:

"As to these nostrums it may be said that vigorous, healthy animals do not make better use of their feed because of their addition. If animals are out of condition they should receive specific treatment according to their ailments. A good manager of live stock will have no use for these high-priced condimental foods or condition powders; a poor

manager will never have fine stock by employing them."

Some enquirers reveal a fear that these condiments may sometimes contain ingredients that are harmful. This is doubtless never the case, especially in view of the small quantities, or doses, in which they are administered. Their main body consists, as a rule, of one or more ordinary feed stuffs of standard value, including the following: "Corn, corn meal, hominy, feed corn, gluten meal, oats, hulled oats, wheat, wheat middlings, wheat bran, baked and kiln-dried rolled wheat, cotton-seed meal, linseed oil meal, crackers, alfalfa meal, meat meal, dried bone meal, dried beef and bone, beef scrap, dried blood, starch. Among the constituents of more or less medicinal value are: gentian, ginger, anise seed, fenngreek, mustard seed, pepper, fennel seed, rape seed, caraway seed, licorice, nuxyomica, cinchona bark, rosin, columbo, elecampane,

quassia, senna leaves, belladonna root, sassafras, camphor, epsom salts, table salt, glauber's salt, saltpeter, borax, copperas, soda, sodium hyposulphite, charcoal, sulphur, limestone, ovster shells, ferric oxide (Venetian red).

A particular tonic will, of course, contain only a few of the foregoing ingredients.

"The Maine Mixture costs but 20 cents a pound; is concentrated instead of diluted, is all drug and not mostly feed stuff, and, hence, far stronger. It is probably at least as efficient as, and certainly far cheaper than, the generality of condimental feeds. The Maine Station suggests: Pulverized gentian, one pound; pulverized ginger, one-quarter pound; pulverized iron sulphate (copperas) one quarter pound. Mix; feed tablespoonful in feed once daily for ten days; omit three days; feed as above for ten days more."—From Bulletin No. 164, Vermont Experiment Station.

POULTRY FEEDS IN SMALL PACKAGES.

Poultry feeds may be put up in small bags, boxes or other containers of less than 25 pounds net weight: Provided first, That these containers be labeled with their net weight and the other usual guarantees; and, Provided further, That these smaller packages be enclosed in a larger bag or container of standard net weight of 25, 50, 75, etc., pounds; the said larger container to bear the requisite tax stamp and guarantees.

ANALYSES OF SAMPLES

ANALYSES OF

| | | | | | - · · |
|----------------------|--------------------------|---|--|-----------------------|---|
| Laboratory Number | Brand Name form Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs Price |
| 288 | Pure Wheat Bran | - Akin-Erskine Milling Co., Evansville, Ind. | Charlotte Brokerage Co., Charlotte | June 10, '14 | 100 \$1.70 |
| | | . Ballard & Ballard, Louis- | Hazel & Mimms, Reids- ville. | Jan. 20, '14 | 100 1.60 |
| 142 | do | ville, Ky. Blauk & Gottshall, Sun- bury, Pa. | Pippin & Woolard, Washington. | Jan. 12, '14 | 100 |
| 120 | Big Diamond Bran | Big Diamond Mills Co., Minneapolis, Minn. | S. M. Savage, Greenville | Nov. 11, '13 | 100 1.75 |
| 107 | do | do | G. T. Sullivan, Kinston | Nov. 8, '13 | 100 |
| 137 | Wheat Bran | Star and Crescent Mill- ing Co., Chicago, Ill. | C. B. Hill, New Bern | Jan. 10, '14 | 100 1.75 |
| 55 | Pure Wheat Bran | | Farmers' Union Agency Co., Winston-Salem. | Sept. 9, '13 | 100 1.75 |
| 75 | Wheat Bran | - The Dunlop Mills, Rich- mond, Va. | G. C. Lovell, Mt. Airy | Oct. 16, '13 | 100 1.60 |
| 108 | Arrow Wheat Bran | do | G. T. Sullivan, Kinston | Nov. 8, '13 | 100 |
| 226 | Wheat Bran | do | The Patterson Co., Greensboro. | Mar. 30, '14 | 100 1.60 |
| 308 | do | - Gwinn Milling Co., Co- lumbus, O. | W. H. Turner, Winston- Salem. | June 16, '14 | 100 1.75 |
| 0 | Pure Wheat Bran | - Harrisonburg Milling Co., Harrisonburg, Va. | Dorton Grain & Produce | | 100 |
| 1 | Wheat Bran | do | | | 100 1.60 |
| 2 | do | do | Lowe Bros. & Co., Kan- napolis. | Sept. 16, '13 | 100 1.60 |
| 3 | Pure Wheat Bran | do | | Sept. 17, '13 | 100 |
| 41 | do | do | | Sept. 9, '13 | 100 1.60 |
| 42 | Wheat Bran | do | The Patterson Co., Greens- boro. | Sept. 22, '13 | 100 1.65 |
| 80 | Pure Wheat Bran | do | | Oct. 23, '13 | 100 1.60 |
| 81 | do | do | Peebles Bros., Raleigh | Oct. 23, '13 | 100 1.60 |
| 117 | Wheat Bran | _'do | Job P. Wyatt & Sons Co., Raleigh. | Nov. 21, '13 | 100 1.65 |
| 4 3 | Pure Wheat Bran | - Holt-Granite Mfg. Co., Haw River, N. C. | Southern Feed & Grocery Co., Durham. | Sept. 10, '13 | 75 1.25 |
| 249 | Wheat Bran | - Hecker-Jones-Jewell Mill- | | | 100 1.70 |
| 93 | Choice Bran | ing Co., New York. | | Nov. 8, '13 | 100 1.60 |
| 94 | Wheat Bran | do | | Nov. 8, '13 | 100 1.60 |
| 102 | Hecker Choice Bran | do | Wilmington. H. L. Bizzell, Goldsboro | Nov. 6, '13 | 100 1.75 |
| 197 | Wheat Bran | Horen-Johnston Co., Mocksville, N. C. | W. M. Neel & Co., Mooresville. | Mar. 25, '14 | 100 1.60 |
| _ | r mid 11 | | 1 1 1 1 1 1 | 11 . 1 | |

Note: When the discrepancy between "guaranteed" and "found" is below guarantee, that fact is indicated

OF FEEDS, SEASON 1913-1914

WHEAT BRAN

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|---|----------------------|---------------|----------------------|--------------|--------------------|---------------|-------------------------------------|------------------------|
| 288 | Guaranteed. Found | 14.88 | —0. 62 | 4.00 4.45 4.10 | . 45 | 0.00 | 1.59 | Pure wheat bran | As guaranteed. |
| 155 | $\left\{ \begin{array}{ll} \operatorname{Guaranteed}_{-1} \\ \operatorname{Found}_{} \end{array} \right.$ | | -0.47 | 4.35 | . 25 | | —1. 33 | do | do. |
| 142 | Guaranteed. Found | | -1.87 | 4.50 4.67 | . 17 | 7.50 8.50 | 1,00 | do | do. |
| 120 | Guaranteed. | 14.00 | | 4.00 | | 11.00 | | | |
| 107 | Found Guaranteed. | | 1.50 | 4.95 | . 95 | 11.00 | 53 | do | do. |
| 107 | Found Guaranteed_ | | 1.00 | 4.86 4.00 | .86 | 10.44 10.00 | — .56 | do | do. |
| 135 | Found | 15.38 | . 38 | 4.82 | .82 | 10.58 | . 58 | do | do. |
| 55 | Guaranteed. Found | | .37 | 5.00 4.65 | → .35 | 6, 00 4, 86 | -1.14 | do | do. |
| 75 | ∫ Guaranteed. | 14.50 | | 4.00 | | 9.50 | | | 1. |
| 108 | \ Found ∫ Guaranteed. | | . 62 | 4.04 | . 04 | 9.50 | -1.93 | Wheat Bran | do. |
| | Found Guaranteed_ | | .38 | 4.62 4.00 | . 62 | 7.55 9.50 | -1.95 | Wheat bran and ground screenings | do. |
| 226 | (Found | 15.25 | . 50 | 4.80 | . 80 | 7, 61 | -1.89 | Wheat bran | do. |
| 308 | {Guaranteed_ Found | | 87 | 4.00 | . 47 | 8.00 9.03 | 1.03 | do | do. |
| 0 | Guaranteed_Found | | 1.00 | $\frac{4.00}{4.36}$ | . 36 | 9.50 | 67 | Pure wheat bran | Wheet bran straw corn- |
| | Guaranteed_ | | -1.00 | 4.00 | . 30 | 9.50 | 01 | rure wheat bran | coekle. |
| 1 | Found | | 50 | 3. 23 | — .77 | | -2.79 | do | |
| | Guaranteed. | | | 4.00 | | 9.50 | | | bran (little). |
| 2 | Found | | . 25 | 4.06 | .06 | | -1 65 | do | do. |
| | Guaranteed. | | . 20 | 4.00 | .00 | 9.50 | 1.00 | | 40. |
| 3 | Found | | 50 | 4. 22 | . 22 | | 1 20 | Pure wheat bran | Wheat bran and some |
| | Guaranteed. | | 50 | 4.00 | . 22 | 9.50 | -1.20 | Fulle wheat bran | sereenings. |
| 41 | | | . 06 | | 0.1 | | 2.40 | do | |
| | Found | | .00 | 4.01 | . 01 | | -3.42 | | wheat (21%). |
| 42 | Guaranteed. | | CO | 4.00 | 0.0 | 9.50 | 0.00 | 3373 | |
| | Found | | — . 63 | 4.06 | .06 | | | Wheat bran | |
| 80 | Guaranteed. | | 00 | 4.00 | 20 | 9.50 | | D 1 1 1 | bran and sereenings. |
| | Found | | . 33 | | . 20 | | -1.53 | Pure wheat bran | As guaranteed. |
| 81 | { Guaranteed_ | | | 4.00 | | 9.50 | | , | |
| | Found | | . 75 | 3.64 | → . 36 | | ⊸1.80 | do | do. |
| 117 | ∫ Guaranteed_ | | | 4.00 | | 9.50 | | | |
| | Found | | . 72 | | 一 .06 | | -1.31 | Pure wheat products | do. |
| 43 | Guaranteed. Found | | 60 | $\frac{3.75}{4.04}$ | . 29 | 9.50 | 2.02 | do | Wheat bren and small |
| | (Guaranteed | | 02 | 4.49 | . 29 | 8.95 | | | quantity of middlings. |
| 249 | < | | 0.7 | 4. 90 | . 41 | 9.45 | | Wheat bran | |
| | Found | | 07 | | .41 | | . 50 | Wheat bran | As guaranteed. |
| 93 | { Guaranteed. | | 0.0 | 5.35 | 0.0 | 9.50 | 4 00 | 1 | , |
| 6 | l Found | | . 92 | 4.75 | → . 60 | | -1.69 | do | do. |
| 94 | { Guaranteed. | | | 4.26 | | 9.10 | | | , |
| | \ Found | | 79 | 5.11 | . 85 | | -1.12 | do | do. |
| 102 | Guaranteed_ | | | 3.35 | | 9.50 | | | , |
| | Found | | . 80 | 4,40 | 1.05 | | -1.45 | do | do. |
| 197 | Guaranteed. | | | 3.00 | 1 00 | 6. 25 | | 1. | J- |
| | l Found | 14.63 | .88 | 4.60 | 1.60 | 6.77 | . 52 | do | đo. |

by —. In all other eases the discrepancy is above guarantee.

ANALYSES OF

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. | Price |
|----------------------|--------------------------|---|--|-----------------------|-----------------------------------|----------|
| 71 | Pure Wheat Bran | | C. H. Hunter, Roxboro | Oet. 8, '13 | 100 | \$1.60 |
| 70 | do | Lynchburg, Va. | HughWoods, Roxboro | Oct. 8, '13 | 100 | 1.60 |
| 52 | do | | Elmore Maxwell & Co., | Sept. 9, '13 | 100 | 1.60 |
| 159 | do | Market, Va. | Greensboro. Hazell & Mimms, Reids- | Jan. 20, '14 | 100 | 1.60 |
| 126 | do | | | Nov. 24, '13 | 75. | 1.30 |
| 124 | do | Chattanooga, Tenn. | The state of the s | Nov. 24, '13 | 75 | 1.50 |
| 109 | Seal of Minnesota Bran | | Brevard. Ray Dawson, Kinston | Nov. 8, '13 | 100 | 1.65 |
| 6 | Pure Wheat Bran | dated Milling Co., Min- | | | | - |
| 48 | do | neapolis, Minn. Piedmont Mills, Lynch- burg, Va. | Elmore Maxwell Co., Greensboro. | Sept. 9, '13 | 100 | 1.60 |
| 161 | do | do | Spray Mercantile Co., Spray. | Jan. 20, '14 | 100 | 1.65 |
| 39 | Wheat Bran | Pillsbury Mills, Minne- apolis, Minn. | C. G. Morris & Co., Washington, | Jan. 12, '14 | 100 | |
| 83 | Wheat Bran | | A. E. Rankin & Co., Fayetteville. | Nov. 6, '13 | 100 | 1.60 |
| 8 | Wheat Bran | J. S. Read, Morristown, Tenn. | Asheville Grocery Co., Asheville. | July 18, '13 | 75 | - |
| 299 | do | | Farmers' Union Agency, Winston-Salem. | June 16, '14 | 100 | 1.70 |
| 4 | do | do | J. G. Missick, Winston- Salem. | July 10, '13 | | |
| 5 | Wheat Bran | do | | July 10, '13 | | - |
| | do | Salisbury, N. C. | Salisbury Grain & Feed Co., Salisbury. | July 12, '13 | 100 | |
| | do | Winston-Salem, N. C. | Farmers' Union Agency, Winston-Salem. | Sept. 9, '13 | 100 | 1.60 |
| | | J. J. Wallace, Rusk, N. C. | R. M. Chatham, Elkin | May 26, '14 | | |
| | do | Greensboro. | C. C. Shores & Co., Rockingham. | Nov. 11, '13 | 100 | 1.60 |
| | do | Minneapolis, Minn. | J. II. Culbreth & Co., Fayetteville. | Nov. 6, '13 | | 1.60 |
| | | | . G. C. Lovell Co., Mt. Airy | | | 1.75 |
| | | do | Wilmington, | Nov. 8, '13 | - | 1.60 |
| | | do | ton-Salem. | Sept. 9, '13 | | 1.50 |
| | | R. E. Zimmerman, Rural Hall, N. C. | Hall. | May 13, '14 | | |
| | | J. D. Anderson, Tobacco- ville, N. C. | Tobaccoville. | Mar. —, '14 | | |
| 0042 | do | Milton Mill Co., Milton, N. C. | Sent by N. C. Brandon, Yaneeyville. | Dec. —, '13 | | |

WHEAT BRAN—Continued

| > | ಶ್ಞರ | - | ıcy | | ley. | | ley. | | |
|----------------------|-------------------------|---------------------|-------------|--------------|---------------|----------------|--------------|------------------------|--------------------------|
| r toi | te. | ıt. | an | H | 3.0 | Per | ar | Ingredients Guaranteed | Chemist's Finding |
| ra | Guaranteed and Found | Protein, Per Cen | Discrepancy | Per | Discrepancy | | Discrepancy | | |
| og III | d d | rote er (| SC | Fat, Jent | (SC) | Fiber, Cent | SG | | |
| Laboratory Number | Gr ap | Pr Pe | Ä | ʰ | Ä | Ξő | Ä | | |
| | | | | | | | | | |
| | (Cuspented) | 14 50 | | 4.00 | 1 | 9.50 | | | |
| 71 | Guaranteed. | | 0.5 | 4.38 | . 38 | | 1 00 | Wheat bran | A |
| | Found | | 20 | | . 55 | | 1.20 | wheat bran | As guaranteed. |
| 70 | Guaranteed_ | | 1 10 | 4.00 | 0.1 | 9.50 | 20 | , | 1 |
| | \ Found | | -1. 13 | 4.01 | .01 | | → .39 | do | do. |
| 52 | {Guaranteed. | | | 4.00 | | 7.95 | | | |
| | l Found | | . 13 | | -1.34 | | 47 | do | do. |
| 159 | [Guaranteed_ | | | 4.00 | | 7.95 | | | |
| | \ Found | | → . 62 | | — . 13 | | — .05 | do | do. |
| 126 | Guaranteed. | | | 4.00 | | 9.50 | | | |
| 120 | Found | | . 25 | 4.42 | . 42 | | —1.35 | do | do. |
| 124 | f Guaranteed. | | | 4.00 | } | 9.50 | | | |
| 124 | \ Found | 14.38 | 12 | 4.31 | .31 | 8.00 | -1.50 | do | do. |
| 109 | f Guaranteed. | 14.60 | | 4.75 | | 11.00 | | | |
| 103 | Found | 15.50 | . 90 | 4.78 | .03 | 9.84 | -1.16 | do | do. |
| 6 | Guaranteed. | | | | | | | | |
| 0 | Found | 14.00 | | 4.19 | | 8.27 | | do | do. |
| | | | | | | | | | |
| | (Guaranteed. | 14.50 | | 4.00 | | 9.50 | | | |
| 48 | Found | | 37 | 4.80 | . 80 | | 87 | do | do. |
| | (Guaranteed_ | | | 4.00 | | 9.50 | | | |
| 161 | Found | | → . 25 | 4.45 | . 45 | | -1.70 | do | do. |
| | Guaranteed. | | | 3.50 | | 11.00 | | | |
| 139 | Found | | 2.25 | 5.45 | 1.95 | | _1 04 | do | do. |
| | (Guaranteed. | | 2.20 | 4.00 | 1.00 | 11.00 | 1.01 | | ao. |
| 83 | Found | | , 25 | 4.21 | 21 | | 60 | do | do. |
| | (Guaranteed. | | , 40 | 4.00 | | 9.50 | → . 09 | | do. |
| 8 | (| | 50 | | | | 1 10 | do | 1. |
| | (Found | | . 50 | 4.50 | . 50 | | 1. 18 | do | do. |
| 299 | Guaranteed. | | ** | 4.09 | 10 | 6.30 | 0.5 | , | |
| | \ Found | | . 50 | 3.97 | — . 13 | 6.95 | . 65 | do | do. |
| 4 | Guaranteed. | | | | | | | | laws . 1 |
| | Found | | | 3.76 | | 7.68 | | do | Wheat bran, wheat ber- |
| 5 | {Guaranteed. | | | 4.09 | | 6.30 | | | ries and screenings. |
| - | l Found | | -3.76 | 3.27 | — . 82 | | | Pure wheat products | |
| 7 | { Guaranteed. | | | 4.42 | | 4.80 | | | screenings, corn cockle. |
| | l Found | | -1.50 | 3.50 | 92 | 6.35 | | Wheat bran | |
| 46 | {Guaranteed. | | | 4.09 | | 6.50 | | | and screenings. |
| | l Found | | 3.63 | 4.19 | . 10 | 6.82 | . 32 | do | do. |
| 285 | { Guaranteed. | | | | | | | | |
| | l Found | | | 4.33 | | 6.41 | | do | Wheat bran. |
| 97 | Guaranteed. | | | 4.00 | | 9.50 | | | |
| | \ Found | | . 63 | 4.36 | . 36 | 9.40 | — . 10 | do | do. |
| 85 | Guaranteed. | | | 4.00 | | 11.00 | | | |
| 00 | l Found | 15.00 | . 50 | 4.53 | . 53 | 9.10 | -1.90 | o'do | do. |
| 273 | f Guaranteed. | 14.50 | | 4.00 | | 10.00 | | 1 | |
| 210 | \ Found | 15.38 | . 88 | 5.36 | 1.36 | 10, 15 | . 15 | do | do. |
| 91 | f Guaranteed. | 14.50 | | 4.00 | | 11,00 | | | |
| 31 | \ Found | 15.87 | 1.37 | 4.49 | .49 | 8.35 | -2.65 | dodo | do. |
| 45 | f Guaranteed | 14.50 | | 4.00 | ! | 11.00 | | 1 | |
| 40 | {Found | 14.75 | . 25 | 4.28 | . 28 | 9.81 | -1.19 | dodo | do. |
| 971 | (Guaranteed. | | | | | | | | |
| 271 | Found | | | 4.99 | | 5.77 | | do | do. |
| 6 | / Guaranteed | | | | | | | | |
| 6555 | Found | | | 4, 28 | | 7. 77 | | do | do. |
| 0 = 40 | (Guaranteed | | | 4.50 | | 4.71 | | | |
| 6542 | Found | | -2. 26 | | | 5.57 | | dodo | |
| | | | | | | | , | | |

ANALYSES OF

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection Claimed Weight of Fackage-Lbs. | |
|----------------------|--------------------------|--|--|--|--|
| 6554 | Bran | | Sent by R. F. Linville, Kernersville. | Mar. —, '14 | |
| 6576 | Wheat Bran | | Sent by North State Milling Co., Greensboro. | May —, '14 | |
| 6569 | do | | Sent by P. M. Phillips, Salisbury. | Apr. —, '14 | |
| 6516 | do | J. H. Walker & Co., Reids- ville, N. C. | Sent by J. H. Walker & Co Reidsville. | Oet. —, '13 | |
| | | vine, iv. O. | Heldsvins. | | |

RECAPITU

| | RECAPITU |
|-----------------|--|
| | Guaranteed and Found |
| Maximum | Guaranteed |
| Minimum | |
| Average | $\left\{egin{array}{l} \operatorname{Guaranteed} \\ \operatorname{Found} \end{array}\right.$ |
| Discrepancy | Maximum |
| Number analyzed | Guaranteed |

^{*}Of the guarantees, not of total analyzed.

Note:—''Deficient'' means here below guarantee and, In discrepancy, the minus sign (—) before a number above guarantee.

WHEAT BRAN--Continued

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|--|----------------------------|-------------|-------------------------|-------------|-------------------------|-------------|------------------------|-------------------|
| 6554 6576 | Guaranteed Found Guaranteed Found Guaranteed | 12.50 16.38 | | 6. 12 | | 13. 17 7. 86 | | | |
| 6569 6516 | Guaranteed Found Guaranteed Found Fo | 14. 00 14. 50 13. 50 | | 4. 15 4. 00 4. 97 | . 97 | 5, 33 9, 50 7, 85 | -1.65 | | |

LATION

| Protein. | Per Cent | Fat. P | er Cent | Fibre. | Per Cent |
|----------|------------|----------|------------|----------|------------|
| | - | | 0.000 | , | 0.000 |
| 17. 13 | | 5.35 | | 11.00 | |
| 16.38 | | 6.12 | | 10.58 | |
| 13.75 | | 3.00 | | 4.71 | |
| 12.50 | | 2.66 | | 4.86 | |
| | - | | - | | - |
| | - | | - | | - |
| 3.63 | 3.76 | 1.95 | -1.34 | 1.55 | -3.42 |
| .06 | 07 | . 01 | 06 | . 50 | 05 |
| 49 or 86 | per cent. | 49 or 86 | per cent. | 49 or 86 | per cent. |
| 21 or 43 | per cent.* | | per cent.* | | per cent.* |
| 57 57 | F 301101 | 57 | per sono. | 57 | per cent. |
| | | | | | |

in the case of fiber, means also better than guarantee. means below guarantee; in all other cases the discrepancy is

ANALYSES OF MIDDLINGS,

| | | | | | - n |
|----------------------|---|---|---|-----------------------|---|
| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs Price |
| 84 | Pure Wheat Middlings | Acme-Evans Co., Rich- mond, Va. | J. H. Culbreth & Co., Fayetteville. | Nov. 6, 13 | 75 \$1.30 |
| 86 | do | do | Adams Grain & Produce Co., Fayetteville, | Nov. 6, '13 | 75 1.30 |
| 100 | do | do | H.W. Little & Co., W'd'sb'ro | Nov. 11, '13 | 100 1.80 |
| 171 | Minnesota Fancy White | W. S. Ankeny & Co., Minneapolis, Minn. | W. A. Myatt, Raleigh | | 100 |
| 146 | Standard Middlings | Ballard & Ballard, Louisville, Ky. | W. S. White & Co., Elizabeth City | Jan. 4, '14 | 100 1.70 |
| 141 | Wheat Middlings | Blank Gottshall, Sunbury, Pa | Pippin & Woolard, Wash- ington. | Jan. 12, '14 | 100 |
| | Tiger Wheat Middlings | Poppoko Vo | C. Call, Wilkesboro | Mar. 18, '14 | 100 1.75 |
| 301 | Daisy Middlings | do | Farmers' Union Agency, Winston-Salem. | June 16, '14 | 100 1.90 |
| 44 | Barley Middlings | do | A. T. Rothrock, Walnut Cove. | Sept. 8, '13 | |
| 247 | Standard Middlings | D. H. Dixon, Goldsboro, N. C. | B. G. Thompson & Son, | | 100 1.75 |
| 243 | Bixota Middlings | N. C. do | M. J. Best & Sons, Golds- boro. | Apr. 7, '14 | 100 1.75 |
| 196 | | The Dunlop Milling Co., Clarksville, Tenn. | F. D. Barkley & Co., Gastonia. | Mar. 28, '14 | 75 1.50 |
| 118 | Patapsco Winter Wheat Brown Middlings. | C. A. Gambrill Mfg. Co., Baltimore. | R. D. Caldwell & Sons, Lumberton. | Oct. 23, '13 | |
| 119 | Ben Hur Middlings | Hennepin Mill Co., Minneapolis, Minn. | Lumberton. S. M. Savage, Greenville | Nov. 21, 'I3 | 100 1.75 |
| 167 | Daisy Middlings | Huff & Cook, Roanoke, Va | A. T. Rothroek, Walnut Cove. | Jan. 20, '14 | 100 1.60 |
| 147 | Badger Wheat Middlings | Chas. A. Krause Milling Co., Milwaukee, Wis. | W. S. White & Co., Elizabeth City. | Jan. 14, '14 | , |
| 284 | Eagle Middlings | | Surry-Wilkes-Yadkin Supply Co., Elkin. | May 26, '14 | 100 1.75 |
| 264 | | Chas. Lunsford & Gray, Petersburg, Va. | | Apr. 16, '14 | 100 1.85 |
| | Rich Middlings | Model Milling Co., John- | | July 18, '13 | 75 |
| 125 | do | do | Sladen, Fakes & Co., Asheville. | Nov. 24, '13 | 75 1.35 |
| - 58 | Pure Wheat Middlings | Northwestern Consoli- dated Milling Co., Minneapolis, Minn. | | Jan. 20, '14 | 100 1.70 |
| 137 | Standard Middlings | | C. B. Hill, New Bern | Jan. 10, '14 | 100 1.75 |
| 138 | | | C. G. Morris & Co., Washington. | Jan. 12, '14 | 100 |
| | Middlings. | | Sent by the manufacturers. | | |
| | 2do | | Leaksville-Spray Grocery Co., Leaksville. | Jan. 20, '14 | 100 1.80 |
| 157 | 'do | do | Hazel & Mimms, Reids- ville. | Jan. 20, '14 | 100 1.75 |
| 77 | 7do | dodo | | Oct. 16, '13 | 100 1.90 |

SHORTS AND RED DOG

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|---|----------------------|--------------|---------------------|-------------|--------------------|---------------|-------------------------|-------------------|
| jz. | 5 E | 교교 | Ω | EO | Д | EO. | Д | | |
| | | | | | | | | | |
| 84 | Guaranteed. | | | 4.00 | 4 00 | 8.00 | | | |
| | \ Found | 17.63 | 2.63 | 5. 23 4. 00 | 1.23 | 7. 92 8. 00 | — . os | Pure wheat middlings A | is guaranteed. |
| 86 | Guaranteed. Found | 15.00 16.50 | 1.50 | 5.05 | 1.05 | | _ 25 | do | do. |
| | Guaranteed. | 15.00 | 1.00 | 4.00 | 1.00 | 8.00 | . 20 | | uo. |
| 100 | Found | 17.00 | 2.00 | 5.11 | 1, 11 | | -1.14 | do | do. |
| 171 | Guaranteed. | 15.00 | | 4.00 | | 7.05 | | | |
| 1/1 | Found | 17.13 | 2.13 | | 1.10 | | -2.05 | do | do. |
| 146 | Guaranteed. | 15.69 | | 4.26 | | 6.87 | | | |
| | l Found | | -1.56 | | — .01 | | -1.22 | do | do. |
| 141 | $\left\{ egin{array}{l} \mathrm{Guaranteed.} \\ \mathrm{Found} \end{array} \right.$ | 16.00 16.25 | . 25 | 5.00 5.05 | . 05 | 4.50 4.60 | 10 | do | do. |
| | | | . 20 | | .00 | 4.00 | . 10 | | do. |
| 164 | Found | | | 5.37 | | 4.75 | | do | do. |
| 004 | Guaranteed. | | | 4.60 | | 4.00 | | | do. |
| 301 | Found | 17.75 | . 75 | 4.60 | .00 | 3.26 | . . 74 | do | do. |
| 44 | f Guaranteed. | | | | | | | | |
| 77 | l Found | 10.63 | | 1.25 | | 1.27 | | Said to be barley | |
| 247 | Guaranteed | | | 3.50 | | 9.50 | | middlings. | |
| | Found | 17.88 | 2.88 | 5.32 | 1.82 | | 3. 13 | Wheat middlings | do. |
| 243 | Guaranteed. | 17.00 18.38 | 1.38 | 4.00 6.00 | 2.00 | 8.00 6.02 | 1 00 | do | 4- |
| | Found Guaranteed. | | 1.33 | 4.60 | 2.00 | 6.00 | 1.95 | ao | do. |
| 196 | Found | | -1.57 | | S1 | 4.12 | 1.88 | do | do. |
| 440 | Guaranteed | | | 4.00 | ••• | 6.00 | 200 | | ao. |
| 118 | Found | | . 50 | 4.41 | .41 | 7.93 | 1.93 | do | do. |
| 119 | f Guaranteed. | 15.00 | | 4.00 | | 8.00 | | | |
| 110 | l Found | 17.12 | 2.12 | 5.29 | 1.25 | | 29 | do | do. |
| 167 | Guaranteed. | | | 4.50 | | 4.00 | | | |
| | Found | 18.00 | 2.00 | 4.80 | . 30 | | -1.73 | do | do. |
| 147 | Guaranteed Found | 12.00 15.25 | 3, 25 | 4.50 4.39 | 11 | 7.00 | 50 | do V | Though house |
| | (Guaranteed | | 0.20 | 3.00 | 11 | 5.43 | .00 | | meat bran. |
| 284 | Found | | — .12 | 3.47 | . 47 | 5. 72 | . 29 | doA | s guaranteed. |
| 001 | Guaranteed. | | | 4.21 | | 9.35 | | | io gamanteean |
| 264 | Found | 18.13 | 3.46 | 5.69 | 1.48 | 6.65 | -2.70 | do | do. |
| 22 | Guaranteed. | | | 4.00 | | 7.20 | | Wheat middlings, shorts | |
| | l Found | | . 79 | 4.55 | . 55 | | · .40 | and offal. | do. |
| 125 | Guaranteed | | 1 0= | 4.00 | | 7. 20 | | | |
| | Found Guaranteed. | 15.87 | 1.85 | 4.51 | . 51 | | -1.09 | Pure wheat middlings | do. |
| 158 | Found | | 1.38 | $\frac{4.50}{5.27}$ | . 77 | 10.00 | 1_03 | Wheat middlings | do. |
| | Guaranteed_ | | 1.00 | 4.50 | | 8.00 | -1.00 | Wheat middings | uo. |
| 137 | Found | | 2.00 | 5.11 | . 61 | 9.01 | 1.01 | do | do. |
| 138 | Guaranteed. | | | 4.50 | | 8.00 | | | |
| 199 | Found | | 1.50 | 5.15 | . 65 | 8.79 | .79 | do | do. |
| 174 | Guaranteed. | | | 4.50 | | 4.00 | | | |
| *** | \ Found | | 1.50 | 4.85 | . 35 | | —1. 35 | do | do. |
| · 162 | Guaranteed. | | | 4.50 | 0.4 | 4.00 | 1.50 | | 1 |
| | Found Guaranteed. | | . 50 | 4.16 | 34 | | 1. 53 | do | do. |
| 157 | Found | | 2.38 | 5.17 | . 67 | 4.00 | _ 30 | do | do. |
| | Guaranteed. | | 2.00 | 4.50 | . 01 | 4.00 | | | uo. |
| 77 | Found | | 2.87 | 4.52 | .02 | | -1.13 | do | do. |
| | | | | | | | | | |

ANALYSES OF MIDDLINGS,

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. Price |
|----------------------|--------------------------------|--|--|-----------------------|--|
| 154 D | aisy Middlings | (lo | Stokes Grocery Co., Walnut Cove. | Jan. 20, '14 | 100 \$1.65 |
| 47, | do | do | | Sept. 9, '13 | 100 1.85 |
| 69 | do | do | J. M. O'Briant & Bro., Roxboro. | Oet. 8, '13 | 100 1.90 |
| | | Stuarts Draft, Va. | Cline & Moose, Concord | July 15, '13 | 100 |
| 307 | _do | do | W. H. Turner, Winston- Salem. | June 16, '14 | 100 2.00 |
| | iddlings Made in Argentine. | Chas. Schaefer & Son, Wilmington, N. C. | Chas. Schaefer & Son, Wilmington. | | 100 1.75 |
| | | do | Lumberton | Apr. 3, '14 | 100 1.75 |
| | | | John P. McNeill, Lumberton. | | 100 1.65 |
| | | Washburn-Crosby Co., Minneapolis, Minn. | Cline & Moose, Concord | | 100 1.75 |
| | | do | Greensboro. | Sept. 22, '13, | 100 1.65 |
| | | . Washburn-Crosby Co., | Salem. | June 16, '14 | 100 1.60 |
| 262 Pı | ure Wheat Middlings | Louisville, Ky. | Adams Grain & Provision Co., Fayetteville. Eugene Johnson, Littleton | Apr. 16 '14 | 100 1.65 |
| | | | Littleton Feed & Grocery | | 100 1.85 |
| | | | Co., Littleton | May 26, '14 | 100 1.85 |
| | | | Elkin. The West-Hill Co., Mt. | May 13, '14 | 100, 1.90 |
| | | | Airy. . G. C. Lovell Co., Mt. | | 100 1.90 |
| 269 | _do | · | Airy. Parham Supply Co., Hen- | Apr. 17, '14 | 100 1.85 |
| 267 | do | | derson. Geo. A. Rose Co., Henderson. | Apr. 17, '14 | 100 1.85 |
| | andard Wheat Middlings. | Washburn-Crosby Co., | Winston Grain Co., Wins- | June 16, '14 | 100 1.70 |
| 254 W | heat Middlings and | do | ton-Salem. Southern Feed & Grocery Co., Durham. | Apr. 15, '14 | 100 1.70 |
| | | | Sent by the manufacturers | | |
| | | | do | 1 | |
| | | Chicago, Ill. | The D. L. Gore Co., Wil- mington. | | |
| | | | A. T. Rothrock, Walnut Cove. | | |
| | | ville, N. C. | Sent by the ownerdo | | |

SHORTS AND RED DOG-Continued

| SHC | ORTS AND | REI | D DC |)G(| Conti | nued | | | |
|----------------------|---|----------------------|-------------|-------------------------|----------------|----------------------|----------------|---------------------------------------|-------------------|
| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
| 154 | Guaranteed Guaranteed | 17.38 | 1.38 | 4, 50 4, 67 4, 50 | . 17 | 4.00 2.81 4.00 | -1.19 | Wheat middlings | As guaranteed. |
| 47 | Found | 17.75 | 1.75 | 4.31 | . 19 | 3.52 | 45 | do | do. |
| 69 | Guaranteed.' Found | 17.00 | 1.00 | | − 2. 15 | 4,00 2,88 | -1.12 | do | do. |
| 10 | { Guaranteed. Found | 13.88 | -2.12 | | — 2. 15 | $\frac{5,00}{1,58}$ | -3, 42 | do | do. |
| 307 | Guaranteed. Found | | . 50 | 4.00 3.78 | 2 2 | $\frac{4.00}{2.73}$ | — 1. 27 | do | do. |
| 235 | Guaranteed Found | 15,31 18,50 | 3, 19 | 3, <u>83</u> 4, 32 | . 59 | 6, 68 7, 80 | | Wheat middlings and ground screenings | do. |
| 236 | f Guaranteed. | 15.31 | | 3, 83 | | 6.68 | | | |
| 237 | Found Guaranteed. | | 3.19 | 4, 43 3, 83 | , 60 | 5.27 6.68 | | do | do. |
| | Found Guaranteed. | | 3.08 | 4.48 | . 65 | 5.41 8.00 | 1.27 | do | do. |
| 61 | Found | $17.\mathrm{S}7$ | 2.87 | 5.35 | 1, 35 | | 1.38 | do | do. |
| 57 | $\left\{ egin{array}{l} \mathrm{Guaranteed} \ \mathrm{Found}. \end{array} \right.$ | 17.87 | 2.87 | | 1. 22 | 6, 12 | -1.88 | do | do. |
| 297 | {Guaranteed. Found | | 1.88 | 5.00 5.60 | . 60 | 9.00 6.57 | − 2. 43 | do | do. |
| 88 | Guaranteed. | 15.00 | 1.88 | 4.00 | . 86 | 8,00 | | do | do. |
| 262 | f Guaranteed. | 17.02 | | 4.03 | | 9.04 | | | |
| 258 | Found Guaranteed | | → . 02 | 5.45 4.50 | 1.42 | 10,00 | | do | do. |
| | Found Guaranteed. | | . 63 | 5. 10 4. 00 | . 60 | .8.46 4.00 | -1.54 | Wheat middlings | do. |
| 283 | Found | 16,00 | .00 | 3.22 | — . 78 | 3, 23 | → .77 | do | do. |
| 276 | $\left\{ \begin{array}{l} Guaranteed \\ Found \end{array} \right.$ | 17.75 | . 75 | 4.50 4.72 | . 22 | 4, 00 3, 52 | 48 | do | do. |
| 272 | Guaranteed. Found | | . 25 | 4, 50 4, 81 | . 31 | $\frac{4.00}{3.56}$ | 44 | do | do. |
| 269 | $\left\{ egin{array}{l} \mathrm{Guaranteed.} \\ \mathrm{Found.} \end{array} \right.$ | 16.00 | 2.13 | 4.50 | | 4.00 | | do | do. |
| 267 | f Guaranteed. | 16.00 | | 4.50 | | 5.00 | | | |
| 303 | Found Guaranteed. | | 2, 50 | 4.72 5.00 | . 22 | $\frac{2.79}{9.50}$ | -2.21 | do | do. |
| | Found | | 1.75 | 5.45 5.00 | . 45 | 7.15 9.50 | | Middlings and screenings | do. |
| 254 | Found | 17.38 | 2,38 | 5.43 | . 43 | 6.65 | -2.85 | do | do. |
| 176 | {Guaranteed Found | | 2, 94 | | . 42 | 7.00 4.44 | -2.56 | do | do. |
| 177 | $\left\{ egin{array}{ll} \mathrm{Guaranteed.} \\ \mathrm{Found.} \end{array} \right.$ | | 1, 63 | 4.50 5.22 | . 72 | 10.00 9.02 | | do | do. |
| 90 | Guaranteed. Found | | 2.50 | 4.00 | , 41 | 11.00 | | do | do. |
| 166 | Guaranteed. | 15.00 | | 3.00 | | 5.70 | | | |
| 6556 | , | | 1.00 | | . 49 | | → .29 | do | do. |
| 1 | Found Guaranteed. | | | 3.43 | | 2,43 | | Wheat middlings | do. |
| 6531 | Found | | | 5.85 | | 5. 67 | | do | do. |

^{2—}Agri. Dept.

ANALYSES OF MIDDLINGS,

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. Price |
|----------------------|--------------------------|---|------------------------------------|-----------------------|--|
| 6508 | Walter's [S] Middlings | J. A. Walter Milling Co., Buffalo, N. Y. | Sent by the manufacturer. | Aug. —, '13 | \$ |
| 6501 | Standard Middlings | Crescent Milling Co., Fair- fax, Minn. | | | |
| | Standard Middlings | Mankato, Minn. | do | | |
| | | Andrew Bowling, Staunton, Va. | Hazel & Mimms, Reids- ville. | Jan. 20, '14 | 100 1.70 |
| | do | Tenn. | City Feed Co., Hickory | Sept. 18, '13 | 100 1.75 |
| 184 | do | Middle Tennessee Milling Co., Tullahoma, Tenn. | C. Call, Wilkesboro | Mar. 18, '14 | 100 1.80 |
| | Pure Wheat Shorts | Winston-Salem, N. C. | Angelo Bro., Winston- | July 10, '13 | |
| | do | ton, Va. | J. C. Thomas & Co., Apex. | | |
| | | Austin-Heaton Co., Dur- ham, N. C | | | |
| | | do | | | |
| | | do | do | ** ** ** | |
| | Red Dog G. Flour | Winner Minn | Overman & Co., Salisbury | Sept. 16, '13' | 100 1.95 |
| 57 | Red Dog Middlings | dodo | Elmore Maxwell Co., Greensboro. | Sept. 9, '13 | 100 1.95 |
| | Middlings. | New Ulm, Minn. | M. C. Braswell, Battle- boro. | Apr. 16, '14 | 100 1.80 |
| | Eagle Red Dog Middlings | Lynchburg, Va. | B. W. Murphy Co., Rox- boro. | Oet. 8, '13 | 100 1.90 |
| 215 | Red Dog Middlings | Washburn-Crosby Co., Minneapolis, Minn. | Elmore Maxwell Co., Greensboro. | Mar. 31, '14 | 100 2.00 |

RECAPIT

| | Guaranteed and Found |
|-----------------|-------------------------|
| 1aximum | Guaranteed |
| | Found |
| Minimum | Guaranteed |
| | { Found |
| Average | f Guaranteed |
| | \ Found |
| Discon | ∫ Maximum |
| Discrepancy | Minimum |
| | Average |
| NT | ∫ Guaranteed |
| Number analyzed | Deficient |
| | Total |

^{*}Of the guaranteed, not of the total.

Note: "Deficient" here means below guarantee, and, See also Note on pages 24 and 28.

SHORTS AND RED DOG—Continued

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|--|----------------------|--------------|---------------------|-------------|------------------------|----------------|------------------------|------------------------------|
| | | | | | | | | | |
| 6503 | Guaranteed. Found | | | 5.86 | | 7. 62 | | Wheat middlings | . As guaranteed. |
| 6501 | $\left\{ \begin{matrix} \text{Guaranteed.} \\ \text{Found.} \end{matrix} \right.$ | 16.72 | 2.41 | 5.38 6.79 | 1.41 | 7. 59 | | do | do. |
| 6500 | $\left\{ \begin{matrix} Guaranteed \\ Found \end{matrix} \right.$ | | 3.75 | 5. 10 6. 83 | 1.73 | 10, 00 6, 68 - | −3. 32 | do | _ do. |
| 156 | $\left\{ \begin{matrix} \text{Guaranteed.} \\ \text{Found.} \end{matrix} \right.$ | 18.13 | 3.63 | $\frac{4.00}{5.60}$ | 1.60 | | 18 | Wheat shorts | do. |
| 13 | $\left\{ \begin{matrix} \text{Guaranteed.} \\ \text{Found.} \end{matrix} \right.$ | 15.88 | 12 | 4.00 4.92 | . 92 | | -1.22 | do_: | Shorts, bran and screenings. |
| 184 | {Guaranteed_ Found | 15.75 | 25 | 6,00 4,73 - | -1.27 | 4,00 3,46 - 4,00 | 54 | do | As guaranteed. |
| 9 | $\left\{ \begin{array}{l} \text{Guaranteed.} \\ \text{Found.} \end{array} \right.$ | 15.00 | 5.00 | 4.00 4.60 | . 60 | 3.85 - | → . 15 | do | As claimed. |
| 6520 | $\left\{ \begin{array}{l} \text{Guaranteed.} \\ \text{Found.} \end{array} \right.$ | 15,25 | .70 | $\frac{4.00}{4.04}$ | . 04 | | -1.55 | do | Shorts and crushed wheat |
| 300 | $\left\{ \begin{array}{l} \text{Guaranteed.} \\ \text{Found.} \end{array} \right.$ | | —1.87 | 4,50 3,39 - | -1.11 | 2,50 2,00 - | → .50 | | |
| 6587 | $\left\{ \begin{matrix} Guaranteed \\ Found \end{matrix} \right.$ | | 1 | 3.26 | | 2,16 | | | |
| 6588 | { Guaranteed. Found | | | 3. 15 | | 1.93 | | | |
| 12 | $\left\{ \begin{matrix} \text{Guaranteed.} \\ \text{Found.} \end{matrix} \right.$ | | -1.62 | 4.00 4.16 | . 16 | 2.50 1.23 - | -1. 27 | Red dog | As claimed. |
| 51 | Guaranteed. Found | | -1.50 | 4.50 4.13 - | → .37 | 6, 00 1, 20 - | -4. SO | do | _ do. |
| 263 | Guaranteed_Found | | .48 | 5.33 5.58 | . 25 | 4.38 3.90 - | → . 4 8 | do | _ do. |
| 72 | Guarantee 1. Found. | | -2, 13 | 5.00 3.35 - | -1.65 | 2.13 1.78 - | — . 35 | do | do. |
| 215 | $\left\{ \begin{matrix} \text{Guaranteed} \\ \text{Found} \end{matrix} \right.$ | 16.00 | 1.75 | $\frac{4.50}{4.65}$ | . 15 | 7.00 | | do | . do. |
| | | | | | | | | | |

ULATION

| Protein, Pe | r Cent | Fat, Pe | er Cent | Fibre, l | Per Cent |
|-------------|------------------|---------|----------|----------|------------|
| | | | | | |
| 19.00 | | 6.00 | | 11.00 | |
| 19.50 | | 6, 83 | | 9.02 | |
| 10.00 | | 3.00 | | 2.13 | |
| 13.00 | | 2.35 | | 1.20 | |
| | | | | | - |
| | | | | | - |
| 5.00 | 2.12 | 2.00 | -2.15 | 1.98 | -5.61 |
| . 25 | 02 | . 02 | 01 | . 10 | 0S |
| 63 or 90 p | er cent. 63 | or 90 | per cent | 63 or 90 | per cent. |
| _ | er cent.* 13 | | - | | per cent.* |
| 70 | 70 | | | 70 | • |

in the case of fiber. means also better than guarantee.

ANALYSES OF MIXTURES OF BRAN, SHORTS

| | | | | | · · |
|----------------------|--|---|--|-----------------------|---|
| Laboratory Number | Brand Name form Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Chaimed Weight of Package-Lbs Price |
| 10 | Bran and Shorts | | City Feed Co., Hickory | Sont 18 '13 | 100.81.75 |
| 18 | Dian and Shorts | | City reed Co., the Kory | Берс. 10, 15 | 100 61.10 |
| 15 | Wheat Bran and Middlings. | Concord Milling Co., Concord, N. C. | II. L. Parks & Co., Concord. | July 15, '13 | 100 |
| 68 | Pure Bran and Shorts | Glen Anna Milling Co., Thomasville, N. C. | Denton Mer. Co., Denton. | Sept. 24, '13 | |
| 14 | Choice Wheat Bran and Shorts. | Grimes Milling Co., Salisbury, N. C. | Salisbury Grain & Feed Store, Salisbury. | July 12, '13 | 75 |
| 201 | Pure Wheat Bran and Shorts. | Hickory Milling Co., Hickory, N. C. | Gaston Seed & Produce Co., Gastonia. | Mar. 26, '14 | 75 1.40 |
| 17 | Bran and Shorts Mixed | Newport Mills, Newport, Tenn. | City Feed Co., Hickory | Sept. 18, '13 | 75 1.30 |
| 16 | do | do | . Widenhouse & Co., Kan- napolis. | Sept. 16, '13 | 75 1.40 |
| 6536 | do | Newsom Roller Mills, Newsom, N. C. | | Dec. —, '13 | |
| 6514 | Wheat Bran and Shorts | Kings Mountain Roller Mills, Kings Mtn., N. C. | W. A. Ware & Co., Kings Mountain. | Aug. —, '13 | |
| 6511 | do | Statesville N C | Statesville Flour Mill Co | | |
| 6533 | Wheat Bran and Wheat Middlings. | Farmers' Cooperative Milling Co., Valdese, N. C. | | Nov. —, '13 | |
| 92 | Wheat Bran and Screenings. | Dunlop Milling Co., Clarksville, Tenn. | B. F. Mitchell, Wilmington. | Nov. 8, 13 | 109 1.60 |
| 33 | Wheat Bran, Shorts and Screenings. | Landis Milling Co., Landis N. C. | , Graham & Thomason, Kannapolis. | Sept. 16, '13 | 75 1.40 |
| 23 | Pure Wheat Bran and Screenings, | Liberty Mills, Nashville, Tenn. | Adams Grain & Produce Co., Asheville. | July 18, 13 | 100 |
| 175 | Wheat Bran and Screen- ings. | Pillsbury Flour Mills Co., Minneapolis, Minn. | Sent by the manufacturers | | |
| 6524 | Bran and Shorts | | do | Oet. —, '13 | |
| 6563 | Wheat Standard B Middlings and Screen- ings. | | . Sent by J. A.Lawson, Dan- bury, R. F. D. 1. | Apr, '14 | |

| | RECALII |
|--|-------------------------|
| | Guaranteed and Found |
| | |
| Maximum | Guaranteed |
| 2714311114111111111111111111111111111111 | Found |
| Minimum | Guaranteed |
| | \ Found |
| Average | Guaranteed |
| | Found |
| | Maximum |
| Discrepancy | Minimum |
| | Average |
| | Guaranteed |
| Number analyzed | Denterent |
| | Total |
| *Of the guaranteed. | |

Note: "Deficient" here means below guarantee and, See also Note on pages 24 and 28.

OR MIDDLINGS AND SCREENINGS

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fut, Per Cent | Discrepancy | Fiber, Per Cent Discremence | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|--------------------------|----------------------|--------------|------------------|-------------|-----------------------------------|-------------|--------------------------|---------------------|
| | | | | | | | | | |
| 4.1 | Guaranteed. | 14.50 | | 4.00 | | 7.00 | | | |
| 18 | Found | 16.80 | 2.30 | 4.80 | . 80 | 6.13 — | .87. | Bran, middlings, screen- | As guaranteed. |
| 4.5 | [Guaranteed] | 17, 50 | | 4.63 | | 7.36 | | ings. | |
| 15 | Found | | -3.12 | 4.68 | . 05 | 6. 61 | . 75 | Bran middlings | do. |
| 68 | [Guaranteed_ | 16.25 | | 5.01 | | 7.90 | | | |
| 0.5 | Found | 14.37 | -1.88 | 4.72 | 29 | 6.62 - 1 | . 28 | Bran shorts | do, |
| 14 | Guaranteed. | 15.12 | | 4.00 | | 7.00 | | | |
| 1-1 | Found | 13.50 | -1.62 | 3.53 | · . 47 | 4,83 2 | . 17 | do | do. |
| 201 | Guaranteed. | 15.00 | | -1.00 | | 6.00 | | | |
| 201 | tFound | 13.88 | -1.12 | 3.50 | 50 | 4,43 - 1 | .57 | do | do. |
| 17 | Guaranteed. | 14.50 | | 4.00 | | 8.00 | | | |
| 11 | \ Found | 16.38 | 1.88 | 4.90 | . 90 | 5.86 - 2 | 2.14 | Bran, shorts, screenings | do. |
| 16 | f Guaranteed. | 14.50 | | -4.00 | | 8.00 | | | |
| 10 | Found | 14.50 | .00 | 3.94 | · .06 | 4.86 - 3 | 3.14 | do | do. |
| 6536 | ${}_{\perp}$ Guaranteed. | | | | | | 1 | | |
| | \ Found | | | 4.23 | | 6.08 | | do | do, |
| 6514 | f Guaranteed. | | | | | | | | |
| | \ Found | | | 4.65 | | 5.21 | | do | do. |
| 6511 | \int Guaranteed_ | | | 4.00 | | 7.00 | | | |
| | \ Found | | .06 | 4,86 | . 86 | 6. 26 | . 74 | | |
| 6533 | ∫ Guaranteed. | | | | | | | | |
| | Found | | | 4.14 | | 5.47 | | | |
| 92 | Guaranteed. | | | 4,00 | | 9.50 | | Wheat bran and screen- | do. |
| | Found | | —1.38 | 4.35 | , 35 | 7.63 —1 | | | |
| 33 | Guaranteed. | | 2.0 | 5, 02 | | 6.38 | | Wheat bran, shorts and | |
| | Found | | . 26 | | 76 | | 1.40 | screenings | do. |
| 23 | Guaranteed. | | 1 10 | 4.00 | | 9.50 | | 1371 () | 1 |
| | Found | | -1, 12 | 4.64 | , 64 | | . 40 | Wheat bran and screen'gs | do, |
| 175 | Guaranteed. | | 1 ~~ | 4.00 | e= | 12.00 | 0.00 | | |
| | Found Guaranteed. | 16.25 | 1.75 | 4.67 | . 67 | 9.08-2 | 5.92 | | |
| 6524 | Found | | | 2 50 | | 5.96 | | | |
| | | 13. 50 | | 3.80 | | 5.90 | | | |
| 6563 | Guaranteed. Found | 16, 05 | | 5.32 | | 9.08 | | | Wheat middlings and |
| | (1 Ound, | 10.03 | | 9.32 | | J. UO | | | screenings. |
| | | | | | | | | | sercennus. |

ULATION

| Protein, l | Per Cent | Fat, P | er Cent | Fibre, I | er Cent |
|------------|------------|----------|------------|-----------|-----------|
| 17.50 | | 5.02 | | 12.00 | |
| 16.38 | | 5.32 | | 9.08 | |
| 14.50 | | 4.00 | | 6.00 | |
| 13.37 | | 3.50 | | 4.43 | |
| | | | - | | |
| 2.30 | -3.12 | .90 | — . 76 | | -3.14 |
| .06 | -1.12 | . 05 | - 06 | | 45 |
| 11 or 65 | per cent. | 11 or 65 | per cent.* | 11 or 65 | per cent. |
| 6 or 55 | per cent.* | 5 or 45 | per cent. | 11 or 100 | per cent. |
| 17 | | 17 | | 17 | |

in the case of fiber, means also better than guarantee.

ANALYSES OF TRADE-NAME MIXTURES OF

| | ame from bel | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lhs. Price |
|---------------------------------|-----------------|--|---|-----------------------|--|
| 96 Thoroughbre | | gton Roller Mill Co., ington, Ky. | A. W. Porter Co., Inc., Rockingham. | Nov. 11, '13, | 100 \$1.65 |
| 34 Hog Feed | States | | Graham & Thomason, | Sept. 16, '13 | 100 1.80 |
| | d | 0 | W. J. Fite, Charlotte | | 75 1.35 |
| | | | Adams Grain & Provision Co., Fayetteville. | | 75 |
| | | | Harris & McNeely, Moores- ville. | | 100 1.85 |
| | | | F. D. Brakley & Co., Gastonia. | | 75 1.5 0 |
| | | | Geo. A. Rose & Co., Hen- derson. | | 100 1.80 |
| | | | Blair & Co., North Wilkesboro. | | 100 1.75 |
| 293do | do |) | Rhyme Bros., Charlotte | June 11, '14 | 75 1.40 |
| | mor | e, Ind. | Adams Grain & Provision Co., Charlotte. | Sept. 25, '14 | 75 1.35 |
| 309 Gwinn's Dais and Shorts. | | | - W. A. Turner, Winston- Salem. | June 16, '14 | 100 1.85 |
| 188 Satisfaction M | | sville Flour Mill Co., oresville, N. C. | | Mar. 25, '14 | 100 1.75 |
| 186do | do |) | Howard Brawley Co., Mooresville. | Mar. 25, '14 | 100 1.85 |
| | Min | ury Flour Mill Co., neapolis, Minn. | Sent by the Manufacturer | Feb. —, '14_ | ' |
| 60 Pure Wheat B Shipstuff. | | er Roller Mills, Linton, N. C. | | Sept. 25, '13 | 100 1.80 |

RECAPIT

Guaranteed and Found

| Maximum | Guaranteed |
|-----------------|------------|
| | Found |
| Minimum | Guaranteed |
| | Found |
| Average | |
| | (34 |
| Discrepancy | Maximum |
| 2 more parties | Average |
| | Guaranteed |
| Number analyzed | Deficient |
| | Total |
| | |

^{*}Per cent of the guaranteed, not of the total. Note: "Deficient" means here below guarantee, and See also Note on pages 24 and 28.

WHEAT BRAN, MIDDLINGS AND SCREENINGS

| Laboratory Number | Guaranteed and Found | Protein, Per Cent - Discrepancy | Fat, Per Cent Discrepancy | Land Land Land Land Land Land Land Land |
|----------------------|-------------------------------------|--|--|---|
| 96 34 | Guaranteed. Found Guaranteed. Found | 15.38 — .37 15.00 15.00 .00 | 3.83 4.30 .47 4.00 3.66 — .34 | 7.09 5.97—1.12 Wheat bran and 7.00 middlings. 4.52—2.48 do. |
| 66 | Guaranteed_ Found | | 4.00_{1} 3.7822 | 7.00 5.42—1.58do. |
| 87 190 | Guaranteed. Found Guaranteed. | 15.63 .63 15.00 | 4,00 3,97 — .03 4,00 | 7.00 5.04—1.96 do. 7.00 Wheat bran, middlings |
| 202 | Found Guaranteed. | | 4.45 .45 4.00 | 5.60 —1.40 and screenings As guaranteed 7.00 |
| 202 | Found Guaranteed. | | 4.25 .25 4.00 | 5. 08 —1. 92do |
| 266 | Found | 14.8812 | 4. 15 . 15 | 5.58—1.42do do. |
| 278 | {Guaranteed_ Found | | 4.00 4.37 .37 | 7.00 5.78 —1.22dododo. |
| 293 | Guaranteed | 15.00 | 4.00 | 7.00 |
| 63 | Found Guaranteed. | | 4, 05 . 05 4, 40 | 4.92 -2.08 do. |
| 03 | Found | | 4.2020 4.00 | 5.27—3.83 Pure wheat product. do. |
| 309 | Found | | 5.42 1.42 | 7.00 Bran and middlings. 6.26 — .74 Bran shorts. |
| 188 | {Guaranteed. Found | | 4.00 3.27 — .73 | 8.00 3.82—4.18 do. |
| 186 | f Guaranteed. | 14.00 | 4.00 | 8.00 |
| | Found Guaranteed. | | 3.98 — .02 4.50 | 4. 42 - 3. 58 do. |
| 178 | Found | 17.00 1.00 | 4.64 ,14 | 6.37—2.63 Wheat bran, flour, screen- As guaranteed. |
| 60 | {Guaranteed_ Found | | 4.00 4.30 .30 | |
| | | | | |

ULATION

| Protein, Per Cent | Fat, P | er Cent | Fibre, | Per Cent |
|----------------------|-----------|------------|-----------|------------|
| | | | | |
| 16.00 | 4.50 | | 9.10 | |
| 17.00 | 5.42 | | 7.08 | |
| 14.00 | 3.83 | | 7.00 | |
| 13.63 | 3.27 | | 3.82 | |
| ******* | | | | - |
| 1.00 -1.38 | 1, 42 | | | - 4.10 |
| | | | .00 | |
| .13 — .12 | .05 | — . 02 | .00 | · . 74 |
| 15 or 100 per cent. | 15 or 100 | per eent. | 15 or 100 | per cent. |
| 7 or 46.6 per cent.* | 6 or 40 | per cent.* | 15 or 100 | per cent.* |
| 15 | 15 | | 15 | |
| | | | | |

in the case of fiber, means also better than guarantee.

ANALYSES OF

| Laboratory Number | Brand Name from Label | Manutacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. Price |
|----------------------|--------------------------|---|---|-----------------------|--|
| | _ | . Austin-Heaton Co., Dur- ham, N. C. | Bridgers Grocery Co., Charlotte. | Aug. 15, '13 | 75 8 |
| 260 | do | do | Eugene Johnston, Little- | Apr. 16, '14 | 100 1.80 |
| 19 | Pure Wheat Shipstuff | Dan Valley Mills, Dan- ville, Va. | Farmers' Union Agency, Winston-Salem. | July 10, '13 | 100 |
| 49 | do | do | Elmore Maxwell Co., | Sept. 9, '13 | 100 1.80 |
| 54 | do | do | Greensboro. Winston Grain Co., Winston-Salem. | Sept. 9, '13 | 100-1.80 |
| 216 | Dan Valley Shipstuff | do | Elmore Maxwell Co., Greensboro. | Mar. 31, '14 | 100 2.00 |
| | | do | Greensboro. | Mar. 30, '14 | 100 1.80 |
| | | do | Grocery Co., Greensboro. | | 100 1.80 |
| 270 | Shipstuff | do | Parham Supply Co., Hen- derson. | Apr. 17, '14 | 100 1.80 |
| 1 | | do | F. D. Forrester, North Wilkesboro. | May 25, '14 | 100 1.75 |
| 287 | do | do | Elkin Mercantile Co., Elkin. | May 26, '14 | 109 1.80 |
| | Shipstuff | mond, Va. | A. E. Rankin Co., Fayetteville. | Nov. 6, '13 | 100 1.75 |
| 99 | do | do | Parsons & Hardison, | Nov. 11, '13 | 100 1.80 |
| 98 | | Harrisonburg Milling Co., Harrisonburg, Va. | Wadesboro. F. W. Maurice, Rocking- ham. | Nov. 11, '14 | 100 1.80 |
| 231 | do | | Wide-Awake Hay & Grain | Mar. 30, '14 | 100 1.70 |
| 192 | do | Horn-Johnston Co., Mocksville, N. C. | Co., Greensboro. R. W. Freeze & Son, Mooresville. | Mar. 25, '14 | 100 1.75 |
| 189 | do | Mt. Ulla Roller Mill Co., | W. M. Neel & Co., Moores- | Mar. 25, '14 | 100 1.75 |
| 199 | do | Mt. Ulla, N. C. | ville. Harris & McNeely, Mooresville. | Mar. 25, '14 | 100 1.75 |
| | Piedmont Shipstuff | | | Mar. 25, '14 | 100 1.75 |
| 183 | do | dodo | F. D. Forrester & Co., North Wilkesboro. | Mar. 18, '14 | 100 1.75 |
| | Piedmont Shipstuff | burg, Va. | North Wilkesboro Feed Store, North Wilkesboro. | Mar. 18, '14 | 100 1.75 |
| 193 | do | do | W. M. Neel & Co., Moores- vill. | Mar. 25, '14 | 100 1.75 |
| 253 | do | do | Southern Feed & Grocery Co., Durham. | Apr. 15, '14 | $100^{\mid}\ 1.75$ |
| | Shipstuff | Winston-Salem, N. C. | Angelo Bro., Winston- Salem. | July 10, '13 | |
| 62 | do | Statesville Flour Mill Co., Statesville, N. C. | Cline & Moose, Concord | Sept. 26, '13 | 100 1.85 |
| 191 | do | | | Mar. 25, '14 | 100 - 1.75 |
| 6547 | do | Vill's, N. C. R. F. Cheek, Burlington, N. C. | Mooresville. Sent by the manufacturer | Feb. —, '14 . | |

SHIPSTUFF

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|--|----------------------|-------------|---------------------|---------------|--------------------|-------------|------------------------|-------------------|
| | | | | | | | | / | |
| | Guaranteed. | 16,00 | | 4.50 | | 5.50 | | , and the second | |
| 21 | Found | | 75 | 4.53 | .03 | 5.71 | . 21 | Shipstuff | s guaranteed. |
| 260 | Guaranteed. | 16.00 | | 4.50 | | 5.50 | | | |
| 200 | Found | | → .75 | 4.57 | .07 | 6.78 | 1.28 | do | do. |
| 19 | Guaranteed. | | 2.2 | 5,00 | 0.77 | 6.00 | 10 | , | A - |
| | Found Guaranteed. | | → .62 | $\frac{4.63}{5.00}$ | — . 37 | 5.58 - 6.00 | 42 | do | do. |
| 49 | Found | | . 28 | | → .39 | | → . 26 | do | do. |
| | Guaranteed. | | | 5.00 | | 6.00 | | | |
| 54 | Found | | . 37 | | — .31 | 5.11 - | → . 89 | do | do. |
| 216 | f Guaranteed. | | | 4.00 | | 5.00 | | | |
| 210 | \ Found | | . 50 | | . 65 | 5.36 | .36 | do | do. |
| 225 | Guaranteed. Found | | . 13 | 5.00 | - . 30 | 6.00 5.54 - | . 16 | do | do. |
| | (Guaranteed. | | . 10 | 5.00 | 50 | 6.00 | 40 | | do. |
| 229 | Found | | . 88 | | 24 | 5.66 | . 34 | do | do. |
| 270 | Guaranteed. | | | 4.00 | | 5.00 | | | |
| 270 | Found | | 1.25 | 4.74 | . 74 | 5.04 | . 04 | do | do. |
| 281 | Guaranteed. | | | 4.00 | | 5.00 | | | , |
| | Found | | . 75 | | . 61 | 5.30 6.00 | .30 | do | do. |
| 287 | Guaranteed. Found | | 1.38 | $\frac{4.00}{4.78}$ | .78 | | - 69 | do | do. |
| | Guaranteed. | | 1.00 | 4,00 | .10 | 7.00 | . 0 | | do: |
| 82 | Found | | . 88 | 4.31 | . 31 | | -1.62 | do | do. |
| 99 | f Guaranteed. | | | 4.00 | | 7.00 | | | |
| 00 | \ Found | | 1.00 | | · . 03 | | -1.57 | do | do. |
| 98 | Guaranteed. | | 0.05 | 4.50 | | 7.00 | 1 61 | do | do. |
| | Found Guaranteed. | | 2.25 | 5.17 4.00 | . 67 | 6.00 | -1.01 | | do. |
| 231 | Found | | 2.38 | | | | 55 | do | do. |
| 192 | Guaranteed. | | | 5.00 | | 4.25 | | | |
| 192 | Found | | — .50 | | -1.12 | | 2.07 | do | do. |
| 189 | Guaranteed. | | 1.00 | 4.25 | | 5.00 | 0.7 | do | do. |
| | Found Guaranteed. | | 1.00 | 4, 25 | 70 | 5.00 | 05 | 0 | do. |
| 199 | Found | | . 75 | | ·· . 43 | | → .86 | do | do. |
| 282 | f Guaranteed. | | | 4.00 | | 6.00 | | | |
| 202 | \ Found | | . 13 | | | | -1.00 | dodo | do. |
| 183 | Guaranteed Found | | 1.38 | 4,00 | | 6.00 | 1 19 | sdo | do. |
| | Guaranteed. | | 1.00 | 4.00 | | 6.00 | -1.10 | ,q0 | ao. |
| 185 | Found | | . 50 | | | | 49 |)do | do. |
| 193. | f Guaranteed. | | | 4.00 |) | 6.00 | | | |
| 100 | \ Found | | . 63 | 1 | | | — . 14 | do | do, |
| 253 | {Guaranteed. Found | | .75 | 4.00 | | 6.00 | _1_16 |)do | do. |
| | (Guaranteed | | | 3.69 | | 2.57 | 1. 10 | , | |
| 20 | Found | | | | | | 2.88 | 8do | do. |
| 62 | ∫ Guaranteed. | | | 4.00 | | 7.00 | | 1 | |
| 7- | \ Found | | · .38 | | | | -1.55 | 5,do | do. |
| 191 | $\left\{ egin{array}{l} \mathrm{Guaranteed.} \\ \mathrm{Found.} \end{array} \right.$ | | 1.76 | 4.36 | | 5.00 4.82 | 19 | sdo | do. |
| 0515 | f Guaranteed. | | | | | | . 1 | | |
| 6547 | {Found | | 1 | 4.56 | 3 | 6.01 | | do | do. |

ANALYSES OF

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs Price |
|----------------------|--------------------------|---|---------------------------------------|-----------------------|---|
| 6549 R | toaring River Shipstuff. | C. H. & W. C. Greenwood, Roaring River, N. C. | Sent by the manufacturer | Feb. —, ' | 14 |
| 6568 S | hipstuff | Adams Grain & Provision Co., Richmond, Va. | Sent by P. M. Phillips, Salisbury. | Apr. —, ' | 14 |
| 6510 | do | Statesville Flour Mill Co., Statesville, N. C. | Sent by the manufacturer. | Aug. —, ' | 13 |
| 6520 | do | Star Milling Co., States- ville, N. C. | do | Oct. —, ' | 13 |
| 6515 | do | J. H. Walker & Co., Reids- ville. | | Aug. —, ' | 13 |

RECAPIT

Guaranteed and Found

| Maximum | Guaranteed |
|-----------------|------------|
| | \ Found |
| Minimum | Guaranteed |
| | \ Found |
| Average | Guaranteed |
| | \ Found |
| | Maximum |
| Discrepancy | Minimum |
| | Average |
| | Guaranteed |
| Number analyzed | Deficient |
| | Total |
| | • |

^{*}Of the guaranteed, not of the total.

Note: "Deficient" means here below guarantee and, See also Note on pages 24 and 28.

SHIPSTUFF—Continued

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|-------------------------|----------------------|-------------|------------------|-------------|--------------------|-------------|------------------------|-------------------|
| | Guaranteed. | | | | | | | | |
| 6549 | Found | 14.12 | | 3.72 | | 5.46 | | Shipstuff | s guaranteed |
| | Guaranteed. | | | | | | | | |
| 6568 | Found | 17.00 | | 5.47 | | 7.13 | | do | do. |
| | Guaranteed. | 15.00 | | 4.00 | | 7.00 | | | |
| 6510 | Found | 15.25 | . 25 | 4.32 | . 32 | 6.02 - | . 98 | do | do. |
| | (Guaranteed. | | | | | | | | |
| 6520 | Found | 14.62 | | 4.36 | | 5.57 | | do | do. |
| | Guaranteed. | 15.00 | | 4.50 | | 4.50 | | | |
| 6515 | Found | 11.75 — | . 25 | 4.33 - | .17 | 4.94 | . 44 | | |
| | | | | | | | | | |

ULATION

| Protein, I | Per Cent | Fat, Pe | r Cent | Fibre, P | er Cent |
|------------|----------|---------|---------------|----------|---------|
| 16,00 | • | 5, 00 | | 7.00 | |
| 17.38 | | 5.90 | | 7.13 | |
| 14.00 | | 4.00 | | 2.57 | |
| 14.12 | | 3.55 | | 4, 14 | |
| | | | | | |
| | | | | | |
| 1.76 | 75 | 1.54 | -1.12 | 2,88 | -1.62 |
| . 13 | 25 | . 03 | — . 03 | .04 | 14 |
| | | | | | |

26 or 86, 6 per cent. 26 or 86, 6 per cent. 26 or 86, 6 per cent. 40 or 23 per cent. 11 or 42 per cent. 19 or 73 per cent. 30 30 30

in the case of fiber, means also better than guarantee.

ANALYSES OF MIXED FEEDS

| Label Label Label Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. Price |
|--|---|---|-----------------------|--|
| 37 Boss Feed | Asheville, N. C. | City Feed Co., Hickory | Sept. 18, '13 | 75 \$1 .30 |
| 227 White Feed | do | Wide-Awake Hay & Grain | Mar .30, '14 | 193 1.78 |
| 212 Mixed Feed | Bluefield, W. Va | Co., Greensboro. Thomas & Howard Co., Greensboro. | Mar. 30, '14 | 100 1.85 |
| 105 Daisy Dairy Feed | Cairo Milling Co., Cairo, 111. | M. J. Best & Son, Golds- boro. | Nov. 11, '13 | 100 1.75 |
| | . Carolina Rice Mills, Golds boro, N. C. | - S. M. Savage, Greenville | Nov. 13, '13 | 100 1.75 |
| 265 Colonial Hog Feed | folk Va | Woldon | Apr. 16, '14 | 100 1.90 |
| 112 Corno | The Corno Mills Co., St. Louis, Mo. | T. P. Asheford, New Bern. | Nov. 12, '13 | 100 1.90 |
| 208 Corno Horse and Mule Feed. | | Greensboro. | Mar. 30, '14 | 100 1.85 |
| 256 do | | cery Co., Durham | | 100 1.99 |
| 286 do | do | The Atkinson Co., Elkin | May 26, '14 | 100 |
| | - Davis Robinson Co., Roanoke, Va. | Wilkesboro | | 100 1.85 |
| 89 Mixed Feed | - Douthat, Riddle Co., Dan- ville, Va. | The Armfield Co., Fayetteville. | Nov. 6, '13 | 75 |
| 168 Ceralfa Stock Feed | | | | |
| 153 Eagle Barley Feed | - Huff & Cook, Roanoke, Va. | Stokes Grocery Co., Walnut Cove. | Jan. 20, '14 | 100 1.70 |
| 36 International Jewel Feed | International Sugar Fac- tory No. 2 Co., Memphis, Tenn. | Overman & Co., Salisbury | Sept. 16, '13 | 100 1.90 |
| 203 International Dry Horse and Mule Feed. | do | Thomas & Howard Co. Greensboro. | Mar. 30, '14 | 100 1.75 |
| 316 International Cow Feed | do | Parker & Clark, High | June 18, '14 | 100 1.75 |
| 304 Just Corn Goods | - Just Mills, Nashville, Tenn. | Winston Grain Co., Winston-Salem. | June 16, '14 | 100 1.75 |
| 170 Larro Feed. | Larrowe Milling Co., Detroit, Mich. | W. A. Myatt, Raleigh | | |
| 268 Larro Dairy Feed | do | Geo. A. Rose Co., Henderson. | Apr. 17, '14 | 100 1.95 |
| 211 Model Mill Feed | Model Mill Co., Johnston, Tenn. | | Mar. 30, '14 | |
| 239do | do | Birmingham & Co., Lumberton. | Apr. 3, '14 | 100 1.65 |
| 240do | | | Apr. 3, '14 | 100 1.75 |
| 228 Fine Feed | Mountain City Mill Co., Chattanooga, Tenn. | wide-Awake Hay & Grain Co., Greensboro. | Mar. 30, '14 | 100 1.80 |

NOT CONTAINING MOLASSES

| ory | eed | | Discrepancy | ney. | | Per paney | | |
|----------------------|--|----------------------|----------------|---------------------------------|-----|-----------------------------------|---|-------------------------------|
| Laboratory Number | Guaranteed and Found | Protein, Per Cent | ера | Fat, Per Cent Discrenance | - | Tiber, Per Tent Discrepancy | Ingredients Guaranteed | Chemist's Finding |
| apc | uar bd | rote er (| iser | at, ent iscr | | Fiber, Cent Discrep | | |
| ηZ | - 5 E | 되고 | | <u>що</u> А | | EC 8 | | |
| | (Guaranteed. | 19 94 | | 3.88 | | 5.46 | Wheat bran and screen- | |
| 37 | Found | | . 99 | | 19 | | | As guaranteed. |
| 227 | $\{Guaranteed$ | | | 3, 20 | | 3.40 | Wheat shorts, corn meal | |
| 221 | Found Guaranteed. | | . 75 | | 06 | 2.06 -1.34 | and bran | do. |
| 212 | Found | | . 11 | 4.00 4.41 | 41 | 8.01 3.62 —4.49 | Wheat and corn products | do. |
| 105 | Guaranteed_ | 13.25 | | 3.50 | | 12.50 | Corn, alfalfa, wheat | |
| 103 | Found | | - 3. 25 | | 00 | | | As guaranteed, plus oat |
| 122 | $\left\{ \begin{matrix} Guaranteed. \\ Found \end{matrix} \right.$ | | 1.49 | 8.00 8.02 | Dэ | 11.00 15.01 1.01 | Pure alfalta and rice products | clips. |
| 265 | Guaranteed. | | 21 10 | 5.00 | 0.2 | 15.00 | Wheat middlings, peanut | |
| 203 | Found | | -3.37 | | 06 | 11, 20 3, 80 | | do, |
| 112 | {Guaranteed. Found | | . 49 | 3.50 | 50 | 12, 00 10, 81 —1, 19 | Alfalfa, corn, cottonseed | As guaranteed except cot- |
| 000 | Guaranteed. | | . 40 | 3.50 | 02 | 12, 00 | Alfalfa, corn, cottonseed | tonseed meal. |
| 208 | Found | 10.75 | . 75 | 4.03 | 53 | 13, 45 1, 45 | meal, hominy feed, oat | |
| | Guaranteed_ | 10.00 | | 2.50 | | 10.00 | feed | do. |
| 256 | Found | | .00 | 3, 50 2, 96—. | 54 | 12.00 12.61 .61 | do | As guaranteed |
| 286 | f Guaranteed. | | | 3.50 | | 12.00 | | 8 |
| 200 | Found | | . 63 | | 12 | 10.39 -1.61 | | do. |
| 73 | { Guaranteed. Found | | . 50 | 3.00 4.02 1. | 02 | 8.00 7.34 — 66 | Corn and wheat bran, shorts | do. |
| 89 | f Guaranteed. | | | 4. 03 | | 10, 00 | Corncob meal and wheat | |
| 00 | Found | | . 34 | 2.59'—1. | 44 | | product | |
| 168 | Guaranteed Found | | - , 25 | 3.50 3.21 — . | 99 | 9.00 -2:00 | Alfalfa, corn, oats, wheat bran, cottonseed meal, | |
| | | -2.10 | . 20 | 0.21 | | 5.00 2.00 | salt | do. |
| 153 | Guaranteed_ | | | 3.90 | | 5.70 | | |
| | Found Guaranteed_ | 9.00 | 1.00 | 3.56 . 2.00 | 56 | 8. 07.—2. 37 12. 50 | | Crushed barley, barley hulls. |
| 36 | Found | 8.38 | → .6 2 | | 29 | | Alfalfa, eorn, oat elips | |
| | . 6 | | | | | | | |
| 203 | Guaranteed Found | | . 50 | 3.00 2.23 — . | 77 | 15.00, 18.97 3.97 | do | As guaranteed and weed |
| 316 | Guaranteed. | | .00 | 3.50 | | 14.00 | Alfalfa, corn, oat clips, | |
| 310 | Found | | — .87 | 3.07 — . | 43 | | cottonseed meal | As guaranteed |
| 304 | Guaranteed. Found | 8.75 7.50 | -1.25 | 2. 75 1. 22 —1. | 52 | 1.75 1.05 | Corn goods | do. |
| | (Tourney | 1.00 | 1. 50 | 1.22 1. | 00 | 1.00 | Dried distiller's grain, | do. |
| 170 | Guaranteed. | 19.00 | | 3.00 | | 14.00 | beet pulp, wheat bran | |
| | Found | 18.50 | 50 | 3.35 . | 35 | 11.80 -2.20 | and middlings, C. S. meal, gluten feed, corn | do. |
| | | | | | | | starch, corn bran. | |
| 268 | Guaranteed. | | | 3.00 | | 14.00° | | |
| | (Cuarantani | | .00 | | 85 | | Wil and all and a laboratory | do. |
| 211 | | 14.70 15.63 | . 93 | 4.00 4.66 | 66 | 7. 15 6. 07 —1. 08 | Wheat shorts and bran, eorn and eorn offal | do. |
| 239 | f Guaranteed. | 14.70 | - | 4.00 | | 7.15 | | |
| -30 | | 16.00 | 1.30 | | 46 | | do | do. |
| 240 | Guaranteed. Found | 14. 70 15. 63 | . 93 | 4.00 4.58 | 58 | 7. 15 6. 05 —1. 10 | do | do. |
| 228 | Guaranteed. | 12.50 | | 5.50 | i | 8.50 | Bran, shorts, ground | |
| | Found | 12.38 | 12 | 5.18 — . | 32 | 3. 97 —4. 53 | | do. |
| i | I | 1 | i | | l | | hominy feed. | |

ANALYSES OF MIXED FEEDS

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs Price |
|----------------------|-----------------------------|--|---|-----------------------|---|
| | imacher Special Hors ed. | se The Quaker Oats Co., Chi cago, Ill. | The West Hill Co., Mt. Airy. | Oet. 16, '13 | 100 \$1,65 |
| | | do | Erral Cr. M. D. | Jan. 10, '14 | 100 |
| 209 | 10 | do | The Patterson Co., Greens boro. | Mar. 30, '14 | 100 1.85 |
| 214 Schu | macher Stock Feed. | do | do | Mar. 30, '14 | 100 |
| | | do | ton | Apr. 16, '14 | 100 1.80 |
| 250 Green | n Cross Horse Feed. | do | H. L. Bizz ll, Goldsboro | Apr. 7, '14 | 100 1.85 |
| 277d | 0 | do | The West Hill Co., Mt. | May 13, '11. | |
| 140 Ideal | Feed | D. P. Reid & Bro., Nor- folk, Va. | C. G. Morris & Co., Washington: | Jan. 12, '14 | 100 2.00 |
| 151 Peerl | ess Crushed Feed | S. D. Scott & Co., Nor- folk, Va. | T. P. Nash, Elizabeth City. | Jan. 11, '14 | 100 |
| 64 Mill 1 | Feed | Statesville Flour Mill Co., Statesville, N. C. | W. J. Fite, Charlotte | Sept. 25, '13 | 75 1.49 |
| 30 Peerl | | J. Allen Smith & Co., Knoxville, Tenn. | Wide-Awake Hay & Grain Store, Greensboro, | July 11, '13 | |
| 145 Mixed Fee | l Corn and Oat | W. S. White, Elizabeth City, N. C. | W. S. White & Co., Elizabeth City. | Jan. 14, '11 | 100 1.85 |
| | | Douthat-Riddle Co., Dan-ville, Va. | Brought in by J. W. Avent, Cary. | Oct 19, '13 | 100 |
| 6503d | 0 | | S nt by the manufacturers | S∋pt. —, '13 . | |
| 6512 d | 0 | | do | Sept. —, '13 . | |
| 6585 Hog 1 | Feed | | do | Aug. —, '14 . | |
| 6518 Mill F | | | Sent by the manufacturer. | Sept. —, '13 | • |
| 6546 Cow 1 | Mixture | J. C. Harris, Lenoir, N. C. | J. C. Harris, Lenoir | Feb. —, '11 | |
| 6517 Hook | er's Mule Feed | P. A. Hooker, Kinston, N. C. | | Oet. —, '13 | |
| 6535 Mixed | Feed | | | Dec. —, '13 | |
| 6548 Feed. | | Lyerly Milling Co., Cleveland, N. C. | | Feb. —, '14 | |
| 6566 Mill F | eed | | Sent in by D. M. Prince, Greensboro. | May —, '14 | 100 |
| 6564dc |) | do | Sent in by North State Milling Co., Greensboro. | May —, '14 | 100 |
| 6565dc |) | do | | Apr. —, '14 | 100 |
| 6567 Sehun | nacher Feed | Quaker Oats Co., Chicago, Ill. | Sent in by P. M. Phillips, Salisbury. | Apr. —, '14 | |

NOT CONTAINING MOLASSES—Continued

| | | | | - | | | | | |
|----------------------|--|----------------------|-------------|------------------|-------------|--------------------|------------------|--|--------------------------|
| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
| | | | | | | _ • | | | |
| 78 | Guaranteed. | | → . 63 | 4.00 | -1.00 | 8.00 7.60 | 40 | Ground corn, crushed oats, C. S. meal, oat middlings and shorts and hulls, salt. | As guaranteed. |
| 134 | Guaranteed. | 10.00 | | 4.00 | | 8.00 | | | |
| 194 | \ Found | 9.50 | 50 | 3.60 | → .40 | 7.14 | 86 | do | do. |
| 209 | f Guaranteed. | 9.25 | | 3.25 | | 8.00 | | | |
| 205 | \ Found | 9.38 | . 13 | 3.66 | . 41 | 5.85 | -2.15 | do | do. |
| 214 | $\left\{ egin{array}{l} \mathrm{Guaranteed.} \\ \mathrm{Found.} \end{array} \right.$ | | . 25 | 3, 20 3, 45 | , 25 | 9. 00 9. 74 | | Ground corn and barley, wheat flour and midd- lings, hominy feed, C. S. meal, ground puffed | |
| | | | | | | | | rice and wheat, oat shorts, middlings, hulls. | do. |
| | Guaranteed. | 10.00 | | 3.50 | | 12.00 | | Corn, oats and hulls, | |
| 261 | Found | | - 12 | | .50 | | . 16 | alfalfa, C. S. meal | do. |
| 1 | [Guarantecd] | | | 2.50 | | 12, 50 | | | |
| 250 | Found | | 2, 75 | 2,52 | 02 | 13.92 | 1.93 | do | do. |
| | [Guaranteed] | | 2.70 | 2.50 | .02 | 12.00 | 21.02 | | |
| 277 | Found | | . 50 | 3.00 | 50 | | →1 69 | do | do. |
| | Guaranteed. | | .00 | 4.50 | .00 | 6.50 | 1,00 | | |
| 140 | Found | | .88 | | 70 | | -1 74 | Roll oats, cracked corn | do. |
| | [Guaranteed] | | .03 | 4.00 | | 7.00 | | Crushed oats and cracked | |
| 151 | Found | | - 25 | | → .22 | | -3.57 | corn | |
| | (Guaranteed) | | . 20 | 4.00 | | | 0.01 | Wheat bran and shorts, | |
| 64 | Found | | - 38 | 4.09 | .09 | ***** | . 57 | eorn bran | |
| | [Guaranteed] | | | 4.00 | .00 | 7.00 | .0. | Wheat bran and shorts, | |
| 30 | Found | | | | 81 | | -2.43 | | do. |
| | [Guaranteed. | | | 4.38 | | 3. 25 | 2. 10 | 0014 | |
| 145 | Found | 9.50 | . 12 | | -1.06 | | → .05 | | Cracked corn, oats. |
| | (Guaranteed. | | | 4.30 | | 10.00 | | Corn cob meal and | |
| 6522 | Found | | 1.47 | | -1.07 | | 1, 28 | | As guaranteed. |
| | f Guaranteed. | | 2 | | | 11.20 | 11.20 | Wilder production | |
| 6503 | Found | | | 2.65 | | 3. 16 | | | Corn, oats, wheat. |
| | [Guaranteed. | | | | | | | | |
| 6512 | Found | 10.63 | | 2.79 | | 4.82 | | Ground corn, oats, wheat Wheat flour and wheat | As guaranteed. |
| 6586 | Found | | | 2.02 | | 2. 10 | | bran | do. |
| | Guaranteed_ | | | | | | | | |
| 6518 | Found | | | 4.22 | | 6.27 | | | Wheat bran, small am't |
| 0510 | [Guaranteed] | - - | | | | | | | eoru bran and screen'gs. |
| 6546 | Found | 16.75 | | 4.40 | | 7.30 | | Corn cob meal, C.S. meal. | As guaranteed. |
| 0517 | [Guaranteed] | | | | | | | | |
| 6517 | (Found | 9.00 | | 4, 18 | | 3.55 | | Corn, oats, wheat bran | do. |
| 6535 | Guaranteed. | | | | | | | | |
| 4011 | l Found | | | 4.03 | | 4.09 | | Bran, shorts, corn, oats | do. |
| 6548 | Guaranteed. | | 1 | | | | | Wheat bran, shorts and | , |
| | l Found | 13 50 | | 2.85 | | 4.34 | | screenings | do. |
| $656\overline{6}$ | Guaranteed. | 11.00 | | 3.98 | | 6.35 | | Corn bran, wheat bran | A o |
| | \ Found | 11.88 | | | → .56 | | -1.92 | and screenings | do. |
| 6564 | Guaranteed. | | | 3.98 | | 6. 35 | 4 50 | | a - |
| | \ Found | 11.38 | | | 44 | 4.65 | →1.70 | σdo | do. |
| 6566 | Guaranteed. | | | 3, 98 | | 6.35 | 1 0- | 1 | do |
| | (Cuarantari | | | | 78 | | -1, 85 | do | do. |
| 6567 | Guaranteed. Found | 10.38 | | 3. 12 | | 6.96 | | | Corn bran, corn chops |
| | (жоина | 10. 35 | | o. 12 | 1 | 0.90 | | | and meal, oat clips. |
| | | | | | | | | | and mean, oat onpo. |

ANALYSES OF MIXED FEEDS

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. Price |
|----------------------|--------------------------|---|---|-----------------------|--|
| 6560 I1 | and Mule Feed. | m | Sent in by Roland & Rogers Co., Raleigh Sent in by Scott-Sparger Co., Green-boro. | Apr. —, '14 | |
| . 6562 | do | do | do | Apr. —, '14 | |
| | | Universal Oil and Fertil- izer Co., Wilmington, N. C. | Sent in by the company | | |
| | | - Austin-Heaton Co., Dur- | Sent in by Walkerton Roller Mill, Walkerton. | | |
| 123 Fi | ine Feed or Feed Meal | ham, N. C. Mountain City Mill Co., Chattanooga, Tenn. | Sent in by J. J. Green, Morrisville, W. S. Ashworth & Son | Nov. 24, '13 | 75 1.60 |
| | | Tenn. | , Widenhouse & Co., Kan- napolis. . Sent in by Reed and Fel- | | |
| | | | ton, Hertford. | | |

RECAPIT

| | Guaranteed and Found |
|-----------------|-------------------------|
| | |
| Maximum | Guaranteed |
| | Found |
| Minimum | Guaranteed |
| | Found |
| Average | Guaranteed |
| | Found |
| D: | Maximum |
| Diserepaney | Minimum |
| | Average |
| N: 1 , , | Guaranteed |
| Number analyzed | Deficient |
| | Total |

^{*}Of the guaranteed, not of the total.

Note that "deficient" in the case of fiber means better See also Note on pages 24 and 28.

NOT CONTAINING MOLASSES—Continued

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|--|--------------------------|-------------|--------------------------------|-------------|--------------------------------------|-------------|--|-------------------|
| 6507 6560 | $\begin{cases} \text{Guaranteed}_{-} \\ \text{Found}_{} \\ \text{Guaranteed}_{-} \\ \text{Found}_{} \end{cases}$ | 9.88 10.00 | | 3. 13 3. 00 3. 17 | | 8. 27 15. 00 14. 21 - | | Corn, oats, alfalfa, oat | s guaranteed. |
| 6561 6562 | Guaranteed. Found | 11.88 10.00 9.50 — | .50 | 3.00 2.97 – | . 22 | 15. 00 13. 06 15. 00 17. 43 | 2.43 | do | do. |
| 6502 6581 | {Guaranteed_ Found Guaranteed_ Found | 15.13 | | 2. 60 | | 43.50 | | Shelled peanuts, peanut hulls, C. S. meal | do. |
| 6521 | Guaranteed. Found Guaranteed. Guaranteed. | 15.50 15.00 — | .50 | 2.85 4.75 4.71 – 5.50 | 04 | 5. 27 6. 00 7. 46 8. 50 | | Wheat and corn products Wheat middlings, screen- | do. |
| 123 35 | { Found | 12.94 14.25 | | 3.73 - 5.07 4.02 - | | 7.39 | | ings, corn bran | do. do. |
| 6550 | Guaranteed. Found | | | 4.52 | 1 | 4. 12 | | | |

ULATION

| Protein, Per Cent | Fat, Per C | ent Fibre, | Per Cent |
|----------------------|----------------|-----------------|-------------|
| | | | |
| 19.00 | 8.00 | 15.00 | |
| 19.00 | 8.02 | 18.97 | |
| 8.75 | 2.00 | 1.75 | |
| 7.50 | 1.22 | 1.05 | |
| | | | |
| | | | |
| 2.88 -3.37 | 1.02 | -1.77 3.97 | -4.53 |
| .11 — .12 | .02 — | 03 | 05 |
| 47 or 79.6 per cent. | 47 or 79.6 per | cent. 47 or 79. | 6 per eent. |
| 17 or 36 per cent. | 26 or 55 per | cent.* 34 or 72 | per cent.* |
| 59 | - | | |
| | | | |

than guarantee.

ANALYSES OF MIXED FEEDS

| American Milling Co., Peoria, Ill. Data Peoria, Ill. | | | | | 1 | + 8 |
|--|----------------------|--|---|--|-----------------------|---|
| Peoria, III. Boro. B. G. Thompson & Son, Apr. 7, '14 100 1.65 | Laboratory Number | | | Retailer | Date of Collection | Claimed Weight of Package-Lbs Price |
| Coldsboro. Apr. 7, '14 100 1.70 | 244 | Sucrene Dairy Feed | | | Apr. 7, '14 | 100 \$1.65 |
| 248 Sucrene Alfalfa Horse and Mule Feed. | 246 | do | do | | Apr. 7, '14 | 100 1.65 |
| Mule Feed. Salem. Salem. Wide-Awake Hay & Grain Mar. 30, '14 100 2.00 | 245 | | do | M. J. Best & Sons, Golds- | Apr. 7, '14 | 100 1.70 |
| and Mule Feed. St. Louis, Ill. Co., Greensboro. Nov. 11, '13 100 | 28 | | do | | July 10, '13 | |
| III. Colonial Cereal Co., Norfolk, Va. Colonial Brand Horse and Mule Peed. Colonial Brand Horse and Mule P | 218 | | | | Mar. 30, '14 | 100 2.00 |
| 136 Excelsior Horse and Cattle Feed. | 106 | Velvet Molasses Feed | | | Nov. 11, '13 | 100 |
| Dabney Brokerage Co., Newport News, Va. Gastonia. Deans & Moye, Goldsboro Nov. 6, '13 100 2.00 | 136 | | Colonial Cereal Co., Nor- | | Jan. 10, '14 | |
| Feed. Newport News, Va. Gastonia. 101 | 113 | Exeelsior | do | dodo | Nov. 12, '13 | 100 1.90 |
| The Patterson Co., Greens Sept. 22, '13 100 1.85 | | Feed. | Newport News, Va. | Gastonia. | | |
| boro do | 101 | do | do | Deans & Moye, Goldsboro | Nov. 6, '13 | 100, 2.00 |
| Tuxedo Chops | 52 | do | | | Sept. 22, '13 | 100 1.85 |
| Early & Dani Co., Cincinnati, O. Charlotte. | 5 9 | Mascot Feed | | | Sept. 22, '13 | 100 1.75 |
| Edgar-Morgan Co., Memphis, Tenn. Sept. 20, '13 100 1.80 | 67 | Tuxedo Chops | Early & Dani I Co., Cin- | Farmers' Supply Co., | Sept. 25, '13 | 100 1.90 |
| 32 Gem Sweet Feed | | | phis, Tenn. | W. J. Fite, Charlotte | | 100 1.80 |
| Co., Asheville. Co., Asheville. G. C. Lovell Co., Mt. May 13. '14 100 1.80 | 294 | do | do | Rhyme Bros., Charlotte | June 11, ' | 14 |
| 275 Reliable Molasses Feed Excello Feed Milling Co., St. Louis, Mo. G. C. Lovell Co., Mt. Airy. May 13. '14 100 1.80 Oct. 16, '13 | 32 | Gem Sweet Feed | | | July 18, '13 | |
| 298 Sho-me Horse and Mule Feed. Farmers' Union Agency Co., Winston-Salem. June 16, '14' 100 1.85 | | | Excello Feed Milling Co., | G. C. Lovell Co., Mt. | | 100 1.80 |
| Feed. Co., Winston-Salem. Apr. 6, '14 100 1.80 | 76 | Reliable Horse Feed | do | do | Oct. 16, '13. | |
| Mule Feed. Feed Co., New Bern, N.C. Feed Co., New Bern. 114 Dan Patch. International Sugar Feed No. 2 Co., Memphis, Tenn. Burrus & Co., New Bern - Nov. 12, '13 100 1.85 No. 2 Co., Memphis, Tenn. 222 do. Thomas Howard & Co., Mar. 30, '14 100 2.00 Greensboro. 257 do. Southern Feed & Grocery Apr. 15, '14 100 1.90 | 298 | | | | June 16, '14 | 100 1.85 |
| No. 2 Co., Memphis, Tenn. Thomas Howard & Co., Greensboro. Southern Feed & Grocery Apr. 15, '14 100 1.90 | 242 | Colonial Brand Horse and Mule Feed. | New Bern Hay, Grain & Feed Co., New Bern, N.C. | New Bern Hay, Grain & Feed Co., New Bern. | Apr. 6, '14 | 100 1.80 |
| 222 do. Thomas Howard & Co., Mar. 30, '14 19) 2.00 Greensboro. 257 do. Southern Feed & Grocery Apr. 15, '14 100 1.90 | 114 | Dan Pateh | No. 2 Co., Memphis, | Burrus & Co., New Bern | Nov. 12, '13 | 100 1.85 |
| 257do | 222 | do | | | Mar. 30, '14 | 190 2.00 |
| | 257 | do | do | | Apr. 15, '14 | 100 1.90 |

CONTAINING MOLASSES

| 'n | 7,7 | | ç | | cy | | cy | | |
|----------------------|-------------------------|-------|--------------|---------------------|-------------|----------------|---------------|--|---|
| tor | ranteec Found | n t | эап | H |)an | Per | oan | Ingredients Guaranteed | Chemist's Finding |
| Laboratory Number | Guaranteec and Found | Cein | Discrepancy | Ă, | Discrepancy | , T | Discrepancy | | |
| dab | rus pu | rot |)isc | at, |)isc | ibe en |)isc | | |
| 14 | O 8 | H H4 | н | HO - | | 40 | П | | |
| | | | | | | | | | |
| 244 | Guaranteed. | | | 3.50 | 0.00 | 12.00 | 07 | C. S. meal, corn gluten, | |
| | \ Found | 10.03 | . 13 | 5.86 | 2.30 | 12.07 | . 07 | feed, chopped oats, mo- lasses. | |
| | Guaranteed_ | 16.50 | | 3.50 | | 12.00 | | moses. | As guaranteed. |
| 246 | Found | | .00 | 7. 28 | 3.78 | | → . 16 | do | do. |
| 945 | [Guaranteed_ | 9.00 | | 2.50 | | 12.00 | | Oats, corn screenings, | |
| 245 | Found | 11.00 | 2.00 | 3.85 | 1.35 | 8.13 | -3.87 | salt | do. |
| | | | | | | | | Alfalfa, cracked corn, | |
| 28 | Guaranteed. | | | 2.50 | | | | linseed meal, rolled | |
| | l Found | 10.00 | -1.00 | 1.82 - | 6 8 | 11.36 | — . 64 | | , |
| | / C | 0.00 | | 0.00 | | 12.50 | | cleaned grain, molasses | do. |
| 218 | Guaranteed. Found | 9.00 | 1.00 | 2.00 2.34 | 24 | 13.50 12.82 | | Alfalfa meal, crushed | |
| | Touddi | 10.00 | 1.00 | 2.04 | . 04 | 12.02 | 00 | oats, cracked corn, molasses. | do. |
| | Guaranteed | 10.50 | | 2.50 | | 12.00 | 1 | | Corn, alfalfa, oat |
| 106 | Found | | 13 | 2.80 | .30 | 10. 27 | -1.33 | | clips, molasses. |
| 126 | (Guaranteed_ | | | 4.00 | | 13.00 | | Corn, oats, alfalfa, midd- | *************************************** |
| 136 | Found | 9.75 | -1.25 | 6.92 | 2.92 | 16.60 | 3.60 | lings, molasses | As guaranteed. |
| | | | | | | | | Cracked corn, alfalfa | |
| 113 | { Guarauteed. | | | 4.00 | | 13.00 | | meal, wheat middlings, | |
| | l Found | 10.00 | -1.00 | 4.97 | . 97 | 15.73 | 2.73 | | |
| | | | | | | | | C. S. meal, molasses. | |
| 195 | Guaranteed_ | | 00 | 3.00 | 00 | 12.00 | | Corn, oats, alfalfa, mo- | , |
| | (Cusperted | | .00 | 2.80 - | 20 | | —1. 79 | lasses | do. |
| 101 | Guaranteed_Found | | 25 | $\frac{3.00}{2.12}$ | 88 | 12.00 | -9 20 | do | do |
| | Guaranteed. | | . 20 | 3.00 | .00 | 12.00 | -D. 00 | | do. |
| 58 | Found | | 25 | - 1 | 10 | | -1.54 | do | do. |
| 59 | Guaranteed. | | | 4.00 | | 13.00 | | Corn, oats, alfalfa, pea- | |
| 99 | Found | | 1.00 | | -1.39 | 12.25 | | | do. |
| 67 | Guaranteed_ | 12.50 | | 4.00 | | 10.00 | | Alfalfa, corn, oats, brew- | |
| 0. | l Found | 12.25 | · . 25 | 2.88 - | -1.12 | 8, 12 - | -1.SS | ers' grains, molasses | do. |
| 65 | Guaranteed. | | | 2.50 | Ì | 12,00 | | | |
| | l Found | | · . 25 | 2.29 - | 21 | | -2.45 | do | do. |
| 294 | Guaranteed | | 1 00 | 2.50 | 10 | 12.00 | | 1 | , |
| | Found | | 1.88 | 2, 60 3, 00 | . 10 | | | Alfalfa corn C S mool | do. |
| 32 | Found | | 2.00 | 4.86 | 1.86 | 10.00 10.18 | . 18 | Alfalfa, corn, C. S. meal, salt, molasses | do |
| 027 | Guaranteed | | 2.00 | 3.00 | | 15.00 | | Alfalfa, corn, oats, salt, | do. |
| 275 | Found | | . 75 | | | 11.94 | | molasses | do. |
| 76 | Guaranteed_ | | | 3.50 | | 15.00 | | Alfalfa, corn chops, oats, | |
| 10 | Found | 10.37 | .37 | 2.51 | 99 | 9.72 - | -5. 28 | molasses | do. |
| 298 | ∫ Guaranteed. | 10.00 | | 3.00 | | 15.00 | | Alfalfa, corn chops, oats, | |
| | l Found | 11.13 | 1.13 | 2.30 - | 70 | 12, 55 - | -2.45 | salt, molasses | do. |
| | | 40.0- | | | 1 | | | C. S. meal, oat hulls, al- | |
| 242 | Guaranteed. | | 10 | 2.50 | 40 | 13.00 | | falfa, cracked corn, | |
| | l Found | 9.88 | — .12 | 2.90 | . 40 | 11.31 - | -1.69 | oats, wheat bran, mo- | J. |
| | Guaranteed_ | 10.00 | | 3.00 | | 12.50 | 1 | lasses. | do. |
| 114 | Found | | 1.25 | 3.51 | . 51 | 10.78 | | Alfalfa, cracked corn, oats, molasses, salt | do. |
| 1 | , i sundinini | 11.20 | 1.20 | 0.01 | .01 | AU. 10 | 1.12 | oavo, moraoses, salt | uo. |
| 222 | Guaranteed | 10.00 | | 3.00 | | 12,50 | | | |
| 222 | Found | 9.50 | 50 | | 68 | | -2.19 | do | do. |
| 257 | ∫ Guaranteed_ | | 1 | 3.00 | | 12.50 | 1 | | |
| | l Found | 12.13 | 2.13 | 2.31 - | 69 | 12.55 | . 05 | do | do. |

ANALYSES OF MIXED FEEDS

| tory. | Brand Name from | Manufacturer or | Retailer | uo | Claimed Weight of Package-Lbs. | |
|----------------------|---------------------------------|---|--|-----------------------|-----------------------------------|--------|
| Laboratory Number | Label - | Wholesaler | | Date of Collection | Claime of Pack | Price |
| 38 | do | do | City Feed Co., Hickory | Sept. 18, '13 | 100 | \$1.85 |
| | Feed. | do | New Bern. | Jan. 10, '14 | 100 | I .85 |
| 313 E | Iorse and Mule Feed | do | Parker & Clark, High Point. | Jan. 18, '14 | 100 | 1.90 |
| 53 J | ewel Feed | do | Southern Feed & Groeery Co., Durham. | Sept. 10, '13 | 100 | 1.65 |
| 312 _ | do | do | Parker & Clark, High Point. | June 18, '14 | 100 | 1.75 |
| | | National Oats Co., St. Louis, Mo. | The West Hill Co., Mt. | Oct. 16, '13 | | 1 .75 |
| 111 _ | do | do | Airy. T. P. Asheford, New Bern. | Nov. 12, '13 | 100 | 1.60 |
| | | | Southern reed & Grocery Co., Durham. | | 10 0 | 1.90 |
| | Feed. | Crowley, La. | R. A. Allen, Reidsville | | | 1.75 |
| 169 _ | do | do | V. A. Myatt, Raleigh | | | |
| 165 N | Tutrilene Stock Feed | do | R. A. Allen, Reidsville | Jan. 20, '14 | 100 | 1.80 |
| 50 C | ream Alfalfa Dairy Feed | Omaha Alfalfa Milling Co., Omaha, Neb. | Elmore Maxwell Co., Greensboro. | Sept. 9, '13 | 10 0 | 1.75 |
| | Feed. | do | W. H. Turner, Winston- Salem. | July 10,'13 | | |
| | | do | Greensboro. | Mar. 31, '14 | 100 | 2.00 |
| | | do | Charlotto | June 10, '14 | | |
| | | do | Grounshoro | Mar. 31, '14 | 100 | 2.00 |
| 292 I | 'eerless Alfalmo Horse F'd | do | Charlotte Brokerage Co., Charlotte. | June 10, '14 | 100 | 1.80 |
| | Peerless Alfalfa Horse Feed. | Omaha Alfalfa Milling Co., Omaha, Neb. | Point. | June 18, '14 | | 1.90 |
| | | Memphis, Tenn. | Phillips & Penny, Raleigh | | 100 | 1.85 |
| | | | American Commission Co. Greensboro. | | 100 | 1.90 |
| | | | Wids-Awake Hay & Grain Co., Greensboro. | | | 1.70 |
| 31 A | rab Horse Feed | M. C Peters Mill Co., Omaha, Neb. | Co., Greensboro. Asheville Grain & Hay Co., Asheville. | July 18, '13 | 100 | |
| 128 | do | do | Asheville. | Nov. 24, '13 | 100 | 1.90 |
| 127 J | une Pasture Feed | do | do | Nov. 24, '13 | 100 | |
| 223 | Good Molasses Feed | Purina-Ralston Co., St. Louis, Mo. | Elmore-Maxwell Co., Greensboro. | Mar. 31, '14 | 100 | 2.00 |
| 274 F | urina Feed with Molasses. | do-, | G. C. Lovell Co., Mt. Airy. | May 13,'14 | 100 | 1.90 |

CONTAINING MOLASSES—Continued

| | | | 1 | | | | | | |
|----------------------|--------------------------|----------------------|----------------|---------------------|---------------|--------------------|----------------|---|--------------------------|
| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
| 38 | Guaranteed_ Found | 10.00 | . 00 | 4.00 4.07 | . 07 | | 2. 59 | Alfalfa, cracked corn, oats, molasses, salt | As guaranteed |
| 129 | Guaranteed_ Found | 9.25 | | $\frac{3,00}{2,50}$ | → . 50 | 12, 50 10, 97 | -1.53 | do | do. |
| 313 | Guaranteed. | 12.50 | 1 | 3.50 | | 12.00 | | Alfalfa, corn, C. S. meal, | |
| 010 | (Guaranteed | | | $\frac{2.86}{2.00}$ | — . 64 | 10.37 12.50 | —1. 63 | molasses, salt Alfalfa, cracked corn, C. | do. |
| 53 | Found | 8.12 | | | 84 | | -3.45 | | |
| 312 | Guaranteed Found | 8.00 9.63 | | 2.00 1.68 | 32 | 12, 50 | - . 55 | Alfalfa, corn, oats, oat | d. |
| 79 | Guaranteed | | | 3. 25 | 02 | 12.00 | | clips, molasses, salt Alfalfa, corn, oat feed, | do. |
| 19 | Found | 8.43 | | | -1.32 | | 50 | C. S. meal, molasses | do. |
| 111 | Guaranteed. Found | | | $\frac{3.25}{2.62}$ | - .63 | 12.00 9.77 | − 2, 23 | do | do. |
| 251 | Guaranteed. | 10.00 | | 3.25 | | 12.00 | | | |
| | Found Guaranteed. | | | $\frac{2.14}{3.50}$ | -1.11 | 14. 14 12. 00 | 2.14 | Alfalfa, corn, rice bran | do. |
| 163 | Found | | | 4.90 | 1.40 | | -5.25 | C. S. meal, molasses | do. |
| 169 | Guaranteed. | | | 3.50 | 0.05 | 12.00 | 4 17 | 1 | 1 |
| 1.07 | Found Guaranteed. | | | 6. 15 3. 50 | 2.65 | 12.00 | -4.17 | do | do. |
| 165 | Found | 8.25 | | 5.22 | 1.72 | | −3.1 8 | do | As guaranteed, except C. |
| 50 | Guaranteed_ Found | | .37 | 2. 25 | -1.42 | 15.00 | -8, 69 | Alfalia, meal, corn, mo- | S. meal. |
| 27 | Guaranteed. | | | 1.00 | -1.42 | 25.00 | 0,09 | lasses | do. |
| 21 | Found | | 3.75 | | 11 | | −8.40 | Alfalfa, meal, molasses | do. |
| 217 | Guaranteed. Found | | | 2.00 1.10 | 90 | 15.00 12.75 | 2. 25 | Alfalfa, cracked corn, oats, molasses | do. |
| 289 | Guaranteed_ | 10.00 | | 2.00 | | 12.00 | | Alfalfa, corn, oats, mo- | |
| | \ Found ∫ Guaranteed. | | .88 | $\frac{2.80}{2.00}$ | . 80 | 12.62 12.00 | . 62 | lass:s | do. |
| 232 | Found | | 2.38 | 2.56 | . 56 | 13.17 | 1.17 | do | do. |
| 292 | Guaranteed_ | | | 2.00 | 00' | 12.00 | | | |
| 04.4 | Found Guaranteed. | | . 38 | 2.00 | 08 | 13.42 | 1,42 | do | do. |
| 314 | Found | 9.75 | 25 | 1.82 | 1 8 | 11.51 | | do | do. |
| 56 | Guaranteed. Found | | — . 6 3 | 3.00 2.19 | → .81 | 12.00 | — 3, 11 | Alfalfa, corn, C. S. meal rice straw, molasses | do. |
| 219 | Guaranteed_ | | . 00 | 3.00 | .01 | 12.00 | 0,11 | rice straw, morasses | do. |
| 213 | l Found | | .38 | 3.12 | . 12 | 13.51 | 1.51 | do | do. |
| 29 | Guaranteed_Found | 9.00 9.13 | | 2.00 2.44 | .44 | 12.00 8.03 | -3.97 | Alfalfa, corn, oats, mo- | do. |
| 31 | Guaranteed. | | | 2.00 | | 15.00 | | | |
| | Found Guaranteed. | 11.63 10.00 | | 2.21 | . 21 | 8.30 15.00 | 6.70 | do | do. |
| 128 | Found | 10.63 | . 63 | 2.19 | .19 | | -4.50 | do | do. |
| 127 | Guaranteed_ Found | 10.00 14.50 | | . 50 | 27 | 26.00 | 0.21 | Alfalfa malassas | a . |
| 223 | Guaranteed. | 9.00 | | 1.50 | .01 | 12.00 | | Alfalfa, molasses | do. |
| 220 | Found | 10.63 | 1.63 | 2.16 | . 66 | 7.69 | -4.31 | ground screenings, salt, | , |
| 974 | Guaranteed. | 9.30 | | 1.70 | 1 | 11.70 | | molasses. Alfalfa, corn, oats, salt, | do. |
| 2/4 | Found | 10.13 | | 2.47 | .77 | | -2.26 | | do. |

ANALYSES OF MIXED FEEDS

| | | | | Lbs. |
|---|---|--|-----------------------|---|
| Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs Price |
| | | | | |
| 311 Big Mule Molasses Feed . | The Quaker Oats Co., Chicago, Ill. | W. H. Turner, Winston-Salem. | June 16, '14 | 100 \$1.90 |
| 241 Green Cross Horse Feed. | do | L. H. Caldwell, Lumberton. | Apr. 3, '14 | 100 2.25 |
| 205do | do | | Mar. 30, '14 | 100 1.75 -1 |
| 103 Green Cross Molasses Mixed Feed. | do | fl. L. Bizzell, Goldsboro | Nov. 6, '13 | 100 1.90 |
| 295 Mogul Molasses Mixed Feed. | | Adams Grain & Produce Co., Charlotte. | June 11, '14 | 100 1.85 |
| 130do | do | T. P. Asheford, New Bern. | Jan. 10, '14 | 100 |
| 315 Quaker Molasses Dairy Feed. | do | . Parker & Clark, 1figh Point. | June 18, '14 | 100 1.75 |
| 160do | do | Spray Mercantile Co., Spray. | Jan. 20, '14 | 100 1.75 |
| 148 Purina Molasses Feed | | W. S. White & Co., Eliza- | | |
| 110do | do | Ray Dawson, Kinston | Nov. 8, '13 | 100 1.85 |
| 225 XX Good Molasses Feed. | do | Southern Feed & Grocery Co., Durham. | Apr. 15, '14 | 100 1.90 |
| 234 Krak-a-Jak Horse Feed . | The Superior Feed Co., Memphis, Tenn. | Wide-Awake Hay & Grain Co., Greensboro. | May 30, '14 | 100 1.80 |
| 305 Molasses Horse and Mule Feed. | | | June 16, '14 | 100 1.80 |
| 6540 Mixed Feed (lot D) | Applewhite & Rowan, | Applewhite & Rowan, Wilmington. | Dec. —, '13 | |
| 6541 Mixed Feed (lot 6) | do | do | Dec. —, '13 | |
| 6537 Sucrene Dairy Feed | | J. W. Robinson, Newton | Dec. —. '13 | |
| 6534 *Peanut Hull Feed | Dabney Brokerage Co., Newport News, Va. | Sent in by the manufac- turer. | Dec. —, '13 | |
| 6579 †X-tra Vim | ton, Mass. | | | |
| 6580 Sphagnum Moss | do | do | June —, '14 | |
| 6545 †CXX Feed | Postum Cereal Co., Bat- tle Creek, Mich. | | Feb. —, '14 | |

^{*6534} Proposed but not on the North Carolina market.

^{†6580} Proposed but not licensed on the North Carolina market.

CONTAINING MOLASSES—Continued

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|--|----------------------|---------------|------------------|--------------|--------------------|---------------|---|---|
| 311 | Guaranteed Found | | 1.50 | 3.00 3.17 | . 17 | 15.00 11.83 | - 3.17 | grain screenings, mo- | As guaranteed. |
| 241 | Guaranteed_ Found | | 1.63 | 2.50 2.73 | . 23 | 12,00 $12,95$ | . 95 | Alfalfa, corn, oats, C. S. meal, molasses | do. |
| 205 | Guaranteed. Found. | 10.00 | 1.50 | 2.50 | | 12.00 | 75 | do | do. |
| 103 | Guaranteed., Found | | — . 25 | 2.50 2.50 | .00 | 10.50 | -1.63 | Alfalfa, corn, oats, oat- | do. |
| 295 | Guaranteed. Found | 10.00 | 1.50 | 3.00 | | 10.00 12.80 | 2.80 | Alfalfa, corn, oats and | |
| | • | | 1.50 | 3, 00 | 00 | | 2.00 | lasses. | do. |
| 130 | Guaranteed Found | | 2.00 | | → . 25 | 15.00 13.40 | -1.60 | do | do. |
| 315 | Guaranteed Found | 16.00 15.38 | —. 62 | 4.00 4.69 | . 69 | 14.50 10.52 | 3. 98 | Malt sprouts, C. S. meal, ground grain, screen- ings, clipped out by- | |
| 100 | Guaranteed. | | | 4.00 | | 14.50 | | product, molasses. | do. |
| 160 | Found | 16.63 9.00 | . 63 | 5.65 1.50 | 1.65 | 11.15 12.00 | 3.35 | Alfalfa, cracked corn, | do. |
| 148 | Found | 10.63 9.00 | 1.63 | 2.65 1.50 | 1.15 | 12.00 12.00 | .00 | oats, molasses | do. |
| 110 | Found | 10.75 | 1.75 | 2.49 | . 99 | 10.41 | 1.59 | do | do. |
| 252 | Guaranteed. Found | | .75 | 1.50 2.16 | . 66 | | -4.30 | do | do. |
| 234 | Guaranteed Found | 9.00 | -1.00 | 2.50 2.36 | → .14 | 15.00 10.60 | -4.4 0 | | do. |
| 305 | $\left\{ egin{array}{ll} \mathrm{Guaranteed.} \\ \mathrm{Found} \end{array} \right.$ | | — .37 | 2.10 2.45 | . 35 | 12.00 9.62 | -2.38 | Alfalfa, corn, oats, mo- | do. |
| 6540 | {Guaranteed_ Found | | | 2.66 | | 11.87 | | | Alfalfa, cracked corn, crushed oats, oat hulls, |
| 6541 | Guaranteed. Found | | | 1.88 | | 11.30 | | | molasses. |
| 6537 | Guaranteed. | | 1 | | | | | | |
| 6534 | Found Guaranteed. | 12,00 |) | 4.56 3.00 | 2.5 | 5, 22 20, 00 | - 0 | Ground peanut hulls, C. | i |
| | l Found | | | 2.75 | — . 25 | | 5. 04 | lasses. | As guaranteed. |
| 6579 | Guaranteed. | | | .81 | . 01 | 4,50 8,65 | | Molasses and sphagnum moss (or peat) | do. |
| 6580 | Guaranteed Found | | 3 | 3.34 | | 20.60 | | Sphagnum moss | |
| 6545 | (Guaranteed | 15.00 |) | 2.00 | 1.33 | 24.00 13.00 | | Wheat bran and mo- | do. |
| s | | | | - | | | | | |

RECAPIT

Guaranteed

| | and Found |
|---------------------------------------|------------|
| | |
| Maximum | Guaranteed |
| Minimum | Guaranteed |
| Average | Found |
| Average Discrepancy Number analyzed | Maximum |
| Discrepancy | Minimum |
| Number analyzed | Guaranteed |
| Trumber analysed | Total |

^{*}Per cent of the guaranteed, not of total analyzed. Note: "Deficient" here means below guarantee, and, See also Note on pages 24 and 28.

ULATION

| Protein, | Per Cent | Fat, F | er Cent | Fibre, Per Cent | | | |
|----------|---------------|----------|--------------|-----------------|--------------|--|--|
| | | | | | | | |
| 16.50 | | 4.00 | | 26.00 | | | |
| 17.81 | | 7.28 | | 16.60 | | | |
| 8.00 | | .50 | | 10.00 | | | |
| 8.12 | | . 87 | | 5.22 | | | |
| | - | | - | | - | | |
| | - | | - | | - | | |
| 4.50 | -1.75 | 3.78 | -1.42 | 3.60 | -11.00 | | |
| . 13 | — . 25 | .07 | — .08 | . 05 | — .16 | | |
| | | | | -1 | | | |
| 63 or 91 | per cent. | 63 or 91 | per cent. | 63 or 91 | per cent. | | |
| 21 or 33 | per eent.* | 29 or 46 | per cent. | * 50 or 79 | per cent * | | |
| 60 | | 69 | | 69 | | | |

in the case of fiber, means also better than guarantee.

ANALYSES OF

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of | Collection | Claimed Weight of Package-Lbs. | Price |
|----------------------|--|---|---|---------|--------------------------|-----------------------------------|------------|
| 213 | Cluck-Cluck Scratch Feed | American Milling Co., Peoria, Ill. | The Patterson Co., Greensboro. | Mar. | 30, '14 | 100 | \$2.00 |
| 248 | Prize Poultry Feed | | B. G. Thompson & Son, Goldsboro. | Apr. | 7, '14 | 100 | 2.25 |
| 238 | Chamber Pure Hen Feed. | | | Apr. | 3, '14 | 100 | 2.20 |
| 204 | Corno Chick Feed | | The Patterson Co., Greens- | Mar. | 30, '14 | 100 | 2.30 |
| 220 | Corno Hen Feed | do | do | Mar. | 30, '14 | 100 | 2.25 |
| 6559 | Red Comb Chick Feed | | Sent in by the company | Mar. | 30, '14 | | |
| 296 | Pine Tree Scratch Feed | Charlotte, N. C. Albert Dickenson Co., Chicago, Ill. | Adams Grain & Produce Co., Charlotte. | June | I 1, ' I 4 | 100 | 2.25 |
| 302 | Amco Chick Feed | | Farmers' Union Agency | June | 16, '14 | 100 | 2.50 |
| 187 | Manna Rice Special Chick Feed. | | Co., Winston-Salem. W. M. Neel & Co., Moores-ville. | Mar. | 25, '14 | 100 | 2.40 |
| 198 | Manna Hen Feed | do | do | Mar. | 25, '14 | 100 | 2.35 |
| 6570 | Chick Grow | Hen-Cackle Poultry & Supply Co., Raleigh, N. C. | Sent in by the company | Мау | , '14 | | - - |
| 280 | Hen-o-la Dry Mash | Hen-e-ta Bone Co., Flem- ington, W. Va. | Blair & Co., North Wilkes- boro. | May | 25, '14 | 100 | 3.00 |
| 279 | Hen-e-ta | do | do | May | 25, '14 | : | 3.50 |
| 40 | $\begin{array}{c} \textbf{International Poultry} \\ {}_{_{\Lambda}}\textbf{Feed.} \end{array}$ | International Sugar Feed No. 2 Co., Memphis, Tenn. | City Feed Co., Hickory | Sept. | 18, '13 | 100 | 2.10 |
| 194 | Little Jo Scratch Feed | | Harris & McNeely, Moores- ville. | Mar. | 25, '14 | 100 | 2.40 |
| 221 | do | | Wide-Awake Hay & Grain Co., Greensboro. | Mar. | 30, '14 | 100 | 2.00 |
| 210 | Nutro Hen Feed | | The Patterson Co., Greensboro. | Mar. | 30, '14 | 100 | 2.20 |
| 291 | Eg-Mo. Scratch Feed | G. E. Patterson & Co., Memphis, Tenn. | Charlotte Brokerage Co., Charlotte. | June | 10, '14 | 100 | 2.25 |
| 306 | Purina Chicken Chowder | | .Winston Grain Co., Winston-Salem. | June | 16, '14 | 100 | 2.35 |
| 224 | Red Ribbon Seretal Ford | Park & Pollard Co., Bos- | | Mor | 20 /14 | 100 | 2.10 |
| | | ton, Mass. | boro. | | | | |
| 200 | big egg scratch feed | Ill. | F. D. Barkley & Co., Gastonia. | mar. | 20, 14 | 100 | 2.25 |

POULTRY FEEDS

| | ≂_ | | 5 | | > | | 25 | | |
|----------------------|---|----------|-------------|---------------------|-------------|--------------------|----------------|--|------------------------|
| Ġ. | nge | 4 | anc | | 3DC | er | 3nc | Ingradients Cuerenteed | Chamintle Eindin |
| rat | and For | ji. | de. | Ъе | də | H | də. | Ingredients Guaranteed | Chemist's Finding |
| Laboratory Number | Guaranteed and Found | ote C | Discrepancy | Fat. Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | | |
| jz. | 9 g | Pr | Ä | Ę,Ö | Ä | Ξŏ | Ä | | |
| | | | | | | | | | |
| 010 | Guaranteed. | 10.00 | | 3.00 | | 5.00 | | Cracked corn, Kaffir corn, | |
| 213 | \ Found | 12.25 | 2.25 | 3.31 | .31 | 2.57 | -2.43 | wheat, buckwheat | As guaranteed. |
| 248 | [Guaranteed. | | | 3.50 | | 6.00 | | Cracked corn, oats, | |
| 210 | l Found | | .50 | 4.22 | .72 | | -2.74 | wheat, sunflower seed. | |
| 238 | Guaranteed. | | 4.00 | 3.50 | 10 | 6.00 | 4.00 | Barley, Kaffir corn, oats, | |
| | (Constant | | 1.38 | 3.98 | .48 | | -1.39 | | do. |
| 204 | Guaranteed. Found | | — .25 | $\frac{2.75}{2.89}$ | .14 | 3,00 | - .58 | Kaffir, wheat, millet, sunflower seed | do. |
| | (Guaranteed. | | .20 | 3.50 | .14 | 5.00 | - ,50 | Kaffir corn, wheat, sun- | uo. |
| 220 | Found | | 1.75 | 4.15 | .65 | | -2.27 | flower seed | do. |
| 0.00 | [Guaranteed] | | | 1 | 100 | | 2.2 | Cracked corn, Kaffir | 451 |
| 6559 | Found | | 1 | 3.23 | | 2.30 | | corn, wheat | do. |
| 296 | Guaranteed. | 10.00 | | 2.50_{-} | | 5.00 | | Cracked corn, oats, bar- | |
| 200 | l Found | 10.63 | .63 | 3.41 | .91 | 3.28 | -1.72 | | |
| | | | | | | | | flower seed. | do. |
| 302 | Guaranteed. | | 4 50 | 2.50 | 0.1 | 5.00 | 0.00 | Cracked corn, oats, milo | , |
| | Guaranteed | | 1.50 | 2.71 | .21 | | -3.20 | maize, millet seed, grit. | do. |
| 187 | Found | | 1.88 | 2.24 | 26 | 4.00 | _1 95 | Wheat, rice, Kaffir corn. | do. |
| | Guaranteed. | | 1.00 | 3.50 | 20 | 5.00 | -1.23 | Wheat, corn, Kaffir corn, | |
| 198 | Found | 9.75 - | —, .25 | 3.35 | 15 | 5.00 | .00 | | |
| | | | | | | | | Wheat bran, white midd- | |
| 6570 | Guaranteed. | | | | | | | lings, corn meal, ground | |
| 30.0 | l Found | 17.13 | | 4.24 | | 5.50 | | oats, alfalfa, bone and | |
| | | 1 | | - | | | | meat meal, oyster | 1 |
| | | 10.00 | | 0.00 | | | | shells, charcoal, salt. | do. |
| 280 | $\left\{ egin{array}{ll} \mathrm{Guaranteed.} \\ \mathrm{Found.} \end{array} \right.$ | | .00 | 3.00 | 00 | 4.00 | 40 | Corn meal, gluten, midd- | |
| | (Found | 12.00 | .00 | 3.00 | .00 | 3.52 | — .48 | lings, bran, oat meal, and Hen-e-ta. | do. |
| (| | | | | | | | A mixture of phosphate | uo. |
| 070 | J Guaranteed. | .00 | | .00 | | .00 | | rock, silica and soda- | |
| 219 | l Found | .00 | | .00 | | .00 | | ash fluxed at high tem- | |
| | | | | | | | | perature; 30% of trical- | |
| | | | | i | | | | cium phosphate. | Found: 30% of tri-cal- |
| 40 | Guaranteed. | | 2 00 | 3.50 | | 5.00 | | Corn, oats, wheat, Kaffir | |
| | l Found | 12.00 | 2.00 | 1.99 - | -1.51 | 3.18 | —1 .82 | | As guaranteed |
| | Guaranteed. | 9.00 | | 3.00 | | 4.00 | | Wheat, cracked corn, screenings, oats, Kaffir | • |
| 194 | Found | | 1.25 | 3.68 | .68 | | -1.58 | | |
| | | | | | | | 1100 | grit. | do. |
| 921 | J Guaranteed. | 9.00 | | 3.00 | | 4,00 | | Wheat, cracked kaffir corn | |
| 221 | l Found | | 2.13 | 4.63 | 1.63 | 3.13 | — .87 | oats,sunflower seed,grit | do, |
| 210 | {Guaranteed. | | | 3.50 | | 5.00 | | Wheat, Kaffir corn, wild | |
| | l Found | 10.88 | .88 | 3.51 | .01 | 2.85 | — 2 .15 | | |
| | (Cuerontood | 10.00 | | 0.50 | 1 | 2.00 | | seed. | do. |
| 291 | Guaranteed. Found | | 2.00 | $\frac{2.50}{2.57}$ | .07 | 3.00 | 00 | Corn, oats, rye, wheat | do. |
| | Guaranteed. | | 2.00 | 3.00 | .07 | 9.00 | 09 | Wheat middlings, and | uo. |
| 306 | Found | 17.00 | .00 | 4.89 | 1.89 | | -2.38 | | |
| | | | | | | | | meat, alfalfa. | do. |
| 224 | {Guaranteed. | | | 3.50 | | 5.00 | | Cracked corn, wheat, bar- | |
| 1 | l Found | 10.75 | .75 | 2.95 | 55 | | -2.2 3 | | do. |
| 200 | Guaranteed. | | | 2.50 | | 5.00 | | Wheat, cracked corn, | |
| | l Found | 11.75 | 1.75 | 4.31 | 1.81 | 3.75 | -1.25 | | do. |
| | | | | | | | | seed. | , uo. |

ANALYSES OF

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. Price |
|----------------------|--------------------------|--|---|-----------------------|--|
| 230 Ch | icken Feed | Ralston-Purina Co., St. Louis, Mo. | Elmore-Maxwell Co., Greensboro. | Mar. 31, '14 | 100 \$2.30 |
| 259 Su | perior Laying Feed | Superior Feed Co., Mem- phis, Tenn. | Littleton Feed & Grocery Co., Littleton. | Apr. 16, '14 | 100 2.35 |
| i | | W. H. Turner, Winston-Salem, N. C. | turer. | June 16, '14 | 100 2.50 |
| 6553 Sin | ns' Dry Mash | J. F. Sims, Asheville, N. C | do | . Apr. —, 14 | |
| 39.Ser | atch Food | J. II. Walker & Co., Nash- ville, Tenn. | . City Feed Co., Hickory | Sept. 18, 'I3 | 100 2.40 |
| 6530 Ste | inmesch Mixed Feed | Steinmesch Feed Co., St. Louis, Mo. | Sont in by the manufacturer. | Dec. —, '13 | |

RECAPIT

Guaranteed and Found

| Maximum | Guaranteed |
|-----------------|-------------------------------|
| Minimum | Guaranteed |
| Average | Guaranteed |
| Discrepancy | Maximum Minimum Average |
| Number analyzed | Guaranteed Deficient Total |
| | (|

^{*}Per cent of the guaranteed, not of total analyzed. Note: "Deficient" means below guarantee and also, See also Note on pages 24 and 28.

POULTRY FEEDS-Continued

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|-------------------------|----------------------|-------------|------------------|--------------|--------------------|-------------|---|-------------------|
| 230 | Guaranteed. | 11.00 | | 3.00 | | | | Wheat, cracked corn, | |
| 230 | l Found | 11.88 | .88 | 3.50 | .50 | 2.43 - | 1.57 | barley, milo maize, | |
| | | | | | | | | millet. | As guaranteed |
| 259 | Guaranteed. | 10.00 | | 3.25 | | 4.50 | | Wheat, eracked corn, | |
| 200 | l Found | 10.88 | .88 | 2.66 | 59 | 3.65 - | 85 | Kaffir corn, milo maize | |
| | | | | | | | | sunflower seed. | do. |
| 310 | Guaranteed. | 10.00 | | 3.50 | | 4.00 | | Wheat, cracked corn, Kaffir corn, shells | |
| 010 | Found | | .63 | | · .68 | | | | |
| 6553 | Guaranteed. | | | 5.00 | | 6.00 | | Alfalfa meal, meat scrap, | |
| 0000 | Found | 19.63 | .06 | 5.3 3 | .33 | 5 .26 — | .74 | blood meal, bone meal, | |
| | | | | | | | | oat meal, corn meal, | do |
| | | | | | | | | gluten meal, Diamond | |
| | | | | | | | | Hog Meal, flaxseed | |
| | | | | | | | | meal, wheat bran. | do. |
| 39 | Guaranteed. | 10.00 | | 3.48 | | 8.46 2.25 — | | Sunflower seed, oats, | |
| 0.7 | l Found | 9.25 - | 75 | 3.51 | .03 | 2.25 - | -6.21 | corn, wheat, Kaffir | |
| | | | | | | | | corn. | do. |
| 6530 | Guaranteed. | 10.00 | | 3.50 | | 6.00 | | Oats, corn, sunflower | |
| 0000 | Found | 10.87 - | 87 | 3.19 | - .31 | 3.97 | -2.03 | wheat screenings, | |
| | | | | | | | | wheat, Kaffir corn, bar- | |
| 1 | | | | | | | | ley. | do. |

ULATION

| Protein, Per Cent | Fat, P | er Cent | Fibre, F | Per Cent |
|--------------------|-------------|-----------|------------|-----------------|
| 19. 57 | 5.00 | | 9.00 | |
| 19. 63 | 5.33 | | 6.62 | |
| 9.00 | 2.50 | | 3.00 | |
| 9. 25 | 1.99 | | 1.80 | |
| | | - | | |
| | | - | | |
| 2. 25 — . 87 | 1.89 | -1.51 | | 6.21 |
| .06 — .25 | .01 | 15 | | . — . 09 |
| or 92 per cent | . 24 or 92 | per cent. | 24 or 92 | per cent |
| 4 or 16.6 per cent | .* 7 or 29 | per cent. | * 23 or 96 | per cent |

in case of fiber, means better than guarantee.

ANALYSES OF COTTON SEED MEAL

| Laborator Rand Name from Label Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. Price |
|---------------------------------------|---|--|-----------------------|--|
| 121 Cotton Seed Meal | Farmville Oil & Fertilizer Co., Farmville, N. C. | L. M. Savage, Greenville | Nov. 11, '13 | 100 \$1.75 |
| 115do | | Burrus & Co., New Bern | Nov. 12, '13 | 100 1.70 |
| 104do | Goldsboro, N. C. | H. L. Bizzell, Goldsboro | | |
| 6538do | . Farmers Cotton Oil Co., | Brought in by R. S. Curtis Raleigh. | , Dec. —, '13 | |
| 6539do | do | do | Dec. —, '13 | |
| 6582do | | Sent in by G. E. Bobinett, Rural Hall. | July 1, '14 | |
| 6585do | | Sent in by O. D. McNeel, | July 23, '14 | |
| 6584do | | Mt. Gilead. Sent in by J. N. Paine, Statesville. | July 23, '14 | |
| 74do | | | | |
| 6578 Cotton Seed Feed Meal. | | Sout in by S. M. Garven, Biltmore. | June —, '14 | |
| 255 Cyclone Cotton Seed Fee | d American Cotton Seed Hull & Fiber Co., Memphis, Tenn. | | Apr. 15, '14 | 190, 1.50 |
| 182 Durham Brand Cotton Seed Feed. | Florida Cotton Oil Co., Jacksonville, Fla. | F. D. Forrester & Co., Wilkesboro. | Mar. 18, '14 | 100 1.55 |
| Feed. | d Tennessee Fiber Co., Mem- phis, Tenn. | Cove. | Jan. 20, '14 | 100, 1.60 |
| 172do | - do | A. A. Maynard & Johnson, Kerr. | Feb. 10, '14 | 100 |
| 181do | - do | Grimes Bro., Lexington | Mar. 13, '14 | 100 |
| 173 Sico Cold Pressed Feed Meal. | Sea Island Cotton Oil Co., Charleston, S. C. | Hardison Co., Wadesboro | Feb. 12, '14 | 100 |
| 6505 Cotton Seed Feed | - | • | Sept. —, '13 | |
| 6552 dodo | - | tonia. C. I. Robinson, Clear Run. | Mar. —, '14 | |
| 6532 Cotton Seed and Hulls | | W. J. Blalock, Norwood | Dec. —, '13 | |

AND COTTON SEED FEED

| Laboratory | Guaranteed and Found | Protein, Per Cent | Discrepancy | t, Per nt | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients | 3 Guaranteed | i I | Chemist's Finding |
|------------|--|-------------------------|---------------|----------------------|-------------|----------------------------|-------------|-------------|--------------|--------|-------------------|
| ŠŽ | Gu a p | Pre | Ü | Fat, Cent | Di | Cert | Dis | | | | |
| 121 | Guaranteed Found | | —1 .07 | 7.02 | | 11 .27 | | | | | |
| 115 | $\left\{ \begin{matrix} \text{Guaranteed.} \\ \text{Found.} \end{matrix} \right.$ | $38.56 \\ 39.12$ | .56 | 9.25 | | 8.42 | | | | ŀ | |
| 104 | ∫ Guaranteed. | 38.56 | | | | | | | | | |
| 538 | \ Found | 36.31 | 2.25 | 8.54 | | 10.70 | | | | | |
| 5539 | \ Found \ Guaranteed. | 39.87 | | 8.60 | | 9.22 | | | | | |
| 5582 | { Guaranteed. | 32 .95 | | 7 .71 | | 13.00 | | | | 1 | |
| 585 | { Guaranteed. | 31.88 | | 7 .35 | | 11.40 | | | | | |
| 584 | Found Guaranteed. | | | 4.76 | | 11.67 | | | | | |
| 74 | { Guaranteed. Found | 34.62 | 3 .94 | 9.49 | | 9.95 | | | | | |
| 578 | Guaranteed Found | 37.62 36.00 37.19 | 1.19 | 6.65 5.00 8.25 | 3,25 | 10 .95 12 .00 | 4.00 | | | | |
| 255 | Guaranteed. | 20.00 | .63 | 3.00 | | 7.78 - 23.00 21.21 - | | C. S. meal, | C. S. hulls, | | |
| 182 | Guaranteed. Found | | — .75 | 6.00 7.56 | | 20.00 | | C. S. meal, | | - | |
| 152 | Guaranteed_ Found | | 2.88 | 5.00 | | 22.00 20.50 - | | C. S. meal, | C. S. hulls, | | |
| 172 | $\left\{ egin{array}{l} \mathrm{Guaranteed.} \\ \mathrm{Found} \end{array} \right.$ | 20.00 23.13 | 3.13 | 5.00 | 58 | 22 .00 20 .15 - | | | | - | |
| 181 | $\begin{cases} Guaranteed_{-} \\ Found_{} \end{cases}$ | 20.00 24.50 | 4.50 | 5.00 4.75 | | 22.00 18.05 - | | | | | |
| 173 | $\left\{ \begin{array}{l} \text{Guaranteed.} \\ \text{Found.} \end{array} \right.$ | $\frac{25.00}{27.76}$ | 2.76 | $\frac{6.00}{6.65}$ | | 20 .00 15 .27 - | | | | | |
| 505 | $\left\{ egin{array}{l} \mathrm{Guaranteed.} \\ \mathrm{Found.} \end{array} \right.$ | 35.63 | | 7.00 | | 9.98 | | | | | |
| 552 | | 18.75 | | 3 .83 | | 23.13 | | | | | |
| 532 | Guaranteed. Found | 16.87 | | 3.45 | | 24 .80 | | | | | |

RECAPIT

| | Guaranteed and Found |
|-----------------|-------------------------------|
| | |
| Maximum | (Guaranteed |
| | Guaranteed |
| Minimum | |
| | Guaranteed |
| Average | Gnaranteed |
| | \ Found |
| D: | Maximum |
| Discrepancy | Maximum Minimum Average |
| | Average |
| Number 1 | Guaranteed |
| Number analyzed | Deficient |
| | Total |

*Per cent of the guaranteed, not of the total analyzed.

Note: "Deficient" means below guarantee and, in the
See also Note on pages 24 and 28.

ULATION

| Protein, | Per Cent | Fat, F | er Cent | Fibre, | Per Cent |
|----------|------------|---------|------------|----------|-----------|
| | | | | | |
| 38.56 | | 6.00 | | 23 00 | |
| 39.87 | | 9 49 | | 24.80 | |
| 20.00 | | 3.00 | | 12.00 | |
| 16.87 | | 3.83 | | 7.78 | |
| | - | | - | | - |
| | | | - | | • |
| 4.50 | -3.94 | 3 25 | — .59 | | 4.73 |
| . 56 | 75 | . 65 | — .25 | | -1.50 |
| 11 or 58 | per cent. | 7 or 37 | per cent. | 7 or 37 | per cent. |
| 4 or 36 | per cent.* | 3 or 43 | per cent.* | 7 or 100 | • |
| 19 | | 19 | • | 19 | |
| | | | | | |

case of fiber, means also better than guarantee.

ANALYSES OF CORN, CRACKED

| | | | | ht os. |
|------------------------------------|---|---|-----------------------|----------------------------------|
| Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs |
| 6574 Whole Corn | North State Milling Co., Greensboro, N. C. | North State Milling Co., Greensboro. | May —, '14 | s |
| 290 Cracked Corn | City Hay & Grain Co., Norfolk, Va | Charlotte Brokerage Co., Charlotte. | June 10, '14 | 75 1.40 |
| 143do | | E. Peterson Co., Washington. | Jan. 12, '14 | 100 1.80 |
| 144'do | | J. A. Woodard-Holmes Co., Edenton. | June 14, '14 | |
| 149 | W S. White & Co., Eliza- | W. S. White & Co., Eliza- beth City. | June 14, '14 | 100 |
| 132do | New Bern Hay, Grain & | | Jan. 10, '14 | |
| 133 Corn Chops | do | do | Jan. 10, '14 | |
| 131 Corn Bran and Cracked Corn. | | | | |
| 6544 Craeked Corn | do | do | Feb. —, '14 | |
| 6554 Pure Corn Chops | N. C. | | | |
| 6513 Pure Corn Hominy or Chops. | do | do | Sept. —, '13 | |
| 6558 Corn Chops | J. D. Anderson, Tobacco- ville, N. C. | J. D. Anderson, Tobacco- ville. | Mar. —, '14 | |
| 6504 Hominy or Chops | | | Aug. —, '13 | |
| 6575 Corn Bran | North State Milling Co., Greensboro, N. C. | North State Milling Co., | May —, '14 | |

RECAPIT

| | Guaranteed and Found |
|-----------------|--|
| | |
| Maximum | $\left\{ \begin{array}{l} \text{Guaranteed}_{} \\ \text{Found}_{} \end{array} \right.$ |
| | |
| Minimum | Guarantecd |
| | |
| Average | Guaranteed |
| | |
| m. t | Maximum |
| Discrepancy | 121111111111111111111111111111111111111 |
| | Average |
| | ∫ Guaranteed |
| Number analyzed | Deficient |
| | Total |

^{*}Per cent of the guaranteed, not of the total analyzed Note: "Deficient" means here below guarantee and See also Note on pages 24 and 28.

CORN, CORN CHOPS, CORN BRAN

| - | | | | | 1 | | - | | |
|----------------------|--|----------------------|-------------|---------------------|-------------|--------------------|-------------|------------------------|-------------------|
| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
| - | | | | | | | | | |
| 6574 | $\left\{ \begin{matrix} Guaranteed. \\ Found \end{matrix} \right.$ | 9.38 | | 3 .61 | | 1.85 | | | Whole corn. |
| 290 | f Guaranteed. | 8.00 | | 3.00 | | 5.00 | | | |
| 290 | Found | 8.75 | .75 | 3.26 | .26 | 1.64 | -3.34 | Cracked corn | Cracked corn. |
| 143 | Guaranteed. Found | 8.00 8.50 | .50 | $\frac{3.00}{2.46}$ | | 3.00 | _1 42 | do | do. |
| | (Guaranteed. | 8.00 | .00 | 4.00 | | 6.00 | 1.15 | | uo. |
| 144 | Found | 7.38 | 62 | 2.99 | -1.01 | $^{2.06}$ | -3.94 | do | do. |
| 149 | {Guaranteed. | 8.75 | | 4.53 | | 1.99 | | | |
| 140 | l Found | 8.00 | 75 | 3.84 | 69 | 1.95 | 04 | do | do. |
| 132 | { Guaranteed. | | | | | | | | |
| | \ Found | 9.50 | | 1.65 | | 3.63 | | | |
| 133 | Guaranteed. Found | 9.37 | | 7.20 | | 2.00 | | | |
| | (Guaranteed. | 9.37 | | 1.20 | | 2.00 | | Corn bran and cracked | |
| 131 | Found | 8.62 | | 2.82 | 1 | 9.28 | | corn | |
| | (Guaranteed. | 0.02 | | 2.02 | | 0.20 | | 00.11 | |
| 6544 | Found | 9.75 | | 4.54 | | 1.42 | | | |
| 0554 | (Guaranteed. | | | | ì | | | | |
| 6554 | Found | 8.98 | , | 4.30 | | 1.85 | | Made out of pure corn | |
| 651 3 | Guaranteed. | | | | | | | | |
| 0013 | l Found | 8.63 | | 4.11 | | 1.81 | | Pure corn hominy | |
| 6558 | f Guaranteed. | | | · | | | | | |
| 0000 | l Found | 8.70 | | 4.54 | | 2.07 | | | |
| 6504 | Guaranteed. | | | | | | | | |
| ĺ | l Found | 8.00 | | 4.61 | | 1.91 | | Made out of pure corn | |
| 6575 | { Guaranteed. | 0.01 | | 0.00 | | | | | |
| | l Found | 8.31 | | 2.96 | | 7.86 | | | |
| | | | 1 | | | | | | |

ULATION

| Protein, Per Ce | ent Fat, Pe | r Cent | Fibre, P | er Cent |
|-------------------|--------------|----------------|----------|----------------|
| 8.75 | 4.53 | | 6.00 | |
| 9.75 | 7.20 | | 9.28 | |
| 8.00 | 3.00 | | 1.99 | |
| 7.38 | 1.65 | | 1.42 | |
| •• | | | | |
| .75 — .7 | 75 . 26 | —1 . 01 | | -3.94 |
| .50 — .6 | 32 | 54 | | — . 0 4 |
| 4 or 28.6 per cer | | | | |
| 2 or 50 per cei | nt.* 3 or 75 | per cent.* | 4 or 100 | per cent.* |
| 14 * | 14 | | 14 | |
| | 1 | | | |

in the case of fiber, means also better than guarantee.

ANALYSES OF BUFFALO

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesuler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. |
|----------------------|--------------------------|---|---|-----------------------|-----------------------------------|
| 95 | Buffalo Gluten Feed | | John S. McEachern Sons, Wilmington. | Nov. 8, '13 | 100 \$ |
| 150 | Dried Beet Pulp | German-American Sugar Co., Bay City, Mich. | W. S. White & Co., Elizabeth City. | Jan. 14, '14 | 100 |
| 207 | do | Larrowe Milling Co., Detroit, Mich. | Wide-Awake Hay & Grain Co., Greensboro. | Mar. 30, '14 | 100 1.75 |
| 206 | do | do | The Patterson Co., Greens- boro. | Mar. 30, '14 | 100 2.00 |
| 233 | do | do | Elmore-Maxwell Co., Greensboro. | Mar. 31, '14 | 100 2.00 |
| 116 | do | Charles Pope, Riverdale, Ill. | Job P. Wyatt's Sons Co., Raleigh. | Nov. 21, '13 | 100 1.75 |

RECAPIT

| | Guaranteed and Found |
|-----------------|-------------------------|
| Maximum | Guaranteed |
| Minimum | Guaranteed |
| Average | . 0 |
| Discrepancy | Maximum |
| Number analyzed | Average |

Note that "deficient" in fiber means better than See also Note on pages 24 and 28.

GLUTEN FEED, BEET PULP

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Di-crepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|--|--|-------------|--|-------------|-----------------------|-------------------------|------------------------|-------------------|
| 95 150 207 | Guaranteed. Found Guaranteed. Found Guaranteed. Found | 27.12 8.00 7.25 8.00 8.00 | 25 | 2.00 4.00 .50 .76 .50 | 2.00 | 20.00 | -2.54 -1.40 -2.53 | | |
| 206 233 116 | Guaranteed Found Guaranteed Found Guaranteed Found Found Found | 8.00 8.63 8.00 8.94 8.00 8.00 | .63 .94 | .50 .85 .50 1 .00 .50 .57 | .35 | 29.09 17.47 29.09 | | | |

ULATION

| Protein, Per Cer | Fat, Per Cent | Fibre, Per Cent |
|------------------|----------------------|---------------------|
| 8.00 | . 50 | 20.00 |
| 8.94 | 1.00 | 19. 10 |
| 8.00 | . 50 | 20.00 |
| 7.25 | . 57 | 17.18 |
| | | |
| .94 — .25 | 5 .50 | -2.53 |
| .6325 | 5 .07 | —. 90 |
| 5 or 100 per cen | t. 5 or 100 per cent | . 4 or 80 per cent, |
| 1 or 80 per cen | | |
| 5 | 5 | 5 |
| | | |

guaranteed.

ANALYSES OF

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. | Price |
|----------------------|--------------------------|--|---------------------|-----------------------|-----------------------------------|-------|
| 6528 | Rice Meal | Levy Rice Milling Co., New Orleans, La. | Sent by the company | Dee. —, '13 | | |
| 6527 | Rice Polish | dodo | do | Dec. —, '13 | | |
| 6529 | Rice Bran | do | do | Dec. —, '13 | | |
| | | | | | | |

RECAPIT

Guaranteed and Found

| Maximum | { Guaranteed Found |
|-----------|---|
| Minimum | $\left\{ \begin{matrix} Guaranteed \\ Found \end{matrix} \right.$ |
| Deficient | |
| | |

Note that "deficient" in fiber means better than

ANALYSES OF POULTRY

| Laboratory Number | Brand Name from Label | Manufacturer or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. | Price |
|----------------------|---|--|---------------------------------------|-----------------------|-----------------------------------|----------|
| 6571 R | awleigh's Stock Tonic | W. T. Rawleigh Medical Co., Freeport, Ill. | Sent by R. C. Morefield, Harmony. | Арг. —, '14 | | |
| 6572 Fe | ederal Stock Food | Federal Stock Food Co., Mifflinburg, Pa. | Sent by J. R. Bell, More- | Мау —, '14 | | |
| 6573 Fe | ederal Poultry Food | do | do | May —, '14 | | |
| | hicken Builder and Pul- let Egg Developer. | Anglo-American Poultry Syndicate of London, England; Branches:— New York and Chicago. | Sent by J. M. Stephens & Co., Durham. | Feb. —, '11 | | - |
| | | | 1 - | | | |

^{*}Largely sulphur.

Note: No. 6551 is unlicensed in this State; was being sold by a house-to-house peddler, who was arrested per cent.)

RICE PRODUCTS

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|---|--|---------------|------------------------|-------------------------|-----------------------|------------------|------------------------|-------------------|
| 6528 6527 6529 | Guaranteed Found Guaranteed Found Guaranteed. Found | 11 .00 12 .50 11 .50 11 .37 11 .50 11 .88 | 2.50 — .13 | 7.00 10.21 12.00 | 4 .65 3 .21 2 .04 | 6.30 1.95 12.00 | -1 .91 -4 .35 | | |

ULATION

| Protein, Per Cent | Fat, Per Cent | Fibre, Per Cent |
|-------------------|---------------|----------------------|
| | | |
| 11.50 | 12.00 | 12.00 |
| 12.50 | 14.04 | 9.09 |
| 11.00 | 7.00 | 6.30 |
| 11.37 | 10.21 | 1.95 |
| | | |
| 1 or 33 per cent. | | _ 3 or 100 per cent. |

guaranteed.

AND STOCK TONICS

| Laboratory Number | Guaranteed and Found | Protein, Per Cent | Discrepancy | Fat, Per Cent | Discrepancy | Fiber, Per Cent | Discrepancy | Ingredients Guaranteed | Chemist's Finding |
|----------------------|-------------------------|----------------------|-------------|---------------------|-------------|--------------------|-------------|------------------------|-------------------|
| 6571 | Guaranteed. Found | | | *5.53 | | 10.75 | | | |
| 6572 | Guaranteed. Found | | | 3.75 *2.92 | | 25 .46 23 .55 | | | |
| 6573 | Guaranteed. Found | 10.75 10.58 | | $\frac{2.36}{3.07}$ | | 10.67 10.82 | | | |
| 6551 | Guaranteed. Found | 11.50 | | 1.40 | | | | | |
| | | | | | | | | | |

and punished. The stuff consisted mainly of flour (about 70 to 75) and of charcoal or lamp black (25 to 30

THE BULLETIN.

ANALYSES OF WHOLE WHEAT, OATS,

| Laboratory | Brand Name from Lbel | Manufactur r or Wholesaler | Retailer | Date of Collection | Claimed Weight of Package-Lbs. | Price |
|------------|------------------------------|---|--|-----------------------|-----------------------------------|-------|
| 65 | 83 Whole Wheat | Iredell Test Farm | Sent by B. W. Kilgore, Raleigh. | July —, '14 | | |
| 65 | 09 Whole Wheat (unscreened) | Alpine Milling Co., Glen Alpine, N. C. | Sent by the company | Sept. —, '13 | | |
| 65 | Wheat Screenings | | Sent by North State Milling Co., Greensboro. | May —, '14 | | |
| 65 | 57 Clean Screenings (ground) | | Sent by J. D. Anderson, Tobaccoville. | Mar. —, '14 | | |
| 65- | Floor Sweepings | New Bern, Hay Grain & Feed Co., New Bern, N. C. | Sent by the company | Jan. —, '14 | | |
| - | 24 Pure Crushed Outs | Lewis & Adcock, Knox- ville, Tenn. | Jones & Hedgecoek, Winston-Salem. | July 10, '13 | | |

WHEAT SCREENINGS, FLOOR SWEEPINGS

| Laboratory Number | Guaranteed and Found | Protein Per Cent | Discrepancy | Fat, Fer Cent | Discrepancy | Fiber, Per Cent | Liserepaney | Ingredients Guaranteed Chemist's Finding |
|----------------------|--|---------------------|-------------|------------------|-------------|--------------------|-------------|--|
| 6583 6509 | { Guaranteed. Found { Guaranteed. Found | 13 .38 12 .62 | | 1.94 | | 2.10 | | Unscreened inferior wheat, containing con- siderable amount of weed stems. |
| 6577 | Guaranteed. Found | 13.42 | | 2.69 | | 4.70 | | |
| 6557 | { Guaranteed. Found | 13 .91 | | 3.57 | | 2,58 | | Small amount of corn bran, but mainly wheat |
| 6543 | Guaranteed Found | 9.75 | | 4.14 | | 9.88 | | products. Corn, oats, cracked corn, outer portion of corn |
| 24 | Guaranteed. Found | 11.87 12.25 | | 5.00 3.90 | | 9.59 9.06 | | eob, dust, grit. |





THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE,

RALEIGH

Vol. 35, No. 11.

NOVEMBER, 1914.

Whole No. 202.

- I. ANALYSES OF FERTILIZERS FALL SEASON, 1913.
 SPRING SEASON, 1914.
- II. ANALYSES OF COTTON-SEED MEAL.

STATE BOARD OF AGRICULTURE

W. A. Graham Commissioner, et officio Chairman, Raleigh

| 11, 21, | GRAHAM, COMMISSIONEL, EL ODICTO CHAIT MAII | , realeigh. |
|-----------------|--|-------------------|
| F. P. Latham. | Belhaven | First District. |
| K. W. Barnes. | Lucama | Second District. |
| | Pamlieo | |
| | Raleigh | |
| R. W. Scott | Haw River | Fifth District. |
| A. T. McCallum. | Red Springs | Sixth District. |
| C. C. Wright | Hunting Creek | Seventh District. |
| WILLIAM BLEDSOE | Gale | Eighth District. |
| W. J. Shuford | . Hiekory | Ninth District. |
| A. Cannon | Horse Shoe | Tenth District. |

OFFICERS AND STAFF.

| W. A. GRAHAM | Commissioner. Secretary and Purchasing Agent. Bookkeeper. Bulletin Superintendent. State Chemist, Director Test Farms. Feed Chemist. Fertilizer Chemist. Assistant Chomist |
|--|---|
| ELIAS CARR | Secretary and Purchasing Agent. |
| Miss Sarah D. Jones. | Bookkeeper. |
| D. G. Conn | Bulletin Superintendent |
| B. W. KILGORE | State Chemist, Director Test Farms |
| J. M. Pickel | Food Chamist |
| W G HAYWOOD | Fortilizer Chemist |
| I O LICESON | Assistant Chamist |
| E & Deman | Assistant Chemist. Assistant Chemist. |
| D. D. H | Assistant Chemist. |
| L. D. HART | Assistant Chemist. |
| J. R. MULLEN | Assistant Chemist. |
| R. W. COLLETT | Assistant Director Test Farms. |
| II. H. BRIMLEY | Curator of Museum. |
| 1. W. ADICKES | Assistant Chemist. Assistant Chemist. Assistant Chemist. Assistant Director Test Farms. Curator of Museum. Assistant Curator. |
| FRANKLIN SHERMAN, JR. | Entomologist. Assistant Entomologist in Field Work. |
| S. C. CLAPP | Assistant Entomologist in Field Work. |
| B. B. FLOWE. | Veterinarian. |
| H. P. Flowe | Veterinarian. Assistant Veterinarian. |
| E. G. Hargett. | Assistant Veterinarian. |
| W. N. HUTT | Horticulturist. |
| R. G. Hill | Assistant Horticulturist |
| T. B. PARKER | Director of Farmers' Institutes |
| MISS CARRIE HUDGINS | Assistant to Director of Farmers' Institutes |
| R. L. SLOAN | Assistant to Director of Farmers' Institutes |
| W M ALLEN | Chemist and Chief Division Food and Oil Inspection |
| | |
| E. W. THORNTON | Assistant Chamiet Division Food and Oil Inspection |
| E. W. THORNTON | Assistant Veterinarian. Assistant Veterinarian. Horticulturist. Assistant Horticulturist. Director of Farmers' Institutes. Assistant to Director of Farmers' Institutes. Assistant to Director of Farmers' Institutes. Chemist and Chief, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. |
| C. E. Bell | Assistant Chemist, Division Food and Oil Inspection. |
| C. E. Bell. Leland B. Rhodes | Assistant Chemist, Division Food and Oil Inspection. |
| C. E. Bell. Leland B. Rhodes | Assistant Chemist, Division Food and Oil Inspection. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. P. Y. Wingston | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. P. Y. Wingston | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. P. Y. Wingston | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. P. Y. Winger. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. P. Y. Winger. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate R. Y. Winters G. M. Garren *W. E. Hearn. L. L. Brinkley S. O. Perkins. R. C. Junney | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate R. Y. Winters G. M. Garren *W. E. Hearn. L. L. Brinkley S. O. Perkins. R. C. Junney | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins R. C. Junney J. L. Burgess Miss S. D. Alien | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins R. C. Junney J. L. Burgess Miss S. D. Alien | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins R. C. Jerney J. L. BURGESS Miss S. D. Allen C. H. Waldron | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins R. C. Jerney J. L. BURGESS Miss S. D. Allen C. H. Waldron | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins R. C. Jerney J. L. BURGESS Miss S. D. Allen C. H. Waldron | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins R. C. Jerney J. L. BURGESS Miss S. D. Allen C. H. Waldron | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins R. C. Jerney J. L. BURGESS Miss S. D. Allen C. H. Waldron | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins. R. C. Jurney J. L. BURGESS Miss S. D. Allen C. H. Waldron Miss Louise Rademacher DAN T. GRAY W. H. Eaton. †Alvin J. Reed. Stanley Combs. **E. H. Magneroop. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins. R. C. Jurney J. L. BURGESS Miss S. D. Allen C. H. Waldron Miss Louise Rademacher DAN T. GRAY W. H. Eaton. †Alvin J. Reed. Stanley Combs. **E. H. Magneroop. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins. R. C. Jurney J. L. BURGESS Miss S. D. Allen C. H. Waldron Miss Louise Rademacher DAN T. GRAY W. H. Eaton. †Alvin J. Reed. Stanley Combs. **E. H. Magneroop. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins. R. C. Jurney J. L. BURGESS Miss S. D. Allen C. H. Waldron Miss Louise Rademacher DAN T. GRAY W. H. Eaton. †Alvin J. Reed. Stanley Combs. **E. H. Magneroop. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins. R. C. Jurney J. L. BURGESS Miss S. D. Allen C. H. Waldron Miss Louise Rademacher DAN T. GRAY W. H. Eaton. †Alvin J. Reed. Stanley Combs. **E. H. Magneroop. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Puummer. W. F. Pate. R. Y. Winters G. M. Garren W. E. Hearn. L. L. Brinkley S. O. Perkins. R. C. Jurney J. L. BURGESS Miss S. D. Allen C. H. Waldron Miss Louise Rademacher DAN T. GRAY W. H. Eaton. †Alvin J. Reed. Stanley Combs. **E. H. Magneroop. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist Agronomist Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |

F. N. McDowell, Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John II. Jefferies, Assistant Director Pender Test Farm, Wilard, N. C. F. S. Puckett, Assistant Director Transplyania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture.
†Assigned by the Bureau of Animal Husbandry, United States Department of Agriculture.
†In coöperation with Bureau of Plant Industry, United States Department of Agriculture.

HON. W. A. GRAHAM.

Commissioner of Agriculture.

SIR:—I submit herewith analyses of fertilizers and cotton-seed meal made in the laboratory of samples collected during the past fall and spring. These analyses show fertilizers and meals to be about as heretofore, and to be, generally, what was claimed for them. I recommend that it be issued as the November Bulletin.

Very respectfully,

B. W. KILGORE,

Approved for printing:

State Chemist.

W. A. GRAHAM,

Commissioner.



I. ANALYSES OF FERTILIZERS, FALL SEASON, 1913; SPRING SEASON, 1914.

BY B. W. KILGORE, W. G. HAYWOOD, J. Q. JACKSON, E. S. DEWAR, and J. R. MULLEN.

The analyses presented in this Bulletin are of samples collected by the fertilizer inspectors of the Department, under the direction of the Commissioner of Agriculture, during fall months of 1913 and the spring months of 1914. They should receive the careful study of every farmer in the State who uses fertilizers, as by comparing the analyses in the Bulletin with the claims made for the fertilizers actually used, the farmer can know by or before the time fertilizers are put in the ground whether or not they contain the fertilizing constituents in the amounts they were claimed to be present.

TERMS USED IN ANALYSES.

Water-soluble Phosphoric Acid.—Phosphate rock, as dug from the mines, mainly in South Carolina, Florida, and Tennessee, is the chief source of phosphoric acid in fertilizers.

In its raw, or natural, state the phosphate has three parts of lime united to the phosphoric acid (called by chemists tricalcium phosphate). This is very insoluble in water and is not in condition to be taken up readily by plants. In order to render it soluble in water and fit for plant food, the rock is finely ground and treated with sulphuric acid, which acts upon it in such a way as to take from the three-lime phosphate two parts of its lime, thus leaving only one part of lime united to the phosphoric acid. This one-lime phosphate is what is known as water-soluble phosphoric acid.

Reverted Phosphoric Acid.—On long standing some of this water-soluble phosphoric acid has a tendency to take lime from other substances in contact with it, and to become somewhat less soluble. This latter is known as reverted or gone-back phosphoric acid. This is thought to contain two parts of lime in combination with the phosphoric acid, and is thus an intermediate product between water-soluble and the original rock.

Water-soluble phosphoric acid is considered somewhat more valuable than reverted, because it becomes better distributed in the soil as a consequence of its solubility in water.

Available Phosphoric Acid is made up of the water-soluble and reverted; it is the sum of these two.

Water Soluble Ammonia.—The main materials furnishing ammonia in fertilizers are nitrate of soda, sulphate of ammonia, cotton-seed meal,

dried blood, tankage, and fish scrap. The first two of these (nitrate of soda and sulphate of ammonia) are easily soluble in water and become well distributed in the soil where plant roots can get at them. They are, especially the nitrate of soda, ready to be taken up by plants, and are therefore quick-acting forms of ammonia. It is mainly the ammonia from nitrate of soda and sulphate of ammonia that will be designated under the heading of water-soluble ammonia.

Organic Ammonia.—The ammonia in cotton-seed meal, dried blood, tankage, fish scrap, and so on, is included under this heading. These materials are insoluble in water, and before they can feed plants they must decay and have their ammonia changed, by the aid of the bacteria of the soil, to nitrates, similar to nitrate of soda.

They are valuable then as plant food in proportion to their content of ammonia, and the rapidity with which they decay in the soil, or rather the rate of decay, will determine the quickness of their action as fertilizers. With short season, quick-growing crops, quickness of action is an important consideration, but with crops occupying the land during the greater portion, or all, of the growing season, it is better to have a fertilizer that will become available more slowly, so as to feed the plant till maturity. Cotton-seed meal and dried blood decompose fairly rapidly, but will last the greater portion, if not all, of the growing season in this State. While cotton seed and tankage will last longer than meal and blood, none of these act so quickly, or give out so soon, as nitrate of soda and sulphate of ammonia.

Total Ammonia is made up of the water-soluble and organic; it is the sum of these two.

The farmer should suit, as far as possible, the kind of ammonia to his different crops, and a study of the forms of ammonia as given in the tables of analyses will help him to do this.

FORM OF POTASH IN TOBACCO FERTILIZERS.

Tobacco growers are becoming yearly more disposed to know the form of potash, whether from kainit, muriate, or sulphate, which enters into their tobacco fertilizers. Considerable work of this kind has been done for individuals, and we now determine the form of potash in all tobacco brands, for the benefit of tobacco growers.

The term potash from muriate, as reported in the analyses, does not mean, necessarily, that the potash was supplied by muriate of potash. Sulphate or some other potash salt may have been used, but in all fertilizers where the term potash from muriate is used, there is enough chlorine present to combine with all the potash, though it may have come from salt in tankage, kainit, or karnalite. As the objection to the use of muriate of potash in tobacco fertilizers arises from the chlorine present, it does not matter whether this substance is present in common salt or potash-furnishing materials.

The use of sulphate of potash where there is chlorine present in the other ingredients of the fertilizer will not prevent the injurious effect of the chlorine. The term potash from muriate in our analyses, therefore, means that there is sufficient chlorine present in the fertilizer from all sources to combine with the potash to the extent indicated by the analyses.

VALUATIONS.

To have a basis for comparing the values of different fertilizer materials and fertilizers, it is necessary to assign prices to the three valuable constituents of fertilizers—ammonia, phosphorie acid, and potash. These figures, expressing relative value per ton, are not intended to represent crop-producing power, or agricultural value, but are estimates of the commercial value of ammonia, phosphorie acid and potash in the materials supplying them. These values are only approximate, as the cost of fertilizing materials is liable to change as other commercial products are, but they are believed to fairly represent the cost of making and putting fertilizers on the market. They are based on a careful examination of trade conditions, wholesale and retail, and upon quotations of manufacture.

Relative value per ton, or the figures showing this, represents the prices on board the cars at the factory, in retail lots of five tons or less, for cash.

To make a complete fertilizer the factories have to mix together in proper proportions materials containing ammonia, phosphoric acid, and potash. This costs something. For this reason it is thought well to have two sets of valuations—one for the raw or unmixed materials, such as acid phosphate, kainit, cotton-seed meal, etc., and one for mixed fertilizers.

The values used last season were:

VALUATIONS FOR 1913.

In Unmixed or Raw Materials.

| For | phosphoric acid in acid phosphate | 4 | ϵ ents | per | pound. |
|----------------|--|-----------------|-----------------|-----|--------|
| For | phosphoric acid in bone meal and Peruvian Guano. | $3\frac{1}{2}$ | cents | per | pound. |
| \mathbf{For} | phosphoric acid in basic slag | 4 | cents | per | pound. |
| For | nitrogen | $19\frac{1}{2}$ | cents | per | pound. |
| For | potash | 4 | cents | per | pound. |
| | | | | | |

In Mixed Fertilizers.

| For | phosphoric acid | $4\frac{1}{2}$ | cents | per | pound. |
|-----|-----------------|----------------|-------|-----|--------|
| For | nitrogen | 21 | cents | per | pound. |
| For | potash | 5 | cents | per | pound. |

VALUATIONS FOR 1914.

In Unmixed or Raw Materials.

| For phosphoric acid in acid phosphate | 4 | cents | per | pound. |
|---|-----------------|-------|-----|--------|
| For phosphoric acid in bone meal and Peruvian Guano | | | | |
| and basic slag | 4 | cents | per | pound. |
| For nitrogen | $19\frac{1}{2}$ | cents | per | pound. |
| For potash | 4 | cents | per | pound. |

In Mixed Fertilizers.

| For phosphoric acid | $4\frac{1}{2}$ | cents | per | pound. |
|---------------------|----------------|-------|-----|--------|
| For nitrogen | 21 | cents | per | pound. |
| For potash | 5 | cents | per | pound. |

HOW RELATIVE VALUE IS CALCULATED.

In the calculation of relative value it is only necessary to remember that so many per cent means the same number of pounds per hundred, and that there are twenty hundred pounds in one ton (2,000 pounds).

With an 8-2-1.65 goods, which means that the fertilizer contains available phosphoric acid 8 per cent, potash 2 per cent, and nitrogen 1.65 per cent, the calculation is made as follows:

| Percentage or Lbs. in 100 Lbs. | | Value Per Ton, 2,000 Lbs. |
|--|---------------------|---------------------------|
| 8 pounds available phosphoric acid at 4½ cents | $0.10 \times 20 =$ | 2.00 |
| Total value | $0.817 \times 20 =$ | \$16.14 |

Freight and merchant's commission must be added to these prices.

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | • | | | Per | Percentage Composition or Parts per 100 | omposit | ion or Pa | arts per | 100. | | |
|-----------------------|--|-------------------------------------|---|----------------------------------|---|----------------------|--------------------|---------------------------|------------------|--|------|
| Гарогатогу Митрег, | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Nitrogen. | Organic Nitrogen. | Total Vitrogen, | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory, | |
| | | MIXED FERTILIZERS | ERS. | | | | | | | | |
| | Brands claiming | | | 8.00 | | | .82 | 1.00 | 3.00 | \$ 13.64 | |
| 334 | 3334 Armour Fertilizer Works, Greensboro, N. C | Armour's 8-1-3 Fertilizer | Crouse | 8.36 | .11 | .52 | .63 | .77 | 2.96 | 13.13 | |
| 3364 | | Comet Guano | Esther | 8.52 | .23 | .62 | 28. | 1.03 | 3.56 | 14.80 | тн |
| 3373 | Kalengn, N. C. VaCar. Chemical Co., Richmond, Va | Harvester | Seagrove | 9.95 | 99. | .34 | 66. | 1.20 | 3.18 | 16.27 | E 1 |
| 3126 | | McCormick's Wheat and Grain Guano. | North Wilkesboro | 8.45 | .95 | .22 | 1.17 | 1.42 | 3.03 | 15.51 | DU. |
| | Brands claiming | | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 8.00 | 1 | | .82 | 1.00 | 4.00 | 14.64 | LLE |
| 415 | 3415 American Agricultural Chemical Co., New | Fidelity Grain Grower | Landis | 9.71 | 19. | .20 | 77. | .94 | 3.80 | 15.77 | 1111 |
| 070 | JOFK, N. J. | | Davidson | 8.85 | .93 | ,30 | 1.23 | 1.50 | 2.38 | 15.51 | |
| 3277 | Bryant Fertilizer Co., Alexandria, Va | Bryant's Special Formula for Grain | Burlington | 8.64 | .37 | SI. | . 55 | 99* | 4.34 | 14.43 | |
| 106 | Carolina Warehouse Co., Salisbury, N. C | and Grass. Farmers' Union 8-1-4. | Greensboro | 7.86 | .63 | . 23 | .85 | 1.03 | 3.68 | 14.32 | |
| 154 | 3454 Georgia Chemical Co., Augusta, Ga | Buyers Special Mixture | Durham | 8.27 | .57 | 242. | .81 | .98 | 4.28 | 15.12 | |
| 316 | Piedmont-Mount Airy Guano Co., Balti- | Piedmont Farmers' Favorite | Burlington | 8.07 | .13 | 89* | .81 | 86. | 3.48 | 14.48 | |
| 105 | more, Md. 3105 United States Fertilizer Co., Baltimore, Md | Farm Bell Pennant Winner | Greensboro | 8.53 | .35 | .40 | .75 | .91 | 4.03 | 14.85 | |
| - | Brand claiming | | | 8.00 | | 1 | .82 | 1.00 | 5.00 | 15.64 | |
| 398 | 3398 Union Guano Co., Winston, N. C | Special Mixture | Ararat | 8.85 | .21 | .40 | 19. | -74 | 4.84 | 15.37 | |
| | Brand claiming | | 1 | 8.00 | | | .82 | 1.00 | 6.00 | 16.64 | |
| 104 | 3104 United States Fertilizer Co., Baltimore, Md | Farm Bell Wheat, Oat and Corn | Greensboro | 8.72 | 600 | .52 | .85 | 1.03 | 5.96 | 17.38 | |
| | | Special. | | | | | | | | | J |

ANALYSES OF COMMERCIAL PERTILIZERS--FALL SEASON, 1913.

| | | | | Perc | Percentage Composition or Parts per 100. | omposit | ion or Pa | rts per 10 | 9. | |
|--------|--|---|---|---------------------------|--|------------------|-----------------|-----------------|-----------------|----------------------------------|
| tory | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | old orion - | • чъ | en. | eu: | alent monia. | | re Value n at y. |
| Labore | | | | Availa Phospl Acid. | Vater- soluble Vitrog | inegaO gortiV | latoT gottiV | Equiva | Total Potasl | ritaləH oT 19q 101924 i |
| | | Mixed Fertilizers. | ERS. | | | | | | | |
| | Brands claiming | | | 8.00 | | | 1.00 | 1.22 | 3.00 | \$ 14.40 |
| 3215 | Baugh & Sons Co., Norfolk, Va. | Baugh's Southern States Excelsior | Guilford College | 7.66 | 19. | .60 | 1.21 | 1.47 | 4.16 | 16.11 |
| 3085 | Pocahontas Guano Co., Lynchburg, Va | A. A. Complete Champion Brand | Trinity | 8.41 | 17. | .20 | 16. | 1.11 | 2.52 | 13.91 |
| | Brands claiming | | | 8.00 | | | 1.00 | 1.22 | 4.00 | 15.40 |
| 3421 | Carolina-Union Fertilizer Co., Norfolk, Va | Carolina-Union 1.21-8-4 | Mount Airy | 8.53 | 60. | 86. | 1.07 | 1.30 | 3.60 | 15.76 |
| 3408 | Pocomoke Guano Co., Norfolk, Va | Pocomoke Wheat, Corn, and Peanut | Wilkesboro | 8.26 | .79 | 65 | 1.01 | 1.23 | 4.02 | 15.70 |
| | Brands claiming | AKGING C. | 1 | 8.00 | | 1 | 1.65 | 2.00 | 2.00 | 16.13 |
| 3335 | Aeme Manufacturing Co., Wilmington, N. C | Aeme Special Grain Fertilizer | Crouse | 8.86 | 1.65 | 1.14 | 1.79 | 2.18 | 1.90 | 17.39 |
| 3363 | do | Gem Fertilizer | Candor | 8.12 | .49 | 1.10 | 1.59 | 1.93 | 2.56 | 16.55 |
| 3443 | AC. | Adair's Ammoniated Dissolved Bone | Clyde | 8.31 | 66. | 1.14 | 2.13 | 2.59 | 3.18 | 19,60 |
| 3124 | American Agricultural Chemical Co., New | Canton Chemical Co.'s Baker's Fish | Kings Mountain | 8.28 | 1.21 | .40 | 1.61 | 1.96 | 2.16 | 16.37 |
| 3430 | do | Detrick's Fish Manure | Pinnaele | 8.06 | 1.05 | .50 | 1.55 | 1.88 | 3.00 | 15.76 |
| 3417 | do. | Detrick's Royal Crop Grower | Landis | 9.00 | 1.19 | .30 | 1.49 | 1.81 | 1.98 | 16.42 |
| 3091 | do | Zell's Culvert Guano | Elkin | 8.31 | 1.23 | .36 | 1.59 | 1.93 | 2.05 | 16.18 |
| 3154 | op | Zell's Fish Guano | Lattimore | 8.37 | 1.17 | .34 | 1.51 | 1.84 | 1.94 | 15.81 |
| 3453 | American Fertilizer Co., Norfolk, Va. | A. L. Hannah's Special Formula Guano Reidsville | Reidsville | 8.90 | 1.05 | #9: | 1.69 | 2.05 | 3.06 | 17.18 |
| 3156 | ор | Bone and Phosphate Guano | Monroe | 8.95 | .93 | .32 | 1.25 | 1.52 | 1.92 | 15.22 |
| 3058 | op. | do | Esther | 8.44 | 55. | .32 | 1.07 | 1.30 | 1.86 | 13.95 |

| | | | | | | | | | | Τ | нЕ | В | ULI | LET | IN. | | | | | | | | | | 11 |
|---|--|------------------------------------|---|-------------|--------------------------|---|--|---|---------------------------------|---|---|----------------------------------|-------------------------------------|---------------------------------|--------------------------------------|---|---|---|------------------------------------|-------------------------------|--------------------------------------|-----------------|-------------------------------------|------------------------------------|--|
| 15.89 | 15.54 | 16.34 | 17.06 | 15.98 | 15.71 | 17.01 | 16.81 | 15.88 | 15.96 | 16.95 | 16.97 | 17.79 | 16.35 | 16.00 | 16.77 | 16.68 | 16.87 | 15.38 | 14.95 | 14.04 | 17.44 | 17.37 | 16.00 | 16.45 | 16.49 |
| 2.06 | 2.20 | 2.13 | 2.43 | 2.26 | 1.62 | 2.30 | 2.18 | 2.18 | 2.30 | 2.10 | 2.04 | 2.65 | 2.16 | 2.30 | 1.82 | 2.04 | 2.10 | 2.08 | 2.24 | 2.48 | 2.52 | 3.06 | 2.30 | 51 | 2.10 |
| 1.91 | 2.01 | 1.97 | 2.10 | 1.86 | 1.96 | 2.23 | 1.98 | 1.81 | 1.86 | 2.18 | 1.86 | 61 | 1.96 | 1.88 | 2.27 | 1.96 | 2.15 | 1.81 | 1.57 | 1.25 | 2.18 | 2.15 | 1.76 | 1.74 | 2.08 |
| 1.57 | 1.65 | 1.62 | 1.73 | 1.53 | 1.61 | 1.83 | 1.63 | 1.49 | 1.53 | 1.79 | 1.53 | 1.83 | 1.61 | 1.55 | 1.87 | 1.61 | 1.77 | 1.49 | 1.29 | 1.03 | 1.79 | 1.77 | 1.45 | 1.43 | 1.71 |
| 92. | 1.36 | 02. | 89. | 09. | .64 | 1.06 | 1.36 | .40 | .52 | 1.22 | 99. | 1.18 | .33 | .36 | ÇĮ. | 94. | .54 | 89. | .60 | .53 | 68. | .72 | .26 | .50 | 1.38 |
| .81 | 66. | 66. | 1.05 | .93 | 76. | 17 | 22. | 1.09 | 1.01 | .57 | .87 | .65 | 1.29 | 1.19 | 1.45 | 1.15 | 1.23 | .81 | 69. | .50 | 06. | 1.05 | 1.19 | 8. | £6. |
| 8.04 | 7.12 | 8.24 | 8.19 | 8.10 | 8.14 | 7.92 | 8.65 | 8.27 | 8.04 | 8.15 | 9.45 | 7.98 | 8.25 | 7.99 | 7.88 | 8.75 | 8.15 | 7.82 | 8.10 | 8.04 | 8.23 | 7.64 | 8.57 | 9.23 | 8.01 |
| izer Gastonia | Fer- Asheville | Rockford | Com- Guilford College. | Statesville | Big Lick | o Walnut Cove | Mount Airy | Greensboro | Conover | Maiden | Salisbury | Gold Hill | North Wilkesboro | Davidson | Burlington | Rockwell | Maiden | Reidsville | Lawndale | Salisbury | Siler City | Liberty | Pinnaele | Granite Quarry | Reidsville |
| Armour's Slaughter House Fertilizer | Asheville Packing Co.'s Complete Fer- | Atlantic Special Wheat Fertilizer. | Baugh's Animal Base and Potash Com- Guilford College. | opdo | Baugh's Wheat Fertilizer | Crown Brand Ammoniated Guano. | . Carolina-Union 2-8-2. | Farmers' Union 8-2-2 Guano | Columbia Soluble Guano | Conestee Standard Guano | Plow Brand Ammoniated Guano. | State Standard Guano | . Georgia Formula | Champion Guano | Lee's 8-2-2 Fertilizer | , Lister's Success Fertilizer | Shirley Superphosphate | Marietta Solid South | Martin's Carolina Cotton Grower. | Martin's Special Grain Grower | Ammoniated Dissolved Bone | Farmers' Profit | Navassa Grain Fertilizer | Sea Gull Ammoniated Guano | Piedmont Cultivator Guano |
| Armour Fertilizer Works, Greensboro, N. C | Asheville Packing Co., Asheville, N. C | Atlantic Chemical Co., Norfolk, Va | Baugh & Sons Co., Norfolk, Va | op | op | Caraleigh Phosphate and Fertilizer Works, | Kaleigh, N. C. Carolina-Union Fertilizer Co., Norfolk, Va | Carolina Warehouse Co., Salisbury, N. C | Columbia Guano Co., Norfolk, Va | Conestee Chemical Co., Wilmington, N. C | Etiwan Fertilizer Co., Charleston, S. C | Farmers Guano Co., Raleigh, N. C | Georgia Chemical Works, Augusta, Ga | Imperial Guano Co., Norfolk, Va | Lee, A. S., & Sons Co., Richmond, Va | Lister's Agricultural Chemical Works, Newark. | Hampton Guano Co., Norfolk, Va Shirley Superphosphate | Marietta Fertilizer Co., Greensboro, N. C | Martin Fertilizer Co., Norfolk, Va | do | Miller Fertilizer Co., Baltimore, Md | op | Navassa Guano Co., Wilmington, N. C | Patapseo Guano Co., Baltimore, Md. | 3456 Piedmont-Mount Airy Guano Co., Baltimore, Md. |
| 3219 | 3325 | 3406 | 3244 | 3311 | 3131 | 3397 | 3432 | 3108 | 3221 | 3166 | 3288 | 3176 | 3298 | 3067 | 3345 | 3142 | 3337 | 3187 | 3199 | 3289 | 3255 | 3256 | 3433 | 3290 | 3456 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | ANALISES | ANALIDES OF COMMERCIAL FEBRILLIZERS—FALL SEASON, 1815. | ZEKS—FALL | SEAS | CIN, T | 11.5. | | | | |
|------------------------|---|--|----------------|----------------------------------|--------------------------------|----------------------|---|---------------------------|------------------|--|
| | | | | Perc | entage C | omposit | Percentage Composition or Parts per 100 | arts per l | .00 | |
| Гарога (оту Митрет. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | ∏аtет- soluble Nitrogen. | Organic Zitrogen. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | ERS. | | | | | | | |
| | Brands claiming | | | 8.00 | | 1 | 1.65 | 2.00 | 2.00 | \$ 16.13 |
| 3144 | Navassa Guano Co., Wilmington, N. C | Navassa Grain Grower | Roekwell | 8.77 | .53 | 1.06 | 1.59 | 1.93 | 2.80 | 17.37 |
| 3315 | Piedmont-Mount Airy Guano Co., Baltimore, | Piedmont Bone and Peruvian Mixture Burlington | Burlington | 8.30 | .31 | 1.22 | 1.53 | 1.86 | 2.40 | 16.30 |
| 3367 | Planters Fertilizer and Phosphate Co., | Planters' Standard Fertilizer | Wadesboro | 8.20 | 4. | 1.34 | 1.79 | 2.18 | 1.70 | 16.60 |
| 3291 | Charleston, S. C. Poeahontas Guano Co., Lynchburg, Va | Carrington's Banner Brand Guano | Gold Hill | 9.55 | 94. | .91 | 1.37 | 1.67 | 1.98 | 16.33 |
| 3092 | | op | Madison | 7.78 | 1.07 | .48 | 1.55 | 1.88 | 1.88 | 15.39 |
| 3279 | Poeomoke Guano Co., Norfolk, Va | Pamlico Superphosphate | Kernersville | 9.04 | 1.01 | 09. | 1.61 | 1.96 | 2.74 | 17.64 |
| 3370 | op | op | Seagrove | 7.72 | 1.25 | .34 | 1.59 | 1.93 | 3.00 | 15.63 |
| 3268 | Richmond Guano Co., Richmond, Va | Premium Brand Fertilizer | Albemarle | 8.11 | 77. | 8. | 1.61 | 1.96 | 2.34 | 16.40 |
| 3082 | Robertson Fertilizer Co., Norfolk, Va | Double Dollar Soluble Guano | Glenola | 8.05 | .49 | .92 | 1.41 | 1.71 | 2.34 | 15.51 |
| 3242 | Royster, F. S., Guano Co., Norfolk, Va | Farmers' Bone Fertilizer | Kernersville | 7.10 | 1.03 | 09. | 1.63 | 1.98 | 2.66 | 15.90 |
| 3174 | -do | Royster's Special Wheat Fertilizer | Faith | 8.24 | .56 | .93 | 1.49 | 1.81 | 1.98 | 15.65 |
| 3292 | Swift Fertilizer Works, Wilmington, N. C. | Swift's Red Steer | Salisbury | 7.09 | 64. | 1.14 | 1.63 | 1.98 | 2.26 | 15.49 |
| 3258 | Tuscarora Fertilizer Co., Greensboro, N. C | . Tuscarora Standard | Siler City | 8.30 | .64 | 68. | 1.53 | 1.86 | 1.96 | 15.86 |
| 3175 | op | do | Granite Quarry | 7.98 | .75 | 89. | 1.43 | 1.74 | 1.98 | 15.17 |
| 3254 | Union Guano Co., Winston, N. C | Fish Brand Ammoniated Guano | Siler City | 8.20 | 1.41 | .38 | 1.79 | 2.18 | 1.80 | 16.70 |
| 3409 | op- | op | Elkin | 8.87 | 1.15 | .30 | 1.45 | 1.76 | 2.26 | 16.33 |

| | | | | | | | | | | Т | HE | В | UL | LET | IN | • | | | | | | | | | 13 |
|-------------------|---|-----------------------------------|-----------------------------------|-----------------------------------|----------------------------|----------------------------------|---------------------------------|-------------------------------------|-------------------------------------|-------------------------|----------------|------------------------------------|--|--|-----------------------------------|-----------------------|---|--|----------------------------|--|--------------------------------|--------------------------------------|---|-----------------------------------|---|
| 16.88 | 16.55 | 15.66 | 18.64 | 16.63 | 15.92 | 15.36 | 15.86 | 16.26 | 15.18 | 17.85 | 19.13 | 19.38 | 17.85 | 18.47 | 18.84 | 18.85 | 20.76 | 18.46 | 18.81 | 18.19 | 20.57 | 20.24 | 19.71 | 19.64 | 18.49 |
| 2,00 | 2.80 | 2.58 | 2.90 | 2.65 | 2.46 | 2.04 | 1.98 | 2.48 | 2.18 | 2.04 | 5.00 | 5.00 | 5.00 | 2.20 | 2.18 | 3.00 | 3.20 | 2.84 | 3.21 | 2.64 | 3.00 | 3.00 | 2.86 | 2.88 | 2.32 |
| 2.20 | 1.76 | 1.37 | 2.13 | 1.88 | 1.69 | 1.81 | 1.81 | 1.69 | 1.64 | 2.57 | 2.00 | 2.10 | 2.50 | 2.35 | 2.13 | 2.50 | 2.93 | 2.37 | 2.35 | 2.13 | 3.00 | 2.81 | 2.78 | 2.81 | 2.44 |
| 1.81 | 1.45 | 1.13 | 1.75 | 1.55 | 1.39 | 1.49 | 1.49 | 1.39 | 1.35 | 2.11 | 1.65 | 1.73 | 5.08 | 1.93 | 1.75 | 2.06 | 2.41 | 1.95 | 1.93 | 1.75 | 2.47 | 2.31 | 2.29 | 2.31 | 2.01 |
| .38 | 1.10 | .44 | .34 | .38 | .34 | .50 | .36 | .20 | .46 | 1.04 | | .76 | 1 | . 48 | 1.31 | 1 | .58 | .52 | 1.52 | -34 | | 1.58 | .94 | .70 | 88 |
| 1.43 | .35 | 69. | 1.41 | 1.17 | 1.05 | - 66. | 1.13 | 1.19 | 68. | 1.07 | | 16. | | 1.45 | .44 | 1 2 4 4 4 | -83 | 1.43 | .41 | 1.41 | | .73 | 1.35 | 1.61 | 1.63 |
| 8.09 | 8.51 | 9.26 | 9.32 | 8.33 | 8.47 | 8.07 | 8.47 | 8.82 | 8.14 | 7.72 | 8.00 | 7.91 | 8.00 | 9.07 | 10.34 | 8.00 | 8.27 | 8.26 | 8.29 | 9.11 | 8.00 | 8.38 | 8.04 | 7.84 | 8.59 |
| Greensboro | Kernersville | Dunn | Rutherfordton | Graves Siding | Maiden | North Wilkesboro | Winston | North Wilkesboro | Seagrove | Pilot Mountain | | Burlington | | Concord | Mooresville | | Hildebran | North Wilkesboro | Reidsville | Mount Airy | | Tabor | Landis | Lattimore | Catawba |
| Old Honesty Guano | Farm Bell Standard Guano | A. & A.'s Anchor Brand Fertilizer | Davie & Whittle's Owl Brand Guano | Old Dominion Farmers' Friend Fer- | Old Dominion Soluble Guano | Southern Chemical Co.'s Electric | Tinsley & Co.'s Stonewall Guano | Travers & Co.'s Beef Blood and Bone | Travers & Co.'s National Fertilizer | VC. C. Co.'s Plant Food | | Baugh's Complete Animal Base Fer- | VIII VIII VIII VIII VIII VIII VIII VII | Lister's Ammoniated Dissolved Bone | Б | | Coe-Mortimer Co.'s Cotton and Corn | Unicorn Guano | Piedmont Guano for Tobacco | Powers, Gibbs & Co.'s Carolina Golden Mount Airy | Dete Alumo, Guano for Lonacco. | Acme 8-3-3 C. S. M. | Detrick's Victory Cotton Fertilizer | Zell's Reliance High Grade Manure | American Eagle Guano |
| | United States Fertilizer Co., Baltimore, Md | VaCar. Chemical Co., Richmond, Va | | op | op | op | | op | | op | Brand claiming | 3343 Baugh & Sons Co., Norfolk, Va | Brand claiming | 3069 Lister's Agricultural Chemical Works, Newark, | Patapsco Guano Co., Baltimore, Md | Brands claiming. | 3393 Coe-Mortimer Co., Charleston, S. C | 3407 Patapseo Guano Co., Baltimore, Md | timore, | 3225 VaCar. Chemical Co., Richmond, Va | Brands claiming | 3446 Acme Mfg. Co., Wilmington, N. C | American Agricultural Chemical Co., New | do | 3379 American Fertilizer Co., Norfolk, Va |
| 3103 | 3239 | 3429 | 3152 | 3057 | 3218 | 3127 | 3116 | 3089 | 3374 | 3434 | | 3343 | | 3069 | 3286 | _ | 3393 | 3407 | 3455 | 3225 | | 3446 | 3416 | 3153 | 3379 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Perc | entage C | omposit | Percentage Composition or Parts per 100 | arts per | 100. | |
|-----------------------|---|---|----------------|----------------------------------|--------------------------------|----------------------|---|---------------------------|------------------|--|
| Гарогатогу Хитрег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Vater- soluble Xitrogen. | Organic Vitrogen. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | Mixed Fertilizers | EKS. | | | | | | | |
| _ | Brands claiming | | | 8.00 | | | 2.47 | 3.00 | 3.00 | \$ 20.57 |
| 3220 | 3220 Armour Fertilizer Works, Greensboro, N. C | Armour's 8-3-3 Fertilizer | Gastonia | 8.20 | 1.21 | .83 | 2.03 | 2.47 | 2.78 | 18.69 |
| 3324 | Asheville Packing Co., Asheville, N. C | Asheville Packing Co.'s Complete Fer- | Asheville | 5.15 | 17 | 1.88 | 2.35 | 2.86 | 4.00 | 18.50 |
| 3336 | Atlantic Chemical Co., Norfolk, Va | buzer. Atlantic High Grade Soluble Guano | Maiden | 7.83 | .65 | 1.68 | 2.33 | 2.83 | 3.30 | 20.13 |
| 3418 | Baugh & Sons Co., Norfolk, Va | Baugh's Grand Rapid High Grade | China Grove | 8.03 | 1.81 | - 09. | 2.41 | 5.23 | 3.48 | 20.83 |
| 3344 | Caraleigh Phosphate and Fertilizer Works, | Guano. Caraleigh Eclipse | Burlington | 7.62 | 1.05 | 1.32 | 2.37 | 2.88 | 3.24 | 20.05 |
| 3136 | Ratelgh, N. C. Carolina Warehouse Co., Salisbury, N. C. | Farmers' Union Guano | Salisbury | 8.22 | 1.49 | 1.06 | 2.55 | 3.10 | 3.58 | 21.69 |
| 3177 | Farmers Guano Co., Raleigh, N. C. | Money Point Guano | Gold Hill | 8.00 | .75 | 1.48 | 2.23 | 2.71 | 3.46 | 20.01 |
| 3260 | Georgia Chemical Co., Augusta, Ga | Intensive Formula | Siler City | 9.64 | 1.47 | 7 | 1.91 | 2.33 | 2.58 | 19.28 |
| 3068 | Imperial Co., Norfolk, Va | X. L. O. Cotton Guano | Davidson | 8.03 | 1.55 | .52 | 2.07 | 2.52 | 2.74 | 19.66 |
| 3267 | Marietta Fertilizer Co., Greensboro, N. C | Marietta Pride of Piedmont | Albemarle | 8.62 | 66. | 1.00 | 1.99 | 2.42 | 2.94 | 19.06 |
| 3448 | Navassa Guano Co., Wilmington, N. C | Navassa High Grade Guano | Tabor | 9.00 | 1.51 | .58 | 2.09 | 2.54 | 2.64 | 19.52 |
| 3188 | Old Buck Guano Co., Richmond, Va | Old Buck Quiney Tobacco and Garden Roxboro | Roxboro | 7.28 | 69. | 1.60 | 2.29 | 2.78 | 3.60 | 19.77 |
| 3285 | Patapseo Guano Co., Baltimore, Md | Choctaw Guano | Mooresville | 8.02 | .43 | 1.37 | 1.79 | 2.18 | 3.02 | 17.76 |
| 3365 | Planters Fertilizer Co., Charleston, S. C | Planters Soluble Guano | Wadesboro | 9.12 | .57 | 1.62 | 2.19 | 2.66 | 3.10 | 20.51 |
| 3165 | Royster, F. S., Guano Co., Norfolk, Va | Marlboro High Grade Cotton Grower | Newton | 8.45 | 1.31 | .84 | 2.15 | 2.61 | 3.22 | 19.85 |
| 3252 | Swift Fertilizer Works, Wilmington, N. C. | Swift's Ruralist High Grade Guano | Burgaw | 7.75 | .59 | 2.08 | 2.67 | 3.25 | 4.02 | 22.21 |

| 321. | 3217 Union Guano Co., Winston, N. C. | Union Homestead Guano | Hickory | 6.82 | 1.35 | .34 | 1.69 | 2.05 | 2.40 | 18.34 | |
|------------------|--|--|---|------|-------|--------------|------|---------|-------|-------|------|
| 50 190 190 | 3197 Venable Fertilizer Co., Richmond, Va. | Ballard's Choice Fertilizer | Kings Mountain | 7.91 | Ξ, | 1.30 | 2.31 | 2.81 | 3.59 | 20.41 | |
| 3332 | | Norfolk and Carolina Chemical Co.'s Amazon High Grade Guano | Mount Olive | 9.64 | 1.71 | 99. | 2.37 | . S. S. | 3.16 | 21.79 | |
| 3451 | 14 do | Old Dominion Guano Co.'s Farmers' Friend Special | Chadbourn | 8.73 | 1.23 | 86. | 1.81 | 2.30 | 3.54 | 19.00 | |
| 3185 | 5do | VC. C. Co.s Gold Medal High Grade | Durham | 8.77 | 76. | 1.38 | 2.35 | 2.86 | 2.64 | 20.40 | |
| 3439 | op | VC. C. Co's Royal High Grade Fer- | Raleigh | 9.00 | 1.8.1 | .36 | 2.17 | 2.64 | 3.08 | 20.27 | |
| | Brand claiming | | 1 | 8.00 | | | 2.47 | 3.00 | 10.00 | 27.57 | |
| 3253 | 3253 Swift Fertilizer Works, Wilmington, N. C | .Swift's Strawberry Grower, High Grade Wilmington | Wilmington | 6.39 | .45 | 2.14 | 2.59 | 3.15 | 10.43 | 27.05 | |
| | Brands claiming | | | 8.00 | 1 | 1 | 3.29 | 4.00 | 4.00 | 25.02 | |
| 3331 | 3331 Acme Fertilizer Works, Wilmington, N. C. | Acme O. K. Fertilizer | Mount Olive | 8.60 | 1.53 | 1.36 | 2.89 | 3.51 | 4.36 | 24.22 | |
| 3205 | 3205 Armour Fertilizer Works, Greensboro, N. C | Armour's No. 844 Fertilizer | Denton | 8.17 | 1.75 | 1.06 | 2.81 | 3.43 | 98.7 | 24.01 | 1 |
| 3302 | 3302 Coöperative Warehouse Co., Salisbury, N. C | Farmers' Union 8-4-4 Guano | Salisbury | 8.36 | 2.17 | .70 | 2.87 | 3,49 | 4.24 | 23.82 | HI |
| 3447 | Navassa Guano Co., Wilmington, N. C. | Navassa Special Truck Guano | Tabor | 9.34 | 2.33 | .54 - 154 | 2.87 | 3.49 | 3.34 | 23.80 | Ξ 1 |
| 2427 | Pearsall & Co., Wilmington, N. C. | Pearsall's Fish and Potash Compound | Wallace | 7.15 | 1.15 | 2.12 | 3.27 | 3.98 | 3.84 | 24.01 | śUI. |
| 3366 | Planters Phosphate and Fertilizer Co., Charleston, S. C. | Outano. Planters' Special Cotton Fertilizer | Wadesboro | 8.67 | 1.39 | 1.60 | 2.99 | 3.64 | 4.18 | 24.54 | LE: |
| 3102 | | Union Premium Guano | Greensboro | 9.41 | 9.39 | .33 | 2.61 | 3.17 | 2.64 | 22.07 | LIN |
| 3450 | 3450 VaCar. Chemical Co., Richmond, Va | Durham Fertilizer Co.'s Durham High | Chadbourn | 8.13 | 2.35 | ₹. | 3.19 | 3.88 | ÷ | 24.77 | |
| 3428 | op | VC. C. Co.'s Special | Wallace | 8.94 | 2.03 | 7 | 2.45 | 2.98 | 3.84 | 22.18 | |
| | Brand claiming | | 1 | 8.00 | | | 4.11 | 5.00 | 7.00 | 31.46 | |
| 3109 | 3109 Armour Fertilizer Works, Greensboro, N. C | Blood, Bone, and Potash Fertilizer | Greensboro | 7.80 | 2.55 | 1.96 | 2.51 | 3.05 | 6.50 | 28.26 | |
| | Brand claiming | | | 8.50 | 1 | | 2.26 | 2.75 | 2.00 | 19.14 | |
| 3186 | 3186 VaCar. Chemical Co., Richmond, Va | A. & A.'s Anchor Brand Fertilizer | Durham | 8.94 | .30 | 1.89 | 2.19 | 2.26 | 3.08 | 19.32 | |
| | Brands claiming | | | 9.00 | | | .82 | 1.00 | 2.00 | 13.54 | |
| 3189 | 3189 American Fertilizer Co., Norfolk, Va | American Bone Mixture | Reidsville | 9.02 | .55 | . 58 | 83: | 1.01 | 2.18 | 13.83 | |
| 3259 | 3259 Baugh & Sons Co., Norfolk, Va. | Baugh's Grain and Grass Grower | Liberty | 9.29 | . 47 | .33 | .79 | 96. | 3.68 | 14.36 | |
| 3243 | 324] Royster, F. S., Guano Co., Norfolk, Va | Royster's Special | Kernersville | 58.6 | .45 | . 40 | .85 | 1.03 | 55. | 14.79 | 15 |
| | | | | | | | | | | |) |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | , | Perce | entage C | omposit | ion or P | Percentage Composition or Parts per 100. | .00 | ! |
|-----------------------|--|---|---|----------------------------------|--------------------------------|----------------------|--------------------|--|------------------|--|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Vater- soluble Nitrogen. | Organic Nitrogen. | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | ERS. | | | | | | | , |
| - | Brand claiming | | 1 | 9.00 | | | .82 | 1.00 | 2.00 | \$ 13.54 |
| 3317 B | VaCar. Chemical Co., Richmond, VaBrands claiming | VC. C. Co.'s Baltimore Special Mixture. | Hillsboro | 9.56 | .56 | -45 | 1.01 | 1.23 | 3.00 | 15.15 |
| 3425 | American Agricultural Chemical Co., New | Mogul Fertilizer | Mooresville | 9.67 | .57 | .30 | 11. | £6. | 3.46 | 15.40 |
| 3246 | | Armour's No. 193 Fertilizer | Winston | 9.17 | F. | .46 | 1.17 | 1.42 | 2.72 | 15.89 |
| 3310 | Baugh & Sons Co., Norfolk, Va | Baugh's Grain and Grass Grower | Statesville | 8.80 | .47 | .36 | æ. | 1.01 | 2.22 | 13.63 |
| 3226 | Martin Fertilizer Co., Norfolk, Va. | Martin's Dissolved Organic Compound. Pilot Mountain | Pilot Mountain | 9.37 | .27 | .56 | æ. | 1.01 | 2.48 | 14.40 |
| 3198 | op | Martin's Special Grain Grower | Lawndale | 9.02 | .29 | .50 | .79 | 96. | 3.54 | 14.98 |
| 3143 | | Long's Wheat and Grass Guano | Rockwell | 8.79 | 21 | 89. | 88. | 1.08 | 3.28 | 14.93 |
| 3128 | Patapseo Guano Co., Baltimore, Md | Coon Brand Guano | North Wilkesboro | 8.86 | .39 | .64 | 1.03 | 1.25 | 3.06 | 15.36 |
| 3380 | Powhatan Chemical Co., Richmond, Va | Powhatan Grain Guano | Charlotte | 9.10 | .45 | .30 | .75 | .91 | 3.58 | 14.92 |
| 3243 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Grain Guano | Winston-Salem | 9.00 | .53 | .40 | .93 | 1.13 | 3.08 | 15.09 |
| 3257 | Tusearora Fertilizer Co., Greensboro, N. C. | Tuscarora Fertilizer No. 913 | Siler City | 9.43 | .52 | .25 | 11. | .94 | 3.05 | 14.73 |
| 3196 | Union Guano Co., Winston, N. C. | B. S. Grain Ammoniated Guano | Lawndale | 9.49 | +. | .18 | . 59 | 27. | 3.30 | 14.32 |
| 3280 | VaCar. Chemical Co., Richmond, Va | A. & A.'s Little Giant Grain and Grass Mocksville. | Mocksville | 8.13 | .57 | .16 | .73 | 68. | 2.72 | 13.10 |
| 3435 | op | Grower. Bernhardt's Grain and Crop Guano | Walnut Cove | 8.35 | 27. | .38 | 1.03 | 1.25 | 3.40 | 15.24 |
| 3084 | | Bigelow's Crop Grower | Trinity | 9.44 | £. | .52 | .85 | 1.03 | 2.98 | 15.05 |

| | Brand claiming. | | | 00.6 | | - | 1.00 | 1.22 | 2.00 | 14.30 |
|------|--|--|---------------------------------------|-------|------|--------|------|------|------|-------|
| 3394 | 3394 Robertson Fertilizer Co., Norfolk, Va | Robertson's Blood and Bone Mixture | Shelby | 9.24 | .53 | .38 | .91 | 1.11 | 1.98 | 14.12 |
| • | Brand claiming | | | 9.00 | | | 1.65 | 2.00 | 1.00 | 16.03 |
| 3383 | 3383 VaCar. Chemical Co., Richmond, Va | A. & A.'s Star Brand Guano | Lenoir | 10.44 | .61 | S: | .79 | 96. | 2.12 | 14.83 |
| | Brand claiming | | | 9.00 | | | 1.65 | 2.00 | 2.00 | 17.03 |
| 3392 | 3392 Coe-Mortimer Co., Charleston, S. C. | Knickerbocker Standard | Hildebran | 8.59 | 1.27 | .32 | 1.59 | 1.93 | 2.08 | 16.49 |
| | Brands claiming | | 1 | 9.00 | | | 1.65 | 2.00 | 3.00 | 18.03 |
| 3314 | 3314 Armour Fertilizer Works, Greensboro, N. C | Armour's Bone and Dissolved Bone | Burlington | 8.82 | 17: | 3. | 1.39 | 1.69 | 3.42 | 17.20 |
| 3107 | 3107 Carolina Warehouse Co., Salisbury, N. C | with Potash. Farmers' Union 9-2-3 Guano | Greensboro | 11.84 | 1.25 | .32 | 1.57 | 1.91 | 3.62 | 20.87 |
| 3419 | 3419 Powhatan Chemical Co., Richmond, Va | North Carolina Favorite | Lawndale | 90.6 | .87 | 97. | 1.63 | 1.98 | 3.62 | 18.62 |
| 3387 | 3387 Union Guano Co., Winston, N. C. | Farmers Blood and Bone Guano | Cornelius | 9.47 | 1.03 | ç.i | 1.27 | 1.54 | 2.52 | 16.38 |
| | Brand claiming | | | 9.00 | | | 1.85 | 1.25 | 1.00 | 16.87 |
| 3155 | 3155 Bradley Fertilizer Co., Boston, Mass | Standard Seafowl Guano | . Charlotte | 10.05 | 1.09 | 77. | 1.83 | 67. | 1.40 | 18.13 |
| | Brand claiming | | | 9.00 | | | 1.85 | 2.25 | 4.00 | 19.87 |
| 3278 | 3278 Pocomoke Guano Co., Norfolk, Va | Monticello Animal Bone Fertilizer | Kernersville | 9.14 | 1.19 | .50 | 1.69 | 2.05 | 3.96 | 19.28 |
| | Brand claiming | | | 9.00 | | | 2.47 | 3.00 | 2.00 | 20.47 |
| 3441 | 3441 VaCar. Chemical Co., Richmond, Va. | Durham Fertilizer Co.'s L. and M. | Raleigh | 9.73 | 2.19 | 1.24 | 2.43 | 2.95 | 1.80 | 20.76 |
| | Brands claiming | Special. | P P P P P P P P P P P P P P P P P P P | 10.00 | | | .82 | 1.00 | 3.00 | 15.44 |
| 3444 | 3444 Royster, F. S., Guano Co., Norfolk, Va | Haywood County Special Guano | Waynesville | 10.12 | 15: | .43 | .63 | 22. | 4.30 | 15.95 |
| 3381 | 3381 Swift Fertilizer Works, Wilmington, N. C. | Swift's Planters' Special Standard | Newton | 9.21 | .35 | .46 | .81 | 86. | 3.52 | 15.21 |
| | Brand claiming | | | 10.00 | | | 1.03 | 1.25 | 2.00 | 15.33 |
| 3461 | 3461 Farmers Guano Co., Norfolk, Va | Farmers' Grain Grower | Mount Airy | 10.79 | .51 | .46 | .97 | 1.18 | 2.40 | 16.18 |
| | Brands claiming | | | 10.00 | 4 | 1 | 1.03 | 1.25 | 00.9 | 19.33 |
| 3247 | 3247 Carolina Warehouse Co., Salisbury, N. C | Farmers' Union 10-1.25-6 Guano | Winston-Salem | 11.19 | .7.5 | 1.2 | .87 | 1.06 | 5.45 | 19.15 |
| 316 | 3163 Union Guano Co., Winston, N. C. | Grain Chemical | Conover | 10.41 | 17 | so. | . 85 | 1.03 | 5.58 | 18.52 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Per | rentage (| Composit | Percentage Composition or Parts per 100 | arts per l | .00 | |
|-----------------------|---|--|--|----------------------------------|--------------------------------|---------------------|---|------------------------|------------------|--|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled | Available Phosphoric Acid, | Water- soluble Vitrogen. | Отganie Интоgen. | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | ERS. | | | | | | | |
| _ | Brand claiming | | | 10.00 | 1 | 1 | 1.65 | 2.00 | 9.00 | \$ 20.93 |
| 3440 | 3440 Va,-Car. Chemical Co., Richmond, Va | VC. C. Co.'s Special Grain Mixture Raleigh | . Raleigh | 10.60 | 1.49 | 8] | 1.3 | 2.08 | 4.24 | 20.96 |
| _ | Brands claiming | | | 10.00 | | | 3.29 | 4.00 | 4.00 | 26.82 |
| 3414 | 3414 Armour Fertilizer Works, Greensboro, N. C | Armour's 10-4-4 Fertilizer | China Grove | 9.79 | 1.19 | 1.72 | 2.91 | 3.54 | 4.84 | 25.87 |
| 3395 | 3395 VaCar. Chemical Co., Richmond, Va. | VC. C. Co.'s Electric High Grade Special Guano. | Morganton | 10.30 | 2.73 | .16 | 2.89 | 3.51 | 3.98 | 25.39 |
| 2226 | 9386 Armone Ecoetilion Would Custon M. C. | American of the Doubliness | | 9.5 | 1 00 | 2 | 87.5 | 00.4 | 3 | 78.12 |
| | | Total S 10-1-0 Let billion | T ay 101 SA III C | 6.00 | 07:1 | - | 1.65 | 2.00 | 5.00 | 17.33 |
| 3240 | 3240 Royster, F. S., Guano Co., Norfolk, Va. | Royster's 2-6-5 Special | Kernersville | 5.81 | .S. | 174 | 1.59 | 1.93 | 5.02 | 16.93 |
| _ | Brands claiming. | | 1 | 9.00 | 4 6 1 8 2 | 1 | 4.11 | 5.00 | 7.00 | 29.66 |
| 3330 | 3330 Armour Fertilizer Works, Greensboro, N. C | Armour's 5 Per Cent Trucker | Wilmington | 5.80 | 2.39 | 1.30 | 3.69 | 4.49 | 98.9 | 27.58 |
| 3449 | 3449 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Special Truck Guano | - Chadbourn | 7.12 | 2.99 | .70 | 3.69 | 4.49 | 8.16 | 30.07 |
| _ | Brands claiming | | 1 2 3 4 6 6 1 9 9 9 9 8 1 1 8 1 8 1 8 1 8 1 8 1 8 1 | 8.00 | | | | | 4.00 | 11.20 |
| 3369 | 3369 Acme Mfg. Co., Wilmington, N. C | Acme Bone and Potash | Candor | 8.80 | | | | | 3.08 | 11.00 |
| 3094 | 3094 American Agricultural Chemical Co., New | Palmetto Alkaline Phosphate | Elkin | 8.98 | | | | | 3.90 | 11.98 |
| 3157 | American Fertilizer Co., Norfolk, Va | American Special Potash Mixture for | Monroe | 7.77 | | | | | 4.70 | 11.68 |
| 3145 | 3145. Armour Fertilizer Works, Greensboro, N. C | Armour's Phosphate and Potash | Albemarle | 8.31 | 1 | - | | | 3.45 | 10.90 |

| 3580 Asheville Packing Co., Asheville, N. C. Asheville Packing Co., Special Bone and Potach Mixture. Rotorial. 7.88 2.99 11.88 3410 Atlantic Clembra, Warder Co., Marchells, Va. Adduntée 44 Bone and Potach Mixture. Burbington. 7.26 3.49 11.38 3411 Carolina Warderosce Co., Alciadori, V. C. Farrner's Union & Hone and Potach Mixture. Gold Hill. 9.22 3.49 11.39 3417 Carolina Warderosce Co., Alciadori, V. C. Farrner's Union & Hone and Potach Mixture. Gold Hill. 9.25 3.49 11.39 350 Georgia Clemical Works, Augusta, Ga. Acid Phosphate with 4 Per Cart Potach Denom. Burlington. 8.46 3.72 11.35 350 Imperial Co., Norfolk, Va. Acid Robor Grain Grower. Mount Airy. 8.46 3.72 11.35 350 Imperial Pertiliere Co., Belatinonal, Va. Povaladan Bone and Potach Mixture. Mount Airy. 8.46 1.40 11.35 351 Faritier Co., Recensiono, N. C. Marietta Codden Grain Grower. Trinity. 7.59 4.40 11.35 352 Harrietta Pertiliere Co. | | | | | | | | | | Τ | НЕ | В | UL | LET | ΊN | • | | | | | | | | | 19 |
|--|---|---------------------------------------|--|---------------------------------------|--|--|---------------------------------------|---|------------------------|--|-------------------------------------|---|--------------------------------|--|--|-------|-------|----------------|-------|----------------|-------|---|--|---------------------------------------|-------|
| Asheville Packing Co.'s Special Bone Asheville | 11.88 | 12.62 | 11.39 | 13.19 | 11.35 | 11.02 | 11.06 | 11.54 | 12.36 | 11.88 | 11.25 | 13.08 | 12.86 | 12.10 | 13.14 | 11.18 | 13.29 | 12.20 | 13.24 | 11.10 | 11.69 | 11.00 | 12.48 | 10.86 | 10.55 |
| Asheville Packing Co.'s Special Bone Asheville and Potash Adantic 8-4 Bone and Potash Mixture. Racford Burlington. Special Bone and Potash Mixture. Burlington. Special Bone and Potash Mixture. Gold Hill. Acid Phosphate with 4 Per Cent Potash Denton. Yadkin Wheat Grower. Marietta Golden Grain Grower. Marietta Golden Grain Grower. Marietta Golden Grain Grower. Marietta Golden Grain Grower. Royster's 8-4 Bone and Potash Mixture. Charlotte. Swift's Plantation Standard Grade Trinity. Phosphate and Potash. Wheat Grower. Swift's Plantation Standard Grade Trinity. Phosphate and Grass Grower. Swift's Plantation Standard Grade Trinity. Wheat Grower. Swift's Plantation Standard Grade Trinity. Wheat Grower. Swift's Special Wheat Mixture. Swift's Plantation Standard Grade Trinity. Wheat Grower. Sulfactor Chemical Co.'s Click's Special Trinity. Wheat Grower. Sulfactor Compound. Swift State Pert. Co.'s Gilt Edge Brand North Wilkesboro Dissolved Bone and Potash. Farm Bell Phosphate and Potash Fer-Burlington. Lilizer. Armour's Phosphate and Potash for Corn Reidsville. Dissolved Bone and Potash for Corn Reidsville. Almour's Phosphate and Potash for Corn Reidsville. | 3.46 | 5.18 | 3.00 | 3.94 | 3.72 | 3.92 | 3.72 | 4.02 | 3.84 | 4.00 | 4.06 | 5.43 | 4.00 | 4.16 | 4.40 | 4.50 | 3.46 | 2.00 | 5.16 | 3.00 | 2.94 | 2.00 | 1.84 | 2.06 | 1.60 |
| Asheville Packing Co.'s Special Bone Asheville and Potash Adantic 8-4 Bone and Potash Mixture. Racford Burlington. Special Bone and Potash Mixture. Burlington. Special Bone and Potash Mixture. Gold Hill. Acid Phosphate with 4 Per Cent Potash Denton. Yadkin Wheat Grower. Marietta Golden Grain Grower. Marietta Golden Grain Grower. Marietta Golden Grain Grower. Marietta Golden Grain Grower. Royster's 8-4 Bone and Potash Mixture. Charlotte. Swift's Plantation Standard Grade Trinity. Phosphate and Potash. Wheat Grower. Swift's Plantation Standard Grade Trinity. Phosphate and Grass Grower. Swift's Plantation Standard Grade Trinity. Wheat Grower. Swift's Plantation Standard Grade Trinity. Wheat Grower. Swift's Special Wheat Mixture. Swift's Plantation Standard Grade Trinity. Wheat Grower. Sulfactor Chemical Co.'s Click's Special Trinity. Wheat Grower. Sulfactor Compound. Swift State Pert. Co.'s Gilt Edge Brand North Wilkesboro Dissolved Bone and Potash. Farm Bell Phosphate and Potash Fer-Burlington. Lilizer. Armour's Phosphate and Potash for Corn Reidsville. Dissolved Bone and Potash for Corn Reidsville. Almour's Phosphate and Potash for Corn Reidsville. | | | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 1 1 1 2 4 2 3 4 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | | | | | | | | | | | | | |
| Asheville Packing Co.'s Special Bone and Potash Atlantic 8-4 Bone and Potash Mixture. Bryant's Wheat Grower. Special Bone and Potash Mixture. Acid Phosphate with 4 Per Cent Potash Yadkin Wheat Grower. Marietta Golden Grain Grower. Powhatan Bone and Potash Mixture. Royster's 8-4 Bone and Potash Mixture. Royster's 8-4 Bone and Potash Mixture. Swift's Plantation Standard Grade Phosphate and Potash Mixture. Swift's Plantation Standard Grade Propoplate and Grass Grower. Union Wheat Mixture. Durham Fertilizer Co.'s Chick's Special Wheat Grower. Union Wheat Mixture. Swift Special Wheat Grower. Swift Special Wheat Grower. Sulfaren Chempound. Swift Special Wheat Grower. Sultoners & Co.'s Gilt Edge Brand Wheat Growers & Co.'s Gilt Edge Brand Dissolved Bone and Potash. Farm Bell Phosphate and Potash Fertilizer. Zell's Bone and Potash for Corn and Wheat. Zell's Bone and Potash for Corn and Wheat. | 7.83 | 8.27 | 9.32 | 10.28 | 8.48 | 7.90 | 8.16 | 8.36 | 9.47 | 8.76 | 7.99 | 8.51 | 9.85 | 8.83 | 9.71 | 7.42 | 10.92 | 8.00 | 8.98 | 9.00 | 9.72 | 10.00 | 11.82 | 9.85 | 9.94 |
| Asheville Packing Co., Asheville, N. C. Atlantic Chemical Co., Norfolk, Va. Bryant Fertilizer Co., Alexandria, Va. Carolina Warehouse Co., Salisbury, N. C. Georgia Chemical Works, Augusta, Ga. Imperial Co., Norfolk, Va. Marietta Fertilizer Co., Greensboro, N. C. Powhatan Chemical Co., Richmond, Va. Royster, F. S., Guano Co., Norfolk, Va. Swift Fertilizer Works, Atlanta, Ga. United States Fertilizer Co., Baltimore, Md. do. do. do. do. do. do. do. do. Anorica States Fertilizer Co., Baltimore, Md. Brand claiming. Brand claiming. Brand claiming. Annorur Fertilizer Works, Greensboro, N. C. Brands claiming. Annorican Agricultural Chemical Co., New York, N. Y. Annorican Fertilizing Co., Norfolk, Va. Annorican Fertilizing Co., Norfolk, Va. | | | Farmers' Union 8-4 Bone and Potash Winston | | Acid Phosphate with 4 Per Cent Potash Denton | | | | ; | Royster's 8-4 Bone and Potash Mixture. Charlotte | | 1 | | Durham Fertilizer Co.'s Carr's Special Trinity | Southern Chemical Co.'s Click's Special Newsom | | | | | | | TOTAL | | | |
| | Asheville Packing Co., Asheville, N. C Atlantic Chemical Co., Norfolk, Va | Bryant Fertilizer Co., Alexandria, Va | Carolina Warehouse Co., | Farmers Guano Co., Raleigh, N. C | Georgia Chemical Works, Augusta, Ga | Imperial Co., Norfolk, Va | do | Marietta Fertilizer Co., Greensboro, N. C | Powhatan Chemical Co., | Royster, F. S., Guano Co., Norfolk, Va | Swift Fertilizer Works, Atlanta, Ga | United States Fertilizer Co., Baltimore, Md | Union Guano Co., Winston, N. C | VaCar. Chemical Co., Richmond, Va | op | qo | - op | Srand claiming | | Srand claiming | | Srands claiming | American Agricultural Chemical Co., New York N. Y. | American Fertilizing Co., Norfolk, Va | |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| 100. | Total Potash. Relative Value per Ton at Factory. | | 2.00 \$ 11.00 | 2.44 12.33 | 2.98 11.69 | 2.78 11.84 | 1.44 10.98 | 1.84 11.10 | 2.30 11.25 | 2.42 11.97 | 2.26 + 12.05 | 2.06 11.08 | _ | 1.96 10.62 | | | | | | |
|--|--|--------------------|---|--|--|---|--|---------------------------------------|---|---|---|----------------------------------|-------------------------------------|------------------------------|--------------------------------|---|---|--|--|--|
| Percentage Composition or Parts per 100. | Equivalent to Ammonia. | | | | 6 6 8 9 9 | 1 | | | 1 | 1 | 1 | | | | | 1 | | | | |
| ition or | Total Vitrogen. | | | | | | | | | | | | 1 | | | | | | | |
| Compos | Огдапіс Уістоден. | | | | | | | | | | | 1 | | | 1 | 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | |
| rcentage | Water- soluble Nitrogen. | | | | | | | | | 1 | | | | | 1 | 1 | | | | |
| , <u>B</u> | Available Phosphoric Acid. | | 10.00 | 10.99 | 9.68 | 10.07 | 10.60 | 10.29 | 9.94 | 10.61 | 10.88 | 10.02 | 9.84 | | 10.90 | 10.90 | 10.90 10.70 10.37 | 10.90 10.70 10.37 10.07 | 10.90 10.70 10.37 10.07 | 10.90 10.70 10.37 10.07 |
| | Where Sampled. | ERS. | 1 | Asheville | Hendersonville | Randleman | Sylva | Burlington | Troy | Winston-Salem | Maiden | Gold Hill | Denton | | Maiden | Maiden | Maiden Davidson | Maiden Davidson Seagrove | Maiden Davidson Seagrove Waco | Maiden. Davidson Seagrove Waco |
| | Name of Brand. | MIXED FERTILIZERS. | | Asheville Packing Co.'s Special XXX | Wheat Grower. Adjante Acid Potash Mixture 10-2 | Sandard Grade. Baugh's Soluble Alkaline Superphos- | phate. Beta Special Grass and Grain Fertilizer. Sylva | Bryant's Bone and Potash | Caraleigh Electric Bone and Potash | Farmers' Union 10-2 Bone and Potash. | Conestce Bone and Potash | Century Bone and Potash Mixture | Bone and Potash. | | Dauntiess Potash Mixture | Dauntiess Potash MixtureVirginia Grain Mixture | Dauntiess Fotasin Mixture. Virginia Grain Mixture. do | . Dauntiess Fotasin Mixture Virginia Grain Mixturedo .loe's Wheat Fertilizer | Virginia Grain Mixture. Virginia Grain Mixture. do. Loe's Wheat Fertilizer. Lister's Plosphorie Acid and Potash. | Virginia Grain Mixture. Virginia Grain Mixture. do. Lee's Wheat Fertilizer. Lister's Phosphoric Acid and Potash |
| And the state of t | Name and Address of Manufacturer, | | Brands claiming | Asheville Packing Co., Asheville, N. C | Atlantic Fertilizer Co., Atlanta, Ga | Baugh & Sons Co., Norfolk, Va | Beta Fertilizer Co., Beta, N. C. | Bryant Fertilizer Co., Alexandria, Va | Caraleigh Phosphate and Fertilizer Works, | Carolina Warehouse Co., Salisbury, N. C | Conestee Chemical Co., Wilmington, N. C | Farmers Guano Co., Raleigh, N. C | Georgia Chemical Works, Augusta, Ga | Homodon Cuono Co Nonfolly Vo | Hampton Guano Co., Norioik, Va | nampton Guano Co., Noriotk, va Imperial Co., Noriolk, Va | Hampeon Cuano Co., Norioik, Vado | Imperial Co., Norfolk, Vadododododo | Imperial Co., Norfolk, Va | Imperial Co., Norfolk, Va. Imperial Co., Norfolk, Va. Imperial Co., Norfolk, Va. I.do I.do I.ster's Agricultural Chemical Works, Newark, Lister's Phosphoric Acid and Potash Rockwell Natural Chemical Works, Newark, Lister's Phosphoric Acid and Potash Rockwell |
| | Laboratory Хитрег. | | | 3361 | 3359 | 3029 | 3327 | 3281 | 3303 | 3248 | 3167 | 3178 | 3208 | 3338 | | 3073 | 3073 | 3073 3377 3159 | 3073 3377 3159 3147 | 3073 3377 3159 3147 |

| Baltimore, Md | Patapseo Soluble Phosphate and Potash. | Granite Quarry | 10.37 | Ci | | 11.57 |
|---|---|---|-------|-----|-----------|-------------|
| ., Lynchburg, Va | Carrington's Superior Grain Compound Madison | l Madison | 12.07 | | 2.18 . 13 | 13.04 |
| Norfolk, Va | 10-2 Potash Mixture | Statesville | 10.49 | 2 | 2.36 | 11.80 |
| Powhatan Chemical Co., Richmond, Va | Bone and Potash Mixture | Mount Airy | 10.02 | 61 | 2.00 | 11.02 |
| Filmington, N. C. | . Dissolved Bone with Potash | Lawndale | 10.03 | - | 1.96 | 10.99 |
| Robertson Fertilizer Co., Norfolk, Va | Level Run Dissolved Bone | . Mocksville | 9.17 | 2 | 2.08 10 | 10.33 |
| Co., Norfolk, Va. | Royster's Bone and Potash Mixture | North Wilkesboro | 10.69 | - | 1.34 10 | 96.01 |
| Atlanta, Ga | Swift's Wheat Grower Standard Grade | Troy | 9.53 | C1 | 2.04 10 | 10.62 |
| o., Greensboro, N. C | Tuscarora Bone and Potash. | Denton | 9.6 | C. | 2.06 11 | 11.02 |
| | do | . Big Lick | 10.35 | - | 1.66 10 | 10.97 |
| United States Fertilizer Co., Baltimore, Md | . Farm Bell Alkaline Mixture | Effand | 10.31 | 5 | 2.66 11 | 11.94 |
| Union Guano Co., Winston, N. C | Union 10-2 Bone and Potash | Norwood | 10.32 | 61 | 2,62 | HE 06.11 |
| VaCar. Chemical Co., Richmond, Va | A. & A.'s McGavock's Special Potash | Mount Airy | 10.40 | CI | 2.28 | 11.64 |
| | Al. & A.'s B. P. Potash Mixture | Lexington | 10.11 | - | 1.86 | 10.96 UL |
| 1 | Davie & Whittle's Owl Brand Acid | North Wilkesboro | 11.02 | 62 | 2.62 12 | 12.54 |
| 1 | Fnosphate With Fotash. Durham Fertilizer Co.'s Blue Ridge | Graves Siding | 10.41 | 6 | 2.20 11 | 11.57 |
| • | Wheat Grower, | Asheville | 13.75 | | 1.00 | 13.37 |
| | Durham Fertilizer Co.'s Standard | North Wilkesboro | 10.77 | C.1 | 2.14 | 11.83 |
| | Nucat Grower. Durham Fertilizer Co.'s Bone and Pot- Hillsboro. | Hillsboro | 10.82 | | 1.50 | 11.24 |
| | Lynchburg Guano Co.'s Dissolved | Elkin | 10.46 | - | 1.96 | 11.37 |
| | Done and Fotash. Old Dominion Guano Co.'s Alkaline | Trinity | 10.08 | 5 | 2.80 11 | 11.87 |
| | Southern Chemical Co.'s Mammoth | Maiden | 10.00 | - | 1.92 | 10.72 |
| | wheat Grower. J. G. Tinsley & Co.'s Bone and Potash Winston-Salem | Winston-Salem | 11.87 | C1 | 2.04 | 12.72 |
| | Mixture. S. W. Travers & Co.'s Capital Bone and Pittsboro | Pittsboro | 10.25 | 6 | 2.20 11 | 11.42 |
| | I Otash. | 7 5 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 10.00 | 2 | 2.25 11 | 11.25 |
| 3385 Navassa Guano Co., Wilmington, N. C. | Navassa Wheat Mixture | Lenoir | 9.39 | 2 | 2.08 | 10.53 |
| | | | | | | 1 |

ANALYSES OF COMMERCIAL FERTHLIZERS—FALL SEASON, 1913.

| | Relative Value per Ton at Factory. | | \$ 12.00 | 12.47 | 13.00 | 13.39 | 13.99 | 13.26 | 13.38 | 13.00 | 12.85 | 12.70 | 12.95 | 12.53 | 12.85 | 13.88 | 13.65 | 13.82 | 14.06 |
|--|--|--------------------|----------------|--------------------------------|-----------------|---------------------------------|---|---|--------------------------------------|---|--|---|-----------------------------------|---|---------------------------------------|--|--|---|--|
| 100. | Total Potash, | | 3.00 | 3.52 | 4.00 | 3.98 | 3.42 | 3.84 | 3.78 | 3.96 | 3.12 | 3.84 | 4.00 | 3.84 | 4.00 | 4.90 | 3.78 | 4.02 | 4.50 |
| arts per | Equivalent to Ammonia. | | | | | | | | | | 1 | | | | | | | | 1 |
| tion or P | Total Nitrogen. | | | 1 | | | | | | 1 | 1 | 1 | | | | | | | |
| omposit | Organic Zitrogen. | | | | | | | | | | 1 | | | | | | | | |
| Percentage Composition or Parts per 100. | Vater- soluble Vitrogen. | | | | | | | | | 1 1 1 1 1 1 1 | | | 1 | | | | | 1 | 1 |
| Perc | Available Phosphoric Acid. | | 10.00 | 9.94 | 10.00 | 10.46 | 11.74 | 10.47 | 10.67 | 10.05 | 10.81 | 9.84 | 9.94 | 9.66 | 9.83 | 9.98 | 10.97 | 10.89 | 10.62 |
| | Where Sampled. | ERS. | | Steeds | | | Clyde | Elkin | Rural Hall | Sanford | Asheville | Albemarle | Liberty | Mount Airy | Burlington | Denton | Greensboro | Marion | Albemarle |
| | Name of Brand. | MIXED FERTILIZERS. | | Carolina Wheat Mixture | | Acme Bone and Potash | Adair's Wheat and Corn Grower | Zell's High Grade Bone and Potash | Double Dissolved Bone and Potash | Armour's Superphosphate and Potash. | Asheyille Packing Co.'s Special Bone | and Fotash. Atlantic Acid and Potash Mixture | Baugh's 10-4 Phosphate and Potash | Mixture. Burton's Alkaline | Bryant's Bone and Potash Mixture | Carolina Union 10-4 | Farmers' Union 10-4 Bone and Potash | Columbia Bone and Potash Mixture | Combanee Acid Phosphate with Potash, Albemarle |
| | Name and Address of Manufacturer. | | Brand claiming | 3376 Imperial Co., Norfolk, Va | Brands claiming | Acme Mfg. Co., Wilmington, N. C | Adair, A. D., & McCarty Co., Chattanooga, | Tenn. American, Agricultural Chemical Co., New | American Fertilizer Co., Norfolk, Va | Armour Fertilizer Works, Greensboro, N. C | Asheville Packing Co., Asheville, N. C | Atlantic Fertilizer Co., Atlanta, Ga | Baugh & Sons Co., Norfolk, Va | Burton, C. J., Guano Co., Baltimore, Md | Bryant Fertilizer Co., Alexandria, Va | Carolina-Union Fertilizer Co., Norfolk, Va | Carolina Warehouse Co., Salisbury, N. C. | Columbia Guano Co., Norfolk, Va | Combahee Fertilizer Co., Charleston, S. C |
| | Laboratory Number | | | 3376 | | 3339 | 3445 | 3096 | 3299 | 3263 | 3362 | 3269 | 3262 | 3229 | 3348 | 3210 | 3110 | 3358 | 3270 |

| | Conestee Chemical Co., Wilmington, N. C | Conestee Bone and Potash | Maiden | 10.99 | 3.26 | 13.15 |
|------|---|---|----------------|-------|------|-------|
| 3180 | Farmers Guano Co. | Special Bone and Potash | Gold Hill | 10.77 | 3.16 | 12.85 |
| 3261 | Georgia Chemical Works, Augusta, Ga | High Grade XX Acid Phosphate with | Siler City | 10.76 | 3.92 | 13.60 |
| | Imperial Co., Norfolk, Va | Potash. Catawba Wheat Grower. | Walnut Cove | 10.28 | 3.96 | 13.21 |
| 3368 | Marietta Fertilizer Co., Greensboro, N. C | Marietta Potash Special | Albemarle | 10.06 | 3.82 | 12.87 |
| 3192 | $^{\mathrm{op}}$ | do | Reidsville | 10.04 | 3.72 | 12.76 |
| 3230 | Martin, D. B., Fertilizer Co., Norfolk, Va | Martin's Potash and Soluble Bone | Pilot Mountain | 10.05 | 3.94 | 12.98 |
| 3201 | Navassa Guano Co., Wilmington, N. C. | Navassa Dissolved Bone with Potash | Shelby | F6.6 | 3.80 | 12.75 |
| 3146 | ор | Navassa Wheat and Grass Grower | Rockwell | 10.55 | 2.00 | 14.49 |
| 3294 | Patapseo Guano Co., Baltimore, Md | Patapseo 10-4 Potash Mixture | Granite Quarry | 10.22 | 3.84 | 13.04 |
| 3457 | Piedmont-Mount Airy Guano Co., Baltimore, | Piedmont Farmers' Bone and Potash Reidsville. | Reidsville | 10.47 | 3.84 | 13.26 |
| 3190 | Md. Pocahontas Guano Co., Lynchburg, Va | Wabash Wheat Mixture | Roxboro | 10.15 | 3.32 | 12.45 |
| 3388 | Powhatan Chemical Co., Richmond, Va | Magic Bone and Potash Mixture | Cornelius | 10.43 | 5.18 | 14.57 |
| 3202 | Richmond Guano Co., Richmond, Va | Rex Bone and Potash Mixture | Shelby | 10.02 | 3.92 | 12.94 |
| 3078 | Robertson Fertilizer Co., Norfolk, Va | Skyseraper Bone and Potash Com- | Glenola | 99.6 | 3.56 | 12.25 |
| 3182 | Royster, F. S., Guano Co., Norfolk, Va | pound. Royster's 10-4 Bone and Potash Mixture Faith. | Faith | 9.95 | 3.86 | 12.81 |
| 3075 | Swift Fertilizer Works, Wilmington, N. C | Swift's Farmers' Home High Grade | Concord | 10.25 | 4.26 | 13.48 |
| 3206 | Tuscarora Fertilizer Co., Greensboro, N. C | Tuscarora Acid and Potash | Denton | 16.6 | 4.08 | 13.00 |
| 3181 | -do | -do | Granite Quarry | 86.6 | 3.80 | 12.78 |
| 3422 | -do | | Concord | 10.04 | 3.38 | 12.42 |
| 3114 | Union Guano Co., Winston, N. C | Quaker Grain Mixture | Greensboro | 10.33 | 3.92 | 13.22 |
| 3111 | United States Fertilizer Co., Baltimore, Md | Farm Bell Special Mixture | Greensboro | 10.74 | 3.90 | 13.57 |
| 3160 | VaCar. Chemical Co., Richmond, Va | ominion Obelisk Bone and Pot- | Iron | 12.09 | 3.70 | 14.58 |
| 3138 | op | asn. Southern Chemical Co.'s Winner Grain | Salisbury | 10.14 | 4.76 | 13.89 |
| 3380 | 3390 do | Mixture. | Statesville | 9.62 | 4.86 | 13.52 |
| 3193 | -do | VC. C. Co.'s Special Potash Mixture Roxboro | Roxboro | 9.47 | 4.22 | 12.74 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | ANALLISES | ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913 | IZEKS—FALL | SEASO | м, ты | no. | | | | |
|-----------------------|---|--|---|--|---|----------------------|---|--|------------------|--|
| | | | | Percent | tage Cor | npositic | on or Pa | Percentage Composition or Parts per 100. | .00 | |
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. Water- soluble | Nitrogen. | Organic negoritiV | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | MIXED FERTILIZERS. | ERS. | | | | | | | |
| | Brand claiming | | 1 | 10.00 | 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 | 1 | 1 1 | 14.00 | \$ 13.00 |
| 3099 | 3099 VaCar. Chemical Co., Richmond, Va. | Va. State Fertilizer Co.'s XX Potash | North Wilkesboro | 10.32 | | | 1 | | 4.06 | 13.35 |
| | Brands claiming | MIXEUTE. | 1 | 10.00 | | | | 1 | 5.00 | 14.00 |
| 3148 | 3148 Armour Fertilizer Works, Greensboro, N. C | Armour's Phosphorie Acid and Potash Albemarle. | Albemarle | 10.17 | | 1 | 1 | | 4.80 | 13.96 |
| 3312 | 3312 Cooperative Warehouse Co., Salisbury, N. C | Farmers' Union 10-5 Bone and Potash Troutman. | Troutman | 9.32 | | | 1 | 1 | 4.96 | 13.35 |
| 3271 | Marietta Fertilizer Co., Greensboro, N. C | Marietta Potash Mixture | Albemarle | 10.29 | | | | | 4.74 | 14.00 |
| 3400 | Pocahontas Guano Co., Lynchburg, Va | Special Potash Mixture | Mount Airy | 14.12 | | | | | 1.80 | 14.51 |
| 3459 | Rasin-Monumental Co., Baltimore, Md | Rasin's Special Bone and Potash | Durham | 10.40 | | | | 1 1 1 1 | 4.34 | 13.70 |
| 3436 | 3436 Robertson Fertilizer Co., Norfolk, Va | J. W. S. Alkaline Bone | Walnut Cove | 10.31 | | i | | 1 | 5.44 | 14.72 |
| 3283 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash | Kernersville | 9.99 | | | | | 4.28 | 13.27 |
| 3318 | Union Guano Co., Winston, N. C. | Union Bone and Potash | Burlington | 9.72 | | | | | 4.82 | 13.57 |
| 3113 | United States Fertilizer Co., Baltimore, Md | Farm Bell Ten-five Mixture | Greensboro | 10.40 | | | - | | 5.76 | 15.12 |
| 3346 | VaCar. Chemical Co., Richmond, Va. | Lynchburg Guano Co.'s Alpine Mixture Burlington | Burlington | 96.6 | | | | | 4.60 | 13.56 |
| 3320 | do | Va. State Fertilizer Co.'s Mountain Top Hillsboro. | Hillsboro | 9.67 | | | | | 5.33 | 14.02 |
| | Brands claiming | bone and rotash. | 1 | 10.00 | | | | 1 | 00.9 | 15.00 |
| 3305 | 3305 Cooperative Warehouse Co., Salisbury, N. C Farmers' Union 10-6 Bone and Potash., Salisbury | Farmers' Union 10-6 Bone and Potash | Salisbury | 9.97 | | | 1 | | 5.28 | 14.25 |
| 3421 | 3421 Tidewater Guano Co., Norfolk, Va | Tidewater 10-6 Bone and Potash | Concord | 10.01 | | | | | 5.98 | 15.04 |
| 3071 | 3071 Tuscarora Fertilizer Co., Greensboro, N. C | Tusearora Phosphate and Potash | Concord | 10.11 | | | | 1 | 5.84 | 14.94 |

THE BULLETIN.

| | Union 10-6 Bone and Potash | Burington | 60.6 | 1 | | 1 | |
|-----------------------------|---|---|-------|---|------|------|-------|
| | Southern Chemical Co.'s Solid South Bone and Potash. | Burlington | 9.68 | | | 5.24 | 13.95 |
| , t | Patapseo High Grade Phosphate and | Roxboro | 12.19 | | | 4.16 | 15.13 |
| Por | Potash. Southern Chemical Co.'s Quickstep | Asheville | 10.52 | 1 | 1 | 5.10 | 14.57 |
| Bor | Bone and Potash. | 1 | 12.00 | | | 9.00 | 15.80 |
| ang | Baugh's 12-5 Phosphate and Potash | Guilford College | 11.61 | | | 5.98 | 16.23 |
| arol | Carolina Union 12-5. | Mount Airy | 12.19 | - 1 | | 4.68 | 15.65 |
| ligh (| High Grade Bone and Potash Mixture | Mount Airy | 11.85 | | 1 | 4.92 | 15.58 |
| ligh (| High Grade Bone and Potash | Concord | 12.45 | | | 4.87 | 16.07 |
| oodn | Goodman's Special Potash Mixture | Concord | 12.54 | | | 3.30 | 14.59 |
| | | | 12.00 | 1 | | 00.9 | 16.80 |
| rmour | Armour Phosphate and Potash Fer- | Walnut Cove | 12.14 | | : | 96.5 | 16.89 |
| tilizer. armers | tilizer. Farmers' Union 12-6 Bone and Potash. | Salisbury | 10.86 | | | 7.70 | 17.47 |
| eorgia | Georgia Bone and Potash | Durham | 12.89 | | | 4.40 | 16.00 |
| fariett | Marietta Potash and Acid | Mount Airy | 11.76 | | | 4.84 | 15.42 |
| artin. | Martin's Potash and Soluble Bone | Pilot Mountain. | 12.14 | | | 5.50 | 16.43 |
| -op- | | Pilot Mountain | 11.29 | | | 5.92 | 16.08 |
| wift's | Swift's Special High Grade Phosphate | Newton | 10.75 | | | 7.20 | 16.87 |
| and Potash. idewater 12- | and Fotash. Tidewater 12-6 Bone and Potash | Concord | 11.66 | | | 6.32 | 16.81 |
| noin 1 | Union 12-6 Bone and Potash | Conover | 11.52 | | | 5.08 | 15.45 |
| 07 | VC. C. Co.'s Special High Grade Pot- Ararat. | Ararat | 11.88 | | 1 | 7.10 | 17.79 |
| ash M | Ixture, | | 20.00 | 4 | | 4.00 | 22.00 |
| | VC. C. Co.'s Concentrated Bone and | North Wilkesboro | 19.75 | | | 4.14 | 21.91 |
| Pota | sh. | 1 | | 1.65 | 2.00 | 7.00 | 13.93 |
| | | Dlinator | | 16.1 | | 20.7 | 15.03 |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| | | | | Percentage Composition or Parts per 100. | Composi | ition or F | arts per | .00 | |
|------|---|---|---|--|----------------------|--------------------|---|------------------|--|
| | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. Water- soluble Nitrogen. | Organic Nitrogen, | Total Vitrogen, | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| | | RAW OR UNMIXED FERTILIZER MATERIALS | ZER MATERIALS. | | | | | | |
| Ä | Brands claiming | | | 12.00 | 1 | : | | | 69 |
| | 3353 VaCar. Chemical Co., Richmond, Va | Old Dominion Guano Co.'s Royster's Burlingt Acid Phosphate. J. G. Tinsley & Co.'s Acid Phosphate Winston. | Burlington | 12.22 | | | | | |
| å | .do | Travers & Co.'s Capitol Dissolved Bone Winston | Winston | 13.36 | 1 | 1 | 1 | | |
| ă | Dianus clauming. | | | 13.00 | | | | | |
| | 3062 American Fertilizer Co., Norfolk, Va. | Eagle Brand Acid Phosphate | Ether | 13.90 | | | 1 | | |
| | 3295 Etiwan Fertilizer Co., Charleston, S. C. | Diamond Soluble Bone | Salisbury | 14.37 | | | | | |
| 3212 | Georgia Chemical Works, Augusta, Ga | Dissolved Bone Phosphate | Denton | 15.04 | | | | | _ |
| 3404 | Robertson Fertilizer Co., Norfolk, Va. | Acid Phosphate | Mocksville | 13.31 | - | • | | | |
| 3122 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Dissolved Bone | Mocksville | 13.24 | | | | 1 | |
| 3300 | Swift Pertilizer Works, Wilmington, N. C | Swift's Harrow Standard Grade Acid | North Wilkesboro | 13.14 | | | | | |
| 3412 | Union Guano Co., Winston, N. C. | Union Dissolved Bone | North Wilkesboro | 13.24 | 4 | 1 | 1 | | |
| | 3274 VaCar. Chemical Co., Richmond, Va | Allison & Addison's I. X. L. Acid Phos-Lexington | - Lexington | 13.02 | 1 1 1 1 1 1 1 | 1 | 1 | | |
| 3087 | op | Davie & Whittle's Owl Brand Acid | Newsom | 13.24 | 1 | | | | |
| | | Durban Fertilizer Co.'s Double Bone | Hillsboro | 13.96 | | | | 1 | 11.17 |
| ä | Brands claiming | r nospnate. | 1 | 14.00 | | - | 1 | | |
| , | 3391 American Agricultural Chemical Co New | Zoll'e 14 Por Cont Aniel Phoenhote | Ctotomillo | 15 19 | | | | | |

ANALYSES OF COMMERCIAL FERTILIZERS—FALL SEASON, 1913.

| Manufacturer. Manufacturer. Name of Brand. Minere Sampled. RAW OR UNMIXED FERTHIJZER MATERIALS. RAW OR UNMIXED FERTHIJZER MATERIALS. 16.00 If Proceed Acid Phosphate. Supreme Acid Phosphate. Supreme Acid Phosphate. Hutterwille. If the Grade Acid Phosphate. Supreme Acid Phosphate. Mount Airy. Martin's Acid Phosphate. Subreme Acid Phosphate. Mount Airy. Subreme Acid Phosphate. Subreme Acid Phosphate. Mount Airy. Subreme Acid Phosphate. Subreme Acid Phosphate. Subreme Acid Phosphate. Mount Airy. Subreme Acid Phosphate. Gold Hill. 15.99 Nowlow. Subreme Acid Phosphate. Trinity. Magic Dissolved Bone Phosphate. Nowlow. Magic Dissolved Bone Phosphate. Subreme Acid Phosphate. Mount Airy. 16.20 Magic Dissolved Bone Phosphate. Nowlow. 16.20 Make Acid Phosphate. Subreme Acid Phosphate. Nowlow. 16.20 Magic Dissolved Bone Phosphate. Nowlow. 16.20 Magic Dissolved Bone Phosphate. Nowlow. 16.20 | | | | | Percei | Percentage Composition or Parts per 100 | apositi | on or P | arts per | 100. | |
|--|----------------------------|------------------------|--|----------------|--------|---|-----------|--------------------|---------------------------|------------------|------------------------------------|
| RAW OR UNMIXED FERTILIZER MATERIALS. 16 Per Cent Acid Phosphate. Gold Hill Ga. High Grade Dissolved Bone Phosphate. Denton. Supreme Acid Phosphate. Maiden. High Grade Tennessee Acid Phosphate. Esther. High Grade Tennessee Acid Phosphate. Rockwell. N. C. Ariater's High Grade Acid Phosphate. Rockwell. N. C. Marietta Acid Phosphate. Mount Airy. Marietta Acid Phosphate. Salisbury. C. Navassa 16 Per Cent Acid Phosphate. Goldston. Pleoring Soluble Phosphate. Gold Hill. Petrsull's 16 Per Cent Acid Phosphate. Lumberton. Florida Soluble Phosphate. Gold Hill. Petrsull's 16 Per Cent Acid Phosphate. Trinity. Natimore, Piedmont 16 Per Cent Acid Phosphate. Trinity. Rapic Dissolved Bone Phosphate. Mount Airy. Na. Magie Dissolved Bone Phosphate. Newton. | Name and Address | of Manufacturer. | Name of Brand. | Where Sampled. | | soluble Vitrogen. | Vitrogen. | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Relative Value per Ton at Factory. |
| Gold Hill Ga. Gold Hill Ga. High Grade Dissolved Bone Phosphate. Denton. Supreme Acid Phosphate. Maiden. High Grade Tennessee Acid Phosphate. Esther. Huntersville. Acid Phosphate. Rockwell. N. C. Marietta Acid Phosphate. Mount Airy. Martin's Acid Phosphate. Salisbury. C. Navassa 16 Per Cent Acid Phosphate. Goldston. Florida Soluble Phosphate. Gold Hill. Pearsall's 16 Per Cent Acid Phosphate. Lumberton. Salisbury. Salisbury. Carrington's S. C. Phosphate. Goldswille. Piedmont 16 Per Cent Acid Phosphate. Trinity. Kesha Brand. Superb Acid Phosphate. Mount Airy. Na. Magie Dissolved Bone Phosphate. Mount Airy. Na. Magie Dissolved Bone Phosphate. Newton. | | | RAW OR UNMIXED FERTILE | ZER MATERIALS. | | | | | | | |
| Gold Hill. Ga. High Grade Dissolved Bone Phosphate. Denton. Supreme Acid Phosphate. Maiden. High Grade Tennessee Acid Phosphate. Esther. Huntersville. Acid Phosphate. Huntersville. S. Newark, Lister's High Grade Acid Phosphate. Rockwell. N. C. Marietta Acid Phosphate. Salisbury. Martin's Acid Phosphate. Salisbury. C. Navassa 16 Per Cent Acid Phosphate. Goldston. Florida Soluble Phosphate. Gold Hill. Petrsall's 16 Per Cent Acid Phosphate. Lumberton. Saltimore. Piodmont 16 Per Cent Acid Phosphate. Lumberton. Saltimore Reidsville. Ya. Magie Dissolved Bone Phosphate. Mount Airy. Mal. Rasin Acid Phosphate. Newton. | Brands claiming | | | | 16.00 | | | | | | \$ 12.80 |
| High Grade Dissolved Bone Phosphate, Denton. Supreme Acid Phosphate. High Grade Tennessee Acid Phosphate, Esther. Acid Phosphate. Huntersville. Kewark, Lister's High Grade Acid Phosphate. Maritin's Acid Phosphate. Maritin's Acid Phosphate. Maritin's Acid Phosphate. Maritin's Acid Phosphate. Salisbury. Salisbury. Salisbury. Florida Soluble Phosphate. Gold Hill. Pearsall's 16 Per Cent Acid Phosphate. Gold Hill. Pearsall's 16 Per Cent Acid Phosphate. Trinity. Carrington's S. C. Phosphate. Magie Dissolved Bone Phosphate. Magie Dissolved Bone Phosphate. Magie Dissolved Bone Phosphate. Rasin Acid Phosphate. Newton. | ners Guano Co., Ra | ıleigh, N. C. | 16 Per Cent Acid Phosphate | Gold Hill | 16.79 | | | | | | 13.43 |
| Supreme Acid Phosphate. High Grade Tennessee Acid Phosphate. Esther. Kowark, Lister's High Grade Acid Phosphate. Rockwell. C. Marietta Acid Phosphate. Mount Airy. Marietta Acid Phosphate. Salisbury. Navassa 16 Per Cent Acid Phosphate. Goldston. Florida Soluble Phosphate. Gold Hill. Pearsall's 16 Per Cent Acid Phosphate. Reidsville. Pearsall's S. C. Phosphate. Mau- Trinity. Rosha Brand. Superb Acid Phosphate. Mount Airy. Magie Dissolved Bone Phosphate. Mount Airy. Magie Dissolved Bone Phosphate. Nount Airy. Magie Dissolved Bone Phosphate. Nount Airy. | gia Chemical Work | s, Augusta, Ga | High Grade Dissolved Bone Phosphate | Denton | 15.09 | _ | | | | 1 | 12.07 |
| High Grade Tennessee Acid Phosphate. Esther. Vewark, Lister's High Grade Acid Phosphate. Rockwell. C. Marietta Acid Phosphate. Mount Airy. Marietia Acid Phosphate. Salisbury. Navassa 16 Per Cent Acid Phosphate. Goldston. Florida Soluble Phosphate. Gold Hill. Pearsall's 16 Per Cent Acid Phosphate. Lumberton imore, Piedmont 16 Per Cent Acid Phosphate. Reidsville. Carrington's S. C. Phosphate. Trinity. Soluble Drosphate. Mount Airy. Magie Dissolved Bone Phosphate. Mount Airy. Magie Dissolved Bone Phosphate. Nount Airy. | pton Guano Co., 1 | Vorfolk, Va | Supreme Acid Phosphate | Maiden | 17.18 | | | | | | 13.74 |
| Vewark, Lister's High Grade Acid Phosphate Bockwell Marietta Acid Phosphate Mount Airy Martin's Acid Phosphate Salisbury Navassa 16 Per Cent Acid Phosphate Goldston Florida Soluble Phosphate Gold Hill Florida Soluble Phosphate Gold Hill Petrsall's 16 Per Cent Acid Phosphate. Lumberton imore. Piodmont 16 Per Cent Acid Phosphate. Trinity kesha Brand. Superb Acid Phosphate Maiden Magic Dissolved Bone Phosphate Mount Airy Rasin Acid Phosphate Nownon. | Imperial Co., Norfolk, Va | Va. | High Grade Tennessee Acid Phosphate | Esther | 16.10 | | | | | | 12.88 |
| Kewark, Lister's High Grade Acid Phosphate Rockwell C. Marietta Acid Phosphate Mount Airy Martin's Acid Phosphate Salisbury Navassa 16 Per Cent Acid Phosphate Goldston Florida Soluble Phosphate Gold Hill Peursall's 16 Per Cent Acid Phosphate. Lumberton imore. Piedmont 16 Per Cent Acid Phosphate. Trinity Carrington's S. C. Phosphate, Wau- Trinity kesha Brand. Superb Acid Phosphate Manden Magic Dissolved Bone Phosphate Mount Airy Rasin Acid Phosphate Newton. | state Chemical Co | rporation, Charlotte, | Aeid Phosphate | Huntersville | 16.03 | - | | | | | 12.82 |
| C. Marietta Acid Phosphate Mount Airy Martin's Acid Phosphate Salisbury Navassa 16 Per Cent Acid Phosphate Goldston Florida Soluble Phosphate Gold Hill Pearsall's 16 Per Cent Acid Phosphate. Lumberton imore, Piedmont 16 Per Cent Acid Phosphate. Trinity Carrington's S. C. Phosphate, Wau- Trinity kesha Brand Shosphate Maiden Magie Dissolved Bone Phosphate Mount Airy Rasin Acid Phosphate Newton. | C. r's Agricultural Cl | hemical Works, Newark, | Lister's High Grade Acid Phosphate | Rockwell | 16.87 | 7 | 1 | | | | 13.50 |
| Martin's Acid Phosphate Salisbury Navassa 16 Per Cent Acid Phosphate Goldston Florida Soluble Phosphate Gold Hill Gold Hill Pearsall's 16 Per Cent Acid Phosphate Lumberton imore, Piedmont 16 Per Cent Acid Phosphate Reidsville Carrington's S. C. Phosphate, Wau- Trinity kesta Brand. Superb Acid Phosphate Maiden Maiden Magie Dissolved Bone Phosphate Mount Airy Rasin Acid Phosphate Newton Newton | J. etta Fertilizer Co., | Greenshoro, N. C. | Marietta Acid Phosphate | Mount Airy | 16.00 | - | - | 1 | | | 12.80 |
| Navassa 16 Per Cent Acid Phosphate Goldston Florida Soluble Phosphate Gold Hill | in, D. B., Co., No | rfolk, Va | Martin's Aeid Phosphate | Salisbury | 16.34 | 1 | | | | | 13.07 |
| Florida Soluble Phosphate. Gold Hill Pearsall's 16 Per Cent Acid Phosphate. Lumberton imore, Piodmont 16 Per Cent Acid Phosphate Reidsville Carrington's S. C. Phosphate, Wau- Trinity kesha Brand. Superb Acid Phosphate Maiden Magie Dissolved Bone Phosphate Mount Airy Rasin Acid Phosphate Newton. | essa Guano Co., W | ilmington, N. C. | Navassa 16 Per Cent Acid Phosphate | Goldston | 15.93 | | | | | | 12.74 |
| imore, Piedmont 16 Per Cent Acid Phosphate. Lumberton. Piedmont 16 Per Cent Acid Phosphate. Reidsville. Carrington's S. C. Phosphate, Wau- Trinity. kesta Brand. Superb Acid Phosphate. Maiden. Magic Dissolved Bone Phosphate. Rasin Acid Phosphate. Newton | pseo Guano Co., I | Saltimore, Md | Florida Soluble Phosphate. | Gold Hill | 16.49 | 1 | | | 1 | | 13.19 |
| inore, Piedmont 16 Per Cent Acid Phosphate. Reidsville Carrington's S. C. Phosphate, Wau- Trinity | sall & Co., Wilmin | gton, N. C. | Pearsall's 16 Per Cent Aeid Phosphate. | Lumberton | 15.94 | 1 | | | | | 12.75 |
| Carrington's S. C. Phosphate, Wau-Trinity. kesha Brand. Superb Acid Phosphate. Mariden Magic Dissolved Bone Phosphate. Rasin Acid Phosphate. Newton | mont-Mount Airy | Guano Co., Baltimore, | Piedmont 16 Per Cent Acid Phosphate | | 17.37 | 1 | | | | | 13.90 |
| Superb Acid Phosphate | ı. hontas Guano Co. | , Lynchburg, Va | - Carrington's S. C. Phosphate, Wau- | Trinity | 16.73 | | | | | | 13.38 |
| A. Magic Dissolved Bone Phosphate Mount Airy | moke Guano Co., | Norfolk, Va. | kesha Brand. Superb Acid Phosphate | Maiden | 15.82 | | 1 | | | | 12.66 |
| Rasin Acid Phosphate | natan Chemical Co | o., Richmond, Va | Magic Dissolved Bone Phosphate | Mount Airy | 16.20 | | | | | | 12.96 |
| | 1-Monumental Co. | , Baltimore, Md | Rasin Acid Phosphate | Newton | 15.21 | | | | 1 | 1 1 1 | 12.17 |

| 132 | | Rex Dissolved Bone | North Wilkesboro | 16.67 | 13.34 | |
|------|---|--|---|-------|-------|-----|
| 126 | 3426 Robertson Fertilizer Co., Norfolk, Va. | High Grade Acid Phosphate | Kings Mountain. | 17.44 | 13.95 | |
| 3173 | Royster, F. S., Guano Co., Norfolk, Va | Royster's High Grade 16 Per Cent Acid Newton | Newton | 16.35 | 13.08 | |
| 3307 | | hate. Special High Grade Acid Phos- | Troy | 17.27 | 13.82 | |
| 3423 | Tidewater Guano Co., Norfolk, Va | pnate. Top Rail Acid Phosphate | Concord | 15.99 | 12.79 | |
| 3213 | Tuscarora Fertilizer Co., Greenshoro, N. C | Tuscarora Acid Phosphate | Denton | 17.15 | 13.72 | |
| 3149 | op | -do | Albemarle | 16.37 | 13.10 | |
| 3355 | United States Fertilizer Co., Baltimore, Md | Farm Bell Acid Phosphate | Effand | 16.02 | 12.82 | |
| 3115 | Union Guano Co., Winston, N. C. | Union 16 Per Cent Acid Phosphate | Greensboro | 15.01 | 12.01 | |
| 3204 | Venable Fertilizer Co., Richmond, Va | Venable's Best Acid Phosphate | Kings Mountain | 15.64 | 12.51 | |
| 3161 | VaCar. Chemical Co., Richmond, Va | Dayie & Whittle's Owl Brand High | Rutherfordton | 17.21 | 13.77 | Т |
| 3405 | op . | Grade Acid Phosphate. Durham Fertilizer Co.'s Best Acid | Mocksville | 16.10 | 12.88 | HE |
| 3224 | op | Phosphate. Southern Chemical Co.'s Comet 16 Per | Maiden | 16.50 | 13.20 | D |
| 3101 | op | Cent Acid Phosphate. Travers & Co.'s Acid Phosphate | North Wilkesboro | 15.55 | 12.44 | UЪ. |
| 3162 | op . | VC. C. Co.'s 16 Per Cent Acid Phos- | Iron Station | 17.16 | 13.73 | LEI |
| 3120 | op | phate. Va. State Fertilizer Co.'s Bull Run | Winston | 15.92 | 12.74 | 17/ |
| | Brands claiming | Acid Phosphate. | | 24.00 | 19.20 | • |
| 413 | 3413 Union Guano Co., Winston, N. C. | Special Mixture | Elkin | 21.26 | 17.01 | |
| 133 | 3133 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Concentrated Acid Phos-North Wilkesboro | North Wilkesboro | 23.76 | 19.01 | |
| _ | Brand claiming | Junace. | | 2.25 | 1.80 | |
| 1151 | 3151 Lee, A. S., & Sons Co., Richmond, Va. | Lee's Prepared Agricultural Line | Mbemarle | 45.5 | 2.03 | |
| | Brand claiming | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 12.00 | 9.60 | |
| 309 | 3309 Union Fertilizer Co., Norfolk, Va | Genuine German Kainit | Mount Gilead | 13.92 | 11.14 | |
| | Brand claiming | | 1 | 20.00 | 40.00 | |
| 3316 | 3216 Tuscarora Fertilizer Co., Greensboro, N. C | Muriate of Potash | Denton | 50.96 | 10.76 | |
| - | | | | | | _ |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | | Perce | ntage | Compc | sition | or Pa | Percentage Composition or Parts per 100 | .0 | | rad. |
|------------|--|--|---|----------------------------------|-------------------------------|----------------------|--------------------|---------------------------|------------------|---|-----------|--------------------------|----------------------------------|
| Laboratory | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | #ater- soluble Vitrogen | Organic Vitrogen. | Total Vitrogen, | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. Potash from | Sulphate. | Chlorine, Relative Value | Relative Value Ton at Factory |
| | | MIXED FERTILIZERS. | ILIZERS. | | | | | | | | | | |
| 80 | Brands claiming | | | 8.00 | | | .82 | 1.00 | 2.00 | 4 | | \$ | \$12.64 |
| 4108 | American Fertilizer Co., Norfolk, Va | American Bone Mixture | Reidsville | 9.07 | 17. | .30 | .94 | 1.14 | 2.04 | 1 | | - | 14.15 |
| 4507 | Armour Fertilizer Works, Greensboro, N. C. Armour's Slaughter House Fertilizer | Armour's Slaughter House Fertilizer | Pilot Mountain | 7.27 | 69. | 1.10 | 1.69 | 2.05 | 1.94 | 1. | 1.94 | 1 | 15.58 |
| 3766 | Baugh & Sons Co., Norfolk, Va | for Tobacco. Baugh's Grain and Grass Grower | Burlington | 8.84 | .s1 | . 43 | 1.23 | 1.50 | 2.35 | 1 | 1 | 1 | 15.44 |
| _ æ | Brands claiming | | 1 | 8.00 | : | | .82 | 1.00 | 3.00 | | | - | 13.64 |
| 1496 | Caraleigh Phosphate and Fertilizer Works, | Comet Guano | Burnsville | 7.74 | .65 | .52 | 1.17 | 1.42 | 2.32 | 1 | 1 | - | 14.20 |
| 4091 | | Special Grower | Chapel Hill. | 8.45 | 1. | 1.06 | 1.20 | 1.46 | 2.92 | | | - | 15.56 |
| 4652 | Union Guano Co., Winston, N. C. | Sunrise Ammoniated Guano | Biscoe | 7.85 | .55 | 92. | 1.31 | 1.59 | 3.92 | | - 1 | - | 16.49 |
| ш | Brands claiming | | | 8.00 | - | | .82 | 1.00 | 4.00 | | | | 14.64 |
| 4439 | American Agricultural Chemical Co., New Fidelity Grain Grower | Fidelity Grain Grower | Catawba | 7.85 | .43 | 07. | 1.13 | 1.37 | 4.14 | | | 1 | 15.95 |
| 4747 | Armour Ferbilizer Works, Greensboro, N. C. Armour's 8-1-4 Ferbilizer | Armour's 8-1-4 Fertilizer | Crutchfield | 7.75 | .19 | 96. | 1.15 | 1.40 | 3.92 | | | 1 | 15.72 |
| 4742 | Carolina Union Fertilizer Co., Norfolk, Va. Carolina Union 1-8-4 | Carolina Union 1-8-4 | Edenton | 8.14 | .39 | 09. | 66. | 1.20 | 4.00 | | | - | 15.48 |
| 3586 | Georgia Chemical Works, Augusta, Ga | Georgia Special Wheat and Corn | Greensboro | 9.30 | .93 | .30 | 1.13 | 1.37 | 3.40 | | | - | 16.52 |
| 3794 | | Grower. | Greensboro | 9.27 | 83. | . 20 | 1.02 | 1.24 | 3.40 | | | 1 | 16.03 |
| 6102 | op | op | Greensboro | 8.12 | .39 | .60 | 66. | 1.20 | 4.52 | | - | - | 15.59 |
| 4590 | Imperial Co., Norfolk, Va | Fish and Bone Grain Grower | Statesville | 7.65 | .53 | .24 | .77 | .94 | 4.16 | | - | | 14.28 |
| 4216 | Ober, G., & Sons Co., Baltimore, Md | Ober's Stag Guano | New Bern | 9.34 | .43 | .48 | . 19. | 1.11 | 4.04 | _ | - | 1 | 16.27 |

| 3565 | ount Airy Guano Co., Balti- | Piedmont Farmers' Favorite | Monroe | 8.22 | . 49 | .70 1. | 1.19 1. | 1.45 3 | 3.92 | 16.32 | |
|------|---|---|--|-----------|----------|-----------|---------|--------|-----------|-------|-----------------|
| 4113 | more, auc. | do | Reidsville | 8.08 | . 22 | .88 | 1.10 | 1.34 3 | 3.82 | 15.61 | |
| 4515 | Swift Fertilizer Works, Wilmington, N. C | Grain Grower, Standard | Troy | . 01.01 | .93 | 2.36 3.29 | | 4.00 5 | 5.98 | 28.89 | |
| 4511 | 4511 Union Guano Co., Winston, N. C | Origine. Union Superlative Guano | Centerfield | 7.64 | . 59 | 42. | .83 | 1.01 | 4.40 | 14.76 | |
| 4462 | 4462 Winborne Guano Co., Norfolk, Va | Climax Peanut Grower | Edenton | 8.39 | . 99 | ÷. | . 73 | .89 | 4.06 | 14.68 | |
| | Brands claiming | | | 8.00 | | - | .82 1. | .00.5 | 5.00 | 15.64 | |
| 4321 | 4321 Contentnea Guano Co., Wilson, N. C | Special Formula Fertilizer | Lucama | 8.18 | .35 | .76 1.11 | | 1.35 5 | 5.06 | 17.08 | |
| 4676 | 4676 Rock Hill Fertilizer Co., Rock Hill, S. C | Piedmont High Grade Fertilizer | Pineville | 7.82 | | .40 | | 4 77. | 4.58 | 14.26 | |
| 4846 | 4846 Tuscarora Fertilizer Co., Greensboro, N. C., Tuscarora Fertilizer, No. 815 | Tuscarora Fertilizer, No. 815 | Hendersonville | 7.74 | .49. | .34 | .73 | 89 4 | 4.16 | 14.19 | |
| | Brand claiming | | | 8.00 | - | -: | .82 1. | 1.00 6 | 9.00 | 16.64 | |
| 4592 | 4592 United States Fertilizer Co., Baltimore, Md. | ., Baltimore, Md. Farm Bell Wheat, Oat, and Corn | Statesville | 8.16 | .35 | .56 | .91 1. | 1.01 | 6.14 | 17.31 | $_{\mathrm{T}}$ |
| | Brand claiming | - Proceeding | | 8.00 | - | - | .00 | 1.22 3 | 3.00 | 14.40 | нн |
| 3767 | s Co., Norfolk, Va | Baugh's Southern States Excelsior | Burlington | 7.73 | . 29: | .56 1.23 | | 1.50 3 | 3.26 | 15.38 | εВ |
| | Brand claiming. | Contract | 1 | 8.00 | | 1.0 | 1.00 | 1.22 4 | 4.00 | 15.40 | UL |
| 3678 | 3678 Pocomoke Guano Co., Norfolk, Va | Pocomoke Wheat, Corn, and Peanut | Maiden | 89.8 | .63 | . 28 | .91 1. | 1.01 | 4.00 | 15.63 | LET |
| | Brand claiming | Addition of the second of the | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 8.00 | | 1.0 | 1.03 1. | 1.25 3 | 3.00 | 14.53 | 'IN |
| 4838 | 4838 Tuscarora Fertilizer Co., Greensboro, N. C | reensboro, N. C., Tuscarora Tobacco Fertilizer | Semora | 7.54 | .75 1.20 | 20 1.95 | | 2.37 3 | 3.18 3.18 | 18.16 | |
| | Brands claiming | | 1 | 8.00 | - 1 | - | 1.03 | 1.25 4 | 4.00 | 15.53 | |
| 4522 | 4522 American Agricultural Chemical Co., New J York N Y | Detriek's Kangaroo Komplete Kom- | Denton | 7.95 | 19: | 38. | .99 1. | 1.20 3 | 3.90 | 15.21 | |
| 3864 | | Apex Peanut Grower | Edenton | 8.17 | . 28 | .24 1.02 | | 1.24 4 | 4.38 | 16.16 | |
| | Brand claiming | | 1 | 8.00 | ! | - | 1.23 1. | 1.50 3 | 3.00 | 15.37 | |
| 4058 | 4058 Tuscarora Fertilizer Co., Greensboro, N. C., Tuscarora Blood and Bone. | Tuscarora Blood and Bone | Black Mountain. | 7.40 1.26 | 96 1.10 | 10 2.36 | | 2.87 3 | 3.02 | 19.59 | |
| - | Brands claiming | | | 8.00 | | 1.0 | 1.00.1 | 1.22 4 | 4.00 | 15.40 | |
| 4458 | 4458 Berkley Chemical Co., Norfolk, Va | Berkley Peanut and Grain Grower Edenton | | 7.75 | .87 | .42 1.29 | | 1.57 3 | 3.56 | 15.95 | |
| 4786 | 4786 Hampton Guano Co., Norfolk, Va | Hampton's Special Grain and Peanut Waco. Fortilizar | 1 | 8.33 | . 67 | . 26 | .93 1. | 1.13 3 | 3.24 | 14.64 | |
| 61SF | 4819 VaCar. Chemical Co., Richmond, Va | Atlantic and Virginia Fertilizer Co.'s Plymouth. Peanut Grower. | 1 | 8.04 | 18 | .64 1.19 | | 1.45 4 | 4.00 | 16.23 | 31 |

ANALYSES OF COMMERCIAL FURTILIZERS—SPRING SEASON, 1914.

| | | | | | Perc | entage | Compe | sition | Percentage Composition or Parts per 100 | ts per | 100. | | λ: e beg |
|-----------------------|---------------------------------------|---|---------------|----------------------------------|--------------------------------|----------------------|--------------------|------------------------|---|-------------------------|-------------------------|-----------|---------------|
| Laboratory Хитрег, | Name and Address of Manufacturer. | Name of Brand. | Where Sampled | Available Phosphorie Joich | Water- soluble Nitrogen. | огдаліс Лістодеп. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate | Chlorine. | Relative Valu |
| | | MINED FERTILIZERS. | ILIZERS. | | | | | | | | | | |
| | Brands claiming | | | 8.00 | | 1 | 1.00 | 1.22 | 4.00 | | | €> | \$15.40 |
| 4505 | VaCar. Chemical Co., Richmond, Va. | Tinsley, J. G., & Co.'s Peanut Grower Edenton. | Edenton | 7.97 | .83 | .40 | 1.23 | 1.50 | 4.94 | | | | 17.2s |
| 4133 | ор | VC. C. Co.'s Special Peanut Grower, Edenton | Edenton | 5.55 | 1.03 | . S.2 | 1.85 | 2.25 | 3.16 | | | | 15.92 |
| | Brands claiming | | | 8.00 | 1 | | 1.65 | 2.00 | 2.00 | 1 | | | 16.13 |
| 3838 | Acme Mfg. Co., Wilmington, N. C. | Cotton-seed Meal Guano | Spring Hope | 8.25 | SS. | 97. | 1.64 | 1.99 | 2.58 | | | 1 | 16.87 |
| 4188 | $\mathrm{d} o$ | Gem Fertilizer | Oak City | 8.30 | 68. | 87 | 1.67 | 2.03 | 2.06 | : | | : | 16.74 |
| 4193 | Adair & McCurty Bros., Chattanooga, | Adair's Ammoniated Dissolved Bone Toecane | Toecane | 7.94 | .69 | ss. | 1.57 | 1.91 | 2.18 | | | | 15.92 |
| 4303 | . 4. | Canton Chemical Baker's Fish Guano Ellenboro | Ellenboro | 8.05 | 1.19 | .36 | 1.55 | 1.88 | 2.36 | | | : | 16.91 |
| 4524 | | Detrick's Fish Mixture | Denton | 7.96 | 1.09 | ×. | 1.57 | 1.91 | 2.08 | | | 1 | 15.84 |
| 4119 | ф | Lazaretto Crop Grower | Shelby | 8.58 | 1.30 | 77 | 1.64 1.99 | 1.99 | 2.0s | | | | 16.69 |
| 4813 | ор | Red Rooster Fertilizer | Harris | 8.04 | 1.09 | 99. | 1.69 | 2.05 | 2.11 | | | | 16.47 |
| 4013 | | Top Notch Cotton-seed Meal Com- | Snow Hill | 8.27 | 1.0% | 86. | $^{2.06}$ | 2.50 | 2.84 | | | - | 18.93 |
| 4066 | | pound. Zell's Calvert Grower | Oxford | 8.30 | 1.24 | ₹. | 1.68 | 2.04 | 1.96 | | | 1 | 16.49 |
| 3778 | | Zell's Fish Guano | Dallas | 7.43 | 1.55 | .34 | 1.89 | 2.30 | 2.04 | | - | | 16.66 |
| 4286 | • op | Zell's Special Compound for Tobacco. Kernersville | Kernersville | 8.09 | 1.31 | .36 | 1.67 | 2.03 | 2.54 | 2.54 | | 22: | 16.83 |
| 3598 | American Fertilizer Co., Norfolk, Va. | American No. 2 Fertilizer | Dunn | 10.39 | .38 | 7. | 1.12 | 1.36 | 1.56 | | | - | 15.61 |
| 5942 | op | Bone and Peruvian Guano | Hope Mills | 48.6 | 1.43 | 1.11 | 2.57 | 3.12 | 2.73 | | | | 22.37 |

| 5916 | op | do | Sharpsburg | 10.28 | 6. | .38 | 1.29 | 1.57 | 1.88 | | 16.75 |
|---------------|--|--|-------------|-------|------|----------|------|-------------------------------|----------------|---|---------------|
| 3959 | · · · · · · · · · · · · · · · · · · · | op | Fairmont | 7.90 | 1.22 | .38 | 1.60 | 1.94 | 2.36 | 1 | 16.19 |
| 4109 | -do | A. L. Hannah's Special Formula | Reidsville | 8.41 | 1.06 | .35 | 1.38 | 1.68 | 1.74 | 1 | 15.10 |
| 3789 | Armour Fertilizer Works, Greensboro, N. | C. Armour's Slaughter House Fertilizer | Greensboro | 7.74 | .56 | 1.05 | 1.58 | 1.92 | 1.88 | 1 | 15.48 |
| 4360 | Arps, George L., & Co., Norfolk, Va | Premium Guano for Cotton and All | Eure | 7.72 | 1.07 | .52 | 1.59 | 1.93 | 2.52 | 1 | 16.14 |
| 3585 | Asheville Packing Co., Asheville, N. C | Asheville Packing Co.'s Complete | Asheville | 6.79 | .33 | 1.06 | 1.39 | 1.69 | 2.52 | 1 | 14.47 |
| 40H | Atlantic Chemical Co., Norfolk, Va | Atlantic Soluble Guano | Selma | 7.60 | 1.61 | .30 | 1.91 | $\frac{2}{3}$. $\frac{3}{3}$ | 2.10 | | 16.96 |
| 6107 | op | | Franklinton | 7.84 | 62. | 17 | 1.53 | 1.86 | 6. 6. 8. | | 15.76 |
| 3517 | Baugh & Sons Co., Norfolk, Va | Bangh's Animal Base and Potash | Wadeshoro | 99.2 | 1.31 | 09. | 1.81 | 2.20 | 2,73 | | 17.33 |
| 1509 | do | Baugh's Old Standby Compound | Kings | 8.27 | 1.01 | <u> </u> | 1.65 | 2.00 | 2.78 | 2.78 4.30 | 17.15 |
| 3822 | do | Bugh's Complete Animal Bone E-atilities | Edenton | 7.92 | 9.1 | .64 | 1.64 | 1.99 | 5.38 | | 19,40 |
| 3769 | op | Bank's Old Stanby Compound for | Burlington | 7.86 | 1.29 | .64 | 1.93 | 2.35 | 2.30 | 2.30 5.10 | 17.48 |
| 3768 | do. | Rangh's Animal and Base Potash | Burlington | 7.90 | 1.35 | 9. | 1.95 | 2.37 | 5. 4 | | 17.44 |
| 4120 | do. | Compound. Baugh's Complete Animal Base Fer- | Craggy | 7.79 | 1.07 | 39. | 1.69 | 2.05 | 9:94 | | 17.05 |
| 1171 | do | Baugh's Fish Mixture | Fountain | 79.7 | 66. | 3. | 1.63 | F 66. I | 2.48 | | 16.23 |
| 1116 | do | Brandon Superphosphate | Monroe | 8.17 | 1.27 | .56 | | 60. | 61 S. | | 98.71 |
| 6887 | 4389 Bertie Cotton Oil Co., Aulander, N. C. | Bertie Special Compound | Windsor | 7.52 | 121 | S: - | 1.55 | SS: | 2. 4 | | 15.13 |
| 48.28 8.28 | Beta Fertilizer Co., Beta, N. C | Beta Special Corn Grower | Beta | 8.62 | 1.03 | 39. | 1.71 | 2.08 | 3.26 | | 18.20 |
| 4689 | Blackstone Guano Co., Blackstone, Va. | Red Letter | Roxboro | 8.39 | 9. | Ę | 1.49 | 1.81 | 2.43 | | 16.23 |
| 3813 | Bragaw Fertilizer Co., Washington, N. C | Old Reliable Premium Guano | Washington | 6.90 | 1.08 | .54 | 1.62 | 1.97 | 1.98 | | 14.99 |
| 4403 | Bryant Fertilizer Co., Alexandria, Va | Bryant's Cotton-seed Meal Guano | Lumberton | 8.65 | 7 | 1.1 | 1.57 | 1.91 | 1.98 | | 16.36 |
| 4410 | Bryant Fertilizer Co., Wilmington, N. C | Bryant's Cotton Grower | Monroe | 7.42 | .99 | 99. | 1.55 | 1.88 | 1.94 | | 15.13 |
| 3898 | Burton, C. J., Guano Co., Baltimore, Md | Burton's Butcher Bone, B. B. B. | Landis | 7.85 | 8 | .63 | 1.60 | 1.94 | 2.56 | | 16.34 |
| 3982 | Caraleigh Phosphate and Fertilizer Works, Poloids N. C. | Crown Brand | Warrenton | 7.77 | 1.28 | 1.36 | 2.64 | 3.21 | 2.88 | | 20.96 |
| 4690 | (do | Crown Brand Ammoniated Guano | Oxford | 8.44 | 1.01 | <u>5</u> | 1.65 | 3.00 | 2.58 | 2 1 2 2 2 1 1 1 1 1 1 1 1 | 17.11 |
| 4565 | ор. | Eli Ammoniated Fertilizer | Lexington | 8.88 | 1.33 | . 99 | 1.99 | 6. EF: | 1.94 | 1 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 8.29 92.81 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| s per 100. | 16, | |
|------------|-----------------------------------|--------------------------|
| 2 DG | | otash alipha |
| | mori e. | dseto teitu |
| | | leto dasto |
| | dent nonia. | svinp mr£ (|
| | ·ue | leto itroge |
| | ·u- | inegr gorti |
| | ·ue | -rets eldule gorti |
| | old oric | raila hospl eid |
| | Where Sample | |
| | Name of Brand. | |
| | Name and Address of Manufacturer. | · |

MINED FERTILIZERS.

| u | Brands claiming | | | 8.00 | | 1 | 1.65 2.00 | 2.00 | 2.00 | | | \$16.13 |
|----------|--|--|----------------|-----------|-------|------------------|--------------------------------------|-----------|-------|------|--------------|------------|
| 4088 | 4088 Carolina Union Pertilizer Co., Norfolk, Va., Carolina Union, 2-8-2 | Carolina Union, 2-8-2 | Hillsboro | 8.79 | 3. | F9. | .64 1.58 1.92 | | 2.34 | | | 16.89 |
| 6012 | op | do | Eagle Springs. | 8.25 | 86. | \$ | .48 1.46 1.78 | | 2. IS | | | 15.74 |
| 6110 | 6110 Catawba Fertilizer Co., Lancuster, S. C | Catawba Eclipse | Lincolnton | 8.17 | £. | 8. | .80 1.53 1.86 | | 3.26 | | | 16.04 |
| 4543 | Chatham Oil and Fertilizer Co., Pittsboro, | Chatham Cotton Grower | Pittsboro. | 9.21 | ç; | 1.34 | 1.34 1.55 1.88 | | 2.46 | | | 17.26 |
| 4498 | Chicanauga Fertilizer Works, Chatta- | Standard Corn Grower | Burnsville | 7.80 | .85 | .86 | .86 1.71 2.08 | 2.08 | 2.36 | - | | 16.56 |
| 425 | Clayton Oil Mill Co., Clayton, N. C | Summer Queen | Angier | 8,25 | | 1.44 | .15 1.44 1.59 1.93 2.32 | 1.93 | 2.33 | | | 16.42 |
| 4298 | Coe-Mortimer Co., Charleston, S. C | E. Frank Co.'s Universal Fertilizer. | Hildebran | 9.84 1.10 | 1.10 | 14. | .44 1.54 1.87 2.32 | 1.87 | 2.32 | | | 17.64 |
| 3654 | 3654 Columbia Guano Co., Norfolk, Va | Columbia Soluble Guano | Conover | 8.15 1.37 | 1.37 | .36 | .36 1.73 | 2.10 1.96 | 1.96 | | | 16.56 |
| 0809 | do | do | Lincolnton | 8.38 1.23 | 1.23 | 94. | .46 1.69 | 2.02 | 5.0x | | | 16.72 |
| 4696 | -dò | Columbia Soluble Guano for Tobacco Clyde | Clyde | 8.57 1.15 | 1.15 | .52 | .52 1.67 | 2.03 | 2.26 | 2.26 | - | 4.50 16.99 |
| 1660 | opr | do | Kernersville | 7.98 1.03 | 1.03 | × + . | .48 1.51 1.84 2.20 | <u>z</u> | 96.5 | 2.30 | · 6 | 5.20 15.72 |
| 4763 | op | | Kernersville | 7.94 1.05 | 1.05 | 09. | .50 1.55 1.88 2.02 | 8. | | 2.05 | 5. | 5.10 15.68 |
| 4326 | 4326 Combalue Fertilizer Co., Charleston, S. C., C. F. Co., Cotton and Corn Com- | C. F. Co., Cotton and Corn Com- | Morven | 10.18 | .47 | 1.06 | .47 1.06 1.53 1.86 | | 2.00 | | | 17.59 |
| 4758 | 4758 Contentnea Guano Co., Wilson, N. C | pound. Blood and Bone Cotton Grower | Princeton. | 7.20 1.19 | | 59. | .62 1.81 2.20 | | 2.38 | | 1 | 16.46 |
| 4791 | 4791. Conestee Chemical Co., Wilmington, N. C., | Co., Wilmington, N. C., Cotton-seed Meal Guano | Zebulon | 7.47 | 62. | 98. | .80 1.59 1.93 | | 2.44 | | - : | 15.82 |
| 3961 | 3961 Cooper Guano Co., Wilmington, N. C | Wilmington, N. C Cooper's Reward C. S. M. | Fairmont | ž. | - 06. | 1.22 | 8.11 .90 1.22 2.12 2.58 2.16 | 2.58 | 2.16 | | | 18.36 |

| 640 Job Job Huntley 7.36 Job 1.66 1.49 2.38 389 Job Job Job 1.01 <th>1447</th> <th>4447 Coöperative Warehouse Co., Salisbury, N.C. Farmer's Union 8-2-2 Guano.</th> <th>C. Farmer's Union 8-2-2 Guano.</th> <th>Matthews</th> <th>8.19</th> <th>1.21</th> <th>. 55</th> <th>1.43 1.74</th> <th></th> <th>÷ ;</th> <th></th> <th></th> <th></th> <th>15.52</th> | 1447 | 4447 Coöperative Warehouse Co., Salisbury, N.C. Farmer's Union 8-2-2 Guano. | C. Farmer's Union 8-2-2 Guano. | Matthews | 8.19 | 1.21 | . 55 | 1.43 1.74 | | ÷ ; | | | | 15.52 |
|--|------|---|------------------------------------|----------------|-------|------|----------------|-------------|----------|------|------|---|------|-------|
| Hundley 7.70 1.01 6.0 1.64 1.19 2.56 1.02 5.00 1.03 6.00 1.04 1.10 1.05 1.05 1.05 1.05 1.05 1.05 1.05 | 6044 | | do | Huntley | 7.36 | 36. | 19. | 1.60 | | 2.18 | | | | 15.52 |
| Parmer's Union 8-2-2 Tobacco Guanto, Mount Airy 8,50 1.03 23 1.37 1.67 1.92 1.92 1.92 1.40 Nowman, Ga. Coweta Success Guanto Madison 8.30 7.3 8.2 1.56 1.88 2.42 1.92 1.00 Nordolk, Va. Dixie Standard Guano Semora Nordolk, Va. Rabeigh, N. C. Forw's Union County Special Mouree 11.46 1.5 1.00 1.15 1.84 2.94 1.00 1.00 Nordolk, Va. Rabeigh, N. C. Fish and Blood Mixture Edizabeth City 8.29 5.4 1.63 1.83 1.83 2.15 1.00 Nordolk, Va. Rabeigh, N. C. Farmer's Ammoniated Guano Prov. Troy. 7.89 6.9 1.46 1.53 1.83 2.15 2.10 Nordolk, Va. Rabeigh, N. C. State Standard Guano Prov. Spring Hope 1.77 8.0 1.91 1.63 1.83 2.10 2.10 Nordolk, Va. Rabeigh, N. C. Big Crop Grower Spring Hope 1.77 8.0 1.46 1.75 2.10 2.10 2.10 Nordolk, Va. Rabeigh, N. C. Big Crop Grower Spring Hope 1.77 8.1 1.00 1.46 1.75 2.10 2.10 2.10 2.10 Nordolk, Va. Script Special Tobacco Grower Noungeville 7.99 1.11 5.4 1.65 2.10 2.10 2.10 2.10 2.10 2.10 2.10 2.10 | 6045 | | do | Huntley | 7.70 | 1.04 | 99. | 1.64 | 66 | 2.56 | | | | 16.38 |
| er Co., Monroe, N. C. Cower Stocess Cuano Madison 8.30 7.31 7.81 1.18 1.18 2.42 er Co., Monroe, N. C. Crow's Union County Special Monroe 1.46 1.16 1.16 1.18 2.19 1.29 1.29 1.29 1.29 1.29 1.29 1.29 1.29 1.20 1.29 1.20 | 3950 | | Farmer's Union 8-2-2 Tobacco Guano | Mount Airy | 9.50 | 1.03 | .34 | 1.37 | 1.67 | 1.92 | 1.92 | | 2.90 | 16.22 |
| re Co., Monroe, N. C., Crow's Union County Special Monroe Senora N. S. 25 77 80 1.51 1.40 2.58 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 | 4873 | | Coweta Success Guano | Madison | 8.30 | 133 | 8. | 1.55 | 1.88 | 3.43 | | | | 16.40 |
| 1.00 | 4411 | | Crow's Union County Special | | 11.46 | .15 | | 1.15 | 1.40 | 2.58 | 1 | | | 17.72 |
| Co., Hertford, N. C. Fish and Blood Mixture Elleaton 8.34 62 54 1.39 1.58 2.04 Rabeigh, N. C. Farmer's Ammoniated Guano Troy 7.89 69 49 1.63 1.8 2.15 Rabeigh, N. C. Farmer's Ammoniated Guano Troy 7.89 69 49 1.63 1.8 2.18 2.18 Rabeigh, N. C. State Standard Guano Mount Gilead 8.50 67 86 1.53 1.83 2.18 2.18 Rabeigh, N. C. Big Crop Grower Mount Gilead 8.73 47 1.06 1.53 1.86 2.93 orks, Augusta, Ga Georgia Formula Fontarial Hope 7.77 80 64 1.46 1.78 2.04 2.04 orks, Augusta, Ga Georgia Formula Cooper 8.64 1.16 1.81 1.81 1.94 1.81 1.94 1.81 1.94 1.81 1.94 1.81 1.94 1.81 1.94 1.81 1.94 1.94 | 1691 | | Dixie Standard Guano | Semora | 8.85 | Ε. | | 1.51 | 1.84 | 2.24 | | | | 16.52 |
| Raleigh, N. C. Farmer's Annoniated Guano. Troy. 6.9 1.6 1.5 2.02 Norfolk, Va. State Standard Guano. Troy. 7.89 69 1.6 1.83 1.93 2.18 2.18 Raleigh, N. C. do. Mont Gilead 8.50 67 1.85 1.85 2.18 2.18 Raleigh, N. C. do. Mount Gilead 8.50 67 1.81 1.82 2.10 1.52 ew Bern, N. C. Big Crop Grower Spring Hope. 7.77 80 64 1.46 1.52 2.90 2.94 ew Bern, N. C. Big Crop Grower Spring Hope. 7.77 80 64 1.46 1.75 2.00 2.94 ew Bern, N. C. Big Crop Grower Spring Hope. 7.97 41 1.08 1.46 1.53 1.04 2.94 ew Bern, N. C. Big Crop Grower Schenger, Schenger, Superphosphate Cooper 8.64 42 43 1.63 1.81 1.94 Norfolk, Va.< | 3854 | | Fish and Blood Mixture | Elizabeth City | 8.30 | .54 | 93. | 1.34 | 1.63 | 2.04 | | | | 15.05 |
| Raleigh, N. C. Farmer's Ammoniated Guano Troy 7.89 .69 .44 1.63 1.78 2.18 2.18 Norfolk, Va. State Standard Guano Bonton S.36 1.73 67 1.85 2.23 2.26 Raleigh, N. C. do 1.6 1.75 2.0 1.5 2.26 ertilizer Co, Farmville Columbia Standard Fountain 8.73 47 1.06 1.5 2.0 ew Bern, N. C. Big Crop Grower Spring Hope 7.77 80 64 1.6 1.75 2.0 orks, Augusta, Ga. Georgia Special Tobacco Greensboro 3.6 32 47 1.4 1.6 1.7 2.0 vks, Augusta, Ga. Georgia Formula Cooper 8.6 32 1.3 1.6 1.9 2.0 2.0 2.0 Norfolk, Va. Extra Tobacco Guano Clinton 7.9 1.1 3.1 1.6 1.8 2.0 2.0 2.0 2.0 2.0 2.0 | 3853 | op | Perquimans Favorite | Edenton | 8.34 | .62 | 89. | 1.30 | 1.58 | 2.05 | | | | 14.99 |
| Raleigh, N. C. State Standard Guano. Edenton 8.36 1.23 .62 1.85 2.25 2.26 Raleigh, N. C. do. Mount Gilead 8.50 .67 .86 1.73 2.10 1.52 ertilizer Co., Farmville, Columbia Standard Fountain 8.73 .47 1.66 1.53 1.86 2.26 2.26 ew Bern, N. C. Big Crop Grower Greensboro 9.55 .98 1.34 1.63 2.04 2.04 orks, Augusta, Ga. Georgia Formula Cooper Cooper 8.64 .92 .42 1.34 1.63 2.04 2.04 Norfolk, Va Extra Tobacco Guano Siloan 7.94 1.11 .54 1.65 2.00 2.26 2.20 2.20 Norfolk, Va Extra Tobacco Guano Clinton Cooper 8.1 1.1 .54 1.81 1.84 1.84 1.84 1.84 1.84 1.84 1.84 1.84 1.84 1.84 1.84 1.84 1.84 <td></td> <td>Farmers Guano Co.,</td> <td>Farmer's Ammoniated Guano.</td> <td>Troy</td> <td>7.89</td> <td>69.</td> <td>-94</td> <td>1.63</td> <td>86.</td> <td>2.18</td> <td></td> <td></td> <td>á</td> <td>16.13</td> | | Farmers Guano Co., | Farmer's Ammoniated Guano. | Troy | 7.89 | 69. | -94 | 1.63 | 86. | 2.18 | | | á | 16.13 |
| Rateleigh, N. C. do. Mount Gilead 8.50 .67 .86 1.73 2.10 1.52 ertilizer Co., Farmville, Columbia Standard. Fountain 8.73 .47 1.06 1.53 1.86 2.26 ew Bern, N. C. Big Crop Grower. Spring Hope 7.77 80 .64 1.46 1.78 2.04 2.94 orks, Augusta, Ga. Georgia Formula Cooper 8.64 .92 .42 1.34 1.68 2.04 2.04 .Norfolk, Va. Extra Tobacco Guano. Siloan 7.94 1.11 .54 1.65 2.00 2.16 .Norfolk, Va. Extra Tobacco Guano. Clinton 7.86 1.17 .48 1.81 1.94 .Norfolk, Va. Sklirley's Superplosphate. Clinton Clinton Cooper 8.17 1.8 1.8 2.16 .O. Falliningy's Superplosphate. Clinton Cooper 8.2 1.73 1.8 1.8 2.16 .O. Falliningy's Superplosphate. | 4223 | | State Standard Guano | Edenton | 8.36 | 1.23 | .62 | | 2.25 | 2.26 | | | | 17.55 |
| ew Bern, N. C. Big Crop Grower. Spring Hope. 7.77 So 64 1.46 1.75 2.40 orks, Augusta, Ga. Georgia Special Tobacco. Groensboro. Sobre. XXX Meal Mixture. Norfolk, Va. Shirley's Superphosphate. Cooper. Sobre. So | 6094 | Farmers Guano Co., | do | Mount Gilead | 8.50 | .67 | | 1.73 | 2.10 | 1.52 | | | | 16.44 |
| ew Bern, N. C. Big Crop Grower Spring Hope 7.77 S0 64 1.46 1.78 2.00 orks, Augusta, Ga. Georgia Special Tobacco Greensboro 9.55 .98 .36 1.34 1.63 2.04 2.04 Noriolk, Va. Extra Tobacco Guano Siloam 7.94 1.11 .54 1.63 2.00 2.20 Noriolk, Va. Extra Tobacco Guano Siloam 7.85 1.17 .48 1.81 1.94 1.81 1.94 Noriolk, Va. Extra Tobacco Guano Siloam 7.85 1.17 .48 1.63 2.00 2.10 Ado. Coton Cooper Siloam 8.17 1.18 .38 1.56 1.89 2.16 Action Extra Tobacco Guano Cooper S.13 1.16 .49 1.81 1.51 1.81 1.51 1.81 1.51 1.81 1.69 2.00 2.10 2.10 2.10 1.10 1.10 1.10 1.10 1.10 1.10 | 4472 | | e, Columbia Standard | Fountain | 8.73 | 17. | | 1.53 | | 2.26 | | | | 16.54 |
| orks, Augusta, Ga. Georgia Special Tobacco. Greensboro. 9.55 .98 .38 1.34 1.68 2.04 2.04 XXX Meal Mixture Youngsville 7.97 .41 1.08 1.49 1.81 1.94 .Norfolk, Va Extra Tobacco Guano. Siloam 7.84 1.11 .51 1.65 2.00 2.20 2.20 .Norfolk, Va Extra Tobacco Guano. Clinton 7.85 1.17 .48 1.65 2.00 2.20 2.20 .Norfolk, Va Ralimore, Md Hubbard's Exchange Guano for Cotton, Edenton. Reaton. 8.17 1.18 .38 1.56 1.8 2.16 .O. Baltimore, Md Hubbard's Exchange Guano. Wendell. 7.30 .97 7.2 1.69 2.05 2.70 Norfolk, Va Teamuton Guano. Mount Gilead. 8.01 1.31 32 1.63 1.83 2.44 k, Va Cotton Grower. Broadway. 7.57 1.49 1.81 1.81 2.02 | 3840 | | Big Crop Grower | Spring Hope. | 7.77 | 98 | .64 | 1.46 | 1.78 | 2.00 | | 1 | | 15.12 |
| Norfolk, Va Extra Tobaeco Guano Cooper 8.64 .92 .42 1.34 1.68 2.02 Norfolk, Va Extra Tobaeco Guano Siloan 7.94 1.11 .54 1.65 2.00 2.29 Norfolk, Va Extra Tobaeco Guano Clinton 7.86 1.17 .48 1.65 2.00 2.29 Norfolk, Va Pennuth Cooper 8.17 .48 1.65 2.00 2.10 Norfolk, Va Premuth Pennuth Wendell 7.30 .97 .72 1.69 2.18 2.70 Norfolk, Va Chlampion Guano Wendell 7.31 .92 1.83 2.44 k, Va Cotton Grower Broadway 7.57 1.69 2.05 2.70 k, Va Cotton Grower Broadway 7.57 1.69 2.18 2.44 h Fremium Guano Broadway 7.57 1.49 1.81 2.93 h Fremium Guano Broadway 7.87 | 3791 | | Georgia Special Tobacco. | Greensboro. | 9.55 | 86. | .36 | 1.34 | 1.63 | 2.04 | 2.04 | | 3.30 | 16.26 |
| XXX Meal Mixture Youngsville 7.97 .41 1.08 1.49 1.81 1.94 Norfolk, Va. Extra Tobaeco Guano. Siloam 7.39 1.11 .45 1.65 2.00 2.20 2.20 Actra Tobaeco Guano. Clinton 7.86 1.17 .48 1.65 2.00 2.16 2.20 2.20 Norfolk, Va. Peanutus, and Corn. Cooper 8.13 .42 1.79 2.18 2.16 2.00 2.10 Norfolk, Va. Premium Guano. Wendell 7.30 .97 72 1.69 2.05 2.70 k, Va. Cotton Grower. Broadway. 7.57 1.69 2.05 2.16 k, Va. Cotton Grower. Broadway. 7.57 1.83 1.44 1.81 Premium Guano Broadway. 7.87 1.49 1.81 1.92 | 6046 | | . Georgia Formula | Cooper | 8.64 | 26: | .42 | 1.34 | 1.68 | 2.05 | | | | 15.42 |
| Norfolk, Va Extra Tobaeco Guano. Siloann 7.94 1.11 54 1.65 2.00 2.20 | 4706 | | XXX Meal Mixture | Youngsville. | 7.97 | 14. | | 1.49 | 1.81 | 1.94 | | | 1 | 15.37 |
| do Shirley's Superphosphate Clinton 7.85 1.17 48 1.65 2.40 do -do -do -fo -8.17 1.18 38 1.56 1.89 Holmes & Dawson, Norfolk, Va. Triumph Soluble Guano for Cotton. Edenton 8.23 1.37 42 1.79 2.18 Imperial Co., Norfolk, Va. Champion Guano Wendell 7.30 37 72 1.69 2.05 Imperial Co., Norfolk, Va. Cotton Grower Broadway 7.57 1.39 33 1.75 2.13 do Imperial Peanut and Corn Guano Edenton 7.89 1.07 42 1.49 1.81 do Premium Guano Premium Guano Roxboro 8.08 1.13 46 1.59 1.81 | 2414 | : | Extra Tobacco Guano. | Siloam | 7.94 | 1.11 | | | | 2.20 | 2.30 | | 7.30 | 16.15 |
| do. do. cooper. S.17 1.18 38 1.56 1.89 Holnnes & Dawson, Norfolk, Va. Premuts, and Corn. Premium Guano Wendell 7.30 42 1.77 2.18 Hubbard Fertifizer Co., Baltimore, Md. Hubbard's Exchange Guano Wendell 7.30 .97 7.2 1.69 2.05 Imperial Cano, Norfolk, Va. Cotton Grower. Broadway. 7.57 1.31 32 1.63 1.98 Imperial Peanut and Corn Guano Edenton 7.89 1.07 42 1.49 1.81 do. Premium Guano Premium Guano Roxboro 8.08 1.13 46 1.59 1.83 | 3669 | | . Shirley's Superphosphate. | Clinton | 7.85 | 1.17 | × + | | 2.00 | 2.16 | | | | 16.15 |
| Holnnes & Dawson, Norfolk, Va. Triumph Soluble Guano for Cotton. Edenton. 8.23 1.37 .42 1.79 2.18 Hubbard Fertilizer Co., Raltimore, Md. Hubbard's Exchange Guano. Wendell. 7.30 .97 .72 1.69 2.05 Imperial Guano Co., Norfolk, Va. Cotton Grower. Broadway. 7.57 1.39 .36 1.75 2.13 Imperial Peanut and Corn Guano. Edenton. 7.89 1.07 .42 1.49 1.81 do. Premium Guano. Premium Guano. Roxboro. 8.08 1.13 .46 1.59 1.93 | 5997 | do | op | Cooper | 8.17 | 1.18 | .55 SS: | 1.56 | | 2.10 | | | 1 | 16.00 |
| Hubbard Fertilizer Co., Baltimore, Md Hubbard's Exchange Guano. Wendell 7.30 97 72 1.69 2.05 Imperial Guano Co., Norfolk, Ya. Champion Guano. Mount Gilead 8.01 1.31 32 1.69 1.81 1.81 1.81 Imperial Co., Norfolk, Va. Cotton Grower. Broadway. 7.57 1.39 36 1.75 2.13 Imperial Peanut and Corn Guano. Edenton. 7.89 1.07 42 1.49 1.81 do. Premium Guano. Premium Guano. 8.08 1.13 46 1.59 1.93 | 4178 | | Triumph Soluble Guano for Cotton, | Edenton | s. 23 | 1.37 | 7 | 1.79 | . i 8 | 2.16 | | | | 17.08 |
| K, Va. Cotton Grower. Broadway. 7.57 1.39 .36 1.75 2.13 K, Va. Cotton Grower. Broadway. 7.57 1.39 .36 1.75 2.13 Imperial Peanut and Corn Guano. Edenton 7.89 1.07 .42 1.49 1.81 Premium Guano Roxboro. 8.08 1.13 .46 1.59 1.93 | 4759 | Hubbard Fertilizer (| Hubbard's Exchange Guano | Wendell | 7.30 | 76. | | | 2.05 | 2.70 | | | | 16.37 |
| Imperial Co., Norfolk, Va. Cotton Grower. Broadway. 7.57 1.39 .36 1.75 2.13 do do Fabruta and Corn Guano. Edenton. 7.89 1.07 .42 1.49 1.81 do do do 8.08 1.13 .46 1.59 1.93 | 4033 | - | Champion Guano | Mount Gilead | 8.01 | 1.31 | _ | 1.63 | 38. | 2.36 | | | | 16.41 |
| do Imperial Peanut and Corn Guano Edenton 7.89 1.07 42 1.49 1.81 do Premium Guano Roxboro 8.08 1.13 46 1.59 1.93 | 4255 | Imperial Co., Norfolk, Va | Cotton Grower. | Broadway | 7.57 | 1.39 | .36 | 1.75 | 2.13 | 77.5 | | | | 16,60 |
| do | 4434 | | Imperial Peanut and Corn Guano. | Edenton | | 1.07 | 27 | 1.49 | 1.S. | 2.05 | | | | 15.38 |
| | 4399 | | . Premium Guano | Roxhoro | 8.0°s | 1.13 | .46 | 1.59 | | 1.92 | | | ! | 15.87 |

ANALYSES OF COMMERCIAL PERTUIZERS—SPRING SEASON, 1914.

| Official Controller Co |
|--|
| W.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y |
| When we have a second s |
| Where the state of |
| Where the state of |
| Where the state of |
| W.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y.Y |
| Where Sumpled Sumpled Sumpled Sumpled Sumpled Sumpled Sumple Sump |
| Where Sampled. |
| Name of Brand |
| |
| |

MIXED FERTILIZERS.

| 303 Josep's Agricultural Chemical Co., Tarbono, N. C. Ootton-seed Medl Guano. Wake Porest 7.88 1.29 1.48 1.80 3.02 1.80 1.87 2.91 1.80 | _ - | Brands claiming | | | 8.00 | | | 1.65 2.00 | | 2.00 | Ť | | \$16.13 |
|---|----------------|---|-----------------------------------|-------------|-------|------------|----------------|-----------|------|------|----|---|---------|
| Schua Schua Schua Schua Guano Curord T.42 Guano Clinton New Bern S.41 S.51 S.52 S.19 S.66 S.52 S.10 Sun | 3933 | Josey, N. B., Guano Co., Tarboro, N. C. | Cotton-seed Meal Guano. | Wake Forest | 7.98 | ç; X | 1.30 | | | 3.05 | | | 16.42 |
| Hotomord Concord 7.59 1.41 7.78 2.19 2.66 2.12 Guano Clinton 8.41 .51 1.34 1.85 2.25 2.56 one Franklinton 8.41 .51 1.34 1.85 2.25 2.56 one Franklinton 8.14 1.22 .64 1.86 2.26 2.44 Dunn 8.65 1.24 .38 1.62 1.97 2.08 Burlington 7.78 1.29 .48 1.77 2.15 2.58 Clinton 9.20 1.21 .30 1.51 1.84 1.76 Claupo Lumberton 9.29 1.21 .30 1.51 1.84 1.76 Claupo Lumberton 9.24 .33 1.62 1.86 1.93 2.98 Aver Walnut Cove 11.20 .98 .34 1.32 1.92 2.98 Mew Bern 8.99 47 1.34 1.81< | 4015 | Lister's Agricultural Chemical Co., Newark, | Lister's Success Fertilizer. | Sehna | 8.80 | 1.37 | .50 | | | 2.30 | | - | 18.07 |
| Martin's Carolina Cotton Guano. Chinton. 7.42 .91 .66 1.57 1.91 2.06 Meadows' Cotton Grower New Bern. 8.41 .51 1.84 1.85 2.25 2.56 Anumoniated Dissolved Bone. Franklinton. 8.63 1.22 .64 1.86 2.96 2.14 do. do. John 8.63 1.22 .64 1.86 1.97 2.08 do. do. Dunn 8.83 1.22 .36 1.87 2.18 Ado John 8.83 1.22 .36 1.87 2.18 2.28 Navassa Cotton Fertilizer Clinton 9.20 1.21 .30 1.81 1.76 1.89 1.81 1.76 1.90 Navassa Cotton-seed Meal Guano Lumberton 7.87 .69 .96 1.96 1.86 1.92 1.42 1.42 1.90 Greene County Standard Fertilizer Edenton 8.37 1.86 1.95 2.37 <td< td=""><td>4367</td><td>N. J. Marietta Fertilizer Co., Greenshoro, N. C.</td><td>Marietta Solid South Guano</td><td>Concord</td><td>7.59</td><td>1.41</td><td></td><td></td><td>2.66</td><td> </td><td></td><td></td><td>18, 15</td></td<> | 4367 | N. J. Marietta Fertilizer Co., Greenshoro, N. C. | Marietta Solid South Guano | Concord | 7.59 | 1.41 | | | 2.66 | | | | 18, 15 |
| Meadows/ Cotton Grower New Bern 8.41 .51 1.34 1.85 2.25 2.56 Annmoniated Dissolved Bone Franklinton 8.45 1.22 .64 1.86 2.26 2.44 do Junn 8.34 1.22 .65 1.97 2.08 2.08 do Junn 8.34 1.29 .36 1.87 2.08 2.08 Farmers' Profit Burlington 7.78 1.29 .48 1.77 2.15 2.58 Navassa Cotton Fertilizer Clinton 9.20 1.21 .30 1.51 1.84 1.76 Ao Josepher Tobacco Grower Manson 7.87 .69 .96 1.65 2.00 2.40 Crewene County Standard Fertilizer Edenton 8.37 .99 1.86 1.95 2.37 2.98 Cravein Cotton Guano New Bern 8.09 47 1.34 1.81 2.00 3.14 Majestic Fertilizer Majestic Fertilizer 8.43 49 1.64 1.53 1.86 2.02 | 3672 | Martin Fertilizer Co., Norfolk, Va. | Martin's Carolina Cotton Guano. | Clinton | 7.42 | <u>8</u> . | 99. | 1.57 | | 2.06 | | | 15.33 |
| Annuomiated Dissalved Bone. Franklinton. S.14 1.22 .64 1.86 2.26 2.14 do do Dunn. S.34 1.22 .36 1.97 2.08 Farners' Profit. Burlington. 7.78 1.29 .48 1.77 2.15 2.18 Navassa Cotton Fertilizer Clinton. 9.34 .38 1.02 1.56 1.89 2.98 Navassa Cotton-seed Meal Guano. Lumberton. 9.34 .38 1.02 1.55 1.88 2.98 Oceoneechee Tobacco Grower Mahnson. 7.87 .09 .86 1.65 2.00 2.40 Greene County Standard Fertilizer Edenton. 8.37 .09 1.86 1.95 2.37 2.98 Cravein Cotton Guano. New Bern. 8.97 .49 1.81 2.20 3.14 Majestic Fertilizer. New Bern. 8.98 .41 1.81 1.81 2.20 3.14 | 3575 | Meadows, E. H. & J. A., Co., New Bern, | Meadows' Cotton Grower | New Bern | £.8 | .51 | 1.34 | 98. | | 2.56 | | | 17.90 |
| do Dunn 8.65 1.24 38 1.62 1.97 2.08 do Dunn Burlington 7.78 1.29 .48 1.77 2.15 2.18 Navassa Cotton Fertilizer Clinton 9.20 1.21 .30 1.51 1.84 1.76 Navassa Cotton-seed Meal Guano Lumberton 9.34 .53 1.02 1.55 1.88 2.98 do Jocconecehee Tobacco Grower Walnut Cove 11.20 .98 .34 1.32 1.62 1.42 1.42 1.90 lb, Greene County Standard Fertilizer Edenton 8.37 .09 1.86 1.95 2.37 2.98 2.90 Craveir Cotton Guano New Bern 8.49 1.91 1.81 1.81 1.81 2.20 3.14 | 3846 | N. C. Miller Fertilizer Co., Baltimore, Md. | Antmoniated Dissolved Bone. | Franklinton | 8.14 | 1.25 | - 9 | 98.1 | | # 61 | | | 17.58 |
| Farmers Profit Burlington 7.78 1.29 .45 1.77 2.15 2.58 .18 .19 2.18 .19 .20 | 9009 | | do. | Dunn | 8.65 | 1.24 | .38 | | 1.97 | 3.0s | | | 16.67 |
| Farmers' Profit Burlington 7.78 1.29 .48 1.77 2.15 2.58 Navassa Cotton Fertilizer Clinton 9.20 1.21 .30 1.51 1.84 1.76 Mavassa Cotton-seed Meal Guano Lumberton 9.34 .53 1.02 1.55 1.88 2.98 Ao Joeoneechee Tobaeco Grower Walnut Cove 11.20 .98 .34 1.32 1.42 1.42 9.10 Ils, Greene County Standard Fertilizer Edeuton 8.37 .09 1.86 1.93 2.37 2.98 9.10 Cravein Cotton Guano New Bern 8.09 47 1.34 1.81 2.90 3.14 9.10 Majestie Fertilizer Waxhaw 8.43 49 1.04 183 1.86 2.02 | 5979 | do | ор | Dunn | 8.34 | 1.33 | | 1.58 | 1.92 | 8 | | V | 16,32 |
| Navassa Cotton Fertilizer Clinton 9.20 1.21 .30 1.51 1.84 1.76 | 4682 | op | Farmers' Profit. | Burlington | 7.78 | 1.29 | .4s | | | 2.58 | | | 17.02 |
| Navassa Cotton-seed Meal Guano. Lumberton 9.34 .53 1.02 1.85 1.98 -do .do .do .do .do 2.40 | 3665 | Navassa Guano Co., Wilmington, N. C. | Navassa Cotton Fertilizer | Clinton | 9.30 | 1.21 | | | | 1.76 | | - | 16.38 |
| do Deconcechee Tobacco Grower Manson 7.87 .69 .96 1.65 2.00 2.40 Greene County Standard Fertilizer Edenton 8.37 .09 1.86 1.95 2.37 2.98 Cravei Cotton Guano New Bern 8.09 47 1.31 1.81 2.20 3.14 Majestic Fertilizer Waxhaw 8.43 49 1.04 1.85 1.86 2.02 | 3963 | · do | Navassa Cotton-seed Meal Guano | Lumberton | 9.34 | | 1.02 | 1.55 | | 2.98 | 1 | 1 | 17.90 |
| Occoneechee Tobacco Grower Wahnut Cove 11.20 .98 .34 1.32 1.42 1.42 2.10 Greene County Standard Fertilizer Edeuton 8.37 .09 1.86 1.95 2.37 2.98 Craven Cotton Guano New Bern 8.09 47 1.34 1.81 2.20 3.14 Majestie Fertilizer Waxhaw 8.43 49 1.04 1.86 2.02 | 4572 | | -do | Manson | 78.7 | 69. | 96. | 1.65 | | 2.40 | - | | 16.41 |
| Greene County Standard Fertilizer Edeuton | 3884 | | Occoneechee Tobacco Grower | Walnut Cove | 11.20 | 86. | .34 | 1.32 | 1.62 | 1.42 | 67 | | 17.04 |
| Craven Cotton Guano | 4262 | New Bern Cotton Oil and Fertilizer Mills, | Greene County Standard Fertilizer | Edenton | 8.37 | | 1.86 | | | 2.98 | 1 | 1 | 18.70 |
| Waxhaw 8.43 .49 1.04 1.53 1.86 2.02 | 4215 | New Isern, N. C. | Craven Cotton Guano | New Bern | 8.09 | .47 | 1.34 | | | 3.14 | | | 18.02 |
| | 4198 | N. C. Cotton Oil Co., Charlotte, N. C | Majestic Fertilizer | Waxhaw | 8.43 | -49 | 1.04 | 1.53 | 1.86 | 2.03 | - | | 16.03 |

| | | | | | | | | | | Т | нЕ | В | ULI | ET | 'IN | | | | | | | | | | |
|-------|---|-------------------------------------|-------------------------------------|------------------------------------|-----------------------------------|------------------------------------|------------------------------|-----------------------------------|--------------------|----------------------------|--|--|-------------|---------------------|----------------------------------|--|--------------------------------------|---------------------------------|----------|-------------------------------------|--------------------------|-------------------------------------|--------------------------------------|--|---|
| 10.00 | 16.26 | 16.07 | 19.17 | 15.31 | 15.93 | 17.52 | 16.04 | 16.55 | 16, 19 | 15.55 | 16.80 | 17.96 | 16,35 | 17.06 | 16.72 | 17.35 | 16.62 | 16.56 | 15.96 | 18.36 | 14.82 | 18.59 | 17.39 | 16.51 | |
| | | | | 5.10 | | | | 8 | 1 | 1 | | 1 1 | | . ! | 7.40 | | | į | | | | | 1 | | |
| 1 | | | | | - | - | | | | | | | | | | | | | | | | | | | |
| | - | | | 9.16 | | | | | | | | | | | 81 | | | | | | | | | | |
| 1 | 2.30 | 2.24 | . S. | 2.16 | 1,88 | 9.3 | - 61 61 | 2.36 | 1.94 | 2.00 | - 51 S) (S) | 2.3 | 2.36 | 2.11 | 67.5 | 2.34 | 2.03 | 51 | 9.06 | 9.43 84.63 | 2.26 | 25.52 | 2.56 | 2.52 | |
| | 1.97 | 16.1 | 61 | 1.79 | 86.1 | 2.30 | 1.93 | 2.05 | 1.99 | 3.1 | 57 T | 2.33 | 1.97 | 2.10 | 2.03 | 2.16 | 2.1 | .5 (). | 16.1 | 2. E | 1.76 | 2.46 | 2.19 | 7. | |
| | 1.62 | 1.57 | 2.01 | 1.47 | 1.63 | 5 1.89 | 1.59 | .36 1.69 | 1.64 | 1.55 | 1.76 | 16.1 | 1.62 | 1.73 | 1.67 | 3 1.78 | 1.74 | 1.71 | 1.57 | 1.79 | 1.45 | 2.05 | 1.80 | 1.51 | |
| | 1.14 | 94. | 1.30 | 1.46 | .34 | 99. | 1.12 | | 94. | .56 | 1.04 | H. 10 | 06. | 1.30 | 1.04 | 1.46 | 77. | .40 | 7. | · 8 | .38 | ×. | 97. | .36 | |
| 3 | SŦ. | 1.11 | Ε. | 10. | - 23 | 1.33 | 74. | - 1.33 | | - Si | E- | S. | 51. | .43 | .63 | £2. | 1.30 | 1.31 | 1.13 | 1.11 | 1.07 | 1.5 | 1.04 | 1.15 | |
| | 7.95 | 8.04 | 27.7 | 7.75 | 8.01 | S. 05 | 7.94 | 7.99 | $\frac{x}{x}$ | 7.82 | 8.14 | 8, 15 | 7.99 | 8.51 | 8.32 | 8.37 | 8.10 | 8.06 | 8.12 | 9.29 | 7.19 | 8,43 | 8.08 | 8.50 | |
| | Dumn | Monroe | Angier | Gibsonville | Norwood | Polkton | Pineville | Monroe | Mebane | Seaboard | Morven | Monroe | Reidsville. | Edenton | Burlington | Benson | Nashville | Cherryville | Lewiston | Jackson | Mocksville | Kinston | Wadesboro | Ashboro | |
| | Wilmington Cotton Grower | Oriana Crop Grower | Ober's Special Cotton Compound | Ober's Standard Tobacco Fertilizer | Old Buck Warsaw Guano | Palmetto Special Fertilizer | Palmetto Standard Fertilizer | . Sea Gull Ammoniated Guano | Planters' Favorite | Sea Gull Ammoniated Guano. | Planters' Standard Fertilizer | Piedmont Cultivator Guano | op | Piedmont Fish Guano | Piedmont Red Leaf Tobacco Guano. | Cotton Grower Fertilizer for All | Carrington's Banner Brand Guano | Pamlico Superphosphate | do | Magie Cotton Grower | Magic Special Fertilizer | Rasin Empire Guano | Read's Blood and Bone Fertilizer | Banner Fertilizer | |
| | N. C. Cotton Oil Co., Wilmington, N. C. | Norfolk Fertilizer Co., Norfolk, Va | Ober, G., & Sons Co., Baltimore, Md | op | Old Buck Guano Co., Richmond, Va. | Palmetto Guano Co., Columbia, S. C | -do | Patapseo Guano Co., Baltimore, Md | do. | do | Planters Fertilizer and Phosphate ('o., Charleston, S. C., | Piedmescon, S. C. Piedmat-Mount Airy Guano Co., Balti- more M. | do | do. | | Pine Level Oil Mill Co., Pine Level, N. C. | Pocahontas Guano Co., Lynchburg, Va. | Poeomoke Guano Co., Norfolk, Va | do | Powhatan Chemical Co., Richmond, Va | -do | Rasin-Monumental Co., Baltimore, Md | Read Phosphate Co., Charleston, S. C | Reidsville Fertilizer Co., Reidsville, N. C. | |
| | 3597 | 4443 | 3750 | 4585 | 1034 | 1306 | 4674 | 3563 | 1089 | 4528 | 3828 | 3566 | Ξ | 3557 | 4588 | 3751 | 3842 | 3779 | 4386 | 4529 | 1663 | 4114 | 3859 | 4807 | - |

.49 | 1.08 | 1.57 | 1.91 | 3.02 | .51 | 1.14 | 1.65 | 2.00 | 2.26

8.37

Grover

Southern Cotton Oil Co., Fayetteville, N.C. Fayetteville Oil Mill Standard C.S.M. Jonesboro...... 7.49

4546 3680

Southern Cotton Oil Co., Shelby, N. C..... Southern Cotton Oil Co.'s Gloria Standard Pertilizer.

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | | | - | | | | | | | |
|---|--|--|----------------|----------------------------------|--------------------------------|----------------------|--------------------|---------------------------|------------------|---|--------------------------|-----------|----------------|
| | | | | | Perce | ntage (| Compo | sition | or Par | Percentage Composition or Parts per 100 | . 100 | | ber |
| $\begin{array}{c} {\rm Vaboratot}_{\rm V} \\ {\rm Vamber.} \end{array}$ | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Vitrogen. | Огазліс Хісточеп. | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value |
| | | Mixed Pertuzers. | ILIZERS. | | | | | | | | | | |
| | Brands claiming | | | 8.00 | | | 1.65 | 2.00 | 2.00 | | | | \$16.13 |
| 5109 | Richmond Guano Co., Richmond, Va | Premium Brand Fertilizer | Eagle Springs | 8.71 | 1.28 | * | 1.76 | 2.14 | 2.54 | | | 1 | 17.77 |
| 5894 | ор | ф | Dunn | 8.66 | 1.21 | .52 | 1.73 | 2.10 | 5.10 | | | | 17.16 |
| 3781 | op | do. | Cherryville | 8.14 | 1.26 | .52 | 27. | 2.16 | 5.00 | | 1 | | 16.80 |
| 6095 | olb | do. | Troutman | 7.13 | 1.07 | 89 | 1.75 | 2.13 | 2.55 | | | | 15.99 |
| 4837 | ор | Premium Tobacco Fertilizer | Ruffin | 7.84 | 1.23 | .4s | 1.71 | 2.08 | 2.43 | 5.43 | | 7.30 | 16.66 |
| 4168 | Robertson Fertilizer Co., Norfolk, Va | Double Dollar Soluble Guano | Edenton | 8.69 | 1.27 | 86. | 1.85 | 2.25 | 2.74 | | | | 18.33 |
| 5947 | Royster, F. S., Guano Co., Norfolk, Va | Farmers' Bone Fertilizer | Hope Mills. | 7.89 | 22 | 1.02 | 1.77 | 2.15 | 2.08 | | | | 19.91 |
| 42.42 | op. | op | Edenton | 7.97 | 1.05 | .58 | 1.63 | 1.98 | 2.30 | | | | 16.22 |
| 3771 | ob | op | Hillsboro | 7.79 | 1.31 | .36 | 1.67 | 2.03 | 2.04 | | | | 16.06 |
| 3581 | op | op | Kinston | 7.81 | 1.24 | .38 | 1.62 | 1.97 | 2.08 | | 1 | 1 | 15.91 |
| 3587 | op | op | Hillsboro | 7.73 | 1.26 | .36 | 1.62 | 1.97 | 3.06 | | - | | 15.82 |
| 4510 | do | Farmers' Bone Fertilizer for Tobacco, Rural Hall | Rural Hall | 7.89 | 1.09 | 77. | 1.53 | 1.86 | 2.06 | 5.06 | | 08.9 | 15.59 |
| 4613 | .do | Royster's Complete Guano | Oakboro | 7.99 | 1.07 | .50 | .50 1.57 | E.1 | 2.16 | | 1 1 1 | | 15.94 |
| 4622 | | Double Two | Davidson | 10.73 | <u>e</u> ; | 1.22 | 1.43 | 1.74 | 2.30 | | | | 17.95 |

| 4718 | Spartanburg Fertilizer Co., Spartanburg, | Tiger Brand Corn Grower | Hendersonville | 8.20 | .89 | 99. | 1.55 | 88. | 1.92 | - | - | 11 | 15.81 |
|------|---|--|----------------|-------|--------|------|------|------|--------|------|--------|-----------|-------|
| 3891 | Swift Fertilizer Works, Wilmington, N. C | Swift's Golden Harvest Guano | High Point | 7.65 | 1.22 | 1.84 | 3.06 | 3.73 | 3.44 | - | | 6 | 23.18 |
| 3588 | op | Swift's Red Star Standard Grade | Burlington | 8.50 | 0+. | .70 | 1.10 | 1,34 | 2.32 | | | - 17 | 14.59 |
| 4692 | Tidewater Guano Co., Norfolk, Va | Guano. Double Active Soluble Guano. | Roxboro | 8.47 | 16. | .56 | 1.47 | 1.79 | 2.12 | | - | - | 15.92 |
| 5959 | Tuscarora Fertilizer Co., Greensboro, N. C., | N. C., Tusearora Standard | Lineolnton | 7.64 | 26. | .74 | 1.71 | 2.08 | 2.08 | | | 16 | 16.14 |
| 3895 | op | op | Ashboro | 7.24 | 96. | 96. | 1.46 | 1.76 | 2.36 | - - | - 1 | 1 | 15.01 |
| 4213 | Union Abattoir Co.; Norfolk, Va | Red Star Standard Guano | New Bern | 7.85 | 1.09 | 00. | 1.69 | 2.05 | 7.5 | | - | = | 16.30 |
| 3532 | op | Standard Grade | Spring Hope | 8.06 | 09. | 1.50 | 2.13 | 2.59 | 2.26 | | | î | 18.46 |
| 8603 | Union Guano Co., Winston-Salem, N. C | Fish Brand Ammoniated Guano for | Greensboro | 9.65 | 1.01 | .34 | 1.35 | 1.64 | 9.28 | 2.00 | .28 1. | 1.50 - 10 | 16.63 |
| 3885 | op | Lobacco. Fish Brand Ammoniated Guano | Elkin | 9.72 | 1.00 | .34 | 1.34 | 1.63 | 1.82 | 1 | - | Ĭ | 16.20 |
| 3519 | do. | Old Honesty Guano | Wadesboro | 8.52 | .75 | 1.26 | 2.01 | 2.44 | 1.60 | | | II. | 17.71 |
| 6009 | do | Old Honesty Tobacco Guano | Winston-Salem | 9.40 | 8. | .34 | 1.22 | 1.48 | 2.04 2 | 2.04 | ~ | 3.10 18 | 15.62 |
| 4573 | Upshur, R. L., Guano Co., Norfolk, Va. | G., G. and C., Grain, Grass, and | Manson | 8.24 | .57 | 1.06 | 1.63 | .98 | 5.54 | | | 1 | 16.50 |
| 4114 | United States Fertilizer Co., Baltimore, Md. Farm Bell Standard Guano | Cotton Guano. Farm Bell Standard Guano | Greensboro | 7.79 | XX | 06: | 1.78 | 2.16 | 2.70 | | - | = | 17.19 |
| 4400 | Vance Guano Co., Henderson, N. C | Hot Stuff Vance | Oxford | 77.7 | 1.41 | 38 | 1.79 | 2.18 | 1.96 | - | - | | 16.47 |
| 3988 | op | Sterling Cotton Grower | Warrenton | 99.7 | • 1.23 | 7. | 1.86 | 2.26 | 2.28 | - | - | 10 | 16.99 |
| 4774 | Venable Fertilizer Co., Richmond, Va | Venable's Meal Mixture | Youngsville | 8.34 | .87 | Z. | 1.71 | 2.08 | 2.43 | | 1 | - 1 | 17.11 |
| 3547 | VaCar. Chemical Co., Richmond, Va | Allison & Addison's Anchor Brand | Asheville | 8.83 | 1.33 | .30 | 1.63 | 1.98 | 2.10 | | + | | 16.89 |
| 4768 | ор. | er Co.'s | Mebane | 10.16 | 27. | .38 | 1.13 | 1.37 | 1.90 | 1.90 | | 3.40 13 | 15.79 |
| 4285 | op | Orient Special for Tobacco. Charlotte Oil Fertilizer Co.'s King | Graham | 8.79 | 83 | 94. | 1.28 | 1.56 | 2.00 | | | ¥ | 15.29 |
| 4770 | do | Cotton Grower. Charlotte Oil and Fert. Co.'s Queen | Hillsboro | 8.90 | .17 | 86 | 1.15 | 1.40 | 1.66 | - | | 11 | 14.50 |
| 3537 | op | of the Harvest C. S. M. Davie & Whittle's Owl Brand Guano. | Spring Hope | 9.47 | 1.00 | .48 | 1.48 | 08.1 | 2.00 | | 1 | 1 | 16.74 |
| 3520 | do | Durham Fertilizer Co.'s Genuine | Wadesboro | 8.39 | 1.15 | .50 | 1.65 | 2.00 | 1.50 | | - | 1 | 15.98 |
| 1904 | q ₀ | vian Guano. er Co.'s Progressive | Toecane | 8.07 | 1.62 | £. | 2.04 | 2.48 | 2.38 | - | - | Ť. | 18.11 |
| 4211 | op | Farmers' Favorite Fortilizer, C. S. M. | Maysville | 8.60 | 19. | 1.08 | 1.69 | 2.02 | 2.18 | | - | 13 | 17.02 |
| 4195 | do | Norfolk and Car, Chemical Co.'s Genuine Slaughter House Guano. | Waxhaw | 8.43 | · 82 | 06: | 1:1 | 2.15 | 2.02 | | | 12 | 17.03 |
| | | | | | | | | | | | | | |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| Name and Address of Manufacturer. | | | | rerentage composition or farts per 100. | Abago. | odina | | | 100 | | 190 |
|------------------------------------|--|------------------|----------------------------------|---|----------------------|-----------------------------|------------------------------------|-----------|-------------------------|----------------------------|-------------------------------------|
| | Name of Brand. | Where Sampled. | Arailable Phosphorie Arcid | Water- soluble Xitrogen. | Эгдаліс Хітгоден. | ТоғаІ Хіңго <u>ж</u> еп. | Equivalent to Ammonia. Total | Potash. | Muriate. Potașh from | Sulphate. Chlorine. | Relative Value I Ton at Factory. |
| | Mixed Ferthizers. | ILIZERS. | | | | | | | | | _ |
| Brands claiming | | | 8.00 | | | 1.65 | 2.60 2. | 2.00 | _ | | \$16.13 |
| VaCar. Chemical Co., Richmond, Va. | Old Dominion Guano Co.'s Soluble | Statesville | 8.65 | F. 19 | 38 | 1.57 | 1.91 2. | 2.24 | | | 16.62 |
| | Guano. Old Dominion Guano Co.'s Old Do- minion Soluble Guano | Lexington | 9.51 | 14. | 31 | .33 | 1.62 | 1.92 | | ; | 16.06 |
| | Dwl Brand Guano | Matthews | 8.76 | 1.07 | #. | 1.51 | Z. | 1.80 | | | 16.03 |
| | Powers, Gibbs & Co.'s C. S. M. Solu- | M. Solu-Roseboro | 8. 45° | .55 | 1.30 | 1.85 | 2.25 | 2.8.2 | | | 18.23 |
| | Southern Chemical Co.'s Electric | Penrose | 8.15 | 1.32 | ¥. | 9 | 2.19 | 1.92 | | | 17.08 |
| | Stonewall Guano | Rutherford. | ». I ‡ | 1.05 | 21 | 1.47 | 1.79 | 1.90 | | | 15.40 |
| | Tinsley & Co.'s Lee Brand Guano | Trenton | × | 1.24 | × † . | 1:13 | 60.0 | 2.71 | | | 17.86 |
| | Tinsley & Co.'s Stonewall Guano. | Richland | 5.34 | 1.41 | - 06. | 1.6.1 | 23.33 | 59.5 | | | 18.15 |
| | op. | Edenton | 6.52 | 1.07 | 09 | 1.67 | 2.63 | 2.13 | · | _: | 15.00 |
| | Travers & Co.'s Boef Blood and Bone Elizabeth City | Elizabeth City. | 6.74 | 1.19 | - Se. | 1.77 | 2.15 | 2.04 | | | 15.34 |
| | retunzer. do | Andrews | 7.93 | 1.03 | . 40 | 1.43 | 1.74 | 2.04 | | | 15.18 |
| | avers & Co.'s National Fer- | Homimy | 8.9 | 1.18 | 9. | 1.58 | 1.92 | 2.13 | | | £. |
| | S. W. Travers & Co.'s National To- | Durham. | 8.10 | 1.59 | .36 | 1.95 | 2.37 | 2.54 2.54 | ** | 2.50 | 18.92 |
| | Ducco Special. VC. C. Co.'s Diamond Dust C.S.M. | Marshville | 7.79 | .95 | 1.10 | 2.05 | 2.49 | 2.92 | - ! | 1 | 18.54 |
| | V. C. C. Co.'s Farmers' Friend Ferti- Spring Hope | Spring Hope | 8.90 | .59 | 1.32 | 6. | 2.32 3. | 3.30 | - 1 | 1 | 19.41 |
| | uzer. VC. C. Co.'s Plant Food C. S. M, Harnett | Harnett | 8.50 | Ţ. | .74 1.20 1.94 | | 2.36 2. | 2.26 | | | 18.06 |

| 6081 | op | op | - Walnut Cove | 8.30 | .67 | 1.00 | 1.67 | 2.03 | 2.00 | 1 | | 16.48 |
|------------------------------|---|---|---|------|-------|---|------|------|------------|---|-----------------|-------|
| 3752 | op | do | Angier | 8.69 | .57 | 1.14 | 1.71 | 2.08 | 3.26 | 1 | | 18.26 |
| 2940 | op | do | . Lillington | 8.59 | .03 | 1.34 | 1.36 | 1.65 | 1.88 | • | | 15.32 |
| 3738 | 3738 Wilson Chemical Co., Wilson, N. C. | Cotton States Standard | Westry | 8.00 | .75 | 1.00 | 1.75 | 2.13 | 3.94 | | 1 1 1 | 18.49 |
| 3858 | 3858 Winborne Guano Co., Norfolk, Va | Excelsior Guano | -Edenton | 8.60 | 1.36 | 1 | 1.78 | 2.16 | 5.1 1.2 | | | 17.46 |
| 4372 | 4372do | Standard Eureka Guano | Edenton | 8.15 | 1.11 | 14. | 1.55 | 1.88 | 9.49 | | | 16.26 |
| 3850 | 3850 Winston Guano Co., Winston, N. C. | Old Honest Guano | Nashville | 8.70 | .56 | 1.12 | 1.68 | 2.04 | 2.35 | 1 | | 17.21 |
| 4174 | 4174 Young, J. R., Fertilizer Co., Norfolk, Va | J. R. Young's New Process 2-8-2 Guano for Cot Corn and Donnets | Edenton | 7.93 | 1.27 | 99. | 1.93 | 2.35 | 1.98 | | | 17.22 |
| 4574 | 4574 dodo | dodo | Littleton | 8.35 | 1.01 | .34 | 1.35 | 1.64 | 61 | - | | 15.38 |
| | Brands claiming | | 1 | 8.00 | | 1 | 1.65 | 2.00 | 3.00 | 1 | | 17.13 |
| 4477 | 4477 Hubbard Fertilizer Co., Baltimore, Md | Hubbard's Fish Compound | Ayden | 8.29 | 1.23 | .34 | 1.57 | 1.91 | 3.20 | | | 17.26 |
| 3916 | 3916 Martin Fertilizer Co., Baltimore, Md. | Martin's Cotton and Tobacco Guano. Clarkton. | . Clarkton | 8.12 | 1.20 | 94. | 1.66 | 2.03 | 3.6 | 3.23 | 2.50 | 17.92 |
| 4238 | 4238 N. C. Cotton Oil Co., Wilmington, N. C | Maultsby's Cotton Grower | Whiteville | 7.82 | 17 | 1.06 | 1.53 | 1.86 | 3.08 | | - | 16.54 |
| 4073 | 4073 Pamlico Chemical Co., Washington, N. C | Rust Proof Cotton Guano | Bayboro | 6.94 | - 06: | 98. | 1.76 | 2.14 | 2.68 | | | 16.62 |
| 4316 | 4316 Pocomoke Guano Co., Norfolk, Va | C. C. C. Crescent Complete Com- | Stedman | 69.2 | 1.11 | 7. | 1.55 | 1.88 | 3.24 | | 1 | 16.67 |
| 4231 | 4231 Robeson Mfg. Co., Lumberton, N. C | Roberson Special | Lumberton | 7.91 | .17 | 1.34 | 1.51 | 1.84 | 4.30 | | | 17.77 |
| 4193 | 4193 VaCar. Chemical Co., Richmond, Va | Lynchburg Guano Co.'s New Era | Godwin | 9.05 | 1.13 | # | 1.57 | 1.91 | 2.92 | | 1 | 17.66 |
| | Brands claiming | | | 8.00 | | - | 1.65 | 2.00 | 4.00 | | - | 18.13 |
| 1 92 1 | 4564 Burton, C. J., Guano Co., Baltimore, Md | Carolina Tobacco Special | Lexington | 8.14 | 1.51 | .10 | 1.61 | 1.96 | 3.94 | 3.94 | 9.60 | 18.03 |
| 1257 | 4257 Imperial Co., Norfolk, Va. | Imperial Peanut Grower Guano | Edenton | 7.61 | 1.09 | 89. | 1.77 | 2.15 | 4.90 | | | 81.61 |
| 4749 | 4749 Miller Fertilizer Co., Baltimore, Md | Special Tobacco Grower | 1 | 7.91 | 1.19 | - 1 * * 1 * * 1 * * 1 * * 1 * * 1 * * 1 * | 1.67 | 2.03 | 4.10 | 4.10 | 9.30 | 18.23 |
| | Brands claiming | | | 8.00 | | - | 1.65 | 2.00 | 5.00 | 1 | | 19.13 |
| 1019 | 6104 Armour Fertilizer Works, Greensboro, N. C. | Works, Greensboro, N. C. Armour's Stokes County Tobacco | Winston | 8.16 | - 29 | 1 6. | 1.59 | 1.93 | 4.92 | 1.52 3.40 | 1.90 18.94 | 18.94 |
| 5920 | 5920 Baugh & Sons Co., Norfolk, Va. | Baugh's Complete Animal Buse Fer- | Oak City | 7.74 | 1.01 | 09. | 1.61 | 1.96 | 5.36 | - | | 19.09 |
| 4662 | 4662 Enterprise Guano Co., Baltimore, Md | Enterprise Complete Manure for All Crons | Burlington | 8.05 | Ę. | .88 | 1.59 | 1.93 | 4.76 | | | 18.68 |
| 1487 | 4487 Josey, N. B., Guano Co., Tarboro, N. C | Special Peanut Guano | Benson | 7.67 | .43 | 1.16 | 1.59 | 1.93 | 6.16 | | | 19.74 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| Name and Address of Manufacturer Name of Brand Where Sampled. Sampled Sample | | | | | | Pere | ntage | Comp | sition | or Par | Percentage Composition or Parts per 100 | .00 | | Бөц |
|--|------------|---|-----------------------------------|----------------|----------------------------------|--------------------------------|----------------------|-------------------|---------------------------|--------|---|--------------------------|-----------|----------------------------------|
| Red Star Carolina Special Benson 7.55 1.42 .54 1.96 2.38 | Jacinin v. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Phosphoric $\Lambda_{\rm cid}$. | Water- soluble Vitrogen. | Organic Zitrogen. | Тота! Хітоден. | Equivalent to Ammonia. | | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value Ton at Factory |
| Red Star Carolina Special Benson 7.55 1.42 .54 1.96 2.38 Farm Bell Animal Annuoniated Baltimore 8.07 .94 .92 1.83 2.22 Paec's Special 5 Per Cent Potato Asheville 8.00 .70 .16 2.03 Asheville Packing Co.'s Complete Asheville 7.02 .19 1.22 1.41 1.71 Privot's Special 8-2-6 Guatro Edenton 7.99 .93 .62 1.55 1.88 Beeson's Special Fertilizer Kernersville 7.91 1.21 .46 1.67 2.03 V. C. C. Co.'s Buyers' Mixture Kapneville 8.30 1.29 .84 2.13 1.62 Infart Potato Guano Asheville 6.56 .97 .36 1.33 1.62 Union Potato Guano Asheville 8.00 .18 .30 1.48 1.80 Smith's Irish Potato Guano Asheville 8.00 .18 .30 1.85 2.25 Soil King Soluble Guano Rural Hall 8.10 .11 .98 2.05 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Page Survey Rural Hall | | | MINED FER | TILIZERS. | | | | | | | | | | |
| Red Star Carolina Special Benson 7.55 1.42 .54 1.96 2.38 | | Srands claiming | | | 8.00 | | : | 1.65 | 2.00 | 5.00 | | | | \$19.13 |
| Farm Bell Animal Animal Annoniated. Baltimore. 8.07 .91 .92 1.83 2.22 Guano. Asheville 8.00 1.65 2.00 Asheville Packing Co.'s Complete Asheville 7.02 .19 1.22 1.41 1.71 Fortilizer. Pertilizer. Kernersville 7.99 .93 .62 1.55 1.88 Beeson's Special Fertilizer Kernersville 7.91 1.21 .46 1.67 2.03 V. C. C. Co.'s Buyers' Mixture. Waynesville 8.30 1.29 .84 2.13 2.59 N. C. Armour's High Grade Potato Ferti- Asheville 6.56 .97 .36 1.33 1.62 Incomposation Mixture Rockingham 9.68 1.18 .30 1.48 1.80 1.85 2.25 Smith's Irish Potato Guano Rural Hall 8.00 1.43 36 1.85 2.25 Soil King Soluble Guano Rural Hall 8.00 1.85 2.09 2.66 2.50 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 <td>=</td> <td>Union Abattoir Co., Norfolk, Va.</td> <td>Red Star Carolina Special</td> <td>Benson.</td> <td>7.55</td> <td>1.42</td> <td>ţċ.</td> <td>1.96</td> <td>2.38</td> <td>6.64</td> <td></td> <td></td> <td></td> <td>21.67</td> | = | Union Abattoir Co., Norfolk, Va. | Red Star Carolina Special | Benson. | 7.55 | 1.42 | ţċ. | 1.96 | 2.38 | 6.64 | | | | 21.67 |
| Pace's Special 3 Per Cent Potato Asheville S. 19 1.37 30 1.67 2.03 Asheville Packing Co.'s Complete Asheville 7.02 1.9 1.22 1.41 1.71 Fertilizer Fertilizer Kernersville 7.91 1.21 46 1.67 2.03 Beeson's Special Fertilizer Kernersville 7.91 1.21 46 1.67 2.03 V. C. C. Co.'s Buyers' Mixture Kernersville 8.00 1.29 84 2.13 2.59 N. C. Armour's High Grade Potato Ferti Asheville 6.56 97 36 1.33 1.62 India Potato Guano Asheville 8.00 1.48 1.80 Smith's Irish Potato Guano Asheville 8.00 1.43 36 1.79 2.18 Soil King Soluble Guano Rural Hall 8.10 1.61 1.85 2.25 Soil King Soluble Guano Rural Hall 8.10 1.11 1.88 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash 8.00 1.11 1.98 2.09 2.54 Supplementary Blood, Bone, and Potash 8.00 1.11 1.98 2.09 Supplementary Blood, Bone, and Potash 8.00 1.11 2.00 2.54 Supplementary Blood, Bone, and Potash 8.00 1. | = | U. S. Fertilizer Co., Baltimore, Md. | Farm Bell Animal Ammoniated. | Baltimore | 8.07 | 5. | 8 | 1.83 | 2.33 | 4.82 | | | | 19.77 |
| Asheville Packing Co.'s Complete Asheville 7.02 1.9 1.22 1.41 1.71 Pivott's Special R-2-6 Guano. Edenton. 7.99 1.33 1.55 1.88 Beeson's Special Fertilizer Kernersville 7.91 1.21 1.46 1.57 1.88 C. C. Co.'s Buyers' Mixture Kapnesville 8.30 1.29 1.45 1.57 1.65 2.09 N. C. Armour's High Grade Potato Ferti-Asheville 6.56 1.7 1.86 1.33 1.62 1.89 Smith's Irish Potato Guano Asheville 8.00 1.43 1.79 1.18 1.80 1.89 Soil King Soluble Guano Rural Hall 8.13 1.19 1.66 1.85 2.25 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 1.98 2.09 2.54 | 1.7 | VaCar. Chemical Co., Richmond, Va., | Pace's Special 5 Per Cent Potato | Asheville. | 8.19 | 1.37 | .30 | 1.67 | 2.03 | 5.72 | | | | 20.10 |
| Asheville Packing Co.'s Complete Asheville Germania T.99 1.22 1.41 1.71 Privott Special S-2-6 Guano. Edenton. 7.99 1.33 1.55 1.88 Beeson's Special Settlizer. Kernersville. 7.91 1.21 1.46 1.67 2.03 V. C. C. Co.'s Buyers' Mixture. Waynesville 8.30 1.29 1.46 1.67 2.03 N. C. Armour's High Grade Potato Ferti- Asheville. 6.56 1.7 1.86 1.73 1.65 1.70 1.80 N. C. Armour's High Grade Potato Ferti- Asheville. 6.56 1.7 1.8 1.8 1.6 1.8 1.6 1.8 1.6 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 | | Srands claiming | | | 8.00 | | | 1.65 | 2.00 | 00.9 | | | - | 20.13 |
| Privott a Special 8-2-6 Guano. Edenton 7.99 .93 .62 1.55 1.88 Beeson's Special Fertilizer Kernersville 7.91 1.21 .46 1.67 2.03 V. C. C. Co.'s Buyers Mixture Raynesville 8.00 1.29 .84 2.13 2.59 N. C. Armour's High Grade Potato Ferti Asheville 6.56 .97 .36 1.33 1.62 Union Potato Mixture Rockingham 9.68 1.18 .30 1.48 1.80 Smith's Irish Potato Guano Asheville 8.00 1.85 2.25 Soil King Soluble Guano Rural Hall 8.10 .66 1.85 2.25 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Raynaw | *** | Asheville Packing Co., Asheville, N. C | Asheville Packing Co.'s Complete | Asheville | 7.02 | .19 | 1.22 | 1.41 | 1.71 | 7.23 | | | | 19.46 |
| Beeson's Special Fertilizor Waynesville 7.91 1.21 .46 1.67 2.03 V. C. C. Co.'s Buyers' Mixture 8.00 1.29 .84 2.13 2.59 N. C. Armour's High Grade Potato Ferti- Asheville 6.56 .97 .36 1.33 1.62 Union Potato Mixture Rockingham 9.68 1.18 .30 1.48 1.80 Smith's Irish Potato Guano Asheville 8.00 1.43 .36 1.79 2.18 Soil King Soluble Guano Rural Hall 8.13 1.19 .66 1.85 2.25 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 Planters' Blood, Bone, and Potash Planters' Blood, Bone, and B | ~ | Martin Fertilizer Co., Norfolk, Va. | Privott's Special 8-2-6 Guano | Edenton | 7.99 | . 93 | .62 | 1.55 | 1.88 | 5.56 | 1 | - | 1 | 19.26 |
| N. C. Armour's High Grade Potato Ferti- Asheville 8.00 1.29 .84 2.13 2.59 N. C. Armour's High Grade Potato Ferti- Asheville 6.56 .97 .36 1.33 1.62 lizer. Union Potato Mixture Rockingham 9.68 1.18 .30 1.48 1.80 1.8 Smith's Irish Potato Guano Asheville 8.00 1.43 .36 1.79 2.18 Soil King Soluble Guano Rural Hall 8.13 1.19 .66 1.85 2.25 Planters' Blood, Bone, and Potash Waxhaw 8.00 1.11 .98 2.09 2.54 | .0 | Richmond Guano Co., Richmond, Va | Beeson's Special Fertilizer | Kernersville | 7.91 | 1.21 | 97. | 1.67 | 2.03 | 6.22 | | 1 | | 20.35 |
| N. C. Armour's High Grade Potato Ferti- Asheville. 6.56 .97 .36 1.33 1.62 Union Potato Mixture | ~ | VaCar. Chemical Co., Riehmond, Va. | V. C. C. Co.'s Buyers' Mixture | Waynesville | 8.30 | 1.29 | ž | 2.13 | 2.59 | 5.00 | Ī | | | 21.42 |
| N. C. Armour's High Grade Potato Ferti- Asheville. 6.56 .97 .36 1.33 1.62 lizer. Union Potato Mixture. Rockingham 9.68 1.18 .30 1.48 1.80 1 Smith's Irish Potato Guano Asheville. 8.57 1.43 .36 1.79 2.18 8.00 Soil King Soluble Guano Rural Hall 8.13 1.49 .66 1.85 2.25 lixer Blood, Bone, and Potash Waxhaw 8.00 2.66 2.50 | _=- | 3rands claiming | | | 8.00 | | | 1.65 | | 10.00 | | | | 24.13 |
| Union Potato Mixture Rockingham 9.68 1.18 30 1.48 1.80 1 | - | Armour Fertilizer Works, Greensboro, N. C | Armour's High Grade Potato Ferti- | Asheville | 92.9 | 26. | .36 | 1.33 | 1.62 | 9.78 | | | | 21.27 |
| Smith's Irish Potato Guano Asheville 8.57 1.43 36 1.79 2.18 | - 10 | Union Guano Co., Winston, N. C. | uzer. Union Potato Mixture | Rockingham | 89.6 | 1.18 | .30 | 1.48 | | 10.12 | | | 1 | 25.05 |
| Soil King Soluble Guano Rural Hall 8.00 1.85 2.25 Planters' Blood, Bone, and Potash Waxhaw 8.00 2.66 2.50 | œ | VaCar. Chemical Co., Richmond, Va | Smith's Irish Potato Guano | Asheville | 8.57 | 1.43 | .36 | 1.79 | 2.18 | 8.72 | | | | 23.95 |
| Soil King Soluble Guano Rural Hall 8.13 1.19 .66 1.85 2.25 8.00 Planters' Blood, Bone, and Potash Waxhaw 8.00 8.00 .78 2.66 2.50 | _ | 3rand claiming | | | 8.00 | | | 1.85 | 2.25 | 4.00 | | | | 18.97 |
| Planters' Blood, Bone, and Potash Waxhaw 8.70 1.11 .98 2.09 2.54 | × | | Soil King Soluble Guano | Rural Hall. | 8.13 | 1.19 | 99. | 1.85 | 2.25 | 4.06 | | | - | 19.45 |
| Planters' Blood, Bone, and Potash Waxhaw | _ | Srand claiming | | | 8.00 | | | 2.06 | 2.50 | 1.00 | | 1 | 1 | 16.85 |
| | 10 | Planters Fertilizer and Phosphate Co., Charleston, S. C. | Planters' Blood, Bone, and Potash | Waxhaw | 8.00 | Ξ. | 8. | 2.09 | 2.54 | 1.60 | 1 | | - | 18.12 |

| | Brands claiming | | 4 | 8.00 | 1 1 | | 2.06 | 2.50 | 2.00 | | | 71 | 17.85 |
|------|--|--|---|-------------|------------|------|------|------|------|------|------|------|-------|
| 22 | F21 Acme Mfg. Co., Wilmington, N. C. | Latimer's Complete Fertilizer | Fair Bluff | 7.41 | 1.21 | 88. | 2.09 | 2.54 | 2.06 | | | 11 | 17.51 |
| 4005 | Columbia Guano Co., Norfolk, Va | Columbia Special Tobacco Guano | Benson | 6.03 | 1.42 | 09. | 2.03 | 2.46 | 2.28 | 2.28 | 5.40 | | 16.19 |
| 4425 | Lister's Agricultural Chemical Works, | Lister's Ammoniated Dissolved Bone Concord | | 11.27 | 1.45 | .52 | 1.97 | 2.40 | 2.46 | | | - 30 | 20.88 |
| 4796 | Newark, N. J. Martin Fertilizer Co., Norfolk, Va | Phosphate. Martin's Tobacco Compound | Zebulon | 8.94 | 1.43 | .62 | 2.05 | 5.49 | 2.44 | 2.44 | 3.50 | | 19.10 |
| 4235 | Navassa Guano Co., Wilmington, N. C | Ammoniated Soluble Guano | Whiteville | 8.99 | 1.35 | .70 | 2.02 | 2.49 | 1.92 | | | 18 | 18.62 |
| 4586 | Robertson Fertilizer Co., Norfolk, Va | Robertson's X-Ray Tobacco Grower | Walnut Cove | 7.96 | 1.35 | 59. | 1.99 | 2.45 | 2.40 | 2.40 | 00.9 | | 17.92 |
| 4752 | VaCar. Chemical Co., Richmond, Va | Davie & Whittle's Owl Brand Special Elkin | 1 | 10.15 | 1.39 | .38 | 1.77 | 2.15 | 1.98 | 1.98 | 3.00 | | 18.55 |
| 2809 | ор | Virginia State Fertilizer Co.'s Gilt | Walnut Cove | 9.55 | 1.49 | .46 | 1.95 | 2.37 | 2.24 | 2.24 | 4.10 | | 19.02 |
| | Brands claiming | Edge Special Tobacco Guano. | | 8.00 | | | 2.06 | 2.50 | 2.50 | | | - 18 | 18.35 |
| 4835 | American Agricultural Chemical Co., New | Slingluff's British Mixture | Semora | 8.14 | 1.55 | .50 | 2.05 | 2.49 | 2.62 | 2.58 | 4.10 | | 18.56 |
| 4834 | American Fertilizer Co., Norfolk, Va | Bob White Fertilizer for Tobacco | Reidsville | 8.84 | 1.67 | .32 | 1.99 | 2.45 | 2.58 | | | 18 | 18.89 |
| 3804 | Meadows, E. H. & J. A., Co., New Bern, | Meadows' All Crop Guano | Vanceboro | 10.21 | 1.08 | 1.22 | 2.30 | 2.80 | 3.54 | 1 | | - 52 | 22.39 |
| _ | N. C. Brands claiming | | | 8.00 | | | 2.06 | 2.50 | 3.00 | | | 18 | 18.85 |
| 3469 | Acme Mfg. Co., Wilmington, N. C | Acme Fertilizer | Roseboro | 7.74 | 1.15 | 1.28 | 2.43 | 2.95 | 3.04 | | | 20 | 20.21 |
| 3958 | American Fertilizer Co., Norfolk, Va | American No. 1 Fertilizer | Fairmont | 8.25 | 1.44 | 99. | 2.00 | 2.43 | 2.96 | 1 | | 18 | 18.78 |
| 4315 | Armour Fertilizer Works, Wilmington, N. C. Armour's Gold Medal for Tobacco | Armour's Gold Medal for Tobacco | Wilmington | 7.64 | .83 | 1.02 | 1.85 | 2.25 | 3.10 | | 3.10 | 17 | 17.95 |
| 4087 | Atlantic Chemical Co., Norfolk, Va | Atlantic Tobacco Grower | Mebane | 8.02 | 1.58 | 99. | 2.18 | 2.65 | 3.16 | 3.16 | 6.10 | | 23.73 |
| 4484 | Burton, C. J., Guano Co., Baltimore, Md Burton's High Grade | Burton's High Grade | Angier | 8.13 | 1.57 | .46 | 2.03 | 2.47 | 2.90 | 1 | | 18 | 18.72 |
| 3841 | Caraleigh Phosphate and Fertilizer Works, | Caraleigh Special Tobacco Guano | Spring Hope | 8.13 | 92. | 1.36 | 2.12 | 2.58 | 3.92 | 3.92 | 7.90 | | 20.14 |
| 4239 | Kaleigh, N. C. | Planters' Pride | Lumberton | 8.57 | <u>s</u> . | 1.06 | 1.87 | 2.27 | 3.12 | | | 18 | 18.69 |
| 4687 | Conestee Chemical Co., Wilmington, N. C., Conestee Crop Grower | Conestee Crop Grower | Ellerhe | 8.60 | 1.37 | 1.00 | 2.37 | 2.88 | 5.84 | | | 8 | 23.53 |
| 4628 | Contentuea Guano Co., Wilson, N. C | Brag Cotton Grower | Mount Olive | 6.87 | 1.05 | 1.12 | 2.17 | 2.64 | 3.56 | | | 81 | 18.86 |
| 4836 | Coöperative Warehouse Co., Salisbury, | Farmers' Union Tobacco Guano | Reidsville | 8.05 | 1.25 | .40 | 1.65 | 2.00 | 3.66 | 3.66 | 6.80 | | 17.83 |
| 3492 | N. C. Craven Chemical Co., New Bern, N. C | Marvel Great Crop Grower | Mount Olive | 8.21 | 1.09 | 1.20 | 2.29 | 2.78 | 3.54 | | | 30 | 20.55 |
| 4090 | Imperial Co., Norfolk, Va. | Bright Tobacco Guano | Mebane | 8.10 1.52 | 1.52 | .50 | 2.02 | 2.46 | 2.94 | 2.94 | 8.30 | | 18.71 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | | Perce | ntage | Percentage Composition or Parts per 100 | sition | or Par | ts per | .00 | | ber |
|-----------------------|---|---|-----------------------|----------------------------------|--------------------------------|----------------------|---|---------------------------|------------------|-------------------------|--------------------------|-----------|----------------------------------|
| Гарогаtогу Хитрег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled | Available Phosphoric Acid. | Vater- soluble Vitrogen. | Organic Zittogen. | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value Ton at Factory |
| | | MIXED FERFILIZERS. | HIZERS. | | | | | | | | | | |
| | Brands claiming | | | 8.00 | | | 90 6 | 2 50 | 9 | | | v | 218 |
| 4308 | Imperial Co., Norfolk, Va. | F. & B. Cotton Guano | Wilmington | 7.95 | 1.37 | 99 | 1.93 | | 3.28 2.28 | | | • | 18.54 |
| 4666 | Miller Fertilizer Co., Baltimore, Md. | Miller's High Grade Fertilizer | Burlington | S.00 | 1.51 | £. | 1.93 | 2.35 | 3.46 | | | | 18.77 |
| 3883 | Navassa Guano Co., Wilmington, N. C | Mogul Guano | Walnut Cove | 19.6 | 1.38 | .26 | 1.64 | 1.99 | 2.72 | | | | 18.26 |
| 1214 | New Bern Cotton Oil and Fertilizer Mills, | Onslow Farmers' Reliance Guano | New Bern | 8.03 | .39 | 1.76 | 2.15 | 2.61 | 3.16 | | | = [| 19.46 |
| 4075 | P_{2} | Quick Grower | Bay-boro | 7,44 | 1.14 | 86. | 2.15 | 2.58 | 3.74 | | - 1 | | 19.34 |
| 3951 | Patapseo Guano Co., Baltimore, Md | Patapseo Special Tobacco Mixture | Mount Airy | S. 11. | 1.73 | £. | 2.15 | 2.61 | 2.24 | 2.24 | 9 9 | 6.90 | 18.57 |
| 1750 | op | Unicorn Guano | North Wilkesboro 8.14 | ×. 14 | 1.37 | .46 | 1.83 | 2.22 | 2.85 | | | - | 17.83 |
| 1110 | Piedmont-Mount Airy Guano Co., Balti- | Piedmont Guano for Tobacco | Reidsville | 7.99 | 1.06 | 1.02 | 2.08 | 2.53 | 3.66 | 3.66 | 7 | 4.85 | 19.59 |
| 1093 | P | Spot Cash Tobacco Compound | Mebane | 8.09 | 1.44 | £6. | 1.98 | 2.41 | 3.18 | 3.18 | œ | | 18.78 |
| 3559 | Royster, F. S., Guano Co., Norfolk, Va | Orinoco Tobacco Guano | Edenton | 8.06 | 1.50 | .62 | 2.13 | 2.58 8 | 3.38 | 3.38 | 1- | | 19.54 |
| 1629 | Southern Cotton Oil Co., Goldsboro, N. C., Echo C. S. M | Echo C. S. M. | Mount Olive | 6.74 | 55. | 1.54 | - - 60.2 | 2.54 | 2.60 | | | | 17.44 |
| 1876 | Swift Fertilizer Works, Wilmington, N. C | Swift's Gold Leaf Tobacco Grower | Mount Airy | 8.66 | S. | 1.21 | 5.09 | 2.51 | 3.58 | | 3.58 | | 20.15 |
| 5943 | Union Guano Co., Winston, N. C | Union Water Fowl Guano | Hope Mills. | 9.74 | .97 | 1.99 | 2.19 | 2.66 | 3.78 | _ | | 64 | 21.74 |
| 1587 | United States Fertilizer Co., Baltimore, Md. Farm Bell Tobacco Grower | Farm Bell Tobacco Grower | Madison | 8.69 | 1.19 | 8. | 2.03 | 2.47 | 3.22 | 53 | 9 | 6.60 | 19.57 |
| 1839 | do | -do | Brown Summit | 8.39 | 1.09 | - 66. | 2.01 | £4.5 | 2.96 | 96.6 | ∞ | 8.60 | 18.95 |
| 3474 | VaCar. Chemical Co., Richmond, Va. | Durham Fertilizer Co.'s N. C. Farm- Whiteville ers' Alliance Guano. | Whiteville | 9.10 | 1.89 | 65 | 11.5 | 2.57 | 3.26 | | | | 20.31 |

| Powers, Gibbs & Co.'s Car. (| | | | | | | | | | 00101 |
|---|---|-------------|------|------|------|------|--------|---------|---------------|---------|
| Bolt Ammonio | Power, Gibbs & Co.'s Car. Golden Polt Ammenietal Chorne for Teb | Kenly | 8.60 | 1.71 | 94. | 2.17 | 2.64 | 3.88 | 3.88 3.70 | 0 20.73 |
| do | trea Guard for 1 op. | Mount Airy | 7.65 | 1.55 | 09. | 2.15 | 2.61 3 | 3.24 | | 19.15 |
| J. G. Tinsley & Co. | G. Tinsley & Co.'s Killikinnick | Trenton | 9.15 | 1.43 | .26 | 1.69 | 2.05 | 3.06 3. | 3.06 7.00 | 0 18.39 |
| VC. C. Co.'s Blue Star C. S. M | lue Star C. S. M | Durham | 8.21 | 09. | 1.12 | 1.72 | 2.09 | 3.30 | | 17.91 |
| do | | Mount Olive | 8.28 | 1.13 | 1.18 | 2.31 | 2.81 2 | 2.72 | | 19.87 |
| enable's Alliand | Venable's Alliance Tobacco Manure, | Mount Airy | 8.35 | 1,41 | .58 | 1.99 | 2.42 | 3.66 3. | 3.66 6.20 | 0 19.53 |
| 1,0,1, | | | 8.00 | | | 2.06 | 2.50 4 | 4.00 | | 19.85 |
| Acme Merito | | Hope Mills | 8.23 | 1.01 | 1.24 | 2.25 | 2.74 3 | 3.86 | | 20.72 |
| Josey's Special Tobacco Guano. | obacco Guano | Rich Square | 8.09 | .63 | 1.16 | 1.79 | 2.18 | 4.50 4. | 4.50 12.30 | 19.30 |
| Currie's Crop Grower | ower | Clarkton | 8.30 | .64 | 1.25 | 1.86 | 2.26 | 4.10 | | 19.38 |
| 1 | | | 8.00 | | 1 | 2.26 | 2.75 2 | 2.00 | | 18.69 |
| cifie Tobacco s | Pacific Tobacco and Cotton Grower. | Spring Hope | 8.90 | 1.19 | 1.18 | 2.37 | 2.88 | 2.26 2. | 2.26 6.30 | 0 20.22 |
| amblee & Son | ertilizer Co., Farmville, Chamblee & Sons' Special Guano | Zebulon | 9.65 | .87 | 1.34 | 2.21 | 2.69 2 | 2.36 | - | 20.33 |
| Wilson High Grade Guano | de Guano | Snow Hill | 9.24 | 1.17 | 1.08 | 2.25 | 2.74 2 | 2.48 | | 20.25 |
| American Pet | | Apex | 7.98 | .73 | 1.84 | 2.57 | 3.12 3 | 3.86 | | 21.84 |
| Brewer's Special. | | Wake Forest | 8.32 | 8. | 1.48 | 2.30 | 2.80 | 3.84 | - | 20.99 |
| Raleigh Standard Guano. | d Guano | Lillington | 8.06 | .83 | 1.26 | 5.09 | 2.54 2 | 2.34 | 1 | 18.37 |
| Favorite Cotton Grower | Grower | Snow Hill | 8.54 | .97 | 1.22 | 2.19 | 2.66 3 | 3.02 | - | 19.90 |
| aCar. Chem. | VaCar. Chem. Co.'s Royal Crown | Raleigh | 7.62 | 1.08 | 1.30 | 2.38 | 2.89 | 2.46 | | 19.31 |
| . Ki tak | | | 8.00 | | | 2.26 | 2.75 2 | 2.50 | | 19.19 |
| Hadley's Boss Guano | uano | Wilson | 8.32 | .88 | 1.30 | 2.18 | 2.65 2 | 2.88 | | 19.52 |
| 1 | | | 8.00 | | | 2.26 | 2.75 4 | 4.00 | | 20.69 |
| ynchburg Guan | Lynchburg Guano Co.'s Solid Gold | Angier | 8.87 | 1.49 | . 62 | 2.11 | 2.57 3 | 3.78 3. | 3.72 .06 2.80 | 0 20.62 |
| Lobacco Guan | 0 | | 8.00 | | | 2.26 | 2.75 7 | 7.00 | | 23.69 |
| nion Bright Les | Union Bright Leaf Tobacco Com- pound. | Clinton | 8.61 | 1.81 | 81 | 2.09 | 2.54 6 | 6.14 6. | 6.14 | 0 22. |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| ber | Relative Value Ton at Factory | | \$19.57 | 21.74 | 20.54 | 20.02 | 20.52 | 19.84 | 21.27 | 17.64 | 19.46 | 21.33 | 19.25 | 20.57 | 20.47 | 19.26 | 20.38 | 20.88 | 19.91 |
|---|-----------------------------------|--------------------|-----------------|--------------------------------------|---|----------------------|----------------------------------|-----------------------------|--|---|-----------------------------------|---|----------------------------------|-----------------|----------------------------------|----------------------|-----------------------------------|------------------------------------|--------------|
| | Chlorine. | | | | | | | 4.50 | | | | | 1 | | | 1 | 9.00 | | 1 |
| 100 | Potash from Sulphate. | | | | | | 1 | | 3.86 | | | | | | | | | | |
| Percentage Composition or Parts per 100 | Potash from | | | | 1 | | | $^{2.66}$ | | | 1 | | | | | | 3.48 | | |
| ı or Pa | Total Potash. | | 2.00 | 3.16 | 2.10 | 2.50 | 2.68 | 2.66 | 3.86 | 2.50 | 2.32 | 3.06 | 3.82 | 3.00 | 2.96 | 2.72 | 3.48 | 3.20 | 4.32 |
| osition | Equivalent to Ammonia. | | 3.00 | $^{2.86}$ | 7.5 | 3.00 | 3.03 | 2.63 | 2.81 | 2.15 | 2.44 | 3.33 | 1.91 | 3.00 | 5. 8. | 3.88 | 2.98 | 2.88 | 2.70 |
| Comp | Total Zittogen. | | 2.47 | 2.35 | 2.25 | 2.47 | 2.49 | 2.16 | 2.31 | 1.77 | 2.01 | 2.74 | 1.57 | 2.47 | 2.37 | 2.37 | 2.45 | 2.37 | 2.22 |
| entage | oinegat() Aittogen. | | | 76. | 33 | | .0 | 1.20 | 1.20 | 1.10 | £. | 1.40 | .70 | | 1.34 | 1.20 | 1.13 | ₹. | 1.32 |
| Perc | Water- soluble Nitrogen | | 1 | 1.41 | 1,43 | 1 | 1.41 | 96. | 1.11 | .67 | 1.67 | 1.34 | S. | | 1.03 | 1.17 | 1.33 | 1.43 | 8. |
| | oldsligAA Phosphoric Acid | | 8.00 | 89.6 | 96.6 | 8.00 | 8.20 | 9.03 | 8.56 | 8.56 | 9.67 | 7.51 | 9.82 | 8.00 | 8.62 | 7.32 | 7.35 | 8.59 | 7.07 |
| | pled. | | | | | | | | | | | | | | | | 1 | | 1 |
| | Where Sampled. | ILIZERS. | 1 | Chadbourn. | Kenly | | Mount Olive. | Spring Hope | Benson | Chapel Hill | Angier. | Greenville . | Clayton | | Williamston | Baileys | Fountain | Goldsboro | Fayetteville |
| | Name of Brand. | Mined Fertilizers. | | Navassa Cotton-seed Meal Special | 3 Per Cent Guano. Powers, Gibbs & Co.'s Cotton-seed | Meal Standard Guano. | Aeme Fertilizer | Acme Fertilizer for Tobacco | High Grade Tobacco Grower | Land Sake Fertilizer | Southern Chem. Co.'s George Wash- | mgton Plant Bed Fertulzer. VC. C. Co.'s Atlas Brand C. S. M | VC. C. Co.'s Split Silk C. S. M. | | Acme 8-3-3 Guano. | 8-3-3 C. S. M. Guano | Aeme 8-3-3 C. S. M. Guano for To- | bacco. Best's Fish Scrap Guano. | ор |
| | Name and Address of Manufacturer. | | Brands claiming | Navassa Guano Co., Wilmington, N. C. | VaCar. Chemical Co., Richmond, Va | Brands claiming | Aeme Mfg. Co., Wilmington, N. C. | ор | Farmyille Oil and Fertilizer Co., Farmville, High Grade Tobacco Grower | N. C. Southern Cotton Oil Co., Charlotte, N. C., Land Sake Fertilizer | VaCar. Chemical Co., Richmond, Va | op | ор | Brands claiming | Aeme Mfg. Co., Wilmington, N. C. | op | op | op | op |
| | Laboratory Number | | ш | 4236 | 1924 | | 4625 | 3837 | 4486 | 4092 | 3753 | 4000 | 1600 | | 3624 | 4779 | 4465 | 3700 | 6995 |

| Pee Dee Special Fertilizer Rowland Canton Chemical Co.'s Baker's Edenton |
|--|
| Tobacco Fertilizer. Santon Chemical Co.'s Superior High Edenton |
| orade Fertuizer. Detriek's Vietory Cotton Fertilizer |
| Detrick's Victory Crop Grower |
| Eureka Cotton-seed Meal Compound, Snow Hill |
| Lazaretto Challenge Fertilizer |
| Lazaretto Special Tobacco and Potato Edenton Fortilizar |
| Zell's Bright Tobacco Grower |
| Zell's Reliance High Grade Manure Dallas. |
| American Eagle Guano |
| |
| |
| G. Miller & Co.'s Yellow Leaf To- |
| Yorks, Wilmington, N. C. Armour's Cotton Special Fertilizer |
| |
| |
| Armour's No. 833 Fertilizer |
| Armour's Special Fertilizer |
| Armour's Tobacco Special |
| Tuscarora Cotton Special |
| Arps' Quick Growth for All Crops |
| Asheville Packing Co.'s Complete |
| Fertimzer. Atlantie High Grade Cotton Guano |
| Atlantic High Grade Tobacco Guano. Robersonville |
| |

| 3932 | Chesapeake Chemical Co., Baltimore, Md C. C. Co.'s Fish Guano | C. C. Co.'s Fish Guano | Louisburg | 7.37 | 1.88 | .50 | 2.38 | 2.89 | 3.30 | 1 | | | 19.93 |
|------|---|---|----------------|-------|--------------------|------|--------------|------|------|------|------|------|-------|
| 4043 | Clayton Oil Mill, Clayton, N. C | Clayton Guano | Clayton | 8.50 | 1.30 | 1.12 | 2.42 | 2.94 | 3.78 | - | 1 | | 21.59 |
| 4707 | op | C. O. M. Planters' Favorite | Youngsville | 8.70 | .53 | 1.64 | 2.17 | 2.64 | 2.86 | 1 | | 1 | 19.80 |
| 5984 | Coe-Mortimer Co., Charleston, S. C | Darlington Guano | Duke | 8.50 | 2.16 | .50 | 2.66 | 3.23 | 2.50 | 1 | | | 21.32 |
| 3530 | Columbia Guano Co., Norfolk, Va | Hyeo Tobaeco Guano | Spring Hope | 8.00 | 1.77 | 89. | 2.45 | 2.98 | 2.92 | 2.95 | 1 | 6.80 | 20.41 |
| 4243 | op- | Olympia Cotton Guano | Edenton | 8.09 | 1.67 | 89. | 2.35 | 2.86 | 3.00 | | | | 20.15 |
| 4153 | Conestee Chemical Co., Wilmington, N. C | Conestee Fish Serap Guano | Four Oaks | 7.94 | 1.70 | 1.12 | 3.85 2.85 | 3.43 | 3.10 | | | | 22.09 |
| 5895 | Contentnea Guano Co., Wilson, N. C. | Pick Leaf | Dunn | 8.66 | 1.17 | 1.20 | 2.37 | 2.88 | 2.58 | 1 | | | 21.33 |
| 3701 | op | op | Kinston | 8.44 | 1.31 | 96. | 2.27 | 2.76 | 3.38 | | | | 20.51 |
| 3599 | qo | Plant Bed Tobacco Grower | Dunn | 8.41 | 1.1 | 1.16 | 2.27 | 2.76 | 3.06 | 3.06 | | 2.80 | 20.16 |
| 3907 | op | Top Notch. | Fremont | 8.56 | 1.06 | 1.06 | 2.12 | 2.58 | 3.36 | 1 | | 1 | 19.97 |
| 3725 | Cooperative Warehouse Co., Salisbury, | Farmers' Union Tobacco Guano | Nashville | 8.25 | 2.13 | .36 | 2.49 | 3.03 | 3.28 | 3.28 | | 2.70 | 21.16 |
| 6043 | in do | Farmers' Union 8-3-3 Guano | Huntley | 7.86 | 96.1 | .60 | 2.56 | 3.11 | 3.40 | | | | 21.23 |
| 3725 | op | op | Nashville | 8.25 | 2.13 | .36 | 2.49 | 3.03 | 3.28 | 3.58 | | 2.70 | 21.16 |
| 6074 | Cooper Guano Co., Wilmington, N. C | Cooper's Lenox | Kerr | 8.54 | 1.84 | .46 | 2.30 | 2.80 | 3.66 | | | | 21.01 |
| 5994 | op | | Stedman | 7.84 | 1.72 | .88 | 2.60 | 3.16 | 2.34 | 1 | | | 20.32 |
| 6073 | | Cooper's Sunset C. S. M | Kerr | 8.30 | 1.29 | 86 | 2.27 | 2.76 | 4.03 | | | 1 | 21.02 |
| 4037 | · · · · · · · · · · · · · · · · · · · | op | St. Paul | 8.20 | 1.25 | 1.14 | 2.39 | 2.91 | 3.08 | | | 1 | 20.50 |
| 6075 | | op | Kerr | 9.11 | 96. | 1.08 | 2.04 | 2.48 | 2.82 | 1 | | | 19.59 |
| 4874 | Coweta Fertilizer Co., Newman, Ga | Coweta Perfection Tobacco Grower Pilot Mountain | Pilot Mountain | 7.83 | 1.81 | .38 | 2.19 | 3.66 | 4.20 | 4.20 | 4.20 | 6.30 | 20.44 |
| 4764 | op | Seabird Standard Guano | Mebane | 8.74 | 1.69 | .36 | 2.05 | 2.49 | 3.03 | | | ŀ | 19.50 |
| 4212 | Craven Chemical Co., New Bern, N. C | Duplin Tobacco Guano | New Bern | 7.76 | 1.65 | 1.04 | 5.69 | 3.27 | 3.28 | 3.28 | | 6.90 | 21.56 |
| 3807 | ор | Foy's High Grade Guano | Vanceboro | 8.21 | 1.58 | 1.10 | 2.68 | 3.26 | 3.12 | | | | 21.76 |
| 3758 | op | Gaston High Grade Fertilizer | Ayden | 8.35 | 1.17 | 1.28 | 2.45 | 2.98 | 3.06 | | | | 30,86 |
| 4412 | | Crow's High Grade Blood and Fish Guano. | Monroe | 10.20 | 1.67 | 1.00 | 2.67 | 3.25 | 2.25 | | | | 19.22 |
| 3852 | Dixie Guano Co., Suffolk, Va | Dixie High Grade | Edenton | 8.49 | 8.49 1.12 1.32 | | 2.44 | 2.97 | 3.08 | | | | 20.97 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| Name of Brand. Where Sampled. |
|---|
| MINED FERFILIZERS. |
| |
| Farmers' Sensation for Tobacco Edenton. |
| Elizabeth City. |
| Edenton |
| Morven |
| Dunn. |
| Everetts |
| Wilson |
| Farmers' Formula for Tobacco Fuquay Springs |
| Spring Hope |
| Mount Gilead |
| Mount Gilead. |
| Farmville |
| Fountain. |
| Farmville |
| Fremont. |
| Spring Hope |

| 3724do | | | | | | | | | ! | | | |
|---|--|-----------------|-------|------|-----------|------|-------------|--|--------------|-----|-------|-------|
| | pound. | Nashville | 9.18 | 1.57 | 81 | 1.85 | 2.25 | 4.1. | 4.14 | 1 | 4.00 | 20.17 |
| (10) | Intensive Formula | Iron | 6.55 | 1.97 | 1.36 | 2.33 | .S. | 3.44 | | | 4 | 19.12 |
| op | op | Cooper | 9.24 | 1.36 | + | 1.80 | 2.19 | 2.48 | - | | | 18.36 |
| 4163 Grandy, N. G., & Co., Elizabeth Cit, | Co., Elizabeth City, N.C. Grandy's 3-8-3 Cotton Grower | Elizabeth City | 6.97 | 1.99 | .62 | 2.61 | 3.17 | 5.42 | | | 1 | 22,65 |
| obdo | op | Elizabeth City | 8.19 | 2.00 | .62 | 2.62 | 3.19 | 3.11 | | | 1 | 21.52 |
| 3803 Hadley, Harris & Co., Wilson, N. C. | Golden Weed Tobacco Grower | Wilson | 8.95 | 8. | 1.56 | 2.38 | 2.89 | 3.08 | 2.89 | 61. | 2.10 | 21.12 |
| 4318 Hampton Guano Co., Norfolk, Va | Hampton Tobacco Guano | Pine Level | 8.70 | 1.85 | î: | 2.57 | 3.12 | 3.64 | 3.64 | | 8.60 | 22.26 |
| 3670 do | P. P. P. Princess Prolific Producer. | Clinton | 8.58 | 1.45 | 7. | 1.89 | 2.30 | 2.82 | | | | 18.48 |
| 4007 Home Fertilizer and Chemical Co., Balti- | alti- Riosa Tobacco Compound | Benson | 7.24 | 1.91 | 3.4. | 2.39 | 2.91 | 3,58 | 8.58 S.58 | | 5.35 | 20.13 |
| 4605 more, Mcl. | Special C. and C. Compound. | Clinton | 8.12 | 1.71 | .5. X. | 2.29 | 51 S. 13 | 3.00 | | | | 19.93 |
| 3709 Hubbard Fertilizer Co., Baltímore, Md | Id Hubbard's Yellow Wrapper Guano | Ahoskie | 7.95 | 13.3 | SS | 2.95 | 3.59 | 3.34 | 3.34 | | 9.50 | 22.88 |
| 5977 do | -do | Fuquay Springs. | S. | 8. | ê j | 2.02 | 3.46 | 5.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 | 3.52 | | 5.90 | 19.41 |
| 4504 Imperial Co., Norfolk, Va. | Imperial Tobacco Guano. | Edenton | 7.94 | 1.95 | ++. | 2.39 | 2.91 | 3.32 | 3.32 | | 10.30 | 20.50 |
| 3747 do | do | Puquay Springs. | 7.85 | 1.89 | .52 | 2.41 | 2.93 | 3.10 | | | | 20.29 |
| 3515 do | X. L. O. Cotton Guano | Wilkesboro | 8.01 | 1.95 | .56 | 2.51 | 3.05 | 2.88 | | | - | 20.63 |
| 4143 Josey, N. B., Guano Co., Tarboro, N. C. | C Josey's Bright Leaf Tobacco Guano. | LaGrange | 7.54 | .78 | 1.78 | 2.56 | 3.11 | 3,44 | 3.44 | | 7.70 | 20.98 |
| 5965 do. | Josey's Tip Top Guano | Robersonville | 9.37 | 62. | 96.1 | 2.15 | 3,34 | 3.44 | - | | | 23.42 |
| 3757 dodo | Josey's Tip Top Cotton-seed Meal | Ayden | 8.17 | .95 | 1.32 | 2.27 | 5.76 | 1.06 | | | | 20.95 |
| 5938 do | and r ish Serap Guano. | Hookerton | 8.52 | .53 | 1.54 | 2.07 | 2.52 | 4.32 | | | | 20.68 |
| 5913 do | op | Enfield | 8.18 | .59 | 1.56 | 2.15 | 2.61 | 3.86 | | | | 20.25 |
| 3929 do | op | Spring Hope | 7.94 | .93 | 1.26 | 2.19 | 2.65 | 3.62 | | | 4 1 | 19.96 |
| 4627 dodo | Josey's Uno Guano | Mount Olive | 8.03 | | 1.26 | 2.09 | 5.5 | 3.34 | | | 1 | 19.34 |
| 4130 Lee, A. S., & Sons Co., Richmond, Va. | Lee's 8-3-3 Pertilizer | Scotland Neck. | 8.34 | | .38 | 2.26 | 5.5 | 3.35 | | 1 | | 20.32 |
| 4274 Lenoir Oil and Ice Co., Kinston, N. C. | Leco Tobacco Guano | Pink Hill | S. 17 | . +3 | 1.92 | 2.35 | £. | 3.50 | 3.50 | | 4.80 | 20.72 |
| 4708 Lister's Agricultural Chemical Co., New York N Vort. N V | ew Lister's Complete Manure | Drewry | 1.68 | 1.85 | .52 | 2.37 | 3. 3. | 3.00 | | | | 19.87 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1911.

| | 1014 1 7 11 11 11 11 11 11 11 11 11 11 11 11 | TARREST TO THE PARTY OF THE PAR | | | | | | : | | | | | |
|-------------|--|--|--|----------------------------------|--------------------------------|---------------------|--|---------------------------|------------------|-------------------------|--------------------------|---|----------------------------------|
| | şıl | | | | Perce | ntage (| Percentage Composition or Parts per 100. | sition | or Par | ts per | 100. | | per . |
| Laboratory. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Zitrogen. | Огдапіс Хітодеп. | Total Zitrogen, | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value Ton at Factory |
| | | MIXED FERTILIZERS | ILIZERS. | | | | | | | | | | |
| _ ₩ | Brands claiming | | 1 1 1 1 1 1 1 1 2 1 1 2 1 1 2 1 1 1 1 1 | 8.00 | | 1 | 2.47 | 3.00 | 3.00 | | | | \$20.57 |
| 3715 | MacMurphy Co., Charleston, S. C | Special 8-3-3 Cotton and Corn Guano. Whiteville | Whiteville | 8.14 | 1.54 | .93 | 2.47 | 3.00 | 3.26 | | | | 20.97 |
| 3717 | -op | Special 8-3-3 Tobacco Guano | Tabor | 7.95 | .81 | 1.76 | 2.57 | 3.12 | 3.21 | | 3.24 | | 21.19 |
| 4312 | Marietta Fertilizer Co., Atlanta, Ga | Marietta, No. 833 | Wilmington | 7.53 | 1.49 | 89. | 2.17 | 2.64 | 3.02 | | | - | 18.91 |
| 8019 | Marietta Fertilizer Co., Greensboro, N. C | Marietta Pride of Piedmont | Franklinton | 8.38 | 2.01 | 99. | 2.67 | 3.25 | 2.98 | | | | 21.74 |
| 1691 | do | do | Creedmoor | 7.85 | 62. | 1.70 | 2.49 | 3.03 | 2.84 | 1 | | - | 20.36 |
| 5891 | Martin Fertilizer Co., Norfolk, Va | Martin's Bull Head Fertilizer | Dunn | 8.00 | 2.07 | ·3. | 2.41 | 2.93 | 3.45 | | | 1 | 20.74 |
| 2809 | -do | | Benson | 8.00 | 1.96 | 89. | 2.6 | 3.21 | 2.83 | 1 | 1 | - | 31.11 |
| 2998 | do | | Dunn | 8.07 | 1.96 | <u> 5</u> | 2.50 | 3.04 | 3.06 | 1 | 1 | - | 20.82 |
| 3488 | do | -do | Mount Olive | 8.05 | 1.86 | .36 | 2.22 | 2.70 | 3.54 | 1 | - | | 20.11 |
| 3917 | -do | Martin's Cotton and Tobacco Guano. | Clarkton | 9.64 | 3.06 | £ | 2.48 | 3.03 | 4.86 | 4.40 | 94. | 3.30 | 23.95 |
| 5890 | | Martin's Tobacco Special | Dunn | 7.59 | 1.99 | #. | 2.43 | 2.95 | 3.58 | 3.58 | 1 | 4.50 | 20.62 |
| 4797 | -do | | Zebulon | 8.07 | 2.03 | .58 | 2.61 | 3.17 | 3.08 | 3.08 | - | 2.90 | 21.30 |
| 5877 | McNair Phosphate Co, Laurinburg, N. C | Oceola | Lane | 7.69 | 1.23 | 1.20 | 2.43 | 2.05 | 3.64 | | | - | 20.77 |
| 9909 | do | op | Fayetteville | 8.55 | £6: | 1.30 | 2.24 | 2.72 | 3.30 | 1 8 5 | | 1 | 20.40 |
| 4023 | Meadows, E. H. & J. A., Co., New Bern, | Dixon's High Grade Tobacco Guano Hookerton | Hookerton | 89.8 | 1.06 | 1.16 | 2.22 | 2.70 | 3.30 | 3.30 | - | 7.30 | 20.44 |
| 5973 | do. | Meadows' Gold Leaf Tobacco Guano, New Bern | New Bern | 8.71 | 96. | 1.54 | 2.50 | 3.04 | 4.18 | 3.40 | × 27 | 2.50 | 22.52 |

| 3502 | dodo | qo | Kinston | 7.59 | 7.59 1.07 | 1.28 | 2.35 | 2.86 4.94 | 4.94 | | 4.94 | 1 1 1 | 21.64 |
|------|--|-----------------------------------|-------------|-------|-------------|----------|------|--------------|------|------|------------------|------------------|-------|
| 5978 | Miller Fertilizer Co., Baltimore, Md | Standard | Dunn | 8.54 | 2.00 | .40 | 2.40 | 2.93 | 3.00 | | | 1 | 20.77 |
| 3596 | | do | Dunn | 7.91 | 1.36 | .90 | 2.26 | 2.75 | 3.02 | | | 1 | 19.63 |
| 3844 | | Tobaceo King | Franklinton | 8.20 | 1.54 | 95 | 2.46 | 2.99 | 3.96 | 3.96 | | 8.70 | 21.67 |
| 3934 | | qo | Wake Forest | 7.90 | 1.68 | .80 | 2.48 | 3.03 | 3.96 | 3.96 | | 9.00 | 21.49 |
| 3468 | Navassa Guano Co., Wilmington, N. C | Clarendon Tobaceo Guano | Whiteville | 8.79 | .75 | 1.84 | 2.59 | 3.15 | 3.74 | 3.74 | 1 1 1 1 | 4.30 | 22.53 |
| 4084 | | Navassa High Grade Guano | Matthews | 9.49 | 88: | .56 | 2.44 | 2.97 | 3.66 | | | | 22,45 |
| 4304 | ор. | | Ellenboro | 7.89 | 1.26 | .88 | 2.14 | 2.60 | 2.52 | | i | 1 | 18.61 |
| 4646 | op | do | Edenton | 5.80 | 1.39 | Ŧ. | 2.23 | 2.71 | 3.70 | | 1 | | 18.27 |
| 3922 | op | Navassa Standard Meal Guano | Halifax | 10.19 | 1.12 | 1.20 | 2.32 | 2.85 | 3.68 | | | 1 | 22.59 |
| 3719 | op | ор | Chadbourn | 7.53 | 1.33 | 1.34 | 2.67 | 3.25 | 3.34 | | 1 | 1 1 1 | 21.33 |
| 4442 | N. C. Cotton Oil Co., Charlotte, N. C. | Dixie Standard Fertilizer | Matthews | 8.15 | 1.1 | 1.34 | 2.45 | 2.98 | 2.86 | | i | 1 | 20.48 |
| 4256 | N. C. Cotton Oil Co., Henderson, N. C. | Henderson High Grade 8-3-3 | Lillington | 8.25 | Ľ. | <u>.</u> | 2.19 | 2.66 | 3.24 | | | - | 19.86 |
| 3937 | op**** | Sulphate of Potash Guano for To- | Youngsville | 8.00 | .48 | 1.94 | 2.42 | 2.91 | 3.40 | . 2S | 3.12 | .20 | 20.84 |
| 3650 | N. C. Cotton Oil Co., Raleigh, N. C. | Raleigh Special Guano | Lillington | 8.69 | .57 | 1.18 | 1.75 | 2.13 | 3.10 | | | 1 | 18.27 |
| 3464 | N. C. Cotton Oil Co., Wilmington, N. C | Carter's Lifter | Maxton | 8.43 | 1.13 | 1.26 | 2.39 | 2.91 | 3.84 | | | | 21.46 |
| 3630 | op | Best Tobacco Grower | Wallace | 8.03 | 1.60 | 5. | 2.35 | 2.86 | 06.9 | 1.33 | 5.57 | 1.00 | 23.99 |
| 3487 | op | L. P. B. Special | Warsaw | 8.05 | .98 | 1.38 | 2.36 | 2.87 | 3.58 | | |) 3 4 4 | 20.74 |
| 3465 | · · · · · · · · · · · · · · · · · · · | Wilmington Farmer Boy | Maxton | 8.47 | 1.09 | 1.28 | 2.37 | 2.88 2.88 | 4.26 | | | | 21.83 |
| 3466 | •••••••••••••••••••••••••••••••••••••• | Wilmington High Grade | Whiteville | 8.30 | 1.07 | 1.36 | 2.43 | 2.95 | 3.30 | | | | 30.98 |
| 4869 | | Wilmington Leader | LaGrange | 7.86 | . 99 | 1.20 | 2.19 | 2.66 | 3.08 | | | | 19.35 |
| 3620 | New Bern Cotton Oil and Fertilizer Mills, New Bern, N. C. | Foy's High Grade Fertilizer | Everetts | 79.7 | 1.37 | 1.60 | 2.97 | 3.61 | 3.34 | | | . 1 | 22.72 |
| 6909 | do | op*** | New Bern | 8.46 | 77 77 | 1.62 | 2.04 | 3.48 | 4.38 | 2 | | | 20.22 |
| 3667 | 00 | Harvey's Special Meal and Fish | Grifton | 8.54 | .45 | 1.94 | 2.39 | 2.91 | 4.00 | - | | | 21.72 |
| 3501 | op | Lenoir Bright Leaf Tobacco Grower | Kinston | 8.39 | .66 | 1.74 | 2.40 | 2.92 | 4.44 | 4.44 | - | 3.80 | 22.07 |
| 3668 | -do | Pitts' Golden Tobacco Grower | Grifton | 8.59 | :63 | 1.50 | 2.13 | 2.59 | 4.96 | 4.96 | | 5.50 | 21.64 |

| نـ | |
|----------------|--|
| 191 | |
| ≘ | |
| | |
| ż | |
| S | |
| \check{x} | |
| CARS | |
| 2 | |
| Ľ | |
| ٠, | |
| Ÿ | |
| 4 | |
| Ξ | |
| Ξ | |
| Ľ | |
| -SPEEDS SEASON | |
| ά | |
| | |
| 9 | |
| N | |
| | |
| Ξ | |
| Η | |
| ~ | |
| Ξ | |
| FERTILIZERS | |
| 4 | |
| 7 | |
| _ | |
| 0 | |
| ~ | |
| \equiv | |
| Z | |
| OMMERCIAL | |
| Ξ, | |
| J | |
| _ | |
| Ť | |
| _ | |
| ~ | |
| 夳 | |
| XXX | |
| `~ | |
| _ | |
| - | |
| 2 | |
| - | |
| | |
| | |

| per . | ive Value grotosu | Relat Ton s |
|---------|-----------------------------------|-------------------------|
| | .əui | Срро |
| 100. | h from | Potas Sulph |
| its per | h from | setoq simil(|
| or Par | •щ | letoT setoq |
| osition | valent nmonia. | inp∃ uŁ ot |
| Compo | gen, | latoT outiZ |
| ntage | oir gen. | orgai Orgai Vitro |
| Perce | gen. | sateW dulos outiV |
| | elds phoric | Phosp biola. |
| | Where Sampled. | |
| | | |
| | Name of Brand. | |
| | Name and Address of Manufacturer. | |

Гарогатогу. Хишрег MIXED FERTILIZERS.

| - | | | | | | - | - | | | | | | |
|------|---|---|----------------|-----------|------|----------------|--------------------|----------------|---------------------------------|------|------|------------------|---------|
| Δ. | Brands claiming | | | 8.00 | | | 2.47 | 2.47 3.00 3.00 | 3.00 | | | | \$20.57 |
| 1444 | 4444 Norfolk Fertilizer Co., Norfolk, Va | Oriana for Cotton | Monroe | 7.57 | 1.57 | 97. | .76 2.33 | 2.83 | 3.05 | | | 1 | 19.62 |
| 3924 | 3924 Old Buck Guano Co., Richmond, Va. | Old Buck Guide-post Cotton Guano. Landis | Landis | 7.85 1.74 | 1.74 | .62 | 2.36 2.87 | 2.87 | 3.38 | | | | 20.36 |
| 4651 | op | Old Buck Quincy Tobacco and Gar- | Michfield | 7.59 1.87 | 1.87 | 02. | .70 2.57 3.12 | 3.12 | 3.38 | 3.38 | | 6.80 | 21.00 |
| 1460 | 4460 Ober, G., & Sons Co., Baltimore, Md | den. Ober's Special Compound for All | Edenton | 8.05 1.39 | 1.39 | 35 | .58 1.97 2.40 | 2.40 | 2.93 | | | 1 | 18.44 |
| 3770 | op | Ober's Special Compound for To- | Hillsboro | 8.43 | 2.02 | .60 | 2.65 | 3.22 | 3.52 | 3.52 | | 2.90 | 22.24 |
| 5969 | op- | pacco. do | Middlesex | 8.8 | 1:1 | .61 | .61 2.38 | 2.89 | 3.66 | .64 | 3.02 | .50 | 21.59 |
| 6019 | do | do | Pilot Mountain | 8.61 | 1.39 | .58 | 76.1 89. | 2.40 | 3.12 | | | | 19.14 |
| 1407 | Palmetto Guano Co., Columbia, N. C | Palmetto High Grade Guano | Maxton | 98.9 | 1.49 | ₹. | 2.43 | 2.95 | 3.46 | | | | 19.84 |
| 4097 | 4097 Pamlico Chemical Co., Washington, N. C | Pamlico Success Guano | Washington | 8.70 | 1.29 | 8 | 2.21 | 2.69 | 3.04 | | 1 | | 20.15 |
| 3760 | ор- | Pamlico Success Tobacco Grower | Grimesland | 8.69 1.43 | 1.43 | 1.02 | 2.45 | 2.98 | 3.44 | 3.44 | - | 3. | 21.55 |
| 3815 | -do | Tobacco Growers' Friend Guano | Washington | 8.45 | 1:3 | 8.42 1.21 1.22 | 2.43 2.95 | | 3.52 | 3.52 | | 5.30 | 21.30 |
| 4378 | Pan-American Fertilizer Co., New York, | Pan-American Special Cotton Grower Edenton | | 7.55 1.87 | 1.87 | 97. | .76 1.63 1.98 | 1.98 | 3.30 | | | | 16.94 |
| 3564 | 3564 Patapseo Guano Co., Baltimore, Md | Choctaw Guano | Monroe | 7.99 1.85 | 1.85 | .52 | .52 2.37 2.88 | _ | 3.30 | | | 1 | 20.34 |
| 3824 | do | Patapseo Gold Leaf Cotton-seed Meal Edenton. | Edenton | 8.67 | 1.19 | 1.24 | 2.43 | 2.02 | 8.67 1.19 1.24 2.43 2.95 3.38 | 3.38 | | 4.90 | 21.29 |
| 4051 | op | Patapseo Tobacco Fertilizer | Henderson | 8.65 1.84 | 1.84 | .56 | .56 2.40 2.92 3.18 | 2.03 | | 3.18 | | 8.30 | 21.04 |
| 4732 | 4732 Pearsall & Co., Wilmington, N. C | Pearsall's High Grade Tobacco Guano Rose Hill | Rose Hill | 8.72 1.33 | 1.33 | .86 | 2.19 | 3.66 | .86 2.19 3.66 3.68 3.68 | 3.68 | 1 | 4.60 ± 24.93 | 24.93 |

| 5878 | do | Pearsall's Use Me High Grade Guano Hallsville | 1 | 8.74 | 1.40 | . 89 | 2.08 | 2.53 | 2.82 | 1 | - | | 20.42 |
|------|--|---|---------------|------|----------|--------------|-------|--------------|------|---|------|-------|-------|
| 3913 | Peruvian Guano Corporation, Charleston, | Lobos Peruvian Mixture | Fremont | 90.0 | .0 .0 | .30 | 2.3× | <u>8</u> | 3.50 | | | | 21.65 |
| 4100 | Phillips, F. T., Washington, N. C | High Grade Cotton Guano | Washington | 8.12 | 09. | 86. | 2.58 | 3.14 | 4.H0 | - | | - 1 | 22.24 |
| 4098 | op | Tobacco Grower | Washington | 8.27 | .54 | 1.94 | 2.48 | 3.03 | 3.54 | 1 | 3.54 | 1 1 2 | 21.40 |
| 5907 | ũ | Levering's Reliable Tobacco Guano | Belhaven 7 | 7.97 | 1.99 | 1.16 | 2.38 | 9.89 | 3.08 | 3.0% | | 9.20 | 20.25 |
| 3815 | more, Mat. | Piedmont-Mount Airy High Grade | Morven | 8.39 | 1.51 | <u>s</u> | 9,09 | 3.27 | 2.92 | 1 | | | 21.77 |
| 3972 | Pine Level Oil Mill Co., Pine Level, N. C., | Ammoniated Bone and Potash. Pine Level High Grade Fertilizer | Wendell | 7.15 | 1.02 | 1.26 | 2.28 | 51.1 | 4.20 | | | - | 20.21 |
| 3729 | Planters Cotton-seed Oil Co., Rocky | Planters Cotton-seed Oil Co.'s To- | Nashville | 8.92 | 1.65 | 8. | 15.47 | 3.00 | 3.26 | 3.26 | | 0+.7 | 21.45 |
| 4739 | | Tar River Special | Pinetops 7 | 7.87 | - 66 | | 2.67 | 3.25 | 3.54 | | | 1 | 15.15 |
| 4083 | Planters Fertilizer and Phosphate Co., | Planters' Soluble Guano | Matthews | 8.83 | 1.27 | 1.10 | 2.37 | 2.88 88. | 2.96 | 1 | | - | 20.86 |
| 4599 | Ď | Farmers' Favorite Guano, Apex | Fuquay 7 | 7.79 | 1.91 | .64 | 2.55 | 3.10 | 3.62 | 1 | | | 21.34 |
| 5885 | Pocomoke Guano Co., Norfolk, Va | Harvey's High Grade Monarch | Creswell | 7.80 | 2.17 | 7 | 2.61 | 3.17 | 3.08 | | | | 21.06 |
| 3578 | op | | New Bern 7 | 7.56 | 2.07 | .50 | 2.57 | 3.12 | 3.37 | - | | | 20.93 |
| 3728 | op | Monarch Tobacco Grower | Battleboro | 8.21 | Ξ. | 96. | 2.37 | . S. S. | 3.08 | 3.08 | | S. 30 | 20.42 |
| 3705 | Powhatan Chemical Co., Richmond, Va | P. C. Co.'s Hustler | Kinston | 8.70 | 1.8 | 9 <i>x</i> . | 2.61 | 3.17 | 3.74 | 1 | | | 22.53 |
| 4147 | Rasin-Monumental Co., Baltimore, Md | Rasin Gold Standard | Kinston | 8.75 | 2.16 | .36 | 2.52 | 3.06 | 3.30 | 1 | | | 91.76 |
| 2962 | op | op | Machpelah | 8.19 | 2.29 | .26 | 2.55 | 3.10 | 3.52 | | | | 21.60 |
| 3732 | 00 | Rasin's Indian Brand for Tobacco | Nashville | 8.8 | Ξ.: | . 40 | 15.51 | 3.05 | 3.00 | 3.00 | | 4.00 | 21.50 |
| 4579 | Read Phosphate Co., Charleston, S. C. | Read's C. S. M. Mixture | Red Springs | 9.37 | - 65 | 2.10 | 2.39 | 2.91 | 1.40 | | - ! | - | 22.87 |
| 3830 | op | Read's High Grade Cotton Grower | Wadesboro7 | 7.86 | 1.26 | 1.40 | 3.66 | 3.23 | 3.52 | | 1 | | 21.77 |
| 4806 | Reidsville Fertilizer Co., Reidsville, N. C., | Royal Fertilizer | Ashboro7 | 7.73 | 1.89 | gj. | 2.17 | 2.64 | 3.62 | - | | | 19.69 |
| 4488 | Richmond Guano Co., Richmond, Va | . Carolina Bright Tobacco Fertilizer | Angier | 8.00 | 1.53 | 06. | 2.43 | 2.95 | 3.56 | 3.56 | | 02.9 | 20.97 |
| 3600 | | . Gilt Edge Fertilizer | Dunn | 8.62 | 1.67 | .83 | 2.49 | 3.03 | 3.40 | 1 | 1 | | 21.62 |
| 3730 | op | op | Nashville | 8.83 | | 1.74 | 2.47 | 3.00 | 2.90 | 1.67 | 1.23 | 1.25 | 21.21 |
| 6013 | | do | Eagle Springs | 8.13 | 1.76 | 02. | 2.46 | 5.52 | 3.04 | | | | 20.69 |
| 1154 | Robersonville Guano Co., Robersonville, N. C. | Roberson's High Grade Meal and Fish Guano. | Robersonville | 8.27 | 83. | 1.46 | 2.29 | 2.78 1.78 | 3.66 | | | 1 | 20.72 |
| | | | | | | | | | | | | | |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | | | | - | | | į | | | |
|-----------------------|---|--|----------------|----------------------------------|--------------------------------|----------------------|--------------------|---------------------------|------------------|---|--------------------------|-------------|-----------------------------------|
| | | | | | Perce | ntage | Compa | sition | or Pa | Percentage Composition or Parts per 100 | 100. | | per . |
| Гарогаtогу Митрег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Nitrogen. | Organic Nitrogen. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate, | Chlorine. | Relative Value Tots at Factory |
| | | Mixed Fertilizers. | ILIZERS. | | | | | | | | | | |
| | Brands claiming | | | 8.00 | | | 2.47 | 3.00 | 3.00 | | | | \$20.57 |
| 4453 | qo | Roberson's High Grade Tobacco | Robersonville | 11.25 | 1.23 | 1.20 | 2.43 | 2.95 | 3.53 | | 3.22 | 4 1 6 | 23.55 |
| 3920 | Roberson Mfg. Co., Lumberton, N. C | Grower. Silver Dollar | Lumberton | 8.05 | 1.12 | 1.32 | 2.44 | 2.97 | 4.10 | | | 1 1 | 21.59 |
| 4167 | Robertson Fertilizer Co., Norfolk, Va | Big Cropper High Grade Guano | Edenton | 7.99 | 1.57 | 98. | 2.43 | 2.95 | 3.42 | | - | 1 5 1 | 20.82 |
| 3712 | | Robertson's Special Formula for | Littleton | 8.01 | 1.41 | 06: | 2.31 | 2.81 | 3.38 | 3.38 | 1 1 | 7.30 | 20.29 |
| 3580 | Royster, F. S., Guano Co., Norfolk, Va | Jobacco. Bonanza Tobacco Guano | Kinston | 7.93 | 2.09 | .55 | 2.67 | 3.25 | 3.02 | 3.02 | 1 | 7.10 | 21.37 |
| 5946 | ор. | Marlboro High Grade Cotton Grower, Hope Mills | Hope Mills | 7.99 | 1.31 | 1.20 | 2.51 | 3.05 | 3.12 | | 1 | 1 | 20.85 |
| 3679 | op*** | | Newton | 8.34 | 1.66 | 99. | 2.32 | 8. 8. | 3.16 | | - | | 20.41 |
| 5989 | op | qo | Stedman | 7.67 | 1.66 | .62 | 2.28 | 13.11 | 3.25 | | | - | 19.73 |
| 5944 | op | qo | Hope Mills | 7.82 | 1.77 | .62 | 2.39 | 2.91 | 2.96 | | | 1 | 20.04 |
| 4165 | op | Royster's Special Sweet Potato Guano Elizabeth City. | Elizabeth City | 8.06 | 1.83 | 99. | 2.49 | 3.03 | 3.02 | | | 1 | 20.72 |
| 4408 | Scotland Neck Guano Co., Scotland Neck, | Johnson's Bright Leaf Tobacco | Benson | 8.17 | .37 | 2.04 | 2.41 | 2.93 | 3.04 | 3.04 | | 6.70 | 20.51 |
| 3003 | do | State Farm C. S. Meal and Fish Scran Guano | Dunn | 7.97 | 62. | 1.32 | 2.11 | 2.57 | 3.34 | | | | 19.37 |
| 5934 | op | -do- | Hookerton | 8.79 | <u>s</u> . | 1.56 | 2.37 | 2.88 | 3.90 | | | 1 1 | 21.76 |
| 3762 | | op | Ayden | 8.94 | .85 | 1.26 | 2.11. | 2.57 | 3.74 | 1 | | | 20.65 |
| 4192 | Southern Cotton Oil Co., Charlotte, N. C | Peacock | Raeford | 9.34 | 1.19 | 8: | 5.09 | 2.54 | 3.00 | | | 1 | 20.18 |
| 5948 | Southern Cotton Oil Co., Fayetteville, N.C. Morning Glory | Morning Glory | Fayetteville | 8.25 | 89. | 1.16 | 1.84 | 2.24 | 6.18 | | | 1 | 21.33 |

| | do | Fayetteville | 7.86 | F9: | 1.08 | 1.72 | 2.09 | 4.70 | | | 19.00 |
|--|---|--------------|-------|------|------|------|------|------|------------------|-----------|---------|
| | Special Cotton Grower | Fayetteville | 8.38 | .80 | 1.36 | 2.16 | 2.63 | 3.78 | | | 20.39 |
| op | op | Fayetteville | 9.03 | .72 | 1.20 | 1.92 | 2.33 | 3.62 | 1 1 1 1 | | 19.81 |
| | | Hope Mills | 8.30 | .73 | 1.32 | 2.01 | 2.48 | 3.52 | | | 19.56 |
| op | qo | Fayetteville | 8.35 | .62 | 1.16 | 1.78 | 2.16 | 3.94 | 1 | | 18.90 |
| Southern Cotton Oil Co., Goldsboro, N. C., Edgerton's Old Reliable C. S. M | Edgerton's Old Reliable C. S. M | Newton Grove | 9.67 | 1.12 | 1.68 | 2.80 | 3.40 | 2.46 | | | 22.90 |
| | -do- | Mount Olive | 8.25 | .93 | 1.34 | 2.27 | 2.76 | 3.88 | 1 | | 20.84 |
| op | Morning Glory | St. Paul | 8.34 | 99. | 1.44 | 2.10 | 2.55 | 3.78 | | | 20.11 |
| ob | Thompson's Special Cotton and To- | Goldsboro | 8.85 | .71 | 1.58 | 2.29 | 2.78 | 3.80 | 3.80 | 5.80 | 0 21.38 |
| | Southern Cotton Oil Co.'s Special | Enfield | 8.19 | .56 | 1.24 | 1.80 | 2.19 | 3.22 | | | 18.15 |
| Southern Cotton Oil Co., Shelby, N. C | Cotton Grower C. S. M. Moon High Grade Fertilizer | Shelby | 6.22 | 1.12 | 1.30 | 2.42 | 2.94 | 3.86 | | | 19.62 |
| op | Peacock High Grade Fertilizer | Iron | 7.69 | .79 | 1.52 | 2.31 | 2.81 | 3.30 | | | 19.92 |
| Southern Exchange Co., Maxton, N. C | Correct Cotton Compound | Parkton | 10.47 | 1.59 | .68 | 2.27 | 2.76 | 3.24 | | | 22.20 |
| op | R. M. C. Special Crop Grower | St. Paul | 7.84 | 1.8 | 86. | 2.42 | 2.94 | 2.80 | | | 20.02 |
| Swift Fertilizer Works, Atlanta, Ga | Swift's Carolina High Grade Tobacco Smithfield | Smithfield | 6.62 | 2.15 | 1.26 | 3.41 | 4.14 | 3.76 | 1 | 3.76 | 24.04 |
| do | Swift's Cotton-seed Meal Compound Goldsboro | Goldsboro | 7.42 | 1.41 | 1.32 | 2.73 | 3,32 | 3.32 | | | 21.46 |
| qo | Swift's High Grade Animal Matter | Columbia | 7.27 | Ξ. | 1.14 | 1.85 | 2.25 | 2.68 | | | 16.99 |
| op | Ammonaved. Swift's Ruralist High Grade Guano Benson. | Benson | 8.23 | 1.50 | 8 | 2.32 | 2.83 | 3.00 | | | 20.14 |
| Tidewater Guano Co., Norfolk, Va | B. B. Yellow Wrapper Grower | Rural Hall | 7.85 | 1.43 | 86. | 2.41 | 2.93 | 2.90 | - | | 20.08 |
| op | Sho Nuf Guano | Madison | 7.42 | 1.49 | £6. | 2.43 | 2.95 | 3.06 | | | 19.94 |
| Tomlinson & Co., Wilson, N. C. | Tomlinson's Buster Fertilizer | Bailey | 7.52 | 1.45 | 96. | 2.41 | 2.93 | 3.98 | | - | 20.87 |
| Tuscarora Fertilizer Co., Greensboro, N. C. | C. Tusearora Blood and Bone | Newton | 7.28 | 1.11 | 1.12 | 2.23 | 2.71 | 3.08 | - | - | 19.00 |
| | Tusearora Cotton Special | Franklinton | 7.37 | 1.22 | 1.00 | 2.22 | 2.70 | 3.18 | | 1 | 19.14 |
| | Tuscarora Tobacco Special | Middlesex | 7.33 | 1.07 | 96. | 2.03 | 2.47 | 3.52 | | 3.52 | 18.64 |
| Union Abattoir Co., Norfolk, Va | Cotton and Tobacco Guano | Spring Hope | 8.34 | 1.87 | .58 | 2.45 | 2.98 | 3.38 | 3.38 | 2.60 | 0 21.18 |
| do | Red Star Cotton and Tobacco Guano, Benson | Benson | 8.29 | 2.30 | 35. | 2.58 | 27 | 3 60 | 8 90 | 01 6 03 | 91 60 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1911.

| | | | | | Perc | entage | Com | osition | Percentage Composition or Parts per 100 | rts per | 100. | | 19d |
|-----------------------|--|--|---|----------------------------------|--------------------------------|----------------------|--------------------|------------------------|---|-------------------------|---|-----------|----------------------------------|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphorie Jeid. | Water- soluble Zitrogen. | Отganie Хістоgen. | Total Vitrogen. | Equivalent to Ammonia. | Total Potash, | Potash from Muriate. | Potash from Sulphate. | Съ1огіпе. | Relative Value Ton at Factory |
| | | MIXED FERTILIZERS. | HIZERS. | | | | | | | | | | ! |
| _ | Brands claiming | | 1 | 8.00 | | | 2.47 | 3.00 | 3.00 | | | | \$20 57 |
| 3877 | Union Guuno Co., Winston, N. C | Union Homestead Guano | Rockingham | ×. | 1.16 | 1.06 | 2.22 | 2.70 | 2.50 | | | | 19.41 |
| 0019 | qo | Victor High Grade Tobacco Grower | Wilkesboro | 9.28 | 2.13 | .36 | 97.49 | 3.03 | 5.5 | 3.21 | 1 | 3.10 | 22.05 |
| 3673 | op | do | Clinton | 8.8 | 2.15 | .34 | 2.49 | 3.03 | 3.18 | S | | 2.90 | 21.59 |
| 4314 | Upshur, R. L., Guano Co., Norfolk, Va | Upshur's Cotton Guano | Autryville | X 133 | 1.7 | 0.7 | 2.41 | 6. 36. | 3.58 | | - | | 21.10 |
| 3974 | do | | Wendell | s.60 | 1.63 | .0S | 2.7 | 81. | 2.86 | | | 1 | 21.98 |
| 1070 | do. | ¹ pshur's Tobacco Guano | Roxboro | 8.50 | 8 | .92 | 2.72 | 5.3 | 3.32 | .52 | 2.80 | .40 | 22.39 |
| 3870 | op. | Farm Bell Cotton Special | Edenton | s. <u>.</u> | 1.56 | .92 | 2.48 | 3.02 | 3.58 | | | 1 | 21.29 |
| 3810 | United States Fertilizer Co., Baltimore, Md. | tilizer Co., Baltimore, Md. Farm Bell Tobacco Special | Wilson | 8.20 | 1.36 | 1.14 | 2.50 | 3.04 | 3.30 | 3.30 | 1 | 4.60 | 21.18 |
| 5905 | op | -do | Greensboro | 8.63 | 1.17 | 8. | 2.15 | 3.61 | 3. | 3.74 | | 8.30 | 20.54 |
| 3999 | 00 | op | Snow Hill | 7.49 | 92. | 1.64 | 2.40 | 2.65 | 5.98 | 5.04 | 76: | 3.80 | 22.80 |
| 4294 | VaCar. Chemical Co., Richmond, Va | Allison & Addison's A. A. Guano | Lincolnton | 8.07 | 2.01 | 09. | 2.61 | 3.17 | 3.23 | - | | 1 | 21.41 |
| 6084 | qo | Davie & Whittle's Owl Brand Guano for Tobacco | Mount Airy | 9.08 | 1.84 | .38 | 2.22 | 2.70 | 3.36 | 3.36 | | 2.90 | 20.86 |
| 3582 | do | op | Kinston | 8.42 | 2.17 | .36 | 2.53 | 3.08 | 3.38 | 3.38 | | 6.10 | 21.58 |
| 3521 | do | Durham Fertilizer Co.'s Gold Medal Brand Guano | Wadesboro | 9.65 | 1.19 | 1.01 | 2.23 | 2.71 | 2.86 | | 1 2 1 1 | | 20.91 |
| 6004 | ор | op | Dunn | 8.30 | 1.58 | .48 | 2.06 | 2.50 | 2.80 | | 1 | 1 | 18.92 |
| 4820 | op . | Durham Fertilizer (o.'s Yellow Leaf Edenton Tobaeco Guano. | Edenton | 6.57 | 1.71 | 98. | 2.57 | 3.12 | 4.28 | 4.2s | i | 4.60 | 20.99 |

| 4059 | , op. | High Grade Fertilizer | Toecane | 8.67 | 2.03 | .30 | 2.33 | 2.83 | 2.80 | - | | | 20.39 |
|------|-------|---|---------------|-------|-------------|------|------|------|------|------------------|------|------|-------|
| 4382 | do | Menhaden Fish and Meal Mixture | Fremont 7 | 7.92 | 1.29 | 96. | 2.19 | 5.66 | 4.34 | | i | | 20.67 |
| 3495 | op | hemical Co.'s | Warsaw | 9.51 | 1.99 | 57 | 2,23 | 2.71 | 2.96 | | - | | 20.88 |
| 6085 | op | д | Madison10 | 10.62 | 2.02 | .36 | 2.41 | 2.93 | 3.02 | 3.02 | | 3.40 | 22.70 |
| 4683 | op | High Grade Special 10b. Guano. | Mebane 7 | 96.7 | 1.81 | .34 | 2.15 | 2.61 | 3.06 | 3.06 | 1 | 4.70 | 19.25 |
| 3538 | op | 1 Co.'s | Spring Hope | 8.19 | 2.31 | .40 | 2.71 | 3.29 | 3.56 | 3.56 | | 3.20 | 22.31 |
| 3637 | op | acco Guano. mers' Friend High | Wallace | 8.31 | 1.09 | 1.40 | 2.49 | 3.03 | 3.34 | | | - | 21.28 |
| 3816 | op | * | Washington 7 | 7.75 | 76 : | 1.40 | 2.34 | 2.84 | 3.70 | 3.70 | | 1.70 | 20.50 |
| 3605 | op | tucky | Selma | 8.60 | 2.13 | .36 | 2.49 | 3.03 | 2.84 | 2.84 | | 4.40 | 21.04 |
| 4053 | op | High Grade Lobacco Manure. | Drewry | 8.87 | 1.76 | .36 | 2.12 | 2.58 | 3.08 | 3.08 | Ī | 2.50 | 19.97 |
| 4647 | op | Tinsley & Co.'s Peruvian High Grade Edenton | 1 | 7.24 | 1.73 | .92 | 2.65 | 3.22 | 4.28 | 4.28 | | 4.40 | 21.93 |
| 3775 | ор | Tobacco Guano. Travers & Co.'s Big Leaf Tobacco | Durham | 8.02 | 2.11 | .48 | 2.59 | 3.15 | 3.12 | 1.72 | 1.40 | 1.30 | 21.27 |
| 4753 | op | 4 | Elkin10 | 10.95 | 1.65 | .34 | 1.99 | 2.42 | 3.08 | 3.08 | | 2.90 | 21.29 |
| 4735 | do | ngton Flant Bed Fert. 1or Tobacco. Special Cotton Fertilizer, Fish and | Magnolia | 8.40 | 1.13 | 1.02 | 2.15 | 2.61 | 3.20 | 1 | | | 19.79 |
| 3510 | op | Meal Mixture. Special High Grade Tobacco Fer- | Kinston | 8.12 | 1.45 | 1.06 | 2.51 | 3.05 | 3.86 | 3.86 | - | 9.00 | 21.71 |
| 4221 | op | tilizer. Tinsley & Co.'s Richmond Brand | Edenton 6 | 6.55 | 1.65 | .64 | 2.29 | 2.78 | 2.90 |) () 1 | 1 | 1 | 18.41 |
| 4516 | ор | Guano. VC. C. Co.'s Adams' Special | Troy 7 | 7.74 | 26. | 1.38 | 2.35 | 2.86 | 3.22 | 1 | - | - | 20.06 |
| 5965 | op | VC. C. Co.'s Diamond C. S. M. | Robersonville | 8.11 | 1.73 | 86. | 2.71 | 3.29 | 2.96 | | 1 | | 21.64 |
| 3763 | - op | Guano. | Ayden 7 | 7.70 | 1.41 | 1.14 | 2.55 | 3.10 | 3.24 | | | | 88.06 |
| 4320 | op | VC. C. Co.'s Gold Medal Brand | Lucama 7 | 7.75 | 1.83 | .56 | 2.39 | 2.91 | 2.92 | 1 | | 1 | 19.93 |
| 4398 | op | Guano. VC. C. Co.'s Gold Medal High | Durham | 9.03 | 1.65 | .43 | 2.07 | 2.52 | 2.86 | 2.86 | 1 | 4.40 | 19.67 |
| 4158 | op | Grade Tobacco Guano. VC. C. Co.'s Jumbo Peruvian | Four Oaks 7 | 7.73 | 1.91 | 04. | 2.31 | 2.81 | 2.86 | 1 | 1 | | 19.52 |
| 3636 | op | VC. C. Co.'s Lion's High Grade | Wallace8 | 8.69 | 2.07 | .36 | 2.43 | 2.95 | 4.66 | 4.66 | - | 5.10 | 20.69 |
| 4052 | do | ernizer. 's Royal High Grade | Jackson 7 | 7.17 | 1.89 | 86. | 2.87 | 3.49 | 3.96 | | | - | 22.47 |
| 3707 | -do | Fertilizer. VC. C. Co.'s Valentine's Special | Kinston | 8.80 | 1.93 | .34 | 2.27 | 2.76 | 7.16 | | | 1 | 24.61 |
| 5910 | - op | Virginia State Fertilizer Co.'s Bull Dog Soluble Guano. | Belhaven | 6.39 | 1.64 | F. | 2.38 | 5.83 | 3.52 | 1 | | | 19.27 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| 190 | Relative Value I Ton at Factory. | | \$20.57 | 20.42 | 20.11 | 21.09 | 20.43 | 21.65 | 21.90 | 19.19 | 19.77 | 21.57 | 20.17 | 20.63 | 21.68 | 21.99 | 22.24 | 21.77 | 21.31 |
|--|-------------------------------------|-------------------|-----------------|-----------------------------------|---------------------------------------|------------------------------------|------------------------------|-------------------------|--------------------------|----------------------------------|---|-----------------|---------------------------------------|---|---|---|---|----------------------------------|---------------------------------------|
| | Chlorine. | | 1 | | 6.10 | - | - | | 3.40 | , | | | 10.00 | | | | | b 8 8 | 1 |
| . 100 | Potash from Sulphate. | | | 3.10 | | | 3.60 | | 1 | | | 1 | | 1 | | 1 1 1 1 | 1 | 4.62 | 1 1 |
| rts per | Potash from | | | | 3.52 | | .40 | | 3.14 | 1 | | 1 | 4.04 | | | 1 2 3 9 | | - | |
| ı or Pa | Total Potash. | | 3.00 | 3.10 | 3.52 | 3.40 | 3.00 | 4.84 | 3.14 | 3.18 | 3.90 | 4.00 | 4.04 | 4.00 | 4.12 | 4.90 | 4.48 | 4.62 | 4.24 |
| osition | Equivalent to Ammonia. | | 3.00 | 3.12 | 2.69 | 2.86 | 9. 9. | 2.72 | 4.49 | 2.52 | 2.44 | 3.00 | 2.54 | 2.76 | 2.95 | 3.03 | 2.89 | 2.72 | 2.87 |
| Percentage Composition or Parts per 100. | Total Zitrogen. | | 2.47 | 2.57 | 2.21 | 2.35 | 2.30 | 2.24 | 3.69 | 2.07 | 2.01 | 2.47 | 2.09 | 2.27 | 2.43 | 2.49 | 2.38 | 2.24 | 2.36 |
| entage | Organic Vitrogen. | | | 88. | 7. | 1.38 | 96. | 8. | 3.1 | .70 | .60 | 1 | 1.08 | 89. | 86. | 1.48 | .94 | 1.00 | 99. |
| Perc | Water- soluble Zitrogen. | | | 1.69 | 1.47 | .97 | 2.34 | 5 | 1.51 | 1.37 | 1.41 | 1 1 | 1.01 | 1.59 | 1.45 | 1.01 | 1.41 | 1.34 | 1.76 |
| | Available Phosphoric Acid, | | 8.00 | 7.25 | 8.12 | 8.69 | 8.63 | 8.22 | 8.29 | 8.13 | 8.25 | 8.00 | 8.17 | 7.89 | 8.17 | 7.37 | 8.63 | 8.60 | 7.95 |
| | Where Sampled. | TLIZERS. | | Warrenton | Mount Airy | Zebulon | Zebulon | Fremont | Dunn | Edenton | Edenton | | Fountain | Edenton | Maxton | Goldsboro | Elizabeth City | Goldsboro | Snow Hill |
| | Name of Brand. | Mixed Fertilizers | | Fish Brand Tobacco Manure | Venable High Grade Tobacco Fer- | East Carolina Cotton Grower. | Bast Carolina Tobacco Grower | Gilt Edge Cotton Grower | Plant Bed Tobacco Grower | King Guano | J. R. Young's 3-8-3 Guano for Cotton, Edenton | | Aeme Crop Grower for Tobacco. | Ü | Boone's Special | Formula 40 Guano | Carolina Union 3-8-4 | Special for Tobacco | Hubbard's Royal Ensign |
| | Name and Address of Manufacturer. | | Brands claiming | Vance Guano Co., Henderson, N. C. | Venable Fertilizer Co., Richmond, Va. | Wilson Chemical Co., Wilson, N. C. | op | - do | qo | Winborne Guano Co., Norfolk, Va. | Young, J. R., Fertilizer Co., Norfolk, Va | Brands claiming | 4466 Acme Mfg. Co., Wilmington, N. C. | American Agricultural Chemical Co., New | Atlantic Chemical Corporation, Norfolk, | Caraleigh Phosphate and Fertilizer Works, | Carolina Union Fertilizer Co., Norfolk, Va. | Farmers Guano Co., Ruleigh, N. C | Hubbard Fertilizer Co., Baltimore, Md |
| | Laboratory Zumber. | | ш | 3987 | 4512 | 3979 | 3978 | 3915 | 3604 | 3859 | 3742 | 9 | 4466 | 4642 | 4405 | 4865 | 3901 | 3910 | 3995 |

| 3718 | MacMurphy Co., Charleston, S. C. | Special Tobacco Guano | Tabor | 7.74 | .77 | 1.74 | 2.51 | 3.05 | 4.78 | | 4.78 | - | 22.29 |
|-------|--|--|-----------------|------|------|------|------|------|------|------|------|-------|-----------------|
| 3467 | McNair Phosphate Co., Laurinburg, N. C | Supply Company Special | Maxton | 8.49 | 1.21 | 1.30 | 2.51 | 3.05 | 3.82 | - | | - | 22.00 |
| 3866 | Martin Fertilizer Co., Norfolk, Va | Privott's Favorite Guano | Edenton | 8.25 | 1.74 | .50 | 2.24 | 2.72 | 4.00 | | i | 1 | 20.83 |
| 4046 | Miller Fertilizer Co., Baltimore, Md | Miller's Quickstep. | Clayton | 8.37 | 2.02 | .46 | 2.51 | 3.05 | 3.64 | | 1 | | 21.71 |
| 4566 | Navassa Guano Co., Wilmington, N. C | Orton Guano | Lexington | 8.69 | 1.15 | 1.08 | 2.23 | 2.71 | 4.00 | | 1 | - | 21.19 |
| 4067 | Old Buck Guano Co., Richmond, Va | Old Buck Test Farm Tobacco Guano, Roxboro. | Roxboro | 8.00 | 1.98 | .50 | 2.48 | 3.03 | 4.82 | 4.83 | 1 | 7.20 | 22.44 |
| 4323 | Pine Level Oil Mill Co., Pine Level, N. C | Hale's Special Guano for Tobacco | Pine Level | 8.19 | .85 | 1.28 | 2.13 | 2.59 | 4.42 | 4.42 | Ī | 16.30 | 20.74 |
| 3849 | Pocahontas Guano Co., Lynchburg, Va | Indian Tobacco Grower | Nashville | 8.18 | 1.92 | .54 | 2.46 | 2.99 | 3.98 | 3.98 | 1 | 8.80 | 21.67 |
| 4.109 | Southern Exchange, Maxton, N. C | Bull of the Woods Fertilizer | Maxton | 8.40 | 1.37 | .74 | 2.11 | 2.57 | 4.42 | | 1 | - | 20.84 |
| 3636 | VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Lion's High Grade | Wallace | 8.69 | 2.07 | .36 | 2.43 | 2.95 | 4.66 | 4.66 | - | 4.80 | 22.69 |
| | Brands claiming | r obacco r et chizer. | | 8.00 | | | 2.47 | 3.00 | 5.00 | | | | 22.57 |
| 4812 | Ϋ́ | Canton Chemical Co.'s Gladiator | Kings Mountain. | 8.82 | 1.97 | 09. | 2.57 | 3.12 | 2.64 | | | | 21.37 |
| 4762 | American Fertilizer Co., Norfolk, Va | Cotton Fermizer. American Tip Top Tobacco Grower | Kernersville | 8.58 | 1.57 | 4. | 2.31 | 2.81 | 3.94 | 3.94 | | 9.20 | 21.09 |
| 4709 | Armour Fertilizer Works, Greensboro, N. C. | Armour's Special Formula for To- | Henderson | 7.62 | .71 | 1.83 | 2.53 | 3.08 | 4.74 | .13 | 4.61 | .10 | 22.22 |
| 4049 | Atlantic Chemical Co., Norfolk, Va | Pitt County Light Tobacco Special | Scotland Neck. | 7.78 | 33. | 1.22 | 2.50 | 3.04 | 4.54 | 4.54 | | 00.9 | 22.04 |
| 4.105 | Baugh & Sons Co., Norfolk, Va | Baugh's Three Score Complete Fer- | Maxton | 76.7 | 2.01 | .62 | 2.63 | 3.20 | 4.98 | | 1 | 1 | 23.20 |
| 4601 | Clayton Oil Mill Co., Clayton, N. C | White Oak Crop Grower | Clayton | 9.15 | .13 | 1.58 | 2.31 | 2.81 | 5.38 | | | | 23.32 |
| 5983 | Coe-Mortimer Co., Charleston, S. C | Coe-Mortimer Co.'s Tobacco Fer- | Duke | 8.10 | 1.66 | 123 | 2.38 | 2.89 | 4.86 | 9. | 4.26 | .45 | 22.15 |
| 3970 | Contentnea Guano Co., Wilson, N. C. | Victor Tobacco Grower | Wendell | 9.04 | 1.24 | 1.16 | 2.40 | 2.93 | 5.50 | 1.80 | 3.70 | 1.35 | 23.72 |
| 4635 | Farmers Cotton Oil Co., Wilson, N. C | Special Mixture | Stantonsburg | 8.00 | 1.07 | 96. | 2.03 | 2.47 | 5.06 | | 1 | 1 | 20.79 |
| 4017 | Ä | Sterling for Tobacco | Farmville | 8.90 | 8. | 1.18 | 2.07 | 2.52 | 4.96 | 4.96 | | .14 | 21.66 |
| 4867 | Fremont Oil Mill Co., Fremont, N. C. | 8-3-3 Compound | Fremont | 8.31 | 1.01 | 1.02 | 2.03 | 2.47 | 4.76 | | | 1 | 20.76 |
| 4866 | op | Fremont Oil Mill Co.'s Special To- | Fremont | 7.37 | .99 | 1.16 | 2.15 | 2.61 | 4.94 | .33 | 4.62 | 25 | 20.60 |
| 4309 | Imperial Co., Norfolk, Va | Daeco Fermizer. Chadbourn Crop Compound | Wilmington | 7.47 | 1.81 | .52 | 2.33 | 2.83 | 4.70 | | | 1 | 21.21 |
| 6062 | Josey, N. B., Guano Co., Tarboro, N. C | Josey's Special Tobacco Guano | Benson | 8.61 | .42 | 1.78 | 2.32 | 2.83 | 5.55 | 5.29 | | 13.40 | 22.71 |
| 5966 | op | op | Robersonville | 9.87 | 83 | 1.62 | 2.44 | 2.97 | 4.94 | 8 | 4.03 | 0.7 | $.70 \pm 24.07$ |
| | | | | | | | | | | | | | |

23.12

.46 2.47 3.00 5.10

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON 1914

| | | Description Constitution of the Constitution of the Constitution Const | | | Porm | | , 101 t | | d as | PARANCAN, ADET. Decompose Converged from on Dorte con 100 | ā | | ļ |
|------------------------|--|--|----------------|----------------------------------|-------------------------------|----------------------|--------------------|---------------------------|------------------|--|--------------------------|----------|----------------------------------|
| | | | | | Tere. | eggen | iden - | nonis. | E - | - ber | j | | l.: 5 Deg |
| Laboratory. Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Zitrogen | Отganic Хіtтоgеn. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Сыотіве. | Relative Value Ton at Factor: |
| | | MINED FERTILIZERS. | ILIZERS. | | | | | | | | | | |
| _ | Brands claiming | | | 8.00 | | | 2.47 | 3.00 | 5.00 | | | | \$22.57 |
| 5937 | 5937 Josey, N. B., Guano Co., Tarboro, N. C | Josey's Special Tobacco Guano | Hookerton | 7.70 | .47 | 1.36 | 1.83 | 2.53 | 5.89 | 5.98 | | 14.50 | 20.60 |
| 20 | Martin Fertilizer Co., Norfolk, Va | Martin's Cotton and Tobacco Guano. Benson | Benson | 8.26 | | | 2.21 | 2.69 | 4.72 | 1.40 | .32 | 3.30 | 21.44 |
| 4404 | do | Martin's Potato Special | Lumberton | 7.99 | 1.97 | .50 | 2.47 | 3.00 | 4.23 | | | | 21.78 |
| 4210 | Meadows, E. H. & J. A., Co., New Bern, | Meadows' Brooks' Special Guano | New Bern | 7.30 | 1.27 | 1.24 | 2.51 | 3.05 | 3.94 | | | | 21.05 |
| 4237 | Navassa Guano Co., Wilmington, N. C | Maultsby's Tobacco Guano | Chadbourn | 8.75 | 1.23 | .58 | 1.81 | 2.20 | 4.06 | 4.06 | | 4.15 | 19.53 |
| 3629 | do | Navassa Blood and Meal Mixture | Wallace | 8.15 | 1.51 | 1.30 | 2.81 | 3.42 | 5.44 | | i | | 24.58 |
| 4182 | 4182 Pamlico Chemical Co., Washington, N. C Pamlico High Grade Tobacco Guano. Washington | Pamlico High Grade Tobacco Guano. | Washington | 8.23 | 1.15 | 1.20 | 2.35 | 2.86 | 5.46 | 1.33 1.10 | 1.10 | | 22.73 |
| 4324 | 4324 Patapseo Guano Co., Baltimore, Md | Patapseo Plant Food for Tobacco, | Lucama | 8.31 | 1.91 | .52 | 2.43 | 2.95 | 4.86 | 4.86 | | 11.15 | 22.54 |
| 4322 | 4322 Powhatan Chemical Co., Richmond, Va | Fotatoes, and Truck. Tomlinson's Special Fertilizer. | Wilson | 8.26 | 1.65 | 08. | 2.45 | 2.98 | 5.14 | | | - | 22.86 |
| 466S | 4668 Royster, F. S., Guano Co., Norfolk, Va | Eagle Special Tobacco Guano | Stokesdale | 8.70 | .73 | 1.28 | 2.01 | 2.44 | 3.78 | 3.78 | | 5.70 | 20.02 |
| 4194 | 4194 Tuscarora Fertilizer Co., Wilmington, N. C. Tuscarora Special for Tobacco. | Tuscarora Special for Tobacco | Vander | 7.75 | 1.11 | 1.00 | 2.11 | 2.57 | 5.06 | | 5.06 | | 20.90 |
| 4381 | 4381 VaCar. Chemical Co , Richmond, Va | VC. C. Co.'s Excelsior Tobacco | Fremont | 10.10 | 1.07 | 1.10 | 2.17 | 2.64 | 4.06 | 4.06 | | 7.70 | 22.26 |
| | Brands claiming: | мрестат. | | 8.00 | | | 2.47 | 3.00 | 00.9 | | | 1 | 23.57 |
| 4626 | 4626 Craven Chemical Co., New Bern, N. C | Craven Chemical Co.'s Standard | Mount Olive | 8.72 | 1.17 | % | 1.95 | 2.37 | 5.76 | 5.76 | | 5.60 | 21.80 |
| 4336 | 4336 Marietta Fertilizer Co., Atlanta, Ga | Lobacco Guano. Marietta No. 8-3-6 | Trenton | 7.71 | 1.21 | 86. | 2.19 | 2.66 | 4.80 | | | 1 | 20.94 |
| | | | | | | | | | | | | | |

| | | | | | | | | | | 1 | HE | D | UL. | LEI | LIN, | • | | | | | | | | | |
|---|---|-----------------|--|---|---|-------|---|--|--|-----------------|---|---------------------------|---------|---|------------------------------|---|--|------------------------------------|--|---|---|-------------------------------|--------------------|--|--|
| 23.42 | 23.64 | 24.57 | 24.01 | 24.28 | 25.20 | 24.21 | 23.71 | 23.55 | 23.74 | 25.07 | 27.06 | 25,43 | 23.99 | 25.57 | 24.44 | 27.57 | 26.61 | 29.52 | 27.67 | 23.79 | 27.04 | 30.23 | 28.57 | 29.51 | |
| | - | | 1.90 | 12.10 | | 1 | 12.60 | 9.00 | 2. F0 | 1 | 7.25 | . I5 | 1.00 | | 1.10 | | | 1 | 1 1 | | | 2.00 | | | |
| | 6.04 | | 5.43 | | | | | 1 | 5.22 | | | 8.66 | 5.37 | | 5.35 | | 1 | 1 | | | | 8.34 | | | |
| - | | | 2.52 | 96.9 | 1 | - | 7.12 | 5.78 | 6. 08. | 1 | 7.58 | .20 | 1.33 | 1 | \$ + . – | 1 | 1 | | | 1 | | 2.66 | | | |
| 5.92 | 6.04 | 7.00 | 7.94 | 96.9 | 7.88 | 7.16 | 7.13 | 5.78 | 8.03 | 7.50 | 7.58 | ×. | 6.90 | 8.00 | 6.80 | 3.00 10.00 | 9.66 | 10.82 | 10.08 | 7.84 | 10,30 | 11.00 | 3.00 11.00 | 9.78 | |
| 2.86 | 3.12 | 3.00 | 2.71 | 2.74 | 2.93 | 2.74 | 2.74 | 2.74 | 2.66 | 3.00 | 3.38 8.38 | 2.87 | 2.86 | 3.00 | 3.20 | 3.00 | 2.78 | 3.32 | 2.91 | 2.52 | 61 8.52 | 3.34 | 3.00 | 3.44 | |
| .48 2.35 | 2.57 | 2.47 | 2.23 | 2.25 | 2.41 | 2.25 | 2.25 | 2.25 | 2.19 | 2.47 | 61 1.78 | 2.36 | 2.35 | 2.47 | 2.63 | 2.47 | 2.29 | 55 | 2.39 | 2.07 | 2.32 | 3.75 | 2.47 | 61 22 | |
| x x . | 1.60 | 1 | ₹. | 1.64 | .93 | 1.14 | 1.24 | .40 | 1.16 | 1 | .36 | 1.20 | .73 | 1 | 96. | 1 | .76 | \$ † . | 1.36 | 1.07 | 1.32 | 85 | | .46 | |
| 1.87 | 26. | - | 1.39 | 1.61 | 1.49 | 1.11 | 1.01 | 1.85 | 1.03 | - | 2.42 | 1.16 | 1.60 | | 1.67 | 1 | 1.53 | 2.25 | 1.03 | 1.00 | 1.00 | 2.47 | | 61 | |
| 8.48 | 7.56 | 8.00 | 7.45 | 8.75 | 8.00 | 5.45 | 7.93 | 9.25 | 7.25 | 8.00 | 8.67 | 7.40 | 8.03 | 8.00 | 7.33 | 8.00 | 8.15 | 8.04 | 5.39 | 8.06 | 77.77 | 8.53 | 8.00 | × 13 | |
| Elizabeth City | Chadbourn | | Edenton | r Zebulon | Grainger | Selma | Farmville | Norman | Wallace | | Pembroke | Hobgood | Wallaee | 1 | Four Oaks | 1 | Elizabeth City | Chadbourn | Tunis | Stantonsburg | Bayboro | Tabor | | Edenton | |
| Miller's 8-3-6 Fertilizer | Swift's Piedmont Tobacco Grower, | ii. G. | Solid Gold Tobacco Fertilizer | Bowker's Red Oak Tobacco Fertilizer Zebulon | Government Formula, No. 2 | do | Big Leaf Tobacco Grower | Navassa Standard Tobacco Guano | Swift's Atlantic Tobacco Fertilizer. | | Cooper's Tobacco Special | Best Tolkiego Grower | -do | | Vance Special Tobacco Manure | | Truck and Berry Special Fertilizer | Baugh's Fruit and Berry Guano | Carolina-Union | Special Mixture | Barly Sweet Potato Guano | VaCar. Chem. Co.'s High Grade | J ODACCO P CLUMEN. | VaCar. Chem. Co.'s Enterprise High Grade. | |
| 4169 Miller Fertilizer Co., Baltimore, Md | 4232 Swift Fertilizer Works, Wilmington, N. C | Brands claiming | 4641 American Agricultural Chemical Co., New North North | - | 4633 Contentnea Guano Co., Wilson, N. C | do | Farmville Oil and Fertilizer Co., Farm- | Valle, N. C. Navassa Guano Co., Wilmington, N. C | 4733 Swift Fertilizer Works, Wilmington, N. Cs | Brands claiming | 3962 Cooper Guano Co., Wilmington, N. C | oil Co., Wilmington, N. C | 3630)do | Brand claiming | Henderson, N. C | Brands claiming | 4502 Armour Fertilizer Co., Greensboro, N. C | 3713 Baugh & Sons Co., Norfolk, Va | 4359 Carolina-Union Fertilizer Co., Norfolk, Va. C | 4634 Farmers Cotton Oil Co., Wilson, N. C s | 4674 Pamlico Chemical Co., Washington, N. C., 1 | Co., Riehmond, Va | Brand claiming | 4617 VaCar. Chemical Co., Richmond, Va | |
| 4169 | 4232 | | 1641 | 3968 | 4633 | 4042 | 4019 | \$89f | 4733 | Ī | 3962 | 5905 | 3630. | _ | 4156 | _ | 4502 | 3713 | 4359 | 4634 | † 20† | 3723 | _ | 4617 | |

| _ |
|---------------|
| _ |
| €. |
| , |
| |
| Z |
| |
| ž. |
| Z C S T S |
| |
| 7 |
| SING SEASON. |
| 77 |
| ラ |
| Ξ |
| PERIN |
| Ξ |
| 7 |
| Ĩ |
| |
| 02 |
| Ħ |
| \cong |
| N |
| IZEES |
| TII |
| Ξ |
| مہ |
| 7 |
| Ė |
| <u> </u> |
| |
| _ |
| 4 |
| SECT |
| ≊ |
| - |
| = |
| |
| Ξ |
| S |
| J |
| _ |
| OF) |
| |
| |
| SES |
| \simeq |
| \mathcal{X} |
| Ж |
| _ |
| بر |
| ż |
| - |
| .4 |
| |
| |

| | | | 1 | | Регсе | ntage | Compc | sition | Percentage Composition or Parts per 100 | ts per | 100. | | 19 |
|-----------------------|--|--|---|----------------------------------|--------------------------------|----------------------|--------------------|---------------------------|---|-------------------------|---|-----------|-------------------------------------|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Water- soluble Zitrogen, | Organic Nitrogen. | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate, | Potash from Sulphate. | Chlorine. | Relative Value p Ton at Factory. |
| | | MIXED FERTILIZERS. | ILIZERS. | | | | | | | | | | |
| | Brand claiming | | 1 | 8.00 | | 1 | 2.67 | 3.25 | 5.00 | | | | \$23.41 |
| 4014 | Farmville Oil and Pertilizer Co., Farmville, Greene County Special for Tobacco Farmville Brad claimin. | Greene County Special for Tobacco | Farmville | 7.90 | 1.54 | 1.06 | 2.60 | 3.16 | 5.80 | 5.80 | | 12.10 | 23.83 |
| 4397 | N. C. Cotton Oil Co., Henderson, N. C. | Henderson Standard | Creedmoor | 7.58 | S. | 1.40 | 2.23 | 2.71 | 3.36 | | | | 18.45 |
| | Brands claiming | | ; ; ; ; ; ; ; ; ; | 8.00 | | | 2.88 | 3.50 | 5.00 | | | 1 | 24.30 |
| 3806 | Farmers Cotton Oil Co., Wilson, N. C | Regal Tobacco Guano | Wilson | 8.27 | 1.22 | 1.56 | 2.78 | 3.38 | 5.12 | 2.40 | 27.12 | 1.80 | 24.24 |
| 4480 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Sovereign Tobacco Grower_Greenville. | Greenville | 8.08 | 1.67 | 1.02 | 5.69 | 3.27 | 5.10 | 5.10 | - | 6.80 | 23.67 |
| | Brands claiming | | 1 | 8.00 | | | 2.88 | 3.50 | 7.00 | | | 1 | 26.30 |
| 3843 | American Agricultural Chemical Co., New York N. Y. | Austin Tobacco Food | Nashville | 8.40 | 5.04 | .64 | 2.68 | 3.26 | 7.80 | 1.72 | 80.9 | 1.30 | 26.62 |
| 4251 | Royster, F. S., Guano Co., Norfolk, Va | Lenoir Special Tobacco Guano, Meal | Kinston | 7.18 | 1.29 | 1.58 | 2.87 | 3.49 | 7.58 | 7.58 | - | 9.40 | 26.10 |
| | Brand claiming | | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 8.00 | | - | 2.88 | 3.50 | 8.00 | - | | | 27.30 |
| 3805 | Farmers Cotton Oil Co., Wilson, N. C | B. B. Special Guano | Wilson | 8.20 | 1.52 | 1.28 | 2.80 | 3.40 | 8.22 | | | 1 | 27.36 |
| | Brands claiming | | , | 8.00 | | | 3.29 | 4.00 | 3.00 | 1 1 1 | 1 | | 24.02 |
| 3513 | VaCar. Chemical Co., Richmond, Va | Travers & Co.'s Capital Tobacco Fer-Greenville | Greenville | 7.56 | 2.93 | .32 | 3.25 | 3.95 | 3.28 | 3.28 | | 4.20 | 23.73 |
| 4741 | op | | Edenton | 78.7 | 2.19 | .74 | 2.93 | 3.56 | 3.36 | 3.36 | 1 | 4.30 | 22.75 |
| | Brands claiming | | 1 | 8.00 | | - | 3.29 | 4.00 | 4.00 | | | | 25.02 |
| 3490 | Acme Mfg. Co., Wilmington, N. C | Acme O. K. Fertilizer | Mount Olive | 7.97 | 1.95 1.40 | | 3.35 4.07 | | 4.16 | | | | 25.40 |

| 5985 | op | op- | Dunn | 7.85 | 1.76 | 1.44 | 3.20 | 3.89 | 4.14 | 1 | 1 | 5 | 24.64 |
|------|---|---|-----------------|-------|------|---------------|------|------|----------------|---------|---|-------------|-------|
| 3699 | O() | Quickstep Fertilizer | Goldsboro | 8.44 | 1.53 | 1.52 | 3.05 | 3.71 | 4.10 | | | 27 | 24.51 |
| 4815 | American Agricultural Chemical Co., New | Detrick's Kangaroo Komplete Kom- | Kings Mountain. | 2.90 | 2.15 | Ŧ9: | 2.79 | 3.39 | 4.36 | - | | 72 | 23.19 |
| 3556 | York, N. Y. | pound. Lazaretto Carolina Cotton Feed | Edenton | 8.17 | 99. | 2.73 | 3.39 | 4.12 | 1.84 | | - ! | - 61 - } | 26.43 |
| 4475 | op | Zell's Popular Tobacco Fertilizer | Ayden | 2.08 | 2.43 | 89. | 3.11 | 3.78 | 4.00 | 4.08 | 10.10 | | 23.43 |
| 5884 | American Fertilizer Co., Norfolk, Va | N. C. and S. C. Cotton Grower | Plymouth | 7.70 | 2.55 | 7. | 3.29 | 1.00 | 3.58 | | | 2 | 24.33 |
| 9209 | | Armour's 8-4-4 Fertilizer | Fayetteville | 7.57 | 2.15 | 1.26 | 3.41 | 7.4 | 4.20 | | 1 | 63 | 25.33 |
| 3476 | 01) | -do | Goldsboro | 7.36 | .83 | 1.26 | 3.09 | 3.76 | 3.78 | | | 2 | 23.38 |
| 4387 | Arps, George L., Norfolk, Va. | Arps' Go-a-Head Guano for Truck, | Lewiston | 7.82 | 2.05 | 1.16 | 3.21 | 3.90 | 4.32 | 4.32 | 5.70 | - | 24.84 |
| 5962 | | Cotton, and Tobacco. Oriental H. G. Guano | Robersonville | 8.27 | 1.97 | 1.46 | 3.43 | 4.17 | 4.10 | | 1 | ক্ষ | 25.95 |
| 3625 | Baugh & Sons Co., Norfolk, Va | Baugh's Fish, Bone, and Potash | Robersonville | x 3,1 | 2.59 | 97. | 3.35 | 4.07 | 4.62 | 1 | 1 | | 26.32 |
| 5935 | | do | Kinston | 8.15 | 2.58 | 79. | 3.22 | 3.91 | 4.42 | 1 | | 2,1 | 25.28 |
| 5619 | -60 | do | Oak City | 8.24 | 2.68 | .50 | 3.18 | 3.87 | 4.10 | | 1 | 2 | 24.87 |
| 3756 | оþ | Baugh's Yucatan Special Tobacco | Ayden | 7.92 | 2.43 | 96. | 3.33 | 4.05 | 4.30 | 4.30 | 4. | 4.65 | 25.41 |
| 4313 | Berkley Chemical Co., Norfolk, Va | Guano, Victory Special Crop Grower | Wilmington | 7.59 | 2.03 | .76 | 2.79 | 3.39 | 4.20 | 1 | 1 | 3 | 22.75 |
| 4371 | Benton; C. J., Guano Co., Baltimore, Md | Benton's High Grade Tobacco Guano Edenton. | 1 | 8.21 | 2.93 | .38 | 3.31 | 4.02 | 4.02 | 4.02 | 10.40 | | 25.31 |
| 4275 | Caraleigh Phosphate and Fertilizer Works, | Caraleigh Meal and Tankage Mixture. Goldsboro. | 1 | 8.10 | 1.28 | 1.92 | 3.20 | 3.89 | 5.38 | - | | C1 | 26.10 |
| 3983 | Raleigh, N. C. do | Special 8-4-4 Fertilizer | Warrenton | 6.65 | 1.83 | 1.54 | 3.37 | 4.10 | 4.13 | 1 1 1 1 | - | - 2 | 24.26 |
| 3899 | Columbia Guano Co., Norfolk, Va | Pelican Ammoniated Guano | Elizabeth City | 96.7 | 2.28 | 1.04 | 3.32 | 4.04 | 1.54 | | | - FI | 25.65 |
| 3847 | op | Trojan Tobacco Guano | Franklinton | 86.7 | 2.52 | 1.40 | 3.92 | 4.77 | 4.60 | 4.60 | 5. | 5.90 2 | 28.25 |
| 5974 | Contentnea Guano Co., Wilson, N. C | Climax Cotton Grower | Kinston | 9.00 | 1.34 | 1.24 | 2.58 | 3.14 | 4.86 | | - | 1. | 23.80 |
| 3506 | do | Climax Tobacco Grower | Kinston | 8.12 | 2.01 | 1.12 | 3.13 | 3.81 | 4.62 | 4.62 | 11.10 | | 25.07 |
| 3993 | Coöperative Warel | nouse Co., Salisbury, N.C. Farmers' Union Tobacco Guano | Greenville | 9.55 | 2.63 | 09. | 3.23 | 3.93 | 4.40 | 4.40 | | 3.60 2 | 26.56 |
| 6041 | op | Farmers' Union 8-4-4 Guano | Huntley | 8.10 | 3.12 | \$ | 3.60 | 4.38 | 4.46 | | | | 26.87 |
| 4296 | do | | Hildebran | 8.24 | 2.23 | .62 | 2.85 | 3.46 | 4.00 | 1 1 1 | - | | 23.39 |
| 4366 | | op | Salisbury | 8.19 | 2.05 | 79. | 2.69 | 3.27 | 2 . | | - | - | 22.85 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | | FIGURE STREET, 1914, | | - | _ | | | | | |
|-----------------------|---|--|---|----------------------------------|--------------------------------|----------------------|---|-------------|------------------|-------------------------|--------------------------|-----------|----------------------------------|
| | | | | | Percei | ıtage (| Percentage Composition or Parts per 100 | ition o | r Part | s per l | .00 | | ber |
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid, | Vater- soluble Vitrogen. | Organic Nitrogen. | Total Zitrogen. Equivalent | to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value Ton at Factory |
| | | MIXED FERTILIZERS. | ILIZERS. | | | | | | | | | | |
| _ | Brands claiming | | 1 | 8.00 | | (,) | 3.29 4 | 4.00 | 4.00 | - | | €. | \$25.02 |
| 4730 | Cooper Guano Co., Wilmington, N. C | Cooper's Helmar | Wallace | 8.85 | 62. | 02. | | | 2.00 | | | | 16.22 |
| 3960 | op | Cooper's Horto | Fairmont | 8.04 | 2.02 | 1.04 | 3.09 | 3.76 | 4.00 | 1 | - | | 24.21 |
| 4295 | Craven Chemical Co., New Bern, N. C | Hanover Standard Guano | Thompsons Sdg | 7.37 | 1.13 | 1.78 | 2.91 3 | 3.54 4 | 22. | | 1 | | 23.07 |
| 5976 | Dixie Guano Co., Suffolk, Va | Dixie 8-4-4 Guano | Greenville | 8.11 | 2.40 | .s. | 3.24 3 | 3.94 4 | 4.68 | | | | 25.59 |
| 4376 | do | do | Edenton | 8,33 | 2.51 | .62 | 3.13 | 3.81 | 3.92 | 1 |) 1 | - | 24.56 |
| 5927 | Bastern Cotton Oil Co., Hertford, N. C | Jennett's Best Grade Guano | Elizabeth City | 10.17 | 1.90 | 1.00 | 2.90 3 | 3.53 4 | 1.23 | | - 1 | - | 25.55 |
| 3867 | 0p | Mat White's Special | Edenton | 8.58 | 1.72 | 1.08 | 2.80 | 3.40 3 | 3.90 | | - | - | 23.38 |
| 4542 | Farmers Cooperative Fertilizer Co., Black-stone, Va | Virginia Special for Tobacco | Dunn | 8.00 | 2.93 | .45 | 3.35 4 | 4.07 3 | 3.92 | 3.92 | 9 | 6.70 | 25.19 |
| 4224 | Farmers Guano Co., Norfolk, Va | Farmers' Blood and Bone | Edenton | 8.20 | 2.25 | 1.16 | 3.41 4 | 4.14 | 4.12 | | | | 25.82 |
| 3908 | Farmers Guano Co., Raleigh, N. C | Farmers' Meal and Tankage Mixture. Goldsboro | Goldsboro | 8.28 | 1.18 | 1.92 | 3.10 | 3.77 4 | 4.83 | | - 1 | | 25.29 |
| 4021 | Farmyille Oil and Fertilizer Co., Farmyille, Carolina Chief. | Carolina Chief | Farmville | 7.30 | 2.10 | 1.34 3 | 3.44 | 4.18 | 4.30 | | - ! | - | 25.32 |
| 3923 | General Mfg. Co., Norfolk, Va. | Manure Substitute | Concord | 8.56 | 2.48 | .34 | 2.82 3 | 3.43 4 | 4.34 | | | - : | 23.89 |
| 3793 | Georgia Chemical Works, Augusta, Ga | Cardinal High Grade | Greensboro | 9.35 | 2.10 | 22. | 2.32 2 | 2.83 | 3.52 | | | | 21.68 |
| 6033 | Grandy, N. G., & Co., Elizabeth City, N.C. Grandy's High Grade Bargain Guano Elizabeth City | Grandy's High Grade Bargain Guano | Elizabeth City | 8.11 | 3.18 | .74 | 3.92 4 | 4.77 4 | 4.12 | | | | 27.88 |
| 4164 | op | -ор | Elizabeth City | 7.55 | 2.37 | .58 | 2.95 3 | 3.59 3 | 3.94 | | - ! | - | 23.12 |
| 4319 | Hampton Guano Co., Norfolk, Va | Hampton High Grade Tobacco Guano Pine Level_ | Pine Level | 8.33 | 2.15 | -66 | 2.81 | 3.42 3 | 3.00 | 3.00 | | 9.10 | 22.30 |

| 6072 | qo | Snowflake Cotton Grower | Chadbourn | 9.17 | 1.88 | .72 | 2.60 | 3.16 | 4.26 | 1 | 1 | | 23.43 |
|------|--|--|---------------|-------|------|----------------|------|------------|-------------------|------|------|-------|-------|
| 4310 | | do | Wilmington | 7.48 | 2.10 | -76 | 2.89 | 3.51 | 4.10 | | | | 22.85 |
| 4476 | Hubbard Fertilizer Co., Baltimore, Md. | Hubbard's Noxall | Kinston | 7.01 | 1.99 | .56 | 2.55 | 3.10 | 3.90 | | | - | 20.92 |
| 4478 | Josey, N. B., Guano Co., Tarboro, N. C | Josey's Big Yield Guano | Ayden | 6.84 | .65 | 2.04 | 2.69 | 3.27 | 5.24 | | - | | 22.69 |
| 3623 | do | Josey's C. S. Meal and Fish Scrap | Robersonville | 7.90 | 17. | 2.10 | 2.81 | 3.42 | 4.26 | | | | 23.17 |
| 4129 | 4129 Lee, A. S., & Sons Co., Richmond, Va | Lee's 8-4-4 Fertilizer | Scotland Neck | 8.10 | 2.47 | 1.42 | 3.89 | 4.73 | 4.32 | | - | ; | 27.95 |
| 6025 | op | op | Scotland Neck | 7.63 | 2.43 | .38 | 2.80 | 3.40 | 5.08 | | | - | 23.71 |
| 4273 | Lenoir Oil and Ice Co., Kinston, N. C | Utility High Grade Fertilizer | Pink Hill | 7.94 | ₹. | 2.18 | 3.05 | 3.67 | 4.48 | | - | | 24.31 |
| 3823 | Martin Fertilizer Co., Norfolk, Va | Martin's Beef, Blood, and Bone | Edenton | 8.94 | 2.60 | .40 | 3.00 | 3.65 | 4.03 | | - | - 1 | 24.67 |
| 3671 | · · · · · · · · · · · · · · · · · · · | Guano. Martin's Red Star Brand Fertilizer | Clinton | 9.71 | 2.31 | 7. | 3.05 | 3.71 | 4.78 | | 1 | 1 | 26.33 |
| 3594 | · · · · · · · · · · · · · · · · · · · | Martin's Tobacco Special | Dunn | 8.80 | 1.08 | 2.37 | 3,45 | 4.19 | 4.38 | 4.38 | - | 5.20 | 96.79 |
| 3748 | McNair Phosphate Co., Laurinburg, N. C | Floradora | Raeford | 8.35 | 2.01 | 66: | 2.93 | 3.56 | 4.64 | ! | - | | 24.51 |
| 3576 | Meadows, E. H. & J. A., Co., New Bern, N. C. | Meadows' Ideal Tobacco Guano | New Bern | 8.17 | 1.55 | 1.84 | 3.39 | 2.91 | 4.40 | 4.40 | | 9.10 | 25.99 |
| 5972 | do | op | Kenansville | 7.84 | 1.84 | 1.54 | 3.38 | 2.89 | 4.32 | 4.32 | | s. 40 | 25.57 |
| 3595 | Miller Fertilizer Co., Baltimore, Md. | Everett's Special Cotton Grower | Dunn | 8.16 | 2.61 | .38 | 2.99 | 3.64 | 4.06 | | - | 1 | 23.96 |
| 3845 | op. | Four Per Cent Tobacco Fertilizer | Franklinton | 8.23 | 2.45 | .36 | 2.78 | 3.38 | 3.90 | 3.90 | | 7.50 | 22.98 |
| 3462 | Navassa Guano Co., Wilmington, N. C | Coree Tobacco Guano | Whiteville | 8.79 | 2,53 | £. | 2.77 | 3.37 | 4. t S | 4.40 | .08 | 3.30 | 24.02 |
| 4207 | op | Navassa High Grade Fertilizer | Polkton | 8.97 | 2.93 | .30 | 3.23 | 3.96 | 3.54 | | | - | 25.18 |
| 3720 | op | Navassa Special Meal Fertilizer | Chadbourn | 8.24 | 2.17 | 1.22 | 3.39 | 4.12 | 4.58 | | | | 26.23 |
| 5921 | op | op | Halifax | 9.32 | 2.30 | 7 . | 3.14 | 8.82 | 3.52 | | 1 | | 25.10 |
| 4711 | N. C. Cotton Oil Co., Henderson, N. C. | Two-in-One for Cotton | Youngsville | 8.62 | 1.07 | 1.88 | 2.95 | 3.59 | 3.88 | 1 | - | | 24.03 |
| 4535 | N. C. Cotton Oil Co., Wilmington, N. C. | Wilmington Full Value | Kinston | 8.03 | 1.61 | 1.44 | 3.05 | 3.71 | 51. | | | | 24.15 |
| 4731 | op* | Wilmington Tobacco Guano | Wallace | 77.77 | 1.61 | 1.36 | 2.97 | 3.61 | 5.30 | | 5.30 | | 24.77 |
| 3463 | ор | Wilmington Truck Grower | Maxton | 8.83 | 1.09 | 2.18 | 3.27 | .9. 89. | 98.4 | | - | - | 26.48 |
| 5879 | New Bern Cotton Oil and Fertilizer Mills, New Bern. N. C. | Oriole Tobucco Grower | Resaca | 9.10 | 1.33 | 1.92 | 3.25 | 3.95 | 5.18 | 1.73 | 3.46 | 1.30 | 27.02 |
| 3666 | | op | Grifton | 8.11 | 1.01 | . S. | 2.83 | 7. | 4.34 | 3.60 | 7 | 2.70 | 24.12 |

24.61 25.4021.06 24.38

> 4.36 3.80

.66 3.37 .78

7.65 8.87

Faultless Ammoniated Superphosphate.

Pocomoke Guano Co., Norfolk, Va.___

---do---

3692 5958

3997

Pocomoke High Grade Tobacco Guano.

1.30 3.12 3.79 4.26 4.10 2.21 2.69

8.05 1.82 2.71 1.43 2.55

10.50

.66 3.21 3.90 4.38 4.38

Snow Hill..... 7.24 Red Springs..... Lewiston.... Gatesville.....

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1911.

| | | | | | Dorog | Dangantuna Camanattion on Darte ron III | | | or Post | 1000 | 99 | | 1 |
|-----------------------|--|---|---|---------------------------------|--------------------------------------|---|--------------------|---------------------------|------------------|-------------------------|--------------------------|-----------|-------------------------------|
| | | | | | 5154 | - Leage | | | | and shi | 100. | | ьъ [.] те Беі |
| Гарогаtогу Хитрег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid | Water- soluble Zitrogen. | Organic Vitrogen. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash, | Potash from Muriate, | Potash from Sulphate. | Chlorine. | Relative Valu Ton at Facto |
| | | MIXED FERTILIZERS. | HLIZERS. | | | | | | | | | | |
| | Brands claiming | | 1 2 5 6 6 1 1 1 1 2 2 3 3 4 3 4 4 5 5 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 | 8.00 | | 1 | 3.29 | 4.00 | 4.00 | | | 1 | \$25.02 |
| 5906 | Ober, G., & Sons Co., Baltimore, Md | Ober's High Grade Fertilizer | Sharpsburg | 9.01 | 1.49 | 1.62 | 3.11 | 3.78 | 38. | 1 | | | 25.55 |
| 3631 | do | op | Wallace | 9.10 | 1.75 | 1.34 | 3.09 | 3.76 | 4.40 | 1 | i | 1 | 25.57 |
| 1801 | Old Buck Guano Co., Richmond, Va | Old Buck Florida General Trucker. | Harrisburg | 8.33 | 3.13 | 1.14 | 3.27 | 3.98 | 3.98 | | i | - 1 | 25.21 |
| 4205 | Palmetto Guano Co., Columbia, S. C | Palmetto High Grade Fertilizer | Polkton | 7.59 | 1.95 | 97. | 2.71 | 3.29 | 3.74 | | i | | 21.95 |
| 4637 | Pamlico Chemical Co., Washington, N. C., Bull's Eye Tobacco Growers' Guano., Grifton | Bull's Eye Tobacco Growers' Guano | Grifton | 8.49 | 1.51 | 1.60 | 3.11 | 3.78 | 4.62 | ₹. | 3.78 | .65 | 25.32 |
| 4077 | op | Pamlico 8-4-4 Guano | Bayboro | 8.29 | 1.90 1.30 | 1.30 | 3.20 | 3.89 | 3.58 | | | | 24.48 |
| 4377 | Pan-American Pertilizer Co., New York, | Pan-American Favorite Compound. Edenton | Edenton | 8.35 | 2.09 | 1.12 | 3.21 | 3.90 | 3.40 | | i | 1 | 24.37 |
| 3540 | Patapseo Guano Co., Baltimore, Md | Patapseo Cotton and Tobacco Special Kings Mountain. | Kings Mountain | 7.89 | 2.18 | 99. | 2.84 | 3.45 | 4.16 | 4.16 | | 8.60 | 23.19 |
| 4636 | Pearsall & Co., Wilmington, N. C. | Pearsall's Fish, Bone, and Potash | Burgaw | 8.52 | 1.35 | 1.08 | 2.43 | 2.95 | 4.4 | | | | 22.31 |
| 4138 | Ξ | Compound Guano. Gorham's High Grade | Whitakers | 7.80 | 1.20 | 2.28 | 3.48 4.23 | | 3.84 | | Ì | | 25.48 |
| 3827 | Planters Fertilizer and Phosphate Co., | Planters' Special Cotton Fertilizer | Morven | 8.40 | 2 8: | 1.28 | 3.12 | 3.79 | 4.04 | | - | 1 | 24.70 |
| 3857 | <u>L</u> | Piedmont Unexcelled Guano | Flizabeth City | 8.09 | 1.92 1.32 | | 3.24 | 3.94 | 4.54 | | i | | 25.43 |
| 0000 | | | 111. | 0 | 0 0 1 00 1 00 1 00 1 0 0 10 0 0 10 0 | 06 | 01.0 | 04 6 | 1 96 | | | | 24 61 |

| 3507 | 3507 Powhatan Chemical Co., Richmond, Va | North State Special | Kinston | 8.34 | 2.29 | 86. | 3.27 | 3.98 | 4.43 | | 25.66 |
|------|---|---|---------------|-------|----------------|---------------|------|---------|------|---|-------|
| 4148 | Rasin-Monumental Co., Baltimore, Md. | Rasin's Dixie High Grade Guano | Kinston | 8.48 | 2.37 | .75 | 3.09 | 3.76 | 3.92 | | 24.53 |
| 4578 | Read Phosphate Co., Charleston, S. C | Read's High Grade Cotton Guano | Gibson | 7.12 | .47 | 5.00 | 2.47 | 3.00 | 4.28 | | 21.06 |
| 3925 | Richmond Guano Co., Richmond, Va | Perfection Special | Concord | 8.55 | 2.13 | 7. | 2.96 | 3.60 | 4.50 | | 24.33 |
| 3919 | Roberson Mfg, Co., Lumberton, N. C | Gold Dollar | Lumberton | 8.05 | 1.53 | 1.66 | 3.19 | .8 8 | 4.10 | | 24.74 |
| 4452 | Robersonville Guano Co., Robersonville, | Roberson's 4 Per Cent Special Guano. Robersonville. | Robersonville | 8.40 | 1.35 | 1.62 | 2.97 | 3.61 | 4.20 | | 24.23 |
| 3558 | Royster, F. S., Guano Co., Norfolk, Va | Jupiter High Grade Guano | Roper | 8.00 | 2.21 | ž | 3.05 | 3.71 | 4.36 | | 24.37 |
| 5971 | do | Milo Tobacco Guano | Kinston | 7.60 | 2.04 | 1.24 | 3.28 | 3.93 | 1.64 | 4.64 5.80 | 25.26 |
| 3579 | do | op | Kinston | 7.73 | 3.08 | 1.06 | 3.14 | 3.83 | 4.16 | 4.16 7.50 | 24.30 |
| 5945 | | Royster's High Grade Special To- bacco Guano | Hope Mills | 8.00 | 65.5 | $\frac{1}{8}$ | 3.47 | 4.55 | 4.38 | 4.38 7.00 | 26.15 |
| 3508 | qo | do | Greenville | 7.81 | 2.45 | .78 | 3.23 | 3.93 | 4.18 | 4.18 6.50 | 24.77 |
| 4421 | qo | Truckers' Delight | Swannanoa | 7.96 | 1.97 | 1.26 | 3.23 | 3.93 | 4.40 | | 25.13 |
| 3761 | Scotland Neck Guano Co., Scotland Neck, | Biggs' Cotton-seed Meal and Fish | Ayden | 8.05 | 1.14 | 1.70 | 2.84 | 3.45 | 4.52 | | 23.69 |
| 4233 | Southern Cotton Oil Co., Charlotte, N. C | Konqueror | Lumberton | 88.6 | 2.11 | 7. | 2.53 | 3.08 | 3.58 | | 23.10 |
| 4853 | Southern Cotton Oil Co., Concord, N. C | Conqueror High Grade Fertilizer | Goldston | 6.87 | 1.43 | 1.74 | 3.17 | 3.85 | 4.30 | 1 | 23.70 |
| 6061 | Southern Cotton Oil Co., Fayetteville, N.C. | Southern Cotton Oil Co.'s Special Mixtura | Fayetteville | 9.8 | 8. | 1.38 | 2.30 | 2.x0 | 4.82 | | 23.34 |
| 4547 | do | do- | Jonesboro | 8.07 | 1.29 | 1.34 | 2.63 | 3.20 | 4.08 | 1 | 22.39 |
| 3734 | Southern Cotton Oil Co., Goldsboro, N. C. | op | Enfield | 8.07 | 1.67 | 1.03 | 2.75 | 3.34 | 4.92 | | 23.73 |
| 4045 | Swift Fertilizer Works, Wilmington, N. C | Atlantic Cotton and Corn Fertilizer. | Smithfield | 7.27 | 1.61 | 1.72 | 3.33 | 4.05 | 4.20 | | 24.73 |
| 3602 | op | Swift's Majestic for Tobacco, High | Smithfield | 7.93 | 1.27 | 77. | 3.41 | 4.14 | 4.44 | .13 4.31 .10 | 25.90 |
| 3479 | op | Swift's Monarch High Grade | Goldsboro | 8.09 | 1.66 | 1.95 | 3.61 | 4.39 | 3.58 | | 26.02 |
| 4580 | Tuscarora Fertilizer Co., Wilmington, N. C. Tuscarora No. 844 | . Tuscarora No. 844 | Red Springs. | 7.42 | 1.95 | 86 | 2.93 | 3.56 | 3.90 | 1 | 22.88 |
| 3533 | Union Abattoir Co., Norfolk, Va | Cotton Guano | Spring Hope | 8.68 | 2.67 | 37 | 3,49 | 4.24 | 4.73 | | 27.19 |
| 9644 | op | Red Star Brand Cotton Guano | Benson | S. 51 | 2.53 | 1.45 | 2.99 | 3.64 | 4.34 | | 24.56 |
| 5993 | 5993 Union Guano Co., Winston, N. C. | Union Premium Guano | Stedman | 7.56 | es 5. | .26 | 3.54 | 4.30 | 3.72 | | 25.39 |
| 3706 | op. | do. | Kinston | 6.30 | 57 52 53 | 1.34 | 2.69 | 3.27 | 3.54 | | 24.07 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1911.

| | | | | | Perce | ntage (| Compc | sition | or Par | Percentage Composition or Parts per 100 | .00 | | ber. |
|----------------------|--|---|----------------|---------------------------------|--------------------------------|----------------------|--------------------|---------------------------|------------------|---|--------------------------|-----------|----------------------------------|
| Laboratory Number | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid | Water- soluble Vitrogen. | Огganic Хістодеп. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value Ton at Factory |
| | | Mixed Ferthizers. | ILIZERS. | | | | | | | | | | |
| | Brands claiming | | | 8.00 | | 1 1 | 3.29 | 4.00 | 4.00 | | | | \$95,09 |
| 3975 | Upshur, R. L., Guano Co., Norfolk, Va | Hpshur's Special | Wendell | 8.67 | 1.57 | 1.26 | 2.83 | 3.44 | 3.78 | | | | 23.47 |
| 4530 | United States Fertilizer Co., Baltimore, Md Farm Bell Majestic Guamo | Farm Bell Majestic Guano | Littleton | 8.26 | 1.71 | 1.16 | 2.87 | 3.49 | 4.06 | 1 | | 1 | 23.55 |
| 4113 | do | | Greensboro | 7.84 | 2.10 | 1.01 | 3.14 | 85 85 85 | 1.08 | | | | 24.32 |
| 1855 | do | do. | Salisbury | 8.54 | 1.91 | 1.06 | 2.97 | 3.61 | 90.4 | 1 | | | 24.16 |
| 3977 | Vance Guano Co., Henderson, N. C. | Brodie's Best Guano | Zebulon | 7.17 | 1.84 | 1.01 | 2.88 | 3.50 | 4.60 | | - | 1 | 23.15 |
| £133 | 90 | do | \pex | 8.47 | 5.09 | .94 | 3.03 | 3.65 | 3.28 | - | - | | 23.63 |
| 3831 | VaCar. Chemical Co., Richmond, Va | Durham Fertilizer Co.'s High Grade Fertilizer. | Wadesboro | 7.65 | 1.52 | 1.08 | 2.60 | 3.16 | 5.94 | 1 | | | 23.74 |
| 3967 | | op. | Fairmont | <u>x</u> | 2.15 | - S. | 5.99 | 3.64 | 3.58 | | | 1 | 23.70 |
| 4117 | (10 | L. A. C. Crop Grower | Asheville | 9.52 | 2.75 | 01. | 3.15 | 3.85 | 4.02 | | | | 25.82 |
| 3512 | op | Old Dominion Special Mixture | Greenville | 7.64 | 1.77 | 1.52 | 3.29 | 4.00 | 4.04 | | | 1 | 24.73 |
| 5909 | op | VC. C. Co.'s Farmers' Choice | Belhaven | 9.53 | 1.10 | 1.58 | 2.68 | 3.26 | 3.04 | | | 1 | 22.87 |
| 3536 | qo | VC. C. Co.'s Fish and Meal Mixture. Spring Hope. | Spring Hope | 7.88 | 3.03 | 8. | 3.85 | 4.68 | 3.84 | | | i | 27.10 |
| 4001 | | VC. C. Co.'s Formula 161 for To- | Greenville | 80.9 | 2.44 | 98. | 3.24 | 3.94 | 4.00 | 4.00 | - 1 | 9.4 | 23.08 |
| 3511 | (lo | VC. C. Co.'s Special C. S. M. | Kinston | 8.13 | 1.99 | 1.18 | 3.17 | 3.85 | 4.12 | 1 | | | 24.75 |
| 3209 | | | Greenville | 79.7 | 1.54 | 1.52 | 3.06 | 3.75 | 4.28 | | - 1 | 1 1 | 24.03 |
| 4373 | Winborne Guano Co., Norfolk, Va | Big Triumph Guano | Edenton | 7.21 | 1.75 | 1.38 | 3.13 | 3.81 | 3.48 | - | | | 23.14 |

| Brands claiming Brands claiming | A CALLE C. | 8.07 | 2.55 | 8 | 3.15 | 3.83 | 3.74 | - | - | 24.23 |
|---|--|------|----------------|-------------------|-----------|--------|---------|-------------|-----------|---------|
| American Fertilizer Co., Norfolk, Va | 8 | 8.00 | 1 | - | 3.29 | 4.00 | 5.00 | - | - | 26.02 |
| Royster, F. S., Guano Co., Norfolk, Varands claiming | Elizabeth City | 09.9 | 2.75 | .48 | 3.23 | 3.93 | 5.40 | - 1 | | 24.91 |
| VaCar. Chemical Co., Richmond, Va | Cobb's High Grade for Tobacco Edenton 8.3 | 8.30 | 1.81 | - - 6: | 2.71 | 3.29 4 | 4.92 4. | 4.92 | 7.70 | 73.77 |
| Armour Fertilizer Works, Greensboro, N. C. Caraleigh Phosphate and Fertilizer Works, Rategil, N. C. Carolina-Union Fertilizer Co., Norfolk, Va. Cooperative Warehouse Co., Salisbury, N.Cdodododoto | LaGrange | 7.57 | 1.80 | 1.26 | 3.06 | 3.72 | 7.16 5. | 5.60 1. | 1.56 4.20 | 0 26.82 |
| Armour Fertilizer Works, Greensboro, N. C. Caraleigh, Phosphate and Fertilizer Works, Radeigh, N. C. Carolina-Union Fertilizer Co., Norfolk, Va. Cooperative Warehouse Co., Salisbury, N. C. dodo Richmond Guano Co., Richmond, Va. C. Union Guano Co., Winston, N. C. Trands claiming United States Fertilizer Co., Baltimore, Md. C. dodododo | 8 | 8.00 | - | 1 | 3.29 | 4.00 | 00.9 | | | 27.02 |
| Caralcigth Phosphate and Fertilizer Works, Rategel, N. C. Carolina-Union Fertilizer Co., Norfolk, Va Coöperative Warehouse Co., Salisbury, N.Cdo Richmond Guano Co., Richmond, Va Union Guano Co., Winston, N. C. Tands claiming United States Fertilizer Co., Baltimore, Mddodo Powhatan Chemical Co., Richmond, Vado | Pleasant Garden | 7.04 | 1.67 | 1.02 | 5.69 | 3.27 | 5.48 | | | 23.11 |
| Carolina-Union Fertilizer Co., Norfolk, Va Coöperative Warehouse Co., Salisbury, N.Cdodo Richmond Guano Co., Richmond, Va VaCar. Chemical Co., Richmond, Va rands claiming. United States Fertilizer Co., Baltimore, Mddodo | Rhamkatte Special Tobacco Guano Goldsboro 9. | 9.62 | 1.94 | 82 | 2.72 | 3.31 | 5.24 | 1.00 4.24 | 24 .75 | 5 25.32 |
| Copperative Warehouse Co., Salisbury, N.C. —do. —do. Richmond Guano Co., Richmond, Va. Union Guano Co., Richmond, Va. VaCar. Chemical Co., Richmond, Ya. Inited States Fertilizer Co., Baltimore, Md. —do. —do. —do. —powbatan Chemical Co., Richmond, Va. | Edenton | 7.97 | 2.13 | 96. | 3.09 | 3.76 | 5.96 | | | 26.11 |
| dodotdoRichmond, Vadododododododo | Huntley | 7.54 | 3.26 | 99. | 3.82 | 4.64 | 6.30 | | | 29.13 |
| Richmond Guano Co., Richmond, Va. Union Guano Co., Winston, N. C. YaCar. Chemical Co., Richmond, Va. rands claiming. United States Fertilizer Co., Baltimore, Mddododododododod | Farmers' Union Tobacco GuanoCooper S | S.57 | 2.38 | .40 | 2.78 | 3.38 | 5.88 5. | 5.88 | 6.10 | 9 25.27 |
| Richmond Guano Co., Richmond, Va. Union Guano Co., Winston, N. C. rands claiming. United States Fertilizer Co., Baltimore, Md. do | Trenton | 8.25 | 2.45 | .54 | 5.99 | 3.64 | 5.06 5. | 5.06 | 4.60 | 25.04 |
| Union Guano Co., Winston, N. C. rands claiming. United States Fertilizer Co., Baltimore, Md., do. | Bone and Blood Special for Tobacco. Nashville 8. | 8.79 | 2.35 | 86. | 3.33 | 4.05 | 7.56 1. | 1.02 6. | 6.54 .80 | 9 29.46 |
| VaCar, Chemical Co., Richmond, Varands claiming. United States Fertilizer Co., Baltimore, Md. dorand claiming. Powbatan Chemical Co., Richmond, Va. | Union Guano for Cotton and Tohaceo Clinton 8.3 | 8.89 | 2.47 | 01. | 2.87 | 3.49 | 5.94 5. | 5.94 | 5.80 | 25.99 |
| rands claiming. United States Fertilizer Co., Baltimore, Md. -do. rand claiming. Powbatan Chemical Co., Richmond, Va. | Morganton | 8.57 | 5.60 | 81 | 2.82 | 3.43 (| 6.24 | | - 1 | 25.80 |
| United States Fertilizer Co., Baltimore, Mddorand claiming | 8 | 8.00 | | | 3.29 | 4.00 | 7.00 | | 1 | 28.02 |
| Brand claiming. Powchatan Clemical Co. Richmond. Va | Four Oaks | 8.44 | 3.05 | 1.12 | 3.17 | 3.85 | 89.9 | | | 27.59 |
| rand claiming Powbatan Chemical Co. Richmond. Va | Washington 8.3 | 8.95 | 1.99 | 1.02 | 3.01 | 3.66 | 6.42 | - | - | 27.12 |
| Powhatan Chemical Co., Richmond, Va | 8 | 8.00 | 1 | | 3.29 | 4.00 | 8.00 | | | 29.05 |
| | Copeland's Magic Fertilizer Fremont 7. | 7.52 | 2.43 | .60 | 3.03 | 3.68 | 7.94 | | - 1 | 27.43 |
| Brands claiming | 8 | 8.00 | 1 | - | 3.70 | 4.50 | 7.00 | | - 1 | 29.74 |
| 4144 Contentnea Guano Co., Wilson, N. C Tobacco Grower | Kinston | 8.41 | 1.35 | 1.98 | 3.33 | 4.05 | 8.06 | × | 8.06 | 29.61 |
| 4020 Farmville Oil and Fertilizer Co., Farmville, Davis' Special Guano. | Farmville | 7.97 | 1.41 | 1.58 | 2.99 | 3.64 | 7.96 | | - | 27.69 |
| 3809 Powhatan Chemical Co., Richmond, Va Tomlinson's Best Fertilizer | ilizer | 8.51 | 2.43 | 1.02 | 3.44 | 4.18 | 6.20 | _ | _ | 28.31 |
| 4139 Southern Cotton Oil Co., Rocky Mount, Seogo Tobageo Grower N. C. | Whitakers | .49 | 7.49 1.96 1.58 | | 3.54 4.30 | | 6.92 6. | 6.92 | 5.70 | 3 28.53 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| g per | Relative Value Ton at Factor | | \$31.00 | 25.99 | 29.46 | 27.43 | 29.66 | 29.39 | 32.29 | 29.23 | 29.40 | 27.53 | 19.69 | 20.25 | 31.46 | 30.03 | 28.80 | 30.66 | 30.23 |
|--|--|--------------------|----------------|---------------------------------------|---|---|---|---------|-------------------------------------|---------------------------------------|--|--|---|--|-----------------|--|---|--|--|
| | Chlorine. | | | | | | | | 1.00 | | | | | | | - 1 | | | - |
| r 100. | Potash from Sulphate. | | | | | | | - | 5.75 | | | | | | | | | | |
| urts po | Potash from Muriate. | | | | | | | - | 1.33 | 1 | | - | | | | | 1 | | |
| or Pa | Total Potash. | | 7.00 | 6.12 | 5.00 | 5.08 | 5.38 | 5.46 | 7.08 | 4.96 | | 6.00 | 4.00 | 4.18 | 7.00 | 5.92 | 7.56 | 6.30 | 6.36 |
| osition | Equivalent to Ammonia. | | 4.86 | 3.33 | 5.00 | 4.45 | 4.80 | 4.85 | 5.08 | 4.91 | 95.9 | . X | 2.26 | 2.11 | 5.00 | 4.97 | 4.46 | 4.90 | 4.53 |
| Comp | Total Zitrogen. | | 4.00 | 2.74 | 4.11 | 3.66 | 3.95 | 3.99 | 3. | 4.04 | 5.15 | 3.19 | 1.86 | 1.74 | 4.11 | 4.09 | 3.67 | 4.03 | 3.73 |
| Percentage Composition or Parts per 100. | Organic Zitrogen, | | - | .04 | | 1.32 | 3.00 | ¥. | .86 | 1.22 | 1.23 | ÷; | 1 1 | 1.45 | | 1.68 | 1.44 | 3.10 | 7. |
| Percei | soluble Zitrogen. | | | 9.70 | 1 | 2.34 | 1.95 | 2.15 | 3.32 | 51 S. S. | 3.93 | 2.87 | | 333 | - | 7 | 2.23 | 1.93 | 2.59 |
| | Available Phosphoric Acid. Water- | | 8.00 | 9.39 | 8.00 | 7.75 | 8.54 | 7.97 | 8.51 | 8.11 | 7.39 | 9.01 | 8.75 | 9.74 | 8.00 | 7.70 | 6.47 | 8.26 | 9.10 |
| | Where Sampled. | ILIZERS. | | Brevard | 1 | Asheville | New Bern. | Trenton | Carthage | Plymouth | Robersonville | Asheville | 1 | Wilmington | | Wilmington | Elizabeth City | Maxton | Tryon |
| | Name of Brand. | Mixed Fertilizers. | | Beta Special | | Asheville Packing Co.'s Extra High | Grade Vegetable Special. Meadows' Lobos Guano | do | Tobacco Special Mixture | Piedmont General Truck Grower | King Trucker | Virginia Trucker | | Farmers' Mixture | | C. Armour's Blood, Bone, and Meal | Tankage and Fish Substitute Peru- | Wilmington Pride | Sunrise High Grade Pertilizer |
| | Name and Address of Manufacturer. | | Brand claiming | 4057 Beta Fertilizer Co., Beta, N. C. | Brands claiming | 3980 Asheville Packing Co., Asheville, N. C | Meadows, E. H. & J. A., Co., New Bern, | do | Norfolk Fertilizer Co., Norfolk, Va | Piedmont-Mount Airy Guano Co., Balti- | nore, and. Powhatan Chemical Co., Richmond, Va | 4416 VaCar, Chemical Co., Richmond, Va | Brand claiming | 4047 Navassa Guano Co., Wilmington, N. C | Brands claiming | 3471 Armour Fertilizer Works, Wilmington, N. C. Armour's Blood, Bone, and Meal | 3606 Eastern Cotton Oil Co., Hertford, N. C | N. C. Cotton Oil Co., Wilmington, N. C | 4700 Southern Cotton Oil Co., Spartanburg, S. C. |
| | Laboratory Xumber | | ā | 1057 | ä | 3980 | 3573 | 1335 | 2610 | 5883 | 1451 | 1416 | ā | 1047 | ă | 3471 | 3606 | 4401 | 4700 |

| 4039 | Southern Exchange Co., Maxton, N. C. | McKimmon's Special Truck Formula_ St. Paul. | St. Paul | 7.52 | 2.94 | 89. | 3.62 | 4.40 7.92 | 7.92 | - | 1 | 29.89 |
|------|---|---|---|------|------|---------------|------|-------------|-------|---------------------------------------|------|-------|
| 5991 | | Tuscarora Trucker. | Stedman | 7.64 | 2.40 | 1.64 | 4.04 | 16.4 | 7.06 | 1 | 1 | 30.90 |
| 5990 | | -do | Stedman | 7.85 | 2.58 | 1.60 | 3.88 | 4.73 | 6.80 | i i i i i i i i i i i i i i i i i i i | | 30.16 |
| 5992 | | op | Stedman | 8,45 | 1.96 | 1.60 | 3.56 | 4.33 | 6.18 | | | 28.71 |
| 3618 | | VC. C. Co.'s Invincible High Grade Blizabeth City | Elizabeth City | 5.90 | 3.67 | .58 | 4.25 | 5.17 | 7.16 | | 1 | 30.32 |
| | Brand claiming | Fertilizer. | 1 | 8.00 | 1 | 1 | 1.1 | 5.00 | 8.00 | | 1 | 32.50 |
| 4612 | Aeme Mfg. Co., Wilmington, N. C. | Pumpelly's Special Tobacco Fertilizer Samarcand. | Samareand | 8.66 | £. | 4.22 | 4.45 | 5.41 | 96.7 | .13 7.83 | 1 | 34.44 |
| | Brand claiming | | | 8.00 | 8 9 | | 4.11 | 5.00 | 10.00 | 1 | 1 | 34.50 |
| 4419 | Asheville Packing Co., Asheville, N. C | Asheville Packing Co.'s Extra High | Asheville | 7.27 | 2.87 | .76 | 3.63 | 1.41 | 10.34 | | | 32.13 |
| | Brand claiming | Grade Vegetable Special. | 1 | 8.00 | - | | 66.9 | 8.50 | 3.50 | | 1 | 40.06 |
| 3965 | 3965 Peruvian Guano Corporation, Charleston, | Peruvian Guano Top Dresser | Fairmont | 90.7 | 6.00 | 1.5 | 6.12 | 1.4 | 4.00 | 1 | | 36.06 |
| | S. C. Brand claiming | | 1 | 8.25 | 1 | 1 | 2.08 | 2.53 | 2.75 | - | | 18.91 |
| 450s | Baugh & Sons Co., Norfolk, Va. | Baugh's Colonial Tobacco Guano | Kings Mountain. | 8.45 | 1.35 | 15. | 1.89 | 2.30 | 3.36 | 3,36 | 7.00 | 18.90 |
| | Brand claiming | | | 8.50 | | | 1.65 | 2.00 | 1.50 | | 1 | 16.08 |
| 4388 | American Fertilizer Co., Norfolk, Va. | Peruvian Mixture | Windsor | 7.50 | 1.39 | 06. | 1.89 | 2.30 | 2.03 | | | 16.71 |
| | Brands claiming | | | 8.50 | | | 1.65 | 2.00 | 2.00 | - | | 16.58 |
| 4277 | Pocomoke Guano Co., Norfolk, Va | Electric Crop Grower | Goldsboro | 8.17 | 1.31 | 7 | 1.73 | 2.10 | 2.34 | | | 16.96 |
| 3881 | 01) | op | Sylva | 7.89 | 1.34 | .46 | 1.80 | 2.19 | 2.18 | | 1 1 | 16.84 |
| | Brand claiming | | 1 | 8.50 | | | 5.06 | 2.50 | 2.50 | | | 18.80 |
| 4278 | Poeomoke Guano Co., Norfolk, Va. | Cinco Tobacco Guano | Goldsboro | 8.52 | 1.41 | 8 † . | 1.89 | 2.30 | 9.70 | 2.70 | 7.20 | 18.31 |
| | Brands claiming | | 1 | 9.00 | | | .82 | 1.00 | 2.00 | | | 13.54 |
| 1195 | Adair & McCarty Bros., Chattanoogu, | Adair's Blood, Bone, and Tankage | Spruce Pine | 8.94 | .47 | .28 | .75 | 16. | 1.54 | | | 12.74 |
| 4297 | Tenn. American Fertilizer Co., Norfolk, Va | Chano. American Bone Mixture | Hildebran | 60.6 | .55 | 85 | .S3 | 1.01 | 1.98 | | - | 13.65 |
| 4880 | Baugh & Sons Co., Noriolk, Va | Baugh's Grain and Grass Grower | Gold Hill | 8.70 | .27 | 27 | 66. | 1.20 | 1.96 | | | 13.95 |
| 1673 | Columbia Guano Co., Norfolk, Va. | Columbia Special 1-9-2 Guano. | Lincolnton | 9.05 | .57 | 7 | 1.01 | 1.23 | 2.36 | | | 14.73 |
| 1991 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Special 1-9-2 Guano | Kernersville | 06.6 | .53 | \$ | 1.01 | 3.5 | 5.30 | | | 15.45 |

ANALYSES OF COMMERCIAL FERTHLIZERS—SPRING SEASON, 1914.

| - | | | | | Perce | ntage (| oduno, | sition | or Par | Percentage Composition or Parts per 100 | .00 | | ber. |
|-------------------------|--|--|----------------|----------------------------------|--------------------------------|----------------------|--------------------|------------------------|------------------|---|---|------------------|----------------------------------|
| Гарогатогу Хить рег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. | Vater- soluble Vitrogen. | Organic Zitrogen. | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value Ton at Factor: |
| | | MIXED FERT | FERTLIZERS, | | | | | | | | | | |
| | Brand claiming | | | 9.00 | 1 | | .83 | 1.00 | 2.00 | | | | \$13.54 |
| 4293 | 4293 VaCar. Chemical Co., Richmond, Va | Allison & Addison's Little Giant | Lincolnton | 8.05 | 1.03 | -44 | 1.47 | 1.79 | 8.3 | | | | 16.22 |
| _ | Brands claiming | Chair and Chass Clower. | | 9.00 | | 1 | .82 | 1.00 | 3.00 | | | Ī | 14.54 |
| 4785 | 4785 American Agricultural Chemical Co., New | Zell's Hustler | Bessemer City | 8.83 | 8: | 67 | 1.03 | 1.25 | 3.06 | 1 | 1 1 1 | 1 1 | 15.33 |
| 4661 | Armour Fertilizer Works, Greensboro, N. C. | Armour's No. 913 Fertilizer | Guilford | 8.40 | 61 | .58 | ·8. | 1.03 | 3.46 | • | 1 | | 14.59 |
| 4299 | 4299 Coe-Mortimer Co., Charleston, S. C. | Coe-Mortimer Co.'s Tar Heel | Hildebran | 10.50 | .44 | ×. | .62 | .75 | 2.94 | 1 | 1 | | 14.99 |
| 4842 | 4842 Columbia Guano Co., Columbia, S. C | Columbia Grain Guano | Hendersonville | 9.28 | .37 | .46 | S. | 1.01 | 2.90 | | 1 | 1 | 14.70 |
| 4300 | Navassa Guano Co., Wilmington, N. C | Long's Wheat and Grass Guano | Newton | 9.20 | .93 | .28 | 1.21 | 1.47 | 2.96 | | | | 16.32 |
| 3541 | Patapsco Guano Co., Baltimore, Md | Coon Brand Guano | Kings Mountain | 9.00 | 69. | .30 | -88 | 1.08 | 3.20 | - | - | 3 1 5 | 15.01 |
| 3780 | 3780 Powhatan Chemical Co., Richmond, Va | Powhatan Grain Guano | Waco | 9.34 | 74. | 89. | 1.15 | 1.40 | 3.00 | i | - | | 16.24 |
| 4287 | 4287 Royster, F. S., Guano Co., Norfolk, Va | Royster's Grain Guano | Kernersville | 9.36 | .53 | .28 | 18. | 86. | 2.92 | i | | 1 | 14.75 |
| 3655 | do | | Hickory | 9.07 | .59 | .18 | 77. | .94 | 3.24 | | | 1 | 14.64 |
| 4829 | Spartanburg Fertilizer Co., Spartanburg, | Tiger Brand | Hendersonville | 8.85 | 62: | .44 | .73 | 68. | 4.28 | | |) 3 1 1 | 15.31 |
| 4591 | Swift Fertilizer Works, Wilmington, N. C. | Swift's Special Standard Grade | Mooresville | 8.75 | .39 | .50 | 68. | 1.08 | 3.02 | | | | 14.63 |
| 4847 | Tuscarora Fertilizer Co., Wilmington, N. C. | Guano. Tuscarora Fertilizer No. 913 | Hendersonville | 7.81 | .59 | .36 | .95 | 1.16 | 2.90 | | | 1 | 13.92 |
| 4860 | 4860 Phion Guano Co., Winston-Salem, N. C | B. S. Ammoniated Guano | Staley | 8.84 | .77 | .30 | 1.07 | 1.30 | 3.24 | | 1 | | 15.69 |
| 4720, | 4720 VaCar. Chemical Co., Richmond, Va | Bigelow's Crop Guano | Hendersonville | 8.70 | .67 | .34 | 1.01 | 1.23 | 3.22 | | 1 | 1 | 15.29 |

| <u> </u> | Brands claiming | | | 9.00 | - | 1 | 1.65 | 2.00 | 1.00 | | 16.03 |
|----------|--|------------------------------------|---|-------|------|------|------|------|------|--|------------|
| 4555 | Royster, F. S., Guano Co., Noriolk, Va | Special Compound. | Waynesville | 8.90 | 1.03 | .50 | 1.53 | 1.86 | 1.28 | | 15.72 |
| 4345 | VaCar. Chemical Co., Richmond, Va | Allison & Addison's Star Brand | Lenoir | 10.31 | .73 | .26 | 66. | 1.20 | 2.24 | 1 | 15.68 |
| ш | Brands claiming | Guano. | 1 | 9.00 | | | 1.65 | 2.00 | 2.00 | 1 | 17.03 |
| 4069 | Pocahontas Guano Co., Lynchburg, Va | Yellow Tobacco Special | Roxboro | 8.24 | 1.46 | .72 | 2.18 | 2.65 | 2.94 | 2.94 | 7.30 19.51 |
| 4772 | Ober, G., & Sons Co., Baltimore, Md | Ober's Special Ammoniated Dis- | Albemarle | 8.88 | .71 | .74 | 1.45 | 1.76 | 2.04 | 1 | 16.12 |
| 4621 | Rasin-Monumental Co., Baltimore, Md | Rasin's Dixie Guano | Cornelius | 9.41 | 1.15 | .38 | 1.53 | 1.86 | 2.73 | | 17.61 |
| 4698 | Southern Cotton Oil Co., Spartanburg, | Palmetto Standard Fertilizer | Tryon | 9.61 | .01 | 1.26 | 1.27 | 1.54 | 3.06 | | 17.04 |
| 4702 | Spartanburg Fertilizer Co., Spartanburg, | Tiger Brand Boll Buster | Saluda | 9.37 | .93 | 98. | 1.73 | 2.10 | 2.00 | 1 | 17.70 |
| 4878 | P. C. | op | Harris | 9.60 | .93 | .68 | 1.61 | 1.96 | 2.12 | 1 | 17.59 |
| 3859 | VaCar. Chemical Co., Richmond, Va | Allison & Addison's Star Brand | Durham | 10.24 | 06. | .34 | 1.24 | 1.51 | 1.16 | 1 | 15.58 |
| 1894 | op | Charlotte Oil and Fertilizer Co.'s | Hillsboro | 8.78 | :33 | 1.30 | 1.53 | 1.86 | 2.28 | | 16.61 |
| | Brands claiming | Queen of the trainest. | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 9.00 | | 3 9 | 1.65 | 2.00 | 3.00 | 1 | 18.03 |
| 4603 | American Fertilizer Co., Norfolk, Va | American Excelsior Guano | Clinton | 9.03 | 1.31 | .36 | 1.67 | 2.03 | 3.28 | | 18.22 |
| 4816 | Columbia Guano Co., Norfolk, Va | Roanoke Ammoniated Guano | Lawndale | 9.14 | .97 | 99. | 1.57 | 1.91 | 3.32 | 1 | 18.14 |
| 6050 | Craven Chemical Co., New Bern, N. C | Prolix Special Guano | Lucama | 10.04 | 89. | 86. | 1.66 | 2.03 | 3.76 | 1 | 19.77 |
| 4307 | Georgia Chemical Co., Augusta, Ga | Good as Gold Guano | Autryville | 10.50 | 27 | 55 | 66. | 1.20 | 1.86 | | 15.47 |
| 4311 | Marietta Fertilizer Co., Atlanta, Ga | Marietta Blood, Bone, and Potash | Wilmington | 8.23 | .71 | .58 | 1.29 | 1.57 | 3.36 | | 16.18 |
| 4197 | Navassa Guano Co., Wilmington, N. C | Osceola Guano | Waxhaw | 9.84 | 1.19 | .36 | 1.55 | 1.88 | 3.58 | | 18.95 |
| 4413 | Planters Fertilizer and Phosphate Co., Charleston S C | Blood and Fish Guano | Monroe | 9.83 | 16. | .82 | 1.73 | 2.10 | 3.38 | 1 | 19.48 |
| 4664 | Powhatan Chemical Co., Richmond, Va | N. C. Favorite | Mocksville | 8.95 | 1.19 | .46 | 1.65 | 2.00 | 3.50 | | 18.28 |
| 4203 | Richmond Guano Co., Richmond, Va | Bumper Crop Ammoniated Guano | Marshville | 9.60 | 1.21 | .52 | 1.73 | 2.10 | 3.14 | | 19.05 |
| 4414 | op | C. & B.'s Best Fertilizer | Monroe | 9.94 | 1.39 | 99. | 1.95 | 2.37 | 2.96 | 1 1 2 8 8 5 5 5 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 20.10 |
| 4268 | Royster, F. S., Guano Co., Norfolk, Va | Viking Ammoniated Guano | Waco | 7.94 | 1.73 | £6. | 2.07 | 2.52 | 3.72 | 1 | 19.56 |
| 4125 | Southern Cotton Oil Co., Charlotte, N. C Razem High Grade Fertilizer | Razem High Grade Fertilizer | Red Springs | 7.64 | .73 | 1.24 | 1.97 | 2.40 | 3.24 | 1 | 18.39 |
| 3693 | Southern Cotton Oil Co., Shelby, N. C | op | Shelby | 96.8 | .87 | .80 | 1.67 | 2.03 | 2.38 | 1 | 17.46 |

ANALYSES OF COMMERCIAL FERTILIZERS --SPRING SEASON, 1914.

| | | | | | Perce | ntage | ('omp | Percentage Composition or Parts per 100 | or Par | ts per | 100. | | Det. |
|-----------------------|--|---|---------------------------------------|---------------------------------|--------------------------------|----------------------|--------------------|---|------------------|-------------------------|--------------------------|-----------|---------------------------------|
| Laboratory Zumber. | Name and Address of Manufacturer. | Name of Brand, | Where Sampled. | Available Phosphoric bisA | Vater- soluble Vitrogen. | Огдапіс Хіtгодеп. | Total Zitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Helative Value Totat Factory |
| | | Mixed Fertilizers. | TLIZERS. | | | | | | | | | | |
| | Brands claiming | | | 9.00 | | | 1.65 | 2.00 | 3.00 | | | | \$18.03 |
| 4734 | Swift Fertilizer Works, Wilmington, N. C | Swift's Farmers' Favorite High Grade Rose Hill | Rose Hill. | 8.52 | 1.47 | 1.10 | 2.57 | 3.12 | 3.00 | | | 1 | 21.46 |
| 4623 | Union Guano Co., Winston, N. C | Farmers' Blood and Bone Guano | Cornelius | 8.56 | 1.25 | 8. | 1.53 | 98.1 | 3.96 | | | | 18.09 |
| 4607 | op | Union Complete Cotton Mixture | Clinton | 9.47 | 1.31 | .30 | 1.61 | 96.1 | 2.60 | | 1 | | 17.88 |
| | Brand claiming | | 1 | 9.00 | 1 1 1 | 1 | 1.85 | 2.25 | 1.00 | | | | 16.87 |
| 3776 | Ashepoo Fertilizer Works, Charleston, S. C. Standard Sea Fowl Guano | Standard Sea Fowl Guano | Charlotte | 8.90 | 5.7 | 0+. | 51 | 2.59 | 1.30 | | | | 18.16 |
| | Brand claiming | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 9.00 | | | 1.85 | 2.25 | 3.00 | 1 | | | 18.87 |
| 4266 | VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Cocke's Soluble High Grade Animal Rone Fortilizer | Waco | 78.7 | 1.11 | .36 | 1.47 | 1.79 | 2.90 | 1 | | 1 | 16.16 |
| | Brands claiming | Crade American Policy Control | | 9.00 | i | | 1.85 | 2.25 | 4.00 | - | | | 19.87 |
| 4121 | American Agricultural Chemical Co., New York, N. Y. | Lazaretto Retriever Animal Bone | Shelby | 8.89 | 1.48 | 8 | 1.96 | 2.38 | 2.04 | | | | 18.27 |
| 4154 | do. | Zell's Victoria Animal Bone Com- | Four Oaks | 8.60 | 1.44 | .50 | 1.94 | 2.36 | 3.94 | | | 1 | 19.83 |
| 4790 | Berkley Chemical Co., Norfolk, Va | pound. Monitor Animal Bone Fertilizer | Zebulon | 99.8 | 1.23 | .52 | 1.75 | 2.13 | 4.00 | 1 | | | 19.14 |
| 4044 | Clayton Oil Mills, Clayton, N. C | Wayside Special | Clayton | 9.03 | 7 | 1.16 | 1.65 | 5.00 | 4.14 | | | | 19.19 |
| 3726 | Coöpetative Warehouse Co., Salisbury, N.C. Farmers' Union Tobacco Guano. | Farmers' Union Tobacco Guano | Nashville | 88.6 | 1.25 | . 93 | 1.85 | | | 4.50 | | 5, 40 | 21.16 |
| 3792 | Georgia Chemical Works, Augusta, Ga | Bumper Tobacco Grower | Greensboro | 11.90 | 1.32 | 25. | 1.60 | 1.94 | | 3.30 | | 2.70 | 20.73 |
| 3882 | Hampton Guano Co., Norfolk, Va | Arlington Animal Bone Fertilizer | Siloam | 8.80 | 1.38 | .43 | 1.80 | 2.19 | 4.00 | | | | 19.48 |
| 4805 | Pocahontas Guano Co., Lynchburg, Va | High Grade 4 Per Cent Trucker Com-Millhoro pound, Mohawk King. | Millboro | 8.55 | 1.51 | .52 | 2.03 | 2.47 | 4.03 | 4.03 | | 9.30 | 20.30 |

| o., Norfolk, VaMonticell | Monticello Animal Bonc Fertilizer | Snow Hill | 8.90 | | 1.66 1.97 | | | 3.98 | | 20.26 |
|--|---|---|------|------------|-------------|------|--------|-----------|---|-------|
| Co.'s | VC. C. Co.'s Cuban Special Mixture Walnut Cove. | e Walnut Cove | 9.76 | 1.61 | .33 | 1.93 | 2.35 | 4.18 | 1 1 1 1 1 1 1 1 | 21.07 |
| | | Mount Airy | 9.89 | 1.23 | .36 | 1.59 | 1.93 | 3.56 | - | 19.14 |
| | | 1 | 9.00 | 1 | - | 2.06 | 2.50 2 | 2.00 | 1 | 18.75 |
| Patapsco Guano. | 0 | Warrenton | 8.70 | 1.55 | .48 | 2.03 | 2.47 2 | 2.50 | | 18.86 |
| 1 | | | 9.00 | | - | 2.06 | 2.50 5 | 5.00 | | 21.75 |
| Parrish's Special | al | Benson | 9.11 | 1.32 | :73 | 2.04 | 2.48 5 | 5.32 | 1 | 22.09 |
| s Best | Johnson's Best Fertilizer | Benson | 8.94 | 1.33 | 99. | 1.99 | 2.42 | 4.52 | 1 | 20.92 |
| a Fert | Co., Greensboro, N. C., Tuscarora Fertilizer No. 9-2}-5 | Siler City. | 7.47 | 1.33 | .42 | 1.75 | 2.13 4 | 4.84 | 1 | 18.91 |
| High | Johnson's High Grade | Benson | 9.14 | 1.79 | .30 | 2.09 | 2.54 5 | 5.62 | | 23.62 |
| Addis High (| Allison & Addison's Star Brand Special High Grade. | Mebane | | 1.33 | .58 | 1.61 | 1.96 | 4.08 | | 19.29 |
| | | 1 | 9.00 | | 1 | 2.26 | 2.75 2 | 2.00 | 1 | 19.59 |
| Acme Cotton Grower | rower | Goldsboro | 9.95 | 1.03 | 1.36 | 2.39 | 2.91 | 2.04 | | 21.03 |
| obacco ; | Pacific Tobacco and Cotton Grower. | LaGrange | 80.6 | .95 | 1.34 | 2.29 | 2.78 | 2.38 2.3x | 4.20 | 20.17 |
| C. S. N | 'olumbia C. S. M. Special | Godwin | 8.85 | 8. | 1.16 | 2.04 | 2.48 | 2.36 | 1 | 18.89 |
| Special Cotton Grower. | ower | Fountain | 8.53 | 1.00 | 1.04 | 2.13 | 2.59 2 | 2.88 | | 19.50 |
| Coöperative Warehouse Co., Salisbury, N.C. Farmers' Union 9-2.75-2 | -2.75-2 | Huntley | 8.84 | 1.48 | 8 | 2.30 | 2.80 | 1.92 | 1 | 19.54 |
| Farmville Oil and Fertilizer Co., Farmville, Specific Cotton Grower. | rower | Fountain | 8.80 | .65 | 1.48 | 2.13 | 2.59 2 | 2.90 | | 19.77 |
| y Cottoi | Prosperity Cotton Grower | Washington | 8.42 | 1.19 | 1.34 | 2.53 | 3.08 | 2.70 | 1 | 20.90 |
| | | Fountain | 69.6 | .93 | 1.12 | 2.05 | 2.49 | 2.56 | 1 | 19.89 |
| libbs & | Wilcox, Gibbs & Co.'s Manipulated | Whiteville | 8.56 | 83 | 1.30 | 2.13 | 2.59 2 | 2.30 | | 18.97 |
| Guano. Big Boll Special. | | LaGrange | 9.55 | 1.22 | 1.07 | 9.29 | 2.78 | 2.32 | | 20.53 |
| & Willia | Cockrell & Williams' Cotton Grower | Nashville | 8.85 | 96. | 1.28 | 2.24 | 2.72 | 2.68 | 1 | 20.05 |
| Royster's Meal Mixture | Lixture | Edenton | 9.27 | <u>8</u> . | 85.1 | 2.09 | 2.54 2 | 2.30 | 1 | 19.42 |
| o Cott | 3733 Southern Cotton Oil Co., Goldsboro, N. C., Goldsboro Cotton Grower C. S. M | Nashville | 7.93 | 8. | 1.32 | 2.15 | 2.61 2 | 2.98 | | 19.15 |
| | | Goldsboro | 9.17 | .38 | 1.52 1.90 | | 2.31 2 | 2.00 | | 18.23 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| Organic Nitrogen. Total Nitrogen. Equivalent to Ammonia. Potash from Muriate. Potash from Starb from |
|--|
| Total Zitrogen. Equivalent to Ammonia. Total Potash from Muriate. |
| Total Zitrogen. Equivalent to Ammonia. Total Potash. |
| Total Zitrogen. Equivalent to Ammonia. |
| |
| Огдапіс Хіtгодеп. |
| |
| Water- soluble Vitrogen. |
| Available Phosphoric Acid. |
| Where St |
| Name of Brand. |
| |
| Name and Address of Manufacturer. |
| |

| | | | 4 |
|---|---|----|---|
| | 1 | 7 | |
| | 1 | ٠, | |
| | ċ | • | , |
| | è | - | |
| | ı | ١ | ۰ |
| | i | | |
| | ı | | • |
| | Č | 3 | |
| | Ş | | |
| | t | - | 1 |
| | 4 | 2 | |
| | ŕ | - | |
| _ | 2 | ÷ | • |
| | | - | ٠ |
| , | ۰ | | ٦ |
| | | | |
| | 1 | • | ٩ |
| | ÷ | | |
| | ŀ | - | |
| | t | , | e |
| | t | _ | ľ |
| ı | 1 | | |
| 8 | | 5 | |
| , | c | | ٦ |
| | | | |

| - | Brands claiming | | | 00.6 | | | 2.26 | 2.26 2.75 2.00 | 2.00 | | | | \$19.59 |
|------|--|--|---------------------------|-----------|------|-------|------|---|------|----------------------------------|------|-------|---------|
| 4608 | 4608 Union Guano Co., Winston, N. C. | Union Perfect Cotton Grower | Clinton | 9.35 | 1.45 | . 04. | 1.85 | .40 1.85 2.25 1.72 | 1.72 | | - | | 17.70 |
| 4693 | 4693 VaCar. Chemical Co., Richmond, Va | Allison & Addison's Star Brand | Durham | 9.24 | 1.71 | .38 | 2.09 | 2.54 | 2.10 | 1.71 38 2.09 2.54 2.10 4.12 1.24 | | 3.10 | 19.19 |
| 3627 | 3627,do | Percia Topacco Manure. VaCar. Chemical Co.'s Prolific Cot. Williamson | Williamson | 8.09 | .93 | 1.24 | 2.17 | 8.09 .93 1.24 2.17 2.64 2.36 | 2.36 | | | | 18.75 |
| 3534 | 3534do | ton Grower. | Spring Hope | 10.99 | | 1.38 | 1.76 | .38 1.38 1.76 2.14 1.94 | 1.94 | | | | 19.22 |
| 3943 | 3943do | VaCar. Chemical Co.'s Southern | Edenton | 8.97 | 68. | 86. | 1.87 | .89 .98 1.87 2.27 2.70 | 2.70 | | | | 18.63 |
| 4432 | 4432do | VC. C. Co.'s White Stem C. S. M | . Williamston | 8.15 | 1.67 | 1.20 | 2.87 | 1.67 1.20 2.87 3.49 2.66 | 2.66 | - | 1 1 | | 22.02 |
| 3737 | 3737 Wilson Chemical Co., Wilson, N. C | W. C. Co.'s Cotton Guano | Westrys | 8.87 | 1.37 | 1.10 | 2.47 | 8.87 1.37 1.10 2.47 3.00 3.10 | 3.10 | - | | | 21.46 |
| | Brand claiming | | | 9.00 | | | 2.47 | 2.47 3.00 2.00 | 2.00 | | 8 1 | 1 0 0 | 20.47 |
| 4160 | 4160 VaCar. Chemical Co., Richmond, Va | Powers, Gibbs & Co.'s C. S. M. | Roseboro | 9.42 1.49 | | 1.32 | 2.81 | 2.81 3.42 2.46 | 2.46 | | | | 22.74 |
| | Brands claiming | Standard Guano. | | 9.00 | | | 2.47 | 2.47 3.00 3.00 | 3.00 | | | | 21.47 |
| 4250 | 4250 Armour Fertilizer Works, Wilmington, N. C. Armour's African Cotton Grower | . Armour's African Cotton Grower | Maysville | 8.17 1.53 | | 89. | 2.21 | .68 2.21 2.69 3.26 | 3.26 | | | | 19.89 |
| 1609 | 6091 Augusta Chemical Co., Augusta, Ga | rerunzer. Mascot Blood and Bone Guano | Hendersonville 10.04 1.91 | 10.04 | 1.91 | .60 | 2.51 | .60 2.51 3.05 2.70 | 2.70 | | - | 1 | 22.28 |
| 3873 | 3873 Bryant Fertilizer Co., Alexandria, Va | Bryant's Meal Mixture | Raeford | 9.17 | 1.46 | 1.10 | 2.56 | 9.17 1.46 1.10 2.56 3.11 3.96 | 3.96 | | 1 | | 22.96 |
| 4710 | 4710 N. C. Cotton Oil Co., Henderson, N. C | Pride of Vance Tobacco Fertilizer | Henderson | 9.45 | .87 | 1.50 | 2.37 | 9.42 .87 1.50 2.37 2.88 3.10 | 3.10 | - | 3.10 | 1 | 21.53 |
| 3935 | 3935 dodo | do | Youngsville | 9.52 | .40 | 2.03 | 2.42 | .40 2.02 2.42 2.94 2.92 | 2.92 | - | 2.93 | | 21.65 |
| 3710 | 3710 Patapseo Guano Co., Baltimore, Md | : Patapseo Tobacco Fertilizer | Rocky Mount | 8.57 | 1.87 | .54 | 2.41 | 8.57 1.87 .54 2.41 2.93 3.06 3.06 | 3.06 | 3.06 | | 0.70 | 20.89 |

| 21.10 | 21.91 | 21.10 | 21.30 | 21.14 | 20.45 | 22.23 | 20.77 | 22.47 | 16.78 | 22.53 | 23.47 HE | 23.57 Q | 24.47 T. | E1. 42. | ZIX F | 22.47 | 25.47 | 23.67 | 24.73 | 25.20 | 31.24 | 19.00 | 26.42 | 25.92 | 27.19 |
|---|---|--|---------------------------------------|-----------|--|-----------------------------|--|-----------------|--|--|---|---|----------------|--|--|--------------------------------------|---|-------------------------------------|--|---|--|--|---------------------------------------|----------------|--|
| 8.70 2 | - 61 | 2 | 2 | 2 | 4.60 2 | ci | .40 | 2 | | | 2 2 | 5.70 3 | 2 | 4.30 2 | | 5.60 2 | 2 | 2 | 2 | 2 | | 2.70 | .50 | 2 | |
| I | | | | | | 1 | 2.40 | | | 1 | | | - | .48 | | - | | | - | | | | 4.28 | | |
| 3.06 | - 1 | - | | 1 | 2.80 | | .62 | | | | | 5.30 | 1 | 5.75 | 1 | 5.94 | | - | | 1 | | 3.0 | 59. | | |
| 3.06 | 3.22 | 3.66 | 4.06 | 2.66 | 2.80 | 3.25 | 3.05 | 4.00 | 2.18 | 4.60 | 5.00 | 5.30 | 6.00 | 6.20 | 80.9 | 5.94 | 7.00 | 5.36 | 7.50 | 5.00 | 8.18 | 3.08 | 4.92 | 4.00 | 5.03 |
| 3.06 | 2.91 | 5.64 | 2.65 | 3.05 | 2.95 | 3.15 | 2.74 | 3.00 | 2.46 | 3.03 | 3.00 | 2.94 | 3.00 | 2.94 | 2.87 | 2.40 | 3.00 | 2.99 | 3.03 | 3.50 | 4.47 | 2.08 | 3.57 | 4.00 | 3.94 |
| 2.52 | 2.39 | 2.17 | 2.40 | 2.51 | 2.40 | 2.59 | 2.25 | 2.47 | 2.02 | 2.49 | 2.47 | 2.42 | 2.47 | 2.45 | 2.36 | 1.97 | 2.47 | 2.46 | 2.49 | 2.88 | 3.68 | 1.71 | 2.94 | 3.29 | 3.24 |
| 33. | .40 | 1.18 | 88. | 88. | 1.44 | 1.04 | 85. | | 1.08 | 1.16 | - | 1.38 | | 8. | . 1 5 | .32 | 1 1 1 | .70 | 1.10 | - | .72 | .34 | <i>9</i> . | | 1.67 |
| 2.03 | 1.99 | 8. 6. | 1.52 | 1.63 | 96. | 1.55 | 1.97 | | .94 | 1.24 | | 1.04 | | 1.60 | 1.88 | 1.65 | | 1.76 | 1.39 | | 2.96 | 1.37 | 2.19 | | 9.44 1.57 |
| 8.29 | 9.61 | 9.25 | 7.96 | 8.82 | 8.41 | 9.07 | 9.22 | 9.00 | 6.80 | 8.72 | 9.00 | 9.01 | 9.00 | 9.32 | 9.40 | 9.17 | 9.00 | 8.87 | 7.52 | 9.00 | 8.45 | 9.71 | 10.17 | 9.00 | 9.44 |
| Roxboro | Gibson | Rowland | Zebulon | Henderson | Grifton | Troy | Walnut Cove | | Mooresville | Whitakers | 1 | Fremont | 1 | Wilson | Madison | Clinton | 1 1 4 4 4 4 1 1 1 1 1 | Fremont | Pineville | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Greenville | Magnolia | Zebulon | | Wendell |
| Pocahontas Special Tobacco Fertilizer Roxboro | Read's High Grade Guano | Uncle Sam Fertilizer | Farmers' Union Vance H. G. Guano. | op- | VC. C. Co.'s Formula 101 Tobacco | VC. C. Co.'s N. & R.'s Best | Westfield's High Grade Special To- bacco Grower | | Swift's Champion High Grade Guano Mooresville. | Farm Bell | | Greene County Tobacco Fertilizer | | Guilford Special Tobacco Fertilizer | Lion Brand Fertilizer | Union Gold Leaf Tobacco Mixture | | Davis's Special for Cotton | Piedmont Black Jack Fertilizer. | | Pitt County Special Fertilizer | Special Formula Guano for Yellow I and Talange | Sanders' Special Formula for Bright | r charce. | Whitley's Special 9-4-4 Guano |
| 4068 Pocahontas Guano Co., Lynchburg, Va | 4577 Read Phosphate Co., Charleston, S. C | 4824 Southern Cotton Oil Co., Gibson, N. C | 3976 Vance Guano Co., Henderson, N. C | -do | 4002 VaCar. Chemical Co., Richmond, Va | op | 4588 | Brands claiming | 4021 Swift Fertilizer Works, Wilmington, N. C | 4140. United States Fertilizer Co., Baltimore, Md. Farm Bell | Brand claiming | 3912 New Bern Cotton Oil and Fertilizer Mills, New Bern, N. C. | rands claiming | 3808 Powhatan Chemical Co., Richmond, Va | 4875 Reidsville Fertilizer Co., Reidsville, N. C | 4606 Union Guano Co., Winston, N. C. | Brands claiming | 6049 Hampton Guano Co., Norfolk, Va | 4675 Rock Hill Fertilizer Co., Rock Hill, S. C | Brands claiming | 3991 American Pertilizer Co., Norfolk, Va. | 4729 do | 3973 Richmond Guano Co., Richmond, Va | Brand claiming | 3971 Farmers Cotton Oil Co., Wilson, N. C. |
| 4068 | 4577 | 4854 | 3976 | 4712 | 4005 | 4517 | 4588 | œ | 1001 | 4140 | œ | 3912 | ω | 3808 | 4875 | 909+ | œ . | 6109 | 4675 | ď | 3991 | 4739 | 3973 | <u> </u> | 3971 |

ANALYSES OF COMMERCIAL FERFILIZERS—SPRING SEASON, 1914.

| | .9n | Chlori |
|-------------|----------------------------|-----------------------------|
| .00 | from te. | Potash Sulphs |
| ts per | mori .9. | Asato Asiau IV |
| or Far | *1 | Total Potash |
| osition | alent monia. | Equiva in A of |
| Composition | en. | Total Zortivg |
| Small | en. | inggiO goriiV |
| | eυ· | Vater- soluble Vitrog |
| - | old birod | Availa Phosp Acid. |
| | Where Sample | |
| | Name of Brand. | |
| | d Address of Manufacturer, | |
| | Мате ав | |

MINED FERTILIZERS.

| | Brands claiming | | 1 2 1 2 2 2 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | 9.00 | | | 3.29 4.00 4.00 | 4.00 | 4.00 | | \$25.92 |
|------|---|---|---|-------------------------------|-------|------|----------------------------|---------------|------|---|---------|
| 6065 | 6065 Imperial Co., Norfolk, Va | Bryant's Special | Rowland | 8.97 1.24 1.72 2.96 3.60 3.64 | 1.24 | 1.72 | 2.96 | 3.60 | 3.64 | | 24.15 |
| 4773 | 4773 Ober, G., & Sons Co, Baltimore, Md | Ober's Sperial High Grade Fertilizer. Albemarle | Albemarle | 8.60 | 2.25 | .54 | 2.79 3.39 3.32 | 3.39 | 3.32 | | 22.77 |
| | Brand claiming | | | 9.50 | - | | 4.11 5.00 | 5.00 | 3.00 | 1 | 28.81 |
| 4852 | 4852 Swift Fertilizer Works, Wilmington, N. C Swift's Special | | Siler City | 9.19 1.43 | | 2.14 | 3.57 4.34 | 4.34 | 3.44 | | 26.70 |
| | Brand claiming | | | 10.00 | | | .82 | .82 1.00 1.00 | 1.00 | | 13.44 |
| 6016 | 6016 Richmond Guano Co., Richmond, Va | Premium Corn Grower | Eagle Springs | 9.89 1.40 | 1.40 | .26 | .26 1.66 2.02 1.26 | 2.05 | 1.26 | | 17.13 |
| | Brands claiming | | | 10.00 | | | .83 | .82 1.00 3.00 | 3.00 | | 15.44 |
| +494 | Adair & McCarty Bros., Chattanooga, | McCarty's Corn Special | Toeeane | 9.80 | - 67: | #. | .73 | .89 2.74 | 2.74 | | 14.63 |
| 4497 | 4497 Chickmanga Fertilizer Works, Chatta- | Chickamauga Corn Special | Burnsville | 9.51 | .35 | 94. | 18. | 86. | 3.06 | 1 | 15.02 |
| 4556 | Royster, F. S., Guano Co., Norfolk, Va | Haywood County Special | Waynesville | 9.24 | .65 | 94. | .40 1.05 1.28 3.38 | 1.28 | 3.38 | | 16.11 |
| 3657 | Swift Fertilizer Works, Wilmington, N. C | Swift's Planters' Special Standard | Conover | 7.75 1.39 | 1.39 | .93 | .92 2.31 2.81 2.28 | 2.81 | 2.28 | | 18.96 |
| | Brand claiming | Grade Guano. | | 10.00 | | 1 | .82 | .82 1.00 3.50 | 3.50 | | 15.94 |
| 4157 | 4157 Vanee Guano Co., Henderson, N. C | Vanee Corn and Grain Grower | Four Oaks | 9.82 | .51 | 7. | .44 .95 1.16 3.20 | 1.16 | 3.20 | | 16.03 |
| | Brands claiming | | | 10.00 | | 1 | 1.25 1.52 2.90 | 1.52 | 2.90 | 1 | 16.25 |
| 1680 | 1680 Dixie Guano Co., Suffolk, Va | Dixie Monticello Brand | Hillsboro | 10.50 | .47 | 99. | .56 1.03 1.25 2.56 | 1.25 | 2.56 | | 16.34 |
| 4765 | 4765 | do | Hillsboro | 10.49 | .73 | 99. | .66 $ 1.39 1.69 2.30$ | 1.69 | 2.30 | | 17.58 |

| | Brand claiming. | | | 10.00 | - | - | .82 | 00 | 4.00 | 16.44 |
|------|--|--|---|-------|----------|------|------|------|------|-------|
| 4022 | Farmville Oil and Fertilizer Co., Farmville, Pitt County Corn Grower N C | Pitt County Corn Grower | Farmville | 9.89 | 3 | 04. | 33. | 1.00 | 4.14 | 16.48 |
| | Brand claiming | | | 10.00 | | - | 1.23 | 1.50 | 4.00 | 18.17 |
| 4533 | Pamlico Chemical Co., Washington, N. C | Martin County Peanut Grower | Washington | 9.46 | .59 | 8. | 1.41 | 1.71 | 4.36 | 18.80 |
| | Brands claiming | | 1 | 10.00 | 1 | - | 1.65 | 2.00 | 2.00 | 17.93 |
| 4351 | Adair, A. D., & McCarty Bros., Atlanta, | Old Time Fish Scrap Guano | Franklin | 9.36 | .85 | .70 | 1.55 | 1.88 | 2.00 | 16.93 |
| 4349 | Armour Fertilizer Works, Atlanta, Ga | Armour's Ammoniated Dissolved | Franklin | 10.08 | 1.02 | .54 | 1.56 | 1.89 | 1.94 | 17.56 |
| 4352 | Marietta Fertilizer Co., Atlanta, Ga | Done and Potash Fernuzer. Marietta Royal Seal Guano | Franklin | 9.30 | .87 | .68 | 1.55 | 8. | 3.88 | 18.76 |
| 4558 | VaCar. Chemical Co., Richmond, Va. | VC. C. Co.'s Sovereign Crop Pro- | Waynesville | 9.45 | 1.19 | .42 | 1.61 | 1.96 | 3.52 | 18.76 |
| 4843 | Welborn Fertilizer Co., Charleston, S. C | Welborn Banner Bearer | Ayden | 9.85 | S. | .73 | 1.55 | 1.88 | 2.16 | 17.53 |
| | Brands claiming | | | 10.00 | 1 | | 1.65 | 2.00 | 4.00 | 19.93 |
| 4355 | Farmers Guano Works, Dillard, Ga | Special for Corn | Franklin | 9.80 | 1.11 | 28 | 1.39 | 1.69 | 4.30 | 18.96 |
| 4353 | Marietta Fertilizer Co., Atlanta, Ga | Langford's Special | Franklin | 8.97 | 66. | 98. | 1.79 | 2.18 | 3.44 | 19.03 |
| | Brands claiming | | | 10.00 | | - | 1.65 | 2.00 | 5.00 | 20.93 |
| 4840 | Armour Fertilizer Works, Greensboro, N. C. Armour's No. 10-2-5 Fertilizer | Armour's No. 10-2-5 Fertilizer | Asheville | 9.70 | 1.13 | .42 | 1.55 | 1.88 | 4.24 | 19.48 |
| 1794 | Farmers Cotton Oil Co., Wilson, N. C. | Washington Corn Mixture Guano | Wilson | 9.80 | .41 | .70 | I.1 | 1.35 | 7.08 | 20.56 |
| | Brand claiming | | | 10.00 | 1 | 1 | 1.03 | 1.25 | 0.00 | 19.73 |
| 1348 | Armour Fertilizer Works, Greensboro, N. C. Armour's Special Mixture Fertilizers. | Armour's Special Mixture Fertilizers | Canton | 9.44 | £Ç. | .40 | .94 | 1.14 | 5.72 | 18.16 |
| | Brands claiming | | | 10.00 | 1 | 3 | 2.47 | 3.00 | 3.00 | 22.37 |
| 1350 | Adair, A. D., & McCarty Bros., Atlanta, | Adair's High Grade Blood and Bone | Franklin | 9.98 | 1.00 | 1.12 | 2.12 | 2.58 | 2.74 | 20.63 |
| 4686 | Caraleigh Phosphate and Fertilizer Works, Palaigh N C | 10-3-3 Fertilizer | Ellerbe | 10.50 | 1.41 | 1.08 | 2.49 | 3.03 | 3.30 | 23.21 |
| 4346 | Tuscarora Fertilizer Co., Greensboro, N. C. | Tuscarora Fertilizer No. 10-3-3 | Rutherfordton | 9.19 | 1.50 | .54 | 2.04 | 3.48 | 4.00 | 20.84 |
| 4567 | VaCar. Chemical Co., Richmond, Va | VaCar. Chemical Co.'s Farmers' Success. | Lexington | 8.90 | . S. | 8. | 1.69 | 2.02 | 3.40 | 18.51 |
| | Brands claiming | | 1 | 10.00 | - | | 3.29 | 4.00 | 4.00 | 26.82 |
| 3736 | Union Guano Co., Winston, N. C | Union Prolific Cotton Compound | Westrys | 9.49 | 3.39 | 85 | 3.67 | 4.46 | 4.88 | 28.83 |
| 1568 | VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Electric High Grade Special. | Lexington | 10.85 | 1.45 | 86 | 2.43 | 2.95 | 3.92 | 23.99 |
| | | | | | | | | | | |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | | Perce | ntage (| Comp | sition | Percentage Composition or Parts per 100 | is per I | .00 | | ber |
|-----------------------|---|---|---|----------------------------------|--------------------------------|----------------------|--------------------|---------------------------|---|-------------------------|--------------------------|-----------|----------------------------------|
| Гарогатоту Хитрег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled | Available Phosphoric Acid, | Water- soluble Vitrogen. | Organic Nitrogen. | Total Nitrogen. | Equivalent to Ammonia. | Total Potash, | Potash from Muriate. | Potash from Sulphate. | Chlorine, | Relative Value Ton at Factory |
| | | MIXED FER | Fertilizers. | | | | | | | | | | |
| _ | Brand claiming | | 1 | 10.00 | | | 3.29 | 4.00 | 4.00 | | | ¥. | 8 96 8 |
| 4844 | 4844 Welborn Fertilizer Co., Charleston, S. C | Welborn High Grade Fertilizer | Ayden | 10.45 | .87 | 1.88 | 2.75 | | 4.02 | | | | 24.97 |
| _ | Brand claiming | - | | 10.00 | | | 3.29 | 4.00 | 5.00 | | | | 27.82 |
| 4548 | 5- | Works, Greensboro, N. C. Armour's No. 10-4-5 Fertilizer | Taylorsville | 10.15 | 1.83 | 1.08 | 2.91 | 3,54 | 5.66 | i | | | 27.02 |
| | Brand claiming | | | 10.50 | 1 | 1 | 1,65 | 2.00 | 5.00 | | | 7 | 21.38 |
| 4717 | 4717 Spartanburg Fertilizer Co., Spartanburg, S. C. | Tiger Brand Corn Formula | . Hendersonville | 10.67 | .93 | .76 | 1.69 | 2.05 | 5.00 | | | | 21.70 |
| - | Brand claiming | | 1 | 12.00 | - | Ī | 00.1 | 1.22 | 2.00 | - | 1 | - | 14.80 |
| 4513 | 4513 Powhatan Chemical Co., Richmond, Va | Magie Corn Speeial | Mount Airy | 12.24 | .37 | .62 | 66. | 1.20 | 2.04 | | | - | 17.21 |
| _ | Brand claiming | | | 12.00 | - | 1 | .82 | 1.00 | 5.00 | | | 1 | 18.24 |
| 4354 | 4354 Farmers Guano Works, Dillard, Ga | High Grade Corn Grower | Franklin | 11.91 | .39 | .24 | .63 | 77. | 4.32 | | | - | 17.68 |
| _ | Brands claiming | | 1 | 16.00 | | | 3.29 | 4.00 | 4.00 | - | | 9 | 32.22 |
| 4751 | 4751 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Concentrated Ammo- | North Wilkesboro, 15.10 | 15.10 | 3.09 | .20 | 3.29 | 4.00 | 3.08 | | | | 30.49 |
| 4719 | 4719 ob | da d | Brevard | 16.17 | 1.95 | .22 | 2.67 | 3.25 | 4.10 | | | 2 | 29.87 |
| _ | Brand claiming | | 1 1 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 7.50 | | | 5.06 | 2.50 | 3.00 | 1 | - | - | 18.40 |
| 4701 | 4701 Southern Cotton Oil Co., Spartanburg, S. C. | A-Corn Standard Fertilizer | Tryon | 7.71 | .05 | 1.75 | 1.75 | 2.13 | 3.78 | | | - | 18.07 |
| _ | Brand claiming | | 1 | 7.50 | | - | 2.47 | 3.00 | 5.50 | 1 | | 2 | 22.62 |
| 4699 | 4699 Southern Cotton Oil Co., Spartanburg, S. C. | Big Ear Corn Standard Fertilizer | Tryon | 5.64 | 1.1 | 1.86 | 2.97 | 3.61 | 08.9 | | | 61 | 24.35 |
| | | | | | , | | | | | | - | | |

| | Brand claiming | | | 7.00 | 1 | 1 2 2 4 6 | 2.26 | 2.75 | 4.00 | | | 19.79 | |
|------|---|--|--|------|------|-------------|------|------|----------|-------|-------|-------|-----|
| 4479 | 4479 Lenoir Oil and Ice Co., Kinston, N. C | Sugg's Special Mixture | Ayden | 95.9 | .21 | 2.04 | 2.25 | 2.74 | 4.18 | | | 19.53 | |
| | Brand claiming | | 1 | 7.00 | | 1 | 2.26 | 2.75 | 00.9 | | 1 | 21.79 | |
| 4370 | 4370 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Plant Bed High Grade Edenton Tobacco Fertilizer. | Edenton | 6.07 | 1.35 | .50 | 1.85 | | | 5.36 | 5.70 | 18.68 | |
| | Brand claiming | | | 2.00 | 1 | 1 | 2.55 | 3.10 | 3.20 | | 1 | 20.21 | |
| 4012 | 4012 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Formula 44 for Bright | Benson | 7.74 | 2.13 | .42 | 2.54 | 3,09 | 3.62 3 | 3.62 | 4.10 | 21.25 | |
| | Brand claiming | Wiappets and Smokets. | | 7.00 | | : | 5.69 | 3.27 | 4.50 | | | 22.10 | |
| 4018 | Farmyille Oil and Fertilizer Co., Farmville, | ilizer Co., Farmville, Lewis' Special Cotton Grower | Farmville | 7.75 | 08: | 1.56 | 2.36 | 2.87 | 5.24 | 1 | | 22.13 | |
| | N. C. Brands claiming | | 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 7.00 | - | 6 8 8 | 2.88 | 3.50 | 7.00 | | 1 | 25.40 | |
| 4823 | 4823 Baugh & Sons Co., Norfolk, Va. | Baugh's Potato and Truck Special | Tabor | 7.17 | 2.15 | .72 | 2.87 | 3.49 | 7.54 | | | 26.05 | |
| 3504 | 3504 do | States Guano for | Kinston | 6.99 | 2.41 | 09. | 3.01 | 3.66 | 7.14 7 | 7.14 | 9.40 | 26.07 | Τ |
| 5936 | op | Bright Lobacco. | Kinston | 7.13 | 2.29 | 99. | 2.85 | 3.46 | 9 86.9 | 86.98 | 9.50 | 25.37 | HE |
| 3795 | 3795 do | -op | Winston-Salem | 6.74 | 2.40 | 99. | 2.96 | 3.60 | 98.9 | 98.9 | 9.80 | 25.36 | В |
| 3722 | 3722 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Columbia Special | Tabor | 7.52 | 1.15 | 1.28 | 2.43 | 2.95 | 6.42 6 | 6.42 | 10.85 | 23.39 | UL. |
| | Brand claiming | Lobacco Fertilizer. | | 7.00 | | | 2.47 | 3.00 | 4.00 | 1 | | 20.67 | LET |
| 4746 | 4746 American Fertilizer Co., Norfolk, Va | Stable Manure Substitute | Rowland | 7.25 | 2.25 | .50 | 2.75 | 3.34 | 4.45 | | | 22.47 | IN. |
| | Brand claiming | | 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 7.00 | | 1 1 1 | 2.47 | 3.00 | 7.00 | | | 23.67 | • |
| 4697 | 4697 Coe-Mortimer Co., Charleston, S. C | Coe-Mortimer Co.'s Cotton Special | Spruce Pine | 8.23 | 1.53 | 200 | 2.31 | 2.81 | 6.04 | | | 23.15 | |
| | Brand claiming | | | 7.00 | | 1 | 2.47 | 3.00 | 10.00 | | | 26.67 | |
| 4859 | 4859 United States Fertilizer Co., Baltimore, Md. Farm Bell Potato and Tobacco Guano Pleasant Garden. | Farm Bell Potato and Tobacco Guano | Pleasant Garden. | 16.9 | 1.33 | 1.04 | 2.37 | 2.88 | 10.04 10 | 10.04 | 15.20 | 26.21 | |
| | Brands claiming | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7.00 | 1 | | 3.29 | 4.00 | 4.00 | | 1 | 24.12 | |
| 3503 | 3503 American Fertilizer Co., Norfolk, Va | American Fish Scrap Guano | Greenville | 69.9 | 3.11 | .36 | 3.47 | 4.22 | 4.52 | | | 25.11 | |
| 3801 | 3801 Hadley-Harris Co., Wilson, N. C | Harris' Java Tobacco Guano | Wilson | 87.9 | 2.12 | 89. | 3.40 | 2.65 | 6.88 6 | 6.85 | 6.10 | 27.26 | |
| | Brands claiming | | 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 7.00 | | 1 | 3.29 | 4.00 | 5.00 | | | 25.12 | |
| 6092 | 6092 Coöperative Warehouse Co., Salisbury, N.C. Farmers' Union | Farmers' Union | Marshall | 7.07 | 2.45 | .23 | 2.67 | 3.25 | 5.68 | 1 | | 23.26 | |
| 3874 | 3874 Swift Fertilizer Works, Wilmington, N. C | Swift's Special High Grade Guano | Rockingham | 8.95 | 1.30 | 1.70 | 3.00 | 3.65 | 4.90 | | | 25.53 | 83 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | | Perc | entage | Comp | Percentage Composition or Parts ner 100 | or Par | rts ner | 9 | | .1 |
|------------------------|--|---|---|----------------------------------|--------------------------------|---------------------|--------------------|---|------------------|-------------------------|--------------------------|-----------|-----------------------------|
| | | | | | | í | | .1 | | 1 | 1 | | ory. |
| Гарогатогу. Хишрег. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric List. | Water- soluble Nitrogen. | эіпватО пэдотліV | Total Vitrogen. | Equivalent to Ammonit | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Val Ton at Fact |
| | | · Mixed Fertilizers. | TILIZERS, | | | | | | | | | | |
| | Brand claiming | | | 7.00 | | | 3.29 | 4.00 | 5.00 | | | | \$25.12 |
| 3875 | 3875 Union Guano Co., Winston, N. C. | I'nion Truck Guano | Rockingham | 7.87 | 50.5 | 9/ | 2.98 | 3.62 | 4.64 | | | | 24.24 |
| | Brand claiming | | 1 3 4 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7.00 | | 1 | 3.29 | 4.00 | 7.00 | | | - 1 | 27.12 |
| 1272 | 4272 Lenoir Oil and Ice Co., Kinston, N. C | Kinston Special for Tobacco | Pink Hill | 6.94 | 89. | 2.12 | 2.80 | 4.62 | 8.80 | 8.80 | | 9.10 | 26.81 |
| | Brands claiming | | 1 | 7.00 | | | 3.29 | 4.00 | 8.00 | | | | 28.12 |
| 3613 | Baugh & Sons Co., Norfolk, Va | Glover's Special Potato Guano | Elizabeth City | 6.62 | 2.83 | .52 | 3.35 | 4.07 | 8.24 | | | | 28.27 |
| 3609 | Martin Fertilizer Co., Norfolk, Va. | Abbott's Special Potato Guano | Elizabeth City | 6.29 | 1.99 | 96 | 2.89 | 3.51 | 8.34 | | : | | 26.14 |
| 3619 | VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Pasquotank Trucker | Elizabeth City | 6.77 | 2.83 | .33 | 3.15 | 3.83 | 8.20 | | | | 27.52 |
| | Brand claiming | | 1 | 7.00 | - | | 3.70 | 4.50 | 6.00 | | | | 27.84 |
| 3996 | Patapseo Guano Co., Bultimore, Md | Money Maker Guano | Greenville | 6.65 | 3.00 | .50 | 3.50 | 4.26 | 6.50 | | | | 27.18 |
| | Brand claiming | | 1 | 7.00 | | | 1.1 | 5.00 | 3.00 | | - | | 26.56 |
| 3548 | VaCar. Chemical Co., Richmond, Va | Old Dominion Guano Co.'s Potato Manure. | Brevard | 7.19 | 4.41 | .28 | 4.69 | 5.70 | 3.88 | | | | 30.05 |
| | | | | 8. | - | 2 2 2 3 | - | 3.0 | 3.0 | | į | | 78.36 |
| 4645 | American Agricultural Chemical Co., New York N | Canton Chemical Co.'s Truckers' | Edenton | 7.05 | 2.85 | 96. | 3.81 | 4.63 | 5.14 | | | | 27.49 |
| 3486 | ž | Lves' Irish Potato Guano | Mount Olive | 7.40 | 2.64 | 1.26 | 3.90 | 4.74 | 7.58 | | | - | 30.62 |
| 4071 | Pamlico Chemical Co., Washington, N. C | High Grade Truck Guano | Bayboro | 6.82 | 2.78 | 1.46 | 4.24 | 5.15 | 5.62 | i | | 1 | 29.57 |
| 3539 | Patapseo Guano Co., Baltimore, Md | Patapseo Trucker for Early Vege- tables. | Kings Mountain. | 7.94 | 2.17 | .44 | 2.61 | 3.17 | 4.70 | 1 | | | 22.81 |

| .00 4.23 5.14 5.50 29.64 |
|------------------------------------|
| 4.11 5.00 5.08 28.79 |
| 4.53 |
| 4.65 5.65 4.48 |
| 3.77 4.58 5.12 |
| 3.85 4.68 5.44 |
| |
| 4.11 5.00 6.00 |
| 3.96 4.81 6.48 29.91 |
| 4.11 5.00 7.00 |
| 3.73 4.53 8.18 29.94 |
| 2.69 3.27 7.70 |
| 3.27 3.98 8.62 28.80 |
| 4.20 5.11 7.01 |
| 3.89 4.73 6.76 30.41 |
| 3.99 4.84 6.08 30.25 |
| 3.75 4.56 6.74 |
| 4.11 5.00 8.00 31.56 |
| 3.63 4.41 N.40 29.67 |
| 4.12 5.01 7.92 31.87 |
| 2.93 3.56 7.50 |
| 5.17 7.26 |
| 4.11 5.00 10.00 33.56 |
| .26 4.19 5.09 7.94 7.94 5.00 32.49 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | | Perce | ntage | Сотрс | sition | Percentage Composition or Parts per 100 | rts per | 100. | | 19d |
|-----------------------|---|--|---|---------------------------------|--------------------------------|----------------------|--------------------|---------------------------|---|---|--------------------------|-----------|----------------|
| Laboratory Number. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric bisk | Water- soluble Vitrogen. | Огдапіс Ліtтодеп. | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value |
| | | MIXED FERTILIZERS. | TILIZERS. | | | | | | | | | | |
| _ ထ | Brands claiming | | | 7.00 | 1 | - | 5.76 | 7.00 | 7.00 | | | | \$37.49 |
| 4728 | American Fertilizer Co., Norfolk, Va | American 7-7-7 for Irish Potatoes | Magnolia | 8.87 | 4.21 | .18 | 4.39 | 5.34 | 4.62 | 1 | | | 31.04 |
| 3739 | Armour Fertilizer Works, Greensboro, N. C. Standard 7 Per Cent Guano | Standard 7 Per Cent Guano | Troutville | 7.34 | 4.67 | .92 | 5.59 | 6.80 | 5.20 | | | | 35.28 |
| 3909 | Farmers Guano Co., Raleigh, N. C | Farmers' 7-7-7 Trucker | Goldsboro | 6.87 | 4.18 | 1.14 | 5.32 | 6.47 | 6.70 | | | | 35.23 |
| 3574 | Meadows, E. H. & J. A., Co., New Bern, | Meadows' Great Cabbage Guano | New Bern | 7.04 | 3.99 | 1.90 | 5.89 | 7.16 | 86.9 | 1 | | - | 38.05 |
| 3985 | N. C. Scotland Neck Guano Co., Scotland Neck, | Johnson's Special Potato Guano | Kelford | 7.52 | 2.83 | 1.94 | 4.77 | 5.80 | 7.28 | 1 | - | - | 34.08 |
| 3817 | N. C. VaCar. Chemical Co., Richmond, Va | Old Dominion Guano Co.'s Truck | Washington | 7.26 | 5.44 | .30 | 5.74 | 86.98 | 5.96 | | | | 36.60 |
| 3514 | op | Guano. | Kinston | 7.53 | 3.57 | 1.12 | 4.69 | 5.70 | 8.08 | 1 | | | 34.55 |
| | Brand claiming | | | 6.00 | | | 1.65 | 2.00 | 5.00 | | | | 17.33 |
| 4665 | Royster, F. S., Guano Co., Norfolk, Va Royster's 2-6-5 Special | Royster's 2-6-5 Special | Kernersville | 6.01 | .95 | .56 | 1.51 | 1.84 | 4.64 | | | į | 16.39 |
| 00 | Brand claiming | | | 6.00 | | | 1.65 | 2.00 | 6.00 | | | | 18.33 |
| 4722 | VaCar. Chemical Co., Richmond, Va | Old Dominion Guano Co.'s Special | Hendersonville | 7.38 | 1.39 | 48 | 1.87 | 2.27 | 6.62 | 1 1 | | , | 21.12 |
| ш | Brand claiming | Sweet Fotato Guano. | 1 | 6.00 | 1 | 1 | 2.47 | 3.00 | 6.00 | 1 1 1 1 | - | 1 | 21.77 |
| 4532 | Pamlico Chemical Co., Washington, N. C | Falkland High Grade Tobacco Guano Washington | o Washington | 7.47 | .81 | 1.42 | 2.23 | 2.71 | 6.38 | 6.38 | | 6.30 | 29.47 |
| w | Brands claiming | | 1 | 6.00 |) | 1 9 5 1 | 2.47 | 3.00 | 7.00 | 1 | i | - | 22.77 |
| 3633 | Armour Fertilizer Works, Wilmington, N. C. Armour's Velvet Leaf Fertilizer. | Armour's Velvet Leaf Fertilizer | Wallace | 5.84 | 1.39 | 1.22 | 2.61 | 3.17 | 6.32 | | | | 22.54 |
| 2968 | Ober, G., & Sons Co., Baltimore, Md | Ober's Red Seal Special Tobacco Guano. | Middlesex | 69.9 | 1.84 | .54 | 2.38 | 2.89 | 7.64 | 1.72 | 5.93 | 1.30 | 23.66 |

| 4225 |) | op | Edenton | 69.9 | 6.69 1.91 | .54 | 2.45 | 2.98 | $2.98 \mid 7.30 \mid 1.04$ | 1.04 6.26 | | .80 2: | 23.61 |
|-------|--|---|---|------|-----------|---|-----------|------|----------------------------|---|-----------|-----------|-------|
| _ | Brands claiming | | 1 | 00.9 | 1 1 | | 3.29 | 4.00 | 4.00 | 1 | - | 2 | 23.22 |
| 4822 | Armour Fertilizer Works, Wilmington, N. C. Armour's Manure Substitute. | Armour's Manure Substitute | Garland | 5.88 | 1.93 | 1.06 | 2.99 | 3.64 | 3.60 | | | 5 | 21.45 |
| 4259 | Carolina-Union Fertilizer Co., Norfolk, Va., Carolina-Union 4-6-4 | Carolina-Union 4-6-4 | Edenton | 6.64 | 1.93 | 1.04 | 2.97 | 3.61 | 4.34 | | - 1 | 2 | 22.79 |
| 4176 | Imperial Co., Norfolk, Va | Imperial Fish and Bone | Edenton | 5.51 | 2.37 | 89. | 3.05 | 3.71 | 4.40 | | - ! | 2 | 22.17 |
| 3869 | Royster, F. S., Guano Co., Norfolk, Va | Oakley's Special Tobacco Guano | Edenton | 6.23 | .82 | 2.32 | 3.14 | 3.82 | 4.00 | 2.12 1.8 | 1.88 1.60 | 60 2 | 22.79 |
| _ | Brands claiming | | | 00.9 | 1 | 1 | 3.29 | 4.00 | 5.00 | - | - 1 | 2 | 24.22 |
| 3878 | VaCar. Chemical Co., Richmond, Va | Butler's Special Mixture | Hoffman | 8.03 | 1.48 | 1.48 1.04 | 2.52 | 3.06 | 2.94 | | | 2 | 20.74 |
| 3944 | Winborne Guano Co., Norfolk, Va | Winborne's Tip Top Tobacco Guano. Edenton | Edenton | 6.40 | 1.43 | .92 | 2.35 | 2.86 | 4.92 | 4.92 | 6. | 6.50 2 | 20.55 |
| | Brands claiming | | 1 | 6.00 | 1 | 1 | 3.29 | 4.00 | 7.00 | | - | 2 | 26.22 |
| 3500 | New Bern Cotton Oil and Fertilizer Mills, | Eureka Tobacco Fertilizer | Kinston | 7.22 | 1.29 | 1.84 | 3.13 | 3.81 | 6.84 | 6.84 | 9 | 10.20 2 | 26.48 |
| 4145 | J. | Painlico 6-4-7 Guano | LaGrange | 7.10 | 1.35 | 1.80 | 3.15 | 3.83 | 8.06 | | - 1 | | 27.68 |
| 4474 | VaCar. Chemical Co., Richmond, Va | VaCar. Chemical Co.'s 6-4-7 To- | Fountain | 5.29 | 2.79 | .34 | 3.13 | 3.81 | 88.9 | 88.9 | 1- | 7.40 2 | 24.79 |
| _ | Brand claiming | Dacco Mindellie | | 6.00 | | | 3.29 | 4.00 | 8.00 | | - | 12 | 29.66 |
| 3489 | 3489 Acme Mfg. Co., Wilmington, N. C | Acme Truck Guano | Mount Olive | 7.42 | 1.61 | 1.72 | 3.33 | 4.05 | 6.10 | - 1 | | | 26.76 |
| _ | Brands claiming | | | 6.00 | 1 | 1 | 4.11 | 5.11 | 5.00 | 1 | 1 | 2 | 27.66 |
| 3608 | Imperial Co., Norfolk, Va | Imperial Williams' Special Potato | Elizabeth City | 6.17 | 3.49 | 88. | 4.07 | 4.95 | 5.40 | | - | ei | 28.05 |
| 3615 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Special 5-6-5. | Elizabeth City | 5.39 | 2.39 | 1.30 | 3.69 | 4.49 | 5.08 | | - | 22 | 25.43 |
| 3617. | Troutman Mfg. Co., Churchland, Va | Troutman's 5 Per Cent Guano | Elizabeth City | 6.99 | 2.75 | 1.76 | 4.51 | 5.48 | 4.94 | - | 1 | | 30.17 |
| 4374 | Young, J. R., Fertilizer Co., Norfolk, Va | J. R. Young's Special Guano for | Edenton | 6.37 | 2.73 | .62 | 3.35 | 4.07 | 5.03 | 1 | | | 24.82 |
| | Brands claiming | T Oranges. | | 6.00 | | | 4.11 | 5.00 | 2.00 | 1 | - 1 | 53 | 29.66 |
| 3690 | American Fertilizer Co., Norfolk, Va | Special Potato Mixture | Parkton | 6.23 | 4.85 | .28 | 5.13 | 6.24 | 6.20 | - | - 1 | 33 | 33.35 |
| 3473 | Armour Fertilizer Works, Wilmington, N. C. Armour's 5 Per Cent Trucker | Armour's 5 Per Cent Trucker | Manchester | 5.80 | 1.97 | 1.66 | 3.63 | 4.41 | 6.26 | | - 1 | - 5 | 26.73 |
| 3611 | Baugh & Sons Co., Norfolk, Va | Baugh's Peruvian Substitute for | Elizabeth City | 6.12 | 3.47 | 02. | 4.17 | 5.07 | 7.60 | - 1 | - | 3(| 30.62 |
| 3900 | Carolina-Union Fertilizer Co., Norfolk, Va. Carolina-Union 5-6-7 | rotatoes, etc. Carolina-Union 5-6-7 | Elizabeth City 6.82 2.75 | 6.83 | 2.75 | 1.36 | 1.36 4.11 | 5.00 | 5.54 | 2 | | 33 | 28.94 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| Der. | Relative Value Ton at Factory | | \$29.66 | 29.79 | 29.36 | 31.18 | 30.83 | 30.54 | 28.25 | 26.40 | 33.20 | 31.34 | 29.04 | 29.09 | 29.74 | 33.78 | 38.19 | 28.90 | 34,05 |
|---|-----------------------------------|--------------------|-----------------|---------------------------------|--|---|----------------|-----------------------------|--|-------------------------------------|------------------------------------|------------------------------------|---|---------------------------------------|--|--------------------------------|-----------------------------------|---------|-----------------------------------|
| | Chlorine. | | | | | | , | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 1 1 | | |
| 100. | Potash from Sulphate. | | | | | 1 | | | | | | | | | | 1 | | - | |
| Percentage Composition or Parts per 100 | Potash from Muriate. | | | | | | 1 | 1 | | 1 1 | 1 1 | 1 | 1 1 | 1 | 1 | 1 | 1 | | |
| a or Pa | Total Potash, | | 7.00 | 7.00 | 7.60 | 6.94 | 8.42 | 7.76 | 8.58 | 6.08 | 8.58 | 9.12 | 6.94 | 7.90 | 7.04 | 7.08 | 6.20 | 7.22 | 8.68 |
| ositio | Equivalent to Ammonia. | | 5.00 | 4.96 | 4.66 | 5.28 | 4.90 | 5.00 | 4.24 | 3.73 | 4.73 | 4.67 | 4.72 | 4.52 | 5.00 | 6.14 | 4.74 | 4.56 | 5.68 |
| Comp | Total Vitrogen. | | 4.11 | 4.08 | 3.83 | 4.34 | 4.03 | 4.11 | 3.49 | 3.07 | 3.89 | 3.84 | 3.88 | 3.72 | 4.11 | 5.05 | 3.90 | 3.75 | 4.67 |
| entage | Organic Nitrogen. | | | .92 | 1.46 | 1.08 | 99. | 88. | .90 | .30 | 57 | 2.18 | 1.56 | 1.78 | 1.28 | 1.28 | .50 | 09. | .30 |
| Perc | Water-soluble Nitrogen. | | | 3.16 | 2.37 | 3.26 | 3.37 | 3.23 | 2.59 | 2.77 | 3.17 | 1.66 | 2.32 | 1.94 | 2.83 | 3.77 | 3.40 | 3.15 | 4.37 |
| | Available Phosphoric Acid, | | 6.00 | 6.28 | 6.30 | 6.68 | 60.9 | 6.13 | 5.57 | ×.25 | 9.30 | 6.77 | 6.45 | 6.19 | 6.04 | 6.10 | 6.23 | 6.59 | 6.40 |
| | mpled. | | | City | | City | City | City | City | n | ıntain. | n | City | 1 | City | City | City | 1 1 1 | |
| | Where Sampled. | EIZERS. | | Elizabeth City | Columbia | Elizabeth City | Elizabeth City | Elizabeth City. | Hizabeth | Chadbourn. | Kings Mountain | Washington. | Elizabeth City | Columbia | Elizabeth City | Elizabeth City | Elizabeth City | Kinston | Brevard . |
| | Name of Brand. | MIXED FERTILIZERS. | | Columbia Irish Potato Guano | Nun-Such Potato Grower | Grandy's 5-6-7 Potato Guano | -ф | Imperial 5-6-7 Potato Guano | Martin's Animal Bone Potato Guano Elizabeth City | Navassa Creole Guano | Patapseo Potato Guano | Phillips' High Grade Guano for | Totatoes and All Vegetables. Piedmont Early Vegetable Manure. | Robertson's 5-6-7 Guano | Royster's Irish Potato Guano | Yellow Back Sweet Potato Guano | VC. C. Co.'s Invincible | do | VC. C. Co.'s Special Truck Guano. |
| | Name and Address of Manufacturer. | | Brands claiming | Columbia Guano Co., Norfolk, Va | Eastern Cotton Oil Co., Hertford, N. C | Grandy, N. G., & Co., Elizabeth City, N. C. Grandy's 5-6-7 Potato Guano | -do | Imperial Co., Norfołk, Va | Martin Fertilizer Co., Norfolk, Va. | Navassa Guano Co., Wilmington, N. C | Patapseo Guano Co., Baltimore, Md. | Phillips, F. T., Washington, N. C. | Piedmont-Mount Airy Guano Co., Balti- | Robertson Fertilizer Co., Norfolk, Va | Royster, F. S., Guano Co., Norfolk, Va | qo | VaCar. Chemical Co., Richmond, Va | op | op |
| | Гарогатогу Хитрег | | 20 | 3855 | 3555 | 6034 | 5886 | 3607 | 3610 | 3721 | 3542 | 660 1 | 3856 | 3561 | 3616 | 4166 | 5925 | 4150 | 3546 |

| 590s | 2908 do g | do | Belhaven | 6.32 | 3.71. | 5. | 4.49 | 5.46 | 6.32 | | | 30.87 |
|------|--|---|---|------|-------|------|------|-------|------|--|-------------|-------|
| 4151 | 4151 do do | op | Kinston | 7.33 | 2.43 | 02. | 3.13 | 3.81 | 7.64 | 1 | | 27.28 |
| | Brands claiming | | | 00.9 | 1 | | 5.76 | 7.00 | 5.00 | | - | 34.59 |
| 4644 | American Agricultural Chemical Co., New | Canton Chemical Co.'s Baker's 7 Per Edenton | Edenton | 6.53 | 3.95 | 1.08 | 5.03 | 6.12 | 5.08 | | 1 | 32.08 |
| 3626 | 3626 Baugh & Sons Co., Norfolk, Va. | 1 | Robersonville | 6.40 | 4.81 | 08. | 5.61 | 6.82 | 5.54 | 1 | | 34.86 |
| 3553 | Dixie Guano Co., Suffolk, Va | Dixie 7 Per Cent Potato Guano | Edenton | 6.95 | 3.81 | 1.30 | 5.11 | 6.21 | 5.10 | | | 32.82 |
| 3868 | 3868, Eastern Cotton Oil Co., Hertford, N. C | Hertford Truck Grower | Edenton | 5.94 | 4.10 | 1.18 | 5.28 | 6.42 | 5.32 | | 1 | 32.84 |
| 3612 | 3612 Martin Fertilizer Co., Norfolk, Va. | Martin's 7 Per Cent Guano | Elizabeth City | 4.70 | 4.75 | 96. | 5.71 | 6.94 | 5.43 | | - | 33.63 |
| 3947 | 3947 VaCar. Chemical Co., Richmond, Va. | S. W. Travers & Co.'s 7 Per Cent | Edenton | 5.65 | 5.00 | 99 | 5.92 | 7.20 | 3.72 |) 1 1 1 1 1 1 1 1 1 1 1 | | 33.67 |
| | Brand claiming | TIGEN FORMER | | 5.00 | | | 4.94 | 6.00 | 7.00 | | 1 1 1 | 32.25 |
| 1695 | 4695 Columbia Guano Co., Norfolk, Va | Perfection Potato Producer | Clyde | 5.91 | 2.57 | 1.54 | 4.11 | 5.00 | 06.9 | | - | 29.48 |
| | Brand claiming | | | 5.00 | | | 92.5 | 7.00 | 3.00 | 1 | | 31.69 |
| 4845 | 4845 Wulbern Fertilizer Co., Charleston, S. C. | Wulbern's Duplex Dresser | Arden | 5.12 | 3.07 | 1.50 | 4.57 | 5.56 | 3.14 | | | 26.94 |
| | Brand claiming | | 1 | 5.00 | | - | 5.76 | 7.00 | 5.00 | | 1 | 33.69 |
| 4260 | 4260 Winborne Guano Co., Norfolk, Va. | Big Crop 7 Per Cent Guano | Edenton | 5.38 | 3.31 | 1.66 | 4.97 | 6.04 | 5.40 | 1 | | 31.12 |
| | Brands claiming | | | 4.00 | 1 | 1 | 3.29 | 4.00 | 00.9 | | | 23.42 |
| 4258 | 4258 Imperial Co., Norfolk, Va | Imperial Laughinghouse Special | Edenton | 4.42 | 2.09 | 96. | 2.99 | 3.64 | 98.9 | 6.86 | 7.50 | 23.40 |
| 6071 | 6071 VaCar. Chemical Co., Richmond, Va. | VC. Co.'s Sir Walter Tobacco | Chocowinity | 3.86 | 2.43 | .54 | 2.97 | 3.61 | 6.34 | 6.34 | 9.40 | 22.29 |
| 4177 | 4177 | dodo | Washington | 7.47 | 1.97 | 27. | 2.39 | 2.91 | 4.00 | 2.64 1.36 | 2.00 | 20.76 |
| | Brand claiming | | | 4.00 | | 1 | 6.18 | 1.51 | 2.50 | - | | 32.06 |
| 1287 | 4787 VaCar. Chemical Co., Richmond, Va | . VC. C. Co.'s High Grade Top | | 6.23 | 5.97 | 1. | 6.11 | 7.43 | 2.64 | | 1 | 33.91 |
| | Brand claiming | Topico I | | 4.00 | | | 8.23 | 10.00 | 3.00 | | | 41.17 |
| 3704 | 3704 Ober, G., & Sons Co., Baltimore, Md | Special Tobacco Bed Fertilizer | Kinston | 5.19 | 6.25 | 86. | 7.23 | 8.79 | 3.70 | | | 38.74 |
| - | Brands claiming | | | 4.00 | | | 8.23 | 10.00 | 4.00 | | | 42.17 |
| 2900 | 5900 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Top Dresser, Extra High Grada | Drewry | 4.95 | 7.82 | 90. | 7.88 | 9.58 | 5.66 | _ | | 43.21 |
| 4677 | 4677 | do | Charlotte | 4.50 | 7.29 | :23 | 7.51 | 9.37 | 4.34 | | | 39.93 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| per . | Relative Value Ton at Factory | | \$41.27 | 33.34 | 41.37 | 38.73 | 37.42 | 39.71 | 30.91 | 30.38 | 41.45 | 38.02 | 46.45 | 44.35 | 36.85 | 35.04 | 33.84 | 37.22 | 37.35 |
|---|-----------------------------------|--------------------|----------------|---|----------------|---------------------------------------|----------------|--|----------------|---|----------------|----------------------------------|----------------|---|------------------|--------------------------------|-----------------------|---|---|
| | Chlorine. | | 1 | - | | | 1 | 1 | 1 | | 1 | 1 5 7 | 1 | | | | | | 1 |
| 100. | Potash from Sulphate, | | | | | | 1 | | 1 | 1 | | 1 | | | 1 | 1 1 | 1 | | |
| Percentage Composition or Parts per 100 | Potash from Muriate. | | | | | | | | 1 | | | 1 | | | 1 1 1 1 |) 9 9 9 | 1 |)))) | 1 |
| ı or Pa | Total Potash. | | 4.00 | 3.99 | 5.00 | 4.64 | 5.00 | 5.88 | 1 | ; ; ; | 2.00 | 1.90 | 5.00 | 5.84 | 1 9 9 | 1 | 1 1 2 3 3 | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 1 |
| ositior | Equivalent to Ammonia. | | 10.00 | 7.55 | 10.00 | 9.40 | 8.86 | 9.23 | 6.98 | 6.57 | 12.00 | 11.11 | 12.00 | 11.15 | 9.50 | 9.00 | 8.60 | 10.00 | 9.14 |
| Comp | Total Vitrogen. | | 8.23 | 6.21 | 8.23 | 7.73 | 7.29 | 7.59 | 5.74 | 5.40 | 9.87 | 9.14 | 9.87 | 9.17 | 7.81 | 7.40 | 7.07 | 8.23 | 7.52 |
| entage | Organic Nitrogen. | | | 2.17 | | .10 | | 1.03 | | 4.10 | | 45. | | 97. | | 4.43 | 4.50 | | 7.02 |
| Perce | Vater- soluble Nitrogen. | | | 3.04 | | 7.63 | 1 | 6.67 | | 1.30 | | 8.60 | | 8.41 | | 2.98 | 2.57 | 1 | .50 |
| | Available Phosphoric Acid. | | 3.00 | 3.63 | 2.00 | 1.81 | 2.00 | 2.17 | 8.50 | 9.63 | | | | | 4.50 | 4.40 | 4.61 | 3.00 | 6.41 |
| | Where Sampled. | Mixed Fertilizers. | | Radeigh | | Wilson | | Lane | 1 | Winston-Salem | | Baileys | | pecial. Wilson | | Wilmington | Samareand | 1 | Speed |
| | Name of Brand. | MIXED | | Caraleigh Top Dresser | | Perfect Top Dresser | | Sodash | | Tankage | | Harris Nitrolite Top Dressing. | | Tomlinson's Nitrate-Muriate Special. Wilson | | Dried Ground Fish | 0[) | | Royster's Ground Fish Scrap |
| | Name and Address of Manufacturer. | | Brand claiming | Caraleigh Phosphate and Fertilizer Works, Raleigh, N. C. | Brand claiming | Farmers Cotton Oil Co., Wilson, N. C. | Brand claiming | McNair Phosphate Co., Laurinburg, N. C | Brand claiming | City of Winston-Salem, N. C. | Brand claiming | Hadley-Harris Co., Wilson, N. C. | Brand claiming | 4325 Powhatan Chemical Co., Richmond, Va | Brands claiming | Acme Mfg Co., Wilmington, N. C | ор | Brand claiming | Royster, F. S., Guano Co., Norfolk, Va. |
| | Laboratory Number. | | _ | 4602 | | 4792 | | 5888 | | 3954 | | 4783 | | 4325 | | 3496 | 4614 | | 4190 |

| | Brands claiming | | | | - | | 7.40 | 9.00 | 3.00 | 34.08 |
|-------|---|---|---------------|-------|----------|------------------|-------|-------|------|-------|
| 4292 | Coöperative Warehouse Co., Salisbury, N.C. Farmers' Union Top Dresser | Farmers' Union Top Dresser | Winston-Salem | 5 | 5.35 | - - - | 5.49 | 6.67 | 5.74 | 28.80 |
| 4737 | Cooper Guano Co., Wilmington, N. C | Cooper's Evergreen Top Dresser | Magnolia | 9 | 6.79 | 30 1 | 60.7 | 8.62 | 4.54 | 34.31 |
| 4209 | Home Fertilizer Chemical Co., Baltimore, | Cerealite Top Dresser | Marshville | 7 7 | 7.75 | | 7.77 | 9.45 | 3.18 | 35.81 |
| 4784 | Md. | | Middlesex | 2 | 7.43 | 10 | 7.47 | 80.6 | 3.18 | 34.55 |
| 6809 | Royster, F. S., Guano Co., Norfolk, Va | Magic Top Dresser | Lillington | 9 | 6.43 | 11. | 6.57 | 66.7 | 3.44 | 31.03 |
| | Brand claiming | | | | - | - | 7.51 | 9.16 | 3.50 | 35.04 |
| 5956. | 5956 Chesapeake Chemical Co., Baltimore, Md., Prolific Top Dresser | Prolific Top Dresser | Windsor | 1 | | | 6.80 | 8.27 | 3.90 | 35.81 |
| | Brands claiming | | | 7.00 | - | | | | 5.00 | 11.30 |
| 4226 | Columbia Guano Co., Norfolk, Va | Crown Brand Peanut Guano | Edenton | 8.19 | | - | - | - | 4.90 | 12.27 |
| 4283 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Peanut Special | Edenton | 7.33 | | 1 | 1 | - | 5.10 | 11.70 |
| | Brands claiming | | | 8.00 | <u> </u> | | 1 | | 4.00 | 11.20 |
| 4850 | AI | Zell's Palmetto Alkaline Phosphate | Asheville | 7.79 | - | 1 | | | 3.98 | 10.99 |
| 6093 | York, N. Y. Armour Fertilizer Works, Greensboro, N. C. | Armour's Phosphate and Potash No. | Asheville | 7.12 | - 1 | | | | 3.52 | 9.93 |
| 4563 | Asheville Packing Co., Asheville, N. C | Asheville Packing Co.'s Special | Asheville | 7.50 | | - | | | 4.36 | 11.11 |
| 4798 | Berkley Chemical Co., Norfolk, Va | Superior Bone and Potash | Zebulon | 7.72 | 1 | - | | Ī | 4.04 | 10.99 |
| 4570 | Navassa Guano Co., Wilmington, N. C | . Navassa Dissolved Bone with Potash. Lexington | Lexington | 66.6 | - | | - | 1 | 3.92 | 12.91 |
| 4809 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash Mixture Liberty | Liberty | 8.05 | | | | - | 4.08 | 11.30 |
| 1394 | VaCar. Chemical Co., Richmond, Va | Durham Fertilizer Co.'s Carr's Spe- | Canton | 99.8 | | - | - | 1 | 3.36 | 11.15 |
| 3549 | | eiai wheat Glower. | Asheville | 8.63 | | - | 1 1 1 | | 3.06 | 10.83 |
| 4856 | | Old Dominion Guano Co.'s Miller's | Trinity | 8.84 | | - | 1 | - | 2.74 | 10.70 |
| 3886 | op | Southern Chemical Co.'s Click's | Elkin | 7.85 | | 1 | - | | 4,80 | 11.86 |
| 4857 | op | Special wheat Compound. Va. State Chemical Co.'s Gilt Edge | Siler City | 9.38 | | | - | | 3.28 | 11.72 |
| - 10 | Brands claiming | Brand Dissolved Bone and Fotash. | | 10.00 | | | | 1 1 1 | 2.00 | 11.00 |
| 4184 | American Agricultural Chemical Co., New Lazaretto Alkaline Bone. | Lazaretto Alkaline Bone | Edenton | 10.37 | 1 | - | 1 | | 2.12 | 11.45 |
| 4595 | York, N. Y. | Zell's Bone and Potash | Statesville | 10.17 | | | | - | 2.16 | 11.31 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| 4252 | 4252 Navassa Guano Co., Wilmington, N. C | Navassa Dissolved Bone with Potash, Maysville | Maysville | 10.31 | 2.12 | 11.40 |
|------|--|--|----------------|-------|------|-------|
| 4594 | do | Navassa Piedmont Wheat Grower | Statesville | 17.6 | 2.02 | 10.76 |
| 4653 | Old Buck Guano Co., Richmond, Va | Old Buck Hartford Bone and Potash. | Ulah | 9.45 | 2.54 | 11.04 |
| 4552 | Patapseo Guano Co., Baltimore, Md | Patapseo Soluble Bone and Potash | Scotts | 11.96 | 2.40 | 13.16 |
| 3682 | Poeomoke Guano Co., Norfolk, Va | 10-2 Potash Mixture | Maiden | 10.36 | 2.22 | 11.54 |
| 3796 | Richmond Guano Co., Richmond, Va | Bone and Potash | Mocksville | 10.35 | 2.04 | 11.35 |
| 3661 | Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash Mixture | Hiekory | 9.94 | 2.30 | 11.25 |
| 4723 | op | F. S. Royster's 10 and 2 Bone and | Hendersonville | 9.72 | 2.14 | 10.89 |
| 4832 | Spartanburg Fertilizer Co., Spartanburg, | rotasu mixture. Tiger Brand | Hendersonville | 9.6 | 2.06 | 10.75 |
| 4423 | Swift Fertilizer Works, Atlanta, Ga | Swift's Field and Farm Standard | Bryson City | 9.45 | 2.00 | 10.50 |
| 6030 | Union Guano Co., Winston, N. C. | Union 10 and 2 Bone and Potash. | Cleveland | 10.86 | 1.68 | 11.45 |
| 3981 | VaCar. Chemical Co., Richmond, Va | A. & A.'s Bone and Potash Mixture | Hendersonville | 10.94 | 2.90 | 12.75 |
| 3773 | | Davie & Whittle's Owl Brand Acid | Hillsboro | 10.23 | 1.34 | 10.55 |
| 3645 | -do | Fhosphate with Fotash. Durham Fertilizer Co.'s Blue Ridge | Statesville | 9.84 | 1.96 | 10.82 |
| 4027 | op | Wheat Grower. Durham Fertilizer Co.'s Standard | Statesville | 9.53 | 1.84 | 10.22 |
| 3887 | , do | Wheat Grower. Lynchburg Guaranteed Dissolved | Elkin | 10.60 | 2.36 | 11.90 |
| 4655 | op | Bone and Potash. Norfolk and Carolina Chemical Co.'s | Graves Siding | 10.05 | 2.20 | 11.24 |
| 4026 | ор | Sone and Potash. Old Dominion Guano Co.'s Alkaline | Mooresville | 10.09 | 2.02 | 11.10 |
| 3646 | do | Southern Chemical Co.'s Mammoth | Statesville | 9.70 | 1.80 | 10.53 |
| 4289 | op | Corn Grower. Triangley & Co.'s Bone and Potash | Graham | 10.10 | 1.58 | 10.67 |
| 4358 | -do | Travels & Co.'s Capital Bone and | Hominy | 10.46 | 3.02 | 12.43 |
| 4341 | op. | VC. C. Co.'s Special Potash Mixture Rutherfordton | Rutherfordton | 11.03 | 2.14 | 12.05 |
| 3888 | Winborne Guano Co., Norfolk, Va | Union Bone and Potash | Elkin | 10.83 | 2.54 | 12.29 |
| 1164 | op | Winborne's Soluble Bone and Potash, Edenton | Edenton | 10.20 | 2.36 | 11.54 |
| 4379 | 4379 Young, J. R., Fertilizer Co., Norfolk, Va | J. R. Young's Bone and Potash Guano. | Edenton | 8.64 | 1.96 | 9.74 |

ANALYSES OF COMMERCIAL FEBRUILIZERS—SPRING SEASON 1914

| | 1 | | ' | Percentage Composi | Percentage Composition or Parts per 100 | ion or 1 | Parts p | er 100. | | I. |
|------|---|--|--|--|---|-------------------|--|--------------------------|-----------|----------------------------------|
| | | | | Terenting | neodimo > as | 10 1101 | des to the | 100. | | be. |
| | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Acid. Acid. Water- soluble Vitrogen. Organic Vitrogen. | Total Nitrogen. Equivalent | to Ammonia. Total | Potash from Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value Torsat Factory |
| | | MIXED FER | Fertilizers. | | | | | | | |
| 00 | Brand claiming | | 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 | 10.00 | | 3.00 | 90 | | - | \$12.00 |
| | 4291 Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash for Grain. Kernersville. | Kernersville | 9.73 | | 3.74 | 17 | | | 12.50 |
| ထ | Brands claiming | | 3 3 1 1 3 3 4 4 8 8 | 10.00 | | 4.00 | 90 | | | . 13.00 |
| 4499 | Adair & McCarty Bros., Chattanooga, | Adair's Wheat and Corn Grower | Lucama | 10.36 | | 2.56 | 99 | | | 11.88 |
| 4802 | Tenn. American Agricultural Chemical Co., New | Ω. | Landis | 10.95 | | 3.78 | 20 | | | 13.63 |
| | York, N. Y. | Fotash. Lazaretto High Grade Alkaline Bone. | Mooresville | 10.02 | | 4.22 | 22 | - | 1 | 13.24 |
| | op | Zell's Excelsior Alkaline Bone | Asheville | 9.34 | | 3.94 | 4 | | - | 12.35 |
| | op | Zell's High Grade Bone and Potash China Grove | China Grove | 10.04 | | 4.06 | 90 | | 1 | 13.10 |
| | op | | Asheville | 9.62 | | 4.12 | 61 | | 1 | 12.68 |
| | American Fertilizer Co., Norfolk, Va | Double Dissolved Bone and Potash Fairmont | . Fairmont | 10.67 | | 4.30 | 90 | | 1 | 14.17 |
| | Armour Fertilizer Works, Greensboro, N. C. | Works, Greensboro, N. C. Armour's Superphosphate and Potash Shelby | Shelby | 9.34 | | 4.26 | 98 | | | 12.67 |
| | Baugh & Sons Co., Norfolk, Va | Baugh's 10-4 Phosphate and Potash | Elizabeth City | 10.65 | | 3.20 | 02 | - | 1 | 12.78 |
| | Bryant Fertilizer Co., Alexandria, Va | Mixture Bryant's 10-4 Bone and Potash | Burlington | 9.78 | | 3.48 | | | | 12.28 |
| 4571 | Caraleigh Phosphate and Fertilizer Works, | Special Bone and Potash Mixture | Lexington | 10.50 | | 3.84 | 2 | | 1 | 13.29 |
| 4500 | Kalelgh, N. C. Chickamanga Fertilizer Works, Chatta- | Chickamanga Wheat and Corn Grower Burnsville | . Burnsville | 9.87 | | 3.52 | 25 | | - | 12.40 |
| 4301 | nooga, 1 enn. Coe-Mortimer Co., Charleston, S. C | . Coe-Mortimer Bone and Potash | Hildebran | 18.6 | | 4.48 | 81 | | | 13.31 |
| 3662 | Columbia Guano Co., Norfolk, Va | . Columbia Bone and Potash Mixture., Conover | Conover | 9.78 | | 3.92 | 15 | 0 0 0 0 1 | 1 | 12.72 |
| | | | | | | | | | | |

| 4703 | -do | 10 and 4 Bone and Potash | Clyde 9 | 9.83 | 3.72 | 12.57 |
|------|---|---|--------------------|-------|------|-------|
| 3956 | Coöperative Warehouse Co., Salisbury, N.C. | Mixture, Farmers' Union 10-4 Bone and Potash Winston-Salem | 1 | 10.82 | 3.54 | 13.28 |
| 4774 | Coweta Fertilizer Co., Newman, Ga | Coweta Standard Bone and Potash | Southmont | 86.6 | 3.88 | 12.86 |
| 4269 | Craven Chemical Co., New Bern, N. C | Craven Grain Compound | Eves Siding 9 | 9.22 | 3.58 | 11.88 |
| 3861 | Dixie Guano Co., Suffolk, Va | Dixie Alkaline Bone and Potash | Edenton10 | 10.05 | 3.86 | 12.90 |
| 3797 | Georgia Chemical Works, Augusta, Ga | High Grade XX Acid Phosphate with Greensboro | | 10.24 | 3.32 | 12.54 |
| 3592 | ор | Fotash. | Greensboro 10 | 10.62 | 3.14 | 12.70 |
| 1684 | Imperial Co., Norfolk, Va | Catawba Wheat Grower | Mebane10 | 10.04 | 3.90 | 12.94 |
| 4492 | Marietta Fertilizer Co., Atlanta, Ga | Marietta Potash Special | Coats | 9.90 | 4.76 | 13.67 |
| 3895 | Miller Fertilizer Co., Baltimore, Md | Miller Fertilizer Co.'s 10 and 4 Per | High Point9 | 9.95 | 4.78 | 13.73 |
| 4218 | Navassa Guano Co., Wilmington, N. C | Cent. Navassa Dissolved Bone with Potush. Kellum | | 11.72 | 3.20 | 13,75 |
| 4551 | -do | Navassa Wheat and Grass Grower | Hiddenite 10 | 10.56 | 3.62 | 13.12 |
| 3894 | Norfolk Fertilizer Co., Norfolk, Va | Oriana Wheat Grower | High Point | 10.25 | 4.24 | 13.46 |
| 3926 | Old Buck Guano Co., Richmond, Va | Old Buck German 10 and 4 Mixture | Landis | 9.54 | 4.38 | 12.97 |
| 3543 | Patapsco Guano Co., Baltimore, Md | Patapsco 10-4 Potash Mixture | Kings Mountain. 10 | 10.14 | 3.90 | 13.03 |
| 4810 | Pocahontas Guano Co., Norfolk, Va | Wabash Wheat Mixture | Millboro 9 | 9.86 | 4,10 | 12.97 |
| 4553 | -do | Pocomoke Bone and Potash Mixture. | Stony Point 9 | 79.67 | 4.48 | 13.18 |
| 3784 | Powhatan Chemical Co., Richmond, Va. | Magic Bone and Potash Mixture | Waco10 | 10.22 | 3.86 | 13.06 |
| 1221 | Reidsville Fertilizer Co., Reidsville, N. C | Bone and Potash | Crutchfield10 | 10.40 | 5.06 | 14.42 |
| 3783 | Richmond Guano Co., Richmond, Va | Rex Bone and Potash Mixture | Cherryville | 11.50 | 2.92 | 13.27 |
| 4305 | Robertson Fertilizer Co., Norfolk, Va | Skyscraper Bone and Potash Com- | Ellenboro 9 | 9.70 | 4.00 | 12.73 |
| 3681 | Royster, F. S., Guano Co., Norfolk, Va | pound. Royster's 10-4 Bone and Potash Mix- | Lincolnton10 | 10.22 | 3.90 | 13.10 |
| 4306 | Southern Cotton Oil Co., Charlotte, N. C | Conqueror B. P. High Grade Bone | Lattimore 9 | 9.42 | 3.36 | 11.84 |
| 4704 | Southern Cotton Oil Co., Spartanburg, | Quick Totash. Quick Step High Grade Acid with | Tryon 9 | 9.38 | 4.78 | 13.22 |
| 4721 | Spartanburg Fertilizer Co., Spartanburg, | Tiger Brand 10 and 4 | Hendersonville. 9 | 9.78 | 4.02 | 12.82 |
| 3660 | Swift Fertilizer Works, Atlanta, Ga | Swift's Farmers' Home High Grade Phosphate and Potash. | Conover | 10.57 | 2.92 | 12.43 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | | Pe | Percentage Composition or Parts per 100 | е Сопц | ositio | ı or Par | rts per | 100. | | Det |
|-----------------------|--|---|----------------|--|---|--------------------|---------------------------|------------------|-------------------------|--------------------------|-----------|----------------------------------|
| Laboratory Vumber. | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Phosphoric Phosphoric Pictor Phosphoric Phi-Phi-Phi-Phi-Phi-Phi-Phi-Phi-Phi-Phi- | Антовеп. Огвапіс Мітовеп. | Total Nitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate, | Potash from Sulphate. | Chlorine. | Relative Value Ton at Factory |
| | | MIXED FERTILIZERS. | ULIZERS. | | | | | | | | | |
| | Brands claiming | | | 10.00 | _ | | | 4.00 | | | | \$13.00 |
| 3893 | Swift's Fertilizer Works, Atlanta, Ga | Swift's Farmer's Home High Grade | High Point | 9.29 | - !- | | | 4.70 | | | - | 13.06 |
| 3659 | Tuscarora Fertilizer Co., Greensboro, N. C., | Phosphate and Potash. Tusearora Acid and Potash. | Newton | 9.60 | | | | 3.50 | | 1 | 1 | 12.14 |
| 5950 | o{} | op- | Lincolnton | 9.85 | | | | 3.14 | | | | 12.00 |
| .2609 | Union Guano Co., Winston, N. C | Quaker Grain Mixture | Greensboro | 8.97 | - | | 1 | 6.04 | | | | 14.10 |
| 4441 | ор | | Catawba | 10.27 | | | | 4.30 | | | | 13.54 |
| 4611 | ор- | Union 10-4 Bone and Potash | Clinton | 10.54 | | - | - | 3.40 | | | | 12.89 |
| 4649 | United States Fertilizer Co., Baltimore, Md. Farm Bell Special Mixture | Farm Bell Special Mixture | Edenton | 10.79 | | | | 3.90 | | | - | 13.61 |
| 4593 | op | ob | Statesville | 10.13 | | 1 | 1 | 4.30 | | | | 13.42 |
| 4755 | VaCar. Chemieal Co., Richmond, Va | Durham Fertilizer Co.'s Bone and | Mocksville | 9.90 | | | 1 | 2.86 | | | 1 | 11.77 |
| 3551 | do | Fotash Mixture. Lynchburg Guana Co.'s S. W. Special Asheville Detect Mixture | Asheville | 10.57 | | 1 | | 3.04 | | | - 1 | 12.54 |
| 4518 | op* | Done and Fotash Mixture. | Troy | 9.30 | | | | 3.98 | | | | 12.35 |
| 4115 | op | Southern Chemical Co.'s Winner | Durham | 9.94 | | | | 3.72 | | | 1 | 12.67 |
| 4063 | op | Ertilizer Co.'s XX Potash | Toecane | 8.33 | | | | 4.94 | | | | 12.44 |
| 3591 | op | MC. C. Co.'s Special Potash Mixture Burlington | Burlington | 08.01 | | | | 3.28 | | | | 13.00 |
| _ | Brand claiming | | 1 | 10.00 | | 1 | | 5.00 | | | - | 14.00 |
| 4161 | Contentnea Guano Co., Wilson, N. C. | Bone and Potash Mixture, No. 3 | Four Oaks | 10.35 | | | 1 | 4.36 | 1 | | | 13.67 |

| 4290 | 4290 Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash Mixture | Kernersville | 9.51 | 4.34 | 12.90 |
|------|--|--|--------------------|-------|-------|-------|
| 1011 | 4011 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Standard Bone and | Benson10 | 10.48 | 4.12 | 13.55 |
| 3550 | 3550do | Potash. Va. State Fertilizer Co.'s Mountain Ton Bone and Detect. | Asheville | 9.96 | 4.80 | 13.76 |
| | Brands claiming | 1 op Done and r otash. | 11 | 10.00 | 00.9 | 15.00 |
| 4064 | 4064 Asheville Packing Co., Asheville, N. C | Asheville Packing Co.'s Superior | Asheville10 | 10.50 | 4.50 | 13.95 |
| 4830 | 4830 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Grain Special | Waynesville | 11.26 | 2.08 | 15.21 |
| 4561 | 4561do | do | Waynesville1 | 11.09 | 5.22 | 15.20 |
| | Brand claiming | |)1, | 10.00 | 8.00 | 17.00 |
| 4831 | 4831 VaCar. Chemical Co., Richmond, Va | VC. C. Co.'s Buyers' Mixture | Waynesville | 7.46 | 10.76 | 17.47 |
| | Brand claiming | |)1 | 10.50 | 1.50 | 10.95 |
| 4808 | 4808 VaCar. Chemical Co., Richmond, Va | Durham Fertilizer Co.'s Great Wheat Julian | 1 | 10.57 | 1.56 | 11.07 |
| | Brands claiming | and com drower. | 11 | 11.00 | 5.00 | 14.90 |
| 4851 | 4851 Armour Fertilizer Works, Greensboro, N. C. Armour's Sampson Corn Mixture | Armour's Sampson Corn Mixture | Asheville | 9.93 | 4.76 | 13.70 |
| 4450 | 4450 Caraleigh Phosphate and Fertilizer Works, Polyigh N C | Horne & Sons' II. G. Bone and Pot- | Raleigh | 11.64 | 5.18 | 15.66 |
| 4096 | VaCar. Chemical Co., Richmond, Va | Southern Chemical Co.'s Quickstep Rone and Potesh | Raleigh10 | 10.44 | 4.08 | 13.48 |
| | Brand claiming. | | 21 | 12.00 | 3.06 | 13.80 |
| 4369 | 4369 Cooperative Warehouse Co., Salisbury, N.C. Furmers' Union Bone and Potash | Farmers' Union Bone and Potash | Salisbury15 | 12.65 | 2.60 | 13.98 |
| | Brand claiming | | 12 | 12.00 | 5.00 | 15.80 |
| 1981 | 4861 Royster, F. S., Guano Co., Norfolk, Va | Royster's Bone and Potash Mixture Pleasant Garden. 12.35 | Pleasant Garden 12 | .35 | 4.58 | 15.69 |
| _ | Brands claiming | | 21 | 12.00 | 6.00 | 16.80 |
| 4862 | 4862 Georgia Chemical Works, Augusta, Ga | Georgia Bone and Potash | Bennett10 | 10.44 | 5.90 | 15.30 |
| 4550 | 4550 Navassa Guano Co., Wilmington, N. C | Navassa Wheat Belt Special | Hiddenite 11 | 11.30 | 5.12 | 15.29 |
| _ | Brand claiming | | 13 | 13.00 | 4.00 | 15.70 |
| 4357 | 4357 Adair, A. D., & McCarty Bros., Atlanta, Ga. A. & M. 13-4 | A. & M. 13-4 | Franklin13 | 13.02 | 3.60 | 15.32 |
| _ | Brand claiming | | 20 | 20.00 | 12.00 | 30.00 |
| 6028 | 6028 Union Guano Co., Winston, N. C | Special Mixture | Ether 20 | 20.39 | 10.24 | 28.59 |
| | The state of the s | | - | - | | - |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | 7 | | | | | | | , - | |
|-------------------------|---|---|----------------|--|--------------------|---------------------------|------------------|-------------------------|--------------------------|-----------|----------------------------------|
| | | | | Percentage Composition or Parts per 100 | e Comp | osition | or Par | ts per | .00 | | Der |
| Гарота (оту. Хитьет, | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Phosphoric Acid. Acid. Water- loss Witrogen. Aitrogen. Organic | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. | Relative Value Ton at Factory |
| | | RAW OR UNMIXED FERTHIZER MATERIALS. | ULIZER MATER | IALS. | | | | | | | |
| | Brand claiming | | | 12.00 | | | | | | 69 | 9.60 |
| 4028 B | VaCar. Chemical Co., Richmond, Va Brands claiming | Old Dominion Guano Co.'s Royster's Mooresville Acid Phosphate. | Mooresville | 13.00 | 1 | | | 1 6 9 | 1 | | 9.60 |
| 4670 | Farmers Guano Co., Norfolk, Va. | Aeid Phosphate | Mocksville | 15.26 | | | | | | - | 12.21 |
| 3798 | Richmond Guano Co., Richmond, Va | Premium Dissolved Bone | Mocksville | 13.51 | | | | | 1 1 1 | - | 10.81 |
| 3799 | Royster, F. S., Guano Co., Norfolk, Va. | Royster's Dissolved Bone | Mocksville | 13.50 | | | - | | | | 10.80 |
| 4395 | VaCar. Chemical Co., Richmond, Va | Allison & Addison's LX.E. Acid Phos- Clyde | Clyde | 14.46 | - | | | | | - | 11.57 |
| 4776 | (lo | phate. Davie & Whittle's Owl Brand Acid Phosphate. | Newsoms | | | | | | | | 12.46 |
| | Brands claiming | | 1 | 14.00 | | | | 1 | 1 | - | 11.20 |
| 4308 | American Agricultural Chemical Co., New Zell's 14 Per Cent Acid Phosphate | Zell's 14 Per Cent Acid Phosphate | Polkton | 13.14 | - | 4 | | 1 | 1 | - | 10.51 |
| 4656 | | High Grade Acid Phosphate | Seagrove | 15.52 | 1 1 | 1 | 1 | | | | 15.45 |
| 3684 | Armour Fertilizer Works, Greensboro, N. C. Armour Acid Phosphate. | Armour Acid Phosphate | Maiden | 13.93 | | | | 1 1 | | | 11.14 |
| 4396 | do | Armour's Star Phosphate Fertilizer Bryson City | Bryson City | 14.72 | | - | | | | | 11.78 |
| 4228 | Columbia Guano Co., Norfolk, Va | Columbia 14 Per Cent Acid Phosphate Edenton | Edenton | 14.54 | . ! | 1 | | | | 1 | 11.63 |
| 4775 | Coweta Fertilizer Co., Newman, Ga | Coweta High Grade Acid Phosphate Southmont | Southmont | 14.84 | - | 2 2 3 4 | | 1 | 1 | 1 | 11.87 |
| 4519 | Craven Chemical Co., New Bern, N. C | Jewel Acid Phosphate | Kellum | 15.09 | | - | | | | | 12.07 |
| 4284 | Farmers Guano Co., Raleigh, N. C | 14 Per Cent Acid Phosphate | Edenton | 15.03 | | - | | | - | - | 12.02 |

THE BULLETIN.

| 4964 | 4984 Innerial Co.: The Norfolk, Va. | Imperial High Grade Aeid Phosphate. Edenton | Edenton. | . 14.13 | 11.30 |
|------------------|--|---|---------------|---------|---------|
| 3697 | McNair Phosphate Co., Louisburg, N. C. | Acid Phosphate | Red Springs | 14.55 | 11.64 |
| 4427 | | Navassa Acid Phosphate | Lexington | 13.65 | 10.92 |
| 4657 | ., Richmond, Va. | Old Buck 14 Per Cent Acid Phosphate Seagrove. | Seagrove | 15.70 | 12.56 |
| 3832 | Planter Fertilizer Co., Charleston, S. C | Planters' High Grade Aeid Phosphate Wadesboro | Wadesboro | 19.01 | 12.03 |
| 3685 | | Peerless Acid Phosphate | Maiden | 14.17 | . 11.34 |
| 4126 | | High Grade Acid Phosphate | Shelby | 14.28 | 11,42 |
| 6015 | op | op | Eagle Springs | 14.21 | 11.37 |
| 3989 | 3989 Royster, F. S., Guano Co., Norfolk, Va. | Royster's 14 Per Cent Acid Phosphate, Warrenton. | Warrenton | 16.09 | 12.87 |
| 5951 | I Co., Fayetteville, N.C. | S. C. O. Co.'s 14 Per Cent Acid Phos- | Fayetteville | 16.74 | 13,39 |
| 5952 | op | phate. do | Fayetteville | 16.64 | 13.31 |
| 3692 | T. | op | Red Springs | 15.90 | 12.73 |
| 4424 | Swift Fertilizer Works, Wilmington, N. C | Swift's Cultivator High Grade Acid Biltmore | Biltmore | 16.20 | 12.96 |
| 4803 | | Phosphate. Aeid Phosphate | Faith | 15.05 | 12.04 |
| 4658 | Union Guano Co., Winston-Salem, N. C | Union High Grade Acid Phosphate Ether | Ether | 15.62 | 12.50 |
| 4343 | VaCar. Chemical Co., Riehmond, Va | A. & A.'s Fulton Acid Phosphate | Lenoir | 14.73 | 11.78 |
| 1 659 | op | Southern Chemical Co.'s Red Cross | | 14.02 | 11.22 |
| 4519 | op | 14 Fer Cent Acid Phosphate. J. G. Tinsley & Co.'s Powhatan Acid Troy | Troy | 16.47 | 13.18 |
| 4328 | | Phosphate. VC. C. Co.'s 14 Per Cent Acid Phos- Lilesville. | Lilesville | 15.27 | 12.27 |
| _ = | Brands claiming | phate. | 1 | 16.00 | 12.80 |
| 4330 | 4330 Acme Mfg. Co., Wilmington, N. C. | 16 Per Cent Acid Phosphate | Ansonville | 16.62 | 13.30 |
| 3754 | op | op | Raeford | 16.46 | 13.17 |
| † 08† | American Agricultural Chemical Co., New | Detrick's 16 Per Cent Acid Phosphate. Landis | Landis | 16.77 | 13.42 |
| 4597 | York, N. Y. 4597 do. | Lazaretto 16 Per Cent Acid Phosphate, Mooresville | Mooresville | 16.51 | 13.21 |
| 3788 | op | Zell's 16 Per Cent Acid Phosphate Dallas | Dallas | 16.54 | 13.23 |
| 3941 | 3941 American Fertilizer Co., Norfolk, Va. | American High Grade Acid Phosphate, Wake Forest 16.25 | Wake Forest | 16.25 | 13.00 |

| - - | |
|------------------|--|
| <u> </u> | |
| <u></u> | |
| = | |
| | |
| ٠. | |
| SEASON | |
| ⊃. | |
| 70 | |
| تر | |
| 7 | |
| \simeq | |
| 1 | |
| , | |
| - 10 | |
| \sim | |
| Z | |
| _ | |
| ~ | |
| _ | |
| _ | |
| N | |
| Ĩ. | |
| -SPEING | |
| 1 | |
| | |
| _ | |
| \odot | |
| 5 | |
| | |
| ╗ | |
| _ | |
| _ | |
| _ | |
| | |
| •• | |
| 2 | |
| Š | |
| SER | |
| FERTILIZERS | |
| , FER | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| _ | |
| S OF COMMERCIAL | |
| S OF COMMERCIAL | |
| S OF COMMERCIAL | |
| SS OF COMMERCIAL | |
| S OF COMMERCIAL | |
| S OF COMMERCIAL | |
| S OF COMMERCIAL | |
| S OF COMMERCIAL | |
| S OF COMMERCIAL | |

| | lorine. lative Value n at Factory | |
|--------------------------------|---|---------------------------|
| 100 | tash from Iphate. | $^{\mathrm{o}}\mathrm{d}$ |
| atage Composition or Parts per | tash from triste. | oq M |
| ı or Pa | tal tash. | $^{\mathrm{o}}\mathrm{d}$ |
| osition | talent Ammonia. | $^{\circ}$ E $^{\circ}$ |
| Comp | tal trogen. | IN. |
| entage | ganie trogen. | |
| Реге | iter- uble trogen. | los |
| | silable oirodqso bi | ^{9}V |
| | Where Sampled. | |
| | Name of Brand. | |
| | | |
| | Name and Address of Manufacturer. | |

Гарогаtогу Хитрег,

RAW OR UNMIXED FERTILIZER MATERIALS.

| 4 | Brands claiming | | | 16.00 | \$12.80 |
|-------|---|---|--------------|-------|---------|
| 545 | 3545 Armour Fertilizer Works, Greensboro, N. C. | Works, Greensboro, N. C. Armour's 16 Per Cent Acid Phosphate Gastonia | Gastonia | 15.57 | 12.46 |
| 745 | 3745 Arps, George L., & Co., Norfolk, Va | rennizer. Arps' High Grade 16 Per Cent | Edenton | 16.23 | 12.98 |
| 271 | 4271 Atlantic Chemical Co., Charlotte, N. C | - Atlantic High Grade 16 Per Cent | Eaves Siding | 15.91 | . 12.73 |
| 290 | 6067 Atlantic Chemical Co., Norfolk, Va. | Adlantic High Grade 16 Per Cent | Dusetta | 18.12 | . 14.50 |
| -281 | 4581 Atlantic Fertilizer Works, Wilmington, N.C. | | Rockingham | 15.85 | 12.68 |
| 3714 | 3714 Baugh & Sons Co., Philadelphia, Pa. | rngn Grade. Baugh's 16 Per Cent Acid Phosphate. Tabor | Tabor | 16.79 | 13.43 |
| 199 | 4199 Berkley Chemical Co., Norfolk, Va | Resolute Acid Phosphate | Waxhaw | 16.39 | 13.11 |
| 833 | 4833 Beta Pertilizer Co., Beta, N. C | 16 Per Cent Acid Phosphate | Beta | 16.01 | 12.81 |
| 562 | 3562 Boney, Paisley, Goldsboro, N. C | High Grade Acid Phosphate | Edenton | | 13.13 |
| 1240 | 4240 Bryant Fertilizer Co., Alexandria, Va | Bryant's Acid Phosphate | Lumberton | 16.35 | . 13.08 |
| 428 | Caraleigh Phosphate and Fertilizer Works, | 1 | Lexington | 15.20 | 12.16 |
| 106 | Kalegn, N. C. 3904 Carolina Union Fertilizer Co., Norfolk, Va., Carolina Union 16 Per Cent | Carolina Union 16 Per Cent | Edenton | 17.40 | 13.92 |
| 14671 | -op | | Mocksville | 17.12 | 13.70 |
| 2957 | Chesapeake Chemical Co., Baltimore, Md C. C. Co.'s Dissolved Phosphate 16 Per Windsor | C. C. Co.'s Dissolved Phosphate 16 Per | Windsor | 15.85 | . 12.68 |
| 302 | 4302 Coe-Mortimer Co., Charleston, S. C. | Coe-Mortimer's Dissolved Bone | Hildebran | 16.37 | . 13.10 |
| 999 | 3664 Columbia Guano Co., Norfolk, Va | Columbia High Grade 16 Per Cent Acid Phosphate. | Conover | 16.49 | 13.19 |

| 2832 Consettence Chemical Co., Wilmington, N. C., 16 Per Cent Acid Phosphate. 2845 Conference Chemical Co., Wilmington, N. C., 16 Per Cent Acid Phosphate. 2856 Concertaive Warehouse Co., Salisbury, N.C., Framers Union 16 Per Cent Acid Phosphate. 2857 Coveta Fertilizer Co., Newman, Ga |
|---|
| Combance Fertuzer Co., Wilmington, N. C. 3832 Conestee Chemical Co., Wilmington, N. C. 3945 Coperative Warehouse Co., Salisbury, N. C. Coperative Warehouse Co., Salisbury, N. C. Coweta Fertilizer Co., Newman, Ga. 1826 Craven Chemical Co., New Bern, N. C. 3867 Crow Bros., Monroe, N. C. 1829 Etiwan Fertilizer Co., Suffolk, Va. 1829 Farmers Cotton Oil Co., Hertford, N. C. 1829 Farmers Cuton Oil Co., Wilson, N. C. 1829 Farmers Supply Co., Edenton, N. C. 1829 Farmers Supply Co., Edenton, N. C. 1840 Foreign Products Co., Wilmington, N. C. 1860 Gost Foreign Products Co., Wilmington, N. C. 1860 Gostgia Chemical Works, Augusta, Ga. 1861 Georgia Chemical Works, Augusta, Ga. 1861 Hampton Guano Co., Norfolk, Va. 1864 Hampton Guano Co., Charlotte, N. C. 1878 Interstate Chemical Co., Charlotte, N. C. 1878 |

| per per | Relative Value Ton at Factory | | \$12.80 | 12.86 | 13.07 | 12.66 | 13.14 | 12.87 | 12.94 | 13.8 | 13.02 | 13.02 | 13.19 | 13.46 | 13.18 | 13.68 | 12.68 | 12.96 | 12.83 |
|---|-----------------------------------|--------------------------------------|-----------------|------------------------------------|------------------------------------|---|---|---------------------------------------|--|--------------|---|----------|-----------------------------------|----------------|---------------------------|---------|--|---|---|
| | Chlorine. | | 1 | | 8 | | | | | 1 | | | | | 1 1 | | | | 1 |
| 100. | Potash from Sulphate. | | | 1 | | 1 | | | | | | | | | t 2 2 1 | | | | 5 8 8 |
| Percentage Composition or Parts per 100 | Potash from Muriate. | | | 1 | | 1 | | | | 1 | 1 | | | | | • | | | |
| n or Pa | Total Potash. | | | 1 | | 1 | | | | | 1 | 1 | | 1 | | | 1 | 4 4 4 1 | |
| ositio | Equivalent to Ammonia. | | | 1 | | | | | | 1 | | 1 | | | | 1 | . ! | | |
| Com | Total Nitrogen. | | | 1 | | | | | | | 1 | | | | | | | 1 | 1 |
| entage | Organic Nitrogen. | | | 1 1 2 2 | | | | | | | | - | 1 | | 1 | 1 | | 1 | |
| Perc | Water- soluble Nitrogen. | | b b 1 | 1 | | | | | | 1 | 1 | 1 | | | 1 | 1 | , | 1 1 1 1 | 1 1 1 1 |
| | Available Phosphoric LieA | HALS. | 16.00 | 16.07 | 16.34 | 15.82 | 16.43 | 16.09 | 16.18 | . 16.05 | . 16.28 | 16.27 | 16.49 | 16.82 | . 16.47 | . 17.10 | 15.85 | . 16.20 | . 16.04 |
| | Where Sampled. | ILIZER MATER | | Elizabeth City | Mooresville | Toecane | Red Springs | Wake Forest | Clinton | Fayetteville | New Bern | New Bern | Edenton | Scotland Neck. | Fayetteville | Duke | High Point | Scotland Neck | Norwood |
| | Name of Brand. | RAW OR UNMIXED FERTILIZER MATERIALS. | | Martin's Acid Phosphate | Martin's Bull Head Acid Phosphate. | Adair's High Grade Dissolved Bone Toecane | Acid Phosphate | -do | Navassa 16 Per Cent Acid Phosphate Clinton | do | 16 Per Cent Acid Phosphate | op | Aeid Phosphate | do | High Grade Acid Phosphate | op | Oriana 16 Per Cent Acid Phosphate High Point | High Grade 16 Per Cent Acid Phos- | phate. Old Buck 16 Per Cent Acid Phos- phate. |
| | Name and Address of Manufacturer. | | Brands claiming | Martin Fertilizer Co., Norfolk, Va | | McCarty Bros., Chattanooga, Tenn | McNair Phosphate Co., Laurinburg, N. C. | Miller Fertilizer Co., Baltimore, Md. | Navassa Guano Co., Wilmington, N. C | do | New Bern Cotton Oil and Fertilizer Mills, Now Born N C | dodo | Nitrate Agencies Co., Norfolk, Va | ob | do | | Norfolk Fertilizer Co., Norfolk, Va | N. C. Cotton Oil Co., Wilmington, N. C. | Old Buck Guano Co., Richmond, Va |
| | Гарога (огу. Митрег. | | Ä | 4245 | 4030 | 1201 | 3696 | 3939 | 3675 | 8869 | 3764 | 0209 | 3818 | 6022 | 5893 | 5980 | 3896 | 4024 | 4035 |

| 4078 | Pamlieo Chemical Co., Washington, N. | C Pamlico 16 Per Cent Acid Phosphate. Bayboro. | Bayboro | 16.54 | 13.23 |
|------|---|---|-----------------------|---------|----------------|
| 3544 | Patapseo Guano Co., Baltimore, Md | Florida Soluble Phosphate | Kings Mountain. 16.19 | | 12.95 |
| 3638 | Pearsall & Co., Wilmington, N. C | Pearsall's 16 Per Cent Acid Phos- | Wallace | 16.56 | 13.25 |
| 4102 | Phillips, F. T., Washington, N. C | phate. High Grade 16 Per Cent Acid Phos- | Washington | 16.12 | 12.90 |
| 3880 | Phosphate Mining Co., Savannah, Ga | Superfine Acid Phosphate, High | Rockingham | 16.75 | 13.40 |
| 5912 | Piedmont-Mount Airy Guano Co., Balti- | Piedmont 16 Per Cent Acid Phos- | Belhaven | 15.97 | 12.78 |
| 4740 | | phate. Acid Phosphate | Pinetop | 17.46 | 13.97 |
| 6027 | Planters Fertilizer and Phosphate Co., | 16 Per Cent Acid Phosphate | Candor | 17.00 | 13.60 |
| 3833 | | Planters' 16 Per Cent Acid Phosphate Morven | Morven | 16.20 | 12.96 |
| 3686 | Pocomoke Guano Co., Norfolk, Va | Superb Acid Phosphate, 16 Per Cent. Maiden | Maiden | 17.22 | 13.78 |
| 4615 | do | -do | Glendon | 17.10 | 13.68 |
| 3786 | Powhatan Chemical Co., Richmond, Va | Magic Dissolved Bone Phosphate | Waco | 17.00 | 13.60 |
| 3570 | Piedmont-Mount Airy Guano Co., Balti- | Piedmont 16 Per Cent Acid Phos- | Monroe | 16.03 | 15.82 E8.22 |
| 4331 | nore, Ma. Read Phosphate Co., Charleston, S. C | phate. Read's High Grade Dissolved Bone | Morven | . 00.21 | 13.67 |
| 3785 | Richmond Guano Co., Richmond, Va | Rex Dissolved Bone | Cherryville | 16.59 | 13.27 |
| 4171 | Robertson Fertilizer Co., Norfolk, Va | High Grade Acid Phosphate | Edenton | 15.70 | 12.56 |
| 4679 | Rock Hill Fertilizer Co., Rock Hill, S. C | do | Pineville | 12.98 | 12.78 |
| 3800 | Royster, F. S., Guano Co., Norfolk, Va | Royster's High Grade Acid Phos- | Mocksville | 15.18 | 12.14 |
| 5933 | Scotland Neck Guano Co., Scotland Neck, N. C. | pnate. Our 16 Per Cent Acid Phosphate | Hookerton | 15.89 | 12.71 |
| 1094 | Southern Cotton Oil Co., Charlotte, N. C | Southern Cotton Oil Co.'s 16 Per | Venable | 16.10 | 12.88 |
| 4141 | Southern Cotton Oil Co., Goldsboro, N. C. | cent acid i nospitate. | Enfield | 16.91 | 13.53 |
| 4725 | Spartanburg Fertilizer Co., Spartanburg, | Tiger Brand, 16 Per Cent | Hendersonville | 15.52 | 12.42 |
| 4624 | Swift Fertilizer Works, Atlanta, Ga | Atlantic Acid Phosphate, 16 Per Cent Mooresville. | Mooresville | 16.42 | 13.10 |
| 3483 | op. | al High Grade Acid | Goldsboro | 16.60 | 13.2s |
| 3663 | Tuscarora Fertilizer Co., Greensboro, N. C., Tuscarora Acid Phosphate | | Newton | 16.05 | 12.84 |
| 4065 | op- | qp | Black Mountain. 16.86 | | 13.49 |
| | | | | | |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| per | Relative Value Ton at Factory | | \$12.80 | 12.86 | 13.46 | 13.60 | 13.14 | 12.42 | 12.91 | 13.06 | 12.70 | 12.94 | 12.88 | 12.28 | 12.16 | 13.79 | 13.22 | 13.23 | _ |
|---|-----------------------------------|--------------------------------------|-----------------|---------------------------------------|----------------------------------|---|----------------------------------|--------------------------------------|--|--|--|--|--------------------------|------------|--------------------------------|---|-----------------|-----------|---|
| | Chlorine. | | | - | - | | - | - | - | - ! | 1 | | | | 1 | | | - | |
| r 100. | Potash from Sulphate, | | | | | - | | | - | - | | - | - | | - | | | 1 | |
| urts pe | Potash from Muriate. | | _ | | | 1 | 1 | | 1 | | 1 1 1 | 1 | 1 | | 1 | | | 1 | |
| or Pg | Total Potash. | | | | | *; | | | | | | 1 | 1 | 1 | 1 | | • | | |
| osition | Equivalent to Ammonia. | | | 1 | | | | | | 1 | - | | 1 | | 1 | | 1 | | |
| Comp | Total Vitrogen. | | | | | | | | | | 1 | | | | 1 | | - | | |
| Percentage Composition or Parts per 100 | Organic Nitrogen. | | | | - | | - | | - | | - | | 1 | | 1 | - | - | | _ |
| Perce | Water- soluble Nitrogen. | | | | - | i | - | - | | | 1 | | | | | | | i | - |
| | Available Phosphoric Acid, | ALS. | 16.00 | 16.07 | 16.82 | 17.00 | 16.42 | 15.52 | 16.14 | 16.33 | 15.87 | 16.17 | 16.10 | 15.35 | 15.20 | 17.24 | 16.52 | 16.54 | _ |
| | | TERI | 1 | 1 | 1 | | | | | | | | 1 | | | i i | | | |
| | Where Sampled | R MA | | ville | boro | ngton. | rson | sville. | lle. | sville | e- | ton | rille | Mount Airy | | gton | boro | rson | |
| | Where | ILIZE | 1 | Autryville. | Wadesboro | Washington | Henderson | Youngsville | Ashevi | Mooresville | Monroe. | Lillington. | Statesville. | Mount | Elkin. | Burlington | Wadesboro | Henderson | |
| | Nume of Brand. | RAW OR UNMIXED FERTILIZER MATERIALS. | | . 16 Per Cent Acid Phosphate | Union 16 Per Cent Acid Phosphate | d. Farm Bell Acid Phosphate | Best Grade Acid Phosphate | Venable Best Acid Phosphate | Atlantic and Virginia Fertilizer Co.'s Asheville | Eureka Acid Phosphate. Davie & Whittle's Owl Brand High | Grade Acid Phosphate. Durham Fertilizer Co.'s Best Acid | Phosphate. Southern Chemical Co.'s Comet, 16 | Per Cent Acid Phosphate. | -do | S. W. Travers & Co.'s Champion | Acid Phosphate. VaCar. Chemical Co.'s 16 Per Cent | Acid Phosphate. | -do | |
| | Name and Address of Manufacturer. | | Brands claiming | Upshur, R. L., Guano Co., Norfolk, Va | Union Guano Co., Winston, N. C. | United States Fertilizer Co., Baltimore, Md. Farm Bell Acid Phosphate | Vance Guano Co., Henderson, N. C | Venable Fertilizer Co., Richmond, Va | VaCar. Chemical Co., Richmond, Va | -do | -do | op | -do | -do | do | -do | | op | |
| | Laboratory Number. | | 20 | 4317 | 3522 | 4101 | 4715 | 4716 | 3552 | 4029 | 3568 | 5939 | 3648 | 0609 | 3889 | 3593 | 3569 | 5899 | |

| 3647 | 3647 do | Va. State Fertilizer Co.'s Bull Run | Statesville [16.11] | | 12.89 |
|-------|--|--|-------------------------|---------------------------------------|-------|
| 4162 | 4162 Wilson Chemical Co., Wilson, N. C. | Acid Phosphate. High Grade 16 Per Cent Acid Phos- | Four Oaks 17.83 | = | 14.26 |
| 6063 | 6063 Winborne Guano Co., Norfolk, Va. | phate. High Grade Acid Phosphate | Edenton 16.47 | | 13.18 |
| 6023 | do | -do | Scotland Neck 16.20 | | 12.96 |
| 4170 | 4170 dodo. | Winborne's High Grade Acid Phos- | Elizabeth City 15.89 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 12.71 |
| 4575 | 4575 Young, J. R., Fertilizer Co., Norfolk, Va | Phate. High Grade 16 Per Cent Acid Phos- | Lillington 16.32 | | 13.06 |
| | Brands claiming | puage | 24.00 | | 19.20 |
| 4756 | 4756 VaCar. Chemical Co., Richmond, Va | VaCar. Chem, Co.'s Concentrated Acid Phosnhate | North Wilkesboro, 22.80 | | 18.24 |
| 4726 | 4726do | op | Brevard 20.77 | | 16.62 |
| | Brands claiming | | | 2.25 | 1.80 |
| 5903 | 5903 Lee, A. S., & Sons Co., Richmond, Va | Lee's Prepared Agricultural Lime | Grimesland | 2.44 | 1.95 |
| 5903 | 5903 do | op. | Sharpsburg | 1.42 | 1.14 |
| _= | Brands claiming | | | 12.00 | 09.6 |
| 3755 | 3755 Aeme Mfg. Co., Wilmington, N. C | Genuine German Kainit | Raeford | 13.58 | 10.86 |
| .4598 | American Agricultural Chemical Co., New | op | Mooresville | 11.46 | 9.17 |
| 2904 | 5904 American Fertilizer Co., Wilmington, N.C. | do | Sharpsburg | 13.72 | 11.98 |
| 4254 | 4254 Armour Fertilizer Works, Wilmington, N.C. | | Maysville | 12.36 | 68.6 |
| 4365 | 4365 Arps, George L., & Co., Norfolk, Va | op | Eure | 12.78 | 10.22 |
| 4135 | 4135 Baugh & Sons Co., Norfolk, Va | do | Edenton | 12.48 | 66.6 |
| 3906 | 3906 Carolina Union Fertilizer Co., Norfolk, Va | op | Elizabeth City | 11.32 | 90.6 |
| 5955 | 5955 Chesapeake Chemical Co., Baltimore, Md C. C. Co.'s Pure German Kainit | C. C. Co.'s Pure German Kainit. | Windsor | 12.96 | 10.37 |
| 4583 | 4583 Coe-Mortimer Co., Charleston, S. C. | Genuine German Kainit | Laurinburg | 12.48 | 86.6 |
| 1246 | 4246 Columbia Guano Co., Norfolk, Va | do | Edenton | 13.48 | 10.78 |
| 3835 | Combahee Fertilizer Co., Charleston, S. C | do | Morven | 12.86 | 10.29 |
| 3525 | 3525 Conestee Chemical Co., Wilmington, N. C. | do | Wadesboro | 13.62 | 10.90 |
| 4596 | 4596 Coöperative Warehouse Co., Salisbury, N.C. | ηο | China Grove | 12,92 | 10.34 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | Chlorine. |
|---|-----------------------------------|
| | Potash from Sulphate. |
| | Potash irom Muriate. |
| - | Total Potash. |
| | Equivalent to Ammonia. |
| | Total Vitrogen. |
| | Organic Vitrogen. |
| | Vater- Soluble Vitrogen. |
| | Available Phosphoric Acid |
| | Where Sampled. |
| | Name of Brand. |
| | Name and Address of Manufacturer. |
| | Laboratory Number |

RAW OR UNMIXED FERTILIZER MATERIALS.

| | Brands claiming | | | 12.00 \$ 9.60 |
|------|---|--------------------------------|-----------------|---------------|
| 4247 | 4247 Copperative Warchouse Co., Salisbury, N. C. Genuine German Kainit. | Genuine German Kainit. | Elizabeth City | |
| 4340 | 4340 Craven Chemical Co., New Bern, N. C. | do | Trenton | 12.04 |
| 5975 | Dixie Guano Co., Suffolk, Va. | Dixie Kainit | Greenville | 11.96 |
| 4136 | 4136do | Kainit | Edenton | 11.66 |
| 3746 | 3746 Eastern Cotton Oil Co., Hertford, N. C. | Genuine German Kainit | Elizabeth City. | 11.52 |
| 3811 | 38H Farmers Cotton Oil Co., Wilson, N. C. | do | Wilson | 12.40 9.92 |
| 4520 | 4520 Farmers Guano Co., Raleigh, N. C. | do | Troy | 13.36 10.69 |
| 6018 | 6018, Farmers Guano Co., Norfolk, Va. | op | Scotland Neck | 12.24 |
| 4133 | 4133 do. | do | Scotland Neck | 11.68 |
| 4483 | 4483 Farmville Oil and Fertilizer Co., Farmville,do. | | Ayden | 13.02 |
| 3689 | Foreign Products Co., Norfolk, Va | olb | Enfield | 13.20 10.56 |
| 4173 | 4f73 Grandy, N. G., & Co., Elizabeth City, N. C., German Kainit. | German Kainit | Elizabeth City | 12.70 10.17 |
| 3872 | 3872 Gulfport Fertilizer Co., Atlanta, Ga. | Genuine German Kainit | Rockingham | 13.68 |
| 4449 | 4449 Hampton Guano Co., Norfolk, Va. | ор | Indian Trail | 13.56 |
| 4265 | 4265 Imperial Co., Norfolk, Va. | Imperial Genuine German Kainit | Edenton | 13.20 10.56 |
| 4539 | 4539 Lenoir Oil and Ice Co., Richmond, Va. | Genuine German Kainit. | Richlands | 11.26 |

| 9709 | Marlboro Fertilizer Co., Bennettsville, S.C., | · · · · · · · · · · · · · · · · · · · | Candor | 13.92 | 11.14 |
|------|--|---------------------------------------|----------------|-------|---------|
| 4339 | Marietta Fertilizer Co., Atlanta, Ga | op | Trenton | 11.92 | 9.54 |
| 6105 | op | German Kainit | Franklinton | 11.40 | 9.12 |
| 4230 | Martin Fertilizer Co., Norfolk, Va | Martin's Genuine German Kainit | Edenton | 12.08 | 9.66 |
| 6011 | do | Martin's German Kainit. | Henderson | 11.50 | 9.20 |
| 5986 | McNair, J. F., Laurinburg, N. C. | Genuine German Kainit | Fayetteville | 14.14 | 11.31 |
| 3676 | Navassa Guano Co., Wilmington, N. C | op | Clinton | 12.12 | . 10.02 |
| 4128 | do | | Shelby | 11.82 | 9.46 |
| 3677 | N. C. Cotton Oil Co., Wilmington, N. C | op | Lillington | 13.26 | 10.61 |
| 4056 | do | | Scotland Neck | 13.26 | 10.60 |
| 3765 | Z | | New Bern | 13.76 | 11.00 |
| 3929 | New Bern, N. C. Nitrate Agencies Co., Norfolk, Va | Kainit | Concord | 14.08 | 11.26 |
| 3821 | -do | op | Edenton | 12.32 | 98.6 |
| 4079 | 4079 Pamlico Chemical Co., Washington, N. C Genuine German Kainit | . Genuine German Kainit | Bayboro | 14.16 | 11.33 |
| 4385 | Patapseo Guano Co., Baltimore, Md | do | Fremont | 12.54 | . 10.03 |
| 3880 | Pearsall & Co., Wilmington, N. C. | Pearsall's Genuine German Kainit | Red Springs. | 13.38 | 02.01 |
| 3641 | op | | Wallace | 13.34 | 10.67 |
| 4105 | Phillips, F. T., Washington, N. C | Genuine German Kainit | Washington | 13.32 | 10.66 |
| 3571 | Piedmont-Mount Airy Guano Co., Balti- | op | Monroe | 10.30 | 8.24 |
| 3836 | Planter Co., Charles and Phosphate Co., | op | Morven | 13.32 | 99.01 |
| 4249 | Pocomoke Guano Co., Norfolk, Va | op | Elizabeth City | 13.26 | 10.61 |
| 4456 | Robersonville Guano Co., Robersonville, | Roberson's Genuine German Kainit | Robersonville | 13.14 | 10.51 |
| 4248 | Robertson Fertilizer Co., Norfolk, Va | Genuine German Kainit | Elizabeth City | 13.20 | 10.56 |
| 4430 | Richmond Guano Co., Richmond, Va | Pure German Kainit | Concord | 13.38 | 10.70 |
| 3879 | Royster, F. S., Guano Co., Norfolk, Va | . Genuine German Kainit | Rockingham | 13.56 | 10.85 |
| 4521 | Swift Fertilizer Works, Wilmington, N. C Swift's Pure German Kainit. | Swift's Pure German Kainit | Troy | 11.86 | 9.49 |
| | | | | | |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1911.

| | | | | Percentage Composițion or Parts per 100 | e Compos | ition o | r Parts | per 100 | _ | |
|-----------------------|--|-------------------------------------|----------------|--|--------------------|---------------------------|---------|--|-----------|--------------------------|
| Laboratory Number, | Name and Address of Manufacturer. | Name of Brand. | Where Sampled. | Available Phosphoric Acid. Mater soluble Zitrogen. Organic | Total Nitrogen. | Equivalent to Ammonia. | Potash. | Muriate. ———————————————————————————————————— | Sulphate. | Chlorine. Relative Value |
| | | RAW OR UNMIXED FERTILIZER MATERIALS | RTILIZER MATER | IALS. | | | | | | |
| ш_ | Brands claiming | | | | | 12 | 12.00 | 1 | - | \$ 9.60 |
| 3990 | Tuscarora Fertilizer Co., Greensboro, N. C., German Kainit | . German Kainit | Franklinton | | | 12 | 12.10 | | | - 1 |
| 3524 | Union Guano Co., Winston, N. C. | Genuine German Kainit | Wadesboro | 1 | 1 | 12 | 12.50 | | 1 | 10.00 |
| 4438 | Upshur, R. L., Guano Co., Norfolk, Va | do. | Edenton | 1 | | 12 | 12.58 | - | | 10.06 |
| 4186 | United States Fertilizer Co., Baltimore, Md. Farm Bell German Kainit | d. Farm Bell German Kainit | - Washington | 1 | | 13 | 13.12 | | - 1 | 10.50 |
| 4576 | Vance Guano Co., Henderson, N. C. | German Kainit | Warrenton | 1 | | = | 11.54 | 1 | | 1 |
| 3526 | VaCar. Chemical Co., Richmond, Va | Genuine German Kainit | Monroe | 1 | 1 | -14 | 14.16 | 1 | | 11.33 |
| 3905 | Winborne Guano Co., Norfolk, Va | do | Elizabeth City | 1 | | 12 | 12.60 | | | 10.08 |
| 909 | -do | Winborne Genuine German Kainit. | Edenton | | 1 | 12 | 12.58 | - | | 10.06 |
| 4650 | Young, J. R., Fertilizer Co., Norfolk, Va Genuine German Kainit | Genuine German Kainit | Edenton | 1 | | 13 | 12.90 | - | - ! | 10.32 |
| | Brands claiming | | | 4 1 2 1 1 1 1 2 4 8 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 47 | 47.00 | - | | 37.60 |
| 4437 | German Kali Works, New York, N. Y | Sulphate of Potash | Williamston | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | .09 | 50.00 | | | 10.00 |
| 4142 | Nitrate Agencies Co., Norfolk, Va | op | Whitakers | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 | 48 | 48.68 | 1 | | 38.94 |
| | Brands claiming | | | | | 48 | 48.00 | | : | 38.40 |
| 3499 | Acme Mfg. Co., Wilmington, N. C | Muriate of Potash | Mount Olive | | 1 | .09 | 50.04 | i | | 40.03 |
| 4280 | op | Sulphate of Potash | Goldsboro | | | 49. | 49.64 | - | - | 39.71 |
| 4241 | American Fertilizer Co., Norfolk, Va. | Muriate of Potash | Wilmington | 1 | | 51. | 51.16 | - | _ | 40.93 |

| h h riate of Potash | 4789 Atlantic Chemical Co., Charlotte, N. C | Perita | 48.68 | ž | 38.96 |
|---------------------------|---|----------------|-------|-----------------------------|-------|
| Cent Potash | Cooperative Warehouse Co., Salisbury, N.Cdo | China Grove | 50.42 |)# , | 40.31 |
| Cent Potash | do | Edenton | 52.24 | 4 | 41.79 |
| Cent Potash | op | Enfield | 50.74 | 4(| 40.59 |
| Cent Potash | op | Fayetteville | 49.76 | 36 | 39.81 |
| Cent Potash. | op | Concord | 51.76 | 4 | 41.41 |
| Cent Potash | op*** | Greensboro | 20.00 | 4(| 40.00 |
| Cent Potash | -do | Vander | 49.64 | 38 | 39.71 |
| Cent Potash | op. | Williamston | 51.96 | 4 | 41.57 |
| Cent Potash | op | Red Springs | 26.95 | 36 | 39.94 |
| Cent Potash | | Bayboro | 50.76 |)(| 10.61 |
| Cent Potashiate of Potash | | Wallace | 49.80 | 36 | 39.84 |
| Cent Potash | ор- | Washington | 53.76 | * | 43.01 |
| Cent Potash | | Washington | 49.12 | 36 | 39.30 |
| Cent Potash | Sulphate of Potash | Kinston | 50.20 |) + | 40.16 |
| Cent Potash | Muriate of Potash | Kinston | 48.04 | 33 | 38.43 |
| iate of Potash | Co., Goldsboro, N. C., Guaranteed 48 Per Cent Potash | Goldsboro | 48.76 | 38 | 39.01 |
| inte of Potash | Sulphate of Potash | Whiteville | 49.04 | ¥8 | 39.23 |
| rate of Potash | | | 49.00 | 39 | 39.20 |
| rate of Potash | riate of Potash | Bessemer City | 50.08 | # | 10.06 |
| | VC. C. Co.'s Muriate of Potash. | Scotland Neek | 51.20 |) + + | 40.97 |
| | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | 20.00 | JF | 40.00 |
| | 4640 Armour Fertilizer Works, Wilmington, N. C. Muriate of Potash | Rocky Point | 48.08 | ਲ , | 38.46 |
| | -do | Blizubeth City | 53.88 | 7 | 43.10 |
| | 000 | Stedman | 53.24 | 3 | 42.59 |

26.44

8.24

Scotland Neck....

Ground Fish...do...do.

4104 Phillips, F. T., Washington, N. C....

Edenton

4134 Foreign Products Co., Baltimore, Md.

-do

6019

7.60 6.78 6.67

1.30 6.30

.44 6.88 7.32 8.90

Washington

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | Percenta | Percentage Composition or Parts per 100 | n or Par | rts per | .00 | D61 | |
|------------------------------------|--|---------------------------|--|---|-----------------|-------------------------|--------------------------|--------------------------|-----------------------------------|
| $\frac{\text{Laboratory}}{Number}$ | Name and Address of Manufacturer. | Name of Brand. | When we want to the control of the c | Total Zitrogen. Equivalent to Ammonia. | Total Asstoq | Potash from Muriate. | Potash from Sulphate. | Chlorine. Relative Value | Relative Value Ton at Factory. |
| | | RAW OR UNMIXED | RAW OR UNMIXED FERTILIZER MATERIALS. | | | | | | |
| | Brands claiming | | | _ | 50.00 | | | \$40 | \$40.00 |
| 4632 | Poreign Products Co., Charleston, S. C | Muriate of Potash | Mount Olive | | 49.48 | | | 39. | 28 |
| 3572 | Foreign Products Co., Norfolk, Va. | do | Wadesboro | | 49.40 | | | 39. | .52 |
| 8009 | Nitrate Agencies Co., Norfolk, Va. | do | Palmyra | | 51.44 | | | 1 | 41.15 |
| 4531 | op | do | Jackson | | 47.08 | - | | 37 | 37.66 |
| 4534 | Pamlico Chemical Co., Washington, N. C Sulphate of Potash | Sulphate of Potash | Washington | | 49.44 | 1 | | 33 | 39.55 |
| 4431 | Richmond Guano Co., Richmond, Va. | Muriate of Potash | Concord | | 50.28 | | | 40 | 40.23 |
| 3922 | Swift Fertilizer Works, Wilmington, N. C Swift's Muriate of Potash | Swift's Muriate of Potash | Clarkton | | 50.20 | | | 40 | 40.16 |
| 3897 | Tuscarora Fertilizer Co., Greensboro, N. C., Muriate of Potash | Muriate of Potash | Ashboro | | 49.60 | | | 39 | 39.69 |
| 4745 | 4745 Upshur, R. L., Guano Co., Norfolk, Va | -do | Sunbury | 1 | 96.64 | | | 39 | 39.97 |
| | Brand claiming | | | 5.69 6.92 | | 1 | | 22 | 22.19 |
| 4631 | 4631 Pearsall & Co., Wilmington, N. C. | Fish Scrap | Mount Olive | 5.43 6.60 | | | | 21 | 21.18 |
| | Brands claiming | | | 7.40 9.00 | | 1 | | - 58 | 28.86 |

| | Brands claiming | | | 8.23 10.00 | 32.10 |
|------|--|------------------------|---------------|--------------|-------|
| 4429 | 4429 Coöperative Warehouse Co., Salisbury, N.C. High Grade Tankage | High Grade Tankage | China Grove | 9.33 11.34 | 36.39 |
| 3484 | 3484 Farmers Guano Co., Norfolk, Va | Ground Fish | Goldsboro | 8.07 9.81 | 31.47 |
| 4744 | op | qo | Sunbury | 7.99 9.71 | 31.16 |
| 5915 | 5915 Foreign Products Co., Baltimore, Md | Fish Scrap | Edenton | 7.70 9.36 | 30.03 |
| 4362 | - do | Ground Fish | Woodland | 7.53 9.15 | 29.37 |
| 4253 | 4253, Harvey, L., & Son Co., Kinston, N. C | Fish Scrap | Kinston | 8.27 10.05 | 32.25 |
| 5939 | Josey, N. B., Guano Co., Tarboro, N. C | op | Hookerton | 6.75 8.21 | 26.32 |
| 4055 | op | do | Scotland Neck | 6.63 8.06 | 25.86 |
| 5931 | -do | -do | Hookerton | 5.39 6.55 | 21.02 |
| 5970 | | Ground Fish Scrap | Hookerton | 7.90 9.60 | 30.81 |
| 6020 | New Bern Cotton Oil and Fertilizer Mills, | High Grade Fish Scrap. | Palmyra | 8.36 10.16 | 32.60 |
| 3498 | | op | Mount Olive | 7.63 9.28 | 29.76 |
| 4082 | Pamhico Chemical Co., Washington, N. C. | Ground Fish | Bayboro | 8.28 | 32.29 |
| 3628 | 3628 Pidmont-Mount Airy Guano Co., Balti- more, Md. | op | Williamston | 6.79 8.26 | 26.48 |
| | Brand claiming | | | 8.35 10.15 | 32.57 |
| 4778 | 4778 Union Guano Co., Winston-Salem, N. C High Grade Tankage | High Grade Tankage | Albemarle | 8.05 9.79 | 31.39 |
| | Brand claiming | | | 8.84 10.75 | 34.48 |
| 4363 | 4363 Nitrate Agencies Co., Norfolk, Va | Dried Fish Scrap | Seaboard | 8.73 10.61 | 34.05 |
| | Brand claiming | | | 11.51 14.00 | 44.89 |
| 3497 | 3497 Aeme Mfg. Co., Wilmington, N. C. | Dried Blood | Mount Olive | 11.15 13.56 | 43.48 |
| | Brands claiming | | | 13.20 16.00 | 51.48 |
| 3485 | 3485 New Bern Cotton Oil and Fertilizer Mills, | Dried Blood | Mount Olive | 12.15 14.77 | 47.39 |
| 6038 | Nitrate Agencies Co., Norfolk, Va. | Dry Ground Blood | Fair Bluff | 13.20 -16.00 | 51.45 |
| 2009 | do | do. | Williamston | 12.92 15.71 | 50.38 |
| 4103 | Phillips, F. T., Washington, N. C | Dried Blood | Washington | 13.66 16.61 | 53.27 |

ANALYSES OF COMMERCIAL FERTHLIZERS—SPRING SEASON, 1914.

| 190 | Relative Value p | | \$54.52 | 50.70 | 26.00 | 60.53 | 59.03 | 56.75 | 59.67 | 59.59 | 60.84 | 57.76 | 58.50 | 59.67 | 19.09 | 60.22 | 91.78 | 60.37 | |
|---|-----------------------------------|--------------------------------------|----------------|--|-----------------|---|-------------|-----------------|---|----------------------------------|--|-----------------|----------------------------------|--|---|--|--|----------------|---|
| | Sulphate. Chlorine. | | : | | | | | | | | - | 1 | 1 | | 1 | 1 | | | - |
| er 100 | Muriate. | | 1 | | - | | - ! | - 1 | | | - 1 | 1 | - | 1 | - | = | - | | |
| arts 1 | Potash from | | - | | - | | | - 1 | | - | 1 1 | 1 | | - | | - | 1 | - 1 | |
| n or I | Total Potash. | | | | 1 | 1 | | | | 1 | | ; | - | 1 | | | | , | |
| oositio | Equivalent to Ammonia. | | 13.98 17.00 | 15.81 | 16.24 | 18.87 | 18.46 | 17.69 | 18.60 | 18.58 | 18.97 | 18.00 | 18.24 | 18.60 | 18.89 | 18.78 | 19.26 | 18.82 | |
| Percentage Composition or Parts per 100 | Total Vitrogen. | | 13.98 | 13.00 [5.8] | 14.36 | 15.52 | 15.18 | 14.55 | 15.30 | 15.28 | 15.60 | 14.81 | 15.00 | 15.30 | 15.54 | 15.44 | 15.84 | 15.48 | |
| ntage | Organic Nitrogen. | | | | | | | 1 | | | | | | | | | | | |
| Perce | Water- soluble Vitrogen. | | 1 | - | | | | 1 | 1 | | | - | 1 | | | | | | |
| | Available Phosphoric Acid. | IALS. | _ | | | | | | | | | | 1 | 1 | | | | 1 | |
| | Where Sampled. | R MATER | | ф | | db | nston | | ille | ıry | eville | | | n | db | u | ın | eville | |
| | Where | TILIZE | | Concord | 1 | Concord. | Williamston | - - | Statesville | Salisbury. | . Fayetteville | | Dunn. | Edenton | Garland | Edenton | Stedman | . Fayetteville | |
| | Name of Brand. | RAW OR UNMIXED FERTILIZER MATERIALS. | | High Grade Blood | | Nitrate of Soda | op | | Nitrate of Soda | | qo | | Nitrate of Soda | qo | op | op**** | op | do | |
| | Name and Address of Manufacturer. | | Brand claiming | 3928 Foreign Products Co., Baltimore, Md | Brands claíming | 3927 Grace, W. R., & Co., New York, N. Y. | 4435 dodo | Brands claiming | 4031 Grace, W. R., & Co., New York, N. Y. | Pearsall & Co., Wilmington, N. C | 5055 VaCar. Chemical Co., Richmond, Va | Brands claiming | Acme Mfg. Co., Wilmington, N. C. | 4185 Carolina Union Fertilizer Co., Norfolk, Va. | 4826 Cooper Guano Co., Wilmington, N. C | 3946 Foreign Products Co., Baltimore, Md | 6053 Grace, W. R., & Co., New York, N. Y | -do | |
| | Laboratory Number, | | ä | 876 | æ | 927 | 435 | , a | 031 | 980 | 055 | ĕ | 981 | 185 | 826 | 946 | 053 | 2882 | |

| | 61.66 | 60.00 | 00.00 | 29.90 | 59.67 | 57.33 | 59.05 | 57.64 | 56.47 | 58.73 | 58.50 | 60.53 | 59.05 | 58.73 | 59.36 | 78. O9 | 60.14 | 59.20 | 60.45 | 59.20 | 25.77 | 96.09 | 58.81 | 58.42 | 58.58 |
|---------------|--|-----------------------------------|-------------------------------------|---|--|--|--|-------------|-------------|--|-----------------|--|--------------|---|-----------------|--------------------------------------|---|-------------|-----------------|---|-------------|-----------------|--|-----------------------------------|--|
| _ | 98 | 62 | | 29 | 90 | 37 | - | 76 | 09 | 31 | 24 | 78 | | 31 | 09 | 26 | 92 | 91 | 09 | 91 | 39 | 00 | | 10 | 96 |
| 14 99 118 11 | 15 46 18 80 | 15 40 18 79 | | - 15.36 18.67 | 15.30 18.60 | 14.70 17.87 | 15.14 18.41 | 14.78 17.97 | 14.48 17.60 | 15.06 18.31 | 15.00 18.24 | 15.52 18.87 | 15.14 18.41 | 15.06 18.31 | 15.22 18.50 | 15.60 18.97 | 15.42 18.75 | 15.18 18.46 | 15.50 18.50 | 15.18 18.46 | 14.30 17.39 | 15.63 19.00 | 15.08 18.33 | 14.98 18.21 | 15.02 18.26 |
| | | 1 | | | | - | | | - | | | | | 1 | | | - | 1 | 1 | 1 | | _ | | | |
| Scotland Neck | Lillington | Greenshoro | | rayeneville | Goldsboro | Albemarle | St. Paul | Edenton | Hamlet | Laurinburg | | Palmyra | Ahoskie | Rowland | | Edenton | Hope Mills | Speed | | Hookerton | Grifton | | New Bern | Zebulon | Edenton |
| op | do | op | Ç. | a | qo | op | ор | op | op | qo | | Nitrate of Soda | op | do | | Nitrate of Soda | (lo | op | | Nitrate of Soda | ор | | Nitrate of Soda | do | -do |
| 4131do | N. C. Cotton Oil Co., Wilmington, N. C | Nitrate Agencies Co., Norfolk, Va | Robertson Fortilizer Co. Norfolk Va | TODGE USED I CHURCH CO., LYOTTOIN, 1 december | Swift Fertilizer Works, Wilmington, N. C | 4777 Tuscarora Fertilizer Co., Wilmington, N. C. | 4040 VaCar. Chemical Co., Richmond, Va | do | op | 4582 Wessel, Duval & Co., New York, N. Y | Brands claiming | 6006 Nitrate Agencies Co., Norfolk, Va | 4364do | Pocomoke Guano Co., Norfolk, Va | Brands claiming | 3826 Arps, G. L., & Co., Norfolk, Va | 5953 Royster, F. S., Guano Co., Norfolk, Va | 4191 | Brands claiming | 5930 Josey, N. B., Guano Co., Tarboro, N. C Nitrate of Soda | 4639 | Brands claiming | 4338 New Bern Cotton Oil and Fertilizer Mills, Now Bern N C | Richmond Guano Co., Richmond, Va. | 4506 Upshur, R. L., Guano Co., Norfolk, Va |
| 4131 | 3653 | | 6054 | | 4279 | 4777 | 4040 | 4619 | 9609 | 4582 | B | 9009 | 4 364 | 4825 | Br | 3826 | 5953 | 11911 | B | 5930 | 4639 | B | 4338 | 4799 | 1506 |

ANALYSES OF COMMERCIAL FERTILIZERS—SPRING SEASON, 1914.

| | | | Percentage Composition or Parts per 100 | te Com | osition | ı or Pa | rts per | 100. | |
|--|---------------------------------------|---|--|--------------------|---------------------------|------------------|-------------------------|--------------------------|-----------|
| Name and Address of Manufacturer. [Imboratory] | Name of Brand. | Where Sampled. | *Total Phosphoric Acid. Mater- soluble Vitrogen. Organic | Total Vitrogen. | Equivalent to Ammonia. | Total Potash. | Potash from Muriate. | Potash from Sulphate. | Chlorine. |
| | RAW OR UNMIXED FERTILIZER MATERIALS | Fertilizer Materi | IALS. | | | | | | |
| Brands claiming | | | 7.75 | 9.25 | 11.25 | | | | 1 |
| Nitrate Agencies Co., Norfolk, Va. | Dried Fish Scrap | Edenton | 7.75 | 8.88 | 10.80 | | | | |
| 4337do | do | Stonewall | 6.20 | 8.13 | 88.6 | - | | | |
| Brand claiming | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 14.00 | 4.94 | 6.01 | 1 | | 1 | |
| Upshur, R. L., Gnano Co., Norfolk, Va | Bone Meal | Sunbury | 14.35 | 4.69 | 5.70 | 1 | 8 8 | | |
| Brand claiming | | 1 | 21.50 | 3.70 | 4.50 | 1 2 8 1 | | | 1 |
| 4589 Baugh & Sons Co., Norfolk, Va | Baugh's Raw Bone Meal | Greensboro | 23.45 | 2.55 | 3.10 | | | 1 | - |
| Brand claiming | 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | | 13.00 | 4.95 | 6.02 | 2.00 | | | - 1 |
| 3964 Peruvian Guano Corporation, Charleston, | Genuine Peruvian Guano | Fairmont | 15.40 | 4.64 | 5.64 | 2.04 | - | | - |
| Brands claiming | | | 14.00 | 2.47 | 3.00 | 2.00 | 1 | | - |
| 4189 Peruvian Guano Corporation, Charleston, | Genuine Peruvian Guano | Oak City | 15.35 | 2.39 | 2.91 | 3.04 | - | 1 1 5 | |
| S. C. | ор | Shelby | 14.53 | 2.35 | 2.86 | 1.46 | 1 | 1 | 1 |
| Brand claiming | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 14.00 | 3.29 | 4.00 | 2.00 | | 1 1 1 1 | |
| 3966 Peruvian Guano Corporation, Charleston, | Genuine Peruvian Guano | Fairmont | 15.33 | 3.39 | 4.12 | 1.84 | | | |
| Brands claiming | | | 20.00 | 3.09 | 3.76 | 3.25 | | | |
| 3741 Peruvian Guano Corporation, Charleston, | Genuine Peruvian Guano | Palmyra | 20.85 | 3.05 | 3.71 | 3.20 | | | 1 |
| 3. C. | op | Palmyra | 21.15 | 2.96 | 3.60 | 3.22 | | - | |

| 9 | 00 | Edenton | 88.02 | | 3.0 | 9.6 | 3.00 3.65 3.04 | 4 | - | 1 | 32.34 |
|----------|-------------------------------------|---|-------|---|-----|----------|----------------|---|---|---|-------|
| 6 6 | - qo | Edenton | 20.75 | 1 | 2.9 | 8 3.6 | 2.98 3.62 3.12 | 2 | - | - | 32.24 |
| <u> </u> | +350 | 1 | 17.00 | 1 | 1 | | - | - | | - | 13.60 |
| 062 | Basic Slag. | | 16.48 | | | - | - 1 | - | | | 13.18 |
| 9 | Mutate Agentica Con account | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 18.00 | | | - | - | 1 | | 1 | 14.40 |
| 705 | Charleston, S. C. Thomas Phosphate. | Spruce Pine | 18.17 | | | <u> </u> | - | | | - | 14.54 |
| 3 3 | | Salisbury | 17.93 | 1 | 1 | - | - | - | | - | 14.34 |
| 901 | | Palmyra | 17.15 | | - | | | | | | 13.72 |

*Total Phosphoric Acid in Bone Meal, Peruvian Guano, and Thomas Phosphate at 4 cents per pound.

II. ANALYSES OF COTTON-SEED MEAL.

| State Stat | Laboratory Number. | Name and Address of Manufacturer. | Where Sampled. | Per Cent Nitrogen Guaranteed. | Equivalent to Ammonia. | Per Cent Nitrogen Found. | Equivalent to Ammonia. |
|--|-----------------------|---|----------------|-------------------------------------|---------------------------|--------------------------------|---------------------------|
| 5256 Battleboro Oil Co., Battleboro, N. C. Kinston. 6.17 7.50 5.88 7.15 5285 Bertic Cotton Oil Co., Aulander, N. C. Windsor. 6.17 7.50 6.14 7.47 5313 Bragaw Fertilizer Co., Washington, N. C. Washington. 6.17 7.50 6.17 7.50 5230 Incolor Co., Co. Brevard. 6.17 7.50 6.24 7.59 5231 Buckeye Cotton Oil Co., Cincinnati, Ohio. Waynesville. 6.17 7.50 6.24 7.59 5241do. China Grove. 6.17 7.50 6.08 7.37 515do. Crouse. 6.17 7.50 6.04 7.34 524do. Greensboro. 6.17 7.50 6.04 7.34 5211do. Greensboro. 6.17 7.50 6.04 7.34 5211do. Wadesboro. 6.17 7.50 5.76 7.08 5211do. Hazelwood. 6.17 7.50 5.76 6.98 5212do. Marion. 6.17 7.50< | 5195 | American Fertilizing Co., Norfolk, Va | Weldon | 6.17 | 7.50 | 6.18 | 7.51 |
| 52-53 Bertie Cotton Oil Co., Aulander, N. C. Windsor. 6.17 7.50 6.14 7.47 5313 Bragaw Fertilizer Co., Washington, N. C. Washington 6.17 7.50 6.17 7.50 5230do do 6.17 7.50 6.17 7.50 5237 Broadway Cotton Oil Co., Belton, N. C. Brevard 6.17 7.50 6.24 7.59 5261do China Grove 6.17 7.50 6.24 7.59 5155do Crouse 6.17 7.50 6.04 7.34 5261do Greensboro 6.17 7.50 6.04 7.34 5213do Greensboro 6.17 7.50 6.04 7.34 5214do Wadesboro 6.17 7.50 6.04 7.34 5215do Sylva 6.17 7.50 5.86 7.12 517do Wangewille 6.17 7.50 5.86 7.12 518do Waynewille 6.17 7.50 5.86 7.22 <tr< td=""><td>5297</td><td>Atlantic Chemical Co., Norfolk, Va.</td><td>Edenton</td><td>6.17</td><td>7.50</td><td>5.70</td><td>6.93</td></tr<> | 5297 | Atlantic Chemical Co., Norfolk, Va. | Edenton | 6.17 | 7.50 | 5.70 | 6.93 |
| 5313 Bragaw Fertilizer Co., Washington, N. C. Washington. 6.17 7.50 6.17 7.50 5230do do 6.17 7.50 6.17 7.50 5237 Broadway Cotton Oil Co., Elneinnati, Ohio. Brevard. 6.17 7.50 6.20 7.54 5243 Buckeye Cotton Oil Co., Cineinnati, Ohio. Waynesville. 6.17 7.50 6.24 7.59 5264do China Grove. 6.17 7.50 6.24 7.59 5158do Crouse. 6.17 7.50 6.04 7.34 5216do Greensboro. 6.17 7.50 6.04 7.34 5215do Sylva. 6.17 7.50 6.04 7.34 5211do Hazelwood. 6.17 7.50 5.82 7.08 5212do Waynesville. 6.17 7.50 5.76 7.08 5152do Marion. 6.17 7.50 5.76 7.08 5152do Marion. 6.17 7.50 5.76 7.08 | 5256 | Battleboro Oil Co., Battleboro, N. C. | Kinston | 6.17 | 7.50 | 5.88 | 7.15 |
| 5230 | 5255 | Bertie Cotton Oil Co., Aulander, N. C. | Windsor | 6.17 | 7.50 | 6.14 | 7.47 |
| 5237 Broadway Cotton Oil Co., Eleton, N.C. Brevard. 6.17 7.50 6.20 7.54 5213 Buckeye Cotton Oil Co., Cincinnati, Ohio. Waynesville. 6.17 7.50 6.24 7.59 5261 do China Grove. 6.17 7.50 6.24 7.59 5158 do Crouse. 6.17 7.50 6.04 7.34 5219 do Greensboro. 6.17 7.50 6.04 7.34 5211 do Sylva. 6.17 7.50 5.86 7.12 517 do Vander. 6.17 7.50 5.86 7.12 5211 do Wandesboro. 6.17 7.50 5.82 7.08 5212 do Wander. 6.17 7.50 5.86 7.12 5152 do Waynesville. 6.17 7.50 5.82 7.08 5152 do Marion. 6.17 7.50 5.30 6.44 <tr< td=""><td>5313</td><td>Bragaw Fertilizer Co., Washington, N. C.</td><td>Washington</td><td>6.17</td><td>7.50</td><td>6.17</td><td>7.50</td></tr<> | 5313 | Bragaw Fertilizer Co., Washington, N. C. | Washington | 6.17 | 7.50 | 6.17 | 7.50 |
| 5213 Buckeye Cotton Oil Co., Cincinnati, Ohio Waynesville 6.17 7.50 6.24 7.59 5261 do China Grove 6.17 7.50 6.24 7.59 5158 do Crouse 6.17 7.50 6.04 7.31 5191 do Greensboro 6.17 7.50 6.04 7.34 5246 do Wadesboro 6.17 7.50 6.04 7.34 5215 do Sylva 6.17 7.50 5.86 7.12 517 do Vander 6.17 7.50 5.82 7.08 5211 do Hazelwood 6.17 7.50 5.86 7.12 5152 do Waynesville 6.17 7.50 5.82 7.08 5152 do Waynesville 6.17 7.50 5.86 7.12 5212 do Waynesville 6.17 7.50 5.86 7.27 5230 Cherokee Commission Co., Gaffney, S. C. Brevard 6.17 7.50 6.52 7.93 5223 do Cherokee Commissi | 5230 | do | do | 6.17 | 7.50 | 6.17 | 7.50 |
| 5261 do China Grove 6.17 7.50 6.24 7.59 5158 do Crouse 6.17 7.50 6.06 7.37 5191 do Greensboro 6.17 7.50 6.04 7.34 5216 do Wadesboro 6.17 7.50 6.04 7.34 5215 do Sylva 6.17 7.50 5.86 7.12 517 do Vander 6.17 7.50 5.82 7.08 5211 do Hazelwood 6.17 7.50 5.86 7.12 512 do Waynesville 6.17 7.50 5.76 7.00 512 do Marion 6.17 7.50 5.76 7.00 5212 do Marion 6.17 7.50 5.88 7.27 5221 do Marion 6.17 7.50 6.24 7.93 5252 do Marion 6.17 7.50 | 5237 | Broadway Cotton Oil Co., Belton, N. C. | Brevard | 6.17 | 7.50 | 6.20 | 7.54 |
| 5158 do Crouse 6.17 7.50 6.06 7.37 5191 do Greensboro 6.17 7.50 6.04 7.34 5246 do Wadesboro 6.17 7.50 6.04 7.34 5215 do Sylva 6.17 7.50 5.86 7.12 517 do Vander 6.17 7.50 5.82 7.08 5211 do Hazelwood 6.17 7.50 5.86 7.12 5152 do Waynesville 6.17 7.50 5.76 7.00 5152 do Marion 6.17 7.50 5.27 6.98 5152 do Marion 6.17 7.50 5.28 7.27 5212 do Marion 6.17 7.50 5.28 7.27 5152 do Marion 6.17 7.50 6.24 7.93 5252 do Marion 6.17 7.50 < | 5213 | Buckeye Cotton Oil Co., Cincinnati, Ohio | Waynesville | 6.17 | 7.50 | 6.24 | 7.59 |
| 5191 do Greensboro 6.17 7.50 8.04 7.34 5246 do Wadesboro 6.17 7.50 8.04 7.34 5215 do Sylva 6.17 7.50 5.86 7.12 517 do Vander 6.17 7.50 5.82 7.68 5211 do Hazelwood 6.17 7.50 5.76 7.00 5212 do Waynesville 6.17 7.50 5.74 6.98 5152 do Marion 6.17 7.50 5.74 6.98 5152 do Pittsboro, N.C. Brevard 6.17 7.50 6.52 7.93 5223 do Asheville 6.17 | 5261, | do | China Grove | 6.17 | 7.50 | 6.24 | 7.59 |
| 5216 do Wadesboro 6.17 7.50 6.04 7.34 5215 do Sylva 6.17 7.50 5.86 7.12 517 do Vander 6.17 7.50 5.82 7.08 5211 do Hazelwood 6.17 7.50 5.76 7.00 5212 do Waynesville 6.17 7.50 5.74 6.98 5152 do Marion 6.17 7.50 5.74 6.98 5152 do Marion 6.17 7.50 5.74 6.98 5152 do Marion 6.17 7.50 5.74 6.98 5152 do Pittsboro 6.17 7.50 5.98 7.27 5236 Cherokee Commission Co., Gaffney, S. C. Breward 6.17 7.50 6.52 7.93 5223 .do Asheville 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N.C. | 5158 | do | Crouse | 6.17 | 7.50 | 6.06 | 7.37 |
| 5215 do Sylva 6.17 7.50 5.86 7.12 517 do Vander 6.17 7.50 5.82 7.08 5211 do Hazelwood 6.17 7.50 5.76 7.00 5212 do Waynesville 6.17 7.50 5.76 6.98 5152 do Marion 6.17 7.50 5.30 6.44 5174 Chatham Oil and Fertilizer Co., Pittsboro, N. C. Pittsboro 6.17 7.50 5.98 7.27 5236 Cherokee Commission Co., Gaffney, S. C. Brevard 6.17 7.50 6.52 7.93 5223 do Asheville 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton 6.17 7.50 6.44 7.83 5278 do Pine Level 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 | 5191 | do | Greensboro | 6.17 | 7.50 | 6.04 | 7.34 |
| 517 do Vander 6.17 7.50 5.82 7.08 5211 do Hazelwood 6.17 7.50 5.76 7.00 5212 do Waynesville 6.17 7.50 5.74 6.98 5152 do Marion 6.17 7.50 5.30 6.44 5174 Chatham Oil and Fertilizer Co., Pittsboro, N. C. Pittsboro 6.17 7.50 5.98 7.27 5236 Cherokee Commission Co., Gaffney, S. C. Brevard 6.17 7.50 6.52 7.93 5223 do Asheville 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton 6.17 7.50 6.44 7.83 5278 do Pine Level 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 6.36 7.73 5201 do Williamston 6.17 7.50 </td <td>5246</td> <td>do</td> <td>Wadesboro</td> <td>6.17</td> <td>7.50</td> <td>6.04</td> <td>7.34</td> | 5246 | do | Wadesboro | 6.17 | 7.50 | 6.04 | 7.34 |
| 5211 do Hazelwood 6.17 7.50 5.76 7.00 5212 do Waynesville 6.17 7.50 5.74 6.98 5152 do Marion 6.17 7.50 5.30 6.44 5174 Chatham Oil and Fertilizer Co., Pittsboro, N. C. Pittsboro 6.17 7.50 5.98 7.27 5236 Cherokee Commission Co., Gaffney, S. C. Brevard 6.17 7.50 6.52 7.93 5223 do Asheville 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton 6.17 7.50 6.44 7.83 5278 do Pine Level 6.17 7.50 6.36 7.73 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 6.36 7.73 5231 do Williamston 6.17 7.50 6.14 7.47 5275 do Speed 6.17 7.5 | 5215 | do | Sylva | 6.17 | 7.50 | 5.86 | 7.12 |
| 5212 do Waynesville 6.17 7.50 5.74 6.98 5152 do Marion 6.17 7.50 5.30 6.44 5174 Chatham Oil and Fertilizer Co., Pittsboro, N. C. Pittsboro 6.17 7.50 5.98 7.27 5236 Cherokee Commission Co., Gaffney, S. C. Brevard 6.17 7.50 6.52 7.93 5223 do Asheville 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton 6.17 7.50 6.44 7.83 5278 do Pine Level 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 6.36 7.73 5306 do do 6.17 7.50 6.14 7.47 5271 do do 6.17 7.50 6.14 7.47 5275 do do 6.17 7.50 | 517 | do | Vander | 6.17 | 7.50 | 5.82 | 7.08 |
| 5152 do Marion 6.17 7.50 5.30 6.44 5174 Chatham Oil and Fertilizer Co., Pittsboro, N. C. Pittsboro 6.17 7.50 5.98 7.27 5236 Cherokee Commission Co., Gaffney, S. C. Brevard 6.17 7.50 6.52 7.93 5223 do Asheville 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton 6.17 7.50 6.44 7.83 5278 do Pine Level 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 6.36 7.73 5306 do Edenton 6.17 7.50 6.17 7.50 5231 do Williamston 6.17 7.50 6.14 7.47 5275 do Speed 6.17 7.50 5.62 6.83 5294 do Bolance Bolance 6.17 | 5211 | do | Hazelwood | 6.17 | 7.50 | 5.76 | 7.00 |
| 5174 Chatham Oil and Fertilizer Co., Pittsboro, N. C. Pittsboro. 6.17 7.50 5.98 7.27 5236 Cherokee Commission Co., Gaffney, S. C. Brevard. 6.17 7.50 6.52 7.93 5223 do Asheville. 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton. 6.17 7.50 6.44 7.83 5278 do Pine Level. 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro. 6.17 7.50 6.36 7.73 5306 do Bedenton. 6.17 7.50 6.14 7.47 5231 do Williamston. 6.17 7.50 6.14 7.47 5275 do Speed. 6.17 7.50 6.62 6.83 5294 do Bedenton. 6.17 7.50 5.62 6.83 5294 do Oil and Gin Co., Scotland Neck, N. C. | 5212 | do | Waynesville | 6.17 | 7.50 | 5.74 | 6.98 |
| 5236 Cherokee Commission Co., Gaffney, S. C. Brevard 6.17 7.50 6.52 7.93 5223 do Asheville 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton 6.17 7.50 6.44 7.83 5278do Pine Level 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 6.36 7.73 5306do Edenton 6.17 7.50 6.17 7.50 5231do Williamston 6.17 7.50 6.14 7.47 5231do Williamston 6.17 7.50 6.14 7.47 5231do Williamston 6.17 7.50 6.14 7.47 5294do Speed 6.17 7.50 5.62 6.83 5294do Speed 6.17 7.50 5.27 6.41 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck 6.17 7.50 | 5152 | do | Marion | 6.17 | 7.50 | 5.30 | 6.44 |
| 5223 do Asheville 6.17 7.50 6.26 7.61 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton 6.17 7.50 6.44 7.83 5278 do Pine Level 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 6.36 7.73 3306 do Edenton 6.17 7.50 6.14 7.47 5231 do Williamston 6.17 7.50 6.14 7.47 5275 do Speed 6.17 7.50 5.62 6.83 5294 do Edenton 6.17 7.50 5.27 6.41 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck 6.17 7.50 6.26 7.61 511 do Palmyra 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 | 5174 | Chatham Oil and Fertilizer Co., Pittsboro, N. C | Pittsboro | 6.17 | 7.50 | 5.98 | 7.27 |
| 5189 Clayton Oil Mills Co., Clayton, N. C. Clayton 6.17 7.50 6.44 7.83 5278 do Pine Level 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 6.36 7.73 5306 do Edenton 6.17 7.50 6.14 7.50 5231 do Williamston 6.17 7.50 6.14 7.47 5275 do Speed 6.17 7.50 5.62 6.83 5294 do Edenton 6.17 7.50 5.27 6.41 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck 6.17 7.50 6.26 7.61 511 do Palmyra 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276 do do 6.17 7.50 6.12 7.44 < | 5236 | Cherokee Commission Co., Gaffney, S. C. | Brevard | 6.17 | 7.50 | 6.52 | 7.93 |
| 5278 do Pine Level 6.17 7.50 6.38 7.76 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro 6.17 7.50 6.36 7.73 5306 .do Edenton 6.17 7.50 6.17 7.50 5231 .do Williamston 6.17 7.50 6.14 7.47 5275 .do Speed 6.17 7.50 5.62 6.83 5294 .do Edenton 6.17 7.50 5.27 6.41 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck 6.17 7.50 6.26 7.61 511 .do Palmyra 6.17 7.50 6.18 7.51 5187 Dunn Oil Mill Co., Dunn, N. C. Dunn 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276 .do .do 6.17 7.50 6.12 7.44 5265 <td< td=""><td>5223</td><td>do</td><td>Asheville</td><td>6.17</td><td>7.50</td><td>6.26</td><td>7.61</td></td<> | 5223 | do | Asheville | 6.17 | 7.50 | 6.26 | 7.61 |
| 5184 Consumers Cotton Oil Co., Tarboro, N. C. Tarboro. 6.17 7.50 6.36 7.73 5306do Edenton. 6.17 7.50 6.17 7.50 5231do Williamston. 6.17 7.50 6.14 7.47 5275do Speed. 6.17 7.50 5.62 6.83 5294do Edenton. 6.17 7.50 5.27 6.41 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck. 6.17 7.50 6.26 7.61 511do Palmyra. 6.17 7.50 6.18 7.51 5187 Dunn Oil Mill Co., Dunn, N. C. Dunn. 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton. 6.17 7.50 6.20 7.54 5276do do 6.17 7.50 6.12 7.44 5265do Edenton. 6.17 7.50 6.12 7.44 5228do do 6.17 7.50 5.96 7.25 | 5189 | Clayton Oil Mills Co., Clayton, N. C | Clayton | 6.17 | 7.50 | 6.44 | 7.83 |
| 5306 | 5278 | do | Pine Level | 6.17 | 7.50. | 6.38 | 7.76 |
| 5231 do Williamston 6.17 7.50 6.14 7.47 5275 do Speed 6.17 7.50 5.62 6.83 5294 do Edenton 6.17 7.50 5.27 6.41 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck 6.17 7.50 6.26 7.61 511 do Palmyra 6.17 7.50 6.18 7.51 5187 Dunn Oil Mill Co., Dunn, N. C. Dunn 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276 do do 6.17 7.50 6.12 7.44 5265 do Elizabeth City 6.17 7.50 6.12 7.44 5265 do do 6.17 7.50 6.12 7.44 5285 do do 6.17 7.50 5.96 7.25 | 5184 (| Consumers Cotton Oil Co., Tarboro, N. C. | Tarboro | 6.17 | 7.50 | 6.36 | 7.73 |
| 5275 do Speed 6.17 7.50 5.62 6.83 5294 do Edenton 6.17 7.50 5.27 6.41 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck 6.17 7.50 6.26 7.61 511 do Palmyra 6.17 7.50 6.18 7.51 5187 Dunn Oil Mill Co., Dunn, N. C. Dunn 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276 do do 6.17 7.50 6.12 7.44 5265 do Elizabeth City 6.17 7.50 6.12 7.44 5265 do Edenton 6.17 7.50 6.12 7.44 5228 do do 6.17 7.50 5.96 7.25 | 5306. | do | Edenton | 6.17 | 7.50 | 6.17 | 7.50 |
| 5294do Edenton 6.17 7.50 5.27 6.41 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck 6.17 7.50 6.26 7.61 511do Palmyra 6.17 7.50 6.18 7.51 5187 Dunn Oil Mill Co., Dunn, N. C. Dunn 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276do do 6.17 7.50 6.12 7.44 5265do Edenton 6.17 7.50 6.12 7.44 5228do do 6.17 7.50 5.96 7.25 | 5231 . | do | Williamston | 6.17 | 7.50 | 6.14 | 7.47 |
| 509 Cotton Oil and Gin Co., Scotland Neck, N. C. Scotland Neck. 6.17 7.50 6.26 7.61 511do Palmyra 6.17 7.50 6.18 7.51 5187 Dunn Oil Mill Co., Dunn, N. C. Dunn 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276do do 6.17 7.50 6.14 7.47 5308do Elizabeth City 6.17 7.50 6.12 7.44 5265do Edenton 6.17 7.50 6.12 7.44 5228do do 6.17 7.50 5.96 7.25 | 5275 . | do | Speed | 6.17 | 7.50 | 5.62 | 6.83 |
| 511do Palmyra 6.17 7.50 6.18 7.51 5187 Dunn Oil Mill Co., Dunn, N. C. Dunn 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276do do 6.17 7.50 6.14 7.47 5308do Elizabeth City 6.17 7.50 6.12 7.44 5265do Edenton 6.17 7.50 6.12 7.44 5228do do 6.17 7.50 5.96 7.25 | 5294 | do | Edenton | 6.17 | 7.50 | 5.27 | 6.41 |
| 5187 Dunn Oil Mill Co., Dunn, N. C. Dunn 6.17 7.50 6.88 8.36 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276do do 6.17 7.50 6.14 7.47 5308do Elizabeth City 6.17 7.50 6.12 7.44 5265do Edenton 6.17 7.50 6.12 7.44 5228do do 6.17 7.50 5.96 7.25 | 509 C | Cotton Oil and Gin Co., Scotland Neck, N. C | Scotland Neck | 6.17 | 7.50 | 6.26 | 7.61 |
| 5266 Eastern Cotton Oil Co., Hertford, N. C. Edenton 6.17 7.50 6.20 7.54 5276do do 6.17 7.50 6.14 7.47 5308do Elizabeth City 6.17 7.50 6.12 7.44 5265do Edenton 6.17 7.50 6.12 7.44 5228do do 6.17 7.50 5.96 7.25 | 511 | do | Palmyra | 6.17 | 7.50 | 6.18 | 7.51 |
| 5276 do 6.17 7.50 6.14 7.47 5308 do Elizabeth City 6.17 7.50 6.12 7.44 5265 do Edenton 6.17 7.50 6.12 7.44 5228 do 6.17 7.50 5.96 7.25 | 5187 I | Ounn Oil Mill Co., Dunn, N. C | Dunn | 6.17 | 7.50 | 6.88 | 8.36 |
| 5308 do Elizabeth City 6.17 7.50 6.12 7.44 5265 do Edenton 6.17 7.50 6.12 7.44 5228 do do 6.17 7.50 5.96 7.25 | 5266 I | Eastern Cotton Oil Co., Hertford, N. C. | Edenton | 6.17 | 7.50 | 6.20 | 7.54 |
| 5265 do do 6.17 7.50 6.12 7.44 5228 do do do 6.17 7.50 5.96 7.25 | 5276 _ | | | ľ | 7.50 | 6.14 | 7.47 |
| 5228dodododo5.96 7.25 | 5308 . | do | Elizabeth City | 6.17 | 7.50 | 6.12 | 7.44 |
| | 5265 . | do | Edenton | 6.17 | 7.50 | 6.12 | 7.44 |
| 5295do6.17 7.50 5.88 7.15 | 5228 . | do | do | 6.17 | 7.50 | 5.96 | 7.25 |
| | 5295 _ | do | do | 6.17 | 7.50 | 5.88 | 7.15 |

THE BULLETIN.

| ANALYSES OF | COTTON-SEED MEAL | | | | |
|---|-------------------|-------------------------------------|---------------------------|-------------------------------|---------------------------|
| Name and Address of Manufacture | r. Where Sampled. | Per Cent Nitrogen Guaranteed. | Equivalent to Ammonia. | Per Cent Nitrogen Found | Equivalent to Ammonia. |
| 5298 Eastern Cotton Oil Co., Hertford, N. C | Edenton | 6.17 | 7.50 | 5.84 | 7.10 |
| 5307do | do | 6.17 | 7.50 | 5.76 | 7.00 |
| 5169do | Elizabeth City | 6.17 | 7.50 | 5.30 | 6.44 |
| 5192 Elba Mfg. Co., Charlotte, N. C | Winston | 6.17 | 7.50 | 6.62. | 8.05 |
| 5271do | Matthews | 6.17 | 7.50 | 6.58 | 8.00 |
| 5165doMaxton, N. C | | 6.17 | 7.50 | 6.52 | 7.93 |
| 5242do | Wadesboro | 6.17 | 7.50 | 6.52 | 7.93 |
| 5267do | Creedmoor | 6.17 | 7.50 | 6.48 | 7.88 |
| 5232doCharlotte, N. C | Gastonia | 6.17 | 7.50 | 6.30 | 7.66 |
| 5291do | Greensboro | 6.17 | 7.50 | 6.20 | 7.5 |
| 5162 do Maxton, N. C. | Laurinburg | 6.17 | 7.50 | 6.18. | 7.5 |
| 5217doCharlotte, N. C | | 6.17 | 7.50 | 6.17 | 7.5 |
| 5177do | | 6.17 | 7.50 | 5.94 | 7.2 |
| 517Ido | | 6.17 | 7.50 | 5.76 | 7.0 |
| 5263 Elizabeth City Cotton Oil Co., Elizabeth | 1 | 6.17 | 7.50 | 6.60 | 8.0 |
| 5258do | | | 7.50 | 6.27 | 7.6 |
| 5183 Farmers Oil Mill Co., Nashville, N. C | | 61.7 | 7.50 | 6.48 | 7.8 |
| 5244 Farmers Cotton Oil Co., Wilson, N. C | | 6.17 | 7.50 | 6.24 | 7.5 |
| 5229do | | 6.17 | 7.50 | 6.18 | 7.5 |
| 5208do | | 6.17 | 7.50 | 6.14 | 7.4 |
| 5243do | | 6.17 | 7.50 | 6.10 | 7.4 |
| 5240 do | | 6.17 | 7.50 | 6.06 | 7.3 |
| 5166do | | 1 | 7.50 | 6.02 | 7.3 |
| 5209do | | | 7.50 | 5.96 | 7.2 |
| 5300do | | 6.17 | 7.50 | 5.92 | 7.2 |
| 516do | | | 7.50 | 5.76 | 7.0 |
| 5186 Farmville Oil and Fertilizer Co., Farmvill | | | 7.50 | 6.32 | 7.6 |
| 5146 Fort Valley Oil Co., Fort Valley, Ga | | | 7.50 | 6.18 | 7.5 |
| | | | 7.50 | | 7.8 |
| 5170 Fremont Oil Mill Co., Fremont, N. C. | | | 7.50 | | 7.5 |
| 5304do | | | 7.50 | | 7.2 |
| 5220 Georgia Cotton Oil Co., Atlanta, Ga | | | 7.50 | | 7.3 |
| 5268 Greer Cotton-seed Oil Co., Greer, S. C | | | 7.50 | | 7.5 |
| 5262 Havens Oil Co., Washington, N. C | | | 7.50 | | 8.0 |
| 5151 Kershaw Oil Mill, Kershaw, S. C | | | 7.50 | | 7.7 |
| 5149do | | | | | 7.2 |
| 5221do | do | 6.17 | 7.50 | 5.96 | 1.2 |

THE BULLETIN.

ANALYSES OF COTTON-SEED MEAL.

| | | | | 0 | | |
|------------------------|--|-------------------|-------------------------------------|---------------------------|--------------------------------|---------------------------|
| Laboratory Number, | Name and Address of Manufacturer. | Where Sampled. | Per Cent Nitrogen Guaranteed. | Equivalent to Ammonia. | Per Cent Nitrogen Found. | Equivalent to Ammonia. |
| $5235 \mathrm{\ King}$ | s Mountain Cotton Oil Co., Kings Mountain, N. C. | Kings Mountain. | 6.17 | 7.50 | 6.74 | 8.19 |
| 5153 Lane | aster Cotton Oil Co., Lancaster, S. C | Marion | 6.17 | 7.50 | 6.14 | 7.47 |
| 5293 Laur | inburg Oil Co., Laurinburg, N. C. | Laurinburg | 6.17 | 7.50 | 5.27 | 6.41 |
| 5273 Lee (| County Cotton Oil Co., Sanford, N. C. | Lemon Springs | 6.17 | 7.50 | 6.00 | 7.29 |
| 5279 Leno | ir Oil and Ice Co., Kinston, N. C | Pink Hill | 6.17 | 7.50 | 6.30 | 7.66 |
| 5255 | lo | Kinston | 6.17 | 7.50 | 6.02 | 7.32 |
| 5179 Lore | ne Cotton Oil Co., Mooresville, N. C | Mooresville | 6.17 | 7.50 | 6.76 | 8.22 |
| 5216 | lo | do | 6.17 | 7.50 | 6.64 | 8.07 |
| 5250 | lo | do | 6.17 | 7.50 | 6.62 | 8.05 |
| 5193 Loui | sburg Cotton Oil Mills, Louisburg, N. C | Oxford | 6.17 | 7.50 | 6.18 | 7.51 |
| 5254 | lo | Durham | 6.17 | 7.50 | 6.10 | 7.42 |
| 52036 | lo | Littleton | 6.17 | 7.50 | 5.82 | 7.08 |
| 5280 Mari | on Cotton Oil Co., Marion, S. C. | Whiteville | 6.17 | 7.50 | 6.46 | 7.85 |
| 5224 McC: | aw Mfg. Co., Macon, Ga | Asheville | 6.17 | 7.50 | 6.04 | 7.34 |
| 5147 | lo | Murphy | 6.17 | 7.50 | 5.94 | 7.22 |
| 5180 Moor | resville Oil Mills, Mooresville, N. C. | Mooresville | 6.17 | 7.50 | 6.60 | 8.02 |
| 5266 | lo | do | 6.17 | 7.50 | 6.38 | 7.76 |
| 5206 Morg | an Oil and Fertilizer Co., Red Springs, N. C | Parkton | 6.17 | 7.50 | 6.04 | 7.34 |
| $5302~\mathrm{Mout}$ | nt Gilead Cotton Oil Co., Mount Gilead, N. C | West End | 6.17 | 7.50 | 6.06 | 7.37 |
| 5284 New | Bern Cotton Oil and Fertilizer Mills, New Bern, | Edenton | 6.17 | 7.50 | 6.26 | 7.61 |
| 5239 d | C. o | Mount Olive | 6.17 | 7.50 | 6.20 | 7.54 |
| 5257 d | lo | Robersonville | 6.17 | 7.50 | 6.06 | 7.37 |
| 5168d | lo | New Bern | 6.17 | 7.50 | 6.04 | 7.34 |
| 5173 Newt | on Oil and Fertilizer Co., Newton, N. C | Connelly Springs. | 6.17 | 7.50 | 6.34 | 7.71 |
| 5251d | lo | Newton | 6.17 | 7.50 | 5.96 | 7.25 |
| 5148 Nort | h Carolina Cotton Oil Co., Charlotte, N. C. | Asheville | 6.17 | 7.50 | 6.34 | 7.71 |
| 5227 d | lo | Laundale | 6.17 | 7.50 | 6.18 | 7.51 |
| 51596 | 0 | Charlotte | 6.17 | 7.50 | 6.12 | 7.32 |
| 5260d | o | Lexington | 6.17 | 7.50 | 5.90 | 7.17 |
| 5178d | 0 | Concord | 6.17 | 7.50 | 5.38 | 6.54 |
| 5259d | oHenderson, N. C | Oxford | 6.17 | 7.50 | 6.46 | 7.85 |
| 5194d | 0 | do | 6.17 | 7.50 | 6.26 | 7.61 |
| 5294d | 0 | Franklinton | 6.17 | 7.50 | 6.22 | 7.56 |
| 5196d | loRaleigh, N. C | do | 6.17 | 7.50 | 6.28 | 7.64 |
| 5175d | o | Raleigh | 6.17 | 7.50 | 6.12 | 7.44 |
| 5210d | 0 | Trotville | 6.17 | 7.50 | 5.74 | 6.98 |
| | | | | | | |

THE BULLETIN.

ANALYSES OF COTTON-SEED MEAL.

| | | | | 3 | | c |
|-----------------------|--|----------------|-------------------------------------|------------|--------------------|---------------------------|
| Laboratory Number. | Name and Address of Manufacturer. | Where Sampled. | Per Cent Nitrogen Guaranteed. | Ξ. | Nitrogen Found. | Equivalent to Ammonia. |
| 5253 | North Carolina Cotton Oil Co., Wilmington, N. C. | Dunn | 6.17 | 7.50 | 6.16 | 7.49 |
| | do | | | 7.50 | 6.02 | 7.32 |
| | do | | | 7.50 | 5.98 | 7.27 |
| 528 | do | Seotland Neck | 6.17 | 7.50 | 5.96 | 7.25 |
| | Pine Level Oil Mill, Pine Level, N. C. | | | 7.50 | 6.10 | 7.42 |
| | Planters Oil Mill, Blacksburg, S. C | | | 7.50 | 6.56 | 7.98 |
| | Rich Hill Oil Mill Co., Whitestone, S. C | | 6.17 | 7.50 | 5.94 | 7.22 |
| | Robertson Mfg. Co., Lumberton, N. C. | | | 7.50 | 6.02 | 7.32 |
| | Royster, F. S., Guano Co., Norfolk, Va | | | 7.50 | 7.44 | 9.05 |
| | do | | | 7.50 | 6.04 | 7.34 |
| 5164 | Rowland Oil and Fertilizer Co., Rowland, N. C | Rowland | 6.17 | 7.50 | 6.38 | 7.76 |
| 5205 | do | Red Springs | 6.17 | 7.50 | 6.02 | 7.32 |
| 5176 | Southern Cotton Oil Co., Charlotte, N. C. | Forest City | 6.17 | 7.50 | 6.20 | 7.54 |
| 5234 | do | _ Charlotte | 6.17 | 7.50 | 5.98 | 7.27 |
| 507 | do | Candor | 6.17 | 7.50 | 5.92 | 7.20 |
| 522€ | do | Raeford | 6.17 | 7.50 | 5.63 | 6.84 |
| 5303 | dodoChester, S. C | West End | 6.17 | 7.50 | 6.32 | 7.68 |
| 5145 | Concord, N. C. | Concord | 6.17 | 7.50 | 6.30 | 7.66 |
| 5157 | do | _ Mount Olive | 6.17 | 7.50 | 6.08 | 7.39 |
| | doConetoe, N. C | | 6.17 | 7.50 | 6.68 | 8.12 |
| 5160 | Davidson, N. C | _Catawba | 6.17 | 7.50 | 6.12 | 7.44 |
| 5273 | 2do | Salisbury | 6.17 | 7.50 | 5.96 | 7.25 |
| | 9do | | 6.17 | 7.50 | 5.68 | 6.91 |
| 530 | 5 doFayetteville, N. C | _ Fayetteville | 6.17 | 7.50 | 6.24 | 7.59 |
| 518 | 8do | _ Linden | 6.17 | 7.50 | 6.02 | 7.32 |
| | 4doGastonia, N. C | | | 7.50 | 6.16 | 7.49 |
| | 7doGoldsboro, N. C | | | 7.50 | 6.24 | 7.59 |
| | 0doMacon, Ga | | | $_{+}7.50$ | 6.42 | 7.81 |
| 521 | 9do | Judson | 6.17 | 7.50 | 5.76 | 7.00 |
| | 2do | | | 7.50 | 6.26 | 7.61 |
| | 7do | | | 7,50 | 6.00 | 7.29 |
| | 6doSelma, N. C | | | 7.50 | 5.72 | 6.95 |
| | 8doShelby, N. C | | | 7.50 | 6.38 | 7.76 |
| | 0do | | | 7.50 | 5.90 | 7.17 |
| | 7 do. Spartanburg, S. C. | | 6.17 | 7.50 | 6.04 | 7.34 |
| | doTarboro, N. C | | | 7.50 | 6.36 | 7.73 |
| | | | | | | |

ANALYSES OF COTTON-SEED MEAL.

| Laboratory Number. | Name and Address of Manufacturer. | Where Sampled. | Per Cent Nitrogen Guaranteed. | Equivalent to Ammonia. | Per Cent Nitrogen Found. | Equivalent to Ammonia. |
|-----------------------|---|----------------|-------------------------------------|---------------------------|--------------------------------|---------------------------|
| 5185 So | uthern Cotton Oil Co., Tarboro, N. C | Tarboro | 6.17 | 7.50 | 6.36 | 7.73 |
| 506 | -do | do | 6.17 | 7.50 | 6.06 | 7.37 |
| 5154 | _doWadesboro, N. C | Lilesville | 6.17 | 7.50 | 6.04 | 7.34 |
| 5277 | doWashington, N. C | Kellum | 6.17 | 7.50 | 6.36 | 7.73 |
| 5190° | _doWilson, N. C | Wilson | 6.17 | 7.50 | 5.50 | 7.90 |
| 5264 | _do | Enfield | 6.17 | 7.50 | 5.90 | 7.17 |
| $5310~\mathrm{Sp}$ | ring Hope Cotton Oil Co., Spring Hope, N. C | Middlesex | 6.17 | 7.50 | 6.10 | 7.32 |
| 537 Sta | anly Cotton Oil Co., Norwood, N. C | Norwood | 6.17 | 7.50 | 6.58 | 8.00 |
| 5312 Ta | r River Oil Co., Tarboro, N. C. | Washington | 6.17 | 7.50 | 6.48 | 7.88 |
| 5311 Un | ion Guano Co., Winston, N. C | Princeton | 6.17 | 7.50 | 6.20 | 7.54 |
| 5296 Un | ion Seed and Fertilizer Co., Raleigh, N. C | New Hill | 6.17 | 7.50 | 5.80 | 7.05 |
| 510 | doWilmington, N. C | Scotland Neck | 6.17 | 7.50 | 5.80 | 7.05 |
| 5293 | .do | Fountain | 6.17 | 7.50 | 5.76 | 7.00 |
| 5283 Vie | tor Cotton Oil Co., Yorkville, S. C | High Shoals | 6.17 | 7.50 | 6.38 | 7.76 |
| 5172 | .do | Earl | 6.17 | 7.50 | 6.32 | 7.68 |
| $5274 \ \mathrm{Vir}$ | ginia-Carolina Chemical Co., Richmond, Va | Edenton | 6.17 | 7.50 | 6.28 | 7.64 |
| 5301 | .do | do | 6.17 | 7.50 | 6.08 | 7.39 |
| 5288 | .do | Trenton | 6.17 | 7.50 | 6.00 | 7.29 |
| 5269 Wil | mot Oil Mills, Pelzer, S. C. | Horse Shoe | 6.17 | 7.50 | 6.06 | 7.37 |
| 5245 Wir | nder Oil Mill Co., Winder, Ga | Wadesboro | 6.17 | 7.50 | 6.36 | 7.73 |
| 5309 Zeb | ulon Cotton Oil Co., Zebulon, N. C | Middlesex | 6.17 | 7.50 | 6.50 | 7.90 |

LEAF TOBACCO SALES FOR YEAR, AUGUST, 1913-AUGUST, 1914.

| Pounds sold for | producers, first hand | .172,386,131 |
|-----------------|-----------------------|--------------|
| Pounds sold for | dealers | 9,866,642 |
| Pounds sold for | warehouses | 7,390,542 |
| Total | | 189 613 315 |

LEAF TOBACCO SALES FOR SEPTEMBER, 1914.

| hand29,303,232 | for producers, | sold fo | Pounds |
|----------------|----------------|---------|--------|
| 1,556,874 | for dealers | sold fo | Pounds |
| 1,024,826 | for warehouses | sold fo | Pounds |
| 31.884.932 | | Cotal | 7 |

THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE

RALEIGH

Vol. 35, No. 11. SUPPLEMENT TO NOVEMBER, 1914 Whole No. 203

Progressive Development of North Carolina Agriculture

WITH A BRIEF DISCUSSION OF

FOOD AND FEED PRODUCTS SHIPPED INTO THE STATE DURING YEAR 1913

(Bulletin No. 8, Vol. 33, Revised)

PUBLISHED MONTHLY AND SENT FREE TO CITIZENS ON APPLICATION.

Entered at the Postoffice at Raleigh, N. C., as second class matter, February 7, 1901, under Act of June 6, 1900.

> Edwards & Broughton Printing Co. State Printers

STATE BOARD OF AGRICULTURE

W. A. GRAHAM, Commissioner, ex oficio Chairman, Raleigh.

| F. P. LATHAM | Bel | haven | First District. |
|-----------------|------|---------------|-------------------------|
| K. W. Barnes | | | |
| R. L. WOODARD | Par | alic o | . Third District. |
| CLARENCE POE | | | |
| R. W. Scott | | | |
| A. T. McCallum | Red | Springs | Sixth District. |
| C. C. Wright | Hur | nting Creek | . Seventh District. |
| WILLIAM BLEDSOE | Gal | e | Eighth District. |
| W. J. Shuford | | kory | . Ninth District. |
| A. CANNON | IIoı | se Shoc | . Tenth District. |

OFFICERS AND STAFF

| W. A. GRAIIAMELIAS CARR | Commissioner |
|-----------------------------|--|
| ELIAS CARR | Secretary and Purchasing Agent |
| MISS SARAH D. JONES | Pookkeener |
| D. G. CONN | Bulletin Superintendent |
| D. G. CONN B. W. KILGORE | State Chamiet Director Test Forms |
| J. M. PICKEL | Food Chemist |
| W. G. HAYWOOD | Fortilizer Chemist |
| J. Q. Jackson | |
| E. S. DEWAR | Assistant Chemist. |
| E. B. HART | Assistant Chemist. |
| J. R. MULLEN | |
| R. W. COLLETT | Assistant Director Test Forms |
| H. H. BRIMLEY | Curator of Museum |
| T. W. ADICKES | Assistant Curator |
| FRANKLIN SHERMAN, JR | Enterpolariet |
| S. C. CLAPP | Assistant Enternal spirit in Field Warls |
| B. B. FLOWE | Assistant Entomologist in Field Work. |
| H. P. FLOWE | Assistant Votarinarian |
| E. G. HARGETT | |
| W. N. HUTT. | |
| R. G. HILL. | |
| T. B. PARKER | |
| Miss Carrie Hudgins Assist | ant to Director of Farmers Institutes. |
| W. M. ALLEN. | ant to Director of Farmers Institutes. |
| E. W. THORNTON | |
| C. E. Bell. | Assistant Pure Food Chemist. |
| J. K. Plummer. | Assistant Pure Food Chemist. |
| W. F. PATE | Agranganist in Calla |
| R. Y. WINTERS | Dlant Progland |
| G. M. GARREN | Assistant Agrenamist in Cuans |
| *W. E. HEARN. | Ctota Cail Agant Cail Curror |
| L. L. Brinkley | State Son Agent, Son Survey. |
| S. O. PERKINS | |
| R. C. JURNEY | |
| J. L. BURGESS | |
| Miss S. D. Allen | Assistant to Botanist |
| C. H. Waldron | Assistant Retarist and Soul Applyist |
| MISS LOUISE A. RADEMACHER | Assistant Dolamist and Seed Analyst. |
| DAN T. GRAY | |
| W. H. EATON | Dairy Europimenton |
| †ALVIN J. REED | Dairy Farming |
| STANLEY COMBS | Assistant in Dairy Farming |
| ‡E. H. Mathewson | |
| ‡C. R. Hudson | |
| ‡T. E. Browne | Assistant in Charge of Roys' Clube |
| ‡A. K. ROBERTSON | |
| ‡Mrs. Jane S. McKimmon | Assistant in Charge of Girls' Clubs |
| †MISS MARGARET SCOTT | Assistant in Girls' Clubs |
| DOOLATITION | Olubs. |

F. N. McDowell. Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferbes, Assistant Director Pender Test Farm, Willard, N. C. F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm Oxford, N. C.

^{*}Assigned by the Bureau of Soils, United States Department of Agriculture, †Assigned by the Bureau of Animal Husbandry, United States Department of Agriculture, †In cooperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL

HON. W. A. GRAHAM,

Commissioner of Agriculture, Raleigh, N. C.

Six:—I beg to submit herewith a manuscript, a revision of Bulletin No. 8, discussing, in a brief way, some of the different lines of progress of agriculture in North Carolina during the recent past. To those who desire a full discussion of the agricultural development of the State this Bulletin will be painfully brief; but we have only to point out that it would require a good-sized volume to do the subject justice, and that the time at our command and the space allotted to us would not permit a fuller discussion of the subject. We have been able, therefore, in this paper to call attention to only a few things among the many that cause North Carolina to stand out prominently above many other states.

In the last part of the paper is found a brief discussion of the amount of food and feed products shipped into the State during 1913. Most of the data for this part of the paper were obtained from the books of the different railway companies doing an interstate business in North Caro-

lina.

I recommend the publication of this manuscript as a supplement from the Botany and Agronomy Division to the November Bulletin of this Department. Respectfully submitted,

Approved:

J. L. Burgess, Agronomist and Botanist.

W. A. GRAHAM, Commissioner.



Progressive

Development of North Carolina Agriculture

WITH A BRIEF DISCUSSION OF

FOOD AND FEED PRODUCTS SHIPPED INTO NORTH CAROLINA DURING 1913

By J. L. BURGESS, Agronomist and Botanist.

STATUS OF THE FARMER.

Forty years ago North Carolina was a good state to be from; now it

is one of the very best states in the Union to be in.

and use of land."

Agriculture in those days was frequently thought of as a hardship imposed upon the unfortunates who had to "toil" the soil for a living, and was, in many cases, looked upon as an occupation suitable for only those who were either financially or mentally incapable of pursuing a more popular calling.

But a change has come. Instead of being a drudgery and a despised menial occupation, as it once was, farming has, within the last two decades, been elevated to a position having the dignity of a profession, or a business, touching the intellect at every angle and taxing the mind to its utmost in grappling with the problems that daily arise on the farm for solution. Men everywhere are viewing the business of farming in a more favorable light. They are beginning to realize that there is no occupation more honorable, more necessary to the welfare of the State, or more deserving of the best efforts and energies in man, than that of tilling the soil. Indeed, all men are now insisting that it is the most noble of occupations, having been divinely instituted when man was first placed upon the earth, and Emerson has pointed out that "The first

THE FUNDAMENTAL CALLING.

farmer was the first man, and all historic nobility rests on the possession

It is a commonplace that agriculture is the foundation of all other occupations—mining, manufacture, commerce, etc. If we cease to plow, the miner will lay down his pick; factory wheels will stop; locomotives will stand cold and lifeless upon the tracks; abandoned ships will decay in the harbors; fishermen will cease to east their nets; school children will come home to stay; church bells will cease to ring; and, very soon, savages will again roam over the face of the earth. An ample food supply, therefore, is essential to the highest moral, intellectual, and physical development of the human race. All wars, whether industrial or sanguinary are, in their last analysis, waged over an actual or fancied future scarcity of the necessaries of life. The mightiest factors in the

world's civilization today, then, are the smoke-house and the granary; and, whether we will or not, the modern Atlas is "The Man with the Hoe." Good farming then will ever be the foundation on which all real progress in civilization must be made.

AGRICULTURAL ADVANTAGES IN NORTH CAROLINA.

Location.

The fondest hopes of the farmer may be realized right here in North Carolina. New England has little to offer the man who wants to farm. Forty years ago many farmers very wisely left the Old North State for Missouri, Kansas, Nebraska, Iowa, etc., and there homesteaded 160 acres of land that are now worth, in many cases, more than \$32,000. A number of these men have sons who want to farm and can give them \$4,000 to \$6,000 with which to purchase land and equipment. But how much land can be purchased with \$4,000 at \$200 an acre. Few of them would be content with less than 80 acres, and to purchase this, without improvements, would require an outlay of \$16,000. Add \$4,000 for necessary improvements and he will have spent \$20,000 for his 80-acre farm, perhaps, before he has reaped a single harvest or realized a penny on his investment. It is plain, therefore, that a young man of average means in the central west must be a renter if he farms at all. Farther west and northwest, the climate is too cold for any but the hardiest Scandinavians or north European immigrants. In the far west prices are, again, too high and competition too acute for an eastern man of average means. Farther south the climate is too hot and malaria is so prevalent that the health of a man from this latitude would, under average conditions, likely be threatened. Coming back to North Carolina, we find here all the advantages the farmer has anywhere else in the country, and the additional advantage of living in a state destined to become one of the leading manufacturing states of the Union.

Capital has not been slow to accept the invitation tacitly held out by our location with reference to other states, and our strategic position with reference to the future manufacturing development of the coun-The 3,500,000 horse-power that but a few years ago was running to waste along the streams of the piedmont and mountain sections of the State is now being harnessed and utilized in the various manufacturing and other industrial enterprises. This immense power is just on the border of the cotton fields and among the forests and the mines. Our climates and soils are capable of producing more than enough to support the largest possible mill population that will ever be needed to manipulate the electric power generated by our streams. We have ample facilities for transporting raw materials and for handling an unlimited amount of finished products. No one is blind to our easy access to deep water on the coast, the Panama Canal, and thence to the Orient. ital has seen its opportunity among us and has laid the foundation for its own protection and our development.

MARKETS.

The greatest asset of any agricultural community is a good local market. There was a time when the North Carolina farmer looked in vain for a home market, but that time has passed. There was a time when no one seemed to want anything we had to sell, but economic conditions have so changed that nothing short of a national calamity is likely to reduce the present demand for the products of the North Carolina farm.

In respect to local markets, North Carolina is unexcelled and rarely equaled, by any state in the Union. We have no great metropolis like Baltimore or Washington to handle the bulk of our farm products, but we do have a large number of thriving cities.—Asheville, Gastonia, Charlotte, Winston, Salisbury, Greensboro, Monroe, Durham, Raleigh, Wilmington, Goldsboro, New Bern, Wilson, Rocky Mount, Tarboro, Kinston, Greenville Washington, Henderson, High Point, Elizabeth City, Favetteville, and a number of others,—ranging in population from 3,000 to over 30,000 and scattered broadcast over the entire State. It would be practically impossible for a farmer to locate in North Carolina and not be within easy reach of some good home market. The day is fast approaching when it will be unnecessary for the North Carolina farmer to look outside the State for a market for his staple products. This statement can hardly be called visionary when we note the increase in number and kinds of manufactories within our borders and the large towns and consequent good markets which necessarily attend these manufacturing enterprises. New England is coming south with her mills and markets. These industries are constantly calling for more labor, and, since only white labor is wanted, a large percentage of the white farmers that were on farms twenty years ago are now working in the mills. The former producers of farm products have been transformed into consumers of farm products and producers of finished mill products. In other words, the mills have collected men, women, and children from large extents of territory and thus made good local markets for those of the rural population who preferred to stay on the farm.

North Carolina has a population of hundreds of thousands more than Kansas, Nebraska, South Carolina, Tennessee, Alabama, or Mississippi, and more than the states of Colorado, Nevada, Idaho, Montana, Wyoming, Vermont, and Delaware all combined, with a very large percentage of it in the different manufacturing towns. This should give great emphasis to the importance of our local markets for farm products. This fact is brought out clearly in the following table:

Table No 1—Showing Population of North Carolina as Compared with Other States—1910.

| North Carolina | 2.206.287 |
|----------------|-----------|
| Tennessee | 2,184,789 |
| Alabama | |
| Minnesota | |
| Virginia | |
| Kansas | |
| Oklahoma | |
| Louisiana | 1,656,388 |

| Arkansas | 1.574.449 |
|-------------------|-----------|
| South Carolina | 1,515,400 |
| Maryland | 1,295,346 |
| West Virginia | 1,221,119 |
| Nebraska | 1.192.214 |
| | -,, |
| Washington | 1,141,990 |
| Connecticut | 1,114,756 |
| Colorado | 799,024 |
| Florida | .752,619 |
| Maine | 742,371 |
| Oregon | 672,765 |
| South Dakota | 583,888 |
| North Dakota | 577.056 |
| Rhode Island | 542,610 |
| New Hampshire | 411,588 |
| Montana | 376,053 |
| Utah | 373.351 |
| Vermont | 355,956 |
| District Columbia | - / |
| | 331,069 |
| New Mexico | 327,301 |
| Idaho | 325,594 |
| Arizona | 204,354 |
| Delaware | 202,322 |
| Wyoming | 145,965 |

TRANSPORTATION.

Railroads.

No state in the South has better transportation facilities. Five great railroad systems are rushing through the State to reach deep water on the Atlantic coast, there to connect with steamers for the Panama Canal. Besides these, there are fifty-six other short lines and feeders that ramify the State like so many blood vessels in our great industrial system. Every farmer is thus put in easy reach of a good home market and is but a few hours from Charleston, Atlanta, Memphis, Chattanooga, St. Louis, Chicago, Pittsburg, Richmond, Washington, Baltimore Philadelphia, New York, and Boston.

Not only have we an excellent and rapidly growing system of railroad transportation, covering the entire State like a network, but in eastern North Carolina there is a veritable labyrinth of bays, sounds, canals, and navigable rivers on which there are thousands of boats, barges, and other vessels, handling farm produce between our own larger eastern cities and placing much of it on the markets of the cities to the north and south of us.

Country Roads.

In addition to our superb railroad and water transportation facilities there was launched some years ago a general movement for better country roads in North Carolina. That movement is still going on with daily increasing momentum. As a result there is hardly a county in the State which has not built, or is not contemplating the building of, good macadam or sand-clay roads leading from the county seat, or principal town of the county, into its remotest agricultural districts. These main lines of good roads have secondary or "belt" roads leading into them which are also graded and made good. In a word, both the railroad and dirt road facilities in North Carolina are, in many counties, simply un-

surpassed by any State in the South and hardly equaled by any State in the Union. The farmers of North Carolina have been behind this good roads movement ever since its inception, thus showing the progressive spirit which pervades the agricultural classes of this State.

Telephones.

In addition to our superb transportation facilities, rural telephones are found everywhere, thus putting the farmer in immediate communication with the markets of his own locality and with those of distant localities at a cost ranging from seventy five cents to \$1.00 per month.

EDUCATION.

In North Carolina, as in every other state, education—agricultural education—lies at the foundation of all good and successful farming. The ignorant man can no longer "farm if he can do nothing else." The needs of the increasing population and the demands of refined taste require that not only a greater acreage production, but that a finer quality of product be placed upon the market, and this can be done by intelligent farming only. Poor lands cannot make high average acre-yields and rich lands can not produce fine quality when manipulated by unskilled hands. Regardless of the yield per acre, there is no land so poor as that of the ignorant farmer, and none so rich as that of the man who knows how to manage his soils.

Gold mines and phosphate beds are but barren waste to the man who knows nothing of what is beneath the surface, while they are rich treasures to the man of trained mind and skilled hand. Less than forty years ago "Old Red Mountain" in Alabama was given "to boot" in a horse swap. Since then the vast deposits of iron ore stored away in those hills have built Birmingham and rolled millions upon millions of dollars into the coffers of the ironmasters. Why did not the original owner get a fortune out of these rich deposits of ore? And so it has been with the owners of many poor North Carolina farms. Hundreds of "old worn-out farms" have been sold or given to boot, as it were, by the erstwhile owners, who, failing to properly understand the local conditions and the possibilities of their acres, could not even support themselves and their families. The buyers, knowing the intrinsic value and nature of the soils, took the farms in hand for a nominal sum and have made a fortune where the original owners made a failure. The ones with their families are, perhaps, operatives in some cotton mill. while the others, with their families, are veritable lords of the land, using the cotton mill town as a market for their produce.

The locomotive existed in the mind of the inventor long before it stood upon the track. The statue always exists in the mind of the sculptor long before it emerges from the stone. So it is with the agricultural artist and the agricultural manufacturer. His ideal pork, beef, milch and draft animals, his maximum corn, wheat, and cotton crops exist in his mind months before they are found in the herd or in the field. The most fundamentally important things for farmers to possess, therefore, are not good land, good stock, good tools, good markets, and reliable labor, but correct ideals and proper vision. No castles were ever built on earth that were not first built in the air. These funda-

mental ideals come only by a careful and diligent study of the factors controlling the development of any chosen vocation.

It means little to the farmer that farm products be high-priced if his profits are consumed in hauling them to market. It means little to the farmer to own land capable of producing 50 bushels of corn to the acre if his store of knowledge allows him to gather but 10 bushels from the acre. We must, therefore, have good roads, and good schools offering efficient agricultural instruction. But good roads and good schools alone will not make us a great agricultural state. These are but the tools with which we work. Nothing is further from the truth than the old adage that "knowledge is power." Knowledge is not power. It never has been. Power comes only as a result of an application of energy to knowledge. Every one has seen the walking encyclopedia whose brain is surcharged with facts but who never exerts any influence in his community. Every one has also seen the man of unbounded energy who didn't know what he wanted and had to have it-nervous, working, watching-always in a hurry and never getting anywhere; but when you find a man or woman possessed of great energy with an abundance of knowledge to direct it, you find a person who is a power in the land. There is not one volt more electro-motive force in the world today than there was 10,000 years ago, when it was manifested only in the thunderbolt and in the destructive shafts of lightning; but since the invention of the electric motor, even the cobbler in his shop uses the lightning as a beast of burden. The motor does not generate the power, neither does the electric current generate the power; but join the two together and every wheel in the industrial world may be propelled by the force. So it is with the farmer. When he has gained sufficient knowledge to give proper direction to his energy he will be proud to show us his fields of waving grain and his herds of fat cattle. Power, then, is Energized knowledge.

The North Carolina farmer has always had the energy, and within the last ten years he has, at a very rapid rate, been acquiring the knowledge. Twenty years ago the book farmer was looked upon as an idealist without practical ability. But conditions have changed. Since then not only have the farmers of North Carolina gone on record as favoring book farming, but have built schools and colleges for agricultural instruction, and our General Assemblies have passed laws putting agriculture into every public school in the State. At present the State Department of Agriculture, the United States Department of Agriculture, the A. and M. College, the State University, the State high schools, and practically every public school in the State are combining their efforts to dispel the mists from the eyes of the one man upon whose success the welfare of the entire State depends. Not only so, but there is a number of organizations among the farmers themselves that give promise of doing more to put farming in North Carolina on a sound business and scientific basis than any other agencies that have ever existed within our borders.

RAW PRODUCTS.

Corn.

Corn grows in all parts of the State. It is our leading crop, and the yield is yearly increasing. It will be interesting to note that in 1913 the acre value of the corn crop of North Carolina was greater than that of either Georgia, Florida, Illinois, Missouri, North Dakota, South Dakota, Nebraska, Mississippi, Arkansas, Colorado, or New Mexico. Thus showing the special inducements in this State for the increased production of this crop.

Our genial climate, long growing season, and the rapidity with which the plant foods become available in the soils of the State throughout the entire year, all combine to make this crop one of especial importance

both in point of yield and ease of production.

From 1870 to 1879 the average acre-yield of corn in the State was 14.7 bushels. This average persisted until 1909, when the average acre-yield of corn rose to 18.4 bushels, and in 1913 when it was 19.5 bushels per acre. The Division of Demonstration grew an average of over 44 bushels per acre on 4,800 acres of land in North Carolina in 1911. The amount of corn grown in the State in 1909 was 34,063,000 bushels and in 1910 nearly 57,139,000 bushels. The value of our corn crop in 1909 was \$28,954,000; in 1910, \$43,426,000; in 1911, \$40,738,000; in 1912, \$42,428,000; and in 1913, \$48,648,000.

Table No. 2—Showing Rank of North Carolina in Corn Production in 1913 as Compared with Other States.*

| | Bushels. |
|----------------|------------|
| North Carolina | 55,282,000 |
| Oklahoma | 52,250,000 |
| Virginia | 51,480,000 |
| Arkansas | 47,025,000 |
| Louisiana | 41,800,000 |
| South Carolina | 38,512,000 |
| Kansas | 23,424,000 |
| West Virginia | 22,692,000 |
| Maryland | 22,110,000 |
| New York | 15,020,000 |
| New Jersey | 10,862,000 |
| Florida | 10,125,000 |
| North Dakota | 10,800,000 |
| Colorado | 6,300,000 |
| Delaware | 6,206,000 |
| Connecticut | 2,348,000 |
| Massachusetts | 1,944,000 |
| California | 1,815,000 |
| Vermont | 1,665,000 |
| New Mexico | 1,572,000 |
| Washington | 952,000 |
| Montana | 882,000 |
| New Hampshire | 814,000 |
| Maine | 608,000 |
| Oregon | 598,000 |
| Wyoming | 493,000 |
| Arizona | 476,000 |
| Idaho | 448,000 |
| Rhode Island | 402,000 |
| Utah | 340,000 |
| Nevada | 34,000 |

^{*}Taken from United States Year Book for 1913.

Wheat.

Wheat is rapidly gaining in importance as a staple crop in North Carolina. We have most excellent wheat lands in the State, but on account of the low prices of all farm products, until comparatively recently, the wheat crop has not been pushed cotton having largely taken its place even on our best wheat lands.

We can grow wheat and in large amounts. Every man remembers, when a school boy, to have had his especial attention called to California on account of its phenomenal yield of wheat, sometimes as high as 50 bushels to the acre having been reported. It is interesting to note that while the wheat crop of California has always been good, the average yield in that State has frequently fallen below the average yield in North Carolina. There have been as large yields of wheat obtained in this as, perhaps, almost any state in the Union-not yields from individual acres, but from whole farms. There is a large farm in Halifax County on which there was grown last year an average of 281/2 bushels to the acre on a 140-acre field. In Johnston County a gentleman grew an average of 42 bushels to the acre on a 50-acre field, with individual acres yielding as high as 50 bushels. In Randolph County a gentleman grew an average of 27 bushels per acre on a 40-acre field. In Davidson County a farmer grew an average of over 30 bushels per acre on a 130-acre tract. But we need not multiply examples. Suffice it to say that these yields were gotten by the practice of common-sense methods on lands adapted by nature, or by preparation, to the growth of wheat. These yields may be duplicated by any farmer who has good heavy clay loam or silt loam soil and is willing to treat it properly.

The wheat crop in North Carolina in 1909 was 3,827,000 bushels; in 1910, 6,817,000 bushels; in 1911, 6,636,000 bushels; in 1912, 5,322,000

bushels; and, in 1913, 7,078,000 bushels.

Table No. 3.—Showing Rank of North Carolina in Wheat Production in 1913 as Compared with Other States.*

| | Bushels. |
|----------------|-----------|
| North Carolina | 7,078,000 |
| New York | 6,800,000 |
| Utah | 6,420,000 |
| California | 4,200,000 |
| Wisconsin | 3,665,000 |
| West Virginia | 3,055,000 |
| Wyoming | 2,250,000 |
| Georgia | 1,708,000 |
| Delaware | 1,638,000 |
| New Jersey | 1,408,000 |
| Arkansas | 1,313,000 |
| New Mexico | 1,221,000 |
| Nevada | 1,081,000 |
| South Carolina | 972,000 |
| Arizona | 928,000 |
| Alabama | 374,000 |
| Maine | 76,000 |
| Vermont | 24,000 |
| Mississippi | 14,000 |
| | |

^{*}Taken from United States Year Book for 1913.

Oats.

The oat crop in North Carolina in 1909 was 3,234,000 bushels; in 1910, 3,458,000 bushels; in 1911, 3,614,000 bushels; in 1912, 3,794,000 bushels; and in 1913, 4,485,000 bushels. The value of the oat crop in \$2,352,000; and, in 1913, \$2,736,000. \$2,352,000, and, in 1913, \$2,736,000.

Table No. 4.—Showing Rank of North Carolina in Oats Production in 1913 as Compared with Other States.*

| | Bushels. |
|----------------|-----------|
| North Carolina | 4,485,000 |
| Virginia | 4,192,000 |
| Utah | 4,140,000 |
| Kentucky | 3,168,000 |
| Vermont | 3,082,000 |
| Mississippi | 2,800,000 |
| West Virginia | 2,760,000 |
| New Jersey | 2,030,000 |
| New Mexico | 1,500,000 |
| Maryland | 1,260,000 |
| Louisiana | 990,000 |
| Florida | 900,000 |
| Nevada | 473,000 |
| New Hampshire | 420,000 |
| Massachusetts | 315,000 |
| Connecticut | 308,000 |
| Arizona | 301,000 |
| Delaware | 122,000 |
| Rhode Island | 52,000 |

Cotton.

Notwithstanding we are on the northern limit of the cotton belt, a large amount of this staple crop is produced every year—indeed we have a few counties that are unexcelled in cotton production. Last year it was the boast of Robeson, one of the largest counties in the State, that it produced a bale of cotton to every man, woman, and child in it.

The cotton crop is at present the most valuable single crop in the State, ranging in value between \$50,000,000 and \$60,000,000 per annum.

The total cotton crop for North Carolina in 1906 was 579,326 bales. Since then we have gradually increased the total yield until in 1911 we produced the maximum crop in the history of the State, amounting to 1,075,826 bales. It is true that in 1911 we had greater acreage than in any other year since 1906, but the yield per acre, which should always be the basis of calculation in comparing farm crops, was considerably more than that of any other recognized cotton-growing State in the Union. We, are, therefore, not only increasing the total yield of this product, but we seem to be doing better farming than we have done in past years.

^{*}Taken from United States Year Book for 1913.

Table No 5.—Showing Average Acre Yield of Cotton in North Carolina in 1913 as Compared with Other States.*

| Poi | unds. |
|--------------------|-------|
| North Carolina Poo | 239 |
| South Carolina 2 | 235 |
| Tennessee 2 | 10 |
| Georgia 2 | 208 |
| Arkansas 2 | |
| Mississippi 2 | 204 |
| Alabama 1 | 90 |
| Texas | |
| Florida 1 | |
| Oklahoma 1 | 32 |

Live Stock.

The number of live stock in North Carolina could be greatly increased to the advantage of every farmer in the State. We have not nearly as much live stock as our farms require, and the quality is very inferior to that which could be desired. Nevertheless, within the last ten years the percentage of increase of live stock in North Carolina has been greater than that of any of the thirty-eight states shown in the following table. A glance at the table will show that the percentage of increase of live stock in North Carolina in the last ten years has been more than double that of New York, Iowa, Colorado, Pennsylvania, Kansas, Texas, and West Virginia, and considerably more than that of Missouria, Michigan, Wisconsin and Illinois.

In 1913 North Carolina had 312,000 milch cows and 92,000 other cattle. There were 181,000 sheep on the farms and 1,335,000 hogs.

Table No. 6.—Showing Percentage Increase in Number of Live Stock in North Carolina as Compared with Other States— 1900-1910.*

| North Carolina | 108.1 |
|----------------|-------|
| Arkansas | 97.€ |
| South Dakota | 95.2 |
| California | 89.6 |
| Florida | 84.4 |
| Tennessee | 82.0 |
| Alabama | 81.7 |
| Minnesota | 81.5 |
| Virginia | 78.2 |
| Missouri | |
| Mississippi | 76.4 |
| Oregon | |
| Michigan | |
| Arizona | 67.6 |
| Wyoming | |
| Delaware | |
| Wisconsin | 64.2 |
| Montana | |
| Illinois | |
| | |
| Kentucky | 58.7 |
| Indiana | |
| Oklahoma | |
| Nevada | |
| Ohio | |
| Maryland | 56.2 |

^{*} Taken from United States Year Book for 1913.

| Louisiana |
|----------------------|
| Nebraska |
| Maine |
| New York |
| West Virginia |
| Iowa |
| Colorado |
| New Jersey |
| Pennsylvania |
| New Mexico |
| Utah |
| Kansas |
| Texas |
| Massachusetts |
| Connecticut |
| Vermont |
| Rhode Island |
| District of Columbia |
| New Hampshire |

MANUFACTURED PRODUCTS.

In 1904 the State of North Carolina had 3,272 manufacturing establishments, which gave employment to an average of 93,142 persons during the year and paid \$25,170,000 in salaries and wages. In 1909 there were 49,931 manufacturing establishments, giving employment to 133,453 persons and paying out during the year \$41,259,000 in salaries and wages. This shows the rate at which manufacturing enterprises are increasing in this State. The value of the total manufactured products of the State in 1910 was \$216,656,000, which was over \$13,500,000 more than Georgia, our closest competitor in the South. The following table will show at a glance how North Carolina ranks as a manufacturing state. While it is not the first in value of manufactured products it is ahead of a great many others.

Table No. 7.—Showing Rank of North Carolina in Manufactured Products as Compared with Other States in 1910.

| North Carolina | \$216,656.000 |
|----------------------|---------------|
| Georgia | 202,863,000 |
| Nebraska | 199,019,000 |
| Tennessee | 180,217,000 |
| Maine | 176,029,000 |
| New Hampshire | 164,581,000 |
| West Virginia | 161,950,000 |
| Alabama | 145,962,000 |
| Colorado | 130,044,000 |
| South Carolina | 113,236,000 |
| Oregon | 93,005,000 |
| Mississippi | 80,555,000 |
| Arkansas | 74,916,000 |
| Montana | 73,272,000 |
| Florida | 72,890,000 |
| Vermont | 68,310,000 |
| Utah | 61,989,000 |
| Oklahoma | 53,682,000 |
| Delaware | 52,840,000 |
| Arizona | 50,267,000 |
| District of Columbia | 25,289,000 |
| Idaho | 22,400,000 |
| North Dakota | 19,138,000 |

| South Dakota | 17,870,000 |
|--------------|------------|
| Nevada | 11,887,000 |
| New Mexico | 7,898,000 |
| Wyoming | 6,249,000 |

No state can turn out such an enormous amount of manufactured products without taxing to the utmost its agricultural resources. Cotton and other raw materials for manufacture, and for food supplies for men and necessary teams, must be produced on the farms, or imported from other states.

While the North Carolina farmer has made long and rapid strides in every line of agricultural development in the recent past, he is going to make even greater progress in the near future. The inducements for greater efforts are here. Our home markets are calling for more than we can produce with our present methods, and our neighboring markets

are yet not fully supplied.

By the introduction of improved implements and the most approved methods of tillage, fertilization, etc., the present annual crop yields can be more than doubled, and there is little doubt that they will be more than doubled in the near future. But even then, it is not likely that our present farming population can nearly supply the demands made on them for food and feed products. As our crop yields increase, the demand for the additional output will likewise increase. It would seem, therefore, that a very material addition to our farming population is imperative.

We have 22,439,129 acres of land in farms in North Carolina. Of this amount of land, only 8,813,056 acres are improved. This leaves 13,626,073 acres of unimproved land in farms. It is evident that this vast territory of nonproductive land should be brought under cultivation and made to contribute its share to the wealth of the State, and to do this would require about twice our present farming population.

As pointed out above, our markets are calling for more than we are producing, and, as a consequence, millions upon millions of dollars worth of food and feed products are yearly being shipped into the State

from outside sources.

FOOD PRODUCTS SHIPPED INTO THE STATE OF NORTH CAROLINA DURING 1913.

Three years ago the Division of Botany and Agronomy was directed to ascertain, as far as possible, the amount of food and feed products shipped into the State during 1911. The results of that investigation showed that around \$39,000,000 worth of these products were shipped into North Carolina during that year. This year, 1914, the Commissioner of Agriculture again directed this Division to make a similar investigation for the same purpose. Using the same method of investigation as we used before, we addressed a letter to each of the railroad companies operating inter-state lines of railroad, asking them to furnish us with such data as might be available to show the amount of various food and feed products shipped into the State over their lines during 1913.

We are pleased to state that all of the leading lines of railroads responded promptly to this request, except one, and gave us figures

taken directly from their books. The Seaboard Air Line and four short lines of railroad failed to give us the data requested, and we were forced to estimate the products shipped in over these short lines in 1913 as the same as that shipped in over them during 1911. Since the Coast line and the Seaboard Air Line traverse pretty much the same territory we felt justified in estimating the shipments over these two lines as being about equal. This enables us to present fairly reliable data showing the amount of food and feed products shipped into the State over the different lines of railroads during 1913.

Southern Railway.

During the year 1913 the Southern Railway shipped into the territory traversed by its lines 3,347,064 bushels of corn; 142,065 bushels of wheat; 59,010 barrels of apples; 5,530,000 pounds of cured meat; 15,392,000 pounds of dressed beef; 2,880 cases of canned goods; 15,-825,000 pounds of vegetables; 16,512 tons of hay, and 779 tons of feedstuffs.

Norfolk and Western Railroad.

The Norfolk and Western Railroad shipped into the territory traversed by its lines during 1913, 2,712,292 bushels of corn; 435,078 bushels of wheat; 263,567 bushels of oats; 8,607 barrels of apples; 69,188 pounds of dried fruit; 1,529,088 pounds of cured meat; 895,886 pounds of fresh pork; 21 barrels of barreled pork; 1,157,792 pounds of dressed beef; 2,222 pounds of corned beef; 2,955 pounds of butter; 113,631 pounds of cheese; 24,571 cases of canned goods; 47,124 gallons of syrup; 2,621 pounds of honey; 2,783 tons of hay; 10,578 tons of feedstuffs, and 2,650 dozen of eggs.

Winston-Salem Southbound.

During the year 1913 this branch of the Norfolk and Western shipped into middle North Carolina 11,389 bushels of corn; 20,830 bushels of wheat; 53,860 bushels of oats; 611 barrels of apples; 16,065 pounds of dried fruit; 109,051 pounds of cured meat; 20,000 pounds of fresh pork; 2,000 pounds of corned beef; 1,350 pounds of butter; 8,050 pounds of cheese; 6,278 cases of canned goods; 14,800 gallons of syrup; 862 pounds of honey; 1,182 tons of hay; 866 tons of feedstuff, and 264 dozen eggs.

Atlantic Coast Line.

This road shipped into Eastern North Carolina during the year 1913 1,773,936 bushels of corn; 1,649,850 bushels of wheat in the form of flour, and 29,570 tons of hay.

Norfolk Southern Railway.

This road shipped into Eastern North Carolina during 1913 726,056 bushels of corn; 1,070,541 bushels of wheat in the form of flour; 47,023 tons of mill feed; 17,857 tons of hay; 940,000 pounds of dressed meat; 13,078,000 pounds of other packing-house products and 2,762,000 pounds of other animal products as leather, hides, butter, eggs, etc.

Seaboard Air Line Railway.

The estimated amounts of products shipped into that part of the State traversed by this system during 1913 were 1,773,936 bushels of corn; 1,649,850 bushels of wheat and 29,570 tons of hay.

Mount Airy and Eastern Railway.

This road shipped into the State from the North and West during 1913, 12 bushels of corn; 242 barrels of apples; 2,300 pounds of dried fruit; 53 cases of canned goods; 150 pounds of pork, and 99 bushels of potatoes.

East Tennessee and Western North Carolina Railroad.

This railroad shipped into the mountain section of North Carolina during 1913 25,952 bushels of corn; 115 bushels of wheat; 13,576 bushels of oats; 10,466 barrels of flour; 60 barrels of apples; 120 pounds of dried fruit; 232,231 pounds of cured meat; 1,847 pounds of fresh pork; 1,149 pounds of dressed beef; 830 pounds of canned beef; 160 pounds of butter; 8,373 pounds of cheese; 3,808 cases of canned goods; 38 gallons of syrup; 3,659 pounds of honey; 140 pounds of vegetables; 241 tons of hay, and 802 tons of feedstuff. Estimated for 1913.

Danville and Western Railway.

It is estimated that this road shipped into Rockingham County during 1913–17,835 bushels of corn; 30,104 bushels of wheat; 7,161 bushels of oats; 111,138 barrels of flour; 1,348 barrels of apples; 6,050 pounds of dried fruit; 133,528 pounds of cured meat; 4,600 pounds of fresh pork; 2,000 barrels of barreled pork; 3,580 pounds of corned beef; 872 pounds of butter; 157,666 pounds of cheese; 6,591 cases of canned goods; 9,500 gallons of syrup; 1,638 pounds of honey; 96,000 pounds of vegetables and 2,240 tons of hay and 1,045 tons of feedstuff.

Tallulah Falls Railway.

It is estimated that this short line of railroad shipped into Western North Carolina during the period under discussion 7,643 bushels of corn; 3,397 barrels of flour; 492,000 pounds of cured meat; 26 tons of hay, and 85 tons of feedstuff.

Carolina, Clinchfield and Ohio Railway.

It is estimated that the Carolina, Clinchfield and Ohio Railway shipped into Northwestern North Carolina during 1913 50,526 bushels of corn; 173 bushels of wheat; 9,211 bushels of oats; 12,600 barrels of flour; 52 barrels of apples; 182,925 pounds of cured meat; 3,606 pounds of fresh pork; 15 barrels of barreled pork; 450 pounds of dressed beef; 30,051 pounds of corned beef; 215 pounds of butter; 7,043 pounds of cheese; 14,718 cases of canned goods; 1,908 pounds of honey; 9,066 tons of hay, and 4,939 tons of feedstuff.

SHOWING AMOUNT OF FOOD AND FEED PRODUCTS SHIPPED INTO NORTH CAROLINA DURING 1913.

| Railroad | Corn (Bushels) | Wheat (Bushels) | Oats (Bushels) | Apples (Barrels) | Dried Fruit (Pounds) | Dried Meat (Pounds) |
|--------------------------|-------------------|--------------------|-------------------|---------------------|----------------------------|---------------------------|
| Southern | 3,347,064 | 142,065 | | 59,010 | | 5,530,000 |
| Norfolk & Western | 271,292 | 435,078 | 263,567 | 8,607 | 69,788 | 1,529,088 |
| Norfolk Southern | 726,056 | 1,070,541 | | | | |
| Atlantic Coast Line | 1,773,936 | 1,649,850 | | | | |
| Seaboard Air Line | 1,773,936 | 1,649,850 | | | | |
| Car. Clinchfield & Ohio* | 50,526 | 63,173 | 9,211 | 52 | | 182,925 |
| Winston-Salem Southbound | 11,389 | 20,830 | 53,860 | 611 | 16,065 | 109,051 |
| E. Tenn. & W. N. C | 25,952 | 52,445 | 13,576 | 60 | 120 | 232,231 |
| Danville & Western* | 17,835 | 585,830 | 7,161 | 1,348 | 6,050 | 133,528 |
| Mount Airy & Eastern | 12 | | | 242 | 2,300 | |
| Talulah Falls Ry.* | 7,643 | 16,985 | | | | 492,000 |
| Totals | 8,005,641 | 5,686,647 | 347,375 | 69,930 | 94,323 | 8,208,823 |
| | @ 80e | @ \$1.00 | @ 50e | @ \$5.00 | @ 10e | @ 12½ c |
| | \$6,404,672.80 | \$5,686,647.00 | \$173,687.50 | \$349,650.00 | \$9,432.30 | \$1,027,102.87 |

^{*}Estimated to be same as 1911.

| Railroad | Fresh Pork (Pounds) | Barreled Pork (Barrels) | Dressed Beef (Pounds) | Corned Beef (Pounds) | Butter · (Pounds) |
|--------------------------------|---------------------------|-------------------------------|-----------------------------|----------------------------|-------------------------|
| Southern | | | 15,392,000 | | |
| Norfolk & Western | | 21 | 1,157,792 | 20,222 | 2,955 |
| Norfolk Southern | | | 0.40,000 | | |
| Atlantic Coast Line | | | | | |
| Seaboard Air Line | | | | | |
| Carolina, Clinchfield & Ohio*. | 3,606 | 15 | 450 | 30,051 | 215 |
| Winston-Salem South Bound | 20,000 | | | 2,000 | * 1,350 |
| E. Tenn. & W. N. C.* | 1,847 | | 1,149 | 830 | 160 |
| Danville & Western* | 4,600 | 2,000 | | 3,580 | 872 |
| Mt. Airy & Eastern | 150 | | | | |
| Tallulah Falls Ry.* | | | | | |
| Totals | 926,089 | 2,036 | 17,491,391 @ 9c | 56,683 | 5,552 |
| | @ 10c \$92,608.90 | @ \$25 \$50,900.00 | \$1,574,225.19 | @ 12½c \$7,085.25 | @ 20e \$1,110.40 |

^{*}Estimated to be same as 1911.

| Railroads | Cheese (Pounds) | Canned Goods (Cases) | Syrup (Gallons) | Honey (Pounds) | Vege- tables (Pounds) | Hay (Tons) |
|---|--------------------|----------------------------|----------------------|---------------------|-----------------------------|---------------|
| Southern Norfolk & Western | | -, | | | 15,825 15,825 | |
| Norfolk Southern | | | | | | 17,85 |
| Seaboard Air Line | | | | | | 29,57 |
| Car., Clinchfield & Ohio* Winston-Salem Southbound | 7,043 8,050 | 6,278 | 14,800 | | | 9,06 1,18 |
| E. Tenn. & W. N. C.* | 8,373 157,666 | 3,808 | 38 9,500 | 3,659 1,638 | | 24 2,24 |
| Mt. Airy & Eastern Talulah Falls Ry.* | | 53 | | | 4,954 | |
| Totals | 294,763 | | | 10,688 | 132,740 | |
| | @ $12\frac{1}{2}c$ | | @ 40c \$28,584.80 | @ 10c \$1,068.80 | @ 5c \$6,637.00 | @ \$20 |

^{*}Estimated to be same as 1911.

| Railroad | Feed Stuffs (Tons | Miscellaneous Packinghouse Products (Pounds) |
|--|------------------------------|---|
| Southern | 779 10,578 | |
| Norfolk Southern | | 13,078,000 |
| Seaboard Air Line | 4,839 866 802 1,045 | |
| Mt. Airy & Eastern Talulah Falls Ry.*. Totals | 85 66,017 @ \$25 | 13,078,000 @ 10e |

^{*}Estimated to be same as 1911.

Table No. 9.—Showing Comparative Values of Food and Feed Products Shipped Into North Carolina During 1911 and 1913.

| | 1911. | 1913. |
|---|-----------------|-----------------|
| Corn @ 80c. bushel | \$4,346,420.80 | \$6,404,672.80 |
| Wheat @ \$1.00 a bushel | 4,378,316.00 | 5,686,647.00 |
| Oats @ 50c. a bushel | 119,966.00 | 173,687.00 |
| Apples @ \$5.00 a barrel | 357,105.00 | 349,650.00 |
| Dried fruit @ 10c. a pound | 19,420.30 | 9,432.30 |
| Cured meat @ 12½c. a pound | 6,666,429.62 | 1,027,102.87 |
| Fresh pork @ 10c. a pound | 37,664.30 | 92,608.90 |
| Barreled pork @ \$25 a barrel of 200 pounds | 55,875.00 | 50,900.00 |
| Dressed Beef @ 12½c. a pound | 12,937.00 | 7,085.25 |
| Miscellaneous packing house products @ 10c. | | 1,307,800.00 |
| Butter @ 20c. a pound | 875.20 | 1,110.40 |
| Cheese @ 12½c. a pound | 39,057.37 | $36,\!845.37$ |
| Canned goods @ \$2.50 a case | 116,257.50 | 147,247.50 |
| Syrup @ 40c, a gallon | 21,110.80 | 28,584.80 |
| Honey @ 10c. a pound | 789.50 | 1,068.80 |
| Vegetables @ 5c. a pound | 3,516,716.45 | 6,637.00 |
| Hay @ \$20 a ton | 15,607,820.00 | 2,160,940.00 |
| Feed stuffs—bran, shorts etc., @ \$25 a ton | 2,225,625.00 | 1,650,425.00 |
| Total | \$39,640,885.55 | \$20,716,671.68 |
| Balance in favor of 1913 | | \$19,124,213.87 |

The above figures, most of which were taken direct from the books of the different railroad companies doing an inter-state business, seem to be the closest approximation possible to the actual facts, and while it is not claimed that these figures are within even a million dollars of correct, due to the impracticability of getting any but the leading items of import, they still show that the state has decreased its imports enormously within the last three or four years, and is thus waking to the possibility and necessity of producing its own food supplies. Our people are beginning to live at home.







THE BULLETIN

OF THE

NORTH CAROLINA

DEPARTMENT OF AGRICULTURE,

RALEIGH.

Vol. 35, No. 12.

DECEMBER, 1914.

Whole No. 204.

FIFTEENTH ANNUAL REPORT

ON

FOOD ADULTERATION

UNDER THE PURE FOOD LAW

STATE BOARD OF AGRICULTURE

W. A. GRAHAM, Commissioner, ex officio Chairman, Raleigh.

| F. P. LATHAM | Belhaven | First District. |
|-----------------|---------------|-------------------|
| K. W. Barnes | Lucama | Second District. |
| R. L. Woodard | Pamlico | Third District. |
| Clarence Poe | Raleigh. | Fourth District. |
| R. W. Scott | Haw River | Fifth District. |
| A. T. McCallum | Red Springs | Sixth District. |
| C. C. Wright | Hunting Creek | Seventh District. |
| WILLIAM BLEDSOE | Gale | Eighth District. |
| W. J. Shuford | Hickory | Ninth District. |
| A. Cannon | Horse Shoe | Tenth District. |
| | | |

OFFICERS AND STAFF.

| W. A. GRAHAM | Commissioner. |
|--|--|
| ELIAS CARR | |
| MISS SARAH D. JONES | Bookkeener |
| D. G. Conn | Bulletin Superintendent. State Chemist, Director Test Farms. |
| B. W. KILGORE | State Chemist, Director Test Farms |
| J. M. Pickel | Feed Chemist. |
| W. G. HAYWOOD. | Fertilizer Chemist. |
| J. Q. Jackson. | Assistant Chemist. |
| E. S. Dewar | Assistant Chemist. |
| E. B. HART | Assistant Chemist. |
| J. R. MULLEN | Assistant Chemist. |
| R W COLLETT | Assistant Director Test Forms |
| H. H. BRIMLEY | Curator of Museum. |
| 1. W. ADICKES | Assistant Curotor |
| FRANKLIN SHERMAN JR | Enternologiet |
| S. C. CLAPP | Entomologist. Assistant Entomologist in Field Work. |
| B. B. FLOWE | Veterinarian, |
| H. P. FLOWE | Assistant Veterinarian. |
| E. G. HARGETT | Assistant Veterinarian. |
| W. N. HUTT | Horticulturist |
| R. G. Hill. | Horticulturist. Assistant Horticulturist. |
| T. B. PARKER | Director of Farmers' Institutes. |
| MISS CARRIE HUDGINS | Assistant to Director of Farmers' Institutes. |
| R. L. SLOAN | Assistant to Director of Farmers' Institutes. |
| W. M. ALLEN | Assistant to Director of Farmers' Institutes. Chemist and Chief, Division Food and Oil Inspection. |
| F W Tropymon | Assistant Chemist, Division Food and Oil Inspection. |
| | |
| C. E. Bell | Assistant Chemist, Division Food and Oil Inspection. |
| C. E. Bell Leland B. Rhodes | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection |
| C. E. Bell Leland B. Rhodes C. B. WILLIAMS | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist |
| C. E. Bell Leland B. Rhodes C. B. WILLIAMS J. K. Plummer | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist |
| C. E. Bell Leeand B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils |
| C. E. Bell. Leland B. Rhodes. C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winters G. M. Garren | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winters G. M. Garren *W. E. Hearn. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent. Soil Survey |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winners G. M. Garren *W. E. Hearn. L. L. Brinkley | Assistant Chemist, Division Food and Oil Inspection Assistant Chemist, Division Food and Oil Inspection Agronomist Soil Chemist Agronomist in Soils Plant Breeding Assistant Agronomist in Crops State Soil Agent, Soil Survey Soil Survey Soil Survey |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winters G. M. Garren *W. E. Hearn L. L. Brinkley S. O. Perrins | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate. R. Y. Winters G. M. Garren "W. E. Hearn. L. L. Brinkley S. O. Perrins. R. C. Jurkey | Assistant Chemist, Division Food and Oil Inspection Assistant Chemist, Division Food and Oil Inspection Agronomist. Soil Chemist, Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Soil Survey. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren. *W. E. Hearn. L. L. Brinkley S. O. Perrins. R. C. Jursey. J. L. Burgess | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren. *W. E. Hearn. L. L. Brinkley S. O. Perrins. R. C. Jursey. J. L. Burgess | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winters G. M. Garren *W. E. Hearn L. L. Brinkley S. O. Perkins R. C. Juney J. L. Burgelss Miss S. D. Allen C. H. Waldron C. H. Waldron | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winters G. M. Garren *W. E. Hearn L. L. Brinkley S. O. Perrins R. C. Jursey J. L. Burgess Miss S. D. Allen C. H. Waldron Miss Louise A. Rademacher | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist, Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winters G. M. Garren "W. E. Hearn. L. L. Brinkley S. O. Perkins R. C. Jurkey J. L. Burgess Wiss S. D. Allen C. H. Waldron Miss Louise A. Rademacher DAN T. GRAY | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winters G. M. Garren *W. E. Hearn L. L. Brinkley S. O. Perrins R. C. Jursey J. L. Burgess Miss S. D. Allen C. H. Waldron Miss Louise A. Rademacher DAN T. GRAY W. H. Eaton | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist, Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant to Botanist. Chief in Animal Industry. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winyers G. M. Garren W. E. Hearn L. L. Brinkley S. O. Perrins R. C. Jursey J. L. Burgess Miss S. D. Allen C. H. Waldron Miss Louise A. Rademacher DAN T. Gray W. H. Eaton J. Reed | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate R. Y. Winters G. M. Garren. *W. E. Hearn. L. L. Brinkley S. O. Perrins R. C. Juney J. L. Burgess Miss S. D. Allen C. H. Waldron. Miss Louise A. Rademacher DAN T. Gray W. H. Eaton. †Alvin J. Reed. Stanley Combs. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Experimenter. Assistant in Dairy Farming. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer W. F. Pate R. Y. Winters G. M. Garren *W. E. Hearn L. L. Brinkley S. O. Perrins R. C. Jursey J. L. Burgess Miss S. D. Allen C. H. Waldron Miss Louise A. Rademacher DAN T. GRAY W. H. Eaton †Alvin J. Reed Stanley Combs JE. H. Mathewson | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist, Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. Tobacce Investigations |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren. *W. E. Hearn. L. L. Brinkley. S. O. Perkins. R. C. Junkey. J. L. Burgelss Miss S. D. Allen C. H. Waldron. Miss Louise A. Rademacher. DAN T. GRAY W. H. Eaton. †Alvin J. Reed. Stanley Combs. ‡E. H. Mathewson. †C. R. Hudson. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. Tobacco Investigations. Fam Demonstration Work |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren. *W. E. Hearn. L. L. Brinkley S. O. Perrins. R. C. Jursey J. L. Buurgess. Miss S. D. Allen C. H. Waldenon. Miss Louise A. Rademacher. DAN T. GRAY W. H. Eaton. †Alvin J. Reed. Stanley Combs. E. H., Mathewson. C. R. Hudboon. T. E. Browne. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist, Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. Tobacco Investigations. Farm Demonstration Work. Assistant Demonstration Work. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren. W. E. Hearn. L. L. Brinkley S. O. Perrins. R. C. Jurkey J. L. Burgess Miss S. D. Allen C. H. Waldron. Miss Louise A. Rademacher DAN T. GRAY W. H. Eaton. †Alvin J. Reed Stanley Combs. †E. H. Mathewson. †C. R. Hudson. †T. E. Browne. †A. K. Robertson. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist. Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant to Botanist. Assistant to Botanist. Assistant to Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. Tobacco Investigations. Farm Demonstration Work. Assistant in Charge of Boys' Clubs. Assistant in Boys' Clubs. Assistant in Boys' Clubs. |
| C. E. Bell. Leland B. Rhodes C. B. WILLIAMS J. K. Plummer. W. F. Pate. R. Y. Winters G. M. Garren. *W. E. Hearn. L. L. Brinkley S. O. Perrins. R. C. Jursey J. L. Burgess. Miss S. D. Allen. C. H. Waldron. Miss Louise A. Rademacher. DAN T. Gray W. H. Eaton. †Alvin J. Reed. Stanley Combs. E. H. Mathewson. C. R. Hudbon. †T. E. Browne. †A. K. Robertson. Alvin. J. K. Browne. A. K. Robertson. Miss. Jane S. McKimmon. | Assistant Chemist, Division Food and Oil Inspection. Assistant Chemist, Division Food and Oil Inspection. Agronomist. Soil Chemist, Agronomist in Soils. Plant Breeding. Assistant Agronomist in Crops. State Soil Agent, Soil Survey. Soil Survey. Soil Survey. Soil Survey. Agronomist and Botanist. Assistant Agronomist and Botanist. Assistant Agronomist and Botanist. Chief in Animal Industry. Dairy Experimenter. Dairy Farming. Assistant in Dairy Farming. Tobacco Investigations. Farm Demonstration Work. Assistant Demonstration Work. |

F. N. McDowell, Assistant Director Edgecombe Test Farm, Rocky Mount, N. C. F. T. Meacham, Assistant Director Iredell Test Farm, Statesville, N. C. John H. Jefferies, Assistant Director Pender Test Farm, Willard, N. C. F. S. Puckett, Assistant Director Transylvania and Buncombe Test Farms, Swannanoa, N. C. E. G. Moss, Assistant Director Granville Test Farm, Oxford, N. C.

*Assigned by the Bureau of Soils, United States Department of Agriculture.
†Assigned by the Bureau of Animal Husbandry, United States Department of Agriculture.
†In cooperation with Bureau of Plant Industry, United States Department of Agriculture.

LETTER OF TRANSMITTAL.

HON. W. A. GRAHAM,

November 1, 1914.

Commissioner of Agriculture.

Raleigh, N. C.

Sir:—I submit herewith manuscript covering the investigations that have been made during the past year under the State Food Law, Chapter 368, Laws of 1907. I recommend its publication as the December Bulletin and Fifteenth Annual Food Report.

Respectfully submitted.

W. M. Allen,

Approved:

State Food and Oil Chemist.

W. A. Graham,

Commissioner of Agriculture.



REPORT ON FOOD ADULTERATION FOR 1914.

BY W. M. ALLEN, STATE FOOD AND OIL CHEMIST, ASSISTED BY

E. W. THORNTON, ASSISTANT CHEMIST,

C. E. BELL, Assistant Chemist.

Report on Food Adulteration and the Enforcement of Food Law for 1914—the fifteenth annual report on the subject.

THE ENFORCEMENT OF THE LAW.

The State Food Law, chapter 368, Public Laws of North Carolina, 1907, makes it the duty of the State Department of Agriculture to enforce the food law. The law provides that the Board of Agriculture shall adopt and publish standards of strength and purity for food products and regulations for the enforcement of the law. Such standards and regulations have been adopted and published in the Annual Food Reports from time to time, as well as in pamphlet form, and have been sent to the dealers of the State, and will be sent on application to any citizen of the State.

The Department has spent a great deal of time and money during the past fourteen years trying to show the dealers of the State the requirements of the food law and how to comply with the same. As the dealers have now had time and opportunity to know the law and its requirements, it will be the policy of the Department to prosecute eases when similar ones have in the past been dismissed because of lack of information on the part of the dealer in regard to the law and its requirements.

EXTRACT FROM FOOD LAW.

NOTE ON.

The following extract from the Pure Food Law is very important, and the same is herewith printed in order that the grocerymen may become more familiar with the requirements of the law.

State Food Law, section 6, defines and describes what constitutes food adulteration. Section 7 defines and describes what constitutes the misbranding of food products. Section 9 provides for a guaranty by which the retail dealer may be exempt from prosecution for violation of the law.

EXTRACT FROM FOOD LAW.

Sec. 6. That for the purpose of this act an article shall be deemed to be

adulterated, in the case of food—

First. If any substance has been mixed or packed with it so as to reduce or lower or injuriously affect its quality or strength.

Second. If any substance has been substituted, wholly or in part, for the article.

Third. If any valuable constituent of the article has been wholly or in part abstracted.

Fourth. If it be mixed, colored, powdered, coated, or stained in a manner whereby damage or inferiority is concealed.

Fifth. If it contains any added poisonous or other added deleterious ingredient which may render such article injurious to health. If it contains any of the following substances, which are hereby declared deleterious and dangerous to health when added to human food, to wit: colors which contain antimony, arsenic, barium, lead, cadmium, chromium, copper, mercury, uranium, or zine; or the following colors: gamboge, corallin, picrie acid, aniline, or any of the coal-tar dyes; saccharine, dulcin, glucin, or any other artificially or synthetically prepared substitute for sugar; paraffin, formaldehyde, beta-naphthol, abrastol, benzoic acid or benzoates, salicylic acid or salicylates, boric acid or borates, sulphurous acid or sulphites, hydrofluoric acid or any flourine compounds, sulphuric acid or potassium sulphate or wood alcohol: Provided, that eatsups and condimental sauces may, when the fact is plainly and legibly stated in the English language on the wrapper and label of the package in which it is retailed, contain not to exceed two-tenths of one per cent of benzoic acid or its equivalent in sodium benzoate. Fermented liquors may contain not to exceed two-tenths of one per cent of combined sulphuric acid, and not to exceed eight-thousandths of one per cent of sulphurous acid.

Sixth. If it consists in whole or in part of a filthy, decomposed, or putrid animal or vegetable substance, or any portion of an animal unfit for food, whether manufactured or not, or if it is the product of a diseased animal or one that had died otherwise than by slaughter. In addition to the ways already provided, sausage shall be deemed to be adulterated if it is composed in any part of liver, lungs, kidneys, or other viscera of animals: *Provided*, that the use of animal intestines as sausage casings shall not be deemed to be an adulteration.

Seventh. If it differs in strength, quality, or purity from the standards of purity of food products that have been or may be from time to time adopted by the Board of Agriculture.

Sec. 7. That the term "misbranded," as used herein, shall apply to all drugs or articles of food, or articles which enter into the composition of food, the package or label of which shall bear any statement, design, or device regarding such article or the ingredients or substances contained therein which shall be false or misleading in any particular, and to any food or drug product which is falsely branded as to the State, Territory, or country in which it is manufactured or produced.

That for the purpose of this act an article shall also be deemed to be misbranded, in the case of food—

First. If it be an imitation of or offered for sale under the distinctive name of another article.

Second. If it be labeled or branded so as to deceive or mislead the purchaser, or purport to be a foreign product when not so, or if the contents of the package as originally put up shall have been removed, in whole or in part, and other contents shall have been placed in such package, or if it fail to bear a statement on the label of the quantity or proportion of any morphine, opium, cocaine, heroin, alpha or beta eucaine, chloroform, canabis indica, ehloral, hydrate or acetanilide, or any derivative or preparation of any such substances contained therein.

Third. If in package form, and the contents are stated in terms of weight or measure, they are not plainly and correctly stated on the outside of the package.

Fourth. If the package containing it or its label shall bear any statement, design, or device regarding the ingredients or the substances contained therein which statement, design, or device shall be false or misleading in any particu-

lar: Provided, that an article of food which does not contain any added poisonous or deleterious ingredients shall not be deemed to be adulterated or misbranded in the following cases:

First. In the case of mixtures or compounds which may be now or from time to time hereafter known as articles of food under their own distinctive names, and not an imitation of or offered for sale under the distinctive name of another article, if the name be accompanied on the same label or brand with a statement of the place where said article has been manufactured or produced.

Second. In the case of articles labeled, branded, or tagged so as to plainly indicate that they are compounds, imitations, or blends, and the word "compound," "finitation," or "blend," as the case may be, is plainly stated on the package in which it is offered for sale: Provided, the labeling is according to the rules prescribed by the Board of Agriculture: Provided, that the term "blend," as used herein, shall be construed to mean a mixture of like substances, not excluding harmless coloring or flavoring ingredients used for the purpose of coloring and flavoring only.

Sec. 9. That no dealer shall be prosecuted under the provisions of this act when he can establish a guaranty signed by the wholesaler, jobber, manufacturer, or other party, residing in North Carolina, from whom he purchased such article, to the effect that the same is not adulterated or misbranded within the meaning of this act, designating it.

REGULATION ON LABELING.

A label must be, as far as possible, attached to each package, and contain, in addition to other information, the name of the material, the name and address of the manufacturer, importer, or jobber. When the words "artificial," "imitation," "compound," "adulterated," or other words of similar import, are required, they must be on the principal label and immediately precede or follow the word or words they modify, which must be the principal word or words of the label, and be in at least half the size and same style of type and on the same kind of background as the word or words with which they are closely associated. The principal words in the label must be printed in either dark-colored letters on a light-colored background or light-colored letters on a darkcolored background. Any statement that is required on the principal label of a barrel or cask of molasses, molasses compound, sirup or compound sirup, vinegar or compound vinegar, must appear on one end or head of the barrel or cask; and if the principal label or any part of it appears on both ends of barrel or cask, they shall be identical, one to the other.

The label on bottled soft drinks must bear the name and address of the bottler.

Where the presence of preservatives, coloring matter, or other substance or substances is required to be printed on the label, the printing must be done clearly and conspicuously on the label, in type not smaller than brevier heavy gothic caps, and on the same kind of background as the rest of the label.

Retail dealers, while offering food or beverage for sale, must keep the label so that it may be seen by purchaser or inspector, and the label must be kept so that it will remain legible.

NOTICE TO LOCAL DEALERS.

The attention of local dealers is especially called to the sale of compounds and imitations as straight food products. The sale of a compound or imitation food product is legal, provided it contains nothing deleterious to health and is sold under its own name as a compound or imitation, as the case may be. But the sale of a compound vinegar or of an imitation or spirit vinegar as vinegar is a violation of the law.

The sale of butterine or renovated butter as butter is a violation of the law.

The sale of a compound coffee and chicory as coffee is a violation of the law.

The sale of a compound sirup or a mixture of glucose or corn sirup and refiners' sirup as sirup is a violation of the law.

The sale of filled cheese, or skim-milk cheese, or cheese below standard in milk fat as cheese is a violation of the law.

The sale of compound ice-cream or an ice-cream below standard in butter fat as ice-cream, without making the fact known to the purchaser, is a violation of the law.

The sale of canned vegetables colored with copper sulphate is a violation of the law.

The attention of dealers is again especially called to the definitions and standards for the above products, reported elsewhere in this Bulletin.

WORK OF THE YEAR 1914.

During the year, 1,323 samples of foods and beverages have been analyzed.

SUMMARY OF RESULTS OF THE EXAMINATION OF FOOD PRODUCTS.

| Name of Sample. | Number of Samples Examined. |
|--|-----------------------------------|
| | |
| Beers and imitation and near-beers* | 34 |
| Butter and butter substitutes | 29 |
| Cheese and skim-milk cheese | 38 |
| Cider and imitation ciders | 26 |
| Cinnamon extract | 5 |
| Currants, figs, dates, and raisins | 30 |
| Coffee and coffee substitutes | 58 |
| Fish, salt mullets | 10 |
| Ice-cream and ice-cream substitutes | 165 |
| Lard and lard compounds | 15 |
| Lemon extracts and lemon extract substitutes | 86 |
| Maple sirups and maple sirup substitutes | 27 |
| Milk and cream | 110 |
| Milk, condensed | 29 |
| Miscellaneous samples | 20 |
| Molasses and sirups | 185 |
| Olive oils. | 6 |
| Orange extract and substitutes | 7 |
| Peas, canned | 23 |
| Peppermint extract | 6 |
| Rice | 10 |
| Sweet oils and substitutes | 29 |
| Vanilla extracts and substitutes | 64 |
| Vinegar and vinegar substitutes. | 311 |
| Total | 1,323 |

^{*}Examined for alcohol only.

BEERS, IMITATION AND NEAR-BEERS.

DEFINITIONS AND STANDARDS.

Malt liquor is a beverage made by the alcoholic fermentation of an infusion, in potable water, of barley malt and hops, with or without unmalted grains.

Beer is a malt liquor produced by bottom fermentation, and contains not less than 5.00 per cent of extractive matter and 0.16 per cent of ash, chiefly potassium phosphate, and not less than 2.75 per cent of alcohol by volume.

Lager beer is beer which has been stored in casks for a period not less than three months, and contains not less than 3.00 per cent of alcohol by volume.

RESULTS OF THE EXAMINATION OF

| Volume National and Brand from Label | . Manufacturer or Wholesaler. |
|--|--|
| 13049:do | Council Bluffs Soda Water Co., Council Bluffs, Iowa |
| 13283do | Gottlieb-Bauernschmidt-Strauss Brewing Co., Baltimore, Md. |
| 13168 Beer, Near | dodo |
| 13938 Beer, Imitation. 13930 Beverage, Temperance. 12925 Beer, Temperance. | do S. R. B. Association, Council Bluffs, Iowa Washington Brewery Co., Washington, D. C Southern Bottling Co., Baltimore, Md |
| 14178do 14175 Beer, Near | Southern Bottling Co., Baltimore, Mddododo |
| 14177 Beer, Near | do |
| 12800 Beer | Washington Brewing Co., Washington, D. C. |
| 13059 Beer, Imitation | Washington Brewing Co., Washington, D. CdoSanalco Bottling Co., Norfolk, Va |
| 13289do | Cooperative Fruit Juice Corporation, Norfolk, Va Robert Portner Brewing Co., Alexandria, Va National Beverage Co., Chattanooga, Tenn |
| 13437do | |
| 13288 Beverage, Fermented Malt | Frank Steil Bottling Dept., Baltimore, Mddo. |
| 13932 Beverage, Malt Brew | |

The presence of alcohol in these products is not objectionable under the food law, and, therefore, no official samples were examined.

The samples, the results of the examination of which are published in table below, were sent to the Department for analysis by county and city officials whose duty it is to enforce the prohibition law. This Department has no authority or funds for work under the latter law, and only determines the alcohol in samples for the above officials to assist them in the performance of their duties.

As the samples were not official under the Food Law, they were only tested for alcohol, as requested by the officials who sent them to the Department.

BEERS, IMITATION AND NEAR-BEERS.

| Retail Dealer or Property Sent Sample for A | Alcohol, And Alcohol, And Alcohol, And Alcohol, And | Remarks and Conclusions. |
|---|---|--|
| 2955 Ahrens Bros., Wilmington | 0.10 | Imitation beer; sale illegal. |
| 3049 S. J. Betts, Raleigh | | Imitation beer, |
| 3928 H. F. Brooks, Smithfield | | Beer; sale illegal. |
| 3283 F. F. Brown, Policeman, Ral | | |
| 3284 | | 1 |
| 13285do | | |
| 3168 J. B. Burroughs, Dabney | | Near-beer; sale illegal. |
| 13162do | | |
| 13064 R. G. Burroughs, Henderson | | |
| 13938 R. N. Cook, Sheriff, Graham | | Imitation beer; sale illegal. |
| 13930 Otho Curl, Creedmoor | | Near-beer; sale illegal. |
| 12925 E. L. Gavin, Roseboro | | , |
| 12798 W. J. May, Mayor, Spring II | | Beer of low order; sale illegal. |
| 14178 Chief of Police, Murphy | | Beer; sale illegal. |
| 14175do | | Near-beer; sale illegal. |
| 14176do | | Beer; sale illegal. |
| 14177do | | Near-beer; sale illegal. |
| 13953 Chief of Police, Plymouth | | Imitation beer; sale illegal. |
| 12801 J. A. Pope, Policeman, Ralei | | |
| 12800do | | Beer; sale illegal. |
| 13576 R. H. Salsbury, Hassell | | Near-beer; sale illegal. |
| 13931 Herbert Smith, Littleton | | Imitation beer; sale illegal. |
| 13059 J. U. & S. T. Smith, Raleigh | | Imitation beer. |
| 13060 do | | |
| 13289 C. S. Smith, Ayden | | Near-beer; sale illegal. |
| 13290do | | Imitation beer. |
| 13582 J. F. Spruill, Lexington | | Imitation beer; sale illegal. |
| 13436 W. B. Strickland, Jr., Scotla | | Imitation beer; claims food value that it does |
| lotso (11 b. bertemma, ori, become | W. 1. COM | not contain; misbranded; sale illegal. |
| 13437do | 0.19 | Imitation beer; sale illegal. |
| 13288 W. J. Tate, Otila | | Imitation beer. |
| 13287do | | |
| 13063 Mayor, Weldon | | Beer; sale illegal. |
| 13932 | | Near-beer; sale illegal. |
| 13050 D. O. Wilkins, Sheriff, Shelb | | _ |

BUTTER AND BUTTER SUBSTITUTES.

DEFINITIONS AND STANDARDS.

Butter is the clean, nonrancid product made by gathering in any manner the fat of fresh or ripened milk or cream into a mass, which also contains a small portion of the other milk constituents, with or without salt, and contains not less than 82.50 per cent of milk fat and not more than 16 per cent of water.

Renovated butter, process butter, is the product made by melting butter and working, without the addition or use of chemicals or any substance except milk, cream, or salt, and contains at least 82.50 per cent of milk fat and not more than 16 per cent of water.

Oleomargarine, oleo or butterine, is a substitute for butter, made from other and cheaper fats than butter.

Of the 29 samples of butter and butter substitutes examined, seven were renovated or process butter. Of the 7 samples of process or renovated butter examined, one was sold as process butter and the other six were sold as butter or tub butter, in violation of the food law. In the above six cases the inspector asked for butter or tub butter. Instead

RESULTS OF THE EXAMINATION OF

| Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|--------------------------------|-----------------------|---|---|
| 12953 Cloverbloom | Butter | Armour & Co., Chicago, Ill | R. A. Montgomery, Wil- |
| 12783 Yellow Rose | do | H. L. Belote & Co., Norfolk, Va. | W. H. Johnson, Greenville |
| 12948 | Butter, Country | John Best, Clinton, N. C., R. 3 | Herrin & Bass Clinton |
| 13215 Blue Valley | Butter | Blue Valley Creamery Co., | S. C. Turnage, Smithfield |
| | | Norfolk, Va. | , |
| 12784do | do | do | W. H. Johnson, Greenville |
| 13245 | do | | A. S. Capehart, Ronda |
| | 1 | | |
| 13220 Process Butter | Butter, Tub | Christian & Munn, Rocky Mount, N. C. | Joyner & Robbins, Rocky Mount. |
| 13217 | Butter, Country | Doc. Elmo, Dunn, N. C | R. S. Jernegan, Dunn |
| 13222 Process Butter | Butter, Tub | Fox River Butter Co., Norfolk, Va. | |
| 13214 | Butter | Friedman Mfg. Co., Norfolk, | Peedin & Peterson, Smith- |
| | | Va. | field. |
| 12958 Friedman's Fancy | Process Butter | do | Johnson & McCullers, |
| Process Butter. | | | Raleigh, |
| 12957do | Butter, Pure | do | W. B. Mann & Co., Raleigh. |
| | | | |
| | Butter | do | W. R. Brothers, Edenton |
| Faney. | | | |
| | do | | S. R. Lentz, Charlotte |
| Pure Guernsey. | | N. C. | |
| 12954 | Butter, Country | W. J. Glass, Concord, N. C. | F. S. Orr. Maxton |

of getting butter, as asked for, he received process or renovated butter, without any statement to that effect being made.

It seems to be quite a custom among the retail dealers of the State to buy process or renovated butter, plainly labeled process butter, and to sell it at retail from the original package as butter.

The United States Department of Agriculture has amended Regulation 21, governing the labeling of renovated butter, to read as follows:

"All coverings or wrappers of prints, bricks, or rolls of renovated butter, whether paper or cloth, must have the words 'Renovated Butter' in one or two lines, marked, branded, stenciled, or printed thereon in black or nearly black upon white or light ground, in full-faced gothic letters not less than three-eighths of an inch square, so placed as to be the only marking upon one side or surface of the parcel so packed."

The Government authorities recognize the fact that renovated butter is not butter and should not be sold as butter. The above regulation makes it necessary for each package of renovated butter offered for sale in interstate commerce to be labeled so as to plainly show that it is renovated butter. The sale of renovated butter as butter is a violation of the State Food Law, and if detected will have to be prosecuted.

BUTTER AND BUTTER SUBSTITUTES.

| Laboratory Number. | Foam Test. | Water— Per Cent. | Reading Refractometer, 40° C. | Refractive Index. | Remarks and Conclusions. |
|-----------------------|-------------------------------|---------------------|-------------------------------------|----------------------|---|
| 12953 | Negative | 12.00 | 43.0 | 1.4545 | Butter. |
| 12783 | | 7.98 | 44.0 | 1.4552 | Butter. |
| 12948 | Negative | 14.10 | 43.0 | 1.4545 | do. |
| 13215 | | 14.21 | 46.0 | 1.4566 | do. |
| 12784 | | | 44.0 | 1.4552 | do. |
| 13245 | Waterhouse Test, Positive. | | 44.2 | 1.4553 | do. |
| 13220 | | 9.25 | 45.0 | 1.4559 | Renovated butter, sold as butter; misrepresented; sale illegal, |
| 13217 | | 19.31 | 45.0 | 1.4559 | Butter, containing too much moisture; sale illegal. |
| 13222 | | 13.08 | 45.0 | | Renovated butter, sold as tub butter; misrepresented; sale illegal. |
| 13214 | | 12.06 | 46.0 | 1.4566 | Butter. |
| 12958 | Foam Test, Positive. | 9.30 | 44.0 | 1.4552 | Process butter. |
| 12957 | do | 9.60 | 44.0 | 1.4552 | Process butter, sold by dealer as butter; misrepresented; sale illegal. |
| 12782 | | 7.09 | 43.5 | 1.4548 | Butter. |
| 12944 | Negative | 9.80 | 43.0 | 1.4545 | do. |
| 12954 | do | 12.70 | 43.0 | 1.4545 | do. |

RESULTS OF THE EXAMINATION OF

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--------------------------------------|-----------------------|--|---|
| 13221 | | Butter, Country. | A. B. Jenkins, Pine Top, N. C. | Cummings Grocery Co., Tarboro. |
| 13224 | Strawberry Cream- ery Butter. | Butter | Kingan & Co., Richmond, Va. | |
| 13218 | | do | do | J. B. Buckingham, Fayetteville. |
| 13053 | | do | | |
| 13729 | Butter | | | Mathias Owens, Elizabeth |
| | | | | City. |
| 13734 | | Butter | | |
| 13219 | | do | | Sanford Supply Co., Sanford. |
| 13223 | Carnation Process Butter. | Butter, Tub | Scott & Co., Norfolk, Va | D. Lichtenstein, Tarboro |
| 13225 | do | Butter, Good Tub | do | C. G. Evans, Weldon |
| | | | do | |
| 12959 | | Butter, Country | | M. Waller, Monroe |
| | | | | Putnam Groeery Co., Winston-Salem. |
| 13216 | | Butter, Country | Mrs. John Wilson, Wilson Mills, N. C. | |
| 12952 | Young's Elgin Creamery. | Butter | W. I. Young, New York, N. Y. | Baggett Bros., Wilmington. |

CHEESE.

Cheese is the sound, solid, and ripened product made from milk and cream by coagulating the case in thereof with rennet or lactic acid, with or without the addition of ripening ferments and seasoning, and contains, in the water-free substance, not less than 50 per cent of milk fat.

Skim-milk cheese or part skim-milk cheese is the sound, solid, and ripened product made from skim-milk or part skim-milk.

A product of this kind containing less than 50 per cent of milk fat in the water-free substance must be sold as skim-milk cheese or as part skim-milk cheese, as the case may be, or under some name that will indicate to the purchaser that it is not a standard cheese.

On account of the way cheese is sold at retail, it is an easy matter for

BUTTER AND BUTTER SUBSTITUTES—Continued.

| Laboratory Number. | Foam Test. | Water— Per Cent. | Reading Refractometer, 40* C. | Refractive Index. | Remarks and Conclusions. |
|-----------------------|------------|---------------------|-------------------------------------|----------------------|---|
| 13221 | | 4.32 | 45.5 | 1.4562 | Butter, sold short weight; sale was illegal. |
| 13224 | | 8.20 | 45.0 | 1.4559 | Butter. |
| 13218 | | 9.52 | 45.0 | | Renovated butter, sold by dealer as butter; misrepresented; sale illegal. |
| 13053 | | | 47.0 | 1.4573 | Compound butter, containing fat other than milk fat. |
| 13729 | | | 44.5 | 1.4555 | Butter. |
| 13734 G | ood | | 44.2 | 1.4453 | do. |
| | | 13.21 | | 1.4559 | |
| 13223 | | 12.13 | 44.5 | 1.4555 | Renovated butter, sold as butter; misrepresented; sale illegal. |
| 13225 | | 14.26 | 44.5 | 1.4555 | do. |
| 12956 P | ositive | 12.40 | 44.0 | 1.4552 | Process butter. |
| | | | | | |
| 12959 N | egative | 12,90 | 43.0 | 1.4545 | Butter. |
| | ••••• | | | 1.4555 | |
| 13216 | | 15.26 | 44.5 | 1.4555 | do. |
| 12952 N | egative | 8.70 | 43.0 | 1.4545 | do. |

a dealer to buy skim-milk cheese and sell same to his customers as cheese, and it seems to be quite the practice to do so—at least, they often sell skim-milk cheese as cheese.

A product made as above described, that contains less than 50 per cent milk fat in the water-free substance, cannot be legally sold as cheese, but must be sold as skim-milk cheese or part skim-milk cheese, as the case may be.

The Food Law provides that if a food product is below standard, it is deemed to be adulterated and its sale illegal.

Dealers are cautioned that the sale of skim-milk cheese as cheese is illegal, and will have to be prosecuted under the Food Law.

The results of the examination of 38 samples, made during the year, will be found in the table below, with conclusions drawn from same.

THE BULLETIN.

RESULTS OF THE EXAMINATION OF

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|-----------------------------------|--|---|
| 12781 | | Cheese | Albemarle Grocery Co., Edenton, N. C. | E. W. Burton, Edenton |
| 13195 | Antrim's Best | do | C. W. Antrim & Sons, Richmond, Va. | S. C. Turnage, Smithfield |
| $13200 \\ 13201$ | do | do | dodododo | C. V. Williams & Co., Hamlet Lee Store Co., Sanford |
| | | | Armour & Co., Richmond, Va | |
| | | | Armour & Co., Lynchburg, Va | Reidsville. |
| 12945 | | do | Armour & Co., Richmond, Va. | Lopp Bros., Lexington |
| | "Special" Skimmed Milk. | do | | |
| | Tarbell | Cheese, Cream. Cheese, Full | Corkran & Hill Co., Baltimore, Md. | M. C. Forbes, Wilson |
| | Imperial Full | Cheese, Fun Cream. | | Meador Supply Co., Madison. |
| | - | Cream. | mouth, Wis. | J. H. & W. F. Low, Greens- |
| 12773 | Cream Cheese. | | | boro. Mrs. L. B. Bass, Goldsboro |
| 13205 | Davis' Famous Full Cream Cheese. | Cream. Cheese | boro, N. C. George J. Hales Co., Rocky Mount, N. C. | J. R. Cutrell, Rocky Mount |
| 13210 | | do | | J. H. Weisner, Winston-Salem |
| | | | Heath-Morrow Co., Monroe, N. C. F. H. Hobbs & Co., Norfolk, Va | |
| 13202 | | do | Howard Grocery Co., Sanford, N. C. | W. T. Buchanan, Sanford |
| | Ridgefield | Cream. | Independent Ice Co., Wilmington, N. C. | Steljes & Co., Wilmington |
| | | | N. C. | J. W. Alphin, Mount Olive |
| | | Cream. | Kingan & Co., Richmond, Vado | |
| | | | | Fineh Bros., Lexington |
| | | Cream. | S. C. Sitterson, Kinston, N. C | |
| | | | Southern Distributing Co., Norfolk, Va. | |
| 12786 | May Flower, Fancy Full Cream Cheese. | do | S. J. Stevens & Co., Cincinnati, Ohio. | R. A. Shaheen, Ayden |

CHEESE AND CHEESE SUBSTITUTES.

| - Q. 1 - | | |
|---|----------------------|--|
| ratory ber. Fat, Water- Basis— ent. ing ectometer at, 40° C. | | |
| Cg l s | | |
| on sign | A G | , i |
| to garage est | ÷. | Remarks and Conclusions. |
| Laboratory Number. Milk Fat, ' Free Basis: Per Cent. Reading Refractom on Fat, 40' | Refractive Index. | <u> </u> |
| Labo Num Milk Free Per C Read Refra | 49.45 | Water Per C |
| Laboratory Number. Milk Fat, Wate Free Basis— Per Cent. Reading Reirachometer on Fat, 40° C. | 21 | #A |
| | | |
| 12781 56.00 47.0 | 1.4573 | 30.90 Cheese. |
| | | over one of the original of th |
| 13195 47.00, 46.0 | 1 1566 | 32.19 Cheese, below standard in milk fat; adulterated; sale illegal. |
| 13133 41.00 40.0 | 1.4000 | 52.15 Cheese, below standard in mink fat, additerated, sale niegal. |
| 40100 40 00 40 0 | | 20.04 |
| 13196 40.00 46.0 | 1.4566 | |
| 13200 52.99 46.4 | | 32.72 Cheese. |
| 13201 55.85 46.5 | 1.4569 | 31.46 do. |
| 12787 51.12 46.5 | 1.4569 | 33.51 do. |
| 12774 54.94 46.5 | 1.4569 | 31.61 do. |
| | | |
| 13208 50.07 46.0 | 1.4566 | 32.66 do. |
| | | |
| 12946 57.20 46.0 | 1.4565 | 30.90 do. |
| | | |
| | 1.4565 | |
| 12785 52.79 46.5 | 1.4569 | 33.53 do. |
| | | |
| 12778 22.79 46.5 | 1.4569 | 43.07 Skim-milk cheese, sold by dealer as full cream cheese; misrepresented; |
| | | sale illegal. |
| 13204 54.12 47.0 | 1.4573 | 33.62 Cheese. |
| | | |
| 12777 43.29 47.0 | 1.4573 | 32.74 Cheese, below standard in milk fat; adulterated; sale illegal. |
| ' | | |
| 13213 50.64 46.0 | 1.4566 | 28.49.Cheese. |
| | | |
| 13209 42.40 46.0 | 1 4566 | 29.88 Cheese, from part skim-milk; below standard; misbranded; sale illegal. |
| 10200 12.10 10.0 | 1.4500 | 23.00 Cheese, from part skint-mak, below standard, misbranded, sale megar. |
| 19779 50 09 40 5 | 1 4700 | 24 70 Cl |
| 12773 56.62 46.5 | 1,4509 | 34.70 Cheese. |
| 10005 44 00 40 5 | | |
| 13205 44.69 46.5 | 1.4569 | 33.32 Cheese, below standard in milk fat; misbranded; sold as cheese; sale |
| | | illegal. |
| 13210 50.31 46.5 | 1.4569 | 32.89 Cheese. |
| | | |
| 12960 46.30 46.0 | 1.4565 | 32.30 Cheese, below standard in milk fat; adulterated; sale illegal. |
| 12779 42.18 47.0 | 1.4573 | 33.37 do. |
| | | |
| 13202 52.00 46.0 | 1 4566 | 32.80 Cheese. |
| 10.0 | 2.1000 | ozio onecoci |
| 12951 55.00 46.0 | 1 4565 | 22 00 do |
| 12301 33.00 40.0 | 1.4565 | 33.90 do. |
| 10040 55 70 40 0 | 1 4505 | 0.4 70 |
| 12943 55.70 46.0 | 1.4565 | 34.70 do. |
| | | |
| 13203 50.02 47.0 | 1.4573 | 35.86 do. |
| | | |
| 12917 58.30 46.0 | 1.4565 | 37.60 do. |
| 12949 58.60 46.0 | 1.4565 | 33.40 do. |
| | | • |
| 12776 48.31 47.2 | 1.4574 | 35.64 Cheese, below standard in milk fat; sale illegal. |
| | 1 | |
| 12780 52.70 46.5 | 1.4569 | 31.20 Cheese. |
| 10.0 | 2.1000 | |
| 12786 48.05 46.5 | 1.4560 | 33.68 Cheese, from part skim-milk; below standard; misbranded; sale illegal. |
| 12.30 10.00 10.0 | 1.1000 | orvo oncese, from part skini-mink, below standard, misbranded, safe megal. |
| | | |
| | | |

RESULTS OF THE EXAMINATION OF

| . Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-------------------------|--------------------------------------|------------------------|---|---|
| 13212 CL | eese, Tarbell | Cheese | Swift & Co., Winston-Salem | Putnam Grocery Co., Winston-Salem. |
| 13207 | | Cheese, Full Cream. | Swift & Co., Riehmond, Va | Eugene Johnston, Littleton |
| 13206 | | Cheese | Swift & Co., Rocky Mount, N. C | C. Kelly Bryant & Bro., Rocky Monnt. |
| 13197 | | do | Swift & Co., Fayetteville, N. C. | J. L. Tatum, Fayetteville |
| | | | do | |
| 13199 | | do | do | W. G. Dean, Red Springs |
| | | | Winston Grain Co., Winston-Salem, N. C. | Woodleigh Grocery Co., Winston-Salem. |
| | ncy Full Crean Cheese. | ndo | W. I. Young & Co., New York, N. Y. | Holmes Grocery Co., Wil- mington. |

CIDER AND IMITATION CIDERS.

Cider is a product made by the normal alcoholic fermentation of apple juice, and the usual cellar treatment, and contains not more than 7 per cent of alcohol by volume, not less than 2 per cent and not more than 12 per cent of solids, not more than 8 per cent of reducing sugars, and not less than 0.2 per cent nor more than 0.4 per cent of cider ash.

Cider, to comply with the North Carolina Food Law, must be made entirely of unadulterated apple juice. A product made from the juice of any other fruit than apples, if offered for sale, must bear the name of the fruit from which it is made. If artificial color or flavor is added, the fact must be stated on the label, and the product must be sold as a compound or an imitation cider; otherwise it will be classed as adulterated or misbranded, and the sale prohibited.

RESULTS OF THE EXAMINATION OF

| Laboratory Number, | Name of Material. Sample Sent for Analysis. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|---------------------------------|---|
| | | | |
| 13238 | Cider | | Dr. N. H. Andrews, Pembroke |
| 13237 | do | | do |
| 13239 | do | | do |
| 13247 | Cider Compound | | C. G. Armfield, Elkin |
| 14149 | Cider, Imitation | | M. V. Barnhill, Rocky Mount |
| 13058 | Beverage | | A. B. Boykin |
| 13062 | Cider | | B. F. Bray, Hertford |
| 12534 | do | | F. P. Bullard, Roseboro |
| 13580 | Re-Vi-Co | Richmond Vinegar Co., Richmond, | W. L. Burroughs, Dabney |
| | | Vu | |

CHEESE AND CHEESE SUBSTITUTES—Continued.

| Laboratory Number. Milk Fat, Water- Free Basis— Per Cent. Recarding Refractometer on Fat, 40° C. | Refractive Index. | Remarks and Conclusions. |
|---|-------------------------|--------------------------|
| 13212 50.02 46.0 | 1.4566 | 34.75 Cheese. |
| 13207 50.61 46.5 | 1.4569 | 30,27 do. |
| $13206\ 52.13\ 46.5$ | 1.4569 | 27.59 do. |
| 13197 50.23 46.0 13198 46.40 46.0 | 1.4566 1.4566 | |
| 13199 50.40 46.0 13211 48.00 46.0 | $\frac{1.4566}{1.4566}$ | |
| 12950 49.40 46.0 | 1.4565 | 32.00 do. |

The sale of compound and imitation cider is legal, provided it contains nothing deleterious to health and is sold under its own name, compound cider, or imitation cider; but the sale of a compound cider or imitation cider as cider is a violation of the law.

The 26 samples reported below were sent to the Department by city and county officials whose duty it is to enforce the prohibition law. The Department has no authority of law or funds for work under the prohibition law, but as the State makes no provision for the determination of alcohol in beverages, and as it is necessary to know the amount of alcohol present in many cases to enforce the law, the Department of Agriculture does this work when it can be done without interfering with the duties of the Department.

CIDERS AND IMITATION CIDERS.

| Laboratory Number. | Aldebol, Ser Control of Control o |
|-----------------------|--|
| 13238 | 7.95 Cider; imitation; sale illegul. |
| 13237 | 6.82 do. |
| 13239 | 7.70 Compound cider; sale illegal. |
| 13247 | 6.35 Compound cider; intoxicating; sale illegal. |
| 14149 | 4.85 Compound cider; artificially flavored; sale illegal. |
| 13058 | 10.39 Compound cider; sale illegal. |
| 13062 | 8.22 do. |
| 12534 | 3.66 Compound cider. |
| 13580 | 7.15 Compound cider; sale illegal. |

RESULTS OF THE EXAMINATION OF

| Laboratory Number. | Name of Material. Sample Sent for Analysis. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|---|--|---------------------------------------|---|
| 12798 12911 13949 13737 13434 13575 13574 13244 13242 | Cider, Compound. Cider, Imitation. Cider Apple. Ciderdododododododododododo. | Frisco Cider Co., St. Louis, Mo | L. M. Glazener, Rosman C. E. Harrell, Aulander. J. M. Mabry, Concord M. W. Nash, Hamlet Mrs. J. W. Rallings, Indian Trail. R. H. Salsbury, Hassell do J. F. Spruill, Lexington do do do |
| 13241 12939 13579 12691 13499 | dodododododododododododododododo | E. 1. Whitehead & Co., Louisville, Ky | do C. F. Sumner, Hertford Bailey Lumber Co., Penland J. M. Deaton, Statesville J. A. Wiggs, Wilson |

CINNAMON EXTRACT.

DEFINITIONS AND STANDARDS.

Cinnamon extract is the flavoring extract prepared from oil of cinnamon, and contains not less than 2 per cent by volume of oil of cinnamon.

Oil of cinnamon is the lead-free volatile oil obtained from the bark of the Ceylon cinnamon tree, and contains not less than 65 per cent by weight of cinnamic aldehyde and not more than 10 per cent by weight of eugenol.

RESULTS OF THE EXAMINATION

| Material and Brand from Label. | Manufacturer or Wholesaler, | Retail Dealer or Party Who Sent Sample for Analysis. |
|---|--|---|
| 13547 Cinnamon Extract, McNeal's Standard. | Kent Drug Co., Baltimore, Md | W. A. Whitaker, Apex |
| 13548 Cinnamon Extract, Best by Test. | Sampson Drug Co., Winston-Salem, N. C. | J. S. Needham, Pilot Mountain. |
| 10900 | Surry Drug Co., Elkin, N. C | Elkin Grocery Co., Elkin |
| 13549 Cinnamon Extract | Winston Drug Co., Winston- | A. N. Swanson, Pilot Mountain. |
| | Salem, N. C. | |
| 13546 Cinnamon, Our Seal Brand | Vaughn-Crutchfield Co., Winston-Salem, N. C. | Finch Bros., Lexington |
| | | |

CIDERS AND IMITATION CIDERS—Continued.

| Laborator; Number. | Alcohol, Per Cent (by Volum | · Remarks and Conclusions. |
|-----------------------|-----------------------------------|---|
| 12661 | 5.00 | Imitation cider; sale illegal. |
| 12798 | 5.37 | Compound eider; intoxicating; sale illegal. |
| 12911 | 0.20 | Imitation cider. |
| 13949 | 0.20 | Compound eider. |
| 13737 | 5.86 | Cider; intoxicating; sale illegal. |
| 13434 | 2.57 | Compound eider; sale illegal. |
| 13575 | 6.90 | Compound eider; intoxicating; sale illegal. |
| 13574 | 6.87 | do. |
| 13244 | 0.30 | Imitation cider. |
| 13242 | 6.97 | Compound cider; sale illegal. |
| 13243 | 3.92 | do. |
| 13241 | 5.20 | do. |
| 12939 | 9.95 | do. |
| 13579 | 7.48 | do. |
| 12691 | 5.00 | Compound cider; intoxicating; sale illegal. |
| 13499 | 6.45 | Cider; intoxicating; sale illegal. |
| 13054 | | Imitation cider. |

Only five samples of cinnamon extract were examined, one of which is below standard, containing only 0.60 per cent of cinnamon oil, when it should contain not less than 2 per cent of oil, and is, therefore, adulterated. One of the five samples was branded Cassia Cinnamon, when it was an extract. Cinnamon is the bark of the cinnamon tree, and not an extract. The sale of the sample as cinnamon extract would be legal, but its sale as cinnamon is illegal.

OF CINNAMON EXTRACTS.

Sil ent.

| Laboratory Number. | Cinnamon (by Precipit tion), Per C | Alcohol, Per Cent. | Remarks and Conclusions. | |
|-----------------------|------------------------------------|-----------------------|--|--------------------------|
| | | | | |
| 13547 | 2.00 | 67.20 | Cinnamon extract. | |
| 13548 | 0.60 | | Cinnamon extract, below standard; adulterated; misbranded; | sale illegal. |
| 10900 | 2.00 | | Cinnamon extract. | |
| 13549 | | | Cinnamon extract, claims 50 per cent alcohol; contains 39.12 p | |
| 13546 | 2.40 | 45.40 | Cinnamon extract; is branded cassia cinnamon; misbranded. cinnamon; sale as cinnamon illegal. | It is an extract and not |

COFFEE AND COFFEE SUBSTITUTES.

DEFINITIONS AND STANDARDS.

Coffee is the seed of a small tree, coffea, whose fleshy fruit is about the size of a small cherry, and contains two seeds joined on their flat sides, which when freed from the pulp and the enveloping membrane are the coffee beans of commerce.

Roasted coffee is coffee which by the action of heat has become brown and developed its characteristic aroma, and contains not less than 10 per cent of fat and 3 per cent of ash.

The principal action or stimulating constituent of coffee is caffeine, a white, bitter crystallizable substance.

The principal material which is used to mix with and adulterate coffee is chicory, though cereals and leguminous seeds, such as wheat, rye, barley, beans, and peas are often used. Many brands of so-called coffee on the market contain from 20 to 60 per cent of chicory. The manufacturers of these products generally claim that the chicory is added, not to adulterate, but to actually improve the quality and to give

RESULTS OF THE EXAMINATION OF

| Laboratory Number. | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|--|---|
| | moon. | American Coffee Co., New Orleans, La. | |
| 14198 E | Dixieland Coffee | do | Frank Foster, Asheville |
| 13280 C | offee, Morara Brand | C. W. Antrim & Sons, Richmond, | Thomas Grocery Co., Wilming- |
| 12894 | do | Va. do | J. L. Starkey, Greenville |
| | | Aragon Coffee Co., Richmond, Va. | |
| | offce and Chicory, Premiun Brand. | ıdo | J. Long, Greenville |
| 13264 C | offee, Pure, Valri | do | J. M. Ellington, Oxford |
| 13260 C | offee and Chicory, "Norso- lina." | Austin-Nichols Co., New York, | J. H. Newsom, Littleton |
| 13278 C | offee, Ground, Tokoco | Bowers Bros., Richmond, Va | W. D. Thomas & Co., Warsaw |
| | | do | |
| | | do | |
| 13261 C | offee, Old Brazil Brand | Brazil Syndicate R. & B. Co., New | Eugene Johnston, Littleton |
| 13274 | do | York, N. Y. | Smith Grocery Co., Lexington. |
| 13279 C | offee, Pure, Autocrat | Brownell & Field Co., Providence, R. I. | W. H. Turley, Wilmington |
| | offee and Chicory, Carhart's Country Blend. | Carhart & Bros., New York, N. Y. | W. P. Surles, Dunn |
| | | Cook & Harris, Concord, N. C | Cook & Harris Concord |
| 13255 C | | Dannemiller Coffee Co., Brooklyn, | |
| | | J. T. Davenport, Morehead City, N. C. | J. B. Sawyer, Morehead City |

strength to the coffee. This claim is misleading to the public. Roasted chicory contains a large amount of caramel and starchy matter, that impart to the product, when made into a liquid for use as a beverage, a black, thick, soup-like appearance. The effect produced in coffee by chicory can no more correctly be regarded as adding strength to the coffee than if so much roasted starch and caramel had been added to it. Chicory is not added to coffee to give it strength, but to cheapen the product.

The addition of chicory or any other substance to coffee, without stating the fact on the label, is a violation of the law. Chicory and cereals cost less than one-fifth the price of coffee. Then, why pay the price of coffee for chicory and cereals when the latter are mixed with coffee?

Fifty-eight samples of these products were examined, and all were properly branded except three. They were branded Coffee and Chicory, when the chicory, being in excess, should come first in the name, and read Chicory and Coffee.

The results of the examination are published in the table below.

COFFEE AND COFFEE SUBSTITUTES.

| Laboratory Number. | Specific Gravity. | Coffee— Per Cent. | Remarks and Conclusions. | |
|-----------------------|----------------------|----------------------|--|---------|
| 13254 | 1.01965 | 48.00 | $\overline{52.00}$ Chicory and coffee, chicory being in excess, it should come first on la | ıbel. |
| 14198 | 1.00954 | 100.00 | 00.00 Coffee. | |
| | 1.01039 | 100.00 | 00.00 Coffee. | |
| 19904 | 1.01019 | 100.00 | 00.00 do. | |
| | | | | |
| 14188 | 1.01824 | 57.00 | 43.00 Coffee and chicory. | |
| 12896 | 1.02531 | 16.00 | S4.00 Chicory and coffee, chicory being much in excess, should be first on misbranded; sale illegal. | label; |
| 13264 | 1.00970 | 100.00 | 00.00 Coffee. | |
| | 1.01792 | 57.00 | 43.00 Coffee and chicory. | |
| 19500 | 1.01792 | 37.00 | 45.00 Conee and emeory. | |
| 13278 | 1.00907 | 100.00 | 00.00 Coffee. | |
| 13268 | 1.00953 | 100.00 | 00.00 do. | |
| 13267 | 1.00970 | 100.00 | 00.00 do. | |
| 13261 | 1.01005 | 100.00 | 00.00 do. | |
| *0071 | 1 01000 | 100.00 | 20.00 | |
| | 1.01020 | 100.00 | 00.00 do. | |
| 13279 | 1.01047 | 100.60 | 00.00 do. | |
| 14192 | 1.01249 | 89.00 | 11.00 Coffee and chicory. | |
| 14191 | 1.01038 | 100.00 | 00.00 Coffee. | |
| 13255 | 1.02098 | 40.00 | 60.00 Chicory and coffee; misbranded; should be branded chicory and e | eoffee; |
| 12891 | 1.00997 | 100.00 | sale illegal. 00.00 Coffee. | |

RESULTS OF THE EXAMINATION OF COF

| Naterial and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|--|--|---|
| 12892 Coffee, Choice Rio, No. 1 | J. T. Davenport, Morehead City, N. C. | S. T. Harrell & Son, Morehead City. |
| | Dwinell-Wright Co., Boston and Chicago. | Lipard & Barrier, Concord |
| 14189 Coffee, Tip Top 14182 Coffee, No. 2, Excellent | do | Bradford Grocery and Produce |
| 14197 Coffee, Guaranteed Pure, Grandma's Cup. | | |
| 14186 Coffee, Queen Quality 13263 Coffee, Pure, Ellington's Special. | B. Fischer & Co., New York, N. Y James G. Gill, Norfolk, Va | Ellington Grocery Co., Henderson. |
| Commission | do | |
| 14181 Coffee, Sovereign Brand | do Edwin J. Gillies & Co., New York, N. Y. | G. II. Shaver, Salisbury |
| 13250 Premium Brand | - Globe Coffee and Molasses Co., New Orleans, La. | Clayton Department Store, Clayton. |
| 12897 Coffee, Special Brand | - Martin L. Hall & Co., Boston, Massdo | R. A. Shaheen, Ayden |
| 13257 Coffee and Chicory Compound, Sampson Brand. | - Imperial Coffee Co., Richmond, Va. Levering Coffee Co., Baltimore, Md. | Nisbet & Womble, Sanford |
| 13262 Coffee, Handicap | do | Ballard-Cheatham Co., Frank- linton. |
| pound, Largo. | do | Burlington. |
| | c. Merchants Coffee Co. Baltimore, Md. | V. D. Jones, Edenton |
| 14196 Coffee and Chicory, Gold Seal. | Mustin-Robertson Co., Asheville, N. C. | E. S. Harrold. Waynesville |
| 13270 Coffee and Chicory, Pointer | New Orleans Coffee Co., New Orleans, La. | W. W. Thomas, Mount Airy |
| 13275 Coffee, Roasted, Van Every'. Best Blend. | s The North State Coffee Co., Charlotte, N. C. | C. M. Fite, Charlotte |
| 14194 Coffee and Chicory, Suwane River. | e Potter-Sloan-O'Donohue Co., New York, N. Y. | John R. Smith, Walnut Cove |
| 13251 Coffee and Chicory, Elephan Compound. | itdo | W. J. Barbour & Sons, Clayton. |
| 13266 Coffee and Chicory, Our Dime. | E. A. Saunders & Sons Co., Richmond, Va. | Cobles Grocery Co., Burlington |
| 13281 Coffee, White Rose | Seeman Bros., New York, N. Y | J. T. Pinkston & Son, Wadesboro. |
| 14183 Coffee, Carolina Special | Slayden-Fakes & Co., Asheville, N. C. | W. F. McPeeters & Co., Marion. |
| 13273 Coffee, Smith's Favorite 14195 Coffee and Chicory, Gold Medal. | Smith Grocery Co., Lexington, N.C. Southern Coffee Mills, New Orleans, La. | |

FEE AND COFFEE SUBSTITUTES—Continued.

| Laboratory Number. | Specific Gravity. | Coffee— Per Cent. | Chicory— Per Cent. | | Remarks and Conclusions. |
|-----------------------|----------------------|----------------------|-----------------------|----------------------------|--------------------------|
| 12892 | 1.01005 | 100.00 | 00.00 | Coffee. | |
| 14190 | 1.01042 | 100.00 | 00.00 | do. | |
| 14189 | 1.01014 | 100.60 | 00.00 | do. | |
| 14182 | 1.01038 | 100.00 | 00.00 | | |
| | | | | | |
| | 1.01043 | 100.00 | 00.00 | do. | |
| 14197 | 1.00988 | 100.00 | 00.00 | do. | |
| 14186 | 1.01050 | 100.00 | 00.00 | do. | |
| 13263 | 1.01021 | 100.00 | 00.00 | do. | |
| 12959 | 1.01288 | 84.00 | 16.00 | Coffee and chicory. | |
| 10202 | 1.01200 | 34.00 | 10.00 | Conce and emetry. | |
| 12895 | 1.01033 | 100.00 | 00.00 | Coffee. | |
| 14181 | 1.01005 | 100.00 | 00.00 | do. | |
| 13250 | 1.01492 | 73.00 | 27.00 | Coffee and chicory. | |
| 13256 | 1.01041 | 100.00 | 00.00 | Coffee. | |
| 12897 | 1.01008 | 100.00 | 00.00 | | |
| 13259 | 1.01534 | 72.00 | 28.00 | Coffee and chicory. | 4 |
| 14187 | 1.01002 | 100.00 | 00.00 | Coffee. | |
| 13257 | 1.01710 | 61.00 | | Coffee and chicory. | |
| | | | | | |
| 13258 | | 100.00 | | Coffee | |
| 13262 | 1.01008 | 100.00 | .00.00 | do. | |
| 13265 | 1.01828 | 55.00 | 45.00 | Coffee and chicory. | |
| 12893 | 1.01554 | 69.00 | 31.00 | do. | |
| 13276 | 1.01035 | 100.00 | 00.00 | Coffee. | |
| 14196 | 1.01452 | 78.00 | 22.00 | Coffee and chicory. | |
| 13270 | 1.01832 | 55.00 | 45.00 | do. | |
| 13275 | 1.01009 | 100.00 | 00.00 | Coffee | |
| 14194 | 1.01771 | 60.00 | 40.00 | Coffee and chicory. | |
| 13251 | 1.01722 | 60.00 | 40.00 | do. | |
| 13266 | 1.01650 | 65.00 | 35.00 | do. | |
| 132 81 | 1.01067 | 100.00 | 00.00 | Coffee. | |
| 14183 | | 100.00 | 00.00 | | |
| 13273 14195 | | 100.00 62.00 | 00.00 38.00 | do. Coffee and chicory. | • |
| | | | | | |

RESULTS OF THE EXAMINATION OF COF

| Laboratory Number. | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--------------------------------------|--|---|
| 14185 Co | offee, C. D. M. Brand | Southern Coffee Mills, New Orleans, La. | E. A. Walters, LaGrange |
| 13277 Cc | offee, Pure, "Good Koffy". | do | L. C. McCullen, Mount Olive |
| 13271 Co | offee, Vaeuum Treated | Sprague, Warner & Co., Chicago, Ill. | W. II Mofflitt, Lexington |
| 13269 Co | offee and Chieory, R. T | The Reily-Taylor Co., New Orleans, La. | Kirby & Tilley, Winston-Salem. |
| | offee and Chicory, Daily Delight. | do | J. G. Barbour & Sons, Clayton. |
| | offee and Chicory, Mogul Brand. | F. W. Wagner & Co., Charleston, S. C. | W. A. Davis, Asheville |
| 13282 Co | offee, Roasted, Brownie | R. C. Williams & Co., New York, N. Y. | C. N. Bruner, Wadesboro |
| | offee and Chicory, Glen Raven. | Woodson Spice Co., Toledo, Ohio | Spray Mereantile Co., Spray |
| | | - | |

CURRANTS, FIGS, DATES, AND RAISINS, DRIED.

DEFINITIONS.

Fruits are the clean, sound, edible, flesh fructifications of plants, distinguished by their sweet, acid, and ethereal flavor.

Dried fruit is the clean, sound product made by drying mature, properly prepared, fresh fruit in such a way as to take up no harmful substance, and conforms in name to the fruit used in its preparation.

Thirty samples of dried figs, currants, dates, and raisins were examined. The examination was physical, and the object was to see if they were in good condition, free from worms, bugs, etc., and fit for human food.

Some of the samples were taken in the winter and others during the

RESULTS OF THE EXAMINATION OF

| Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|---|---------------------------------------|---|
| 14089 Currants, Ensign | C. W. Antrim & Sons, Richmond, Va. | W. D. Hightower, Reidsville |
| 14099 Currants, Gold Medal Brand | do | R. C. Poore, Mount Airy |
| 14100 Currants, Cleaned, Ensign Brand. | .do | Galloway & Jackson, Mount Airy. |
| 14293 Dates, Golden Sunbeam | Austin-Niehols Co., New York, N. Y | J. R. Ferrall & Co., Raleigh |
| 14289 Dates, Pitted, Sunbeam | do | S. R. Lentz, Charlotte |
| 14288 Figs, Dried, Sunbeam | _do | do |
| 14284 Figs | do | S. H. Youngblood, Charlotte |

FEE AND COFFEE SUBSTITUTES-Continued.

| Laboratory Number. | Specific Gravity. | Coffee— Per Cent. | Chicory—Per Cent. | Remarks and Conclusions. |
|-----------------------|----------------------|----------------------|---------------------------|--------------------------|
| 14185 | 1.01010 | 100.00 | 00.00 Coffee. | |
| 13277 13271 | 1.00973 1.00981 | 100.00 100.00 | 00.00 do. 00.00 do. | |
| 13269 | 1.01532 | 72.00 | 28.00 Coffee and chicory. | |
| 13253 | 1.01724 | 60.00 | 40.00 do. | |
| 14184 | 1.01946 | 50.00 | 50.00 do. | |
| 13282 | 1.01015 | 100.00 | 00.00 Coffee. | |
| 14193 | 1.01438 | 79.00 | 21.00 Coffee and ehicory. | |

summer months. The samples taken during the winter were found to be in good condition, but sixteen of those taken after the weather was warm contained worms, bugs, etc., and were unfit for food.

The law says that a product shall be deemed to be adulterated if it consists in whole or in part of a filthy, decomposed, or putrid animal or vegetable substance, or is otherwise unfit for food.

That such fruit containing worms, bugs, and excrement from same is unfit for food no one would deny. That being the case, dealers are cautioned about offering such fruit for sale during warm weather, when they are so likely to be in bad condition. If offered for sale after the weather is warm, such products should be looked into to see that they are all right.

DRIED FIGS, CURRANTS, DATES, AND RAISINS,

| Laboratory Number. | Remarks and Conclusions. |
|-----------------------|---|
| 14089 | Currants, dried; condition bad; unfit for food; contained bugs; sale illegal. |
| 14099 | do. |
| 14100 | Currants, dried. |
| 14293 | Dates, dried. |
| 14289 | Dates, pitted, dried. |
| 14288 | Figs, dried. |
| 1.199.1 | |

RESULTS OF THE EXAMINATION OF DRIED FIGS.

| Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|--|--|---|
| 14286 Dates, Golden Dried | Austin-Nichols Co., New York, | L. L. Surratt, Charlotte |
| 14086 Raisins, Seeded, Consort 14093 Currants, A. & P. Cleaned, Grandmother's Brand. | J. K. Armsby Co., Fresno, Cal | |
| 14291 Dried Figs. 14097 Raisins, Seeded, Souvenir Choice. | Castle Bros., Fresno, Cal | |
| 14098 Currants, Washed, Vigilant Brand. | Cromer Bros. & Co., Winston- Salem, N. C. | White Star Co., Winston-Salem. |
| | U. H. Dudley & Co., Philadelphia, | W. D. Hightower, Reidsville |
| | B. S. Janney, Jr., & Co., Philadelphia, Pa. | |
| 14287 Dates, Dried, Valca | | J. F. Jamison & Co., Charlotte |
| 14292 Raisins, Seeded | Frank P. Kruger, New York, N. Y. | Johnson & McCullers, Raleigh. |
| 14095 Dates, Ding Dong | | Salem. |
| Brand | do | M. J Jeffries, Greensboro |
| 14102 Dates, Golden, Taste Like More. | do | W. B. Church, Asheville |
| | | Leaksville Mercantile Co., Leaksville. |
| Describ | Francis H. Leggett & Co., New York, N. Y. | Moser Cash Store, Winston-Salem. |
| 14101do | do | |
| | | |
| | Reidsville Grocery Co., Reidsville, N. C. | S. F. Watkins, Reidsville |
| 14281 Raisins, Seeded | | Smith Grocery Co., Lexington. |
| Medal Brand | old Vaughn & Co., Winston-Salem, N. C. | A. P. Grizzard, Winston-Salem |
| | | |
| | | |

ICE-CREAM AND ICE-CREAM SUBSTITUTES.

DEFINITIONS AND STANDARDS.

Ice-cream is a frozen product made from cream and sugar, with or without a natural flavoring, and contains not less than 10 per cent of milk fat.

Fruit ice-cream is a frozen product made from cream, sugar, and sound, clean, mature fruits, and contains not less than 8 per cent of milk fat.

Nut ice-cream is a frozen product made from cream, sugar, and sound nonrancid nuts, and contains not less than 8 per cent of milk fat.

CURRANTS, DATES, AND RAISINS-Continued.

Laboratory Number.

Remarks and Conclusions.

14286 Dates, dried.

14086 Raisins, dried; condition bad; contained bugs; unfit for food; sale illegal. 14093 Currants, dried; condition bad; contained bugs; unfit for food; sale illegal.

14291 Figs, dried.

14097 Raisins, dried; condition bad; contained bugs; unfit for food; sale illegal.

14098 Currants, dried; condition bad; contained bugs; unfit for food; sale illegal.

14090 Dates, dried; condition bad; contained bugs; unfit for food; sale illegal.

14088 Currants, dried; condition bad; contained bugs; unfit for food; sale illegal.

14287 Dates, dried.

14292 Raisins, seeded, dried.

14095 Dates, dried; condition bad; contained bugs; unfit for food; sale illegal.

14092 Currants, dried; condition bad; contained bugs; unfit for food; sale illegal.

14102 Dates, dried; condition not good; few bugs; unfit for food; sale illegal.

14091 Currants, dried; condition bad; contained bugs; unfit for food; sale illegal.

14096 Raisins, dried; condition bad; contained bugs; unfit for food; sale illegal.

14101 Dates, dried; condition not good; few bugs; unfit for food; sale illegal.

14290 Figs, stuffed.

14087 Currants, dried; condition bad; contained bugs; unfit for food; sale illegal.

14281 Raisins, dried.

14094 Prunes, dried; condition bad; contained bugs; unfit for food; sale illegal.

14282 Dates, dried.

14283 Raisins, seeded, dried.

14285 Figs, dried.

Many products, such as eggs, gelatine, etc., are used in the manufacture of so-called ice-cream, which is often very palatable, but which is not ice-cream, and if sold as such is a violation of the law.

Realizing that many dealers would desire to sell and many consumers desire to obtain cheaper products than a standard ice-cream, the Board of Agriculture made a regulation under which any product, not deleterious to health, can be legally sold in the State. The regulation merely provides that if the dealer will make known by placard or label the kind of product offered for sale by him, the Department will not contest the sale.

REGULATION OF SALE OF ICE-CREAM SUBSTITUTES.

The sale of a product as ice-cream, containing gelatine, eggs, gum tragacanth or other vegetable gums, or the sale of a product as ice-cream which contains less than the required per cent of milk fat will not be contested: *Provided*, the same is labeled and sold as imitation ice-cream, compound ice-cream, gelatine ice-cream, egg ice-cream, milk ice-cream, or gum ice-cream (as the case may be); or if a placard bearing the following statement—

- "Imitation ice-cream is served here."
- "Compound ice-cream is served here."
- "Egg ice-cream is served here."
- "Gelatine ice-cream is served here."
- "Milk ice-cream is served here," or
- "Gum ice-cream is served here,"

(as the case may be) shall be posted in a conspicuous place in the room where any and all persons may see the same when purchasing cream;

RESULTS OF THE EXAMINATION OF ICE-

| Material and grand from Label. | | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|--------------------------------|----------------------------|---|---|
| 13601 | Ice-cream, | | Betts Ice-cream Co., Raleigh |
| 13625 | do | Arctic Ice and Coal Co., Greens- boro, N. C. | Cates Pharmacy, Haw River |
| 13962 | Ice-cream, | do | Elkin Drug Co., Elkin |
| 13654 | | do | Five- and Ten-Cent Store, Greensboro. |
| 13647 | | do | |
| 13829 Purity Ice- cream. | | do | . Goldsboro Drug Co., Goldsboro. |
| 13830do | . Ice-cream, Chocolate. | do | do |
| 13627 | Ice-cream, Vanilla. | do | Graham Drug Co., Graham |
| 13651 | do | do | Greensboro Drug Co., Greensboro. |
| 13648 | do | do | Greensboro Café, Greensboro |
| 13663 | . Ice-cream, Compound. | do | |
| 13644 | Ice-cream, Chocolate. | do | McIlheney's Drug Co., Greens- boro. |
| 13667 Purity Ice- cream. | Ice-eream, Vanilla. | do | Ring Drug Co., High Point |
| 13652do | do | do | Sykes Drug Store, Greensboro |
| 13653do | | do | |

and Provided further, that the statement on the placard is printed in plain black letters, not less than one inch in size, on a white background.

During the past year 165 samples of ice-cream and ice-cream substitutes have been examined, many of which were below standard and sold in violation of the law. Many that were below standard were not sold in violation of the law, as the dealers had placards in their places of business, as provided for by regulations, showing that the products offered for sale were not ice-cream, but were substitutes for same. If one wishes to buy an inferior product, he has a right to do so, and the Department has no objection to the sale, provided the dealer makes known to the purchaser what he is getting for his money. On the other hand, if the purchaser wishes a good product and pays the price of same, he has a right to expect and to get what he pays for.

Dealers are again cautioned that the sale of products as ice-cream that do not meet the requirements will be prosecuted unless the dealer complies with the regulation on sale of ice-cream.

CREAM AND ICE-CREAM SUBSTITUTES.

13653 8.10 27.60 Ice-cream, strawberry.

| Laboratory Number. | Fat, Milk, Per Cent. | Solids, Per Cent. | Remarks and Conclusions. |
|-----------------------|-------------------------|----------------------|--|
| 13601 | 2.40 | 26.57 | Ice-cream, compound; sign up; sale legal. |
| 13625 | 5.50 | 29.40 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13962 | 5.12 | 33.10 | Ice-cream, vanilla, below standard; adulterated; sale illegal. |
| 13654 | 2.50 | 34.00 | Ice-cream, strawberry, below standard; adulterated; no sign; sale illegal. |
| 13647 | 5.80 | 29.90 | Ice-cream, peach, below standard; adulterated; no sign; sale illegal. |
| 13829 | 9.70 | 34.00 | Ice-cream, peach. |
| 13830 | 7.20 | 31.30 | Ice-cream, chocolate, below standard; adulterated; sale illegal |
| 13627 | 8.50 | 34.90 | lce-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13651 | 6.90 | 30.20 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13648 | 7.00 | 32.00 | do. |
| 13663 | | | Ice-cream, compound; sign up; sale legal. |
| 13644 | 3.40 | 31.10 | Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13,667 | 6.90 | 22.30 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13652 | 8.60 | 24.50 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |

RESULTS OF THE EXAMINATION OF ICE-

| Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|--------------------------------|----------------------------------|--|---|
| F.4 | | | |
| 13848 | - Ice-cream, Vanilla. | Bradham's Broad Street Store, New Bern, N. C. | Bradham's Broad Street Store, New Bern. |
| 13849 | Chocolate. | do | |
| 13850 | Peach. | do | do |
| 13971 | Vanilla. | Brame Drug Co., North Wilkesboro, N. C. | Brame Drug Co., North Wilkesboro. |
| 13970 | Chocolate. | do | do |
| 13903 | | Brannon-Hahn Ice-cream Co., Charlotte, N. C. | Biggs Drug Co., Rockingham |
| 13889 | Strawberry | do | |
| | Vanilla. | do | |
| 13880 | | do | lotte. |
| 13879 | Chocolate. | do | |
| 13590 | Vanilla. | | |
| 13589 | Vanilla. Ice-cream, Walnut | | |
| 13588 | Caramel. | | do |
| 13699 | Strawberry. Ice-cream, | Burke Drug Co., Morganton, N. C | |
| 13698 | | do | |
| | Vanilla. | Burlington Drug Co., Burlington, | Burlington Drug Co., Burling- |
| cream. | do | N. C. George R. Campbell, Greensboro, | ton. George R. Campbell, Greens- |
| 13645 | | N. C. | boro. do |
| 13585 | | | California Fruit Store, Raleigh. |
| 13586 | Vanilla. Ice-cream, Chocolate. | | do |
| 13587 | Ice-cream, Tutti-Frutti | | do |
| 13982 | Ice-cream, Strawberry. | E. H. Caudle, Rural Hall, N. C | E. H. Caudle, Rural Hall |
| 13697 | Ice-eream, Vanilla. | City Bakery, Hickory, N. C | City Bakery, Hickory |
| 13696 | Pineapple. | do | do |
| 13901 | Ice-cream, Strawberry. | Cleveland Drug Co., Shelby, N. C., | Cleveland Drug Co., Shelby |

CREAMS AND ICE-CREAM SUBSTITUTES—Continued.

| | | , |
|-----------------------|-------------------------|---|
| Laboratory Number. | Fat, Milk, Per Cent. | Remarks and Conclusions. |
| 13848 | 12.50 | 33.50 Ice-cream, vanilla. |
| 13849 | 10.90 | 35.10 Ice-cream, chocolate |
| 13850 | 10.60 | 32.60 Ice-cream, peach. |
| 13971 | 7.58 | 25.20 Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13970 | 7.90 | 29.10 do. |
| 13871 | 6.00 | 29.50 Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13903 | 10.20 | 36.00 Ice-cream, strawberry. |
| 13889 | 8.70 | 31.90 Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13888 | 9.40 | 36.40 Ice-cream, slightly below standard; no sign; sale illegal. |
| 13880 | 8.60 | 37.40 Ice-cream, compound; sign up; sale legal. |
| 13879 | 8.50 | 31.80 do. |
| 13590 | 15.70 | 37.88 Ice-cream, vanilla. |
| 13589 | 13.00 | 37.71 Ice-cream, nut. |
| 13588 | 14.10 | 36.39 Ice-cream, strawberry. |
| 13699 | | 23.60 Ice-cream, sherry, below standard; adulterated; no sign; sale illegal. |
| 13698 | 7.20 | 25.70 Ice-cream, vanilla, below standard; adulterated; no sign: sale illegal. |
| 13631 | | 28.90 Icc-cream, compound. |
| 13646 | 2.70 | 20.60 Ice-cream, vanilla, below standard; sign does not meet requirements of law; sale was |
| 13645 | 4.30 | illegal. 23.60 Ice-cream, strawberry, below standard; sign does not meet requirements; sale was |
| 13585 | 19.90 | illegal. 35.61 Ice-cream, vanilla. |
| 13586 | 19.10 | 37.56 Ice-cream, chocolate. |
| 13587 | 18.80 | 37.62 Ice-cream, tutti-frutti. |
| 13982 | 2.37 | 26.20 Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13697 | 7.30 | 30.00 Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13696 | 6.48 | 28.60 Ice-cream, pineapple, below standard; adulterated; no sign; sale illegal. |
| 13901 | 7.60 | 31.00 Ice-cream, strawberry, below standard; adulterated; no sign; sale illegal. |

RESULTS OF THE EXAMINATION OF ICE-

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|---------------------------|--|---|
| La N | | | | |
| | | | | |
| 13902 | | Ice-cream, Vanilla. | Cleveland Drug Co., Shelby, N. C | Cleveland Drug Co., Shelby |
| | | | The Club Café and Candy Kitchen, Asheville, N. C. | Kitchen, Asheville. |
| 13715 | | Ice-cream, Strawberry. | do | do |
| 13840 . | | Ice-cream, | M. F. Courie, Kinston, N. C. | M. F. Courie, Kinston |
| 1950~ | | Chocolate. | | A. Donald Balaini |
| 15597 | | Vanilla. | | A. Dughi, Kaleigh |
| 13598 | | | | do |
| | | Chocolate. | | |
| 13964 | | Ice-cream, Vanilla. | Fairmont Grocery, Elkin, N. C | Fairmont Grocery, Elkin |
| 13634 | • | Ice-cream, Chocolate. | Freeman Drug Co., Burlington, N. C. | Freeman Drug Co., Burlington. |
| 13626 | | | do | W. M. Cook, Haw River |
| | | Vanilla. | | |
| | | Chocolate. | Gibson Drug Co., Concord, N. C | Gibson Drug Co., Concord |
| 13907 | | Ice-cream, Vanilla. | do | do |
| 13919 | | | Goldsboro Candy Kitchen, Goldsboro, N. C. | Goldsboro Candy Kitchen, Goldsboro. |
| 13650 | | . Ice-cream, Vanilla. | Greensboro Ice-cream Co., Greensboro, N. C. | |
| 13657 | | | do | Conyer's Drug Store, Greens- |
| 13695 | | Ice-cream | Grimes Drug Co., Hickory, N. C. | boro. Grimes Drug Co. Hickory |
| 10000 | | Vanilla. | Grimes Drug Co., Trickery, 14. C. | offines Brug Co., Hickory |
| 13868 | | Ice-cream, Vanilla. | Hamlet Candy Kitchen, Hamlet, N. C. | Hamlet Candy Kitchen, Hamlet. |
| 13649 | | | Hammer & Kivett, Greensboro, N. C. | Hammer & Kivett, Greensboro |
| 13984 | | Ice-cream, | Hawks Drug Co., Mount Airy, N. C. | Hawks Drug Co., Mount Airy |
| | | Vanilla. | | |
| 13618 | | , | Haywood & Boone, Durham, N. C., | Haywood & Boone, Durham |
| 12582 | | Strawberry. | .' | H. T. Hieles Drug Co. Poloigh |
| 10000 | | Vanilla. | 1 | H. I. Hicks Drug Co., Kaleigh. |
| 13584 | | | , | do |
| | | Chocolate. | | |
| 13664 | | Ice-cream, Vanilla. | High Point Candy Co., High Point, N. C. | High Point Candy Co., High Point. |
| 13665 | | Ice-cream, Strawberry. | do | do |
| 13986 | | | | D. M. Hodges, Mount Airy |
| | | | R. H. Jordan, Charlotte, N. C | |
| 13893 | | | Kennedy's Drug Store, Gastonia, | Kennedy's Drug Store, Gas- |
| | | Vanilla | N. C. | tonia. |
| | | (0) | | |
| | ~ * * * * * * * * * * * * * * * * * * * | (Comp.). | | King-Crowell Drug Co., Raleigh |

CREAMS AND ICE-CREAM SUBSTITUTES---Continued.

| Laboratory Number. | Fat, Milk, Per Cent. | Solids, Per Cent. | Remarks and Conclusions. |
|-----------------------|-------------------------|----------------------|--|
| 13902 | 6.10 | 26.80 | Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13714 | 11.00 | 32.80 | Ice-cream, vanilla. |
| 13715 | 9.05 | 32.60 | Ice-cream, strawberry. |
| 13840 | 12.00 | 30.80 | Ice-cream, chocolate. |
| 13597 | 7.40 | 32.24 | lee-cream, compound; no sign, but sold as compound; should be sign in place of business. |
| 13598 | 5.20 | 28.84 | business. lice-cream, chocolate, below standard; no sign, but sold as compound; should be sign in place of business. |
| 13964 | 6.19 | 28.30 | Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13634 | 5.60 | 29.20 | Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13626 | 6.10 | 23.00 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13908 | 5.70 | 30.71 | ${\bf Ice-cream,chocolate,belowstandard;adulterated;nosign;saleillegal.}$ |
| 13907 | 7.70 | 27.82 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13919 | 12.60 | 37.00 | Ice-cream, chocolate. |
| 13650 | 5.70 | 31.00 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13657 | 6.00 | 32.30 | do. |
| 13695 | 6.40 | 29.00 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13868 | 2.80 | 30.30 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13649 | 4.40 | 27.70 | Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13984 | 2.82 | 29.00 | Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13618 | 4.30 | 33,20 | Ice-cream, strawberry, below standard; adulterated; no sign; sale illegal. |
| 13583 | 10.00 | 38.48 | Ice-cream, vanilla. |
| 13584 | 14.90 | 40.06 | Ice-cream, chocolate. |
| 13664 | 15.50 | 32.80 | Ice-cream, vanilla. |
| 13665 | 13.70 | 32.80 | Ice-cream, strawberry. |
| 13986 13884 | | | [fee-cream, below standard; adulterated; no sign; sale illegal. [fee-cream, below standard; adulterated; no sign; sale illegal |
| 13893 | 4.90 | 29.10 | Tee-cream, compound; sign up; sale legal. |
| 13593 | 15.40 | 38.25 | b Ice-cream, vanilla. |

RESULTS OF THE EXAMINATION OF ICE-

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|---------------------------|---|---|
| 13896 | | Ice-cream, Chocolate. | Lincoln Drug Co., Lincolnton, N.C. | Lincoln Drug Co., Lincolnton |
| 13897 | | | do | do |
| 13596 | | do | | Love Drug Co., Raleigh |
| 13898 | | Ice-cream, Cherry. | Lowing-Costner Drug Co., Lincolnton, N. C. | Lowing-Costner Drug Co., Lin- colnton. |
| 10000 | | Vanilla. | | |
| 13674 | • | | Main Pharmacy, Salisbury, N. C | Main Pharmacy, Salisbury |
| 13910 | | Ice-cream, Chocolate. | Marsh Drug Co., Concord, N. C | Marsh Drug Co., Concord |
| | | Vanilla. | J. W. McPherson & Co., Salisbury, N. C. | bury. |
| 13670 | | Ice-cream, Chocolate. | do | do |
| 13662 | · · · · · · | Ice-cream, Compound. | F. L. Montgomery, High Point, N. C. | F. L. Montgomery, High Point. |
| 13700 | Mono Brand | Ice-cream, Strawberry. | Mono Service Cream Co., Knox- ville, Tenn. | Beach Bros., Morganton |
| 13847 | | | The Montauk Co., Norfolk, Va | Clark's Cigar Store, New Bern |
| 13702 | do | | do | The Davis Pharmacy, Marion |
| 13956 | | | J. R. Newman, Reidsville, N. C | J. R. Newman, Reidsville |
| | | do | | |
| 13969 | | do | North Wilkesboro Drug Co., North Wilkesboro, N. C. | North Wilkesboro Drug Co., North Wilkesboro. |
| | • | Vanilla. | Orton Confectionery, Wilmington, N. C. | ton. |
| 13858 | | | do | do |
| | | Chocolate. | i | |
| | | do | N. C. | Salem. |
| | | Vanilla. | dodo | |
| 10011 | | | Parsons Drug Co., Wadesboro, N.C. | |
| | | Chocolate. | dodo. | |
| 13874 | | Ice-cream, Vanilla, | Pee Dee Pharmacy, Wadesboro, N. C. | Pee Dee Pharmacy, Wadesboro. |
| 13676 | | | Peerless Baking and Ice-cream Co., Richmond, Va. | James Plummer, Salisbury |
| 13839 | | do | do | Temple Drug Co., Kinston |
| | | Peach. | J. W. Plummer, Wilmington, N. C. | |
| | | Vanilla | do | |
| | | do | | |
| | | Strawberry | do | do |
| 13974 | | Ice-cream, Chocolate. | Polites Candy Kitchen, Winston-Salem, N. C. | Polites Candy Kitchen, Win- ston-Salem. |

CREAMS AND ICE-CREAM SUBSTITUTES—Continued.

| Laboratory Number. | Fat, Milk, Per Cent. | Solids, Per Cent. | Remarks and Conclusions. |
|-------------------------|-------------------------|----------------------|---|
| 13896 | 3.90 | 29.80 | Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13897 | 3.90 | 28.60 | do. |
| 13596 13898 | | | Ice-cream, vanilla, very much below standard; adulterated; no sigu; sale illegal. Ice-cream, sherry, below standard; adulterated; no sign; sale illegal. |
| 13899 | 3.40 | 28.00 | Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13674 | 8.90 | 38.50 | Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13910 | 4.10 | 27,70 | Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13671 | 7.50 | 32.90 | Ice-cream, vanilla, below standard; adulterated; sale illegal. |
| 13670 | 8.80 | 33.50 | Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13662 | 3.10 | 25.60 | Ice-cream, compound; sign up; sale legal. |
| 13700 | 5.50 | 33.30 | Ice-cream, strawberry, below standard; adulterated; sale illegal. |
| 13847 | 8.00 | 30.00 | Ice-cream, peach. |
| 13702 | 8.80 | 30.70 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13956 13967 13969 | 3.68 | 21.60 | Ice-cream, below standard; adulterated; no sign; sale illegal. Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13857 | 17.80 | 38.40 | Ice-cream, vanilla. |
| 13858 | 12.90 | 37.40 | Ice-cream chocolate. |
| 13973 | 10.66 | 32.80 | Ice-cream. |
| 13972 | 8.28 | 31.40 | Ice-cream, below standard; adulterated; sign does not meet requirements. |
| 13872 13873 | | | Ice-cream, vanilla, below standard; sale illegal. Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13874 | 5.10 | 27.50 | Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13676 | 8.50 | 31.50 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13839 13861 | | | |
| 13862 | 13.80 | 34.60 | Ice-cream, vanilla. |
| 13860 13859 | | | Ice-cream, vanilla. Ice-cream, strawberry, slightly below standard; adulterated; no sign; sale illegal. |
| 13974 | 8.19 | 31.70 | Tce-cream, below standard; adulterated; no sign; sale illegal. |

RESULTS OF THE EXAMINATION OF ICE-

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler, | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--------------------------------------|-------------------------------|--|---|
| 13975 | | | Polites Candy Kitchen, Winston- | Polites Candy Kitchen, Win- |
| 13900 | | Vanilla do | Salem, N. C. Purity Dairy Products Co., Charlotte, N. C. | ston-Salem. Sloop Drug Co., Shelby |
| 13958 | | lee-cream, Chocolate. | Purity Ice-cream Co., Greensboro, N. C. | R. H. Tucker, Reidsville |
| 13957 | | | do | do |
| 13895 | | | Purity Ice-cream Co., Richmond, Va | Adams Drug Co., Gastonia |
| 13891 | The Velvet Kind. | lce-cream, Chocolate. | do | do |
| 13887 | | | do | John S. Blake Co. Charlotte |
| | | | do | |
| 13841 | lce-cream, Vel- vet. | do | do. | Chalk's Pharmacy, Morehead City. |
| 13912 | do | Ice-cream | do | Davis Drug Co., Concord |
| 13623 | | Ice-eream, Chocolate. | do | Five Points Drug Co., Durham |
| 13836 | do | do | do | Floyd Barwick, LaGrange |
| 13869 |)do | Ice-cream, Pineapple. | do | Fox Drug Co., Hamlet |
| 13658 | The Velvet Kind. | Ice-eream, Vanilla. | do | . Gardner's Drug Store, Greens- boro. |
| 13985 | lce-cream, Vel- | do | do | Gwyn Drug Co., Mount Airy |
| | vet. | | | |
| | ' | Chocolate. | do | |
| 13591 | | Iee-cream, Peach. | do | |
| 13659 | The Velvet Kind. | Ice-cream, Vanilla. | do | Mann's Drug Store, High Point |
| 13966 | i Ice-cream, Vel- vet. | Ice-cream, Peach. | do | Peoples Drug Store, Elkin |
| 13960 |) | . Ice-cream, Chocolate. | do | |
| 1386 | Ice-cream, Vel- vet. | | do | Pope Drug Co., Lumberton |
| 1386 | 3do | | do. | do |
| 13961 | l | | do | Variety Store, No. 2, Leaksville. |
| | S' | lce-cream, Vanilla. | Racey Ice-cream Co., Knoxville, Tenn. | Salem. |
| 13979 | 9 | | do | do |
| 13716 | 5 | Chocolate. Lee-eream, Vanilla | do | Smith's Drug Store, Asheville. |
| 1371 | 1 | | Raysor's Drug Store, Asheville, N. C. | Raysor's Drug Store, Asheville. |
| 13710 | 0 | | do | do |

CREAMS AND ICE-CREAM SUBSTITUTES-Continued.

| Jaboratory | Fat, Milk, | solids, |
|------------|------------|----------|
| Number, | Per Cent. | er Cent. |
| $\Box Z$ | 压瓦 | 五二 |

Remarks and Conclusions.

13975 10.00 33.20 Ice-cream.

13900 13.70 30.30 Ice-cream, vanilla.

13958 8.34 34.10 Ice-cream, below standard; adulterated; no sign; sale illegal.

13957 6.56 34.30 do

13895 5.70 38.90 Ice-cream, peach, below standard; adulterated; no sign; sale illegal.

13894 8.90; 41.90 Ice-cream, below standard; adulterated; no sign; sale illegal.

13887 11.70 32.00 Ice-cream.

13890 6.60 27.40 Ice-cream, below standard; adulterated; no sign; sale illegal

13841 8.50 30.70 Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal.

13912 7.90, 33.40 Ice-cream, below standard; adulterated; no sign; sale illegal.

13623 6.80 34.90 Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal.

13836 6.60, 34.70 Ice-cream, below standard; adulterated; no sign; sale illegal.

13869 8.30 31.90 Ice-cream, pineapple.

13658 7.20 31.70 Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal.

13985 8.43 31.50 Ice-cream, below standard; adulterated; no sign; sale illegal.

13987 6.61 34.20 do.

13591 3.60 35.39 Ice-cream, peach, below standard; adulterated; no sign; sale illegal.

13659 8.10 32.30 Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal.

13966 5.70 34.80 Ice-cream, below standard; adulterated; no sign; sale illegal.

13960 10.20 31.80 Ice-cream.

13864 5.70 34.60 Ice-cream, peach, below standard; adulterated; no sign; sale illegal.

13863 7.00 34.60 Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal.

13961 10.70 35.70 Ice-cream.

13978 13.01 35.40 do.

13979 10.35 35.10 do.

13716 10.80 30.70 Ice-cream, vanilla.

13711 13.60 33.90 do

13710 13.40 35.70 Ice-cream, strawberry.

RESULTS OF THE EXAMINATION OF ICE-

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--------------------------------------|---------------------------|---|---|
| | | | | |
| 13865 | | Ice-cream, Vanilla. | Robeson Drug Co., Maxton, N. C | Robeson Drug Co., Maxton |
| 13835 | | Ice-cream | John O. Royal, Goldsboro, N. C | W. H. Burk & Son. LaGrange |
| | | | do | |
| 13831 | | Ice-cream, Vanilla | do | do_ |
| 13834 | | do | do | Williams' Drug Store, Goldsboro |
| | | | Royal Ice-cream Co., New Bern, N. C. | |
| | | | do | |
| | | Chocolate. | A. B. Saleeby & Co., Salisbury, N. C. | |
| | | Vanilla. | do | |
| 13678 | | Ice-cream, Cherry. | do | do |
| 13913 | Ice-cream, W. H. S. Brand. | Ice-cream, | W. H. Scarborough, Concord, N. C. | W. H. Scarborough, Concord |
| 13914 | do | Ice-cream, Strawberry. | | do |
| 13915 | do | | do | do |
| | | | do | |
| | | | do | |
| | | | C. M. Shuford, Hickory, N. C | |
| | | Ice-cream | J. T. Skinner & Son, Kinston, N. C. | |
| | | | do | |
| 10010 | | Chocolate. | | |
| 13690 | | Ice-cream, Vanilla. | Statesville Drug Co., Statesville, N. C. | Statesville Drug Co., Statesville. |
| 13656 | | | The Sugar Bowl, Greensboro, N. C. | |
| 13655 | | Ice-cream, | do | do |
| 13981 | | Vanilla. | The Sweet Shop, Winston-Salem, | The Sweet Shop, Winston- |
| | | Chocolate. | N. C. | Salem. |
| | | | do | |
| | | | Salem, N. C. | ston-Salem. |
| | | Vanilla. | do | do |
| 13892 | | Ice-cream, Chocolate. | Torrence Drug Co., Gastonia, N. C. | Torrence Drug Co., Gastonia |
| 200.0 | | Ice-cream, Vanilla. | The Union Drug Co., Monroe, N. C. | |
| 13594 | | Ice-cream, Chocolate. | | Wake Drug Co., Raleigh |
| 13595 | | | | do |
| 13599 | | | | White Ice-cream Co., Raleigh |
| | | Chocolate. | | , |

CREAMS AND ICE-CREAM SUBSTITUTES—Continued.

| Laboratory Number. | Fat, Milk, Per Cent. | Solids, Per Cent. | Remarks and Conclusions. |
|-------------------------|-------------------------|-----------------------|---|
| 13865 | 9.30 | 28.00 | Ice-cream, slightly below standard; adulterated; no sign; sale illegal. |
| 13835 13832 | | | Ice-cream, below standard; adulterated; no sign; sale illegal. Ice-cream, much below standard; adulterated; no sign; sale illegal. |
| 13831 | 6.30 | 29.60 | Ice-cream, below standard; adulterated; no sign; sale illegal |
| 13834 13852 | | $\frac{29.70}{43.70}$ | Ice-cream, below standard; adulterated; no sign; sale illegal. do. |
| 13851 13691 | | 37.80 31.60 | do. Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13679 | 13.50 | 36.00 | Ice-cream, vanilla. |
| 13678 | 8.70 | 29.90 | Ice-cream, fruit. |
| 13913 | 2.40 | 27.80 | Ice-cream, vanilla, much below standard; adulterated; no sign; sale illegal. |
| 13914 | 2.50 | 27.80 | ${\bf Ice-cream,strawberry,muchbelowstandard;adulterated;nosign;saleillegal.}$ |
| 13915 13916 | | | Ice-cream, much below standard; adulterated; no sign; sale illegal. do. |
| 13917 | 2.90 | 32.10 | |
| 13693 | | | Ice-cream, vanilla. |
| 13838 13837 13845 | 3.50 | 29.10 | Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13690 | 8.50 | 27.40 | Ice-cream, below standard; adulterated; sign up; sale illegal. |
| 13656 | 15.50 | 37.40 | Ice-cream, chocolate. |
| 13655 | 16.40 | 37.00 | Ice-cream, vanilla. |
| 13981 | 3.99 | 33.30 | Ice-cream, below standard; adulterated; no sign; sale illegal |
| 13980 13976 | | 31.40 22.60 | do. Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13977 | 8.04 | 30.50 | do. |
| 13892 | 3.20 | 27.60 | Ice-cream, below standard; adulterated; no sign; sale illegal. |
| 13878 | 13.70 | 32.90 | Ice-cream, vanilla. |
| 13594 | 14.30 | 39.85 | Ice-cream, chocolate. |
| 13595 | 10.60 | 34.22 | Ice-cream, vanilla |
| 13599 | 5.30 | 33.50 | Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |

RESULTS OF THE EXAMINATION OF ICE-

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as- | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--------------------------------------|-----------------------|---------------------------------|---|
| | | | | |
| 13600 | | Ice-cream, | | White Ice-cream Co., Raleigh |
| | | Vanilla. | | |
| 13855 . | | do | Warren Candy Co., Wilmington, | Warren Candy Co., Wilmington |
| | | | N. C. | |
| 13856 | | Ice-cream, | do | do |
| | | Chocolate. | | |
| 13404 | | . Ice-cream | Watson's Pharmacy Co., South- | Watson's Pharmacy Co., South- |
| | | | port, N. C. | port. |
| 13689 | | . Ice-cream, | White Pine Creamery Co., Ashe- | Joe Hamoy Ice-cream Parlor, |
| | | Vanilla. | ville, N. C. | Statesville. |
| 13701 . | | do | do | J. W. Streetman, Marion |
| 13854 | | do | Woodall & Shepherd, Wilmington, | Woodall & Shepherd, Wilming- |
| | | | N. C. | ton. |
| 13853 | | Ice-cream | do | dodo |

LARD AND COMPOUND LARD.

DEFINITIONS AND STANDARDS.

- 1. Lard is the rendered fresh fat from hogs in good health at the time of slaughter, is clean, free from rancidity, and contains, necessarily incorporated in the process of rendering, not more than one (1) per cent of substances, other than fatty acids and fat.
- 2. Leaf lard is lard rendered at moderately high temperatures from the internal fat of the abdomen of the hog, excluding that adherent to the intestines, and has an iodine number not greater than sixty (60).
 - 3. Neutral land is lard rendered at low temperatures.

RESULTS OF THE EXAMINATION OF LARDS.

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|-----------------------------------|--------------------------|---|---|
| 13534 | | Lard | Armour & Co., Greensboro, N. C. | Smith Grocery Co., Lexington |
| 12671 | Compound Lard* | | | Armstrong Grocery Co., New Bern. |
| 13532 | White Dome | Lard Com- pound. | Capital Refining Co., Washington, D. C. | M. A. Gilmore & Co., Wadesboro. |
| 13524 | Sunny South, Com- pound. | do | Corkran-Hill Co., Baltimore, Md. | W. T. Buchanan, Sanford |
| 13533 | Silver Crest | Lard | Jacob Dold, Richmond, Va. | M. A. Gilmore & Co., Wadesboro. |

CREAMS AND ICE-CREAM SUBSTITUTES—Continued.

| Laboratory Number. | Fat, Milk, Per Cent. | Solids, Per Cent. | Remarks and Conclusions. |
|-----------------------|-------------------------|----------------------|---|
| 13600 | 2.90 | 29.79 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13855 | 5.30 | 31.50 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13856 | 6.40 | 34.90 | Ice-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13404 | 12.20 | | lce-cream. |
| 13689 | 6.80 | 30.40 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal. |
| 13701 | | 31.60 | |
| 13854 | 4.70 | 26.00 | lce-cream, chocolate, below standard; adulterated; no sign; sale illegal. |
| 13853 | 6.60 | 26.00 | Ice-cream, vanilla, below standard; adulterated; no sign; sale illegal |

There is no standard for compound lard, it being a mixture or compound of fats, but as found on the market it is usually cotton-seed oil with enough beef stearin (oleostearin) to give it the requisite degree of solidity or consistence and a small amount of real lard. Lard stearin or cotton-seed stearin may be used in place of the beef stearin.

Fifteen samples of lard and lard substitutes have been examined during the year, and two of them were sold as lard when they were compound lards.

The sale of compound lard is all right, provided it is sold as compound lard; but the sale of a compound lard as lard is a violation of the law, and will have to be prosecuted.

Remarks and Conclusions.

COMPOUND LARDS AND LARD SUBSTITUTES.

| Laboratory Number. | Halphen Test for Cotton- seed Oil. | Refractometer 40° C. | Refractive Index. | Iddine Numbe (Hanus). | |
|-----------------------|--|---------------------------------------|----------------------|--------------------------|-----------------|
| 13534 | Negative | 52.0 | 1.4607 | 63.3 | Lard. |
| 12671 | Positive | $56.5_{\scriptscriptstyle \parallel}$ | 1.4636 | | Compound lard. |
| 13532 | do | 60.0 | 1.4659 | 97.4 | Lard, compound. |
| 13524 | do | 58.0 | 1.4646 | 90.3 | Compound lard. |
| 13533 | Negative | 53.0 | 1.4613 | 58.8 | Lard. |

RESULTS OF THE EXAMINATION OF LARDS, COM

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|--------------------------|--|---|
| 13531 | Ladina, Compound of | Lard | W. S. Forbes & Co., Richmond, | G. W. Goodwin, Laurinburg. |
| | Cotton-seed Oil. | | Va. | |
| 13529 | Pure Lard, White Star. | Lard, Pure. | G. H. Hammond Co | W. D. Wright, Laurinburg |
| 13528 | Lard, Pure Family, Daisy. | Lard | John Hoffman's Co., Cinein- nati, Ohio. | F. L. Orr, Maxton |
| 13536 | | do | | J. F. Jamison, Charlotte |
| 13525 | Lard, Pure Open Kettle Rendered, Virginia. | do | Kingan & Co., Richmond, Va | Ellis & Co., Wilson |
| 13526 | Rendered Hog Fat, U. S. Inspected and Passed. | do | B. W. Phillips, Maxton, N. C | R. H. Strickland, Maxton |
| 13530 | Flake White | | The Proctor & Gamble Co., Macon, Ga. | H. A. McCoy, Laurinburg |
| 13535 | | Lard, Com- pound. | do | C. M. Fite, Charlotte |
| | Leaf. | | Sulzberger & Sons Co., Fayetteville, N. C. | M. L. McRae, Maxton |
| 13523 | Lard, Sulzberger's Majestic Kettle Rendered. | | do | Hamilton Supply Co., Red Springs. |
| * | Sent to the Department | for analysis | | |

LEMON EXTRACTS AND LEMON EXTRACT SUBSTITUTES.

DEFINITIONS AND STANDARDS.

Lemon extract is the flavoring extract prepared from oil of lemon, or from lemon peel, or both, and contains not less than 5 per cent by volume of oil of lemon.

Oil of lemon is the volatile oil obtained from the fresh peel of the lemon.

Terpeneless extract of lemon is the flavoring extract prepared by shaking oil of lemon with dilute alcohol, or by dissolving terpeneless oil of lemon in dilute alcohol, and contains not less than two-tenths (0.2) per cent by weight of citral, derived from oil of lemon.

Compound lemon extract is the flavoring product containing more than 50 per cent of lemon extract with some other flavoring as a substitute for lemon, such as citral, etc.

POUND LARDS AND LARD SUBSTITUTES—Continued.

| Laboratory Number. | Halphen Test for Cotton- seed Oil. | Reading Refractometer, 40° C. | Refractive Index. | Iodine Number (Hanus). | Remarks and Conclusions. |
|-----------------------|--|-------------------------------------|----------------------------|---------------------------|---|
| 13531 | Positive | 60.0 | 1.4659 | 97.7 | Compound lard, sold by dealer as lard; misrepresented; sale illegal. |
| 13529 | Negative | 52.0 | 1.4607 | 60.8 1 | Lard. |
| 13528 | do | 52.5 | 1.4610 | 58.0 | do. |
| 13525 | do | 52.0 53.0 53.0 | 1.4607 1.4613 1.4613 | | do. do. |
| 13530 | Positive | 60.0 | 1.4659 | 93.9 | Compound lard, sold by retail dealer as lard; misrepresented; sale illegal. |
| 13535 | do | 60.0 | 1.4659 | 98.2 | Compound lard. |
| 13527 | Negative | 53.0 | 1.4613 | 64.1 | Lard. |
| 13523 | do | 51.0 | 1.4600 | 58.6 | do. |
| | | | | | |

Imitation lemon extract is a flavoring product made from citral or other substitutes for lemon oil, and contains little or no lemon oil.

Substitutes for lemon extract are usually of very little value as a flavoring material; but if properly labeled or branded just what they are, their sale is legal, provided they contain nothing deleterious to health, such as wood alcohol, etc. Wood alcohol is a dangerous poison. A small amount is liable to produce death, and even a smaller amount may produce total and permanent blindness.

Consumers should observe the label and demand the real extract, as it is worth far more than the difference in the price between the substitute and the real extract.

Results of the examination of the samples for the year are printed in the table below.

RESULTS OF THE EXAMINATION OF LEMON

| Laboratory Number. | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|---|---|
| | | | |
| | | Ahrens Bros., Wilmington, N. Cdo | |
| 13456 | | Austin-Nichols Co., New York, N. Y. | P. & R. Grocery Co., Southern Pines. |
| 12922 | Lemon Flavoring, Bailey's Standard Dime. | Bailey, James, & Son, Baltimore, Md. | Turnage Bros., Ayden |
| 13446 | Lemon Extract, Bastine's Pure. | Bastine & Co., New York, N. Y | Cape Fear Cash Grocery, Wilmington. |
| 13447 | | Bellamy, Robert R., Wilmington, N. C. | 9 |
| 13925 | | do | R. L. Burton, Wilmington |
| 13472 | Lemon Extract, Eclipse Brand. | Brauer, Charles E., Co., Richmond, Va. | J. G. Williams, Chapel Hill |
| 14135 | Lemon Extract, Brame's | Brame Drug Co., North Wilkes- boro, N. C. | Brame Drug Co., North Wilkesboro. |
| 13495 | Lemon Extract, Lockett's Pure. | Bristol Drug and Gum Co., Bristol, VaTenn. | The Atkinson Co., Elkin |
| 13501 | Lemon Extract, Warranted Pure, Burnett's. | Burnett, Joseph, Co., Boston, Mass. | Oppenheimer's, Rocky Mount. |
| 14133 | Lemon Extract, Terpeneless, 75% Alcohol. | Burwell & Dunn Co., Charlotte, N. C. | C. C. Sanford Sons Co., Mocks- ville. |
| 12914 | | Chalk, S. A., Morehead City, N. C. | J. B. Morton, Morehead City |
| | D 1 | Clotworthy Chemical Co., Baltimore, Md. | W. R. Crow, Goldsboro |
| 13458 | do | more, Md. | D. C. Braswell, Wilson |
| 13443 | Phœnix Brand | Crawford, W. H., & Co., Baltimore, Md. | J. C. Peterson, Clinton |
| | Brand. | Md. | The Atkinson Co., Elkin |
| 13492 | do | do | A. G. Bowman & Son, Mount Airy. |
| 14125 | Lemon, Imitation Flavoring, Swan, Artificially Colored. | Cumberland Mfg. Co., Nashville, | Mrs. Richard Gibson, Asheville. |
| 13926 | | do | Southern Grocery Co., Wil- mington. |
| 14130 | Lemon, Dill's Extract | | Carolina Warehouse, Greens- boro. |
| 13476 | Lemon, Cherokee Flavor | Englehard, A., & Sons Co., Louis- ville, Ky. | Reidsville Brokerage Co., Reidsville. |
| 13461 | Lemon, Imitation Flavor, Dr. Fenner's. | Fenner, M. M., Co., Fredonia, N. Y. | |
| 12920 | | Four (The) Company, Norfolk, Va. | L. S. Landing, Plymouth |
| 13452 | Lemon Flavor, P. & S. Brand | Frank Tea and Spice Co., Cincinnati, Ohio. | R. J. Wheeler, Dunn |
| 13462 | Lemon Extract, Dove Brand. | do | Lawrence Bros., Enfield |
| 13442 | Lemon Extract, Blue Ribbon. | Greever-Lotspeich Mfg. Co., Knox- ville, Tenn. | S. H. Youngblood, Charlotte |
| 12915 | Lemon Extract, Baker's Pure. | do | A. J. Cox & Co., Washington |
| 13481 | | Greensboro Drug Co., Greensboro, N. C. | Greensboro Drug Co., Greensboro. |
| | | | |

EXTRACTS AND LEMON EXTRACT SUBSTITUTES.

| | r, | | | Hr. | | Ü | | |
|-----------------------|---|--|---------------------------------------|--------------------------------|-----------------------------|----------------------------|--------------------------------------|--|
| Laboratory Number. | Oil of Lemon by Precipita- tion—Per Cer | by Votume. Oil of Lemon by Polariza- | tion—Per Cer by Volume. Roading | Refractomete on Oil, 15.5°C | Refractive Index of Oil. | Specific Gravity, 15.6° | Alcohol (by Volume)- Per Cent. | Remarks and Conclusions. |
| | | | | | | | | |
| 13445 13924 | 5.0 0.0 | | 0.00 | 75.6 | 1.4756 | | | Lemon extract. Imitation lemon extract; misbranded; contains no oil of lemon; sale illegal. |
| 13456 | 6. | 10 | 6.50 | 75.6 | 1.4756 | | 84.20 | Lemon extract. |
| 12922 | 5. | 00 | 5.30 | 75.3 | 1.4756 | 0.85246 | 78.82 | do. |
| 13446 | 5. | 60 | 5.80 | 75.6 | 1.4756 | | 78.11 | do. |
| 13447 | 5. | 90 | 5.90 | 75.6 | 1.4756 | | 86.90 | do. |
| 13925 | | 60 | 5.90 | 74.7 | 1 4753 | | | do. |
| 13472 | | 10 | 6.20 | 75.6 | | | | do. |
| 19412 | . 0. | 107 | 0.20 | 10.0 | 1,1100 | | | |
| 14135 | 4. | 20 | 4.20 | 76.0 | | | | Lemon extract, below standard; adulterated; mis- branded; sale illegal. |
| 13495 | 5 4. | 80 | 5.00 | 75.6 | 1.4756 | | 87.72 | Lemon extract. |
| 13501 | l 10. | 10 | 10.30 | 75.6 | 1.4756 | | 83,00 | Lemon extract, concentrated. |
| 14133 | 3 0. | 00 | 0.00 | | | 0.87348 | 76.40 | Terpeneless extract lemon. |
| 12914 | 4 4 | 20 | | 75.3 | 1.4756 | 0.82501 | 88.46 | Lemon extract, below standard; adulterated; misbranded; sale illegal. |
| 12913 | 3 5 | .20 | 5.40 | 75.3 | 1.4756 | 0.82395 | 87.74 | Lemon extract. |
| 1345 | 8 5 | .90 | 6.10 | 75.6 | 1 4756 | | 86.74 | do. |
| 1344 | | .40 | 6.60 | 75.6 | | | | |
| 1044 | , ,, | . 10 | 0.00 | 10,0 | 1,1100 | | 01.00 | |
| 1349 | 6 0 | .00, | 0.00 | | | 0.96188 | 33.04 | Imitation lemon extract; misbranded; sale illegal. |
| 1349 | 2 0 | .00 | 0.00 | | | 0.9612 | 33.60 |), do. |
| 1412 | 5 0 | .00 | 0.00 | | | 0.9318 | 6 51.45 | i Imitation lemon extract. |
| 1392 | 6 5 | . 30 | 5.20 | 74.7 | 1.4753 | | | Lemon extract. |
| 1413 | 0 4 | .90 | 5.00 | | | 0.8306 | | |
| 1347 | 6 0 | .00 | 0.90 | 75.6 | 1.4756 | | | . Lemon extract substitute; misbranded; sale illegal. |
| 1346 | 51 2 | .60 | 2.50 | 75.6 | 1.4756 | 3 | 65.00 | 0 Imitation lemon extract. |
| 1292 | 20, 5 | .20 | 6.00 | 75.3 | 1.4756 | 0.8244 | 9 86.80 | 0 Lemon extract. |
| 1345 | 52 (| .00 | 0.00 | | | | 29.1 | 2 Imitation lemon extract; misbranded; was branded on carton, lemon flavor; sale illegal. |
| 1346 | 62 (| . 00 | | 75.6 | | | | 7 Lemon extract. |
| 134 | 12 10 | .70 | 11.20 | 75.6 | 1.475 | 6 | . 83.0 | 0 Lemon extract, double strength. |
| 1291 | 15 8 | 3.40 | | 75.3 | | | | 6 Lemon extract, concentrated. |
| 1348 | 81 (| 5.70 | 6.80 | 75.6 | 6 - 1.475 | 6 | . 86.0 | 0 Lemon extract. |
| | | | | | | | | |

RESULTS OF THE EXAMINATION OF LEMON EXTRACTS

| Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|--|---|---|
| 13480 Lemon Extract | Grissom-Sykes Drug Co., Greens- | |
| 13488 Lemon Extract, Harris' Fruit Highly Concentrated. | boro, N. C., Harris (The) Company, New York, N. Y. | Greensboro. Efird Bros., Winston-Salem |
| 14137 Lemon Extract, Heekin's White Cap. | Heekin Spice Co., Cincinnati, Ohio. | J. R. Cummings, Winston- Salem. |
| 13459 Lemon Extract, Heekin's "Deer's Head." | do | Cummings Grocery Co., Tarboro. |
| | Hite, S. P., Co., Roanoke, Va Interstate Chemical Co., Baltimore, Md. | |
| 13451 Lemon Extract, I. C | | Wallace Grocery, Smithfield |
| 12912 Lemon Extract, Old Do- minion, Terpencless. | do | J. G. Derr, Goldsboro |
| 13489 13444 Lemon, Old Dominion, Ter- | dodo | |
| peneless. 13482 Lemon, Kitchen Queen | Interstate Chemical Co., Baltimore, Md. | S. S. Morris, Greensboro |
| 13469 Lemon Extract | Kent Drug Co., Baltimore, Md King, C. E., & Sons, Durham, N.C. King, W. H., Drug Co., Raleigh, N. C. | C. E. King & Sons, Durham |
| | McCormick & Co., Baltimore, Md McIlhenny, E., & Co., New Iberia, La. | |
| | Miller Mfg. Co., New York, N. Y Norman-Perry Drug Co., Winston- | Rural Hall Supply Co., Rural |
| | Salem, N. C. do | |
| 13473do | do | lington. |
| 13485 Lemon Extract, N. P. D. Brand. | do | |
| Brand. | do | boro. |
| 13463 Lemon Extract, Owens & Minor's. | mond, Va. | M. C. Braswell, Battleboro |
| | Parke, L. H., & Co., Philadelphia, Pa. | |
| 13454 Lemon Flavoring, Pure, A. A | do Peabody Drug Co., Durham, N. C. | C. V. Williams & Co., Hamlet |
| 14138 Lemon Extract, Pilot Brand. | Pilot Drug Co., Winston-Salem, N. C. | Pilot Drug Co., Winston-Salem. |
| 13479 Reif's Extract Lemon | | John E. Sockwell, Greensboro |
| 14136 Lemon Extract, Full Strength Pure. | , Sampson Medicine Co., Winston- Salem, N. C. | Sampson Medicine Co., Winston-Salem. |
| | do | |
| Colored. | do | |
| | do | |

${\bf AND\ LEMON\ EXTRACT\ SUBSTITUTES}-Continued.$

| Laboratory Number. | Oil of Lemon by Precipita- tion—Per Cent by Volume. | Oil of Lemon by Polariza- tion—Per Cent by Volume. | Reading Refractometer on Oil, 15.5° C. | Refractive Index of Oil. | Specific Gravity, 15.6° C. | Alcohol (by Volume)— Per Cent. | Remarks and Conclusions. |
|-----------------------|--|---|--|-----------------------------|----------------------------|--------------------------------------|--|
| 13480 | 4.30 | 4.40 | 75.6 | 1.4756 | | 88.69 | Lemon extract, below standard; adulterated; mis- branded; sale illegal. |
| 13488 | 0.00 | 0.00 | | | 0.97690 | 19.40 | Imitation lemon flavor; misbranded; was branded fruit extract lemon; sale was illegal. |
| 14137 | 5.40 | 5.50 | 76.0 | 1.4759 | 0.84237 | 82.05 | Lemon extract. |
| 13459 | 5.20 | 5.50 | 75.6 | 1.4756 | | 82.16 | do. |
| 14126 | 5.60 | 5.70 | 76.0 | 1.4759 | 0.84301 | 81.64 | do. |
| 14132 | | | | | 0.83837 | | do. |
| 11102 | 0.10 | 0.00 | | | | | |
| 13451 | 5.60 | | 75.6 | 1.4756 | | 77.28 | do. |
| 12912 | 0.00 | 0.00 | | | 0.93585 | 49.37 | Terpeneless lemon extract. |
| 13489 | 0.00 | 0.00 | | | 0.97344 | 22.70 | Imitation lemon extract. |
| 13444 | | 0.00 | | | | 48.70 | Terpeneless lemon extract; branded terpeneless |
| | | | | 1 | | | lemon; misbranded; sale illegal. |
| 13482 | 5.40 | 5.60 | 75.6 | | | | Lemon extract. |
| 13460 | 0.00 | 0.00 | | | | | Terpeneless extract lemon; misbranded; sale illegal. |
| 13469 | 5.00 | 5.10 | 75.6 | 1.4756 | | 87.80 | Lemon extract. |
| 13450 | 6.20 | 6.40 | 75.6 | 1.4756 | | 87.50 | do. |
| 13477 | 0.00 | 0.00 | | | | | Imitation lemon extract. |
| 1413 | 6.40 | 6.50 | 76.0 | 1.4759 | 0.84237 | 81.05 | Lemon extract. |
| | | | | i | | | |
| 1392 | 6.80 | 6.80 | 74.7 | 1.4753 | | | do. |
| 1413 | 9 4.30 | 0 4.40 | 76.0 | | | | Lemon extract, below standard; adulterated; misbranded; sale illegal. |
| 1347 | 5 4.4 | | | | i | | |
| 1347 | 3.8 | 0 4.00 | 0 75.6 | 1.4756 | | 75.57 | do. |
| 1348 | 5 4.4 | 0 4.40 | 0 75.0 | 1.4756 | | 80.00 | do. |
| 1344 | 8 4.4 | 0 4.4 | 0 75. | 1.4756 | 3 | - 78.60 |) do. |
| 1346 | 3 | 5.5 | 0 75. | 6 1.4756 | 3 | 85.00 | Lemon extract. |
| 1344 | 9 5.9 | 6.0 | 0 75. | | 5 | | 6 Lemon extract; misbranded; is branded lemon when it is an extract; sale illegal. |
| 1345 | | | | | | | 3 Lemon extract. |
| 1347 | i i | | | 6 - 1.475 | 6 | . 88.4 | 2 do. |
| 1413 | 2.7 | 0 2.5 | 0' 76. | 0 1.4759 | 9 0.8817 | 2 70.6 | 6 Lemon extract, below standard; misbranded; sale |
| 1347 | 9 0.0 | 0.0 | 0 | - | - | 49.1 | illegal. Terpeneless lemon extract; adulterated; misbranded; |
| 1413 | 3.9 | 90 4.0 | 00 76. | 0 1.475 | 9 0.8642 | 75.7 | sale illegal. 9 Lemon extract, below standard; adulterated; misbranded; sale illegal. |
| 1347 | 74 2.0 | 00 2.0 | 0 75. | 6 1.475 | 6 | 74 3 | |
| 134 | | | | | 6 | | |
| 101 | | 0.0 | ,5 10. | 1.310 | 7 | | |
| 1348 1349 | | 1 | | | 6 | | |
| 101 | | | | | | | |

RESULTS OF THE EXAMINATION OF LEMON EXTRACTS

| Laboratory Number, | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. | | |
|-----------------------|---|--|---|--|--|
| 13491 Le | emon Extract, Best by Test | t Sampson Medicine Co., Winston- Salem, N. C. | W. W. Thomas, Mount Airy | | |
| | emon Extract, Hart's Pure, Excellence. | Sanford, Chamberlain & Albers Co., Winston-Salem, N. C. | S. A. DeHart & Co., Bryson City. | | |
| | emon Extract, Scott's Pure Flavoring, | Scott, John M., & Co., Charlotte, N. C. | J. L. Clement, Mocksville | | |
| | | Sharpe & Dohme, Baltimore, Md | A. V. Baucom Pharmacy, Apex. | | |
| | emon Flavor, Artificially Colored. | Smith, Dr. T. C., Asheville, N. C., | J. H. Dorsey, Bryson City | | |
| 13922 Sp | artan Brand | Southern Chemical Co., Petersburg, Va. | Hardy Hill, Kinston | | |
| | mon Extract, Harmless Colored. | Surry Drug Co., Elkin, N. C | Elk Grocery Co., Elkin | | |
| | mon Extract, Pure, Votan Brand. | Reily-Taylor Co., New Orleans, La. | Carroll Grocery Co., Wilson | | |
| | mon Extract, R. C. C. Brand. | Retailers' Coöperative Corporation, Salem, Va. | E. M. Towns, Reidsville | | |
| | mon Extract, Sanders' Cream of Fruit. | Royal Remedy and Extract Co., Dayton, Ohio. | The Atkinson Co., Elkin | | |
| | | do | W. A. Whitaker, Apex | | |
| 13483 Le | | Vaughn-Crutchfield Co., Winston-Salem, N. C. | | | |
| 13441 | do | do | Finch Bros., Lexington | | |
| 13455 | do | do | D. McNair, Hamlet | | |
| 13464 | _do | do | I. Pearce & Co., Henderson | | |
| 13471 | _do | do | J. G. Williams, Chapel Hill | | |
| 13453 Le | mon Extract, Watkins' | Watkins, J. R., Medical Co., Winona, Minn. | J. F. Powers & Son, Fayette- ville. | | |
| 13465 Le | mon Extract, Eagle | Webb Mfg. Co., Nashville, Tenn | J. D. Kelly, Durham | | |
| 13927 Le | mon Extract, Eagle Brand- | do | M. A. McSwain & Son, Shelby | | |
| 13494 Le | mon Extract, Pilot Brand | Winston Drug Co., Winston-Salem, N. C. | The Atkinson Co., Elkin | | |
| | | do | Salem. | | |
| 13484 | do | do | Bodenheimer Bros., Waughtown. | | |
| | mon Extract, Pure, 20th Century. | Terry-Taylor Drug Co., Norfolk, Va. | Miller Grocery Co., North Wilkesboro. | | |
| 13468 Le | mon Extract | Thomas Drug Co., West Durham, N. C. | Thomas Drug Co., West Durham. | | |

MAPLE SIRUP AND MAPLE SIRUP SUBSTITUTES.

DEFINITIONS AND STANDARDS.

Sirup is the sound product made by purifying and evaporating the juice of a sugar-producing plant without removing any of the sugar.

Maple sirup is sirup made by the evaporation of maple sap or by the solution of maple concrete, and contains not more than 32 per cent of water and not less than 0.45 per cent of maple sirup ash.

AND LEMON EXTRACT SUBSTITUTES—Continued.

| Laboratory Number. | Oil of Lemon by Precipita- tion—Per Cent by Volume. | Oil of Lemon by Polariza- tion—Per Cent by Volume. | Reading Refractometer on Oil, 15.5° C. | Refractive Index of Oil. Specific Gravity, 15.6° C. | Alcohol (by Volume)— Per Cent. | Remarks and Conclusions. |
|-----------------------|--|---|--|--|--------------------------------------|--|
| 13491 | 3.60 | 3.40 | 75.6 | 1.4756 | 76.70 | Lemon extract, below standard; adulterated; misbranded; sale illegal. |
| 14128 | 6.20 | 6.10 | 76.0 | 1.1759. 0.8182 | 1 88.36 | Lemon extract. |
| 14134 | 5.50 | 5.60 | 76.0 | 1.4759 0.8473 | 6 80.32 | do. |
| 13467 | 4.60 | 4.70 | 75.6 | 1.4756 | 84.41 | Lemon extract, slightly below standard; adulterated; sale illegal. |
| 14127 | 5.20 | 5.30 | 76.0 | 1,4759 0.8206 | 0 88.65 | Lemon extract. |
| 13922 | 5.80 | 6.00 | 74.7 | 1.4753 | | do. |
| 13493 | 3.40 | 3.50 | 75.6 | 1.4756 | 89.85 | Lemon extract, below standard; adulterated; misbranded; sale illegal. |
| 13457 | 5.60 | 5.30 | 75.6 | 1.4756 | 86.56 | Lemon extract. |
| 14129 | 5.40 | 5.60 | 76.0 | 1.4759 0.8198 | 88.65 | do. |
| 13497 | 5.90 | 5.90 | 75.6 | 1.4756 | 79.52 | do. |
| 13466 | 5.20 | 5.50 | 75.6 | 1.4756 | 82.22 | do. |
| 13483 | | | | 1.4756 | | Lemon extract, below standard; adulterated; misbranded; sale illegal. |
| 1344 | | | | 1.4756 | | |
| 1345 | | 5 | | 1.4756 | 86.40 | Lemon extract. Lemon extract, slightly below standard; adulterated; |
| 1346 | 4 4.60 | 4.70 | 75.6 | 1.4190 | 02.92 | sale illegal. |
| 1347 | 1 4.40 | 4.40 | 75.6 | 1.4756 | 82.63 | Lemon extract, below standard; adulterated; mis- branded; sale illegal. |
| 1345 | 5.00 | 5.30 | 75.6 | 1.4756 | 85.63 | Lemon extract. |
| 1346 | 5 5.40 | 5.50 | 75.6 | 1.4756 | 81.77 | do. |
| 1392 | | | | 1.4753 | | do. |
| 1349 | 4 6.20 | | 75.6 | 1.4756 | 74.35 | do. |
| 1348 | 7 3.40 | 3.30 | 75.6 | 1.4756 | 74.30 | Lemon extract, below standard; adulterated; misbranded; sale illegal. |
| 1348 | 4 4.00 |) | 75.6 | 1.4756 | 73.6 | |
| 1349 | 8 0.00 | 0.0 | 0 | | 45.7 | J Imitation lemon extract; adulterated; misbranded; sale illegal. |
| 1346 | 8 1.80 | 1.6 | 0 75.6 | 1.4756 | 69.3 | Lemon extract, much below standard; adulterate a misbranded; sale illegal. |

The principal adulteration found in maple sirup is the addition of refiner's sugar sirup, the maple sirup present being depended on to flavor the whole, though the maple flavor is often reinforced by the addition of an extract of bark or an imitation flavor. Before the food laws were enforced maple sirups were adulterated with glucose sirup and the imitation flavor; but as maple sirup consists largely of sucrose or ordinary sugar, the presence of added cane sugar is more difficult to detect than the presence of glucose sirup. However, the addition of cane sugar

sirup can be detected by the determination of minor constituents which occur in maple products only.

The manufacturers of these products often use labels that, while not in open violation of the law, are easily misleading to the unsuspecting

RESULTS OF THE EXAMINATION OF MAPLE

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|---------------------------------|---|---|
| 13423 | Sirup, Table, Cane and Maple, Standard. | Sirup, Table | The American Preserve Co., Philadelphia, Pa. | M. S. Jeffress, Greensboro |
| 13417 | Sirup, Maple, Pure Food, Sunbeam. | Sirup, Maple Sap. | Austin-Nichols Co., New York, N. Y. | C. B. Keech & Co., Tarboro |
| | Sirup, Cane, Maple Flavor, Hudson. | Sirup, Com- pound, Table. | do | Perry Grocery Co., Durham |
| 13405 | Sirup, Maple Sap, Pure, Sunbeam. | Sirup, Maple | do | Pickett Bros., Lexington |
| 12258 | Sirup, Maple Sap, Pride of Ohio. | Sirup, Maple Sap. | C. A. Crane, Warren, Ohio | J. M. Tisdale, Burlington |
| 13426 | Sirup, Cane and Maple Sugar, Vermont. | Sirup | Crystal Conserve Co., New York, N. Y. | C. A. Jones, Winston-Salem |
| 13407 | Sirup, Maple Sap, Blue Label. | Sirup, Maple | Curtice Bros. & Co., Rochester, N. Y. | Peedin & Peterson, Smith- field. |
| 13428 | Sirup, Table, Cane and Maple, Hirsch's. | | Hirsch Bros. & Co., Louisville, Ky. | Carper Grocery Co., Green- ville. |
| 13416 | | | | R. C. Brown, Tarboro |
| 13425 | Sirup, Cane and Maple, Wayne County. | Sirup, Cane and Maple. | The Horton-Cato Mfg. Co., Detroit, Mich. | W. T. Sockwell, Greensboro |
| 13419 | Sirup, Table, Our Pride, Colored. | | Gast-Crofts Co., Louisville, Ky. | Sizemore Bros., Oxford |
| 13412 | Sirup, Nabob Pancake. | Sirup | Francis H. Leggett & Co., New York, N. Y. | Lackey Bros., Hamlet |
| 13413 | Sirup, Maple, Pure Sap, Premier. | Sirup, Maple. | | J. H. Monger, Sanford |
| 13409 | | do | C. M. Tice & Co., Boston, Mass. | W. J. Byrd, Fayetteville |
| 12715 | Sirup, Pure Cane and Maple Sugar, Towles Log Cabin. | | The Towles Maple Product Co., St. Johnsbury, Vt. | Spencer & Co., Kinston |
| | Sirup, Pure Cane and Maple, Towles' Log Cabin. | pound. | | |
| 13424 | Sirup, Cane and Maple, Towles' Red Mill | | 1 | A. & P. Tea Co., Greensboro- |
| 13422 | Sirup, Maple, Our Pride Brand. | Sirup, Maple. | 1 | E. M. Townes, Reidsville |
| | Sirup, Scudder's Pure Cane and Pure Maple. | Ť | Ill. | F. E. Barnes, Goldsboro |
| 13410 | Sirup, Scudder's Pure Cane and Maple. | do | | A. S. Melvin, Fayetteville |
| 13411 | Sirup, Pure Maple Sap, Bunny Brand. | Sirup, Maple. | do | M. A. Bethune, Fayetteville |

consumer. Products thus labeled are regarded by the Department as misbranded, for if any purchaser is misled thereby its sale is illegal. A label must tell the truth, the whole truth, and nothing but the truth. See the results below.

SIRUPS AND COMPOUND MAPLE SIRUPS.

| Laboratory Number. Total Solids— Per Cent. Total Ash— Per Cent. Per Cent. Soluble Ash— Per Cent. | Polarization, Direct, 20° C. V. Polarization, Invert, 20° C. V. V. Sucrose (Clerget), | Glucose, Per Ct. (Teach's) Formula. Lead Number. Alk. of Sol. Ash, $CC_{\overline{10}}$ HCl. | Mater Benarks and Conclusions. |
|---|---|--|---|
| 13423 67.90 .14 .05 .09 | 57.00 —22.00 59.5 | 0 0.00 .09 19.40 | 32.10 Cane sirup, containing maple sirup; should be labeled cane sirup, maple flavor. |
| 13417 67.00 .55 .24 .31 | +58.00 -20.90 59.4 | 0 0.00 1.36 39.40 | 33.00 Maple sirup. |
| 13421 68.30 .06 .02 .04 | +65.00 -22.00 65.5 | 0 0.00 .34 9.50 | 31.70 Cane sirup, containing maple sirup. |
| 13405 66.10 .58 .23 .35 | 60.00 -22.00 61.8 | 0 0.00 1.44 | 33.90 Maple sirup. |
| 12258 67.70 .53 .21 .32 | 13.00 -20.00 24.8 | 0 0.00 1.19 36.60 | 32.30 Maple sirup; amount of sucrose |
| 13426 66.10 .18 .07 .11 | 55.00 —20.90 57.2 | 0 0.00 .65 19.90 | small. 33.90 Cane and maple sirup. |
| 13407 68.60 .55 .17 .38 | 60.00 —22.00 61.8 | 0.00 1.27 | 31.40 Maple sirup. |
| 13428 70.20 .58 .20 .38 | 50.00 -20.90 53.4 | 0 0.00 .58 32.40 | 29.80 Cane and maple sirup. |
| 13416 69.00 .53 .10 .40 | 54.09 -20.90 56.4 | 0 0.00 .65 28.50 | 31.00 do. |
| | | | |
| 13425 66.40 .12 .07 .05 | 62.00 -20.90 62.5 | 0 0.00 .39 9.90 | 33.60 Cane sirup, containing maple sirup. |
| 13419 67.60 .37 .05 .32 | 47.00 -20.90 51.2 | 0 0.00 .65 32.90 | 32.40 Cane and maple sirup. |
| 13412 66.40 .21 .05 .16 | 46.00 -22.00 51.3 | 0 0.00 .18 | 33.60 do. |
| 13413 67.20 .60 .25 .35 | 61.00 -22.00 62.6 | 0 0.00 1.32 | 32.80 Maple sirup. |
| 13409 67.00 .48 .19 .29 | 56.00 -22.00 58.8 | 0 0.00 1.20 | 33.00 do. |
| 12715 66.40 .11 .04 .07 | 57.60 -20.90 59.3 | 0.00 .17 15.70 | 33.60 Cane sirup, containing maple sirup. |
| 13408 67.40 .12 .04 .08 | 62.00 -22.00 63.3 | 0.00 .13 | 32.60 do. |
| 13424 66.40 .08 .02 .00 | 33.00 —22.00 41.4 | 0.00 .15 9.80 | 33.60 do. |
| 13422 60.90 .60 .05 .55 | 40.00 00.00 30. | 5.70 .60 40.20 | 39.10 Compound sirup, containing |
| 12706 68.70 .24 .11 .13 | 34.00 —22.00 42.5 | 20 0.00 .39 18.70 | maple sirup. 31.30 Cane sirup, containing maple |
| 13410 70.20 .18 .05 .13 | 8 58.00 —22.00 60. | 0.00 .27 | sirup. 29.80 Cane and maple sirup; cane |
| 13411 67.70 .60 .18 .43 | 2 58.00 -22.00 60.3 | 0.001.48 | sirup being much in excess. 32.30 Maple sirup. |
| | 4 (| | , , |

RESULTS OF THE EXAMINATION OF MAPLE

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|-----------------------|---|---|
| 13418 | Sirup, Pure Maple Sap, Crane's Twin Stars. | | Seudder-Crane Co., Warren, Ohio. | Cannady & Alston, Oxford |
| 13427 | Sirup, Maple Sap, Scudder's Canada. | do | Scudder's Sirup Co., Chicago | J. A. Hauchins & Co., Winston-Salem. |
| 13420 | Sirup, Maple, Ferndell Brand. | do | Sprague-Warner Co., Chicago | , Patterson Bros. & Co., Dur- ham. |
| 13414 | Sirup, Maple Sap, Green Mountain Boy. | | Welch Bros Maple Sirup Co. Burlington, Vt. | , Barnes-Graves Grocery Co., Wilson. |
| 13415 | | Sirup, Break- | R. C. Williams & Co., New | F. Y. Arrington, Rocky Mount. |
| 13406 | Sirup, Genuine Maple Sap, Royal Searlet Brand. | Sirup, Maple. | do | L. E. Monroe & Son, Laurin- burg. |

MILK AND CREAM.

DEFINITIONS AND STANDARDS.

Milk is the fresh, clean, lacteal secretion obtained by the complete milking of one or more healthy cows properly fed and kept, excluding that obtained within fifteen days before and ten days after calving, and contains not less than eight and one-half (8.5) per cent of solids not fat, and not less than three and one-quarter (3.25) per cent of milk fat.

Blended milk is milk modified in its composition so as to have a definite and stated percentage of one or more of its constituents.

Skim-milk is milk from which a part or all of the cream has been removed, and contains not less than nine and one-quarter (9.25) per cent of milk solids.

Cream is that portion of milk, rich in milk fat, which rises to the surface of milk on standing, or is separated from it by centrifugal force, is fresh and clean, and contains not less than eighteen (18) per cent of milk fat.

RESULTS OF THE EXAMINA

| Material and Brand from Label. | | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|--------------------------------|------|--|---|
| 13637 | Milk | Adams, Judge S. B., Greensboro, N. C. | Greensboro Drug Co., Greensboro. |
| 13161 | do | | James A. Anderson, Watha |
| 13760 | do | Arnold Bros., New Bern, N. C. | Busy Bee Café, New Bern |
| 13757 | do | do | F. S. Duffy, New Bern. |

SIRUPS AND COMPOUND MAPLE SIRUPS—Continued.

| Laboratory Number. Total Solids— Per Cent. Insoluble Ash— Per Cent. Esoluble Ash— Per Cent. | Polarization, Invert, 20° C. °V. Polarization, Invert, 20° C. °V. | Sucrose (Circle), Per Cent. Glucose, Per Ct. (Glucose, Per Ct. (Glucose), Per Ct. (Ecard is) Permula. Lead Number. Alk. of Sol. Ash, $CC \frac{1}{10} HCI$. | Water Conclusions Remarks and Conclusions. |
|--|--|--|--|
| 13418 65.90 .59 .21 .38 | 49.00 -20.90 | 52.60 0.001.53 47.80 | 34.10 Maple sirup. |
| 13427 63.00 .45 .16 .29 | 52.00 -20.90 | 54.90 0.001.29 42.00 | 37.00 do. |
| 13420 66.10 .49 .13 .36 | 58.00 -22.00 | 0.60.30 0.001.10 38.60 | 33.90 do. |
| 13414 67.60 .50 .21 .29 | 59.00 -22.00 | 0 61.00 0.00 1.21 | 32.40 do. |
| 13415 67.00 .13 .03 .10 | 64.0022.00 | 0 64.40 0.00 .29 9.60 | 33.00 Cane sirup, containing maple sirup. |
| 13406 67.40 .49 .14 .35 | 58.00 -22.00 | 0 60.30 0.00 1.24 | 32.60 Maple sirup. |
| | | | |

Under the head of milk and cream 103 samples of milk and 7 samples of cream have been examined. Of the 103 samples of milk, 25 were below standard, and of the 7 samples of cream 1 was slightly below standard.

The Food Law provides that a food product shall be deemed to be adulterated—

If any substance has been mixed or packed with it so as to reduce or lower or injuriously affect its quality or strength;

If its strength or purity falls below the standards that have been adopted by the Board of Agriculture.

The results of the examination indicate that water had been added to the milk, which reduced and lowered its quality or strength. The addition of water to milk makes the sale of same illegal, and the fact that 25 of the samples examined were below standard made their sale illegal.

See results in table below.

TION OF MILK AND CREAM

| TION | OF | WII | LIX A | ND CD | EAM. | | |
|-------|-------------------------|----------------|---|---------------------------|-------|--------------------------|--|
| 9 8 | at, Butter— er Cent. | Solids—Per Ct. | eading efractometer n Fat, 40° C. | efractive adex of Fat. | | Remarks and Conclusions. | |
| | ± C4 | Ŋ | MM OF | M ,2 | | | |
| 13637 | 3.60 | 12.90 | 44.2 | 1.4553 N | lilk. | | |
| 13161 | 5.20 | 13.60 | 45.0 | 1.4558 | do. | | |
| | | 10.60 | | 1.4553 | do. | | |
| | | 12.90 | | 1.4553 | do. | | |

RESULTS OF THE EXAMINA

| Laboratory Number. | Iaterial and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--------------------------------------|--------------------------|---|---|
| 13753 | | Milk | Arthur, S. A., Morehead City, N. C | |
| 13754 | | do | do | head City. |
| 12752 | | do | Baker, J. R., Morehead City, N. C | Chalk's Pharmaey, Morehead City. |
| 13578 13782 | | do | Battley, T. E., Hamlet, N. C. | W. G. Baptist, Wendell |
| 13781 | | do | do | Hamlet Pharmacy, Hamlet |
| 13783 | | do | do | Athens Café, Hamlet |
| | | | Beatty, T. J., Mount Holly, N. C | |
| | | | Bell, A. L., Goldsboro, N. C | |
| | | | Belmont Dairy, Greensboro, N. C | |
| | | | Bernhardt, G. M., Salisbury, N. C | |
| | | | Berryhill, J. O., Charlotte, N. C | |
| | | | do | |
| 13805 | | do | do | Brown's Café, Charlotte |
| | | | do | Charlotte. |
| 13802 | | do | do | Moody's Drug Store, Charlotte |
| 13763 | | Cream | Biltmore Farms, Biltmore, N. C | |
| 13728 Bi | | Milk | Biltmore Creamery, Asheville, N. C. | New Bern. Teague & Ashe, Asheville |
| | Dairy Milk. | do | Blanton, W. H., Shelby, N. C. | Sloop Drug Co. Shelby |
| 12961 | | do | | Mrs. Luev G. Boyd. Reidsville |
| 13998 | | do | | Brame Drug Co., North Wilkesboro. |
| 13761 | | do | Bray, F. L. | Clark's Cigar Store, New Bern |
| 13767 | | do | Brown, W. A., Rocky Mount, N. C | Woodall & Shepherd, Wilmington. |
| 13827 | | do | Burrage's Dairy, Concord, N. C | Piedmont Café, Concord |
| | | | do | |
| | | | Byerly's Dairy | Salem. |
| | | | Clauda, W. F., & Sons, Greensboro, N. C. | Globe Café, Greensboro |
| 13792 | | do | Cloverdale Dairy, Monroe, N. C | N. D. Saleeby, Monroe |
| 13602 | | do | | John W. Covington, Rockingham. |
| 13768 | | ao de | Croft, E. C., Wilmington, N. C | Warran Candy Co. Wilmington |
| | | | Croft, E. C., Wilmington, N. C. | |
| | | | Davis, R. S. & H. W., Charlotte, N.C. | |
| | | | | |
| 13604 | | Milk | Edwards, Mrs. D. M., Raleigh, N. C. | New York Quick Lunch, Raleigh. |
| 13789 | | do | Ferndon Dairy, Wadesboro, N. C | Parson's Drug Co., Wadesboro |
| | | | do | boro |
| | | | do | Pee Dee Pharmacy, Wadesboro |
| 13811 | | do | Gastonia Dairy, Gastonia, N. C | Kennedy's Drug Store, Gastonia. |
| | | | do | |
| 13823 | | do | Clarge Dairy France Wilesiante | Gibson Drug Co., Concord |
| 19109 | | | Glenwood Dairy Farm, Wilmington, N. C. | ton. |
| | | | | |

TION OF MILK AND CREAM—Continued.

| - | | | | |
|-----------------------|---------------------------|---------------|--|--|
| Laboratory Number. | Fat, Butter— Per Cent. | Solids. | Reading Refractometer on Fat, 40° C. | Refractive of Fat. Remarks and Conclusions. |
| 13753 | 4.80 | 14.50 | 44.2 | 1.4553 Milk. |
| 13754 | 3.50 | 12.10 | 44.2 | 1.4553 do. |
| 13752 | 4.00 | 12.10 | 44.2 | 1.4553 do. |
| 10102 | 1.00 | 12100 | | 11200 |
| 13578 | 4.74 | 12.48 | | do. |
| 13782 | 1.60 | 10.60 | 44.2 | 1.4553 Milk, below standard; adulterated; sale illegal. |
| 13781 | 4.20 | 13.20 | | 1.4553 Milk. |
| 13783 | 3.40 | 12.10 | | 1,4553 do. |
| 13784 | 4.40 | | | 1.4553 do. |
| 13806 | 4.40 | | | 1.4553 do. 1.4553 do. |
| 13743 13635 | $\frac{4.40}{3.40}$ | 14.10 11.60 | | 1.4553 do. |
| 13673 | | 24.80 | | |
| 13809 | | 12.50 | | 1.4553 Milk. |
| 13803 | 4.20 | 12.60 | | 1.4553 do. |
| 13805 | 3.80 | 12.50 | | 1.4553 do. |
| 13798 | 4.00 | 13.00 | 44.2 | 1.4553 do. |
| 13802 | 5.00 | 13.60 | 44.2 | 1.4553 do. |
| 13763 | 26.30 | 31.40 | | 1.4553 Cream. |
| 2 | | | | |
| 13728 | 5.00 | 14.30 | 44.2 | 1.4553 Milk. |
| 13818 | 2.00 | 10.90 | 44.2 | 1.4553 Milk, below standard; adulterated; sale illegal. |
| 12961 | 5.60 | 14.40 | 50.0 | 1.4593 Milk. |
| 13998 | 4.30 | 13.20 | | do. |
| | | | | 1 4570 |
| 13761 | | | | |
| 13767 | | | | |
| 13827 13825 | | | | 1.4553 do. |
| 14006 | | 9.30 | | Milk, below standard; adulterated; sale illegal. |
| 11000 | 1.20 | | | , |
| 13639 | 2.00 | 11.10 | 44.2 | 1.4553 do. |
| 13792 | 7.40 | 15.10 | 44.2 | 1.4553 Milk. |
| 13602 | | | | |
| 14148 | | 15.07 | | |
| 13768 | | 12.60 | 1 | |
| 13770 | | 13.70 | | |
| 13808 | | 21.50 | | The state of the s |
| 13777 | 24.90 | 31.50 | 0 44.2 | 1.4553 Cream. |
| 13604 | | | | |
| 13789 | | 12.9 | | |
| 13790 | 5.00 | 14.1 | 0 44.2 | 1.4553 do. |
| 13791 | 3.40 | 12.7 | 0 44.2 | 2 1.4553 do. |
| 13811 | | 12.9 | | |
| 13814 | | 13.2 | | |
| 13823 | | | | |
| 13769 | | 11.3 | 0 44.2 | 2 1.4553 Milk, below standard; adulterated; sale illegal. |
| | 1. | 1 | | · |

RESULTS OF THE EXAMINA

| Laboratory Number | Material and Brand from Label. | | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|----------------------|--------------------------------------|--------|---|---|
| 13766 | | Milk | Glenwood Dairy Farm, Wilmington, | Olympic Café, Wilmington |
| | | | Hahn, J. W., Charlotte, N. C | |
| 13747 14004 | | do | Hadley, R. F., LaGrange, N. C. | Floyd Barwick, LaGrange |
| 13608 | | do | Harden, John W., Raleigh, N. C. | Giersch's Café, Raleigh |
| | | | Helms, Charles, Monroe, N. C | |
| | | | do | |
| 13636 | | do | Johnson, Burt, Greensboro, N. C | Greensboro Café, Greensboro |
| | | | Jones' Dairy, Winston-Salem, N. C | |
| 13765 | | do | Kidd, H. L., Wilmington, N. C | J. Hicks Bunting, Wilmington |
| | | | do | |
| 13786 | | do | Leach, Clarence, Laurinburg, N. C | |
| | | | do | |
| 13815 | | do | Leonard, J. A., Lincolnton, N. C | J. A. Leonard, Lincolnton |
| 13787 | | do | Maplewood Dairy, Rockingham, N.C. | Fox's Drug Store, Rockingham |
| 13788 | | do | do | Biggs Drug Co., Rockingham |
| 13774 | | do | Martindale, O., Wilmington, N. C | South Side Confectionery, Wilmington. |
| 13692 | | do | McComb's, D., Dairy, Hickory, N.C. | Moser & Lutz, Hickory |
| | | | Morgan, J. L., Marion, N. C | |
| | | | | |
| | | Human. | | |
| | | | Nowell, Mrs. J. R., Reidsville, N. C | |
| | | | Oak Cross Dairy, Maxton, N. C | |
| | | | do | |
| | | | do | |
| 14001 | | do | Owens Drug Co., Winston-Salem, N. C. | Owens Drug Co., Winston-Salem. |
| | | | Page Drug Co., Lumberton, N. C | |
| | | | Park, Lee, Dairy, Monroe, N. C. | |
| | | | Pate, Will, New Bern, N. C. | |
| | | | Patterson, Lewis, Concord, N. C | |
| | | | • | Salem. |
| | | | Pembroke Dairy, New Bern, N. C | |
| | | | | Peoples Drug Co., Elkin |
| | | | | |
| | | | Red Crest Farm, Elmwood, N. C | High Point Candy Co., High Point. |
| 13603 . | | Milk | | Royal Café and Lunch Room, |
| | | | | Raleigh. |
| | | | • | Morris' Café, Gastonia |
| | | | | Adams Drug Co., Gastonia |
| | | | | Beaufort Drug Co., Beaufort |
| | | | | Sappenfield's Drug Store, Con- cord. |
| | | | | Bland Lunch Room, Raleigh |
| | | | Sasser, A. L., Goldsboro, N. C | |
| | | | | Cook Drug Co., Goldsboro |
| 13826 | | do | Seott's Dairy, Concord, N. C | Marsh Drug Co., Concord |

TION OF MILK AND CREAM—Continued.

| Laboratory Number. | Fat, Butter— Per Cent. | Solids. | Refractometer on Fat, 40° C. | Refractive Index of Fat. | Remarks and Conclusions. |
|----------------------------------|---------------------------|---|---------------------------------|-----------------------------|--|
| 13766 | 3.60 | 12.40 | 44.2 | 1.4553 2 | Milk. |
| 13804 1 14007 | | | 45.0 | 1.4559 | |
| 13747 14004 13608 | 1.80 | 13.60 10.80 15.40 | | 1.4553 1.4553 | do. Milk, below standard; adulterated; sale illegal. Milk. |
| 13794 13796 13636 | $\frac{2.00}{3.00}$ | $\frac{10.50}{13.20}$ | $\frac{44.2}{44.2}$ | 1.4553 1.4553 | Milk, slightly below standard. Milk, below standard; adulterated; sale illegal. Milk, below standard in milk fat; adulterated; sale illegal. |
| 13999 13765 13772 | 2.00 | 10.40 12.20 | 44.2 | 1.4553 1.4553 | Milk, below standard; adulterated; sale illegal. |
| 13786 13785 13815 | 3.60 | 11.60 11.90 14.10 | 44.2 | 1.4553 1.4553 1.4553 | do. do. do. |
| 13787 13788 13774 | $\frac{3.00}{3.00}$ | 11.60 11.90 11.70 | $\frac{44.2}{44.2}$ | 1.4553 1.4553 1.4553 | Milk, below standard; adulterated; sale illegal. do. do. |
| 13692 13717 14241 | 2.50 | 13.20 11.80 10.69 | 44.2 | 1.4559 1.4553 | Milk. Milk, below standard in milk fat; adulterated; sale illegal. Milk, low in fat and total solid matter. |
| 13995 13780 | 4.40 | 10.70 13.30 14.40 | 44.2 | 1.4553 1.4553 | |
| 13779 13778 14001 | 4.40 | 13.70 | 44.2 | | do. |
| 13775 13795 13759 | $\frac{5.80}{4.60}$ | 13.90 14.30 13.20 | 44.2 44.2 | 1.4553 1.4553 | do. do. |
| 13828 14002 13758 | 4.50 | | | 1.4553 | |
| 13997 13641 13666 | $\frac{1.50}{6.00}$ | | 52.5 | 1.4610 | |
| 13603 | | 13.80 | | | 3 Milk. |
| 13812 13813 13755 13824 | 5.80 3.40 | $egin{array}{cccc} 0 & 14.86 \ 0 & 15.46 \ 0 & 11.86 \ 0 & 12.56 \ \end{array}$ | $0 	 44.2 \\ 0 	 44.2$ | 1.455 | 3 do. 3 do. |
| 13606 13921 | 4.4 | 0 13.1 $0 13.1$ $0 12.9$ | 0 44.2 | 1.455 | do. |
| 13742 13826 | 4.8 | 0 12.9 | | 1.455 | |

RESULTS OF THE EXAMINA

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|--------------------------|--|---|
| 14000 | | Milk | | Shaffner & Landquest, Winston-Salem. |
| | | | Smith, W. W., Raleigh, N. C Spencer, Dairyman, Wilmington, N.C. | White's Café, Raleigh |
| | | | Stevenson, J. H., New Bern, N. C | |
| 13764 | | Cream | do | do |
| 14005 | | Milk | | The Sweet Shop, Winston-Salem. |
| 13669 | | do | Thackey Dairy, High Point, N. C | New York Café, High Point |
| | | | Thompson, J. A., Greensboro, N. C | |
| | | | Tucker, Mrs. R. H., Reidsville, N.C. | |
| | | | Tull, George W., Kinston, N. C. | |
| | | | do | |
| | | | | |
| 13605 | | do | Walters, B. N., Raleigh, N. C. | Wright's Café, Raleigh |
| | | | Warren, A. G., Ice-cream Co., Wil- mington, N. C. | Neely Café, Wilmington |
| 13713 | | Cream | White Pine Creamery, Asheville, N.C. | Allison's Drug Store, Asheville |
| | | | do | |
| | | | do | |
| | | | Williams, P. H., Dairy, Charlotte, N. C. | |
| 13776 | | do | Woodlawn Dairy, Lumberton, N. C | MeMillan's Pharmacy, Lumberton. |

TION OF MILK AND CREAM—Continued.

| Laboratory Number. | Fat, Butter— Per Cent. | Solids. | Reading Refractometer on Fat, 40° C. | Refractive Index of Fat. | Remarks and Conclusions. |
|-------------------------|---------------------------|-------------------------|--|-----------------------------|--|
| 14000 | 2.90 | 11.50 | | - | Milk, below standard; adulterated; sale illegal. |
| 13607 13773 13762 | 4.40 5.40 5.60 | 12.70 14.10 14.50 | 44.2 | 1.4553 1.4553 1.4553 | |
| 13764 | 27.40 | 33.00 | | | Cream. |
| 14005 | 2.80 | 11.50 | | | Milk, below standard; adulterated; sale illegal. |
| 13669 | 6.20 | 14.90 | | 1.4553 | |
| 13638 | 4.20 | 10.90 | | 1.4553 | Milk, below standard in total solids; adulterated; sale illegal. |
| 13996 | 3.60 | 12.60 | | | Milk, |
| 13750 | | 14.00 | | 1.4553 | do. |
| 13751 | 4.00 | 13.00 | | 1.4553 | do. |
| 14003 | 3.60 | 12.30 | | | do. |
| 13605 | 3.40 | 10.40 | 44.2 | 1 4559 | Milk, below standard; adulterated; sale illegal. |
| 13771 | | 14.30 | | 1.4553 | |
| 13111 | 5.40 | 14.00 | 44.2 | 1.4000 | MIK. |
| 13713 | 30.70 | 36.80 | 45.0 | 1.4559 | Cream. |
| 13726 | 2.70 | 10.60 | 44.2 | 1.4553 | Milk, below standard; adulterated; sale illegal. |
| 13727 | 2.20 | 10.90 | 44.2 | 1.4553 | do. |
| 13807 | 3.80 | 12.00 | 44.2 | 1.4553 | Milk. |
| 13776 | 3.80 | 11.70 | 44.2 | 1.4553 | do. |

CONDENSED MILK.

DEFINITIONS AND STANDARDS.

Condensed milk, evaporated milk, is milk from which a considerable portion of water has been evaporated, and contains not less than 28 per cent of milk solids, of which not less than 27.5 per cent is milk fat.

Sweetened condensed milk is milk from which a considerable portion of water has been evaporated and to which sugar (sucrose) has been

RESULTS OF THE EXAMINATION

| > | | |
|-----------------------|---|--|
| Laboratory Number. | Material and Brand from Label. | Manufacturer or Wholesaler. |
| 14273 Colum | bian Brand, Evaporated Cream, Unsweetened | Borden's Condensed Milk Co., New York, N. Y. |
| 14263 Border | n's Columbian Evaporated Milk | |
| 14261 Border | n's Columbian Brand, Unsweetened | do |
| 14256 Border Milk | n's Peerless, Unsweetened, Sterilized Evaporated | do |
| - | orated Milk, Pilgrim Brand, Sterilized, Unsweetened. | |
| | | |
| | et Brand, Evaporated Milk, Unsweetened | land III |
| | | |
| | | |
| Milk | | phia, Pa, |
| 14246 Conde | ensed Milk, Gold Brand | do |
| | orated Milk, Gold Brand, Sterilized, Full Cream | |
| | orated Skimmed Milk, Sunrise Brand | |
| 14253do | · | dodo |
| 14254 Evapo | orated Milk, Full Cream, Sterilized, Gold Brand | do |
| Solic | a's Evaporated Milk, Contains not less than 23% and 7.80% Butter Fat. | Ind |
| 14267 Evapo | orated Milk, Libby's Unsweetened | Libby, MeNeill & Libby, Chicago, Ill |
| 14255 Evapo | orated Milk, Libby's Sterilized, Unsweetened | do |
| 14272 Evapo | orated Milk, Unsweetened, Gold Cross Brand | Mohawk Condensed Milk Co., Roches- |
| | | ter, N. Y. |
| 14274 Evapo | rated Milk, Sharpless Acorn Brand, Unsweetened | P. E. Sharpless Co., Philadelphia, Pa |
| 14276 Evapo | rated Milk, Van Camp's, Unsweetened | Van Camp Packing Co., Indianapolis, |
| | | Ind. |
| Steri | orated Milk, Van Camp's Unsweetened, Uncolored, ilized. | t . |
| 14266 Evapo | orated Milk, Van Camp's, Uncolored, Unsweetened | do |
| 14245 Evapo | orated Milk, Van Camp's, Sterilized, Uncolored, | do |
| 14247 Evapo | orated Milk, Van Camp's | do |
| 14257 Evapo | rated Milk, Unsweetened, Every Day Brand | John Wildi Evaporated Milk Co., Columbus, Ohio. |
| 14269do | | |
| 14260 Evapo | orated Milk, Every Day Brand, Unsweetened, | |
| 14262 Evapo | orated Milk, Royal Scarlet Brand | |

added, and contains not less than 28 per cent of milk solids, of which not less than 27.5 per cent is milk fat.

Condensed skim-milk is skim-milk from which a considerable portion of water has been evaporated.

Because of the condition of the standard, the results of the examination of 29 samples of unsweetened condensed milk, and condensed skimmilk are presented without comment in the table below.

These results can be used in comparing the quality or richness of brands represented.

OF CONDENSED MILK.

| | | | ند | |
|--|---------------------------|----------------------------|-------------------------------|-----------------------|
| Retail Dealer or Party Who Sent Sample for Analysis. | Fat, Butter, Per Cent. | Solid Matter, Per Cent. | Per Cent of Fat in Solids. | Protein— Per Cent. |
| 14273 O. H. Walker, Winston-Salem | 8.10 | 29.87 | 27.30 | 7.40 |
| | | | 00.40 | 0.44 |
| 14263 Eagle Groeery, Elizabeth City | 7.35 | 26.04 | 28.40 | 6.44 |
| 14261 T. J. Raynor, Elizabeth City | 6.90 | 25.83 | 26.70 | 6.44 7.53 |
| 14256 E. B. Hackburn, New Bern, N. C. | 7.50 | 28.37 | 26.10 | 1.00 |
| 14248 J. B. Sawyer, Morehead City | 7.20 | 25.37 | 28.50 | 5.87 |
| 14252 B. B. Davenport, New Pern | 6.90 | 25.44 | 27.10 | 6.25 |
| 1427 S. H. Youngblood, Charlotte. | 8.25 | 26.36 | 31.50 | 7.08 |
| 14277 S. 11. Tourigorood, Charlotte | 0.49 | 20.00 | | |
| 14268 J. H. Riley, Wilson | 7.80 | 26.12 | 30.10 | 6.64 |
| 14264 J. Broughton & Bros., Hertford | | 30.25 | 27.90 | 7.98 |
| 14258 Walter Credle Co., Washington | 6,45 | 26.06 | 25.00 | 7.08 |
| Ties water create con management | | | | |
| 14246 M. L. McRae, Maxton. | 7.05 | 25.89 | 27.30 | 6.64 |
| 14250 J. D. Phillips, Morehead City | 6.60 | 24.83 | 26.80 | 6.25 |
| 14251 J. B. Morton, Morehead City. | 0.00 | 20.45 | 00.00 | 7.20 |
| 14253 Lucas & Lewis, New Bern | 0.00 | 20.26 | 00.00 | 6.83 |
| 14254do | 6.75 | 25.81 | 26.40 | 6.51 |
| 14271 J. A. Isley & Bro. Co., Burlington | 7.50 | 25.18 | 29.90 | 6.38 |
| | | | | |
| 14267 Peedin & Peterson, Smithfield | 7.50 | 25.50 | 29.50 | 6.51 |
| 14255, H. C. Armstrong, New Bern | 6.60 | 26.11 | 25.30 | 6.83 |
| 14272 J. R. Chrisman & Bro., Greensboro | 7.35 | 25.31 | 29.10 | 6.44 |
| | | | 00.50 | 0.70 |
| 14274 D. H. Ray, Fayetteville | 7.20 | 25.07 | 28.70 | $\frac{6.70}{7.34}$ |
| 14276 Smith Groeery Co., Lexington | 6.75 | 27.03 | 25.20 | 1.04 |
| 14275 Lopp Bros., Lexington | 7.50 | 27.49 | 27.40 | 7.15 |
| ALGORALD ' & C. TH. (1 | 7.20 | 25.65 | 28.10 | 6.64 |
| 14266 Davis & Son, Plymouth | 7.05 | 26.81 | 26.30 | 6.76 |
| 14245 M. W. Pope, Mount Olive | 7.00 | 20.01 | 20.00 | 0110 |
| 14247 J. T. Pinkston & Son, Wadesboro | 7.80 | 27.32 | 28.50 | 6.51 |
| 14257 Joseph F. Taylor, Washington. | 7.05 | 26.33 | 26.80 | 7.10 |
| 11201 Oceph I. Iajiot, namagon | | | | |
| 14269 Shearin & Parham, Rocky Mount | 6.90 | 26.17 | 26.50 | 6.83 |
| 14260 W. H. Cartwight & Son, Elizabeth City | 7.50 | 26.73 | 28.60 | 6.64 |
| 11200 par con one one one one one of the | | | | |
| 14262 Eagle Grocery Co., Elizabeth City | 8.10 | 25.81 | 31.40 | 7.21 |

MISCELLANEOUS SAMPLES.

Samples, 20 in number, sent to the Department for analysis, being only a few of each kind, are grouped under the head of "Miscellaneous

RESULTS OF THE EXAMINATION

| Laboratory Number, | Material. | Manufacturer or Wholesaler. | | |
|-----------------------|-----------|---|--|--|
| | | | | |
| | | J. B. Allen, Henderson, N. C. | | |
| 12964 Sausage | Meat | I O De de Di't N O | | |
| | | J. C. Brantley, Raleigh, N. C. | | |
| | | Clotworthy Chemical Co., Baltimore, Md. | | |
| | | | | |
| | | R. B. Davis Co., Hoboken, N. J. | | |
| | | To be Davis Co., Hoddach, M. S. | | |
| | | Green River Distilling Co. | | |
| | | H. T. Hicks, Raleigh, N. C. | | |
| | | | | |
| 13057 Egg Flip | | King-Crowell Drug Co., Raleigh, N. C. | | |
| 13736 Blackb | erry Wine | | | |
| 14141 Fruit P | owders | Norman-Perry Drug Co., Winston-Salem, N. C. | | |
| 14140do | | dodo | | |
| 12963 Souse M | Ieat | , | | |
| 14142 Fruit Powder | | Vaughn-Crutchfield Co., Winston-Salem, N. C | | |
| | | The Wake Drug Store, Raleigh, N. C. | | |
| | | Wurzburger Ginger Ale Co., Portsmouth, Va | | |
| 13061do_ | | do | | |
| | | | | |

MOLASSES AND SIRUPS.

DEFINITIONS AND STANDARDS.

Sirup is the sound product made by purifying and evaporating the juice of a sugar-producing plant without removing any of the sugar.

Sugar-cane sirup is sirup made by the evaporation of the juice of the sugar-cane, or by the solution of sugar-cane concrete.

Sorghum sirup is sirup made by the evaporation of sorghum juice or by the solution of sorghum concrete.

Refiners' sirup is the residual liquid product obtained in the process of refining raw sugar.

Molasses is the product after separating the sugar from massecuite, melada, mush sugar, or concrete.

Molasses or sirup that is compounded or mixed with glucose or any other substance to cheapen or lower its quality must be labeled so as to plainly indicate what the product is. That is, a mixture of molasses and corn sirup, with the molasses in excess, would be properly labeled molasses and corn sirup. If the corn sirup is in excess, it should be labeled

Samples," and the conclusions drawn from the results of the analyses are published in the table below.

Remarks and Conclusions.

OF MISCELLANEOUS SAMPLES.

Retail Dealer or Party Who

| Laborator Number. | Sent Sample for Analysis. | Remarks and Conclusions. |
|----------------------|---|--|
| 13065 J | B. Allen, Henderson, R. F. D. | Meat, ham, in bad condition; sale illegal. |
| 12964 N | drs. I. J. Arden, Black Mountain | Meat, sausage, contained starch. |
| 13056 F | 3. F. Dixon, Raleigh | Egg flip, alcohol (by volume), $.65\%$. |
| 13687 3 | J. W. Nash, Hamlet | Extract of ginger; misbranded; sale illegal. |
| 12651 I | Or, L. A. Crowell, Lincolnton | Sugar, in which a little bluing was left in the manufacture. |
| 12802 C | C. P. Davis, Colerain | Common salt; little impurity. |
| 13950 J | John Lewis, Southern Pines | Baking powder, phosphate; low in carbon dioxide gas. |
| 12066 J | W. Draper, Caraway | Common salt, small amount of magnesium chloride. |
| 9818 I | P. W. Glidewell, Reidsville | Straight whiskey; properly aged. |
| 12534 I | H. T. Hicks, Raleigh | Capudine; alcohol (by volume), 6.60% . |
| 12890 | Γ. E. Hilliard, Middlesex | Common salt; no impurity. |
| 13057 | B. F. Dixon, Raleigh | Egg flip; alcohol (by volume), 1.72%. |
| 13736 | M. W. Nash, Hamlet | Intoxicating; sale illegal. |
| 14141 (| C. C. Sanford Sons Co., Mocksville | Salicylic acid; use in food deleterious to health. |
| 14140 J | J. T. Angell, Mocksville | do. |
| 12963 | W. C. Sutton, Kinston | Souse meat; appeared to be all right. |
| 14142 | City Grocery Co., Madison | Salicylic acid; use in food deleterious to health. |
| 13155 | B. F. Dixon, Raleigh | Egg flip; alcohol (by volume), 2.92%. |
| | Capt. F. F. Brown, Raleigh | |
| 13061 | F. L. Wallard, U. S. Inspector, Raleigh | do. |
| | | |

corn sirup and molasses. Corn sirup containing a small amount of cane sirup should be labeled so as to plainly indicate the facts in the case. A label, "Corn and Cane Sirup," is not, in our judgment, a proper label for a product composed largely of corn sirup containing a small amount of cane sirup. A product so labeled should contain a material amount of the cane sirup.

Refiners' sirup is not cane sirup, and cannot be legally sold as such. Neither would a mixture of corn sirup and refiners' sirup be properly labeled if labeled corn and cane sirup. It should be labeled corn and refiners' sirup or compound sirup.

Molasses and sirups seem to be much adulterated and misbranded. Some manufacturers are disposed to hide the truth in regard to the real character of compound sirups, while others label them plainly what they are, as will be seen by reference to the table below; but the greater number of violations in the sale of this class of products are committed by the retail dealers. They buy the products in bulk, labeled compound or with the name of the ingredients on the label, showing that it is a compound, and then they proceed to sell it as a pure product. Some

of these products are labeled corn and cane sirup, which label would appear to indicate about equal parts of each ingredient, when as a fact it is corn sirup or glucose flavored with or containing a small amount of cane sirup. Manufacturers often use the term cane sirup when the product is not cane sirup, but is refiners' sirup instead. They also label some of these compound sirups "Table Sirup." If a product contains corn sirup, glucose, or any other substance except one made

RESULTS OF THE EXAMINATION OF MOLASSES

| | | - | | |
|-----------------------|---|-----------------------|--|---|
| Laboratory Number, | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
| 13142 S | Sirup, American Table. | Table Sirup | American Sirup and Preserving Co., Nashville, Tenn. | J. W. Williams, Reidsville |
| 12723 M | Iolasses, Dove Brand. | Molasses | Alexander Molasses Co., Chicago, | C. D. Jones Co., Beaufort |
| 12981 C | Corn Sirup and Country Sor- ghum, Tenn. Br'd | | American Sirup and Preserving Co., Nashville, Tenn. | E. B. Liles, Rockingham |
| 12719 | | | Angel & Hooper, New Bern, N. C. | E. A. Cherry, Morehead. City. |
| ! | Corn and Refiners' Sirup, Our Duchess. | Sirup. | C. W. Antrim & Sons Co., Richmond, Va. | |
| 13066 I | Molasses | do | do | J. S. Barbour & Sons, Clay- ton. |
| 13120 | | Sirup | do | Eugene Johnston, Littleton. |
| 13111 | | do | do | Curtis-Pierson Co., Enfield. |
| 13101 _ | | Molasses | do | O. O. Boykin, Tarboro |
| 13098 _ | | do | do | H. S. Joyner, Rocky Mount |
| 12713 | | do | do | Hardy Hill, Kinston |
| 13137 | | Sirup | | Apex Mule and Supply Co., Apex. |
| 13159 N | lolasses, Porto Rico, Capitol. | Molasses | Atlas Specialty Co., Richmond, Vu. | G. W. Miller Co., North Wilkesboro. |
| 13154 F | Refined Sugar and Corn Sirup, Old Va. Waffle Sirup. | Sirup | do | Meadow Supply Co., Madison. |
| 13097 I | Delicious Table | Table Sirup | Atlas Preserving Co., Baltimore, | Oppenheimer's, Rocky |
| 12716 | Sirup. | do | Md. | Mount. Spencer & Co., Kinston |
| 12.120 | | | | Speiker & Co., Mistoria |
| 13087 8 | Sugar Sirup, Sun- beam Fancy. | | Austin-Nichols Co., New York, N. Y. | The Home Store, Southern Pines. |
| 12751 | | | do | |
| | | | | |
| | | | | |
| 13090 . | | Molasses | <u> </u> | Bell & Etheridge, Wilson |
| | | | Bentley, Shiver & Co., Balti- | J. D. Phillips, Morehead |
| | Davis, No. 6. | | more, Md. | City. |
| 13128 S | Sirup and Molasses, Bell's Comp. | do | Blackburn, Morris & Co., New Orleans, La. | E. G. Davis & Son Co., Henderson. |
| | _ | | · | |

from the juice of a sugar-producing plant without removing any of the sugar, it is not a pure, true sirup, and cannot be properly labeled table sirup. Such products must be sold as compound sirup, refiners' sirup, or corn sirup, as the case may be.

Dealers are again cautioned not to sell these compound products as pure products. Their sale is all right, provided they are sold for what they are, but they must not be sold as pure products.

AND SIRUPS AND SUBSTITUTES FOR SAME.

| Laboratory Number. | Direct, 20° C. | Folarization, Invert, 20° C. °V. | Sucrose (Clerget)— Per Cent. | Glucose, Com- mercial (Leach's Formula)—Per Cent. | Solid Matter— Per Cent. | Remarks and Conclusions. |
|-----------------------|----------------|--|------------------------------------|--|----------------------------|---|
| 13142 | 126.0 | 113.3 | 9.50 | | | 23,20 Compound sirup; misbranded. Is not table sirup; sale illegal. |
| 12723 | 129.0 | 17.6 | 35.10 | 0.00 | 77.20 | 22.80 Molasses. |
| 12981 | 122.0 | 112.2 | 7.40 | 65.50 | 76.10 | 23.90 Compound corn sirup, containing small amount of cane sirup, and should be sold as such. |
| 12719 | 120.0 | 106.3 | 10.30 | 60.90 | | Compound sirup, sold as sirup; misrepresented; sale illegal. |
| 13075 | 111.0 | 96.8 | 10.70 | 57.30 | 73.20 | 26.80 Compound sirup. |
| 13157 | 38.0 | 17.6 | 41.90 | 0.00 | 73.80 | 26.20 Molasses. |
| 13066 | 28.0 | 15.4 | 32.70 | 0.00 | 75.90 | 24.10 do. |
| 13120 | 131.0 | 119.9 | 8.30 | 70.10 | 74.80 | 25.20 Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 13111 | 34.0 | | 37.20 | | | 20.00 Sirup. |
| 13101 | 44.0 | | 46.40 | | | 24.80 do. |
| 13098 | 42.0 | | 44.90 | | | 25.10 Molasses. |
| 12713 | 40.0 | | 41.70 | | | 25.70 do |
| 13137 | 121.0 | 107.8 | 10.00 | | 74.10 | sented; sale illegal. |
| 13159 | 28.0 | 17.6 | 31.30 | 0.00 | 75.10 | 24.90 Molasses. |
| 13154 | 88.0 | 88.0 | 0.00 | 50.30 | 62.60 | 37.40 Compound sirup, branded sirup; misbranded; sale illegal. |
| | | | | | | |
| 13097 | 143.0 | 143.0 | 0.00 | | | 23.60 Compound sirup, branded table sirup; misbranded; sale illegal. |
| 12716 | 152.0 | 151.8 | 0.00 | | | 23.00 Compound sirup, branded "Delicious Table Sirup"; mis- branded; sale illegal. |
| 13087 | 10.0 | 18.7 | 21.60 | 0.00 | 79.50 | 20.50 Refiners' sirup and sirup, branded "Fancy Sugar Sirup"; misbranded; sale illegal. |
| 12751 | 32.0 | 15.4 | 35.70 | 0.00 | 77.00 | 23.00 Sirup. |
| 13110 | 46.0 | 17.6 | 47.90 | 0.00 | 75.60 | 24.40 do. |
| 12710 | 86.0 | 57.2 | 21.70 | 36.70 | | Compound sirup, sold as sirup; misrepresented; sale illegal. |
| 13090 | 38.0 | 13.2 | 38.50 | | 75.50 | |
| 12722 | 106.0 | 84.7 | 16.00 | 51.40 | 77.70 | 22.30 Compound sirup, sold as sirup; misrepresented; sale illegal. |
| 13128 | 52.0 | 19.8 | 24.20 | 15.80 | 77.70 | 22.30 Compound sirup and molasses, sold as sirup; misrepresented; sale illegal. |

RESULTS OF THE EXAMINATION OF MOLASSES

| ₽ Bra | erial and nd from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---------------------------------------|---------------------------|--|---|
| 12757 | | Molasses | Blackburn, Morris & Co., New Orleans, La. | J. B. Hopkins, Williamston. |
| | | | dodo. | Hertford. |
| | | | do | |
| | | | do | |
| | | Cane. | | ton. |
| | | | G. W. Boykin Co., Wilson, N. C. | |
| | | | Charles E. Brauer & Co., Richmond, Va. | D. J. McDuffie, Laurinburg |
| 13107 | - | do | | J. B. Britt, Enfield |
| 13108 | | . Molasses | | do |
| 13158 Sirup, Cryst | Table, al White. | | Castleman-Blakemore Co., Louisville, Ky. | Allen & Ulrich, North Wilkesboro. |
| 13139 Molasse Win. | | | . Christian-Winfree Co., Rich- mond, Va. | J. A. Isley & Bro. Co., Burlington. |
| 12989 Karo | | Karo | Corn Products Refining Co., New York, N. Y. | W. H. Moffitt, Lexington |
| | | Sirup, Table Compound. | do | Salem. |
| | | | do | boro. |
| | | | L. A. Cobb & Co., Kinston, N. C. | |
| 12718 | · · · · · · · · · · · · · · · · · · · | do | do | Burwell Stroud, Kinston |
| 12974 | | do | W. B. Cooper, Wilmington, N. C. | Z. Anthony, Laurinburg |
| | | | C. C. Covington, Wilmington, N. C. | J. R. & J. G. Moye, Green- ville. |
| 12970 | | Sirup | do | ton. |
| | | Sirup, Porto Rico. | | lotte. |
| 13067 | | _ Molasses | do | Ashley Horne & Son, Clayton. |
| 13070 | | do | do | W. M. Sanders, Smithfield. |
| 12700 | | Sirup | Deans & Moye Co., Goldsboro, | G. E. Daniels, Goldsboro |
| 13141 Molasse | ns. Duff's | | P. Duff & Sons, Pittsburg, Pa | |
| 13109do. | , Dun 8. | do | do | W. J. Burgess, Enfield |

AND SIRUPS AND SUBSTITUTES FOR SAME—Continued.

| | | | | 70 | | | |
|----------------------|----------|-------------------------------------|---------------------------------|---|---------------------------|--------------------|--|
| | | | | ch's | j | | |
| >, | <u> </u> | ή° C | 1 | ^주 축구 | Solid Matter Per Cent. | | |
| aboratory Number. | <u> </u> | Folarization Invert, 20° C V. | , j; j; | ~ <u></u> | fat nt. | nt. | Remarks and Conclusions. |
| Laborato Number. | t, | rt, | Sucrose (Clerget) Per Cen | Alucose, mercial Formula Cent. | Solid Ma Per Cent | Water— Per Cent | |
| 호텔 : | Direct, | ve a | Sucr Cler | iluc perc orn ent | ilo r | a atc | |
| JÉ : | ZAS P | ZES. | 202 | 5 8 K C | ŽŽ. | PE | |
| | | | | | 1 | | |
| 12757 | 42.0 | 17.6 | 44.90 | 0.00 | 76.40 | 23.60 | Molasses. |
| | 1 | | | | | | |
| 12748 | 70.0 | 44.0 | 19.60 | 28.80° | 76.70 | 23.30 | Compound molasses, sold as molasses; misrepresented; |
| | 1 | | | | | | sale illegal. |
| 12739 | 24.0 | 13.2 | 28.00 | | | | Molasses. |
| 13116 | 104.0 | 80.3 | 17.80 | 49.20 | 75.90 | 24.10 | Compound sirup, sold by retail dealer as sirup; misrepre- |
| | | | | | | | sented; sale illegal. |
| 13118 | 36.0 | 15.4 | | | | | Molasses. |
| 12971 | 36.0 | | 38.74 | | 78.10 | | do. |
| 12967 | 54.6 | 21.3 | 57.96 | 0.00 | 70.00 | 30.00 | Sirup. |
| | | | | | | | |
| 13091 | 42.0 | | 44.10 | | | | Molasses. |
| 13112 | 80.0 | 48.4 | 23.80 | 32.10 | 76.50 | 23.50 | Compound sirup, sold by retail dealer as sirup; misrepre- |
| | | | | | | | sented; sale illegal. |
| 12975 | 28.0 | 15.4 | 32.81 | 0.00 | 75.60 | 24.40 | Sirup. |
| | | | | 04.40 | 5 0 5 0 | 00.00 | C d sinum cold by mateil declar on circum micropro |
| 13107 | 120.0 | 103.4 | 12.50 | 61.40 | 73.70 | 26.30 | Compound sirup, sold by retail dealer as sirup; misrepre- |
| | | | 20.00 | 00.70 | 74.40 | 05.00 | sented; sale illegal |
| 13108 | 82.0 | 55.0 | 20.30 | 33.50 | 74.40 | 25.60 | Compound molasses, sold by retail dealer as molasses; |
| 10170 | 100.0 | 105.0 | F 00 | 71.40 | 76 10 | 02.00 | misrepresented; sale illegal. |
| 1315S | 138.0 | 127.6 | 7.80 | 74.40 | 70.10 | 25.90 | Compound sirup, misbranded. Branded "Crystal White Table Sirup"; sale illegal. |
| 40400 | 07.4 | 15 1 | 90.00 | 0.00 | 75 10 | 94 60 | Molasses. |
| 13139 | 37.4 | 15.4 | 39.80 | 0.00 | 13.40 | 24.00 | Molasses. |
| 10000 | 145.0 | 197 5 | 5.60 | 70.60 | 75.40 | 9.1 60 | Compound sirup. |
| 12989 | 140.0 | 101.0 | 3.00 | 13.00 | 10.40 | 21.00 | Compound Strap. |
| 12152 | 147.0 | 138 6 | 6.30 | 80.40 | 77.20 | 22.80 | do. |
| 10100 | 147.0 | 100.0 | 0.00 | 00.10 | 11120 | 22.00 | do |
| 12703 | 139.0 | 133 0 | 4.50 | 76.80 | 75.60 | 24,40 | do. |
| 12100 | 100.0 | 100.0 | 1700 | | | | |
| 12711 | 46.0 | 16.5 | 47.10 | 0.00 | 73.50 | 26.50 | Sirup. |
| | 110.6 | | 13.70 | | | | Compound sirup, sold by retail dealer as sirup; misrepre- |
| | | | | | | | sented; sale illegal. |
| 12718 | 106.0 | 88.0 | 13.50 | 52.80 | 78.00 | 22.00 | Compound sirup. Was sold as sirup; misrepresented; |
| | | | | | | | sale was illegal. |
| 12974 | 119.0 | 99.0 | 15.83 | 58.95 | 76.80 | 23.20 | Compound sirup, sold by retail dealer as sirup; misrepre- |
| | | | | | | | sented; sale illegal. |
| 12758 | 42.0 | 14.3 | 42.40 | 0.00 | 76.60 | 23.40 | Molasses. |
| | | | | | | | |
| 12970 | 44.6 | 17.6 | 46.88 | 0.00 | 73.20 | 26.80 | Sirup. |
| | | | | | | | |
| 12990 | 46.0 | 17.6 | $\frac{1}{6}$ 47.90 | 0.00 | 73.60 | 26.40 | do. |
| | | | | | | | |
| 13067 | 42.0 | 17.6 | 44.90 | 0.00 | *74.50 | 25.50 | Molasses. |
| | | | | | | | |
| 13068 | | | 6 44.90 | | 76.40 | | |
| 13070 | | | 48.70 | | 74.10 | | |
| 13078 | 58.0 | 24.5 | 2 24.70 | 19.00 | 74.10 | 25.90 | Compound molasses, sold by retail dealer as molasses; |
| 1050 | 107.0 | | | 07.40 | | | misrepresented; sale was illegal. |
| 12700 | 127.0 | 114. | 4 9.50 | 67.10 | | 1 | Compound sirup, sold by retail dealer as sirup; misrepre- |
| 10144 | 20.0 | 10 | D 49 0 | 0.00 | 76.40 | 09 6 | sented; sale illegal. |
| 13141 | 38.0 | 19.8 | 8 43.20 | 0.00 | 10.40 | 0.01 م | Molasses. |
| 13109 | 38.0 | 17 | 6 41.90 | 0.00 | 76.90 | 93 14 | do. |
| | 30.0 | n 16. | 0.41.90 | J. 0.00 | . 10.00 | 1 20.II | uo. |

RESULTS OF THE EXAMINATION OF MOLASSES

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|----------------------------|--|---|
| 10710 3 | Iologues St. Cath | Molozoou | P. Duff & Sons, Pittsburg, Pa. | White & Hathaman Hart |
| 12749 3 | erine. | · Molasses | . F. Dun & Sons, Pittsburg, Pa. | ford. |
| | 7 | | Dunbar Molasses and Sirup Co., New Orleans, La. | ville. |
| 13072 A | Airio, Compound | Sirup, Com- pound. | do | W. P. Surles, Dunn |
| 13077 N | Jolasses and Corn Sirup, Pecan. | | do | John J. Thrower & Co., Red Springs. |
| 13084 8 | Sirup, Airio | Sirup | do | D. McNair, Hamlet |
| 13114 (| Compound, Polly | Sirup, Com- pound. | do | J. J. Hathaway, Battleboro. |
| 12731 N | dolasses and Corn Sirup, Powell Brand, No. 1. | | Edgerton Bros., Baltimore, Md | E. K. Willis, Washington |
| 12732 - | | do | do | Harrison & Phillips, Washington. |
| 12733. | dolasses and Corn Sirup, Powell, No. 1. | do | do | |
| 13096 - | | do | George S. Edwards & Co., Rocky | |
| 13099 - | | Sirup | Mount, N. C. | Mount. Kelly Bryant & Bro., Rocky Mount. |
| 13113 - | | do | | |
| | | | | |
| 13140 8 | | Sirup, Table, Compound. | Fleming & Christian Co., Rich- mond, Va. | Pettigrew-King Grocery Co., Burlington. |
| 12741 - | | Molasses | J. B. Flora & Co., Elizabeth City, N. C. | J. M. LeRoy, Elizabeth City. |
| 12729 8 | Sirup, Morning Glory, | Sirup | Florida-Georgia Sirup Co., Jack- sonville, Fla. | Ccöperative Supply Co., New Bern. |
| 13069 | Sirup, Merrimac Table. | Sirup, Com- pound. | The Four Company, Norfolk, Va. | Champion Bros., Clayton |
| 12752 - | *************************************** | | do | J. S. Northcott, Edenton |
| | Sirup, Big Four Table. | | do | Plymouth |
| 12754 N | lolasses and Corn Sirup, Golden. | Molasses | do | do |
| 12998 | | Sirup | | John Frederick, Warsaw |
| | irup, First Prize, Fancy Table. | | Frey & Sons, Baltimore, Md | |
| 13100 S | irup, GaFla., Cane and Corn. | Sirup, Com- pound. | C. B. Gay Co., Jacksonville, Fla | C. R. S. Matthews, Rocky Mount. |
| 13155 _ | | | Gibbs Preserving Co., Baltimore, Md. | |
| 12996 S | irup, Compound Corn and | do | J. T. Ginn & Co., Goldsboro, N. C. | M. W. Pope, Mount Olive |
| | Refiners'. | | IV. C. | |
| 12702 | ••••• | do | do | W. R. Thompson, Golds- boro. |

AND SIRUPS AND SUBSTITUTES FOR SAME—Continued.

| | | | _ | | | |
|-----------------------|------------------------------|---------------------------------|------------------------------------|---|----------------------------|---|
| Laboratory Number. | Polarization, Direct, 20° C. | Polarization, Invert, 20° C. | Sucrose (Clerget)— Per Cent. | Glucose, Commercial (Leach's Formula)—Per Cent. | Solid Matter— Per Cent. | Remarks and Conclusions. |
| 12749 | 31.0 | 14.3 | 34.10 | 0.00 | 75.00 | 25.00 Molasses |
| 12761 | 96.0 | 60.5 | 26.70 | 39.60 | 74.30 | 25.70 Compound sirup, sold as sirup; misbranded; sale illegal. |
| 13072 | 105.0 | 72.6 | 24.40 | 46.00 | 75.30 | $24.70 ({\rm Compound\ sirup}).$ |
| 13077 | 76.0 | 35.2 | 30.70 | 25.70 | 74.80 | 25.20 Compound molasses, sold by retail dealer as molasses; misrepresented; sale illegal. |
| 13084 | 111.0 | 84.7 | 19.80 | 52.10 | 76.20 | 23.80 Compound sirup, branded "Airio Sirup"; misbranded; explanation does not excuse misbranding; sale illegal. |
| 13114 | 74.0 | 44.0 | 22.60 | 29.30 | 72.80 | 27.20 Compound sirup. |
| 12731 | 126.0 | 101.2 | 18.60 | 61.30 | 77.20 | 22.80 Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 12732 | 134.0 | 118.8 | 11.40 | 70.00 | | Compound molasses, sold as molasses; misrepresented; sale illegal. |
| 12733 | 131.0 | 113.3 | 13.30 | 67.20 | | do. |
| 13096 | 40.0 | 17.6 | 43.40 | 0.00 | 75.50 | 24.50 Molasses. |
| 13099 | 98.0 | 68.2 | 22.40 | 43.20 | 76.70 | 23.30 Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 12112 | 119.0 | 103.4 | 11.70 | 61.30 | 76.70 | |
| 13095 | | | | | | 26.40 Sirnp. |
| | 152.0 | | | | | 23.60 Compound sirup. Was branded table sirup; misbranded; |
| 12741 | | | | | | sale illegal. Explanation does not excuse misbranding. 26.30 Compound molasses, sold as molasses; misrepresented; |
| | | | | | | sale was illegal. |
| 12729 | 66.0 | 25.3 | 30.60 | 20.20 | | 30.90 Compound sirup, branded "Morning Glory Sirup"; misbranded; sale illegal. |
| 13069 | 92.0 | 34.0 | 43.70 | 27.60 | | 27.00 Compound sirup, sold by retail dealer as compound. Branded "Table Sirup"; misbranded; sale illegal. |
| 12752 | 80.0 | 50.6 | 22.10 | 33.00 | | 24.50 Compound molasses, sold by retail dealer as molasses; misrepresented; sale illegal. |
| 12753 | 146.8 | 138.6 | 6.10 | 80.40 | | 25.00 Compound sirup, branded "Table Sirup"; misbranded. Explanation does not excuse misbranding; sale illegal. |
| 12754 | 88.0 | 59.4 | 21.50 | 38.00 | 75.90 | 24.10 Compound molasses, sold by retail dealer as molasses; misrepresented; sale illegal. |
| 12998 | 40.0 | 17.6 | 43.41 | 0.00 | 75.00 | 25.00 Sirup. |
| 12724 | 102.0 | 74.8 | 20.50 | 46.50 | | Compound sirup, branded "Fancy Table Sirup"; mis- branded. Explanation does not excuse misbranding; sale illegal. |
| 13100 | 126.0 | 112.0 | 10.40 | 66.00 | 75.20 | 24.80 Compound sirup. |
| 13155 | 34.0 | 11.0 | 34.00 | 0.00 | 76.30 | 23.70 Sirup. |
| | 126.0 | 112.2 | 10.40 | 66.05 | | Compound sirup, sold as sirup; misrepresented by retail dealer; sale illegal. |
| 12702 | 34.0 | 13.2 | 35.50 | 0.00 | 77, 20 | 22.80 Sirup. |

RESULTS OF THE EXAMINATION OF MOLASSES

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|--------------------------|---|---|
| | | | boro, N. C. | J. T. Hinson, Goldsboro |
| 12759 | | do | Greenville Wholesale Co., Greenville, N. C. | J. Long, Greenville |
| 12973 | | Sirup | Fred J. Hollies & Co., Bennetts-ville, S. C. | McLaurin & Shaw, Laurin- burg. |
| | | | Hall & Pearsall, Wilmington, N. C. | W. J. Council, Red Springs. |
| 13152 | • | Sirup | Hancock Grocery Co., Winston-Salem, N. C. | H. E. Faircloth, Winston-Salem, |
| | rup, Ingleside Cane. | | Hardaway-Cargill Co., Columbus, Ga. | W. N. Jeans, Wadesboro |
| | | | F. E. Hashagen Co., Wilmington, N. C. | ton. |
| $12972~\mathrm{Sin}$ | rup, Compound, Montrose. | | Hearne & Jones, New Orleans, La. | C. E. Hawkins, Littleton E. L. Burns, Maxton |
| | | | Heath-Morrow Co., Monroe, N. C. | Wadesboro. |
| | | | Harvey C. Hines, Kinston, N. C., Henderson Grocery Co., Henderson, N. C. | |
| 3148 Si | rup, Compound, Lion Golden Drip | Sirup, Com- | Hubbard-Slack Co., Norfolk, Va Hudson Mfg. Co., New York, N. Y. | J. E. Howell, Hertford A. & P. Tea Co., Greens- boro. |
| 13089 | | Molasses | Hurwitz & Bro., Carthage | B. Hurwitz & Bro., Carthage. |
| 12993 | | Molasses, Porto Rico. | | J. T. Jamison & Co., Charlotte. |
| | rup, Corn, Silver Spray. | Sirup, Com- pound. | Jones Bros., Castleman & Blake- more Co., Louisville, Ky. | L. A. Raney, Goldsboro |
| 13144 | | Molasses | J. W. Jones & Co., Greensboro, N. C. | Hudson Grocery Co., Greensboro. |
| 12979 | | Sirup | Kuester-Lowe Co., Charlotte, N. C. | C. A. Porter, Rockingham. |
| | rup, Corn, Creole Belle. | and Molasses. | Langhoff Bros. Co., New Orleans, La. | Pines. |
| 2740 | | Molasses | do | H. F. Noble, Belhaven |
| | ew Orleans, Cosa Natural. | | do | City. |
| | olasses, Cuba Belle. | Molasses | do | do |
| | | - | do | 1 |
| 12756 | | Molasses | | Latham-Owens Co., Plymouth. |
| 12988 Bl | ue Ribbon | Sirup | | |
| 13105 | • | do | | |
| | | | | |
| 14004 | | Rico. | | E. II. Lentz, Charlotte |

AND SIRUPS AND SUBSTITUTES FOR SAME—Continued.

| | - | | | 202 | | |
|-----------------------|-------------------------------|-------------------------------------|----------------------------------|---|---------------------------|--|
| | | | | er er | 1 | |
| × | uo O | do l | | Fea C | ter | |
| r to | atio 20° | atio 20° | E (+) | E E | at. | Remarks and Conclusions, |
| p ja | riz ct, | riz rt, | rget) Cent | sia nu r. | 6 <u>-</u> 2 | Remarks and Conclusions. |
| Laborators Number. | Polarization Direct, 20° (| Polarization Insert, 20° C V. | Sucrose (Clerget) Per Cent | Glueose, mercial Formula Cent. | Solid Matter Per Cent. | Water- Per Ce |
| HZ | ದ ದ ೯ | 러그 | 20 CA | Q ##O | NO PL | =4 |
| | | | | | | |
| 12708 | 133.0 | 15.4 | 36.40 | 0.00 | 77.50 | 22.50 Molasses. |
| 40000 | 00.0 | | | 10.00 | | |
| 12759 | 98.0 | 77.0 | 15.80 | 46.90 | 76.40 | 23.60 Compound molasses, sold as molasses; misrepresented; |
| 12973 | 100.0 | 74.0 | 16.73 | 47.58 | 75 00 | sale illegal. |
| 12515 | 100.0 | 14.0 | 10.70 | 41.00 | 10.00 | 21.40 Compound sirup, sold as sirup; misrepresented; sale illegal. |
| 13079 | 105.0 | 85.8 | 14.50 | 51.70 | 76.50 | 23.50 Compound molasses, sold by retail dealer as molasses; |
| 100.0 | 20010 | 0010 | 11100 | 01 | 10100 | misrepresented; sale illegal. |
| 13152 | 118.0 | 105.6 | 9.30 | 62.10 | 76.60 | 23.40 Compound sirup, sold by retail dealer as sirup; misrepre- |
| 1 | | | | | | sented; sale illegal. |
| 12986 | 47.0 | 22.0 | 52.00 | 0.00 | 73.00 | 27.00 Sirup. |
| | | | | | | |
| 12965 | 93.0 | 58.0 | 26.40 | 38.00 | 73.30 | 26.70 Compound sirup, sold as sirup; misrepresented; sale |
| | | | | | | illegal. |
| 13119 | 37.6 | | 37.60 | | | 24.30 Molasses. |
| 12972 | 131.0 | 115.0 | 12.06 | 67.95 | 74.20 | 25.80 Compound sirup. |
| 12983 | 43.0 | 99.0 | 49.00 | 0.00 | 75 00 | 04 00 C: |
| 12900 | 40.0 | ال . شد | 49.00 | 0.00 | 15.20 | 24.80 Sirup. |
| 12712 | 40.0 | 15.4 | 41.70 | 0.00 | 75.40 | 24.60 do. |
| 13127 | 121.0 | | 14.00 | | | 23.80 Compound sirup, sold by retail dealer as sirup; misrepre- |
| | | | | | | sented; sale illegal. |
| 12747 | 30.0 | 14.3 | 33.30 | 0.00 | 77.00 | 23.00 Molasses. |
| 13148 | 90.0 | 88.0 | 1.50 | 50.50 | 77.90 | 22.10 Compound sirup. |
| | | | | | i | |
| 13089 | 34.0 | 15.4 | 37.20 | 0.00 | 77.20 | 22.80 Molasses. |
| 12993 | 40.0 | 17.5 | 43.30 | 0.00 | 73.40 | 26.60 do. |
| 12330 | 10.0 | 11.0 | 40.00 | 0.00 | 75.40 | 20.00 do. |
| 12701 | 123.0 | 114.4 | 6.40 | 66.60 | 75.00 | 25.00 Corn sirup, cane flavor. |
| | | | | | | |
| 13144 | 46.0 | 17.6 | 47.90 | 0.00 | 74.20 | 25.80 Molasses. |
| | | | | | | |
| 12979 | 122.0 | 112.2 | 7.40 | 65.50 | 76.50 | 23.50 Compound sirup. Dealer sold as sirup; misrepresented; |
| 10000 | | | | | | sale illegal. |
| 13088 | 111.0 | 84.6 | 19.90 | 52.00 | 70.80 | 29.20 Compound sirup. |
| 12740 | 28.0 | 13 9 | 31.00 | 0.00 | 75 20 | 24.70 Molasses. |
| 12720 | | | 21.90 | | 10.00 | Compound sirup. Retail dealer sold as sirup; mis- |
| 12120 | 110.0 | 00.0 | 21.00 | 02.00 | | represented; sale illegal. |
| 12721 | 35.0 | 15.4 | 38.00 | | 72.50 | 27.50 Molasses. |
| | | | | | | |
| 12985 | 136.0 | 122.0 | 10.50 | 71.70 | 78.60 | 21.40 Compound sirup, sold by dealer as sirup; misrepresented; |
| | | 1 | | | | sale illegal. |
| 12756 | 35.0 | 17.6 | 39.60 | 0.00 | 76.90 | 23.10 Molasses. |
| 10000 | 100.0 | 00.5 | 10.00 | 50.40 | 70.00 | 0.00 |
| 12988 | 108.0 | 82.5 | 19.20 | 50.40 | 79.00 | 21.00 Compound sirup, sold by dealer as sirup; misrepresented; |
| 13105 | 50.0 | 15.4 | 33.60 | 9.40 | 77 00 | sale illegal. 22.10 Compound sirup, sold by retail dealer as sirup; misrepre- |
| 20100 | 50.0 | 10.1 | | 3.40 | 11.00 | sented; sale illegal. |
| 13106 | 20.0 | 13.2 | 25.00 | 0.00 | 70.20 | 29.80 Molasses. |
| 12994 | 34.0 | 13.2 | 35.50 | | | 24.30 do. |
| | | | | | | |

RESULTS OF THE EXAMINATION OF MOLASSES

| Material am open Label. | | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|---|------------------|--|---|
| King. 12746 Sirup, Marylan Fancy Table. | d, Sirup, Table | Mongles-Herald Co., Baltimore, Mddodo | beth City. |
| Silver Drip. 12725 Sirup, Corn and Molasses, Kir | pound l Molasses | do | J. T. Clark, New Bern |
| 12738 | do | | H. W. Martin, Belhaven |
| | | E. R. Mixon & Co., Washington, | |
| | | N. C | |
| 13115 | do | Monger-Hatch Co., Sanford, N.C | L. J. Moore, Weldon |
| 13093 Sirup, Corn and Cane, White Rabbit. | and Cane. | Orleans, La. | |
| Darran | | do | |
| | | Parson-Hardison Co., Wadesboro N. C. Penick & Ford, New Orleans, La. | |
| fast. 13146 Molasses, Aunt Dinah. | | dodo. | |
| 13082 Sirup, Velva Bre fast. | | do | CV. Williams & Co., Ham- let. |
| 13081 Sirup, Cane and Corn, Velva. | pound. | do | |
| 12969 Sirup, Georgia Cane, Inglesio | do | do | Polk Bros., Monroe |
| 12705 Sirup, Velva | do | E. Peterson Co., Washington, | C. D. Taylor & Co., Goldsboro. |
| Powell. | | N. C. R. E. Pipkin, Goldsboro, N. C | ton |
| 13086 | | H. A. Powell Grocery Co., Goldsboro, | Goldsboro. |
| | | | w manely buttonics |

AND SIRUPS AND SUBSTITUTES FOR SAME—Continued.

| | | 1 | | 90 | | |
|----------------------|---|----------------------------------|----------------------------------|--------------------------------------|---------------------------|---|
| | | | å | 다. | 1 | · |
| >. | ďΩ | ďΟ. | قع ا | 5 8 7 | Solid Matter Per Cent. | |
| aboratory lumber. | olarization Jirect, 20° C V. | olarization nvert, 20°C V. | 44 | (U g | fat et: | Remarks and Conclusions. |
| pg . | 1z2 | rt, | rget Cen | , E E | 20 | 1 B |
| Laborato Number. | olariz Jirect, V. | olariza nvert, V. | Sucrose (Clerget) Per Cent | nucose nereial Formul Tent. | solid Mar Per Cent | Remarks and Conclusions. |
| žž : | ೭ವರ್. | 2 H 2 | 302 5 | 5 <u>84</u> 0 | 23 | ¥4 |
| | | | | | | |
| 13123 | 130.0 | 114.4 | 11.70 | 67.60 | 77.20 | 22.80 Compound sirup, sold by retail dealer as sirup; misrepre- |
| | | | | | | sented; sale illegal. |
| 12746 | 102.0 | 77.0 | 26.30 | 43.20 | | Compound sirup, branded "Fancy Table Sirup"; mis- |
| 12.10 | 10210 | | | | | branded; sale illegal. |
| 19796 | 140.0 | 129.8 | 7.70 | 75.60 | | Compound sirup, branded "Silver Drip Sirup"; mis- |
| 12120 | 110.0 | 120.00 | | .0.00 | | branded. Explanation does not excuse misbranding; |
| | | | | | | sale illegal. |
| 19795 | 122.0 | 07.2 | 18.60 | 59.00 | 77. 20 | 22.80 Compound sirup and molasses, branded "Porto Rico |
| 12/20 | 122.0 | 31.2 | 10.00 | 00.00 | 11.20 | Style"; misbranded; sale illegal. |
| 10750 | 24.0 | 12.0 | 35.50 | 0.00 | 75. 90 | 24.80 Molasses. |
| 12750 | 34.0 | | | | | 23.50 Compound molasses, sold by retail dealer as molasses; |
| 12738 | 62.0 | 20.4 | 26.80 | 20.10 | 10.30 | misrepresented; sale illegal. |
| 10101 | 110.0 | 110.0 | 0.70 | C+ 10 | 72 60 | 26.20 Compound sirup, sold by retail dealer as syrup; misrepre- |
| 13104 | 119.0 | 110.0 | 6.70 | 64.10 | 15.50 | sented; sale illegal. |
| | | | 0.00 | 05.00 | == =0 | |
| 12734 | 123.0 | 111.1 | 8.90 | 65.20 | 11.50 | 22.50_{\odot} do. |
| | | 400 0 | 10.00 | (10 FO | 70.00 | 99 00 Command molecon sold by retail dealer as molesses. |
| 12735 | 124.0 | 100.0 | 18.00 | 60.50 | 78.00 | 22.00 Compound molasses, sold by retail dealer as molasses; misrepresented; sale illegal. |
| | | 40.5 | 45.70 | 0.00 | 74.00 | |
| 13085 | 42.0 | | 45.70 | | | 25.70 Sirup. |
| 13115 | 34.0 | | 37.20 | 0.00 | 19.10 | 20.30 do. Compound sirup; misrepresented. Was sold by retail |
| 12745 | 160.0 | 159.7 | 0.00 | 91.40 | | Compound shup, instepresented. Was sold by resur |
| | | | 14 50 | 45.40 | 70.00 | dealer as sirup; sale illegal. |
| 13093 | 94.0 | 74.8 | 14.50 | 45.40 | 72.90 | 29.10 Compound sirup. |
| | | | | | | |
| | 00.0 | | 10.70 | 20.00 | ~. 00 | 25.20 do. |
| 13102 | 82.0 | 51.2 | 18.70 | 30.20 | 74.50 | $\frac{1}{2}$ 25.20 do. |
| 4000* | 100.0 | | 0.21 | CC . CF | | Compound sirup, sold as sirup; misrepresented; sale |
| 12995 | 129.0 | 117.7 | 8.51 | 68.85 | | illegal. |
| 10000 | 04.6 | | 41.20 | 0.00 | 72 en | 26.40 Sirup. |
| 12982 | 34.0 | 20.8 | 41.30 | 0.00 | 15.00 | 20.40 ou up. |
| 10150 | | 90.0 | 57.20 | 0.00 | 72 20 | 26.70 do. |
| 13150 | 54.0 |), 22.0 | 57.30 | 0.00 | 10.00 | 20.10 do. |
| 10140 | 10.6 | . 17 6 | 05 20 | 0.00 | 72.00 | 26.10 Molasses. |
| 13146 | 16.0 | 17.0 | 25.30 | 0.00 | 15.50 | 20.10 110123563. |
| *0000 | 10.6 | 00.0 | 50.40 | 0.00 | 75 00 | 24.20 Sirup. |
| 13082 | 46.0 | 20.9 | 50.40 | 0.00 | 10.00 | 7, 24.20 Sit up. |
| 10004 | 00.4 | 67 | 94.00 | 40.70 | 79 60 | 27.40 Compound sirup. |
| 13081 | 99.0 | 07.1 | 24.00 | 42.70 | 12.00 | 21.40 Compound shap. |
| 10054 | 40.4 | 1 10 1 | 10 00 | 0.00 | 71 10 | 25.90 Sirup. |
| 13074 | 48.0 | 10.4 | 48.60 | 0.00 | 74.10 | 5 25.80 on up. |
| 12987 | 42.0 | 90.4 | 47.40 | 0.00 | 73.00 | 0 27.00 do. |
| | | | 54.27 | | | 0 25.50 do. |
| 12969 | 50. | 22.0 | 34.21 | 0.00 | 17.00 | |
| 12705 | 91. | 6 61 | 8 22.40 | 30 40 | 73 10 | 0 26.90 Compound sirup, branded "Velva Sirup." Explanation |
| 12700 | 91. | 01.0 | 22.40 | 00.40 | 10.10 | does not excuse misbranding; misbranded; sale illegal. |
| 12730 | 198 | 110 | 0 13.50 | 65.40 | | Compound molasses, sold as molasses; misrepresented; |
| 12100 | 120. | 110. | 10.00 | 00.10 | | sale illegal. |
| 12704 | 86. | 0 55 | 2 23.20 | 18 30 | | Compound sirup, branded "Faney Crystal Sirup"; mis- |
| 12109 | | 00. | 20.20 | 10.00 | | branded; sale illegal. |
| 12709 | 134 | 0 123. | 2 8.20 | 71.90 | 76.00 | 24.00 Compound sirup, sold by retail dealer as sirup; misrepre- |
| 12108 | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 120. | _ 5.20 | .1.00 | . 5.00 | sented; sale illegal. |
| 13086 | 93. | 0 71 | 5 15.40 | 44.20 | 73.90 | 0: 26.10 Compound molasses, sold by retail dealer as molasses; |
| 20000 | | 1 | 1 | | | misrepresented; sale illegal. |
| | | | | | | • |

RESULTS OF THE EXAMINATION OF MOLASSES

| tory r. | Material and Brand from | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who |
|-----------------------|--|-------------------------|---|--|
| Laboratory Number. | Label. | Dealer as | | Sent Sample for Analysis. |
| | | | | |
| 13117 | | Molasses | Reavis-Barrow-Stuart Co., Franklinton, N. C. | J. R. C. Faison, Littleton |
| 13126 | | Sirup | | A. W. Perry, Jr., & Co., Louisburg. |
| | Sirup, Favorite Table. | Sirup Com- pound. | Rigney & Co., Brooklyn, N. Y | C. Scott & Co., Greensboro. |
| 13080 _ | | Sirup, Georgia Cane. | Roddenberg Planting Co., Atlanta, Ga. | C. V. Williams & Co., Ham- let. |
| 12992 | | | ' | |
| 12991 | | | | do |
| | pound. | Molasses | E. A. Saunders & Sons Co., Richmond, Va. | |
| 13124 - | | Sirup | do | Franklinton Grocery Co., Franklinton. |
| | Sirup, Corn and Cane, Silver Drip | | do | |
| 13130 - | | Molasses | do | J. D. Brooks, Oxford |
| 13129 _ | | Sirup | do | do |
| 13147 M | Iolasses, Porto Rico Fancy, MonogramXXXX | | do | |
| | Sirup, Corn and Cane, Silver Drip. | pound. | do | ville. |
| | Fancy, Monogram XXXX. | | do | ham. |
| | | • | | linton. |
| | | | do | |
| 12736 _ | | | Sawyer Grocery Co., Belhaven, N. C. | J. F. Bishop, Belhaven |
| | Sirup, Imperial Corn and Refiners' | | T. S. Southgate & Co., Norfolk, Va. | Burrell Stroud, Kinston |
| 12978 _ | | Sirup | | C. C. Shores & Co., Rock- ingham. |
| | | | Southern Sirup Co. Mont- gomery, Ala. | M. A. Bethune, Fayette- ville. |
| | Sirup, Cane and Corn, Peacock. | and Corn. | do | |
| | | | Stewart Knatz, Baltimore, Md | Elizabeth City. |
| | Sirup, Golden Crown. | | do | linton. |
| | Golden Crown. | | do | James W. Cole, Goldsboro |
| 13133 | | do | Stokes-Grymes Grocery Co., Richmond, Va. | L. Thomas, Oxford |

AND SIRUPS AND SUBSTITUTES FOR SAME—Continued.

| Laboratory Number. | Polarization, Direct, 20° C. °V. | Polarization, Invert, 20° C. °V. | Sucrose (Clerget)— Per Cent. | Glucose, Com- mercial (Leach's Formula)—Per Cent. | Solid Matter— Per Cent. | Water— Per Cent. | Remarks and Conclusions. |
|-----------------------|--|--|------------------------------------|--|----------------------------|---------------------|---|
| 13117 | 43.0 | 15.4 | 44.00 | 0.00 | 77.70 | 22.30 | Molasses. |
| 13126 | 115.0 | 99.0 | 12.00 | 58.80 | 66.90 | 33.10 | Compound sirup, sold by retail dealer as sirup; misrepre- |
| 13149 | 110.0 | 92.4 | 13.30 | 55.20 | 78.30 | 21.70 | sented; sale illegal. Compound sirup, branded "Favorite Table Sirup"; misbranded. Explanation does not excuse misbranding; sale illegal. |
| 13080 | 46.0 | 22.0 | 51.30 | 0.00 | 73.50 | 26.50 | sale illegal. Sirup. |
| 12992 | 42.0 | 15.4 | 43.20 | 0.00 | 75.90 | 24.10 | Molasses. |
| 12991 | 92.6 | 55.0 | 28.30 | 36.70 | 74.00 | 26.00 | Compound molasses, sold by retail dealer as "New Orleans Molasses"; misrepresented; sale illegal. |
| 13136 | 75.0 | 46.2 | 21.70 | 30.40 | 72.40 | 27.60 | Compound molasses, sold by retail dealer as molasses; misrepresented; sale illegal. |
| 13124 | 114.0 | 97.9 | 11.10 | 58.80 | 77.20 | 22.80 | Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 13135 | 116.0 | 101.2 | 11.10 | 60.00 | 77.10 | 22.90 | |
| 13130 | 26.0 | 13.2 | 29.50 | 0.00 | 72.80 | 27.20 | Molasses. |
| 13129 | 134.0 | 124.3 | 7.30 | 72.40 | 74.30 | 25.70 | Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 13147 | 42.0 | 16.5 | 44.00 | 0.00 | 75.20 | 24.80 | Molasses. |
| 13143 | 121.0 | 106.7 | 10.70 | 63.00 | 75.60 | 24.40 | Compound sirup. |
| 13134 | 39.0 | 18.7 | 43.50 | 0.00 | 74.00 | 26.00 | Molasses. |
| 13122 | 126.0 | 114.0 | 8.70 | 67.00 | 75.40 | 24.60 | Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 13121 12760 | | 101.2 103.4 | | | 76.20 77.20 | | do. Compound sirup; misrepresented; was sold as sirup; sale |
| 12736 | | | 43.40 | | | | illegal. Molasses. |
| | | 121.8 | | | | | Compound sirup. |
| 12978 | | | 20.20 | | | | Compound sirup, sold by retail dealer as sirup; misrepre- |
| 13076 | | | 52.60 | | | | sented; sale illegal. Sirup. |
| 13073 | 96.0 | 68.2 | 20.90 | | | | Compound sirup. |
| 12742 | 110.0 | 93.5 | 12.40 | 55.70 | | | Compound sirup, sold by retail dealer as sirup; misrepre- |
| 13125 | 117.0 | 99.0 | 13.50 | 59.10 | 76.60 | 23.40 | sented; sale illegal. do. |
| 12707 | 122.0 | 110.0 | 9.00 | 64.60 | | | do. |
| 13133 | 159.0 | 155.0 | 3.00 | 89.00 | 76.90 | 23.10 | do. |

RESULTS OF THE EXAMINATION OF MOLASSES

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|---------------------------|--|---|
| | rup, Old Time Table. | Sirup, Table | Stokes-Grimes Grocery Co., Richmond, Va. | Cannady & Alston, Oxford. |
| 12763 | do | Sirup, Table Compound. | do | W. H. Etheridge, Selma |
| | | | J. Stromeyer & Co., Philadel- phia, Pa. | Rasberry & Thorne, Farm- |
| | rghum and Corn Sirup,SilkRibbon | Made. | Torbitt & Castleman, Louisville, Ky. | town. |
| 1 | rup, Crystal White. | | do | City. |
| | | | do | |
| 13 1 31 | | do | The Thomas-Howard Co., Durham, N. C. | Cannady & Alston, Oxford. |
| 12887 Sin | rup, Compound, Medallion. | Sirup, Com- pound. | S. J. Van Lill Co., Baltimore, Md. | B. B. Daveuport, New Bern. |
| 12737 | ••• | Molasses | W. H. Weatherly, Elizabeth City, N. C. | R. L. Smith, Belhaven |
| | rup, Hot Cake Γable,HoneyDew | | The J. Weller Co., Cincinnati, Ohio, | Tucker & Erwin, Greens- boro. |
| | | | West-Hill Co., Mount Airy, N. C. | |
| 13138 | | Molasses | A. S. White & Co., Lynchburg, Va. | J. A. Isley & Bro. Co., Burlington. |
| 12976, | | Sirup | | E. D. Whitlock, Rocking- |
| | rghum and Corn Sirup, Southern Farm. | do | D. R. Wilder Mfg. Co., Atlanta, Ga. | |
| | rup, Uniform Georgia Cane. | do | do | Watson-King Co., Rocking- |
| | | do | R. C. Williams & Co., New York, N. Y. | |
| | rup, Table Crystal Drip. | | Willis Grocery Co., New Bern, N. C. | Willis Grocery Co., New Bern. |
| | | Sirup | do | |
| 13094 | | Molasses | C. Woodard Co., Wilson, N. C | J W Riley Wilson |
| 12755 Sin | | | E. L. Woodard & Co., Norfolk, Va. | |
| | • | Molasses | R. A. Wright, Wilmington, N. C | |

AND SIRUPS AND SUBSTITUTES FOR SAME—Continued.

| | | | - | | | | |
|-----------------------|--|--|------------------------------------|--|----------------------------|---------------------|--|
| Laboratory Number. | Polarization, Direct, 20° C. °V. | Polarization, Insert, 20° C. °V. | Sucrose (Clerget)— Per Cent. | Glucose, Com- mercial (Leach's Formula)—Per Cent. | Solid Matter— Per Cent. | Water— Per Cent. | . Remarks and Conclusions. |
| 13132 | 155.0 | 150.7 | 3.20 | 86.70 | 77.50 | 22.50 | Compound sirup, branded "Old Time Table Sirup." Misbranded; explanation does not excuse misbranding; sale illegal. |
| 12763 | 154.0 | 149.6 | 3.30 | 86.10 | | | do. |
| 12762 | 24.0 | 22.0 | 34.60 | 0.00 | | | Sirup. |
| 13151 | 94.0 | 73.5 | 15.40 | 44.90 | 76.00 | 24.00 | Compound sirup, sold as "Home Made Molasses"; mis- represented; sale illegal. |
| 12744 | 144.0 | 132.0 | 9.00 | 78.20 | 74.70 | 25.30 | Compound sirup, branded "Table Sirup." Misbranded; explanation does not excuse misbranding; sale illegal. |
| 13071 | 47.0 | 21.3 | 51.40 | 0.00 | 73.90 | 26.10 | Sirup. |
| 13131 | 154.0 | 148.5 | 4.20 | 85.60 | 77.30 | 22.70 | Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 12887 | 131.6 | 118.8 | 9.60 | 69.70 | | | Compound sirup. |
| 12737 | 106.0 | 81.4 | 18.50 | 50.00 | | | Compound molasses, sold by retail dealer as molasses; misrepresented; sale illegal. |
| 13145 | 156.0 | 156.0 | 0.00 | 85.70 | 75.50 | 24.50 | Compound sirup, branded "Honey Dew Hot Cake Table Sirup"; misbranded; sale illegal. |
| 13156 | 115.6 | 96.8 | 14.10 | 58.00 | 76.60 | 23.40 | Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 13138 | 26.0 | 17.6 | 32.80 | 0.00 | 78.80 | 21.20 | Molasses. |
| 12976 | 50.6 | 22.0 | 54.72 | 0.00 | 72.70 | 27.30 | Sirup. |
| 12980 | 90.0 | 68.2 | 16.40 | 42.00 | 75.20 | 24.80 | Compound sirup, not properly branded; sale illegal. |
| | | | | İ | | | |
| 12977 | 50.0 | 22.0 | 54.27 | 0.00 | 73.40 | 26.60 | Sirup. |
| 12743 | 149.0 | 144.0 | 3.80 | 83.00 | 76.50 | | Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 12727 | 127.0 | 110.0 | 12.80 | 65.20 | 78.30 | 21.70 | Compound sirup, branded "Table Sirup." Misbranded; explanation does not excuse misbranding; sale illegal. |
| 12728 | 128.0 | 112.2 | 11.40 | 57.60 | | | Compound sirup, sold by retail dealer as sirup; misrepresented; sale illegal. |
| 13094 | 40.0 | 17.6 | 43.40 | 0.00 | 73.70 | 26.30 | Molasses. |
| 12755 | | | 38.70 | | | | Sirup, adulterated with refiners' sirup; sale was illegal. Can be sold as refiners' sirup. |
| 12960 | 32.0 | 15.4 | 35.73 | 0.00 | 76.00 | 24.00 | Molasses. |
| | | | | | | | |

OLIVE AND OTHER TABLE AND COOKING OILS.

Olive oil is the oil obtained from the sound, mature fruit of the cultivated olive tree. It is a very choice table oil and is largely used. It was formerly much adulterated, but the enforcement of the food laws has reduced the adulteration of it to a minimum.

RESULTS OF THE EXAM

| Laboratory Number, | Material and Brand from Label. | Manufacturer or Wholesaler. |
|-----------------------|--------------------------------|--|
| | | Alart & McGuire Co., New York, N. Y |
| | | Clotworthy Chemical Co., Baltimore, Md. |
| | | H. J. Heinz Co., Pittsburg, Pa. |
| 11365 Oli | ive Oil, Pompeian | The Pompeian Grocery Co., Washington, D. C |
| 14108 | _do | do |
| | | |

ORANGE EXTRACT AND ORANGE EXTRACT SUBSTITUTES.

DEFINITIONS AND STANDARDS.

Orange extract is the flavoring extract prepared from oil of orange, or from orange peel, or both, and contains not less than 5 per cent by volume of oil of orange. Oil of orange is the volatile oil obtained from the fresh peel of the orange.

RESULTS OF THE EXAMINATION OF ORANGE

| Laboratory Number. | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|--|---|
| 13538 | Orange Extract, Pure Food, Sunbeam. | Austin-Nichols Co., New York, N. Y. | Oppenheimer's, Rocky Mount. |
| 12921 | Bailey's Standard Dime Orange Flavoring. | James Bailey & Son, Baltimore, Md | Turnage Bros., Ayden |
| 13540 | Orange, Kitchen Queen | Interstate Chemical Co., Baltimore, Md. | C. Scott & Co., Greensboro |
| 13539 | Orange Flavor | C. E. King & Sons, Durham, N. C | C. E. King & Sons, Durham |
| 13541 | Orange Extract, Alcohol 50% | Surry Drug Co., Elkin, N. C. | Holcomb Bros., Elkin |
| 13537 | Orange Extract, Watkins | J. R. Watkins Medicine Co., Winona, | J. F. Powers & Son, Fayette- |
| | | Minn. | ville. |
| 12916 | Orange Extract, Artificially Colored. | Williams, Martin & Gray, Norfolk, Va. | N. W. Tarkinton, Belhaven |
| | | | |

Six samples of olive oil were examined, and the results of the examinations are reported in the table below. There appeared to be no adulteration or misbranding of them.

INATION OF OLIVE OILS.

| Retail Dealer or Party Who Sent Sample for Analysis. | Halphen's Test for Cotton- seed Oil. | Reading Refractometer, 15.5° C. | Refractive Index. | Remarks and Conclusions. |
|--|--|---------------------------------------|----------------------|--------------------------|
| 13514 Perry Grocery Co , Durham | Negative | 69.8 | 1.4721 | Olive Oil. |
| 13738 J. E. Britt, Clinton | do | 68.6 | 1.4713 | do. |
| 13521 W. D. James, Mount Olive | do | 67.9 | 1.4710 | do |
| 11366 M. R. Jennette, Mount Olive | do | 68.5 | 1.4713 | do. |
| 11365 C. H. Borneman, Wilmington | do | 68.3 | 1.4712 | do. |
| 14108 Miller Bros., Waynesville | do | 68.0 | 1.4710 | do. |

Seven samples of orange extract and orange extract substitutes have been examined, two of which were imitations or substitutes, and two others below standard. As these four samples were adulterated or misbranded, their sale was illegal.

See table below.

EXTRACTS AND ORANGE EXTRACT SUBSTITUTES.

| Laboratory Number. | Orange Oil (by Precipita- tion)—Per Cent by Volume. | Orange Oil (by Polariza- tion)—Per Cent by Volume. | Refractometer, 15.5° C. | Refractive Index. | Alcohol (by Volume)— Per Cent. | Remarks and Conclusions. |
|-----------------------|--|---|-------------------------|----------------------|--------------------------------------|--|
| 13538 | 5.20 | 5.20 | 74.6 | 1.4752 | 88.36 | Orange extract. |
| 12921 | 5.40 | | 75.3 | 1.4756 | 78.74 | do. |
| 13540 | 5.00 | 4.80 | 74.6 | 1.4752 | 76.72 | Orange extract, not properly branded. It is branded orange, when it is an extract; sale illegal. |
| 13539 | 0.00 | 0.00 | | | 42.60 | Imitation orange extract; misbranded; sale illegal. |
| 13541 | | | | | | Imitation orange extract; misbranded on carton; sale illegal. |
| 13537 | 5.10 | 5.00 | 74.6 | 1.4752 | | Orange extract. |
| 12916 | | 3.00 | 75.3 | | | Orange extract, below standard; adulterated; sale illegal. |

CANNED PEAS.

DEFINITIONS AND STANDARDS.

Canned peas are sound, properly matured and prepared fresh peas sterilized by heat, kept in suitable, clean, hermetically sealed containers, from which they take up no metallic substance, and conform in name to the peas used in their preparation.

The State Food Law provides that a food product shall be deemed to be adulterated: If it be mixed, colored, powdered, coated, or stained in a manner whereby damage or infirmity is concealed, or if it contains any added poisonous or other added deleterious ingredient which may render such article injurious to health. It is and has been quite a practice among packers to green or artificially color canned vegetables with copper salts.

The question of whether the greening of vegetables for human food with copper salts constitutes a violation of the National Food Law was referred by the Secretary of Agriculture to the Referee Board of Consulting Scientific Experts in March of 1909. After an exhaustive investigation of the subject the "Referee Board" reports to the Secretary as follows:

RESULTS OF THE EXAMINA

| | | | • |
|-----------------------|-----------------------------------|---|---|
| Laboratory Number. | Material and Brand from Labet. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
| ; - | | · | |
| 13557 Pe | eas, Figuer, Uncolored | Austin-Nichols Co., New York, N.Y. | C. V. Williams & Co., Hamlet |
| 13553 Pe | eas, Fine, Corbeille | do | H. A. Powell Grocery Co., Goldsboro. |
| 14113 Pe | eas, Medium, Plazant | do | Troxler Bros., Greensboro |
| | | do | |
| 13558 Pe | eas, Le Soleil Malines, Colored | | Carroll Grocery Co., Wilson |
| | with Sulphate of Copper. | | |
| 14111 Pe | eas, Extra Touraine, Colored | Edward Depew & Co., New York, | W. J. Byrd, Fayetteville |
| 1 | with Sulphate of Copper. | N. Y. | |
| 14110 Pe | eas, Extra Touraine, Colored | do | S. Maxwell & Co., Hender- |
| | with Sulphate of Copper. | | sonville. |
| 13552 Pe | eas, Italian, Extra Fine | I | C. M. Fite, Charlotte |
| 13561 Pe | eas, Very Fine, Amato, Col- | | Perry Grocery Co., Durham |
| | ored with Sulphate of Cop- | France. | |
| | per. | | |
| 14112 Pe | eas, Extra Fine, La Reive | International Pure Food Co., New York, N. Y. | Troxler Bros., Greensboro |
| 13555 Pe | eas, Extra Fine, La Rose | Lewis-Hubbard-Slack Co., Norfolk, | Rusberry & Thorne, Farm- |
| | Blanche. | Va. | ville. |
| 13550 Pe | eas, Extra Fine, Italian Beau- | Moore & Co., Philadelphia, Pa | Holmes Grocery Co., Wil- |
| | marchand. | | mington. |
| 13554 Pe | eas, Beaumarchand | do | |
| | | do | |
| | Corbeille, Wespalaer. | | |
| 13563 Pe | eas Vacht Club, R. Beziers | | do |

"Copper salts used in the greening of vegetables may have the effect of concealing infirmity, inasmuch as the bright green color imparted to the vegetable simulates a state of freshness they may not have possessed before treatment.

"It appears from our investigation that, in certain directions, even such small quantities of copper may have a deleterious action and must be considered injurious to health."

As the use in food of an ingredient which may render the latter injurious to health is a violation of the State Food Law, and as the Referee Board of Scientific Experts have said in their report that even a small quantity of copper may have a deleterious action and must be considered injurious to health, this Department will consider the sale in North Carolina of vegetables colored with copper salts a violation of the State Food Law.

The dealers of the State have had notice and been warned that such violations will be prosecuted under the law. Still some of them continue to offer products so adulterated for sale.

The results of the examination of samples during the year are published in table below.

TION OF CANNED PEAS.

| Laboratory Number. | Adulterants. | Remarks and Conclusions. |
|-----------------------|------------------|---|
| | NT 0 1 | |
| 13557 | None found | Canned peas. |
| 13553 | Copper sulphate | Canned peas, containing copper sulphate; adulterated; sale illegal. |
| | | |
| 14113 | None found | |
| 13560 | do | do. |
| 13558 | Copper sulphate | Canned peas, containing copper sulphate; adulterated; sale illegal. |
| | | |
| 14111 | do | do. |
| | | |
| 14110 | do | do. |
| | | |
| 13552 | None found | Canned peas. |
| 13561 | Copper sulphate | Canned peas, containing copper sulphate; adulterated; sale illegal. |
| | C - F | , , |
| | | |
| 14119 | None found | Cannod neas |
| 14112 | None towns | Camera peas. |
| 19555 | Conversulphoto | Canned peas, containing copper sulphate; adulterated; sale illegal. |
| 19999 | Copper surpliane | Canned peas, containing copper surplimet, whatever |
| 10550 | N (a) | Conned need |
| 13990 | None found | Cannett peas. |
| | | |
| 13554 | do | do. |
| 13562 | dodo | do. |
| | | |
| 13563 | do | do. |

RESULTS OF THE EXAMINATION

| Laboratory Number. | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|-----------------------------------|---|
| 13551 Pea | s, Fine, Natural, L. A. | L. A. Price, Bordeaux, France | W. H. Moffitt, Lexington |
| | Price. | | , |
| 13564 Pea | s, Amato, Colored with Sul- | Thomas-Howard Co., Durham, | Pickett & Williams, Durham. |
| | phate of Copper. | | |
| 13565 | do | do | Hurst & Edwards, Durham |
| 14109 Pea | s, Imported, Extra, Natural Barton. | . Welch & Evans, Charleston, S. C | P. W. Ebeltoft, Shelby |
| 13566 Stri | ng Beans, French Pre- | R. C. Williams & Co., New York, | A. P. Grizzard, Winston- |
| | served, Beaumarchand. | N. Y. | Salem. |
| 13567 Pea | s, Beaumarchand, Colored with Sulphate of Copper. | do | do |
| 13559 Pea | s, Plazant | do | O. O. Boykin, Tarboro |
| | | do | |
| | phate of Copper. | | |

PEPPERMINT EXTRACT.

DEFINITIONS AND STANDARDS.

Peppermint extract is the flavoring extract prepared from oil of peppermint, or from peppermint, or both, and contains not less than 3 per cent by volume of oil of peppermint. Oil of peppermint is the volatile oil obtained from peppermint.

RESULTS OF THE EXAMINATION

| Laboratory Number. | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|--|---|
| Lab Nui | | | |
| 13544 Per | ppermint Extract, Justice | Justice Drug Co., Greensboro, N. C | J. S. Sockwell, Greensboro |
| 13543 Pe | ppermint, Essence | Peabody Drug Co., Durham, N. C | Peabody Drug Co., Durham. |
| | ppermint Flavor, Artificially Colored. | y Dr. T. C. Smith, Asheville, N. C. | L. J. Moody & Co., Bryson City. |
| | ppermint, Essence, Our Seal Brand. | Vaughn-Crutchfield Co., Winston-Salem. | Meador Supply Co., Madison |
| 13542 Pe | ppermint, Pure Fruit Flavor | We-Li-Ka Mfg. Co., Memphis, Tenn. | Otis Winborne, Wilson |
| 12918 | _do | do | C. W. Stevens & Co., Eliza- beth City. |

OF CANNED PEAS-Continued.

| Laboratory Number Adulterants. | Remarks and Conclusions. |
|---|---|
| 13551 None found | Canned peas. |
| 13564 Copper sulphate | |
| 13566 Copper sulphate | Canned beans, containing copper sulphate; adulterated; sale illegal. |
| 13567do | Canned peas, containing copper sulphate; adulterated; sale illegal. |
| 13559 None found 13556 Copper sulphate | Canned peas Canned peas, containing copper sulphate; adulterated; sale illegal. |

The results of the examination of six samples of peppermint extracts are reported in table below. Three of them proved to be good, strong extracts, two of which were more than double strength, while the other three contained less than 3 per cent of peppermint oil, and, being below standard, were sold in violation of the law.

See table below.

ry
opertion).

OF PEPPERMINT EXTRACTS.

| aborator umber. | in of refinit (by recipital leohol by Volur er Cent. | Remarks and Conclusions. |
|--------------------|--|---|
| HZ C | | |
| 13544 | 8.40 81.72 | Peppermint extract, concentrated. |
| 13543 | 7.20 82.44 | do. |
| 12606 | 4.60 | Peppermint extract. |
| 13545 | 2.80 | Peppermint extract, slightly below standard; sale illegal. |
| 13542 | 2.40 | Peppermint extract, below standard; sale illegal. |
| 12918 | 2.40 | Peppermint extract, slightly below standard; adulterated; sale illegal. |

RICE.

A large percentage of the rice on the market is coated or polished with glucose and talc.

Under the National Food Law, and the regulations of the United States Department of Agriculture, the use of tale and glucose as a coating for rice, in interstate commerce, is permitted, provided that the label of each package bears the following statement: "Coated with glucose and tale. Remove by washing."

Rice coated with glucose and tale, to comply with the requirements of

RESULTS OF THE EX

| Laboratory Number | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|----------------------|---|--|---|
| - | ogura Rice | Aragon Coffee Co., Richmond, Va. | A. G. Bowman & Son, Mount |
| | | | Airy. |
| 13571 | do | do | L. Thomas, Oxford |
| | | | |
| | | do | |
| 14145 | do | do | Miller Grocery Co., North Wilkesboro. |
| 14144 | _do | do | Allen & Ulrich, North Wilkes- boro. |
| 13569 H | otel Astor, Uncoated | B. Fischer & Co., New York, N. Y. | Polk Bros., Monroe |
| | ice, Full Dress, Absolutely Pure, Uncoated. | James G. Gill Co., Norfolk, Va | C. A. Jones, Winston-Salem |
| | | do | Center Mercantile Co., Winston-Salem. |
| | oxaway, Coated with Glucos and Tale. | e Imperial Coffee Co., Richmond, Va. | A. P. Barrett, Rockingham |
| | ice, Japan Style, Old Time Brand. | Stokes-Grymes Grocery Co., Richmond, Va. | E. M. Towns, Reidsville |

SALT FISH.

During the latter part of September the attention of the Food Officials was called to what appeared to be illness produced from eating salt fish, mullets.

It is not unusual for people to suspect that they have been made ill or poisoned by having eaten certain food, and present the matter to the Department to be investigated, without having much evidence upon which to base their suspicion.

In this case there appeared to be sufficient evidence to justify an investigation, which was made. The investigation showed further evidence of the fish causing the illness, and the sale of the suspected fish was stopped until complete investigation could be made.

Samples of the fish from several shipments, though all from the same pack, were obtained. Chemical test for preservatives and other poisons the law must show that the rice is coated, and that same can be removed by washing.

Ten samples of rice were examined, three of which were uncoated and seven were coated. The labels of the coated samples did not show that the product was coated, as is required under both the State and the National laws, and the sale of these products was in violation of the law.

See results and conclusions in table below.

AMINATION OF RICE.

| | Γ. | |
|-----------------------|-------------------|--|
| Laboratory Number. | Test for Talc. | Remarks and Conclusions. |
| 13572 | Positive | Rice, coated with glucose and tale, and so stated on label. |
| 13571 | do | Rice, coated with glucose and talc. Fact not stated on label; adulterated; sale illegal. |
| | do | |
| 14144 | do | Rice, coated with glucose and tale. Statement of coating should be more prominent; sale illegal. |
| 13569 | Negative | Rice, uncoated. |
| 14147 | do | do. |
| 14146 | do | do. |
| 13568 | Positive | Rice, coated, and so stated on label. |
| 14143 | do | Rice, coated with glucose and talc. Fact not stated on label; adulterated; sale illegal. |

were made, but nothing was found that could have produced the trouble. As chemical tests showed nothing that could have produced the trouble, tests on living animals, cats, rats, and guinea pigs, were resorted to. It soon became evident that the fish, though they appeared to be sound, contained a deadly poison.

As it was a very serious matter, and the Department did not wish to condemn and have destroyed several hundred barrels of fish without the most positive proof that the use of same would be dangerous, the Bureau of Chemistry of the United States Department of Agriculture was asked to examine the fish also, and samples of same were sent for the purpose.

The report of the Bureau, through the Coöperative Division of same, confirmed the results obtained by this department, and advised that the fish did contain an unidentified poisonous substance, probably a protein decomposition product, which was responsible for the trouble, and

which was probably due to the fish having stood too long before being placed in the pickling brine. The report further advised that the use of the fish as food be prohibited.

The report of the United States Department completely confirming the results obtained by this Department, and it being impracticable to test each barrel, so as to separate any good that might be in the bad fish, the whole pack of fish—several hundred barrels—was condemned and the sale of same as food prohibited.

The matter was at once taken up with the packers of the fish, the Morehead City Sea Food Company, of Morehead City. Mr. C. S. Wallace, the president of the company, came to Raleigh and went, in detail, into the matter of packing the fish, and he stated most positively that the fish were not held an undue length of time before being placed in the brine and that same were packed under as clean, sanitary conditions as he had ever packed fish. He further states that the fish in question were packed in a new, clean fish house with concrete floor and plenty of clean, fresh water, while some of the same catch of fish, and from which no trouble has arisen, were packed under similar conditions, except they were packed in an old fish house which was not in as good condition as the new one referred to.

Unless some of the fish were caught at an earlier time and held by the fishermen and mixed at the bottom with a later catch, with the information in hand it is impossible to say why the fish packed at the old place were good and the fish packed at the new place were bad. As the

CONCLUSIONS DRAWN FROM RESULTS

| Laboratory Number. | Material. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|-----------|--|---|
| | | Morehead City Sea Food Co., Morehead City, N. C. | |
| 14211 | do | dodo | do |
| 14209 | do | do | do |
| 14215 | do | do | Dr. J. E. Griffin, Edenton |
| | | 1 | |
| 14208 | do | do | T. L. Hunnicutt, Wakefield |
| 14216 | do | do | George R. Parker, Raleigh, |
| | | | R. F. D. |
| 14223 | do | do | Robertson & Keith, Knightdale. |
| | | | |
| 14236 | do | | Hardy Hill, Kinston |
| 14224 | do | | G. T. Jones, Dunn |
| | | | E. G. Griffin, Woodland |
| | | | |

fish were unloaded from the boat at the old place first, coming from the top, they evidently represented the last part of the catch. As the fish packed at the new house were unloaded last, and came from the bottom of the boat, it is reasonable to suppose that they had been held longer by the fishermen before delivering them to the packers, and it is most likely that this is the reason for the fish packed at the old house being good while the fish packed at the new house, under better conditions, were bad.

Manufacturers, packers, and dealers are responsible for the condition of food products handled by them, and the packers of the bad fish are responsible for their condition, but it is to their credit that they were very active in helping to stop the sale of same, and when informed that the fish were bad beyond question, they readily and willingly consented for the fish to be destroyed.

The situation was serious; quite a few people had been made very ill, and probably a death or two had been caused by the fish, though at first there was no very positive proof of it. Had the Department and the packers of the fish not acted promptly in stopping the sale of same, it is likely that much illness would have been produced and many deaths would have occurred.

(With gratitude this Department acknowledges the assistance rendered in this matter by the Bureau of Chemistry, United States Department of Agriculture, through the Coöperative Division of the same.)

See conclusions in table below.

OF EXAMINATION OF SALT FISH.

| Laboratory Number. | Conclusion ₃ . | |
|-----------------------|---|------------------------|
| 14210 | Salt fish; bad. Contained a deadly poisonous substance which appeared | to be a protein decom- |

14210 Salt fish; bad. Contained a deadly poisonous substance which appeared to be a protein decomposition product.

14211 do

14209 Salt fish. Contained no poisonous substance.

14215 Salt fish; bad. Contained deadly poisonous substance which appeared to be a protein decomposition product.

14208 do

14216 Salt fish. Contained no poisonous substance.

14223 Salt fish; bad. Contained a deadly poisonous substance which appeared to be a protein decomposition product.

14236 do.

14224 do.

14237 do.

SWEET OIL AND SWEET OIL SUBSTITUTES.

Sweet oil is olive oil. Any oil other than olive oil branded sweet oil would be misbranded. It is not correct to label cotton-seed oil sweet oil, and elsewhere on the label describe the true character of the oil.

There seems to have been a difference of opinion as to what constitutes sweet oil. The Department in 1911 made an investigation of the subject and found that the only oil to which the term "sweet oil" may be correctly applied is olive oil. The United States Department of Agriculture in food inspection decision No. 139 has since that time held

RESULTS OF THE EXAMINATION OF SWEET

| Laboratory Number. | Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--------------------------------------|--|---|
| 14105 Dill | | Carr, Owens & Co., Baltimore, Md Dill Medicine Co., Norristown, Pa | |
| 13511 Gilb | ert's No. 10 Sweet Oil | . Gilbert Bros. & Co., Baltimore, Md. | H. C. Joyner, Rocky Monnt |
| 12899 Swee | | ,do | Klein Bros., Morehead City |
| | | do | ington. |
| | | do | |
| | |)do do | |
| | | Interstate Commerce Co., Balti- more, Md. | |
| | | Kent Drug Co., Baltimore, Md W. H. King Drug Co., Raleigh, N. C. | |
| 14107 Swee | et Olive Oil, Reliable | McCormiek & Co., Baltimore, Md | Shipman Bros., Henderson- ville. |
| | et Oil, Absolutely Pure, cliable. | do | M. T. Parham & Co., Gastonia. |
| 13516 Swee | | do | J. H. & W. F. Low, Greens- boro. |
| 13513 Swee | et Oil, for Technical Use | Owens & Minor Drug Co., Richmond, Va. | W. E. Edwards & Son, Battle- boro. |
| 13515 Swee | et Oil, Peabody's | Peabody Drug Co., Durham, N. C., | Peabody Drug Co., Durham. |
| 14103 Swee | et Oil, N. P. D | Norman-Perry Drug Co., Winston-Salem, N. C. | |
| 13522 Swee | et Oil | John M. Scott & Co., Charlotte, N. C. | Curry-Patterson Co., Maxton. |
| 12902 Swee | et Oil, Standard | Standard Drug Co., Elizabeth City, N. C. | F. G. Terrell, Belhaven |
| | do | | R. B. White, Elizabeth City. |
| 12906 Swee | et Oil | Terry-Taylor Drug Co., Norfolk, Va. | C. W. Stevens & Co., Elizabeth City. |

that any oil other than olive oil is misbranded when sold under the name "Sweet Oil," and it is not correct to label cotton-seed oil as "sweet oil" and then elsewhere place on the label words to describe the true character of the oil.

This department does not wish to in any way discriminate against cotton-seed oil, for it is a good food product and justly deserves the good name it bears; but it is not sweet oil and cannot be legally sold as such.

The results of the examination of the 29 samples examined this year are published in the table below.

OIL AND SWEET OIL SUBSTITUTES.

| Laboratory Number. | Halphen's Test for Cotton-seed Oil. | Baudauin Test for Sesame Oil. | Reading Refractometer, 15.5° C. | Refractive Index. | Specific Gravity, 15.5° C. | Remarks and Conclusions. |
|-----------------------|---|----------------------------------|---------------------------------------|----------------------|-------------------------------|---|
| | Negative | | 69.8 68.0 | | 0.91563 | Sweet oil. do. |
| 13511 | dodo | | 67.9 69.8 63.0 | 1.4721 | 0.91193 | do, do, do. |
| 12900 | do | do | 64.0 | 1.4685 | | do. |
| | do | | 63.0 63.0 | | | do. do. |
| 12910 | do Positive | do | 64.0 | 1.4685 | | do. do. Cotton-seed oil, misbranded. Was branded sweet oil; sale illegal. |
| 13509 | Negative Positive | | 76.0 | 1.4579 | | Sweet oil. Cotton-seed oil, misbranded. Was branded sweet oil; sale illegal. |
| | Negative | | | | 0.91425 | Sweet oil. do. |
| 13516 | do | | 69.2 | 1.4718 | 3 | do. |
| 13513 | Positive | | 75.9 | | | Cotton-seed oil, branded sweet oil; misbranded; sale illegal. |
| | 5do | | | | | Cotton-seed oil, misbranded. Was branded sweet oil; sale illegal. |
| | 3do | | | | 4 0.92184 | |
| | 2 Negative | | | | | Sweet oil. |
| 1290 | | | i | | 5 | |
| | 4do 6 Positive | | | | 3 | . do. Cotton-seed oil, misbranded. Was branded sweet oil; sale was illegal. |

RESULTS OF THE EXAMINATION OF SWEET

| Material and Brand from Label. | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis, |
|-----------------------------------|---|---|
| et Oil, Cold Pressed, Pure. | | C. W. Stevens & Co., Elizabeth City. |
| et Oil | | P. A. Thompson, Winston-Salem. |
| et Oil, Pure, Our Seal | - Vaughn-Crutchfield Co., Winston-Salem, N. C. | Meador Supply Co., Madison. |
| lo | do | J. T. Angell Mocksville |
| et Oil | Williams & Types, Norfolk, Va. | L S Landing Plymouth |
| et Oil, Strictly Pure | Williams, Martin & Gray, Norfolk, Va. | W. S. Blanchard & Son, Hertford. |
| | from Label. et Oil, Cold Pressed, Pure. et Oil. et Oil, Pure, Our Seal | from Label. Manufacturer or Wholesaler. et Oil, Cold Pressed, Pure_ Terry-Taylor Drug Co., Norfolk, Va. et Oil. P. A. Thompson, Winston-Salem, N. C. et Oil, Pure, Our Seal Vaughn-Crutchfield Co., Winston-Salem, N. C. do_ do_ et Oil. Williams & Tynes, Norfolk, Va et Oil, Strictly Pure Williams, Martin & Gray, Norfolk, |

VANILLA EXTRACTS AND VANILLA EXTRACT SUBSTITUTES.

DEFINITIONS AND STANDARDS.

Vanilla extract is the flavoring extract prepared from vanilla bean, with or without sugar or glycerin, and contains in one hundred cubic centimeters (100 cc.) the soluble matters from not less than ten (10) grams of the vanilla bean.

The adulterants of vanilla extract are tonka bean extract, artificial vanillin, artificial coumarin, caramel and coal-tar colors. Artificial vanillin is the same as the chief flavoring principle of the vanilla bean, but the extract made from this substance lacks the flavor of genuine

RESULTS OF THE EXAMINATION OF VANILLA

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|---------------------------------------|--|---|
| | & P. | | | boro. |
| 14161 | Vanilla Substitute | | Austin-Nichols Co., New York, N. Y. | H. O. Mattox, Dunn |
| 13178 | Vanilla Extract, Pure Food, Sunbeam. | Vanilla Extract. | do | B. G. Hicks, Louisburg |
| 13232 | Vanilla Guaranteed | do | Robert R. Bellamy, Wilmington, N. C. | Henry Wentzensen, Wil- mington. |
| 14153 | Vanilla | Vanilla Extract. | Robert R. Bellamy, Wilmington, N. C. | R. L. Burton, Wilmington . |
| 14168 | | Vanilla Flavor- ing Com- pound. | Brame Drug Co., North Wilkesboro, N. C. | Brame Drug Co., North Wilkesboro. |
| 13185 | Vanilla Extract, Pea- cock Brand | | Bristol Drug Co., Bristol, Va Tenn. | The Atkinson Co., Elkin |
| 14180 | Vanilla Extract, Compound. | Vanilla Extract, Compound. | Burwell & Dunn Co., Charlotte, N. C. | Bradford Grocery and Produce Co., Statesville. |

OIL AND SWEET OIL SUBSTITUTES—Continued.

| Laboratory Number. | Halphen's Test for Cotton-seed Oil. | Baudauin Test for Sesame Oil. | Reading Refractometer, 15.5° C. | Refractive Index. | Specifie Gravity, 15.5° C. | . Remarks and Conclusions. |
|-----------------------|---|----------------------------------|---------------------------------------|----------------------|-------------------------------|--|
| 12905 N | Negative | Negative_ | 78.0 | 1.4771 | | Not sweet oil, but was so branded and was sold as sweet oil; sale was illegal. |
| 13518 H | Positive | | 74.4 | 1.4749 | | Cotton-seed oil, misbranded. Was branded sweet oil; sale illegal. |
| 13519 _ | do | | 74.4 | 1.4749 | | do. |
| 14106 _ | do | | 74.0 | 1.4747 | 0.92209 | do. |
| 12908 _ | do | Negative. | 70.0 | 1.4723 | | do. |
| 12907 I | Negative | do | 64.0 | 1.4685 | | Sweet oil. |
| | | | | | | |

vanilla extract, owing to the absence of other substances, which cannot be successfully imitated. Tonka beans are much cheaper than vanilla beans and have a ranker and more stringent flavor, due to coumarin, which is also prepared artificially for use in extracts.

The results of the examination of 64 samples are reported in the table below, and by reference to same the character of the adulteration and misbranding can be seen without repeating it here.

Many of the samples were sold in violation of the law, notwithstanding the dealers have been repeatedly cautioned about this and similar violations.

EXTRACTS AND VANILLA EXTRACT SUBSTITUTES.

| Laboratory Number. | Total Solids— Per Cent. | Ash—Per Cent. | Lead Number, Normal (Winton). | Vanillin— Per Cent. | Coumarin. | Specifie Gravity, 15.6° C. | Remarks and Conclusions. |
|-----------------------|----------------------------|---------------|-------------------------------------|------------------------|-----------|-------------------------------|---|
| 13188 | 12.30 | | 0.82 | 0.262 | Negative | 0.9945 | Vanilla extract. |
| 14161 | 12.33 | 0.07 | 0.17 | | Positive | 1.0410 | Vanilla extract, compound. |
| 13178 | 19.20 | 0.23 | 0.56 | 0.200 | Negative | 1.0168 | Vanilla extract. |
| 13232 | 21.80 | | | | Positive | 1.0697 | Vanilla extract, compound. Was branded vanilla extract; misbranded; sale illegal. |
| 14153 | 22.50 | | 0.17 | | do | 1.0770 | Compound vanilla extract; misbranded; sale illegal. |
| 14168 | 12.77 | 0.05 | 0.09 | | do | 1.0557 | Vanilla extract, compound; adulterated; misbranded; sale illegal. |
| 13185 | 16.10 | | 0.67 | 0.299 | Negative | 1.0167 | Vanilla extract. |
| 14180 | 8.98 | | 0.42 | 0.110 | Positive | 1.0096 | Vanilla extract, compound. |

RESULTS OF THE EXAMINATION OF VANILLA EX

| Material and Brand from Label. Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|--|-----------------------|---|---|
| 14159 Vanilla Extract, (26 Chamberlain's. |) Vanilla Extract | Chamberlain's Medicine Co., Des Moines, Iowa. | J. E. Webb, Shelby |
| | redo | - William M. Chappelear & Sons, Zanesville, O. | W. A. Whitaker, Apex |
| 13187 Vanilla Extract, White House Bra | nd | - Concord Chemical Co., Balti- more, Md. | Miller Grocery Co., North Wilkesboro. |
| | | Cumberland Mfg. Co., Nash- ville, Tenn. | Southern Grocery Co., Wilmington. |
| | | F. L. Daggett Co., Boston, Mass. | Peoples Drug Co., Salisbury. |
| 14157 Vanilla Extract, Dill's Pure. | | The Dill Medicine Co., Norristown, Pa. | W. H. Dellinger, Gastonia. |
| Absolutely Pure. 14160 Vanilla Extract, | | do | Greensboro. |
| Dill's. 14156 Vanilla Sustitute. | ' | :do | Co., Kings Mountain. |
| Dill's. | Substitute. | a, M. M. Fenner Co., Fredonia, | nia. |
| pound, Dr. Fen- ner's Imitation. | Imitation. | N. Y. | , |
| 12926 Vanilla Extract, Fonerden's High- est Grade. | | t. C. O. Fonerden & Co., Balti- more, Md. | Spence & Vinson, Goldsboro |
| 12932 Vanilla Extract, Golden Horse Sh Brand. | | - The Four Company, Norfolk, Va. | L. S. Landing, Plymouth |
| | | - The Frank Tea and Spice Co., Cincinnati, Ohio. | flardy Hill, Kinston |
| | | Greensboro Drug Co., Greensboro, N. C. | Greensboro Drug Co., Greensboro, N. C. |
| 13235 Vanilla Extract, Pure, Blue Ribbo Brand. | do on | Greever-Lotspeich Mfg. Co., Knoxville, Tenn. | S. H. Youngblood, Charlotte. |
| | | do | R. A. Montgomery, Wil- mington. |
| S. P.), Alcohol 619 | 0. | Grissom-Sikes Drug Co., Greensboro, N. C. | Grissom-Sikes Drug Co., Greensboro. |
| 13174 Vanilla Extract, Heekin's Deer Head. | | - Heekin Spice Co., Cincin- nati, O. | Cummings Grocery Co., Tarboro. |
| I4170 Vanilla Extract, Heekin's White Cap. | do | do | J. R. Cummings, Winston- Salem. |
| 14174 Vanilla Extract, Pure, Hite's | | S. P. Hite Co., Roanoke, Va | sonville. |
| 13193 Vanilla Extract, Kitchen Queen. | | Baltimore, Md | Madison Grocery Co., Madison. |
| | | do | Durham. |
| 14165 Vanilla Extract, Old Dominion. | | Interstate Commerce Co., Richmond, Va. | |
| | | do | |

TRACTS AND VANILLA EXTRACT SUBSTITUTES—Continued.

| Laboratory Number. | Total Solids— Per Cent. | Ash—Per Cent. | Lead Number, Normal (Winton). | Vanillin— Per Cent. | Сонтагіп. | Specific Gravity, 15.6°C | Remarks and Conclusions. |
|-----------------------|----------------------------|----------------|-------------------------------------|------------------------|---------------------------|-----------------------------|---|
| 14159 | 22.10 | | 0.45 | 0.190 | Negative | 1.0199 | Vanilla extract. |
| 13180 | 37.40 | | 0.20 | 0.516 | do | 1.1273 | Vanilla extract, compound; misbranded; sale illegal. |
| 13187 | 28.50 | | 0.12 | | Positive, | | Vanilla extract, compound; adulterated; misbranded; |
| 14155 | 7.82 | 0.37 | | | Negative | | sale illegal. Vanilla extract, below standard; adulterated; sale |
| 14179 | 14.10 | 0.41 | 0.51 | 0.210 | do | 0.9743 | illegal, Vanilla extract. |
| 14157 | | | 0.57 | 0.110 | do | 0.9580 | do. |
| 14166 | | 0.57 | 0.60 | 0.110 | do | 0.9519 | do. |
| 14160 | 8.13. | | 0.72 | 0.210 | do | 0.9650 | do. |
| 14156 | 15.11 | 0.03 | | | Positive | 1.0381 | Extract vanilla, imitation. |
| 13175 | | | | | do | | Extract vanilla, imitation, colored with caramel. |
| 12926 | 25.94 | 0.22 | 0.39 | 0.100 | Negative | | Vanilla extract. |
| 12932 | 14.37 | 0.24 | 0.57 | 0.110 | do | | do. |
| | | | | | | | |
| | | | | | do | | |
| | | | | | Positive, $0.168e_{\psi}$ | | Vanilla extract, compound; adulterated; misbranded; sale illegal. |
| 13235 | 16.80 | | | - | Negative | 1.0098 | Vanilla extract. |
| 13231 | 19,60. | | 0.70 | 0.298 | do | 1.0098 | do. |
| 13189 | 13.90. | | 0.18 | 0.336 | Positive, | $1.0\dot{2}75$ | Vanilla extract, compound; adulterated; misbranded; |
| 13174 | 21.80 | 0.14 | 0.46 | 0.222 | 0.065° Negative | 1.0298 | sale illegal. Vanilla extract |
| 14170 | 25.10 | | 0.52 | 0.160 | do | 1.0264 | do |
| 14174 | 24.34 | 0.49 | 0.65 | 0.470 | do | 1.0245 | do. |
| 13193 | 35.20 | | 0.93 | 0.400 | do | 1.1156 | do. |
| s 13179 | 32.00 | 0.40 | 0.70 | 0.400 | do | 1.1156 | do. |
| 14165 | 23.81 | 0.33 | 0.43 | 0.220 | do | 1.0660 | do. |
| | 17.80 15.47 | $0.12 \\ 0.20$ | | | do | 1.0176 | do. do. |

RESULTS OF THE EXAMINATION OF VANILLA EX

| Manufacturer or Wholesaler. Retail Dealer or Party Who Sent Sample for Analysis. | | | | | |
|--|------------------------|--------------------------------------|-----------------------|------------------------------|---|
| Richmond, Va. 3170 Vanilla Extract. do. C. E. King & Sons, Durham, N. C. 14171 Vanilla Extract. Dilute, Star Brand. 14162 Vanilla Extract. Pure, Newton's Richmond, Va. 13172 Vanilla Extract, Pure, Votan Brand. 13182 Vanilla Extract, Pure, Votan Brand. 13182 Vanilla Extract, Pure, Hart's. 14169 Vanilla Extract, Pure, Hart's. 14160 Vanilla Extract, Pure, Hart's. 141617 Vanilla Extract, Souder's. 14160 Vanilla Extract, Pure, Oberoning, Pure, (S) Scott's. 1323 Vanilla Extract, Pure, Hart's. 14161 Vanilla Extract, Pure, Hart's. 14161 Vanilla Extract, Pure, Hart's. 14161 Vanilla Extract, Pure, Hart's. 14161 Vanilla Extract, Pure, Hart's. 14161 Vanilla Extract, Souder's. 14162 Vanilla Extract, Pure, Votan Brand. 14163 Vanilla Extract, Pure, Hart's. 14164 Vanilla Extract, Souder's. 14165 Vanilla Extract, Pure, Votan Brand. 14165 Vanilla Extract, Souder's. 14166 Vanilla Extract, Pure, Hart's. 14173 Vanilla Extract, Souder's. 14166 Vanilla Extract, Souder's. 14167 Vanilla Extract, Southern Drug Co., New Condition, Martin Compound. 14167 Vanilla Extract, Southern Drug Co., New Condition, Martin Condition, Mart | Laboratory Number. | Brand from | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
| 13170 Vanilla Extract, C. do. do. C. E. King & Sons, Durham N. C. | 14154 () | d Dominion Brand | Vanilla extract_ | | E. L. Starkey, Wilmington. |
| 3183 Vanilla Extract. do C. E. King & Sons, Durham N. C. | 13170 Va | anilla Extract, I. C. | do | | Wallace Grocery, Smithfield |
| Dilute, Star Brand. 14164 Vanilla Extract. Vanilla Extract. Vanilla Extract. Vanilla Substi-Miller Mfg. Co., New York, tutte. N. Y. 14162 Vanilla Extract, Pure, Newton's Red Seal. 12929 Vanilla Extract. Owens & Minor's. 13176 Vanilla Extract, Parke's Choice. 13184 Vanilla Extract, Parke's Choice. 13185 Vanilla Extract, Parke's Choice. 13185 Vanilla Extract, Parke's Choice. 14169 Vanilla Extract, Pure, Hart's. 14169 Vanilla Extract, Sauers' Pure Concentrated. 14167 Vanilla Extract, Sauers' Pure Concentrated. 14167 Vanilla Extract, Sauers' Pure Concentrated. 14167 Vanilla Extract, Scott's (S) Pure Flavoring. 14159 Vanilla Extract, Scott's (S) Pure Flavoring. 14150 Spartan Brand. 14160 Spartan Extract, Scott's (S) Pure Flavoring. 14150 Spartan Brand. 14160 Spartan Extract, Scott's (S) Pure Flavoring. 14150 Spartan Extract, Scott's (S) Pure Flavoring. 14150 Spartan Brand. 14160 Spartan Extract, Scott's (S) Pure Flavoring. 14150 Spartan Brand. 14160 Spar | | | | C. E. King & Sons, Durham, | |
| 14164 Vanilla Extract | | | | | N. C. Christopher, Murphy |
| 14152 High Proof Brand. Vanilla Substi- 14162 Vanilla Extract, Pure, Newton's Red Seal. 12929 Vanilla Extract Owens & Minor's. 13174 Vanilla Extract, Parke's Choice. 13184 Vanilla Extract, Peabody's. 14152 Vanilla Extract, Parke's Choice. 13184 Vanilla Extract, Pure, Votan Brand. Pure, Votan Brand. 13182 Vanilla Extract, Pure, Votan Brand. Pure, Votan Brand. 13182 Vanilla Extract, Pull Strength 14172 Vanilla Extract, Pull Strength 14172 Vanilla Extract, Pure Hart's. 14173 Vanilla Extract, Sauers Pure Concentrated. 14165 Vanilla Extract, Pure, (S) Scott's. 13233 Vanilla Extract, Souter's Pure Concentrated. 14165 Spartan Brand. Odo | | | | T. C. McIlheney, Greensboro, | Troxler Bros., Greensboro |
| Pure, Newton's Red Seal. 12929 Vanilla Extract. Owens & Minor's. 13176 Vanilla Extract, Owens & Minor's. 13172 Vanilla Extract, Parke's Choice. 13184 Vanilla Extract, Peabody's. 14158 Vanilla Extract, Pure. Pabody Sampson Br'd, Full Strength 14169 Vanilla Compound Flavor, Sampson Br'd, Full Strength 14172 Vanilla Extract, Pure, Hart's. 14167 Vanilla Extract, Sauers' Pure Concentrated. 14167 Vanilla Extract, Scott's (S) Pure Flavoring. 14150 Spartan Brand. 14160 Spartan Brand. 14161 Vanilla Extract, Souder's. 14170 Vanilla Extract, Scott's (S) Pure Flavoring. 14150 Spartan Brand. 14160 Spartan Brand. 14161 Vanilla Extract, Southern Chemical Co., Petersburg, Va. 14150 Spartan Brand. 14161 Vanilla Extract, Southern Chemical Co., Petersburg, Va. 14160 Spartan Brand. 14161 Vanilla Extract, Southern Drng Co., Norfolk, Va. 14160 Vanilla Extract, Suffolk, Va. 14160 Vanilla Extract, Compound. 1417 Vanilla Extract, Southern Drng Co., Norfolk, Va. 1418 Vanilla Extract, Suffolk Drug Corporation, Still Drug Co., Greensboro, N. C. Surry Drug Co., Elkin, N. C. W. O. Whitaker, Apex 14163 Eagle Brand. 14163 Eagle Brand. 14164 Vanilla Extract, Vanilla Extract, Welfares Drug Store, Winston- Welfares Drug Store, Welfares Drug Store, | 14152 H | igh Proof Brand | | Miller Mfg. Co., New York, | |
| 13176 Vanilla Extract, Owens & Minor Drug Co., Richmond, Va. | | Pure, Newton's | | Newton Tea and Spice Co., | |
| Owens & Minor's. 13172 Vanilla Extract, Parke's Choice. 13184 Vanilla Extract, Peabody's. 14158 Vanilla Extract, Pure, Votan Brand. 13182 Vanilla Extract, Pure, Votan Brand. 13182 Vanilla Extract, Pure, Votan Brand. 13182 Vanilla Extract, Pure, Votan Brand. 13182 Vanilla Extract, Pure, Votan Brand. 14169 Vanilla Compound Flavor, Sampson Ber'd, Full Strength 14172 Vanilla Extract, Pure, Hart's. 14167 Vanilla Extract, Scott's (S) Pure Flavoring, Pure, (S) Scott's. 13233 Vanilla Extract, Scott's (S) Pure Flavoring, Pure, (S) Scott's. 13231 Vanilla Extract, Old Homestead. 13191 Vanilla Extract, Compound. 13181 Vanilla Extract, Old Homestead. 13191 Vanilla Extract, Compound. 13181 Vanilla Extract, Old Homestead Brand. 14163 Eagle Brand. 14163 Eagle Brand. 14164 Vanilla Extract, Vanilla Extract, Old Flavor, Imitation, Red Bird. 14165 Vanilla Extract, Compound. 14166 Vanilla Extract, Old Homestead Brand. 14166 Vanilla Extract, Old Homestead Brand. 14167 Vanilla Extract, Old Homestead Brand. 14168 Vanilla Extract, Vanilla Extract, Compound. 13181 Vanilla Extract, Vanilla Extract, Vanilla Extract, Compound. 13181 Vanilla Extract, Vanilla Extract, Vanilla Extract, Vanilla Extract, Compound. 13181 Vanilla Extract, Vanilla Extract, Vanilla Extract, Vanilla Extract, Compound. 13181 Vanilla Extract, Vanilla Extrac | -12929 V_{8} | anilla Extract | do | do | W. Gray Willis, Washington |
| Parke's Choice. 13184 Vanilla Extract, Peabody's. Pabody Drug Co., Durham, Peabody S. 14158 Vanilla Extract, Pure, Votan Brand. Algorithm of the Police of Co., Durham, Pure, Votan Brand. Algorithm of Compound. Pure, Votan Brand. Algorithm of Co., Dayton, Ohio. 14169 Vanilla Extract, Sampson Br'd, Full Strength 14172 Vanilla Extract, Pure, Hart's. Vanilla Extract, Pure, Hart's. 14173 Vanilla Extract, Sauers' Pure Concentrated. 14167 Vanilla Extract, Sauers' Pure Concentrated. 14167 Vanilla Extract, Socit's (S) Pure Flavoring. Algorithm of Compound. 14159 Spartan Brand | | | do | | M. C. Braswell, Battleboro |
| Peabody's. 14158 Vanilla Extract, Pure, Votan Brand. 13182 Vanilla Extract, Souder's. 14169 Vanilla Compound Flavor, Sampson Br'd, Full Strength 14172 Vanilla Extract, Pure, Hart's. 14167 Vanilla Extract, Scott's (S) Pure Flavoring. 14160 Spartan Brand. 141 | | | | | N. J. Bell, Fayetteville |
| Pure, Votan Brand. 3182 Vanilla Extract, Souder's. do | | | Vanilla Extract. | | - |
| 13182 Vanilla Extract, Souder's. do | | | do | | |
| Vanilla Flavor, Sampson Medicine Co., Winston-Salem. Vanilla Extract, Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. Vanilla Extract Sampson Medicine Co., Winston-Salem. San Clessing of City. I. L. Clement, Mocksville. San City. I. M. Flynn, Henderson of Co., Non. Curry-Patterson Co., Marton. Scill, W. M. Flynn, Henderson of Curry-Paterson Co., Marton. Scill, W. M. Flynn, Henderson of Curry-Patte | 13182 V; | ınilla Extract, | do | The Royal Remedy and Ex- | |
| Vanilla Extract, Pure, Hart's. 14173 Vanilla Extract, Pure Concentrated. 14167 Vanilla Flavoring, Pure, (S) Scott's. 13233 Vanilla Extract, Scott's (S) Pure Flavoring. 14150 Spartan Brand. 121928 Vanilla Extract, Old Homestead. 13191 Vanilla Flavor, Imitation, Red Bird. 13181 Vanilla Extract, Compound. 13181 Vanilla Extract, Darfield's Old Homestead Brand. 14163 Eagle Brand. Vanilla Extract, Vanilla Extract, Vanilla Extract, Od. Southern Chemical Co., Petersburg, Va. Southern Chemical Co., Petersburg, Va. Southern Drng Co., Norfolk, Va. Still Drug Co., Greensboro. R. F. Jernigan, Dunn. Surry Drug Co., Elkin, N. C. Surry Drug Co., Elkin, N. C. Surry Drug Co., Elkin, N. C. Tenn. Vanilla Extract, Welfares Drug Store, Welfares Drug Store, Welfares Drug Store, | | Flavor, Sampson | | Sampson Medicine Co., Win- | |
| 14173 Vanilla Extract, Sauers' Pure Concentrated. Va. | 14172 Va | anilla Extract, | Vanilla Extract. | | |
| March Marc | 14173 Va | anilla Extract, Sauers' Pure Con- | | C. E. Sauers Co., Richmond, | H. M. Flynn, Henderson- |
| 3233 Vanilla Extract, Scott's (8) Pure Flavoring. 4150 Spartan Brand | 14167 Va | anilla Flavoring, | do | | J. L. Clement, Mocksville |
| 14150 Spartan Brand | 13233 Va | anilla Extract, Scott's (S) Pure | do | | |
| 12928 Vanilla Extract, Old Homestead. | | | ,do | | Hardy Hill, Kinston |
| Still Drug Co., Greensboro, Still Drug Co., Greensboro, Still Drug Co., Greensboro, Still Drug Co., Greensboro, N. C. N. C. N. C. Vanilla Flavor, Imitation, Red Bird. Suffolk Drug Corporation, Suffolk, Va. Suffolk, Va. Surry Drug Co., Elkin, N. C. Compound. Swanson Drug Co., Chicago, Darfield's Old Homestead Brand. | | | do | Southern Drng Co., Norfolk, | James W. Cole, Goldsboro |
| 13171 Vanilla Flavor, Imitation, Red Bird. 13186 Vanilla Extract, Compound. 13181 Vanilla Extract, Darfield's Old Homestead Brand. 14163 Eagle Brand. 13192 Vanilla Extract, Vanilla Extract, Vanilla Extract, Compound. Vanilla Extract, Surry Drug Co., Elkin, N. C. Swanson Drug Co., Chicago, Ill. Webb Mfg. Co., Nashville, Tenn. Vanilla Extract, Welfares Drug Store, Winston- Welfares Drug Store, | 13191 Va | anilla Extract, | do | Still Drug Co., Greensboro, | Still Drug Co., Greensboro. |
| Vanilla Extract, Compound. 13181 Vanilla Extract, Darfield's Old Homestead Brand. 14163 Eagle Brand. 13192 Vanilla Extract, Vanilla Extract, Vanilla Extract, Welfares Drug Store, Welfares Drug Store, Vanilla Extract, Surry Drug Co., Elkin, N. C. Swanson Drug Co., Chicago, Ill. W. O. Whitaker, Apex W. H. Dailey, Greensboro. Welfares Drug Store, Welfares Drug Store, | 13171 Va | anilla Flavor, Imi- | Vanilla Fļavor_ | Suffolk Drug Corporation, | R. F. Jernigan, Dunn |
| 13181 Vanilla Extract, Darfield's Old Homestead Brand. 14163 Eagle Brand. 13192 Vanilla Extract, | 13186 Va | anilla Extract, | $VanillaExtract_$ | | Surry Drug Co., Elkin |
| 14163 Eagle Brand | 13181 Va | anilla Extract, | do | | W. O. Whitaker, Apex |
| Tenn. 13192 Vanilla Extract, Vanilla Extract, Welfares Drug Store, Winston-Welfares Drug Store, | | | | | |
| | 14163 E | agle Brand | do | | |
| | | | | | |

TRACTS AND VANILLA EXTRACT SUBSTITUTES—Continued.

| Laboratory Number. | Total Solids— Per Cent. | Ash—Per Cent. | Lead Number, Normal (Winton). | Vanillin— Per Cent. | Coumarin. | Specific Gravity, 15.6° C. | Remarks and Conclusions. |
|-----------------------|----------------------------|---------------|-------------------------------------|------------------------|--------------------|-------------------------------|---|
| 14154 | 23.03 | | | | Negative | 1.0438 | Vanilla extract. |
| | | | | | Positive | 1.0307 0.9814 | do. Vanilla extract, compound; misbranded; sale illegal. |
| 14171 | 8.90 | 0.37 | 0.38 | 0.320 | Negative | 0.9699 | Vanilla extract. |
| | 16.14 13.55 | | | | | 1 | Vanilla extract, compound; adulterated; misbranded; sale illegal. Compound vanilla extract. |
| | 23.55 | | | ! | Negative | | Vanilla extract. |
| | 20100 | | 0,0, | | | | |
| | $20.96 \\ 22.50$ | | | | do | 1.0368 | do. do. |
| 13172 | 20.90 | 0.15 | 0.50 | | do | 1.0407 | do. |
| 13184 | 16.10 | | 0.24 | 0.620 | Positive, | 1.0371 | Vanilla extract, compound; adulterated; misbranded; sale illegal. |
| 14158 | 16.28 | | 0.60 | 0.100 | 0.246% Negative | 1.0067 | Vanilla extract. |
| 13182 | 18.10 | | 0.61 | | do | 1.0319 | Vanilla extract. |
| 14169 | 31.07 | 0.21 | 0.18 | | Positive | 1.1026 | Vanilla extract, compound. |
| | | | İ | | | • | |
| | | 0.36 | | | | 0.9873 | Vanilla extract |
| 14173 | 20.81 | 0.34 | 0.53 | 0.360 | do | 1.0307 | do. |
| 14167 | | 0.20 | 0.48 | | do | 0.9826 | do. |
| 13233 | 15.50 | | | 0.174 | 'do | 0.9973 | Vanilla extract, below standard; adulterated; mis- branded; sale illegal. |
| 14150 | 20.37 | | 0.42 | 0.090 | do | 1.0331 | Vanilla extract. |
| 12928 | 24.33 | 0.08 | 0.19 | 0.300 | Positive | | Vanilla extract, compound; misbranded; sale illegal. |
| 13191 | | | 0.17 | 0.273 | do | 1.0722 | Vanilla extract, compound; adulterated; misbranded; |
| 13171 | | | | | do | | sale illegal. Imitation vanilla extract; misbranded; sale illegal. |
| 13186 | 17.00 | | | | do | 1.0191 | Extract vanilla, compound. |
| | | | | | | | Vanilla extract, and not vanilla as branded; vanilla is the ground bean. |
| 14163 | | 0.23 | 0.38 | 0.190 | do | 0.9869 | Vanilla extract |
| 13192 | 14.30 | | 0.44 | | do | 1.0090 | do. |

RESULTS OF THE EXAMINATION OF VANILLA EX

| Material and Brand from Label, | Sold by Dealer as— Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|---|---|---|
| 11724 Vanilla Extract, We-Li-Ka, | Vanilla Extract. We-Li-Ka Mfg. Co., Memphis, Tenn. | J. F. Powell, Fayetteville |
| 13230 Vanilla, Pure, Wit- sell's New Flavor- ing. | dodo | Hanover Grocery Co., Wilmington, |
| 12931 Vanilla, Pure Fruit Flavor, Witsell's. | Vanillado | C. W. Stevens & Co., Elizabeth City. |
| 12930 Vanilla Extract, Artificially Colored. | - Vanilla Extract., Williams, Martin & Gray, Norfolk, Va. | U. W. Tarkington, Belhaven |
| 13234 Vanilla Flavor, Artificial. | Vanilla Extract, Winston Drug Co., Winston- Artificial. Salem, N. C. | V. F. Tarlton, Wadesboro |

VINEGAR AND VINEGAR SUBSTITUTES.

VINEGAR STANDARDS.

Vinegar in the product made by the alcoholic and subsequent acetous fermentation of the juice of apples, and contains not less than 4.00 per cent of acetic acid, not less than 1.60 per cent of apple solids, of which not more than 50.00 per cent are reducing sugars, and not less than 0.25 per cent of apple ash.

Wine vinegar is the product made by the alcoholic and subsequent acetous fermentation of the juice of grapes, and contains not less than 4.00 per cent of acetic acid, not less than 1.00 per cent of grape solids, and not less than 0.13 per cent of grape ash.

Malt vinegar is the product made by the alcoholic and subsequent acetous fermentation, without distillation, of an infusion of barley malt or cereals whose starch has been converted by malt, is dextro-rotatory, and contains not less than 4.00 per cent of acetic acid, not less than 2.00 per cent of solids, and not less than 0.2 per cent of ash.

Spirit vinegar is the product made by the acctous fermentation of dilute distilled alcohol, and contains not less than 4.00 per cent acctic acid.

Under both the State and National Food Laws vinegar is a product of standard strength made from the juice of apples—that is vinegar, and nothing else is vinegar, and nothing else can be legally sold simply as vinegar. A 4 per cent solution of acetic acid in water, colored with caramel, is not vinegar and cannot be legally sold as such. It has the

| TRACTS AND | VANILLA | EXTRACT SUBSTITUTES—Continued. |
|------------|---------|--------------------------------|
| | | |

| aboratory unaber. | otal Solids— er Cent. | Ash—Per Cent. | ead Number, ormal Vinton). | anillin— er Cent. | oumarin. | Specific Gravity, 15.6° C. | . Remarks and Conclusions. |
|----------------------|--------------------------|---------------|----------------------------------|----------------------|----------|-------------------------------|--|
| 22 | 10.37 | - 27 | 0.15 | 150 | <u>_</u> | | Vanilla extract. |
| | | | | | do | | |
| 19021 | 57.70 | 19 | 0.74 | 960 | do | | Vanilla extract substitute. |
| 12930 | | | | | | | Vanilla extract, below standard; adulterated; mis- |
| 13234 | 35.50 | | | - | Positive | 1.1276 | branded; sale illegal. Imitation vanilla extract. |

acid strength of vinegar, to be sure, but instead of having the delightful flavor and odor, so desirable in vinegar, it has nothing but a pungent, stinging odor and taste. So-called spirit vinegar is practically nothing but acetic acid in water, colored with caramel. Still, manufacturers and dealers want to sell it as vinegar. They also want to mix it in all proportions from 20 to 90 per cent, with vinegar and sell this mixture as vinegar.

The most frequent violation of the food law to-day is the sale of these so-called vinegars as vinegar by the retail dealers of the State. If the manufacturers or jobbers were to ship these products, labeled vinegar, from one State into another they would be prosecuted under the National law.

These products, shipped in barrels, are not often labeled or branded vinegar, but are labeled what they are, though many dealers in selling them at retail sell them as vinegar. When a sample of so-called vinegar is bought by an inspector as *vinegar*, and the dealer is notified that he has violated the food law in the sale of a product as vinegar which was not vinegar, he almost invariably replies that he thought it was vinegar. Had he looked at the label he would have seen that it was not vinegar.

During the year 311 samples of vinegar and so-called vinegar have been purchased from the dealers of the State and examined. The results of the examination of these samples are tabulated below.

Dealers are cautioned that the sale of so-called vinegar or adulterated vinegar as vinegar will be prosecuted.

RESULTS OF THE EXAMINATION OF VINE

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--|-----------------------|---|---|
| | egar, Madison, mitation. | | Alart & McGuire Co., New York, N. Y. | W. H. Hines, Wilmington |
| 14078 | | Vinegar | Albain Grocery Co., Gastonia, N. C. | |
| 14077 | | do | | Allen & Co., Mount Airy |
| | | | American Fruit Products Co., Rochester, N. Y. | ton. |
| 13008 | | Vinegar, Cider | do | Charles Rickert, Wilmington. |
| 13386' | | Vinegar | American Commission Co., Greensboro, N. C. | W. T. Sockwell, Greensboro |
| V | inegar. | | Antrim, C. W., & Sons, Rich- mond, Va. | |
| | | | do | |
| | | | do | |
| | | | Austin-Nichols Co., New York, N. Y. | |
| | | do <u>-</u> | do | |
| | .pple Vinegar. | | | City. |
| | | arch.'' | ,do | |
| F | abeam, Pure 'ood, Cider 'inegar. | Vinegar | do | C. B. Keech & Co., Tarboro |
| | | do | dodo | do |
| 12862 Vir. | | | Baltimore Mfg. Co., Baltimore, Md. | |
| 12865 "Pi | remier'' Apple 'ider Vinegar. | do | do | C. W. Stevens Co., Elizabeth |
| 13393 Vir | | | do | C1-1 |
| 12840 Vir | egar, Distilled birit. | | do | |
| 13378 | | do | | Barlard & Ford, Reidsville |
| | | | Bear, Samuel, Sr., & Sons, Wilmington, N. C. | |
| | | | Beech Nut Packing Co., Cana- | |
| | | | , | Shelby, N. C. |
| 14011 | | | Blanton, A., Grocery Co., Marion, N. C. | A. L. Finley, Marion |
| | | do | Board, Armstrong & Co., | L. L. Shepherd, Wilmington |
| | negar, Pure Apple. | do | Alexandria, Va. Borden & Somberger, Fairport, N. Y. | Needham Willis, Morehead City. |
| 14053 | | do | | |
| 12834 | | do | Bentley, Shiver & Co., Baltimore, Md. | J. B. Jones & Son, Beaufort |
| 14018 | | | Boushee, Ed., Wilmington, N. C. | B. B. Humphreys, Wilmington. |
| | | do | dodo | Palace Market, Wilmington |
| 2.7000 | | | | 2.1.10001 |

GAR AND SUBSTITUTES FOR VINEGAR.

| 14078 4.25 0.28 | tation vinegar. rit vinegar, sold by retail dealer as vinegar; misrepresented; de illegal. rit vinegar, sold by dealer as vinegar; misrepresented; sale legal. |
|------------------------------------|--|
| sa | de illegal. rit vinegar, sold by dealer as vinegar; misrepresented; sale legal. |
| | rit vinegar, sold by dealer as vinegar; misrepresented; sale legal. $$_{\phi}$$ |
| | |
| 13016 5.10 3.38 0.97 2.41 Vine | egar. |
| 13008 4.70 3.13 | do. |
| | do. |
| | do. |
| | |
| 14010 4.44 2.12 | do. |
| 14019 4.56 2.73 | do. |
| 12873 6.14 1.50 0.29 0.92 Vine | egar slightly below standard in apple solids. |
| 12863 4.42 1.59 Vine | egar. |
| 13048 4.26 1.86 | do. |
| 13324 4.45 2.26 | do. |
| 12862 4.72 0.22 Spin | do. rit vinegar, sold as vinegar; barrel labeled imitation vinegar; hisrepresented; sale illegal. egar, slightly below standard; reduced with water. |
| | |
| 13393 4.05 0.19 Spin | rit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12840 4.40 0.27 | do. |
| 13378 4.10 1.78 Vine | egar. |
| 14014 4.80 2.44 | do. |
| 13020 5.00 2.63 | do. |
| | apound vinegar, or vinegar to which water only had been lded; not straight standard vinegar. |
| 14011 4.64 0.45 Spin | rit vinegar, sold by dealer as vinegar; misrepresented; sale legal. |
| 13015 · 4.24 0.15 Spin | rit vinegar, misbranded; branded vinegar; explanation does of excuse misbranding; sale illegal. |
| 12833 4.16 3.45 0.50 0.96 2.40 Vin | |
| 14053 4.35 0.31 Spin | rit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12834 4.48 1.60 0.24 Vin | egar. |
| 14018 4.36 2.13 | do. |
| 13011 5.10 2.62 13009 4.26 2.56 | do. do. |

THE BULLETIN.

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|---|---|--|--|---|
| | | | | |
| | | | , | |
| 13317 | | | Boykin Grocery Co., Wilson, | Ruffin-High Co., Wilson |
| | | | N. C. | |
| | | | | Salem. |
| 13022 | | do | | E. L. Burns, Maxton |
| 14028 | | do | | J. H. Burton, Reidsville |
| 14033 | | do | | Carolina Warehouse, Greens- boro. |
| 12899 | | do | | |
| 12861 | | do | | W. H. Cartwright, Elizabeth |
| | | | | City. |
| 13954 | | Vinegar, Grape. | | |
| | | | Sol Caslar, Asheville, N. C | |
| 14120 | Vinegar, Apple | do | dodo | W. L. Barrett, Asheville |
| 14117 | do | do | do | E. S. Harrold, Waynesville |
| 14045 | | Vinegar, Apple. | | City Grocery Co., Madison |
| 14039 | | do | | J. L. Clement, Mocksville |
| | | | | |
| 12821 | | Vinegar | L. A. Cobb & Co., Kinston, N. C. | W. H. Murphy, Kinston |
| 12826 | | do | do | Stroud Bros., Kinston |
| 14121 | Vinegar, Pure | do | . Coca-Cola Bottling Co., Ashe- | Shipman Bros., Henderson- |
| | Apple. | | ville, N. C. | ville. |
| 1.1115 | e1 | .1 | do | W |
| 14110 | | do | do | • |
| 14116 | | | do | Waynesville. |
| 14116 | | | | Waynesville. |
| 14116 | do | Vinegar, Apple | Consolidated Cider and Vine- | Waynesville. Marr-Coburn Co., Bryson City. |
| 14116 13355 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Com- pound. | Consolidated Cider and Vinegar Co., Memphis, Tenn. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham |
| 14116 13355 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Com- pound. | Consolidated Cider and Vine- | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham |
| 14116 13355 13030 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar | Consolidated Cider and Vinegar Co., Memphis, Tenn. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. |
| 14116 13355 13030 13389 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegardo | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. |
| 14116 13355 13030 13389 14041 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Com- pound. Vinegardodo | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. do. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove |
| 14116 13355 13030 13389 14041 14068 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegardodododo | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. do. do. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Groeery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem |
| 14116 13355 13030 13389 14041 14068 12882 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegardododo | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N.C. do. do. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden |
| 14116 13355 13030 13389 14041 14068 12882 13323 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegardododo Vinegar, Apple Vinegar | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Dancy, Tarboro |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do Vinegar, Apple Vinegar, Apple Linegar do do | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Dancy, Tarboro Dodson & Co., Walnut Cove |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 13322 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegardododo Vinegar, Apple Vinegar, Apple Vinegardododododododo | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N.C. do. do. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Daney, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 13322 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegardododo Vinegar, Apple Vinegar, Apple Vinegardododododododo | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Daney, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 13322 14049 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegardodododododo. | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N.Cdodo | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Dancy, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin. |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 13322 14049 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do vinegar, Apple Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. Cdodo | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Daney, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 13322 14049 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do vinegar, Apple Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N.Cdodo | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Dancy, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington H. E. Faircloth, Winston- |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 13322 14049 12855 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do Vinegar, Apple Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. do. do. do. James Ellis & Co., Washington, N. C. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Daney, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington H. E. Faircloth, Winston-Salem. |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 13322 14049 12855 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do Vinegar, Apple Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. dododododododododododododododododododo. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. J. N. Hertman, Winston-Salem J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Daney, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington H. E. Faircloth, Winston-Salem. Watson-King Co., Rocking- |
| 14116 13355 13030 13389 14041 14068 12882 13323 14049 12855 14061 13028 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do Vinegar, Apple Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Daney, Tarboro Dodson & Co., Walnut Cove. Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin. J. H. Jarvis, Washington H. E. Faircloth, Winston-Salem. Watson-King Co., Rockingham |
| 14116 13355 13030 13389 14041 14068 13323 14043 12855 14061 13028 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do vinegar, Apple Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N.Cdododo James Ellis & Co., Washington, N.C. Fleming & Christian, Richmond, Vadodo | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Daney, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington H. E. Faircloth, Winston-Salem. Watson-King Co., Rockingham E. D Whitlock Rockingham. |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 12855 14061 13028 13027 12872 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. do. do. do. James Ellis & Co., Washington, N. C. Fleming & Christian, Richmond, Va. do. The Four Company, Norfolk, | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Dancy, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington H. E. Faircloth, Winston-Salem. Watson-King Co., Rockingham E. D Whitlock Rockingham. Plymouth Supply Co., Ply- |
| 14116 13355 13030 13389 14041 14068 12882 13323 14043 12855 14061 13028 13027 12872 | Vinegar, Uncle Josh | Vinegar, Apple Vinegar, Compound. Vinegar do do Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. do. do. do. James Ellis & Co., Washington, N. C. Fleming & Christian, Richmond, Va. do. The Four Company, Norfolk, | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Dancy, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington H. E. Faircloth, Winston-Salem. Watson-King Co., Rockingham E. D Whitlock Rockingham. Plymouth Supply Co., Ply- |
| 14116 13355 13030 13389 14041 14068 12882 14049 12855 14061 13028 13027 12872 | Vinegar, Uncle Josh Vinegar, Uncle Josh Vinegar, Golden Thorse Shoe, Apple | Vinegar, Apple Vinegar, Compound. Vinegar do do Vinegar, Apple Vinegar, Apple Vinegar, Apple Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. do. do. James Ellis & Co., Washington, N. C. Fleming & Christian, Richmond, Va. do. The Four Company, Norfolk, Va. do. | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden C. M. Daney, Tarboro Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington H. E. Faircloth, Winston-Salem Watson-King Co., Rockingham. E. D Whitlock Rockingham. Plymouth Supply Co., Plymouth. S. R. Odom, Goldsboro |
| 14116 13355 13030 13389 14041 14068 13322 14049 12855 14061 13028 13027 12872 12812 13328 | Vinegar, Uncle Josh Vinegar, Uncle Josh Vinegar, Golden Thorse Shoe, Apple | Vinegar, Apple Vinegar, Compound. Vinegar do do do do do do do do do d | Consolidated Cider and Vinegar Co., Memphis, Tenn. Cramer Bros., Winston-Salem, N. C. do. do. do. James Ellis & Co., Washington, N. C. Fleming & Christian, Richmond, Va. do. The Four Company, Norfolk, | Waynesville. Marr-Coburn Co., Bryson City. O. K. Grocery Co., Durham. E. M. Covington & Co., Rockingham. E. P. Hertman, Winston-Salem. J. N. Young, Walnut Cove W. F. Grubbs, Winston-Salem Dail & Halton, Ayden Dodson & Co., Walnut Cove Nathan Edmondson, Tarboro Elkin Mercantile Co., Elkin J. H. Jarvis, Washington H. E. Faircloth, Winston-Salem. Watson-King Co., Rockingham. E. D Whitlock Rockingham. Plymouth Supply Co., Plymouth. S. R. Odom, Goldsboro W. G. Bass, Halifax |

| | | | <u>-</u> | 1 | | |
|----------------------|---|--|--------------|----------------------------|-----------------------------------|--|
| | | # 1 | Ash—Per Cent | k | | |
| Ľ | | Solid Matter n Solution— Per Cent. | 9 | Total Sugars- Per Cent. | £ .: | D. J. J.C. Julius |
| aboratory [umber. | n 12 | Ma | Ę. | al Sug Cent. | Non-sugar Solids— Per Cent. | Remarks and Conclusions. |
| aboratc umber. | Acidity, Total— Per Cent | [65] | T | ت ن | on-sug olids— er Cent | |
| Ž E | er er | 15 X E | - | er | e je | * * |
| ãź | F F F | Z.52 | 7 | ĔĞ | スズニ | |
| | | | | | | |
| 12047 | E 40 | 2.34 | | | | Vinegar. |
| 13047 | 5.46 | | | | | |
| 13317 | 4.25 | 2.43 | | | | do. |
| | | 1 | | | | |
| 14062 | 5.60 | 0.66 | 0.24 | .18 | .51 | do. |
| | | | | | | |
| 13022 | 5.16 | 0.53 | | | | Compound vinegar; sold as vinegar; misrepresented; sale illegal. |
| 14028 | | | | | | Vinegur. |
| | | 1.51 | | | | Product sold as vinegar, below standard; adulterated; sale was |
| 14033 | 2.92 | 1.04 | | | | |
| | | | | | | illegal. |
| 12822 | 4.60 | 0.51 | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12861 | 6.02 | 0.63 | | | | do. |
| | | | | | | |
| 13954 | 4.46 | 1 | | | | Grape vinegar. |
| 14119 | | 0.14 | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 14120 | | 9 99 | 0.40 | 0.70 | 1.58 | Vinegar. |
| | | | | | | Vinegar to which water had been added; adulterated; sale illegal. |
| 14117 | | 2.04 | | 0.81 | 1.10 | Vinegar to when water had been saded, saturdated, satu |
| 14045 | | 3.57 | | | | Vinegar below standard; adulterated; sale illegal. |
| 14039 | 2.86 | 2.64 | | | | Vinegar, below standard; change was not complete; sale as vine- |
| | | | | | | gar was illegal. |
| 12821 | 4.60 | 0.25 | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| | | | | | | |
| 12826 | i 4.36 | 1 56 | 0.91 | | | Vinegar. |
| | | | | | | do. |
| 1412 | 4.95 | 1.00 | | | | qo. |
| | | | | | | |
| 14118 | 4.55 | 1.56 | | | | do. |
| | | | | | | |
| 1411 | 3.30 | 0.09 | 0.02 | | | Spirit vinegar, below standard; misbranded; sale illegal. |
| | | | | 1 | | |
| 1335 | 5. 3.75 | 0.18 | | 1 | | Spirit vinegar, below standard; misbranded; explanation does not |
| 1000 | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | excuse misbranding; sale illegal. |
| 1303 | 4.8 | 4 2.26 | | | | Vinegar. |
| 1909 | 4.8 | 1 4,20 | | | | Vinegai. |
| | | | | | | and the state of t |
| 1338 | 9 - 4.20 | 0 - 0.36 | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| | | 1 | | | | |
| 1404 | 1 - 3.30 | 0.28 | | | | Compound vinegar. |
| 1406 | 8 4.0 | 5 - 2.53 | | | | Vinegar. |
| 1288 | 1 | | | | | |
| 1332 | | | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| | | | | | | Vinegar. |
| 1404 | | | | | 4 00 | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| 1332 | | | | 3 .6 | a) -92 | D. L. L. ald a river on below standard in additional as vinoger |
| 1404 | 9 - 1.7 | 0 -1.50 | | | | Product sold as vinegar; below standard in acidity; sale as vinegar |
| | | | | | | illegal. |
| 1285 | 5 - 4.6 | 2 - 1.78 | | | -, | Vinegar. |
| | 1 | | | | | |
| 1406 | 1 4.4 | 0 2.14 | | | | do. |
| | | | | | | |
| 1302 | 8 4.4 | 6: 1.65 | | | | . do. |
| 1302 | 0 4.4 | 0 1.00 | , | | | div. |
| 4 | | | | | | |
| 1302 | | | | | | |
| 1287 | 2 - 4.7 | 0 1.5 | 0.29 | 6 | | Vinegar, slightly low in apple solids. |
| | | | | | | |
| 1281 | 2 4.4 | 8 0.36 | 3' | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 1332 | 8 4.4 | | | | | |
| 1330 | | | | | | Vinegar. |
| 1000 | U.U | w. 01 | | -/ | | |

THE BULLETIN.

| Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|---|--------------------------|---|---|
| 13018 | Vinegar Com- | Frey & Son, Baltimore, Md | C. R. Pope, Wilmington |
| 1 | Vinegar | Gast, Croft & Co., Louisville, Ky. | W. H. Hilliard, Morehead City |
| 13379 Vinegar, Our Pride Distilled. | ,do | do | J. D. Strader, Reidsville |
| 12 853 | Vinegar, Dis- tilled. | James G. Gill & Co., Norfolk, Va. | Jackson & Roberson, Wash- ington. |
| 13029 Vinegar, White House. | Vinegar | do | C. C. Shores & Co., Rocking- ham. |
| 13004 | do | J. T. Ginn & Co., Goldsboro, N. C. | G. D. Andrews & Bro., Clinton. |
| | Vinegar, Apple. | D. J. Gregory Vinegar Co., Richmond, Va. | B. F. Grady, Goldsboro W. S. Clark, Fayetteville |
| 14029 Vinegar, Cider, Monarch. | Vinegar | do | Spray Mercantile Co., Spray |
| 14040 13300 Vinegar, Pure | | do | |
| Apple, Monarch. 13024 Vinegar, Monarch. | do | do | |
| 13304 | do | Hall & Pearsall, Wilmington, | burg. W. J. Council, Red Springs |
| 13301 | do | ' N. C. | Hamilton Supply Co., Red Springs. |
| 13391 Vinegar, Hancock Old Fashioned Apple Vinegar. | 'sdo | Hancock Grocery Co., Winston- Salem, N. C. | |
| 13388 | | do | |
| 14059 | _ Vinegar, Apple | do | J. H. Weisner & Co., Winston-Salem. |
| 14012 | Vinegar | F. S. Hashagen, Wilmington, N. C. | |
| 12876 | | | |
| 14070 | Vinegar, Chemical. | | J. A. Hauchins, Winston- Salem. |
| | Vinegar | - H. J. Heinz Co., Pittsburg, Pa. | J. S. Hege, Winston-Salem |
| Apple Cider. | | do | let. |
| | | | |
| | | do | |
| 13041 | _ Vinegar | - do | S. H. Youngblood, Charlotte. |
| Goldthorn. | | Walter H. Hildick Co., New York, N. Y. | |
| 12878 Vinegar, Hirsch's Pure Apple. | do | Hirseh Bros. & Co., Louisville, Ky. | W. H. Ricks, Greenville |
| 14067 | do | Houser Bros., Winston-Salem, N. C. | Hampton Bros., Winston-Salem. |

| Laboratory Number. | Actuity, Total— Per Cent. | Solid Matter in Solution— Per Cent. | Ash—Per Cent. | Total Sugars— Per Cent. | Non-sugar Solids— Per Cent. | Remarks and Conclusions. |
|-----------------------|---------------------------------|---|-----------------|----------------------------|-----------------------------------|--|
| 13018 | 4.34 | 2.16 | | | | Dried apple vinegar. |
| 12832 | 4.30 | 0.49 | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 13379 | 4.20 | 0.34 | | | | do. |
| 12853 | 4.44 | 0.34 | | | | Spirit vinegar, sold as distilled vinegar. Should be sold as spirit |
| 13029 | 4.12 | 1.84 | | | | vinegar. Vinegar. |
| 13004 | 4.64 | 1.66 | | | | do. |
| 12803 | 4.34 | | | | | do. |
| 14024 | 4.78 | 2.66 | | | | do. |
| 14029 | 4.36 | 2.26 | | | | do. |
| 14040 | 4.95 | | | | | do. |
| 13300 | 4.70 | 2.58 | 0.37 | 0.63 | 1.95 | do. |
| 13024 | 5.14 | 2.71 | | - | | do. |
| 13304 | 4.90 | 3.17 | | | | do. |
| 13301 | 4.65 | 2.85 | | | | do. |
| 13391 | 4.65 | 1.43 | | | | Vinegar, slightly below standard in apple solids. |
| 13388 | 3.90 | 0.25 | | | | |
| 14059 | 4.1 | 2.06 | | | | sented; sale illegal. Vinegar. |
| 14012 | 4.78 | 2.24 | | | | do. |
| 12876 | 4.30 | - | | | 1 | do. |
| 14070 | 4.2 | 5 0.29 | | | | Spirit vinegar. |
| 14058 | 4.2 | 5 0.24 | | | | Spirit vinegar; sold as vinegar; sale illegal. |
| 13305 | 4.9 | 0 1.63 | 0.28 | | | Vinegar. |
| 13032 | | | 1 | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; \mid sale illegal. |
| 13006 13035 | | | 0.44 | | | . Vinegar, slightly low in apple solids. O Vinegar. |
| 13041 | | | !,- | Ì | 1 | do. |
| 13329 | 1 | | | | | do. |
| 12878 | 4.4 | 4 2.10 | | | - | do. |
| 14067 | 4.5 | 5 | | | - | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |

| ∄ ⊈ Brai | rial and nd from abel. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-------------------|--|-------------------------|--|---|
| 14072 | | Vinegar | Houser Bros., Winston-Salem, N. C. | F. H. Farabee, Winston-Salem. |
| 12866 | | do | Hubbard, Slack & Co., Nor- folk, Va. | J. E. Howell, Hertford |
| 14035 | | Vinegar, Grape. | | Hudson Grocery Co., Greensboro. |
| 14075 | | Vinegar | R. M. Hughes & Co., Louisville, Ky. | R. C. Poore, Mount Airy |
| 14021 | | do | | R. D. Caldwell & Son, Lumberton. |
| 14025 | | Vinegar, Apple. | R. M. Hughes & Co., Louisville, Ky. | J. F. Powell & Son, Fayette- ville. |
| Mono | , Distilled, gram, Pick- nd Apple. | Vinegar | do | A. A. Kluttz, Chapel Hill |
| 13370 | | do | do | J. C. Daily, West Durham |
| Pickli Apple | ng and , Monarch. | | do | |
| | | | do | |
| | | | do | |
| 12804 | | Vinegar, White Wine. | do | W. R. Thompson, Goldsboro. |
| 12841 Vinegar | | Vinegardo | do | |
| 13316 | | do | do | D. C. Braswell, Wilson |
| Dist. | ,Compound Pickling and , Monogram | l | do | Byrd & Upchurch, Durham |
| 13347 | | do | R. M. Hughes & Co., Middle- port, N. Y. | George E. Perry, Henderson |
| | , | | R. M. Hughes & Co., Louis- ville, Ky. | Helms & Huntley, Monroe |
| | | | do | |
| | | | do | |
| | | | do | |
| 12001 | | Vinegar Apple | do | M. W. Pope, Mount Olive |
| 13005 | | Vinegar, Apple. | do | Aman Grocery Co., Clinton. |
| 13019 | | Vinegar, Mono- gram. | 'do | Thomas Grocery Co., Wilmington. |
| | | Vinegar | dodo | R. H. Strickland, Maxton |
| | | | | |
| 13026do | | do | do | D. C. McNeill, Laurinburg |
| | | | do | |
| 13031 Vinegar | , Monogram | do | do | E. B. Liles, Rockingham |

| Laboratory Number. | Total— Per Cent. | Sond Matter in Solution— Per Cent. | Ash—Per Cent. Total Sugars— Per Cent. | Non-sugar Solids— Per Cent. | Remarks and Conclusions. |
|-----------------------|------------------|--|---------------------------------------|-----------------------------------|---|
| 14072 | 3.80 | 0.36 | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12866 | 4.26 | 1.70 | | | Vinegar. |
| 14035 | 5.56 | 0.53 | | | Compound grape and spirit vinegar, sold as vinegar by retail |
| 14075 | 4.05 | 1.48 | | | dealer; misrepresented; sale illegal. Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| 14021 | 6.70 | 3.85 | 0.57 1.17 | 2.66 | Vinegar. |
| 14025 | 4.08 | 1.83 | | | do. |
| 13371 | 4.75 | 1.00 | 1 | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| 13370 | 3.85 | 1.15 | | | Compound vinegar, below standard; sold as vinegar; misrepresented; sale illegal. |
| 13367 | 3.90 | 1.32 | | | |
| 13361 | 4.10 | 1.18 | | | configuration and the gar, marciate the the gar. |
| 13359 | 4.00 | | | | |
| 13357 | 4.15 | 1.10 | | | Compound vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 12804 | 5.46 | 0.27 | | | Spirit vinegar; sold as white wine vinegar; misrepresented; sale illegal. |
| 12806 | 4.61 | 0.65 | | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12841 | 4.12 | 0.22 | | | Spirit vinegar, sold as vinegar; barrel was branded "Imitation Vinegar"; misrepresented; sale illegal. |
| 13316 | 3.75 | 1.22 | | | Compound vinegar, sold as vinegar; misrepresented; below standard; sale was illegal. |
| 13354 | 3.90 | 1.37 | | | Compound vinegar, slightly below standard; sold as vinegar; misrepresented; sale illegal. |
| 13347 | 4.00 | 1.61 | 0.32 0.68 | 0.93 | Vinegar, water added; sold as vinegar by retail dealer; sale illegal. |
| 13038 | 4.94 | 1.15 | | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| 13034 | 3.84 | 0.50 | | | Compound vinegar. |
| 13033 | 4.30 | 1.93 | | | Vinegar. |
| 13036 | 4.26 | | | | do. |
| 13000 | 4.40 | 1.10 | | | Compound vinegar, sold by retail dealer as vinegar; misrepre- |
| 13001 | 3.94 | 1 20 | | | sented; sale was illegal. |
| 13005 | 3.98 | | | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. do. |
| 13019 | 4.20 | | | | Compound vinegar, sold by retail dealer as vinegar; misrepre- |
| | | | | | sented; sale illegal. |
| 13021 | 4.44 | .1.00 | | | do. |
| 13025 | 4.40 | 1.31 | | | Vinegar, to which water had been added; water added to vinegar is adulteration; sale illegal. |
| 13026 | 4.34 | 0.64 | | | Compound vinegar, sold by dealer as vinegar; misrepresented; sale illegal. |
| 13382 | 4.15 | 1.07 | | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| 13031 | 4.42 | 2.12 | 0.34 - 0.72 | | Vinegar. |
| | | | | | |

| - | | | - | <u> </u> |
|-----------------------|--|-----------------------|--|---|
| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
| | | | R. M. Hughes & Co., Louis- ville, Ky. | Liberty Mercantile Co., Winston-Salem. |
| 12886 12883 | | Vinegar, Apple | do | W. B. Driver, Selma Farmers Mercantile Co., Selma. |
| 12817 | Vinegar, Apple Cider. | | do | I. E. Braxton, LaGrange |
| | Vinegar, Pure Apple. | do | do | Ashley Horne & Son, Clayton John J. Thrower & Co., Red Springs. |
| 13377 | Vinegar, Pure Apple, Hyman's Old Ky. Home. | | The Hyman Pickle Co., Louisville, Ky. | S. F. Watkins, Reidsville |
| | | do | | lotte. |
| | | Apple. | H. M. Jenkins, Washington, N. C. | |
| | | pound. | | |
| 13429 | | do | | Miss Edith Jones, State Normal College, Greensboro |
| 14060 14071 | | Vinegar, Dis- | | C. A. Jones, Winston-Salem |
| | | tilled. | | Salem. J. N. Dellinger, Shelby |
| 13733 | Vinegar, Pure . Apple. | do | Kydo | |
| 13385 | Vinegar, Every- body's Distilled, Colored. | Vinegar, Compound. | do | John E. Sockwell, Greensboro |
| | | | T. G. Knotts, Suffolk, Va | ville |
| | | | do | |
| 12867 | | do | do | W. L. Blanchard & Son, Hert- ford. |
| | | | do | ton. |
| | | pound. | dodo | |
| 13332 | | Vinegar | do | M. C. Braswell, Battleboro |
| | | | do | 1 |
| | | | do | |
| | | | do | linton. |
| 23011 | | pound. | uv | t me David, Jr., nenderson |

| | - | | | - | | |
|-----------------------|---------------------------------|---|--------------|----------------------------|-----------------------------------|---|
| Laboratory Number. | Acidity, Total— Per Cent. | Solid Matter in Solution— Per Cent. | Ash—Per Cent | Total Sugars— Per Cent. | Non-sugar Solids— Per Cent. | Remarks and Conclusions. |
| 14066 | | 1.44 | | | | Vinegar, reduced with water; sold as vinegar; misrepresented; sale illegal. |
| $\frac{12886}{12883}$ | | 2.10 2.16 | | | | Vinegar. do. |
| 12817 | 4.80 | 1.24 | 0.18 | | | Vinegar, water added. Sold as vinegar by retail dealer; sale illegal. |
| 13294 13302 | | | | | | Vinegar. do. |
| 13377 | 3.85 | 1.91 | | | | Vinegar, slightly below standard; sale illegal. |
| 13045 | 4.08 | 0.25 | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12879 | 4.16 | 1.73 | | | | Vinegar. |
| 14048 | 3.85 | 0.35 | | , , - - | | Spirit vinegar, below standard; sold as vinegar; misrepresented; sale illegal. |
| 12871 | 4.06 | 0.18 | | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 13429 | | | | | | Vinegar. |
| 14060 | | | | | | do. |
| 14071 | | | | | | Spirit vinegar, sold as distilled vinegar; was not distilled; sale was illegal. |
| 14079 | 4.15 | 2.40 | | | | Vinegar. |
| 13733 | 4.45 | 2.04 | | | | do. |
| 13385 | 4.15 | 0.29 | | | | Spirit vinegar; misbranded; was not distilled; sale illegal. |
| 12877 | 5.40 | 0.45 | | | | Compound spirit and grape vinegar, sold by retail dealer as grape vinegar; misrepresented; sale illegal. |
| 12885 | 4.10 | 0.45 | | | | Compound spirit and grape vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 12870 12867 | | | | | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. Compound vinegar, sold by retail dealer as vinegar; misrepre- |
| 12851 | | | | | | sented; sale was illegal. Compound spirit and grape vinegar, sold by retail dealer as vine- |
| 12880 | 0 5.4 | 0.62 | | | | gar; misrepresented; sale illegal. Compound spirit and grape vinegar. |
| 1999 | 1. 5.90 | 1 00 | | | | do. |
| 13333 13333 | | | | | | Spirit vinegar, containing small amount of grape vinegar; sold as |
| 1333- | 4 4.30 | 0.3 | | | | vinegar; misrepresented; sale illegal. Spirit and grape vinegar, sold as vinegar by retail dealer; mis- |
| 1333 | 8 5.1 | 0.88 | | | | represented; sale illegal. Compound spirit and grape vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 1334 | 2 5.3 | 0.49 | | | | gar, misrepresented, sale megal. do. |
| 1334 | 4 5.60 | 0.75 | 2 | - | | Compound spirit and grape vinegar. |

THE BULLETIN.

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|---|-------------------------|-----------------------------|---|
| | | | | |
| 13345 | | Vinegar, Grape. | T. G. Knotts, Suffolk, Va. | Beacom Supply Co., Hen- derson. |
| | | | | Taylor Bros., Oxford |
| | | | do | |
| | | | dodo. | |
| 13365 . | | Vinegar | do | Main Street Grocery Co., Durham. |
| 13366 . | | Vinegar, Grape. | do | D. A. Saunders, Apex |
| 13381 . | | Vinegar, Com- | do | . Hutcherson Pure Food Store, Reidsville. |
| 13353 . | | | do | |
| | | inegar, Grape. | | Trace a surface, or consistent |
| | | | | John E. Sockwell, Greensboro |
| 13397 . | | do., | do | Moser Grocery Co., Winston- Salem. |
| 13293 . | | Vinegar | do | |
| | 'inegar, Knott's | | do | |
| | Grape and Dis- tilled. | | | |
| 13296 | | Vinegar | do | . W. M. Sanders, Smithfield |
| 4000 | | , | | |
| | | | | Powers & Millar, Sanford |
| | | | do | |
| 19911 | | vinegar, Grape. | do | Pines. |
| 13318 . | | Vinegar | do | |
| 13320 . | | Vinegar, Grape. | do | Gaston G. Levy, Rocky Mount. |
| 13321 . | | Vinegar, Com- pound. | do | . C. R. L. Matthews, Rocky Mount. |
| 13326 . | | | do | D. C. Bell, Halifax |
| 13327 . | | Vinegar, Grape. | do., | . W. F. Coppedge, Halifax |
| 12847 . | | Compound. | do | |
| 12846 V | inegar, Com- | | do | |
| | pound, Distilled, Grape. | | | New Bern. |
| 12814 . | do | do | do | E. B. Hackburn, New Bern |
| | | | | Lucas & Lewis, New Bern |
| 12839 . | | Vinegar, Grape. | do | J. L. McDaniel, New Bern |
| 12838 . | | Vinegar | do | S. W. Willis, New Bern |
| 12816 V | inegar, Com- pound, Distilled, Grape. | | do | . H. A. Powell Grocery Co., Goldsboro. |
| 12814 . | | Vinegar, Grape. | do | W. D. Creech, Goldsboro |
| 12813 . | | Vinegar | do | H. Williams, Goldsboro |

| Laboratory Number. | Acidity, Total— Per Cent. | Solid Matter in Solution— Per Cent. | Ash—Per Cent. | Total Sugars— Per Cent. | Non-sugar Solids— Per Cent. | Remarks and Conclusions. |
|-----------------------|---------------------------------|---|---------------|----------------------------|-----------------------------------|--|
| 13345 | 5.35 | 0.44 | | | | Compound spirit and grape vinegar, sold by retail dealer as grape vinegar; misrepresented; sale illegal. |
| 13349 | 6.45 | 0.59 | 0.04 | 0.11 | 0.48 | do. |
| 13351 | 5.10 | 0.62 | | | | do. |
| 13364 | 5.90 | 0.57 | 0.05 | 0.10 | 0.47 | do. |
| 13365 | 5.45 | 0.44 | 0.05 | 0.12 | 0.32 | Compound spirit and grape vinegar; was sold by retail dealer as |
| | | | | | | vinegar; misrepresented; sale illegal. |
| 13366 | 5.65 | 0.69 | | | | Compound spirit and grape vinegar; was sold by retail dealer as |
| 10001 | 0 | 0.59 | | | | grape vinegar; misrepresented; sale was illegal. |
| 13381 | 5.50 | 0.53 | | | | Compound spirit and grape vinegar. |
| 13383 | 5.45 | 0.53 | 0.06 | 0.08 | 0.45 | Compound spirit and grape vinegar; was sold by retail dealer as grape vinegar; misrepresented; sale illegal. |
| 13384 | 5.55 | 0.52 | | | | do. |
| 13397 | 5.35 | 0.55 | | | | do. |
| | | | | | | |
| 13293 | 4.85 | | | | | Compound spirit and grape vinegar, sold by retail dealer as vine- gar; misrepresented; sale illegal. |
| 13297 | 5.55 | 0.40 | | | | Compound spirit and grape vinegar, sold by retail dealer as grape vinegar; misrepresented; sale illegal. |
| 13296 | 5.40 | 0.41 | | | | Compound spirit and grape vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 13307 | 5.00 | 0.39 | | | | do. |
| 13309 | 5.00 | 0.35 | | | | do. |
| 13311 | 5.60 | 0.44 | | | | Compound spirit and grape vinegar, sold by retail dealer as grape vinegar; misrepresented; sale illegal. |
| 13318 | 5.35 | 0.59 | | | | Compound spirit and grape vinegar, sold by retail dealer as vine- gar; misrepresented; sale illegal. |
| 13320 | 5.45 | 0.53 | | | | Compound spirit and grape vinegar, sold by retail dealer as grape vinegar; misrepresented; sale illegal. |
| 13321 | 5.65 | 0.64 | | | | Compound spirit and grape vinegar. |
| 13326 | 5.50 | | | | | Compound spirit and grape vinegar, sold by retail dealer as vine- gar; misrepresented; sale illegal. |
| 13327 | 5.15 | | | | | Compound spirit and grape vinegar, sold by retail dealer as grape vinegar; misrepresented; sale illegal. |
| 12847 12846 | 5.38 6.22 | | | | | Compound spirit and grape vinegar. |
| 12540 | 0.22 | 0.30 | | | | Compound spirit and grape vinegar, sold by retail dealer as-vine- gar; misrepresented; sale illegal. |
| 12844 | 5.22 | 0.41 | | | | do. |
| 12842 | 5.16 | 0.43 | | | | do. |
| 12839 | 5.40 | 0.46 | | | | Compound spirit and grape vinegar, sold by retail dealer as grape |
| 12838 | 5.20 | 0.46 | | | | vinegar; misrepresented; sale illegal. Compound spirit and grape vinegar, sold by retail dealer as vine- |
| ° 12816 | 5.54 | 0.73 | | | | gar; misrepresented; sale illegal. do. |
| | | | | | | |
| 12814 | 5.78 | 0.82 | | | | Compound spirit and grape vinegar, sold as grape vinegar by retail dealer; misrepresented; sale illegal. |
| 12813 | 5.50 | 0.61 | | | | Compound spirit and grape vinegar, sold by dealer as vinegar; misrepresented; sale was illegal. |

| 용글 Bra: | erial and nd from abel. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|---------------------------------|---------------------------------------|-------------------------|---|---|
| 12810 | | Vinegar | T. G. Knotts, Suffolk, Va | J. G. Derr, Goldsboro |
| 12809 | | Vinegar, Grape. | do | W. L. Summerlin Co., Golds- boro. |
| 12808 Vinegar pound Grape | l, Distilled, | | do | |
| 12805 | | Vinegar, Com- | do | Mrs. L. B. Bass, Goldsboro |
| 12825 | · · · · · · · · · · · · · · · · · · · | | do | Hardy Hill, Kinston |
| 14022 | | Vinegar, Grape. | do | R. F. Jernigan, Dunn |
| | | | do | Salem. |
| 14026 | | Vinegar, Country. | P. D. Lemon, Reidsville | Hazel & Mims, Reidsville |
| | | | | |
| | | | Lexington Grocery Co., Lexington, N. C. | Smith Grocery Co., Lexington. |
| 12852 | | do | | Charles M. Little, Washington. |
| 13339 | | do | | Littleton Meat Market, Littleton. |
| 14069 | · | Vinegar, Pure Apple. | | |
| 12652 | | Vinegar | | G B Lockhart Durham |
| | | | | A. Valentine, Mount Airy |
| 14032 | | Vinegar, Apple. | Tom Lynch, Greensboro, N. C. | M. S. Jeffreys, Greensboro |
| | | | Madison Grocery Co., Madison, | |
| | Pure Apple. | | N. C. | son. |
| 12868 | | do | | W. A. Mansfield, Edenton |
| | | | | |
| | | | | |
| 12875 | | do | | M. B. McGowan, Williamston. |
| 13372 | | do | McLamb Grocery Co., Burlington, N. C. | L B. McAdams & Son, Burlington. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 12848 | | do | E. R. Mixon & Co., Washing- | W. M. Swanner, Washington |
| | | | ton, N. C. Monger-Hatch Co., Sanford, N. C. | Nisbet & Womble, Sanford |
| 13376 | | do | | C. D. Moore, Graham |
| | | | | |
| | | | , | Salem. |

| | | | nt. | 1 | | |
|--------------------------------|--------------|--------------|---------------|-------------------------|-----------------------------------|--|
| >s | . Fe | | ಲಿ | ars | _ | |
| r. | . | rtio Ltio | e | arg nt. | nt. | Remarks and Conclusions. |
| aboratory (umber. eidity | 195 Z | G a | Ash—Per Cent. | otal Sugars er Cent. | Non-sugar Solids— Per Cent. | |
| - Agin re | e de de | ž į | -ds | of to | er eligi | |
| HZ 4 | E A Z | 1.50 | A | | Z01P | |
| | | | | | | a latest and manager cold by retail dealer as wine- |
| 12810 | 4.08 | 0.38 | | | | Compound spirit and grape vinegar, sold by retail dealer as vine- |
| | | 0 201 | | | | gar; misrepresented; sale illegal. Compound spirit and grape vinegar, sold by retail dealer as grape |
| 12809 | 5.40 | 0.50 | | | | vinegar; misrepresented; sale illegal. |
| | | 0.00 | | | | Compound spirit and grape vinegar, sold by retail dealer as vine- |
| 12808 | 5.12 | 0.53 | | | | gar; misrepresented; sale illegal. |
| | | | 4 | | | gar, misrepresented, sale megar. |
| 12805 | 5.22 | 0.49 | | | (| Compound spirit and grape vinegar. |
| 12803 | 3.22 | 0.42 | | | | Compound opart and Brake Amegast |
| 12825. | 5.78 | 0.41 | į | | ,(| Compound spirit and grape vinegar, sold by retail dealer as vine- |
| 12020. | 0.10 | 0.41 | | | , | gar; misrepresented; sale illegal. |
| 14022 | 5.18 | 0.54 | | | | Compound spirit and grape vinegar; was sold as grape vinegar |
| 11022 | 0.10 | 0.02 | | | | by retail dealer; misrepresented; sale illegal. |
| 14063 | 5.05 | 0.46 | | | | do. |
| | | | | | | |
| 13308 | 4.55 | 1.92 | - - | | | Vinegar. |
| 14026 | 4.50 | 3.29 | | | | do. |
| | | | | | | |
| 13046 | 4.32 | | | | | do. |
| 13039 | 4.34 | 1.81 | | | | do. |
| 10050 | 5.00 | 0.32 | | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; |
| 12852 | 3.00 | 0.32 | | | | sale illegal. |
| 13339 | 5.00 | 0.38 | | | | do. |
| 10000 | 5.00 | 0.00 | | | | |
| 14069 | 3.90 | 1.45 | | | | Vinegar, to which water had been added; below standard; adul- |
| | | | | | | terated; sale illegal. |
| 12652 | 4.38 | 1.46 | | | | Vinegar, solids low. Indication of added water and spirit vinegar. |
| 13401 | 4.15 | 0.33 | | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; |
| | | | | | | sale illegal. |
| 14032 | 6.50 | 1.97 | | | | Vinegar. |
| 13398 | 2.15 | 0.40 | | | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| | 1 | | | | | a : ' i i i i i i i i i i i i i i i i i i |
| 12868 | 5.52 | 0.28 | | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; |
| 14000 | 4.00 | 2.33 | | | | sale illegal. Vinegar. |
| 14023 14015 | 4.02 | | | | | do. |
| 12999 | 6.66 | | | | | Compound vinegar, sold by retail dealer as vinegar; misrepre- |
| 12000 | 0.00 | 0 | | 1 | | sented; sale illegal. |
| 12875 | 5.16 | 0.59 | | | - | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; |
| | | | | | | sale illegal. |
| 13372 | 4.40 | 1.97 | | | | Vinegar. |
| | | | | | | |
| 13399 | 4.10 | 1.91 | 1 | | 0 1.21 | |
| 12819 | 4.48 | | | | | do. |
| 14076 | 3.30 | | 1 | | | Vinegar, below standard; adulterated; sale illegal. |
| 12828 | 4.72 | | | | | Vinegar. Spirit vinegar, sold by retail dealer as vinegar; misrepresented; |
| 12848 | 4.32 | 0.19 | ' | | | sale illegal. |
| 13306 | 4.65 | | | - | | Vinegar. |
| 10000 | 1.00 | | | - | - | |
| 13376 | 5.00 | 0.53 | 3 | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; |
| | | | | | | sale illegal. |
| 13335 | 4.80 | 1.86 | 3 | | | Vinegar. |
| 14073 | 3.80 | 4.56 | 3 | - | | do. |
| | | | 1 | | | The state of the s |

| | aterial and rand from Label | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|----------------------|--|-------------------------------|--|---|
| 13017 | | Vinegar, Best Apple. | S. R. & J. C. Mott, Bonckville, N. Y. | H. T. Duls, Wilmington |
| 14114 | | Vinegar, Pure Apple Cider. | National Fruit Products Co., Alexandria, Va. | N. C. Christopher, Murphy |
| | ar, Pure Apple er, Capitol. | Vinegar | do | E. L. Starkey, Wilmington |
| Cie | ar, PureApple er, White use. | e do | .do | James F. Parrott & Bro., Kinston. |
| 12827 Vineg Cid | ar, Pure Apple er. | e . do | | Burrell Stroud, Kinston |
| 13042 Vineg | ar,PureCider, ite House. | | . do | H. C. Armstrong, New Bern McDaniel & Payne, Charlotte. |
| 13396 | | do | Norman-Moir-Dalton Co., Winston-Salem, N. C. | Moser Cash Store, Winston-Salem. |
| Log | ar,PureCider, ; Cabin. | ,do | Old Homestead Mfg. Co., Richmond, Va. | Hancock & Co., Beaufort |
| 12811 | | . do | J. H. Pate, Goldsboro G. W. Patterson, Concord, N. C. | J. L. Sullivan, Goldsboro Cook & Harris, Concord |
| 13040 | | | | |
| 14065 | | do | | Plymouth. Putnam Grocery Co., Winston-Salem. |
| 13387 13343 | | do | P. A. Reavis & Co., Louisburg, N. C. | Rolls & Pritchett, Greensboro |
| 13298 Vineg | ar, Pride | pound. | Richmond Vinegar Co., Rich- mond, Va. | |
| and fect | ar, Distilled Apple, Per- Blend. | Vinegar | do | |
| | ar, Distilled Apple, King. | . do | | T. H. Alford, East Durham. |
| 13348 Vineg | ar, Pride | Vinegar, Com- pound. | .do | R. S. Montague, Oxford |
| | ar, Gold lal, Guaran- l Apple Juice. | Vinegar | do | Evans Bros., Henderson |
| | | Vinegar Com- | do | G. H. Eason & Bro., Selma |
| 13043 | | Vinegar | | C. A. Ross, Charlotte |
| 12823 12815 Pride | | do | .do | W. W. Rouse, Kinston J. Z. Hinson, Goldsboro |
| 13003 Vineg Con | ar, Grape, apound. | Vinegar, Grape, Compound. | | W. H. Russell, Clinton |
| | | | Sampson Medicine Co., Winston-Salem, N. C. | Center Mercantile Co., Winston-Salem. |

| ry | | 000 | r Cent. | gars | ar | Remarks and Conclusions. |
|-----------------------|--------------------------------|-----------------------------------|--------------|----------------------------|-----------------------------------|---|
| Laboratory Number. | Acidnty, Total— Per Cent | n Soluti in Soluti Per Cent | Ash—Per Cent | Total Sugars- Per Cent. | Non-sugar Solids— Per Cent. | Remarks and Concusions. |
| 13017 | 4.90 | 2.39 | | | | Vinegar. |
| 14114 | 4.05 | 2.27 . | | | | do. |
| 14013 | 4.50 | 1.73 . | | | | do. |
| 12824 | 4.82 | 1.97 | | | | do. |
| 12827 | 4.24 | 1.50 | 0.23 | | | Vinegar; solids little low for pure vinegar. |
| 12843 | 4.54 | 1.79 | 0.26 | | | Vinegar. |
| 13042 | 4.24 | 1.81 | | | | do. |
| 13396 | 4.40 | 2.92 | 0.42 | 1.06 | 1.86 | do. |
| 12837 | 4.24 | 1.94 | 0.26 | 0.81 | 1.13 | do. |
| 12818 | 4.68 | 2.01 | | | | elo. |
| 12811 | 7.00 | 0.42 | | | | Spirit vinegar, sold by retail dealer as vinegar; sale was illegal. |
| 14082 | 3.45 | | | | , | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 13353 | 5.75 | 1.45 | | | | Vinegar, grape. |
| 13040 | 4.12 | 1.76 | | | | Vinegar. |
| 12881 | 4.62 | 1.69 | | | | do. |
| | | 2.29 | | | | do. |
| 12874 | 4.20 | 2.29 | | | | do. |
| 14065 | 4.00 | 2.85 | | | | do. |
| 13387 | 4.15 | 1.94 | | | | do. |
| 13343 | 4.20 | 1.40 | | | | Compound vinegar, sold as vinegar by retail dealer; misrepresented; sale illegal. |
| 13298 | 3.70 | 0.56 | | | | Spirit vinegar; adulterated, misbranded; explanation does not excuse plain misbranding; sale illegal. |
| 13360 | 4.10 | 0.61 | | | | Compound vinegar, sold by retail dealer as vinegar; misbranded; sale illegal. |
| 13358 | 4.70 | 1.23 | | | | Compound vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 13348 | 4.05 | 0.30 | | | | Spirit vinegar, misbranded; explanation does not excuse misbranding; sale illegal. |
| 13346 | 3.90 | 2.34 | | | | Vinegar. |
| 12884 | 3.82 | 0.23 | | | | Spirit vinegar. Explanation does not excuse plain misbranding; misbranded; sale illegal. |
| 13043 | 4.00 | 0.36 | | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 12823 | 4.38 | 2.51 | | | | Vinegar. |
| s 12815 | 3.80 | 0.47 | | | | Spirit vinegar, misbranded; explanation in small letters does not excuse misbranding; sale illegal. |
| 13003 | 5.06 | 5.08 | 0.27 | 1.88 | 3.20 | Compound vinegar. |
| 13390 | 4.00 | 0.22 | | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |

THE BULLETIN.

| Laboratory Number. | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Seut Sample for Analysis. |
|-----------------------|--------------------------------------|-----------------------|---|---|
| 13044 | | Vinegar | | I I Support Charlette |
| 13313 | | do | E. A. Saunders & Sons Co., Richmond, Va. | B. Hurwitz & Bro., Carthage. |
| 12856 | | do | | N. L. Sawyer & Co., Washington. |
| | Rod, Pure Apple Cider. | | E. S. Shelby Vinegar Co., Riehmond, Va. | James F. Tayloe, Washington |
| | Distilled, Colored | | do | |
| 13375 _ | do | do | do | J. T. Black & Bro., Graham. |
| 13374 _ | do | do | do | Graham Grocery Co., Graham |
| 19979 | .1 | 1. | , | |
| 13356 | do | do | do | A. M. Hadley, Graham |
| | | | | |
| 13314 | | do | | Sinclair Bros., Carthage |
| 12830 _ | | do | S. C. Sitterson, Kinston, N. C. | P. R. Borden, Kinston |
| | | | Sladen-Fakes Co., Asheville, N. C. | |
| | | | Sladen-Fakes Co., Bryson City, N. C. | |
| 12807 | | Vinegar | | W. M. Smith, Goldsboro |
| | | | | |
| 12858 _ | | do | | R. L. Smith, Belhaven |
| 14051 _ | | do | Mrs. I. Smithey, North Wilkes- | Pearson Bros., North Wilkes- |
| 14026 | | .1 | boro, N. C. | boro. |
| 14030 _ | | ao | | W. 1. Soekwell, Greensboro. |
| 14217 | | do | | Smider-Raney Co., Salisbury |
| 13312 . | | do | Southern Distilling Co., Nor- | Wallace Bros., Carthage |
| | | | folk, Va. | |
| 14057 | | do | | |
| 19825 | | Vinegan | | Salem. |
| 15000 | | "Spirit." | | M. R. Springle, Beaufort |
| 13400 _ | | | Stokes Grocery Co., Walnut | J. S. Needham, Pilot Moun- |
| | | | Cove, N. C. | tain. |
| 13341 V | | do | Stokes-Grymes Grocery Co., | W. P. Edwards, Franklinton |
| | Brand, Pure Apple. | | Richmond, Va. | |
| 13363 _ | | 'do | | J. J. Stone, Durham |
| | | | Will Styers, Winston-Salem, N. C. | Liberty Mercantile Co., Winston-Salem. |
| 14055 _ | | do | | Swaim & Johnson, Waughtown. |
| 12831 V | Vinegar, Pure Apple Cider, | do | Charles Syer & Co., Norfolk, Va. | S. T. Harrell & Son, More- head City. |
| | "Gold Seal." | | 1 | |
| 12836 V | Vinegar, Pure Apple, "Golden Seal," | do | do | Hancock & Co., Beaufort |
| 13380 | | Vinegar, Grape. | Suffolk Vinegar Works, Suffolk, Va. | Hazel & Mims, Reidsville |

| Laboratory Number. | Total— Per Cent. | in Solution— Per Cent. Ash—Per Cent. | Total Sugars—Per Cent. Non-sugar Solids—Per Cent. | Remarks and Conclusions |
|-----------------------|---------------------|--|--|--|
| 13044 13313 | $\frac{4.32}{4.25}$ | 1.67 1.59 0.27 | 7 0.57 1.02 | Vinegar. Compound vinegar, misrepresented by retail dealer; sold as vinegar; sale illegal. |
| 12856 | 4.54 | 2.53 0.29 | 9' | |
| 12849 | 4.10 | 1.69 | - | . do. |
| 13299 | 3.40 | 0.10 | -, | Spirit vinegar below standard; sold by retail dealer as vinegar; |
| | | | | misrepresented; sale illegal. |
| 13375 | 4.00 | 0.16 | | Spirit vinegar, not distilled vinegar; misbranded; sale illegal. |
| 13374 | 4.00 | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 13373 | 1.95 | 0.34 | | Product too low in acidity for vinegar; sale illegal. |
| 13356 | 4.10 | 0.46 | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; |
| | | 1 | | sale illegal. |
| 13314 | 4.45 | 0.25 | | Vinegar. |
| 12830 | 4.52 | 0.17 | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 14122 | 4.05 | | | |
| | | | | |
| 14115 | 4.80 | 2.75 | | do. |
| 12807 | 4.54 | 2.35 0.3 | 3 0.96 1.3 | 9' do. |
| 13310 | 4.00 | 0.36 | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; |
| | | | | sale illegal. |
| 12858 | 4.20 | 1.95 | | Vinegar. |
| 14051 | 4.35 | | 32 | |
| 11001 | | | | |
| 14036 | 4.44 | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 14217 | 5.36 | 3.04 | | -\Vinegar of good quality. |
| 13312 | 4.15 | 2.59 | | _ Vinegar. |
| | | | | |
| 14057 | 3.80 | 0.32 | | Spirit vinegar, below standard; sold as vinegar; misrepresented; sale illegal. |
| 12835 | 3.08 | 0.33 | | Spirit vinegar, below standard; adulterated; sale illegal. |
| 13400 | 3.65 | 0.21 | | Spirit vinegar, below standard; sold as vinegar; misrepresented; sale illegal. |
| 13341 | 4.50 | 2.23 | | Vinegar. |
| | | | 1 | |
| 10000 | 4.05 | 0.44 | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 13363 | | | | |
| 13395 | 2.55 | 2.71, 0. | 38 0.51 2.3 | 20 Cider, partly changed to vinegar; sold as vinegar; sale illegal. |
| 14055 | 4.20 | 0.29 | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12831 | 4.18 | 1.58 | | Vinegar |
| 12001 | 4.10 | 1.00 | | 1 1110 602 . |
| | | | | |
| 10000 | 4.16 | 1 90 0 | 30 | do. |
| 12836 | 4.16 | 1.50 0. | ov | mail (UV) |
| | | | | |
| 19900 | 5.00 | 0.50 | | Compound spirit and grape vinegar, sold by retail dealer as grape |
| 13380 | 3.00 | 0.50, | ' | vinegar; misrepresented; sale illegal. |
| | | | | vinegar, morepresented, sale megar. |

| Laboratory Number, | Material and Brand from Label. | Sold by Dealer as— | Manufacturer or Wholesaler. | Retail Dealer or Party Who Sent Sample for Analysis. |
|-----------------------|--------------------------------------|--------------------------|--|--|
| 12820 | | Vinegar | Sumerell & McCoy, Kinston, N. C. | W. W. Tuton, Kinston |
| 14064 | | do | N.C. | W. R. Tesh, Winston-Salem |
| 14074 13350 | | do | The Thomas-Howard Co., Durham, N. C. | W. W. Thomas, Mount Airy Cannady & Alston, Oxford |
| 13352 | | Vinegar, Mono- grain. | do | Patterson Bros , Durham |
| 13362 | Vinegar, Blended. | | do | A. W. Cain & Co., Durham |
| 14034 | | dodo | F. Valentine, Agent, Norfolk, | Tucker & Erwin, Greensboro. |
| | | Vinegar, Pear | Va. J. Van Lindley & Co., Pomona, N. C. | Pomona |
| 12664 | | do | do | do |
| | | | do | . Variety Store Co., No. 1, |
| 14052 | | do | Vaughn-Hemphill Co., North Wilkesboro. | Leaksville. Piedmont Feed Co., North Wilkesboro. |
| 14054 | | Vinegar, Com- pound. | | Vogler & Hege, Waughtown |
| 13012 | | Vinegar | H. L. Vollers, Wilmington, N.C | . Cape Fear Cash Store, Wil- mington. |
| | | | | |
| | | pound. | | Mocksville. |
| 13392 14046 | | Vinegardo | | O. H. Walker, Winston-Salem Webster & Robinson, Madi- |
| | | | | |
| 13333 | | do | J | E. A. Williams, Battleboro |
| 14050 | | Vinegar, Apple. | J. F. Williams, Rockford, N. C. | . The City Groeery Co., Elkin. |
| | | | R. C. Williams & Co., New York, N. Y. | Gideon Pendleton, Elizabeth City. |
| | | | | |
| | | | Wilson Wholesale Co., Wilson, N. C. | |
| 12859 | | do | N. C. W. J. Woodley, Elizabeth City, N. C. | J. M. LeRoy, Elizabeth City. |
| 14027 | . * * * * | do . | Woods Bros. Co., Covesville, | C. H. Pettigrew, Reidsville |
| 13014 | | do | Va. R. A. Wright, Wilmington, N.C. | |
| 13007 | | do | do | ton. Borden Bros., Wilmington |
| 13037 | | Vinegar, Country. | H. L. Yarbrough, Monroe, N. C. | Latham & Richardson, Mon- roe. |

| _ | | | | | | |
|----------------------|---|--|-----------|--------------------------|---|--|
| | | 5 L | —Per Cent | 7 | | |
| ory | . 4 | Solid Matter n Solution- Per Cent. | <u>ب</u> | Ootal Sugars er Cent. | gar. | Remarks and Conclusions. |
| rat ber | e Tă | E E | 4 | al Su Cent | Gent Gent Gent Gent Gent Gent Gent Gent | |
| aboratory Number. | er of | E Z | 4 | e e | Son-sugar Solids— Per Cent | |
| ĽZ. | <e≏< td=""><td>x.==</td><td>_=</td><td><u></u></td><td>2.7.</td><td></td></e≏<> | x.== | _= | <u></u> | 2.7. | |
| 12820 | 5.60 | 0.19 | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 14064 | 4.05 | 0.35 | | | | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 14074 | 3.95 | 0.44 | | | | Vinegar, spirit, colored; sold as vinegar; misrepresented; sale illegal. |
| 13350 | 4.90 | 1.90 | | | | Vinegar. |
| | | | | | | |
| 13352 | 4.35 | 2,97 | | | | do. |
| 13362 | 3.90 | 1.45 | | | | Compound vinegar, labeled a blend; misbranded; below standard; |
| 10002 | | | | | | sale illegal. |
| 14031 | 4.94 | 1.46 | | | | Vinegar. |
| 14034 | | | | | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12869 | 3.84 | 2.78 | | | | Vinegar slightly below standard in acidity; sale illegal. |
| 12663 | 4.54 | 6.51 | 0.26 | | | Pear vinegar. |
| | | | | | | |
| 12664 | 4.28 | | 0.27 | | | do. |
| 12662 | 4.20 | | 0.25 | | | do. Vinegar, slightly below standard in acidity. |
| 14030 | 3.96 | 1.83 | | , | | Thegar, signery below standard in acturey. |
| 14052 | 4.05 | 0.30 | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 14054 | 3.90 | 0.33 | | · | | Spirit vinegar. |
| 13012 | 4.90 | 2.00 | | | | Vinegar. |
| 14056 | 4.15 | 1.94 | | | | do. |
| 14038 | | 1.26 | | | | Compound vinegar. |
| | | | | | | 20.10.10.10.10.10.10.10.10.10.10.10.10.10 |
| 13392 | 1 | | | | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. Vinegar. |
| 14046 | 4.50 | $\stackrel{ }{\mid} 1.78$ | | | | Thegar. |
| 13394 | 4.55 | 1.92 | | | | do. |
| 13333 | 5,25 | 0.59 | | | | Compound spirit and grape vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 14050 | 3.25 | 5.66 | 0.42 | 1.9 | 5 3.70 | Vinegar, below standard in acidity; change to vinegar was not complete; sale illegal. |
| 12860 | 4.74 | 1.48 | 0.28 | | | Vinegar, solids slightly low. |
| 1284 | 4.16 | 3 2.13 | 0.34 | | | Vinegar. |
| 12848 | | | | | | do. |
| 13315 | | | | | | Compound vinegar, sold as vinegar; misrepresented; sale illegal. |
| 12859 | 4.58 | 3 1.50 | 0.26 | | | Vinegar, water added; adulterated; sale illegal. |
| | | | | | | Tree at the later between dearline opidities |
| 14027 | 3.90 | 1.61 | | | | Vinegar, slightly below standard in acidity. |
| 1301 | 4.00 | 0.38 | | · | | Spirit vinegar, sold as vinegar; misrepresented; sale illegal. |
| 13007 | 4.90 | 0.60 |) | | - · · · · · · | Spirit vinegar, sold by retail dealer as vinegar; misrepresented; sale illegal. |
| 1303 | 7 1.45 | 2 1.97 | 0.37 | | - | sale megal. Product made from cider, too low in acidity for vinegar; sale was illegal. |

INDEX.

| V | PAGE |
|--|------------|
| Beers, Imitation and Near-Beers | |
| Butter and Butter Substitutes | |
| Cheese | |
| Cider and Imitation Ciders | 18 |
| Cinnamon Extract | |
| Coffee and Coffee Substitutes | |
| Currants, Figs. Dates, and Raisins, Dried | 26 |
| Dealers and Manufacturers, Notice to | 8 |
| Food Law Extracts, Notes on | 5 |
| Ice-Cream and Ice-Cream Substitutes | 28 |
| Labeling Food Products | 7 |
| Lard and Compound Lard | 42 |
| Lemon Extracts and Lemon Extract Substitutes | 44 |
| Maple Sirup and Maple Sirup Substitutes | 50 |
| Milk and Cream | 54 |
| Milk, Condensed | 62 |
| Miscellaneous Samples | 64 |
| Molasses and Sirups | |
| Olive and Other Table and Cooking Oils | 80 |
| Orange Extract and Orange Extract Substitutes | 80 |
| Peas, Canned | 82 |
| Peppermint Extract | 84 |
| Rice | 86 |
| Salt Fish | 80 |
| Standards and Regulations, Notes on | |
| Sweet Oil and Sweet Oil Substitutes | |
| Vanilla Extracts and Vanilla Extract Substitutes | 92 |
| Vegetables, Colored with Copper Sulphate | 8 |
| Vinegar and Vinegar Substitutes | |
| Work of Year | |
| | |
| | |
| • | |
| | |
| LEAF TOBACCO SALES FOR OCTOBER, 1914. | , |
| Pounds sold for producers, first hand | 57.064.300 |
| | 2,599,858 |
| Pounds sold for dealers | |
| Pounds resold for warehouse | 3,237,723 |
| - | 00 001 001 |





| | | * | |
|---|--|---|--|
| | | | |
| | | | |
| | | | |
| | | | |
| s | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



New York Botanical Garden Library
3 5185 00259 5989

